

Figure: 25 TAC §300.303(I)

Analyte	Acceptable Limit
<b>Metals</b>	
Arsenic	1.5 ppm
Cadmium	0.3ppm
Lead	1.0ppm
Mercury	0.5ppm
<b>Microbial Impurities</b>	Total Aerobic Count
Total combined yeast molds count	
E-Coli	No detection
Campylobacter	No detection
Listeria monocytogenes	No detection
Salmonella	No detection
Shiga-Toxin	No detection
Staphylococcus	No detection
Yersinia	No detection
<b>Pesticides</b>	Chemical Abstract Services Number (CAS)
Acetamiprid	0.2ppm
Aldicarb	0.4ppm
Azoxystrobuin	0.2ppm
Bifenzate	0.2ppm
Boscalid	0.2ppm
Carbaryl	0.5ppm
Carbofuran	0.2ppm
Chlorantraniliprole	0.2ppm

Chloropyrifos	0.6ppm
Cypermethrin	18ppm
Diazinon	2.6ppm
Dichlorovos	0.1ppm
Ethoprophos	0.4ppm
Etofenprox	0.4ppm
Fipronil	1.0ppm
Flonicamid	1.0ppm
Imidacloprid	0.4ppm
Metalaxyl	0.2ppm
Methiocarb	0.4ppm
Methomyl	0.4ppm
Methyl parathion	8.5ppm
Myclobutanil	0.3ppm
Oxamyl	1ppm
Permethrin I	1.1ppm
Pyridaben	0.2ppm
Spiroxamine I	2ppm
Tebuconazole	0.4ppm
Thiacloprid	0.2ppm
Thiamethoxam	0.2ppm