

Sulfur Dioxide

<b>Maximum Averaging Time</b>	<b>Maximum Increment Consumed (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Allowable Increment (<math>\mu\text{g}/\text{m}^3</math>)</b>
3-hour	417	512
24-hour	31	91
Annual	2	20

PM<sub>10</sub>

<b>Maximum Averaging Time</b>	<b>Maximum Increment Consumed (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Allowable Increment (<math>\mu\text{g}/\text{m}^3</math>)</b>
24-hour	0	30
Annual	4	17

Nitrogen Dioxide

<b>Maximum Averaging Time</b>	<b>Maximum Increment Consumed (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Allowable Increment (<math>\mu\text{g}/\text{m}^3</math>)</b>
Annual	3	25

PM<sub>2.5</sub>

<b>Maximum Averaging Time</b>	<b>Maximum Increment Consumed (<math>\mu\text{g}/\text{m}^3</math>)</b>	<b>Allowable Increment (<math>\mu\text{g}/\text{m}^3</math>)</b>
24-hour	7	9
Annual	1	4