



Prepared by the Defense Mapping Agency Topographic Center, Washington, D. C. Compiled in 1954 by photogrammetric methods. Planimetry revised from aerial photographs taken 1952-53. Photographs field annotated 1954. Revised by the U. S. Geological Survey from aerial photographs taken 1976. Map edited 1977.

100,000-foot grids based on Texas coordinate system, north central zone and Oklahoma coordinate system, south zone.

Area covered by dashed light-blue pattern is subject to controlled inundation. Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

Figures in red denote approximate distances in miles between stars.

POPULATED PLACES

- Over 500,000 **LOS ANGELES**
- 100,000 to 500,000 **OMAHA**
- 25,000 to 100,000 **GALVESTON**
- 5,000 to 25,000 **Durango**
- 1,000 to 5,000 **Grand Coulee**
- Less than 1,000 **Interchange**

ROADS

- Primary, all-weather, hard surface
- Secondary, all-weather, hard surface
- Light-duty, all-weather, hard or improved surface
- Fair or dry weather, unimproved surface
- Trail
- Interchange

RAILROADS

- Normal gauge
- Narrow gauge
- Landplane airport
- Landing area
- Seaplane airport
- Mine
- Park or reservation
- Woods-brushwood
- Power line

BOUNDARIES

- International
- State
- County
- Park or reservation

LANDMARKS

- School, Church, Other, etc.
- Spot elevation in feet
- Marsh or swamp
- Intermittent or dry stream

Scale 1:250,000

0 5 10 15 20 Statute Miles

0 5 10 15 20 Kilometers

0 5 10 15 20 Nautical Miles

CONTOUR INTERVAL 50 FEET

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 14

1977 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8° 14'00" EASTLY FOR THE CENTER OF THE WEST EDGE TO 7° 12'00" EASTLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

LOCATION DIAGRAM

NI 14-1	CLINTON CO. OKLA.	NI 14-2	CLINTON CO. OKLA.	NI 14-3	CLINTON CO. OKLA.	NI 14-4	CLINTON CO. OKLA.	NI 14-5	CLINTON CO. OKLA.	NI 14-6	CLINTON CO. OKLA.	NI 14-7	CLINTON CO. OKLA.	NI 14-8	CLINTON CO. OKLA.	NI 14-9	CLINTON CO. OKLA.	NI 14-10	CLINTON CO. OKLA.	NI 14-11	CLINTON CO. OKLA.	NI 14-12	CLINTON CO. OKLA.	NI 14-13	CLINTON CO. OKLA.	NI 14-14	CLINTON CO. OKLA.	NI 14-15	CLINTON CO. OKLA.	NI 14-16	CLINTON CO. OKLA.	NI 14-17	CLINTON CO. OKLA.	NI 14-18	CLINTON CO. OKLA.	NI 14-19	CLINTON CO. OKLA.	NI 14-20	CLINTON CO. OKLA.
---------	-------------------	---------	-------------------	---------	-------------------	---------	-------------------	---------	-------------------	---------	-------------------	---------	-------------------	---------	-------------------	---------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------	----------	-------------------

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

GRID ZONE DESIGNATION

18N PN QN

SECTIONIZED TOWNSHIP

6 5 4 3 2 1

SECTIONIZED RANGE LINE

14 13 12 11 10 9 8 7 6 5 4 3 2 1

USGS

SHERMAN, TEXAS; OKLAHOMA

1954

REVISED 1977

MAR 15 1978

10,100