



Prepared by the Army Map Service (GUSK), Corps of Engineers, U. S. Army, Washington, D. C. Compiled to 1956 from United States Quadangles, 1:48,000. USGS Photogrammetric Compilation, Sheets C-12, M-12, 1954. USGS Charts 1284, 1345, 1385, 1341. Western United States, 1:250,000, Texas, AMS, Sheet NH 14-12, 1949. Planimetric detail revised by photostereometric methods. Horizontal and vertical control by USGS and CE. Map field checked 1956.

100,000 foot grids based on Texas coordinate system, south central and south zones  
10,000 meter Universal Transverse Mercator grid ticks, zone 14, shown in blue

**LEGEND**

**ROAD DATA 1956**  
Figures in red denote approximate distances in miles between stars

**POPULATED PLACES**  
Over 500,000  
100,000 to 500,000  
25,000 to 100,000  
5,000 to 25,000  
1,000 to 5,000  
Less than 1,000

**RAILROADS**  
Single track  
Double or Multiple track  
Standard gauge  
Narrow gauge  
Landing area

**BOUNDARIES**  
State  
County  
Park or reservation  
Horizontal control point  
Spot elevation in feet

**ROADS**  
Hard surface, heavy duty  
More than two lanes wide  
Two lanes wide, Federal route marker  
Hard surface, medium duty  
More than two lanes wide  
Two lanes wide, State route marker  
Improved light duty  
Unimproved dirt

**LANDMARKS**  
School  
Church  
Other  
Depth curve in feet  
Limit of danger, Reef  
Rocks  
Awash  
Sunken  
Foreshore flat  
Intermittent or dry stream  
Marsh or swamp

**3 LANES & LARGER**  
**2 LANES & LARGER**

**POPULATED PLACES**  
**LOS ANGELES**  
**OMAHA**  
**GALVESTON**  
**Laramie**  
**Grand Coulee**  
**Sun Valley**

**LANDMARKS**  
School  
Church  
Other  
Depth curve in feet  
Limit of danger, Reef  
Rocks  
Awash  
Sunken  
Foreshore flat  
Intermittent or dry stream  
Marsh or swamp

Scale 1:250,000  
0 5 10 15 20 Statute Miles  
0 5 10 15 20 25 30 Kilometers  
0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 50 FEET WITH SUPPLEMENTARY CONTOURS AT 25 FOOT INTERVALS  
RELIEF PARTIALLY SHOWN BY APPROXIMATE CONTOURS AT 25 AND 50 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

85.5 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 9°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 8°45' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0'02" WESTERLY

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.

LOCATION DIAGRAM FOR NH 14-12

UNITED STATES  
NH 14-12  
NH 14-13  
NH 14-14  
NH 14-15  
NH 14-16  
NH 14-17  
NH 14-18  
NH 14-19  
NH 14-20  
NH 14-21  
NH 14-22  
NH 14-23  
NH 14-24  
NH 14-25  
NH 14-26  
NH 14-27  
NH 14-28  
NH 14-29  
NH 14-30  
NH 14-31  
NH 14-32  
NH 14-33  
NH 14-34  
NH 14-35  
NH 14-36  
NH 14-37  
NH 14-38  
NH 14-39  
NH 14-40  
NH 14-41  
NH 14-42  
NH 14-43  
NH 14-44  
NH 14-45  
NH 14-46  
NH 14-47  
NH 14-48  
NH 14-49  
NH 14-50  
NH 14-51  
NH 14-52  
NH 14-53  
NH 14-54  
NH 14-55  
NH 14-56  
NH 14-57  
NH 14-58  
NH 14-59  
NH 14-60

RELIABILITY DIAGRAM

Good Fair Poor Photogrammetry

A. Large scale topographic maps, controlled ground survey, 1:48,000  
B. Large scale topographic maps, photogrammetric compilation, 1:54,000  
C. Medium scale topographic map, composite, 1:62,500  
D. Medium scale topographic charts, 1:62,500. Planimetry revised from 1:62,500 aerial photography

U.S.G.S. FILE COPY TOPOGRAPHIC DIVISION

MAY 17 1956

BEEVILLE, TEXAS