

HOUSE CONCURRENT RESOLUTION

1 WHEREAS, House Bill No. 3371 has been adopted by the senate  
2 and the house of representatives and is being prepared for  
3 enrollment; and

4 WHEREAS, The bill contains a technical error that should be  
5 corrected; now, therefore, be it

6 RESOLVED by the 86th Legislature of the State of Texas, That  
7 the enrolling clerk of the house of representatives be instructed  
8 to make the following correction to the enrolled version of House  
9 Bill No. 3371:

10 In SECTION 1 of the bill, strike added Section 250.009(c)(2),  
11 Local Government Code, and substitute the following:


12 (2) imposes installation or operational requirements  
13 for:


14 (A) the battery-charged fence that are  
15 inconsistent with the standards set by the International  
16 Electrotechnical Commission as published on June 29, 2018; or

17 (B) an alarm system described by Subsection (b);  
18 or

Darby

H.C.R. No. 186

  
\_\_\_\_\_  
President of the Senate

  
\_\_\_\_\_  
Speaker of the House

I certify that H.C.R. No. 186 was adopted by the House on May 25, 2019, by the following vote: Yeas 146, Nays 0, 1 present, not voting.

  
\_\_\_\_\_  
Chief Clerk of the House

I certify that H.C.R. No. 186 was adopted by the Senate on May 26, 2019, by the following vote: Yeas 31, Nays 0.


  
\_\_\_\_\_  
Secretary of the Senate

RECEIVED: 05/29/2019

Date


  
\_\_\_\_\_

Deputy Secretary of State

6-14-2019  


FILED IN THE OFFICE OF THE  
SECRETARY OF STATE  
4:45pm O'CLOCK

JUN 15 2019

  
\_\_\_\_\_  
Secretary of State

FILED IN THE OFFICE OF THE  
SECRETARY OF STATE  
1:31pm O'CLOCK

MAY 29 2019