

Vilas.7
R299
#237


Report 237


*RECORDS OF WELLS, CHEMICAL
ANALYSES, AND WATER LEVELS OF
SELECTED EDWARDS WELLS,
BEXAR COUNTY, TEXAS*

Government Document

DEC 26 1979

Dallas Public Library







TEXAS DEPARTMENT OF WATER RESOURCES

REPORT 237

**RECORDS OF WELLS, CHEMICAL ANALYSES, AND WATER LEVELS
OF SELECTED EDWARDS WELLS, BEXAR COUNTY, TEXAS**

By

Glenn L. Marquardt and Glenward R. Elder

July 1979

TEXAS DEPARTMENT OF WATER RESOURCES

Harvey Davis, Executive Director

TEXAS WATER DEVELOPMENT BOARD

A. L. Black, Chairman
Milton Potts
George W. McCleskey

John H. Garrett, Vice Chairman
Glen E. Roney
W. O. Bankston

TEXAS WATER COMMISSION

Felix McDonald, Chairman

Dorsey B. Hardeman, Commissioner

Joe R. Carroll, Commissioner

Authorization for use or reproduction of any original material contained in this publication, i.e., not obtained from other sources, is freely granted. The Department would appreciate acknowledgement.

Published and distributed
by the
Texas Department of Water Resources
Post Office Box 13087
Austin, Texas 78711

TABLE OF CONTENTS

	Page
INTRODUCTION	1
LOCATION	1
WELL-NUMBERING SYSTEM	1
SELECTED REFERENCES	7

TABLES

1. Source and Significance of Dissolved-Mineral Constituents and Properties of Water	2
2. Records of Selected Wells	8
3. Water Levels in Selected Wells	50
4. Chemical Analyses of Water From Selected Wells	441

FIGURES

1. Map Showing Location of Bexar County	1
2. Map Showing Locations of Selected Wells in Bexar County	5

RECORDS OF WELLS, CHEMICAL ANALYSES, AND WATER LEVELS OF SELECTED EDWARDS WELLS, BEXAR COUNTY, TEXAS

INTRODUCTION

This report contains basic data on selected wells in Bexar County, Texas, including well-location map, records of 694 water wells, records of water levels in 119 wells, and chemical analyses of water samples from 204 wells. All of the wells selected for this report are high-capacity wells completed in the Edwards (Balcones Fault Zone) aquifer except for six wells which are lacking completion data but do have long-term records of water-level measurements. The term "high-capacity wells" as used in this report implies wells capable of yielding in excess of 500 gallons per minute (31.5 liters per second). The wells can also be categorized as active or inactive. The inactive wells are those which presently are not being used but could be placed on active status within a short time. Also included in the record of wells, because of their importance as stratigraphic control points, are plugged wells that have been logged by mechanical methods. Logs of those wells are available for reference in the files of the Texas Department of Water Resources.

Most of the chemical analyses presented in this report were determined in the laboratories of the U.S. Geological Survey. The remainder were determined by the Texas Department of Health and by commercial laboratories. Only those chemical analyses which have not been previously published are included in this report. Additional chemical analyses on certain wells may be found in the publications listed in the selected references.

Table 1 is included to assist readers to better understand the source and significance of dissolved-mineral constituents indicated in the chemical analyses in this report.

The English units of measure used in the tables of this report may be converted to metric units by the following conversion factors:

<u>From</u>	<u>Multiply by</u>	<u>To obtain</u>
gallons per minute (gal/min)	0.06309	liters per second (l/s)
feet (ft)	0.3048	meters (m)
inches (in)	2.540	centimeters (cm)

LOCATION

Bexar County, located in south-central Texas, is about 125 miles northwest of the Gulf of Mexico. The county is bisected by the Balcones fault zone which separates the Gulf Coastal Plain from the hill country of the Edwards Plateau. The location of Bexar County within the state is shown in Figure 1.




Figure 1.—Location of Bexar County

WELL-NUMBERING SYSTEM

The well-numbering system in this report is one used by the Department of Water Resources throughout the state. This system facilitates the location of wells in present and future studies. Each well is assigned a seven-digit number which is derived by using the following system.

The state is divided into 1-degree quadrangles of latitude and longitude and are numbered 01 through 89.

Table 1.—Source and Significance of Dissolved-Mineral Constituents and Properties of Water

Constituent or property	Source or cause	Significance
Silica (SiO ₂)	Dissolved from practically all rocks and soils, commonly less than 30 mg/l. High concentrations, as much as 100 mg/l, generally occur in highly alkaline waters.	Forms hard scale in pipes and boilers. Carried over in steam of high pressure boilers to form deposits on blades of turbines. Inhibits deterioration of zeolite-type water softeners.
Iron (Fe)	Dissolved from practically all rocks and soils. May also be derived from iron pipes, pumps, and other equipment.	On exposure to air, iron in ground water oxidizes to reddish-brown precipitate. More than about 0.3 mg/l stains laundry and utensils reddish-brown. Objectionable for food processing, textile processing, beverages, ice manufacture, brewing, and other processes. U.S. Public Health Service (1962) drinking water standards state that iron should not exceed 0.3 mg/l. Larger quantities cause unpleasant taste and favor growth of iron bacteria.
Calcium (Ca) and Magnesium (Mg)	Dissolved from practically all soils and rocks, but especially from limestone, dolomite, and gypsum. Calcium and magnesium are found in large quantities in some brines. Magnesium is present in large quantities in sea water.	Cause most of the hardness and scale-forming properties of water; soap consuming (see hardness). Waters low in calcium and magnesium desired in electroplating, tanning, dyeing, and in textile manufacturing.
Sodium (Na) and Potassium (K)	Dissolved from practically all rocks and soils. Found also in oil-field brines, sea water, industrial brines, and sewage.	Large amounts, in combination with chloride, give a salty taste. Moderate quantities have little effect on the usefulness of water for most purposes. Sodium salts may cause foaming in steam boilers and a high sodium content may limit the use of water for irrigation.
Bicarbonate (HCO ₃) and Carbonate (CO ₃)	Action of carbon dioxide in water on carbonate rocks such as limestone and dolomite.	Bicarbonate and carbonate produce alkalinity. Bicarbonates of calcium and magnesium decompose in steam boilers and hot water facilities to form scale and release corrosive carbon dioxide gas. In combination with calcium and magnesium, cause carbonate hardness.
Sulfate (SO ₄)	Dissolved from rocks and soils containing gypsum, iron sulfides, and other sulfur compounds. Commonly present in some industrial wastes.	Sulfate in water containing calcium forms hard scale in steam boilers. In large amounts, sulfate in combination with other ions gives bitter taste to water. U.S. Public Health Service (1962) drinking water standards recommend that the sulfate content should not exceed 250 mg/l.
Chloride (Cl)	Dissolved from rocks and soils. Present in sewage and found in large amounts in oil-field brines, sea water, and industrial brines.	In large amounts in combination with sodium, gives salty taste to drinking water. In large quantities, increases the corrosiveness of water. U.S. Public Health Service (1962) drinking water standards recommend that the chloride content should not exceed 250 mg/l.
Fluoride (F)	Dissolved in small to minute quantities from most rocks and soils. Added to many waters by fluoridation of municipal supplies.	Fluoride in drinking water reduces the incidence of tooth decay when the water is consumed during the period of enamel calcification. However, it may cause mottling of the teeth, depending on the concentration of fluoride, the age of the child, amount of drinking water consumed, and susceptibility of the individual (Maier, 1950, p. 1120-1132).
Nitrate (NO ₃)	Decaying organic matter, sewage, fertilizers, and nitrates in soil.	Concentration much greater than the local average may suggest pollution. U.S. Public Health Service (1962) drinking water standards suggest a limit of 45 mg/l. Waters of high nitrate content have been reported to be the cause of methemoglobinemia (an often fatal disease in infants) and therefore should not be used in infant feeding (Maxcy, 1950, p. 271). Nitrate shown to be helpful in reducing inter-crystalline cracking of boiler steel. It encourages growth of algae and other organisms which produce undesirable tastes and odors.
Boron (B)	A minor constituent of rocks and of natural waters.	An excessive boron content will make water unsuitable for irrigation. Wilcox (1955, p. 11) indicated that a boron concentration of as much as 1.0 mg/l is permissible for irrigating sensitive crops; as much as 2.0 mg/l for semitolerant crops; and as much as 3.0 mg/l for tolerant crops. Crops sensitive to boron include most deciduous fruit and nut trees and navy beans; semitolerant crops include most small grains, potatoes and some other vegetables, and cotton; and tolerant crops include alfalfa, most root vegetables, and the date palm.

Table 1.—Source and Significance of Dissolved-Mineral Constituents and Properties of Water—Continued

Constituent or property	Source or cause	Significance
Dissolved solids	Chiefly mineral constituents dissolved from rocks and soils.	U.S. Public Health Service (1962) drinking water standards recommend that waters containing more than 500 mg/l dissolved solids not be used if other, less mineralized supplies are available. For many purposes the dissolved-solids content is a major limitation on the use of water. A general classification of water based on dissolved-solids content, in ppm, is as follows (Winslow and Kister, 1956, p. 5): Waters containing less than 1,000 ppm of dissolved solids are considered fresh; 1,000 to 3,000 ppm slightly saline; 3,000 to 10,000 ppm, moderately saline; 10,000 to 35,000 ppm, very saline; and more than 35,000 ppm, brine.
Hardness as CaCO ₃	In most waters nearly all the hardness is due to calcium and magnesium. All of the metallic cations other than the alkali metals also cause hardness.	Consumes soap before a lather will form. Deposits soap curd on bathtubs. Hard water forms scale in boilers, water heaters, and pipes. Hardness equivalent to the bicarbonate and carbonate is called carbonate hardness. Any hardness in excess of this is called non-carbonate hardness. Waters of hardness up to 60 mg/l are considered soft; 61 to 120 mg/l, moderately hard; 121 to 180 mg/l, hard; more than 180 mg/l, very hard.
Sodium-adsorption ratio (SAR)	Sodium in water.	A ratio for soil extracts and irrigation waters used to express the relative activity of sodium ions in exchange reactions with soil (U.S. Salinity Laboratory Staff, 1954, p. 72, 156). Defined by the following equation:
$SAR = \frac{Na^{+}}{\sqrt{\frac{Ca^{++} + Mg^{++}}{2}}}$		
where Na ⁺ , Ca ⁺⁺ , and Mg ⁺⁺ represent the concentrations in milliequivalents per liter (me/l) of the respective ions.		
Residual sodium carbonate (RSC)	Sodium and carbonate or bicarbonate in water.	As calcium and magnesium precipitate as carbonates in the soil, the relative proportion of sodium in the water is increased (Eaton, 1950, p. 123-133). Defined by the following equation:
$RSC = (CO_3^{--} + HCO_3^{-}) - (Ca^{++} + Mg^{++})$		
where CO ₃ ⁻⁻ , HCO ₃ ⁻ , Ca ⁺⁺ , and Mg ⁺⁺ represent the concentrations in milliequivalents per liter (me/l) of the respective ions.		
Specific conductance (micromhos at 25° C)	Mineral content of the water.	Indicates degree of mineralization. Specific conductance is a measure of the capacity of the water to conduct an electric current. Varies with concentration and degree of ionization of the constituents.
Hydrogen ion concentration (pH)	Acids, acid-generating salts, and free carbon dioxide lower the pH. Carbonates, bicarbonates, hydroxides, phosphates, silicates, and borates raise the pH.	A pH of 7.0 indicates neutrality of a solution. Values higher than 7.0 denote increasing alkalinity; values lower than 7.0 indicate increasing acidity. pH is a measure of the activity of the hydrogen ions. Corrosiveness of water generally increases with decreasing pH. However, excessively alkaline waters may also attack metals.

These are the first two digits in the well number. Each 1-degree quadrangle is divided into 7½-minute quadrangles which are given two-digit numbers from 01 to 64. These are the third and fourth digits of the well number. Each 7½-minute quadrangle is divided into 2½-minute quadrangles which are given a single-digit number from 1 to 9. This is the fifth digit of the well number. Finally, each well within a 2½-minute quadrangle is given a two-digit number

in the order in which it was inventoried, starting with 01. These are the last two digits of the well number.

On the well-location map (Figure 2), only the last three digits are shown at each well location; the second two digits are shown in the northwest corner of each 7½-minute quadrangle; and the first two digits are shown by the large block numeral 68.




Figure 2
Location of Selected Water Wells in Bexar County

SELECTED REFERENCES

- Doll, W. L., Meyer, G., and Archer, R. J., 1963, Water resources of West Virginia: West Virginia Dept. of Natural Resources, Div. of Water Resources, 137 p.
- Eaton, F. M., 1950, Significance of carbonates in irrigation waters: *Soil Sci.*, v. 59, p. 123-133.
- Garza, Sergio, 1963, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas: Edwards Underground Water District Bull. 1, 56 p.
- _____, 1964, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1963: Edwards Underground Water District Bull. 4, 15 p.
- _____, 1965, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1964: Edwards Underground Water District Bull. 7, 12 p.
- _____, 1966, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1965: Edwards Underground Water District Bull. 10, 14 p.
- Maier, F. J., 1950, Fluoridation of public water supplies: *Am. Water Works Assoc. Jour.*, v. 42, pt. 1, p. 1120-1132.
- Maxcy, K. F., 1950, Report on the relation of nitrate concentrations in well waters to the occurrence of methemoglobinemia: *Nat'l. Research Council Bull. Sanitary Eng.*, p. 265-271.
- Pearson, F. J., Jr., and Rettman, P. L., 1976, Geochemical and isotopic analyses of waters associated with the Edwards limestone aquifer, Central Texas: Edwards Underground Water District, 35 p.
- Petitt, B. M., Jr., and George, W. O., 1956, Ground-water resources of the San Antonio area, Texas: Texas Board Water Engineers Bull. 5608, v. 2, pt. 1, 252 p., 1 pl., and pt. 3, 231 p., 1 pl.
- Reeves, R. D., 1976, Chemical and bacteriological quality of water at selected sites in the San Antonio area, Texas, August 1968-January 1975: Edwards Underground Water District, 122 p.
- Rettman, P. L., 1967, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1966: Edwards Underground Water District Bull. 13, 10 p.
- _____, 1968, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1967: Edwards Underground Water District Bull. 16, 9 p.
- U.S. Public Health Service, 1962, Public Health Service drinking-water standards: Public Health Service Pub. 956, 61 p.
- U.S. Salinity Laboratory Staff, 1954, Diagnosis and improvement of saline and alkaline soils: U.S. Dept. of Agr. Handbook 60, 160 p.
- Wilcox, L. V., 1955, Classification and use of irrigation waters: U.S. Dept. of Agr. Circ. 969, 19 p.
- Winslow, A. G., and Kister, L. R., Jr., 1956, Saline-water resources of Texas: U.S. Geol. Survey Water-Supply Paper 1365, 105 p.

Table 2.--Records of Selected Wells in Bexar County

All wells are drilled unless otherwise noted in remarks column.

Water level : Reported water levels given in feet; measured water levels given to the nearest tenth or hundredth of a foot.

Method of lift and type of power: C, cylinder; CF, centrifugal; E, electric; G, gasoline, butane, or diesel engine; J, jet; N, none; Ng, natural gas; T, turbine; W, windmill. Number indicates horsepower.

Use of water : D, domestic; Ind, industrial; Irr, irrigation; N, none; P, public supply; S, livestock.

Water-bearing unit : Edwards (Balcones Fault Zone) aquifer, KCEB.

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-22-702	Don H. Classen	--	--	310	8	--	KCEB	867.4	204.12 209.81 233.89	Oct. 12, 1933 Sept. 13, 1949 Dec. 2, 1954	C, W	D, S	Well F-20 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
* 26-803	Lackland Terrace Development Co.	Benson Drilling Co.	1971	1,140	8	850	KCRB	1,045	318	Mar. 2, 1971	Sub, E	P	Open hole from 850 to 1,140 ft. Top of Edwards 855 ft. <u>3</u>
804	Gus Benke	A. E. Goforth	--	1,000	6	--	KCEB	1,044.6	372.23 407.07	Nov. 1, 1954 July 2, 1956	C, W	D, S	Well D-1 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>3</u> <u>13</u>
805	T. C. Livingston	Crawford E. Gordon	1972	1,012	7	866	KCEB	1,045	186	June 5, 1972	--	--	Open hole from 866 to 1,012 ft. Cemented from 866 ft to surface. Top of Edwards 866 ft. <u>1</u> <u>3</u>
901	O. E. Stalte	A. E. Goforth	--	720	--	--	KCEB	956.1	222 295.92	Sept. 20, 1933 Nov. 1, 1954	C, W	D, S	Well D-4 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
902	Leon Dacbert	J. R. Johnson Drilling & Supplies	1955	1,040	10 8	500 700	KCEB	960	--	--	T, G 90	N	Unused irrigation well. Pump set at 400 ft. Reported yield 500 gal/min. Temp. 72°F.
* 27-503	Bexar County WC&ID No. 17, Well 2	--	1966	375	10	280	KCEB	995	--	--	T, E	P	Drilled to 398 ft and plugged back to 375 ft. Open hole from 280 to 375 ft. Top of Edwards 9 ft. <u>3</u>
* 504	Bexar County WC&ID No. 17, Well 1	J. R. Johnson Drilling & Supplies	1962	508	10	355	KCEB	992	262	May 24, 1962	T, E 50	P	Cemented from 355 ft to surface. Top of Edwards 11 ft. Pump test: drawdown to 21 ft pumping 340 gal/min for 48 hours on Dec. 20, 1971. <u>1</u> <u>3</u> <u>11</u>
505	Max Toepperwein	Braendle Well Serv.	1956	400	6	30	KCEB	979.8	260.50 198.02	Feb. 17, 1958 Feb. 13, 1975	N	N	Observation well. Recorder observation well from Feb. 17, 1958 to Dec. 17, 1968. <u>2</u>
512	Texas Water Devel. Board	Texas Water Devel. Board	1971	502	7	18	KCEB	995	198.84 195.09	Dec. 20, 1971 July 13, 1976	N	N	Open hole from 18 to 502 ft. Cemented from 10 ft to surface. <u>1</u> <u>2</u> <u>3</u>
514	Paul J. Zoeller	--	--	344	8	--	KCEB	986.7	262.00 265.29	Nov. 18, 1932 Aug. 31, 1949	C, W	N	Well D-13 in Texas Board of Water Engineers Bulletin 5608. Unused livestock well. Historical observation well. <u>2</u>
515	Rudolph Biering	A. E. Goforth	--	360	5	--	KCEB	968.0	244.9 298.77	Oct. 18, 1932 Dec. 1, 1954	Sub, E	D, S	Well D-12 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>12</u> <u>13</u>
* 606	City Water Board	J. R. Johnson Drilling & Supplies	1972	523	16	200	KCEB	901	197	Feb. 29, 1972	N	N	Cemented from 200 ft to surface. Top of Edwards 32 ft. Unused public supply well. Development test: drawdown of 143 ft pumping 900 gal/min. <u>1</u> <u>3</u> <u>11</u>
607	L. K. Stemen	--	--	285	5	--	KCEB	906.8	204.7 209.13 242.40	July 21, 1932 Aug. 31, 1949 July 16, 1953	Sub, E	D, S	Well E-41 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-27-608	L. K. Stemen	Cravens Drilling Co.	1953	340	5	--	KCEB	950	280.22 237.99	Mar. 3, 1954 Jan. 3, 1961	Sub, B	D, S	Well E-171 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
* 701	W. E. Kossaeth	A. E. Goforth	--	570	6	--	KCEB	936.8	233.86 277.37	Sept. 22, 1933 Apr. 8, 1952	C, W	D, S	Well D-5 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 490 ft. Historical observation well. <u>2</u>
702	C. E. Hoffman	J. R. Johnson Drilling & Supplies	1941	466	6	401	KCEB	914.3	215.8 269.02	June 17, 1946 Nov. 1, 1954	C, W	N	Well D-6 in Texas Board of Water Engineers Bulletin 5608. Unused livestock well. Historical observation well. <u>2</u>
* 704	Willie Moos	-- Moos	--	700	6	700	KCEB	940	220	1973	C, W	D, S	Temp. 73°F.
801	Clarence Tausch	Haskin Pump & Serv. Inc.	1968	518	8	382	KCEB	920	215	Jan. 13, 1968	Sub, E 5	D	Cemented from 382 ft to surface. Top of Edwards 388 ft. Reported yield 700 gal/min. <u>3</u>
802	do	do	1969	660	12	458	KCEB	927	230	Jan. 22, 1969	T, G	Irr	Open hole from 458 to 660 ft. Top of Edwards 458 ft. Development test yield 2,130 gal/min. <u>3</u>
804	P. M. Kendrick	-- Pence	1954	525	10	270	KCEB	895	247	Dec. 7, 1954	T, G 110	N	Open hole from 270 to 525 ft. Top of Edwards 268 ft. Unused irrigation well. Reported yield 1,000 gal/min. Development test: drawdown of 31 ft pumping 1,025 gal/min for 8½ hours on Dec. 7, 1954. <u>3</u>
805	Oscar Wood	--	--	685	--	--	KCEB	935	294	May 30, 1955	T, G	Irr	Development test: drawdown of 11 ft pumping 908 gal/min on May 30, 1955.
901	R. F. Steubing	Virdell Brothers Drilling Co.	1955	450	12	230	KCEB	850	--	--	Sub, E 1	D, S	Open hole from 230 to 450 ft. Unused irrigation well. Top of Edwards 160 ft. Development test: drawdown of 12 ft pumping 650 gal/min.
902	S. J. Moore	Haskin Pump & Serv. Inc.	1964	443	6	128	KCEB	865	208	June 1964	Sub, E 7½	S, Irr	Reported yield 85 gal/min.
903	Acme Sand Co.	J. R. Johnson Drilling & Supplies	1959	470	10	323	KCEB	840	165	Nov. 5, 1959	T, E 100	Ind	Open hole from 323 to 470 ft. Cemented from 323 ft to surface. Top of Edwards 321 ft. Reported yield 1,100 gal/min. Development test: drawdown of 220 ft pumping 1,525 gal/min on Nov. 12, 1959. <u>3</u>
906	Concord Public Utility District, Well 1	Frank Rosenkranz & Sons	1973	764	20	323	KCEB	992	266.6 268.2	May 8, 1973 May 14, 1973	T, E	P	Pump set at 310 ft. Pump test: drawdown of 7.1 ft pumping 2,748 gal/min for 8 hours on May 8, 1973. <u>3</u>
907	Concord Public Utility District, Well 2	do	1973	680	20	227	KCEB	922	179	Aug. 28, 1973	T, E	P	Cemented from 227 ft to surface. Top of Edwards 225 ft. Development test: drawdown of 30 ft pumping 2,500 gal/min for 36 hours. <u>3</u>
908	Acme Sand Co.	Doyal Drilling Co.	1964	370	12	300	KCEB	840	--	--	T, E 40	Ind	Open hole from 300 to 370 ft.
* 909	Linkwood Water Co.	Haskin Pump & Serv. Inc.	1959	450	7	393	KCEB	871	300	Feb. 7, 1959	Sub, E 5	P	Cemented from 393 ft to surface.
28-102	Carl S. Peters	R. V. Raney	1957	440	7	48	KCEB	1,001.5	191.6	Dec. 11, 1957	N	N	Historical recorder observation well. <u>2</u>
201	E. Bacon	Henry Scharff	1908	387	5	--	KCEB	1,003.9	288.08 309.21	Dec. 22, 1933 Nov. 3, 1954	Sub, B	D, S	Well E-26 in Texas Board of Water Engineers Bulletin 5608. Opened from 320 to 387 ft. Historical observation well. <u>2</u> <u>11</u> <u>13</u>
* 202	Shavano Park Water Board, Well 2	J. T. Johnson Water Drilling Serv.	1950	457	8	40	KCEB	974	266	Mar. 1950	T, E 20	P	Well E-123 in Texas Board of Water Engineers Bulletin 5608. Open hole from 40 to 457 ft. Top of Edwards 44 ft. Reported yield 125 gal/min. <u>3</u> <u>11</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-28-203	Shavano Park Water Board, Well 5	Bowman Drilling Co.	1966	435	8	162	KCEB	985	260	Dec. 19, 1966	T, E 20	P	Open hole from 162 to 435 ft. Reported yield 350 gal/min. Development test: drawdown of 102 ft pumping 335 gal/min on Dec. 13, 1966. 1/
204	Shavano Park Water Board, Well 1	J. T. Johnson Water Drilling Serv.	1946	656	8	60	KCEB	1,025	--	--	T, E 20	P	Well E-122 in Texas Board of Water Engineers Bulletin 5608. Open hole from 60 to 656 ft. Reported yield 125 gal/min. 3/
* 205	Shavano Park Water Board, Well 6	Haskin Pump & Serv. Inc.	1971	485	10	273	KCEB	960	241.10	Feb. 16, 1972	Sub, E 50	P	Open hole from 273 to 485 ft. Cemented from 273 ft to surface. Reported yield 285 gal/min. Development test yield 270 gal/min. 3/ 1/
* 301	Canyon Creek Country Club	Kutscher Drilling Co.	1959	400	10	--	KCEB	995	--	--	Sub, E 20	P	1/
302	-- Mueller	--	--	442	8	60	KCEB	972	--	--	Sub, E 7 1/2	D	Reported yield 100 gal/min. 1/
303	J. H. Uptmore & Assoc.	--	--	427	8	80	KCEB	943	--	--	T, E 15	D	Reported yield 200 gal/min. Pump set at 390 ft.
304	Canyon Creek Country Club	Hammett Water System	1971	380	8	103	KCEB	938	270 259.18	Dec. 1971 Mar. '30, 1972	Sub, E	Irr.	Open hole from 103 to 380 ft. Cemented from 50 ft to surface. 3/ 3/
305	do	Pence Drilling Co.	1972	335	7	262	KCEB	945	260	July 13, 1972	Sub, E	Irr	Cemented from 260 ft to surface. Reported yield 160 gal/min.
307	H. J. Shearer	--	--	425	8	40	KCEB	949	--	--	T, E 25	D, Irr	Reported yield 125 gal/min.
308	do	--	--	425	8	40	KCEB	947	--	--	T, E 40	D, Irr	Reported yield 250 gal/min.
401	Howard Stitch	Doyal Drilling Co.	1965	552	16 12	54 270	KCEB	965	--	--	T, G	Irr	Open hole from 270 to 552 ft. Cemented from 270 ft to surface. Top of Edwards 125 ft. Pump set at 380 ft. Development test: drawdown of 5 ft pumping 1,800 gal/min for 6 hours in April 1965. 3/ 1/
404	U.S. Geological Survey	Texas Water Devel. Board	1972	546	4	195	KCEB	920	209.28 199.40	Apr. 19, 1973 Feb. 13, 1975	N	N	Cemented from 195 ft to surface. Observation well. 1/ 2/ 3/
405	G. W. Delavon	J. T. Johnson Drilling & Serv.	1952	500	12	--	KCEB	970.0	289.0	Mar. 20, 1952	T, G	N	Well R-133 in Texas Board of Water Engineers Bulletin 5608. (Unused irrigation well. Pump set at 340 ft. Development test: drawdown of 15 ft pumping 1,009 gal/min on Mar. 24, 1952.
* 501	Shavano Park Water Board, Well 3	Max Gorfers	1955	469	8	142	KCEB	950	270	Aug. 1955	T, E 20	P	Pump set at 460 ft. Reported yield 100 gal/min. Development test: drawdown of 195 ft pumping 90 gal/min on July 1, 1955. 1/
* 502	Shavano Park Water Board, Well 4	Crestwell Drilling Co.	1955	506	8	258	KCEB	925	--	--	T, E	P	Pump set at 445 ft. Reported yield 105 gal/min. Development test: drawdown of 160 ft pumping 72 gal/min on Aug. 25, 1955. 1/
503	Diversified Developers Inc.	Max Gorfers	--	375	8	--	KCEB	935	258.81	Oct. 28, 1958	N	N	1/
504	do	do	1956	430	8	181	KCEB	900	265	Apr. 9, 1956	N	N	Top of Edwards 195 ft. Development test yield 643 gal/min. 1/
507	Richard Sherman	Homer Gulick	--	255	--	--	KCEB	894.1	214.9 257.76 238.80	Aug. 6, 1933 Nov. 3, 1954 Feb. 13, 1975	C	D, S	Well E-60 in Texas Board of Water Engineers Bulletin 5608. Observation well. 2/ 3/

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-28-508	Vulcan Materials Corp.	J. R. Johnson Drilling & Supplies	1972	470	12	52	KCEB	900	155	Aug. 1, 1972	T, E 50	Ind	Open hole from 52 to 470 ft. Cemented from 52 ft to surface. <u>1/3 1/2</u>
509	do	Max Gurfers	1954	400	8	40	KCEB	947	--	--	Sub, E 20	Ind	<u>1/2</u>
510	do	do	1954	--	8	--	KCEB	948	--	--	T, E 15	Ind	<u>1/2</u>
* 601	Cadillac Water Co.	do	1953	425	7	40	KCEB	963	--	--	Sub, E 20	P	Pump set at 399 ft. Reported yield 116 gal/min. Development test: drawdown of 32 ft pumping 68 gal/min on Mar. 13, 1954. <u>1/2</u>
605	City Water Board	Edmonds Drilling Co.	1972	520	16	320	KCEB	896	253	Aug. 18, 1972	N	N	Plugged. Open hole from 320 to 520 ft. Development test: drawdown of 32 ft pumping 840 gal/min on Aug. 18, 1972. <u>1/3</u>
* 606	do	do	1973	551	12	320	KCEB	895	--	--	N	N	Plugged. Development test: drawdown 10 ft pumping 1,900 gal/min for 24 hours. <u>1/3</u>
607	Bexar County	J. T. Johnson Water Drilling & Serv.	1955	403	6	189	KCEB	809	188	Sept. 1955	T, E 10	P	Top of Edwards 189 ft. Reported yield 80 gal/min.
* 702	Leon Valley Utility Co., Well 2	J. R. Johnson Drilling & Supplies	1963	450	12	397	KCEB	840	--	--	T, E 150	P	Open hole from 397 to 450 ft. Cemented from 397 ft to surface. Top of Edwards 397 ft. Development test yield 1,408 gal/min. <u>3/2 1/2</u>
704	-- Peterson	--	--	355	--	--	KCEB	892.7	190.65 215.2	Sept. 28, 1933 Oct. 11, 1934	Sub, R	D	Well E-46 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2/</u>
705	Charles Kuhn, Sr.	--	--	--	--	--	KCEB	874.8	198.40 235.02	Feb. 27, 1950 Nov. 3, 1954	Sub, E	D	Well E-143 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2/</u>
* 706	Balcones Utilities Inc.	J. R. Johnson Drilling & Supplies	1972	742	16 14	322 361	KCEB	902	--	--	T, E	P	Fourteen-inch liner added from 308 to 361 ft in 1973. Open hole from 361 to 742 ft. Cemented from 358 ft to surface. Top of Edwards 310 ft. Development test: drawdown of 12 ft pumping 3,002 gal/min for 24 hours. <u>1/3</u>
707	Northiside Independent School Dist.	--	1950	388	--	--	KCEB	899.2	248.8	Mar. 18, 1952	T, E 40	P	Well E-158 in Texas Board of Water Engineers Bulletin 5608.
* 708	Methodist Mission Home	Haakin Pump & Serv. Inc.	1966	403	7	330	KCEB	900	--	--	Sub, E 7 1/2	P	Pump set at 294 ft. Development test: drawdown of 37 ft pumping 172 gal/min on Dec. 23, 1966.
802	Herbert W. Grindal	Buckett Drilling Co.	1955	590	7	510	KCEB	1,015	380	Sept. 1955	T, E 15	N	Cemented from 510 ft to surface. Top of Edwards 500 ft. Unused domestic, livestock, and irrigation well. Reported yield 50 gal/min. <u>3/2</u>
803	R. H. Oei	Max Gurfers	1953	522	8 7	60 442	KCEB	1,005	350	Jan. 18, 1953	Sub, E 7 1/2	D	Top of Edwards 500 ft. Reported yield 100 gal/min.
805	Oak Hills Country Club	Haakin Pump & Serv. Inc.	1966	655	12	505	KCEB	1,013	375	Mar. 19, 1966	T, E 150	Irr	Top of Edwards 525 ft. Reported yield 1,175 gal/min.
* 806	City Water Board, Dreamhill Station	Singer-Layne Texas Division	1959	860	24 22	420 818	KCEA	924	242.8	June 10, 1959	Sub, E 450	P	Open hole from 818 to 860 ft. Reported yield 2,800 gal/min. Development test yield 1,200 gal/min. <u>1/2</u>
* 807	City Water Board, Turtle Creek, Well 2	Haakin Pump & Serv. Inc.	1971	685	20	420	KCEB	1,000	374	Mar. 26, 1971	T, E 200	P	Open hole from 420 to 685 ft. Cemented from 420 ft to surface. Top of Edwards 419 ft. <u>3/2</u>
* 808	Turtle Creek Country Club, Well 1	do	1970	510	10	340	KCEB	898	250	Nov. 4, 1970	Sub, E 100	Irr	Open hole from 340 to 510 ft. Cemented from 340 ft to surface.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-28-809	U.S. Automobile Assn.	Frank Rosenkranz & Sons	1972	750	12	522	KCEB	1,042	--	--	T, E	P, Irr	Open hole from 552 to 750 ft. Development test: drawdown of 10.5 ft pumping 810 gal/min. $\frac{1}{3}$
* 810	Southwest Texas Methodist Hospital	do	1973	654	12	548	KCEB	1,025	--	--	T, E 100	P	Cemented from 548 ft to surface. Top of Edwards 520 ft. Pump set at 457 ft. Development test: drawdown of 6 ft pumping 584 gal/min for 9 hours. $\frac{1}{3}$
* 811	Spanish Oaks Trailer Park	--	1953	600	8	580	KCEB	1,035	--	--	Sub, E 7 $\frac{1}{2}$	P	--
* 812	Springers Mobile Home Community	Max Gorfers	--	--	--	--	KCEB	1,015	--	--	Sub, E 10	P	--
813	Gilbert Denman	--	--	--	7	--	KCEB	1,018	331.45	Oct. 21, 1958	Sub, E 25	D, Irr	--
814	Strauder G. Nelson Estate	--	1945	565	--	--	KCEB	985	--	--	T, E 25	D, Irr	Pump set at 350 ft.
* 815	City Water Board, Turtle Creek, Well 3	Haskin Pump & Serv. Inc.	1973	550	26 20	28 317	KCEB	943	--	--	T, E 150	P	Development test: drawdown of 1.5 ft pumping 3,000 gal/min.
* 901	City Water Board, Wedgewood Station	J. R. Johnson Drilling & Supplies	1960	791	26	279	KCEB	875	195.25 186.23	Feb. 4, 1972 Aug. 2, 1976	Sub, E 400	P	Open hole from 279 to 791 ft. Cemented from 279 ft to surface. Top of Edwards 278 ft. Development test: drawdown of 21 ft pumping 2,500 gal/min. Observation well. $\frac{1}{3}$ $\frac{2}{3}$ $\frac{3}{3}$
* 902	City Water Board, Kamey Station	Singer-Layne Texas Division	1959	811	20	362	KCEB	898	--	--	Sub, E 450	P	Open hole from 362 to 811 ft. Development test: drawdown of 8 ft pumping 2,777 gal/min.
* 903	Bexar Metropolitan Water Dist., Morey Peak Station	J. R. Johnson Drilling & Supplies	1956	762	20	325	KCEB	895	--	--	Sub, E 400	P	Cemented from 325 ft to surface. Top of Edwards 320 ft. Reported yield 3,700 gal/min. $\frac{1}{3}$ $\frac{2}{3}$ $\frac{1}{3}$
* 904	Bexar Metropolitan Water Dist., Lockhill Selma Station	Max Gorfers	1955	640	10	528	KCEB	848	--	--	T, E	P	Open hole from 528 to 640 ft. Top of Edwards 518 ft. Reported yield 1,000 gal/min. Development test: drawdown of 23 ft pumping 425 gal/min.
* 905	Bexar Metropolitan Water Dist., Lemonwood Station	J. R. Johnson Drilling & Supplies	1963	856	20	517	KCEB	832	--	--	Sub, E 250	P	Cemented from 517 ft to surface. Top of Edwards 516 ft. $\frac{1}{3}$ $\frac{2}{3}$
907	Bexar Metropolitan Water Dist., Wottlin Station	Max Gorfers	1955	533	8	430	KCEB	816	145	Jan. 1955	N	N	Plugged. Top of Edwards 428 ft. $\frac{1}{3}$
908	Villa Espuna	Bunkett Drilling Co.	1946	325	5	296	KCEB	837.6	188.9 150.21	Mar. 1952 Jan. 3, 1961	N	N	Well E-75 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. $\frac{2}{3}$ $\frac{3}{3}$
* 909	City Water Board, West Avenue Station	J. R. Johnson Drilling & Supplies	1954	867	20	420	KCEB	781	106.80 101.04	Feb. 4, 1972 Aug. 2, 1976	Sub, E 300	P	Well E-172 in Texas Board of Water Engineers Bulletin 5608. Cemented from 420 ft to surface. Top of Edwards 372 ft. Development test: drawdown of 30 ft pumping 2,430 gal/min. Observation well. $\frac{1}{3}$ $\frac{2}{3}$ $\frac{3}{3}$
910	U.S. Geological Survey	Texas Water Development Board	1974	804	6	216	KCEB	815	127.05	Apr. 16, 1974	N	N	Cemented from 216 ft to surface. Top of Edwards 221 ft. Observation well. $\frac{1}{3}$ $\frac{2}{3}$ $\frac{3}{3}$
* 911	City Water Board, Barchet Station	J. R. Johnson Drilling & Supplies	1953	850	20	370	KCEB	820	176	June 1953	Sub, E 400	P	Well E-150 in Texas Board of Water Engineers Bulletin 5608. Open hole from 370 to 850 ft. Cemented from 370 ft to surface. Top of Edwards 372 ft. $\frac{1}{3}$ $\frac{2}{3}$

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks	
				Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement				
68-28-912	Archdiocese of San Antonio	J. T. Johnson Water Drilling & Serv.	1962	537	6	453	KCEB	858	201	Sept. 26, 1962	T, E 15	P	Cemented from 453 ft to surface. Development test: drawdown of 29 ft pumping 321 gal/min on Sept. 26, 1962. <u>3</u>
* 913	Bexar Metropolitan Water Dist. Wutrlin Station	J. R. Johnson Drilling & Supplies	1967	787	20	437 448	KCEB	816	--	--	Sub, E 250	P	Cemented from 437 ft to surface. Top of Edwards 433 ft. <u>3</u> <u>3</u>
914	Boy Scouts of America	--	--	--	--	--	KCEB	845	--	--	T, E 15	P, Irr	--
915	do	--	--	--	--	--	KCEB	844	191.21	Feb. 4, 1971	Sub, E 5	P, Irr	--
916	A. A. Jergins	-- Spence	1951	320	11	--	KCEB	875	235	1951	N	N	Well E-152 in Texas Board of Water Engineers Bulletin 5608. Abandoned.
29-101	Canyon Creek Country Club	Rutscher Drilling Co.	1959	400	10	--	KCEB	910	--	--	Sub, E 5	Irr	Reported yield 200 gal/min.
102	Hill Country Water Works Co.	J. T. Johnson Water Drilling & Serv.	1956	525	10	205	KCEB	940	270	1956	N	N	Plugged. Development test: drawdown of 135 ft pumping 115 gal/min. <u>1</u> <u>1</u> <u>1</u>
103	do	J. R. Johnson Drilling & Supplies	1957	547	10	100	KCEB	952.8	284.25 268.17	Nov. 15, 1957 Dec. 25, 1970	N	N	Recorder observation well. <u>2</u>
* 104	do	do	1954	602	10	288	KCEB	884	200.01	Jan. 17, 1972	T, E 75	P	Cemented from 288 ft to surface. Top of Edwards 4 ft. Development test: drawdown of 175 ft pumping 420 gal/min. <u>3</u> <u>1</u> <u>1</u> <u>2</u>
107	do	Texas Water Devel. Board	1971	600	6	40	KCEB	888	201.43	do	N	N	Plugged. Open hole from 40 to 600 ft. Cemented from 40 ft to surface. Historical observation well. <u>1</u> <u>2</u> <u>3</u>
* 109	do	John Crowder	1945	460	10	230	KCEB	975	290	Aug. 1952	T, E 75	P	Well F-169 in Texas Board of Water Engineers Bulletin 5608. Well reworked in 1969. Cemented from 230 ft to surface. Pump set at 435 ft. <u>1</u> <u>1</u> <u>1</u>
202	Frank J. Bitterle	Haskin Pump & Serv. Inc.	1964	450	7	26H	KCEB	890	235	Sept. 28, 1964	Sub, E 7 1/2	P	Reported yield 55 gal/min. <u>3</u>
207	Louis A. Valus	--	1929	300	6	--	KCEB	948.2	259.0 259.70 266.78	July 20, 1932 May 22, 1934 Aug. 28, 1956	C, W	D, S	Well F-11 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>3</u> <u>1</u> <u>3</u>
301	Walter Stevens	J. T. Johnson Water Drilling & Serv.	1956	518	10	215	KCEB	923	226.65	Dec. 14, 1961	T 7	D	Top of Edwards 183 ft.
* 303	Vulcan Materials Corp.	J. R. Johnson Drilling & Supplies	1971	527	10	185	KCEB	890	180	Nov. 14, 1971	T, E 100	Ind	Cemented from 185 ft to surface. Top of Edwards 72 ft. Reported yield 800 gal/min. <u>1</u> <u>3</u> <u>1</u> <u>1</u>
304	B. G. Fischer	--	1930	360	5	--	KCEB	907.6	234.08 269.89 251.00	July 20, 1932 Jan. 6, 1955 July 15, 1973	C, W	D, S	Well F-12 in Texas Board of Water Engineers Bulletin 5608. Deepened from 276 to 360 ft in 1952. Observation well. <u>2</u>
401	Hill Country Water Works Co.	--	1956	517	12	140	KCEB	873	201.98	Feb. 9, 1956	Sub, E 100	P	Open hole from 140 to 517 ft. Cemented from 140 ft to surface. Pump set at 352 ft. Pump test: drawdown of 11.92 ft pumping 630 gal/min for 26 hours on Feb. 9, 1972. <u>1</u> <u>1</u>
402	Eddie Eng	J. T. Johnson Water Drilling & Serv.	1954	400	7	95	KCEB	885	250	Aug. 1954	T, E	N	Top of Edwards 50 ft. Unused irrigation well. Reported yield 600 gal/min.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-29-405	Northeast Independent School District	J. T. Johnson Water Drilling & Serv.	1962	395	10 8	24 298	KCEB	770	--	--	T, E 25	P	Open hole from 298 to 395 ft. Cemented from 298 ft to surface. Top of Edwards 298 ft. Development test: drawdown of 40 ft pumping 610 gal/min for 2 hours in June 1962. <u>3/1/72</u>
" 410	Hill Country Water Works Co.	Cravens Drilling Co.	--	376	10	110	KCEB	875	202.55	Feb. 9, 1972	T, E 125	P	Well F-38 in Texas Board of Water Engineers Bulletin 5608. Deepened from 318 to 376 ft in 1956. Cemented from 110 ft to surface. Pump set at 335 ft. <u>1/1/72</u>
411	San Pedro Theater	C. E. Krauchle	1933	415	6	--	KCEB	831.7	157.12 178.39	Sept. 29, 1933 Nov. 4, 1954	N	N	Well F-40 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2/3</u>
* 505	Capitol Cement	J. R. Johnson Drilling & Supplies	1955	807	12	403	KCEB	775	162	Feb. 1955	T, E 60	Ind	Cemented from 403 ft to surface. Top of Edwards 403 ft. Development test yield 1,450 gal/min. <u>1/72</u>
506	U.S. Geological Survey	Texas Water Development Board	1972	694	6 5	60 239	KCEB	788	123.25 107.20	Sept. 26, 1972 Feb. 13, 1975	N	N	Cemented from 239 ft to surface. Observation well. <u>1/72</u>
507	Albert Theis	--	1904	--	6	--	--	821.6	126.85	Jan. 5, 1937	Sub, E	D, S	Well F-29 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2/4/72</u>
508	John Eisenhower	--	--	239	6	--	KCEB	874.3	202.14 240.15	July 20, 1932 Nov. 2, 1954	C, W	D, S	Well F-30 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2/72</u>
* 509	Capitol Cement	J. R. Johnson Drilling & Supplies	1954	725	12	409	KCEB	772	157	Oct. 1, 1954	T, E 60	Ind	Open hole from 409 to 725 ft. Cemented from 409 ft to surface. Development test: drawdown of 83 ft pumping 487 gal/min for 24 hours on Oct. 1, 1954. <u>3/72</u>
601	Fertile Valley	Haskin Pump & Serv. Inc.	1964	710	7	416	KCEB	895	280	Jan. 14, 1964	Sub, E 5	P	Top of Edwards 410 ft.
604	E. Bueche	J. R. Johnson Drilling & Supplies	1941	457	7	437	KCEB	815.9	146.55 184.49	June 15, 1946 Nov. 2, 1954	Sub, E	D	Well F-74 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 452 ft. Historical observation well. <u>2/72</u>
605	V. W. Brinkerhoff, Jr.	do	1938	438	8	153	KCEB	808.5	139.95 176.40	June 20, 1946 Nov. 2, 1954	Sub, E	N	Well F-75 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2/72</u>
* 606	Valencia Water Co.	Haskin Pump & Serv. Inc.	1972	654	16	408	KCEB	852	186.05	Mar. 14, 1972	T, E	P	Pump test: drawdown of 3.9 ft pumping 1,800 gal/min for 6 hours on Mar. 14, 1972. <u>1/72</u>
607	Skyline Water Corp.	--	--	516	8	--	KCEB	874	--	--	Sub, E 15	P	Pump set at 300 ft.
* 701	City Water Board, Airport Station 3	Cravens Drilling Co.	1942	500	10	--	KCEB	778.8	100 101.00	Sept. 4, 1942 Dec. 30, 1975	N	N	Well F-172 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 9.24 ft pumping 820 gal/min for 1 hour on Sept. 9, 1942. Recorder observation well. <u>2/72</u>
* 702	City Water Board, Maltzberger Station, Well 1	J. R. Johnson Drilling & Supplies	1965	872	30 26	274 436	KCEB	790	--	--	T, E 500	P	Cemented from 436 ft to surface. Top of Edwards 436 ft. <u>1/72</u>
* 703	City Water Board, Maltzberger Station, Well 2	Layne Texas Co.	1967	841	30	403	KCEB	770	--	--	T, E 500	P	Open hole from 403 to 841 ft. Cemented from 403 ft to surface. Development test: drawdown of 1 ft pumping 6,211 gal/min for 16 hours on Nov. 24, 1967. <u>1/72</u>
704	R. W. Briggs	--	1940	--	--	--	KCEB	735	--	--	T, E 10	Err	--

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-29-705	Louis Lorenz	--	--	540	8	--	KCEB	840	--	--	T, E 15	D	Reported yield 350 gal/min.
707	City Water Board, Maltshorger Station, Well 3	Layne Western Co., Inc.	1975	850	30	416	KCEB	778	--	--	T, E 600	P	Top of Edwards 410 ft. Development test: drawdown of 4.5 ft pumping 8,300 gal/min in Feb. 1975. <u>3</u>
708	Alamo Heights Independent School District	Amos Lorenz	1925	370	8	--	KCEB	820.7	151.25 174.95	July 19, 1932 Aug. 3, 1950	N	N	Well F-62 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u> <u>3</u>
709	L. M. Gravely	do	--	339	--	--	KCEB	828.3	185.72 204.61	Nov. 17, 1952 May 1, 1956	C, E	D	Well F-63 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>3</u>
710	Robert C. Jenkins	Cravens Drilling Co.	1944	425	--	--	KCEB	828	179.43	Nov. 14, 1950	N	N	Well F-125 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
711	City Water Board, Airport Station 1	J. R. Johnson Drilling & Supplies	1945	600	14 12	150 471	KCEB	795	120	Aug. 1947	N	N	Well V-128 in Texas Board of Water Engineers Bulletin 5608. Plugged. Development test: drawdown of 16 ft pumping 600 gal/min. <u>1</u> <u>3</u>
803	City Public Service Board, Well 5	do	1961	795	20	252	KCEB	777	--	--	T, E 250	Ind	Cemented from 252 ft to surface. Top of Edwards 254 ft. Development test: drawdown of 7 ft pumping 1,942 gal/min for 8 hours on Aug. 28, 1961. <u>3</u>
804	City Public Service Board, Well 3	do	1954	761	12	243	KCEB	763	--	--	T, E 250	Ind	Open hole from 243 to 761 ft. Top of Edwards 242 ft. Development test: drawdown of 34 ft pumping 2,100 gal/min for 3 hours. <u>1</u> <u>3</u>
805	City Public Service Board, Well 4	do	1961	800	20	257	KCEB	768	--	--	T, E 100	Ind	Open hole from 254 to 800 ft. Cemented from 257 ft to surface. Top of Edwards 254 ft. Development test: drawdown of 1 ft pumping 2,700 gal/min. <u>1</u> <u>3</u> <u>1</u>
807	Sunset Memorial Cemetery	--	--	600	10	--	KCEB	725	--	--	T, E 40	Irr	--
808	do	Haskin Pump & Serv. Inc.	1963	610	10 7	200 470	KCEB	725	65	Mar. 1963	T, E 40	Irr	--
811	City Water Board, Northwood Station	J. R. Johnson Drilling & Supplies	1954	612	20	209	KCEB	735.6	88 61.06	Feb. 1954 Aug. 2, 1976	Sub, E 400	P	Well F-190 in Texas Board of Water Engineers Bulletin 5608. Open hole from 209 to 612 ft. Cemented from 209 ft to surface. Development test: drawdown of 5 ft pumping 1,875 gal/min. Observation well. <u>1</u> <u>2</u> <u>3</u>
812	Tom E. Turner	Frank Rosenkranz & Sons	1972	350	8	230	KCEB	780	110	June 15, 1972	Sub, E 15	Irr	Cemented from 230 ft to surface. <u>3</u>
813	City Public Service Board, Well 1	J. R. Johnson Drilling & Supplies	1950	369	12	265	KCEB	780.2	140.6	Nov. 30, 1952	Sub, E 100	Ind	Well F-142 in Texas Board of Water Engineers Bulletin 5608. Cemented from 265 ft to surface. <u>1</u> <u>3</u>
814	City Public Service Board, Well 2	do	1952	746	12	259	KCEB	765.5	126.0	Oct. 30, 1952	T, E 100	Ind	Well F-204 in Texas Board of Water Engineers Bulletin 5608. Cemented from 259 ft to surface. <u>1</u>
815	Edgar Tobin	do	1944	347	14 8	65 204	KCEB	701.6	19.5	May 1944	T, E 20	D, Irr	Well F-89 in Texas Board of Water Engineers Bulletin 5608. Reported yield 2,000 gal/min. <u>3</u>
816	do	--	--	--	7	--	KCEB	700	35	July 1946	T, E 10	D, S, Irr	Well F-90 in Texas Board of Water Engineers Bulletin 5608. Reported yield 1,000 gal/min.
901	L. E. Welch	J. R. Johnson Drilling & Supplies	1955	566	8	380	KCEB	823	112.05	June 1955	T, E 40	Ind	Open hole from 380 to 566 ft. Top of Edwards 398 ft.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-29-903	Austin Highway Water Supply Corp., Well 1	Alamo Iron Works	--	485	6	--	KCEB	839	--	--	T, E 20	P	Reported 150 gal/min.
908	Garlett Cooke, Jr.	Cravens Drilling Co.	1959	553	5	480	KCEB	723	69	Dec. 8, 1961	Sub, R 7½	D	Open hole from 480 to 553 ft. Top of Edwards 476 ft.
911	Standard Electric Co.	--	--	700	6	--	KCEB	753	--	--	T, E, G 15, 25	Ind	Pump set at 140 ft.
* 912	Bexar County WC&ID No. 10, Well 4	Haskin Pump & Serv. Inc.	1967	630	12	434	KCEB	748	--	--	T, E 150	P	Open hole from 434 to 630 ft. Cemented from 434 ft to surface. Top of Edwards 436 ft. Reported yield 1,250 gal/min. Development test: drawdown of 5 ft pumping 2,000 gal/min for 8 hours. <u>3</u>
* 913	City Water Board, Randolph Station, Well 1	Katy Drilling Co.	1968	784	30	360	KCEB	810	142.54 127.41	Feb. 4, 1972 Feb. 13, 1975	T, E 500	P	Open hole from 360 to 784 ft. Development test: drawdown of 2 ft pumping 5,150 gal/min for 16 hours. Observation well. <u>1/2/12</u>
* 914	City Water Board, Walkem Station	J. R. Johnson Drilling & Supplies	1955	845	22	422	KCEB	732	68.18 52.91	Feb. 4, 1972 Feb. 13, 1975	Sub, E 200	P	Cemented from 422 ft to surface. Top of Edwards 420 ft. Development test: drawdown of 2 ft pumping 2,083 gal/min. Observation well. <u>1/2/3</u>
* 915	City Water Board, Randolph Station, Well 2	Texas Water Wells Inc.	1971	824	30	378	KCEB	815	145	Jan. 1, 1972	T, E 400	P	Open hole from 378 to 824 ft. Cemented from 378 ft to surface. Development test: drawdown of .90 ft pumping 5,665 gal/min. <u>1/</u>
916	Beitel Church	--	--	434	6	--	KCEB	721.6	52.04 74.30	Oct. 3, 1933 Feb. 2, 1954	N	N	Well P-86 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2/</u>
917	do	Otto Markwardt	1954	--	--	--	KCEB	715	81.00 46.99	Apr. 6, 1954 Feb. 25, 1970	Sub, R	D	Well P-189 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2/</u>
* 918	Bexar County WC&ID No. 10, Well 2	Haskin Pump & Serv. Inc.	1960	690	10 8	250 380	KCEB	790	--	--	T, E 50	P	--
* 919	Austin Highway Water Supply Corp., Well 2	do	1966	572	8	320	KCEB	839	--	--	Sub, E 20	P	Cemented from 320 ft to surface. Reported yield 220 gal/min.
920	Bexar County WC&ID No. 10, Well 3	do	1963	655	12	493	KCEB	790	175	Dec. 5, 1963	T, E 100	P	Cemented from 493 ft to surface. Reported yield 1,003 gal/min. Development test: drawdown of 5 ft pumping 513 gal/min.
921	H. C. Nelson	Burkett Drilling Co.	1958	585	7	530	KCEB	732	--	--	Sub, E 7½	Ind	--
922	Longhorn Portland Cement Co., Well 1	Fred Burkett	1928	350	--	--	KCEB	759	--	--	T, R 60	Ind	Well P-115 in Texas Board of Water Engineers Bulletin 5608.
923	Longhorn Portland Cement Co., Well 2	do	1928	470	--	--	KCEB	759	89.6	Nov. 28, 1950	T, E 100	Ind	Well P-106 in Texas Board of Water Engineers Bulletin 5608.
30-101	Charles Fake	--	--	350	6	--	KCEB	917.6	250.65 284.84 235.60	Oct. 12, 1933 Dec. 2, 1954 Feb. 13, 1975	T, E	D	Well P-24 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2/</u>
* 102	Thurman Barrett	J. T. Johnson Water Drilling & Serv.	1964	418	12	78	KCEB	847	210	Sept. 1964	T, E 200	Ind	Open hole from 78 to 418 ft. Development test: drawdown of 60 ft pumping 1,237 gal/min. <u>11/</u>
103	Holy Cross Cemetery	J. R. Johnson Drilling & Supplies	1960	841	12	435	KCEB	825	--	--	T, E 50	Irr	Open hole from 435 to 841 ft. Cemented from 435 ft to surface. Top of Edwards 430 ft. Development test: drawdown of 13 ft pumping 1,802 gal/min on Aug. 22, 1960. <u>3/11/</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-30-105	Orea Brothers	J. T. Johnson Water Drilling & Serv.	1962	504	12	421	KCEB	820	154.5	Apr. 1962	T, G	Irr	Open hole from 421 to 504 ft. Top of Edwards 421 ft. Development test: drawdown of 9 ft pumping 2,000 gal/min in Apr. 1962. <u>3</u>
106	E. Swain	J. R. Johnson Drilling & Supplies	1968	688	12	377	KCEB	800	--	--	T, G 150	Irr	Open hole from 377 to 688 ft. Cemented from 377 ft to surface. Top of Edwards 397 ft. Development test: drawdown of 27 ft pumping 2,500 gal/min for 2 hours on Mar. 7, 1968. <u>3</u>
107	Elmer Pape	J. T. Johnson Water Drilling & Serv.	1970	591	12 10	375 465	KCEB	788	--	--	T, G	Irr	Open hole from 465 to 595 ft. Cemented from 37 ft to surface. Top of Edwards 465 ft. Development test: drawdown of 49 ft pumping 2,500 gal/min for 3 hours in Dec. 1970. <u>3</u>
* 109	Fox Run Water Co.	Huskin Pump & Serv. Inc.	1973	710	16	396	KCEB	947	259.3	Apr. 26, 1973	T, E 20	P	Top of Edwards 397 ft. Pump test: drawdown of 1.57 ft pumping 2,845 gal/min for 5 hours on Apr. 26, 1973. <u>3</u> <u>3</u>
211	Edwards Underground Water District	Corps of Engineers	1963	777	6	230	KCEB	776.5	144.17 122.18	Aug. 7, 1964 Dec. 25, 1970	N	N	Recorder observation well. <u>2</u>
212	Alvin R. Fey	J. T. Johnson Water Drilling & Serv.	1968	481	12	401	KCEB	771	--	--	T, G 350	Irr	Open hole from 401 to 481 ft. Cemented from 401 ft to surface. Top of Edwards 401 ft. Development test: drawdown of 57 ft pumping 2,619 gal/min for 1 hour on Apr. 5, 1968. <u>3</u>
* 213	Boysville Ranch Inc.	J. R. Johnson Drilling & Supplies	1963	655	12	550	KCEB	780	155	Sept. 20, 1963	T, Ng	Irr	Open hole from 550 to 655 ft. Top of Edwards 582 ft. <u>3</u>
214	Elgin Friesenhahn	J. T. Johnson Water Drilling & Serv.	1962	732	12	256	KCEB	761	110	Mar. 17, 1962	T, E 75	Irr	Open hole from 256 to 732 ft. Top of Edwards 256 ft. Development test: drawdown of 8 ft pumping 1,765 gal/min for 2 hours on Mar. 17, 1962. <u>3</u>
219	Elmer Pape	do	1954	850	12	620	KCEB	786	135	Nov. 20, 1970	T, E 75	Irr	Open hole from 620 to 850 ft. Top of Edwards 440 ft. Development test: drawdown of 45 ft pumping 2,314 gal/min on Nov. 20, 1970.
220	Steve Gose	Frank Rosenkranz & Sons	1975	700	12	530	KCEB	770	110	June 6, 1975	T, E 60	Irr	Open hole from 530 to 700 ft. Cemented from 530 ft to surface. Top of Edwards 522 ft. Development test: drawdown of 1 ft pumping 2,332 gal/min for 13 hours on June 6, 1975. <u>3</u>
* 401	Bexar County WC&ID No. 13, Well 1	Huskin Pump & Service Inc.	1965	600	16	331	KCEB	899	230.73	Sept. 8, 1973	T, E 150	P	Open hole from 331 to 600 ft. Top of Edwards 295 ft. Reported yield 1,200 gal/min.
* 402	Bexar County WC&ID No. 13, Well 2	do	1969	592	12 10	331 368	KCEB	885	225	June 16, 1969	T, E 150	P	Deepened from 550 to 592 ft on Oct. 11, 1971. Top of Edwards 341 ft. Reported yield 1,200 gal/min. Development test: drawdown of 5 ft pumping 1,560 gal/min on June 16, 1969.
* 403	Village Public Utility District	do	1972	650	16	392	KCEB	874	203.19	May 28, 1972	T, E	P	Open hole from 392 to 650 ft. Cemented from 392 ft to surface. Pump test: drawdown of 1.61 ft pumping 2,850 gal/min for 8 hours on May 28, 1972. <u>1</u>
* 404	Henry Roberts	J. R. Johnson Drilling & Supplies	1939	509	7	381	KCEB	946.9	255 316.36	1939 July 3, 1957	N	N	Well F-81 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 450 ft. Historical observation well. <u>2</u> <u>3</u>
* 405	Valley Forge Water Co.	do	1973	802	12	412	KCEB	848	--	--	T, E	P	Open hole from 412 to 802 ft. Cemented from 412 ft to surface. Top of Edwards 386 ft. Development test: drawdown of 41 ft pumping 2,234 gal/min for 8 hours on Jan. 17, 1973. Temp. 72°F. <u>1</u> <u>3</u>
406	Green Meadows Mobile Home Park	Cravens Drilling Co.	1967	390	7	360	KCEB	869	--	--	Sub, E 7½	P	Cemented from 360 ft to surface. Top of Edwards 360 ft. <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-30-407	Green Meadows Mobile Home Park	--	--	350	5	--	KCEB	865	--	--	Sub, E 5	P	--
* 408	Grandview Mobile Home Park	Doyal Drilling Co.	1968	360	7	--	KCEB	860	265	Aug. 30, 1968	Sub, E 7½	P	--
506	City of Universal City, Well 5	Haskin Pump & Service Inc.	1967	585	16	385	KCEE	841	240	Aug. 1967	T, E 150	P	Open hole from 385 to 585 ft. Reported yield 1,500 gal/min.
508	City of Universal City	do	1966	789	16	344	KCEB	900	280	Aug. 1966	N	N	Plugged. Open hole from 344 to 789 ft. Top of Edwards 344 ft. <u>1</u>
* 509	City of Universal City, Well 3	J. R. Johnson Drilling & Supplies	1961	517	12	395	KCEB	827	--	--	T, E 200	P	Open hole from 395 to 517 ft. Cemented from 395 ft to surface. Top of Edwards 410 ft. Reported yield 1,500 gal/min. <u>3</u>
510	City of Schertz	do	1952	425	12	393	KCEB	835	--	--	T, E 40	P	Open hole from 393 to 425 ft. <u>1</u>
* 511	City of Universal City, Well 2	Haskin Pump & Service Inc.	1963	630	12	544	KCEB	831	180	May 1963	T, E 100	P	Open hole from 544 to 630 ft. Top of Edwards 541 ft.
* 512	Booker Public Utility District	do	1971	636	16	297	KCEB	840	193	Dec. 7, 1971	T, E 300	P	Drilled to 771 ft and plugged back to 636 ft. Open hole from 297 to 636 ft. Top of Edwards 304 ft. Development test: drawdown of 8 ft pumping 1,050 gal/min for 8 hours. <u>1</u> <u>3</u>
513	William Castello	--	--	280	--	--	KCEB	824.1	160.0 169.0 198.9	Mar. 14, 1950 Jan. 12, 1951 Sept. 3, 1952	Sub, E	S	Well G-46 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
514	Continental Homes Water Co.	Ray Oil Co.	1925	1,497	--	--	--	768.1	109.7 85.80	Sept. 13, 1949 Feb. 12, 1975	T, E	P	Well G-5 in Texas Board of Water Engineers Bulletin 5608. Oil test converted to water well. Observation well. <u>2</u> <u>3</u> <u>4</u>
612	Southern Pacific Railroad	--	1904	554	8	--	KCEB	762.4	92.39 129.28	Oct. 3, 1933 Nov. 2, 1954	N	N	Well G-10 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u> <u>3</u> <u>13</u>
613	Randolph Air Force Base, Well 1	J. P. Benkendorfer	1928	700	15	480	KCEB	758	--	--	T, E 40	P	Well G-11 in Texas Board of Water Engineers Bulletin 5608. Pump set at 240 ft. Reported yield 400 gal/min. <u>3</u> <u>13</u>
614	Randolph Air Force Base, Well 2	Dingman Drilling Co.	1929	563	13	480	KCEB	757	--	--	T, E 100	P	Well G-12 in Texas Board of Water Engineers Bulletin 5608. Pump set at 240 ft. Reported yield 942 gal/min. <u>3</u> <u>13</u>
615	Randolph Air Force Base, Well 7	do	1929	583	13	483	KCEB	757	110	July 1929	T, E 100	P	Well G-17 in Texas Board of Water Engineers Bulletin 5608. Pump set at 360 ft. Reported yield 700 gal/min. Development test: drawdown of 90 ft pumping 360 gal/min. <u>3</u> <u>13</u>
616	Randolph Air Force Base, Well 9	do	1929	1,003	12	--	KCEB	757	--	--	N	N	Well G-19 in Texas Board of Water Engineers Bulletin 5608. <u>1</u> <u>3</u> <u>13</u>
701	Chapel Hills Memorial Gardens	--	1950	645	--	--	KCEB	769	115	Mar. 1950	T, C	Irr	Top of Edwards 564 ft. Reported yield 40 gal/min.
702	Central Catholic High School	J. T. Johnson Water Drilling & Serv.	1966	589	8	509	KCEB	740	--	--	Sub, E 7½	Irr	Open hole from 509 to 589 ft. Cemented from 509 ft to surface. Top of Edwards 509 ft. Development test yield 950 gal/min. <u>3</u>
* 705	Windcrest Devel. Corp.	J. R. Johnson Drilling & Supplies	1964	745	12	353	KCEB	920	242.88 228.52	Jan. 25, 1972 Feb. 13, 1975	N	N	Cemented from 353 ft to surface. Top of Edwards 356 ft. Observation well. <u>1</u> <u>2</u> <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water Level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-30-706	Ray Ellison	--	--	625	6	--	KCEB	790.2	122.85 140.76	Oct. 3, 1933 July 7, 1950	N	N	Well F-91 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Historical observation well. <u>2</u>
707	do	--	--	515	--	--	KCEB	791.8	141.90 118.71	June 24, 1948 Jan. 9, 1961	Sub, E	S	Well F-191 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
708	Lackland City Water Co.	Berkett Drilling Co.	1970	938	12	483	KCEB	815	--	--	N	N	Abandoned. <u>1</u>
* 709	do	--	1969	825	8	600	KCEB	808	--	--	T, E 30	P	Cemented from 600 ft to surface.
710	do	--	--	--	--	--	KCEB	774	--	--	T, E 50	Irr	--
* 801	City of Converse	--	1896	700	8	625	KCEB	710.1	39.2 96.69	Oct. 2, 1933 Oct. 3, 1956	T, E	P	Well G-7 in Texas Board of Water Engineers Bulletin 5608. Deepened from 684 to 700 ft. Historical observation well. <u>2</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>
* 802	do	Max Gerfers	1954	750	8 7	-- 625	KCEB	708.5	83.62 26.70	Aug. 24, 1954 Feb. 13, 1975	T, E 40	P	Top of Edwards 625 ft. Observation well. <u>2</u> <u>12</u>
* 803	Claude W. Ivey	Otto Marckwardt	1951	638	6	600	KCEB	751	--	--	T, E 7 1/2	Irr	Open hole from 600 to 638 ft. <u>5</u>
* 804	City of Converse	Cravens Drilling Co.	1955	565	8 7	221 553	KCEB	743	--	--	T, E 10	P	Open hole from 553 to 565 ft. Top of Edwards 544 ft. Pump set at 165 ft. Development test: drawdown of 39 ft pumping 200 gal/min in May 1955.
* 805	O. A. Kneupper	Otto Marckwardt	1953	576	7	498	KCEB	762	115	Sept. 1953	T, E 7 1/2	P	Open hole from 498 to 576 ft. Top of Edwards 512 ft. Development test: drawdown of 39 ft pumping 600 gal/min. <u>5</u> <u>6</u> <u>7</u>
* 807	U.S. Geological Survey	Texas Water Devel. Board	1972	1,202	6	603	KCEB	750	86.90 68.40	Feb. 10, 1973 Feb. 12, 1975	N	N	Open hole from 603 to 1,202 ft. Cemented from 603 ft to surface. Observation well. <u>1</u> <u>2</u> <u>3</u>
808	Randolph Air Force Base, Well 11	--	1951	544	13	484	KCEB	761	--	--	T, E, G 100, 180	P	Pump set at 240 ft. Reported yield 1,100 gal/min.
809	Randolph Air Force Base, Well 10	Wiegand Brothers Drilling Co.	1942	518	13	493	KCEB	761	82	1942	T, E, G 100, 180	P	Well G-20 in Texas Board of Water Engineers Bulletin 5608. Pump set at 240 ft. Reported yield 1,250 gal/min. Development test: drawdown of 0 ft pumping 1,265 gal/min. <u>3</u> <u>13</u>
901	Henry Hofferichter	Allan Burnam	1914	690	--	--	KCEB	708.2	47.36 50.89	Mar. 22, 1950 Jan. 12, 1951	N	N	Well G-22 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
* 34-203	Geronimo Water Co.	J. E. Johnson Drilling & Supplies	1969	1,000	8	815	KCEB	982	220.02	Dec. 15, 1971	Sub, E	P	Open hole from 815 to 1,000 ft. Cemented from 815 ft to surface. Top of Edwards 815 ft. <u>3</u>
301	B. M. Becker	Henry Schwab	1914	370	5	--	KCEB	941.9	254.30 276.90	Aug. 31, 1950 Sept. 17, 1952	C, W	S	Well H-62 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
601	Elm Valley Park Water System	Doyal Drilling Co.	1964	395	12	198	KCEB	892	--	--	Sub, E 20	P	Deepened from 301 to 395 ft on Sept. 23, 1967. Cemented from 198 ft to surface. Top of Edwards 192 ft. Development test: drawdown of 30 ft pumping 2,000 gal/min for 20 hours. <u>3</u>
602	Stevens Ranch	A. Goforth	--	462	4	--	KCEB	976.2	331.0 258.10	Nov. 1, 1954 Feb. 13, 1975	C, G	S	Well H-3 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2</u>
603	C. T. Mursbach	--	--	478	--	--	KCEB	808.9	165.90 97.60	Nov. 1, 1954 May 1, 1973	C, W	D, S	Well H-5 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2</u>
901	R. W. Briggs, Well 3	Haskin Pump & Serv. Inc.	1957	827	10 8	-- 674	KCEB	793	160	Jan. 2, 1957	T, G 70	Irr	Top of Edwards 705 ft. Development test yield 1,000 gal/min. Temp. 75°F.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-34-902	R. W. Briggs, Well 2	Haskin Pump & Serv. Inc.	1953	823	10 8	-- 692	KCEB	792	--	--	T, G 70	Irr	Open hole from 692 to 823 ft. Top of Edwards 686 ft. Reported yield 1,000 gal/min.
903	R. W. Briggs, Well 4	J. R. Johnson Drilling & Supplies	1964	851	16 12	99 771	KCEB	790	136	Sept. 16, 1964	T, C 100	Irr	Cemented from 771 to 50 ft. Top of Edwards 771 ft. Development test: drawdown of 21 ft pumping 2,565 gal/min on Sept. 16, 1964. <u>3</u>
904	R. W. Briggs, Well 5	do	1964	1,142	12	638	KCEB	749	--	--	T, G 150	Irr	Cemented from 638 ft to surface. Top of Edwards 640 ft. Development test: drawdown of 75 ft pumping 2,632 gal/min on Aug. 29, 1964. <u>3</u>
905	R. W. Briggs, Well 8	do	1967	1,015	12	658	KCEB	752	94	Sept. 29, 1967	T, G 150	Irr	Cemented from 658 ft to surface. Top of Edwards 670 ft. Reported yield 1,600 gal/min. Development test: drawdown of 42 ft pumping 1,750 gal/min for 8 hours on Sept. 29, 1967. <u>3</u>
906	R. W. Briggs, Well 1	Max Gerters	1942	905	12 8	150 800	KCEB	785	95.0	1942	T, C 75	Irr	Well R-73 in Texas Board of Water Engineers Bulletin 560H. Development test: drawdown of 9 ft pumping 1,350 gal/min. <u>3</u>
907	R. W. Briggs, Well 6	J. R. Johnson Drilling & Supplies	1966	1,143	12	660	KCEB	759	96	Dec. 1, 1966	T, G 100	Irr	Open hole from 660 to 1,143 ft. Top of Edwards 685 ft. Development test: drawdown of 22 ft pumping 2,314 gal/min for 2 hours on Dec. 1, 1966. <u>3</u>
* 35-101	North San Antonio Hills Water Co.	Haskin Pump & Serv. Inc.	1973	572	12	324	KCEB	1,001	330	June 7, 1973	T, E 75	P	Cemented from 324 ft to surface. Top of Edwards 318 ft. Development test: drawdown of 2 ft pumping 975 gal/min for 12 hours on June 7, 1973. <u>3</u>
* 102	City Water Board, Anderson Station	Frank Rosenkranz & Sons	1976	796	30	416	KCEB	980	290	Mar. 3, 1976	T, E 200	P	Open hole from 416 to 796 ft. Cemented from 416 ft to surface. Top of Edwards 305 ft. Development test: drawdown of 15 ft pumping 3,646 gal/min. <u>3</u>
201	C. Peavy	Haskin Pump & Serv. Inc.	1960	395	7	232	KCEB	840	--	--	Sub, E 20	S	Open hole from 232 to 395 ft. Top of Edwards 203 ft. Pump set at 320 ft. Reported yield 200 gal/min.
202	G. A. Kventz	A. R. Goforth	--	286	6	--	KCEB	848.5	157.73 206.17	Sept. 21, 1933 Nov. 1, 1954	C, E	D	Well H-1 in Texas Board of Water Engineers Bulletin 560H. Deepened from 219 to 286 ft. Observation well. <u>2</u>
302	Southwestern Bell Telephone Co.	Haskin Pump & Serv. Inc.	1961	507	7	430	KCEB	840	170	Nov. 1961	Sub, E 5	P, Irr	Open hole from 430 to 507 ft. Deepened from 485 to 507 ft. Top of Edwards 430 ft. Reported yield 20 gal/min.
303	H. A. Haner	C. & B. Drilling	1955	281	8	195	KCEB	814	180	Feb. 1955	T, G 75	Irr	Open hole from 195 to 281 ft. Top of Edwards 191 ft. Pump set at 200 ft. Development test: drawdown of 0 ft pumping 612 gal/min.
304	Beck Cement Co.	Fred Burkett	1961	300	7	217	KCEB	800	132	1961	Sub, E 5	Ind	Open hole from 217 to 300 ft. Top of Edwards 216 ft.
305	D. Stuebing	--	1955	480	10	370	KCEB	794	--	--	T, C	N	Open hole from 370 to 480 ft. Unused irrigation well. Pump set at 205 ft. Development test: drawdown of 19 ft pumping 1,284 gal/min for 3 hours.
306	Frank Parsyn	J. R. Johnson Drilling & Supplies	1968	338	16	193	KCEB	803	123	Feb. 29, 1968	T, Ng 200	Irr	Open hole from 193 to 338 ft. Cemented from 193 ft to surface. Top of Edwards 193 ft. Reported yield 4,500 gal/min. Development test: drawdown of 4 ft pumping 3,500 gal/min for 6 hours on Feb. 29, 1968. Temp. 72°. <u>3</u> <u>1</u>
308	Quincy Lee & Assoc.	do	1972	607	16	344	KCEB	818	145.05	Mar. 29, 1972	T, E 200	P	Open hole from 344 to 607 ft. Cemented from 344 ft to surface. Top of Edwards 336 ft. Pump set at 250 ft. Development test: drawdown of 2.14 ft pumping 3,010 gal/min for 5 hours on Mar. 23, 1972. <u>3</u>
309	Allied Concrete Co.	Doyal Drilling Co.	1972	441	8	299	KCEB	800	134	Apr. 18, 1972	T, E 50	Ind	Open hole from 229 to 441 ft. Cemented from 299 ft to surface. Top of Edwards 289 ft. Development test: drawdown of 163 ft pumping 430 gal/min for 2 hours on Apr. 27, 1972. <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-35-310	Timbercreek Utility District	Haskin Pump & Serv. Inc.	1971	427	16	309	KCEB	850	182.30	Apr. 17, 1972	T, E 200	F	Open hole from 309 to 427 ft. Cemented from 309 ft to surface. Top of Edwards 308 ft. <u>1</u> <u>3</u>
311	-- Voigt	A. E. Goforth	--	200	6	--	KCEB	803.6	148.85 149.05	Nov. 1, 1954 Nov. 6, 1956	C, E	D, S	Well I-1 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>13</u>
312	Peter Tezel	George E. Brauchic	1946	235	7	208	KCEB	813	123.10 112.63	June 17, 1946 Feb. 13, 1975	C, W, E	D, S	Well I-2 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2</u>
* 402	Coolcrest Water Co., Well 2	Haskin Pump & Serv. Inc.	1972	606	7	512	KCRB	922	--	--	Sub, E 15	F	Open hole from 512 to 606 ft. Cemented from 512 ft to surface. Top of Edwards 520 ft. <u>3</u>
* 403	Coolcrest Water Co., Well 1	do	1969	606	7	506	KCEB	918	251	Sept. 19, 1969	Sub, E 15	F	Cemented from 506 ft to surface. Pump set at 357 ft.
501	E. W. Wiseman	Butler & Johnson	1955	700	10	180	KCEB	801	--	--	T, G 90	Irr	Open hole from 180 to 700 ft. Development test: drawdown of 40 ft pumping 1,200 gal/min.
502	C. A. Pepper Estate	Max Gorfers	1955	581	8	524	KCEB	885	251.28	Mar. 22, 1955	T, Ng	N	Open hole from 524 to 581 ft. Top of Edwards 520 ft. Unused irrigation well.
503	Lackland City Water Co.	J. R. Johnson Drilling & Supplies	1955	671	12	521	KCEB	810	151	1955	T	N	Open hole from 521 to 671 ft. Top of Edwards 521 ft. Development test: drawdown of 5 ft pumping 2,400 gal/min in 1955.
504	Haul Ott	-- Goforth	1937	300	--	--	KCEB	857.8	206.87 219.91 166.44	Apr. 14, 1952 Nov. 1, 1954 Jan. 1, 1961	Sub, E	D, S	Well H-93 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
601	Southwest Research Institute	J. R. Johnson Drilling & Supplies	1966	900	12	520	KCEB	760	88	May 20, 1966	T, E 75	Ind	Top of Edwards 520 ft. Development test: drawdown of 3 ft pumping 1,207 gal/min for 14 hours on May 20, 1966. <u>1</u> <u>3</u>
606	Southwest Utility Co.	do	1953	682	12	552	KCEB	768	--	--	T, E 150	F	Open hole from 552 to 682 ft. Top of Edwards 552 ft. Reported yield 1,307 gal/min. Temp. 75°F.
* 607	do	do	1967	701	12	551	KCEB	724	108	June 30, 1967	T, E 150	F	Top of Edwards 555 ft. Development test: drawdown of 4 ft pumping 1,950 gal/min for 8 hours on June 30, 1967. <u>3</u>
608	Robert C. Reyes	Virdeil & Clay	1956	638	8	400	KCEB	752	140	Mar. 1956	N	N	Abandoned. Open hole from 400 to 638 ft. Development test: drawdown of 0 ft pumping 1,200 gal/min for 6 hours in March 1956. <u>1</u>
* 609	Southwest Utility Co.	Creswell & Lenard	1946	621	7	--	KCRB	743	--	--	T, E 30	F	--
610	-- Benke	J. R. Johnson Drilling & Supplies	1940	763	--	--	KCEB	789.7	88	1940	T, C	Irr	Well I-6 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 458 ft. <u>3</u>
* 611	Blue Bonnet Mills Mobil Home Park	Kutacher Drilling Co.	1968	535	8	200	KCRB	810	--	--	Sub, E 20	F	Cemented from 200 ft to surface.
612	Tom Slick Estate	J. R. Johnson Drilling & Supplies	1940	745	10	--	KCEB	795.2	118.4	July 30, 1946	T, G	Irr	Well I-5 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 620 ft. <u>3</u>
613	do	do	1940	545	--	--	KCRB	782.2	106	1940	T	N	Well I-4 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 505 ft. Unused irrigation well. <u>3</u>
701	Clarance Tausch	Haskin Pump & Serv. Inc.	1964	850	12 8	284 585	KCEB	780	--	--	T, E 100	N	Open hole from 585 to 850 ft. Top of Edwards 598 ft. Unused irrigation well. Reported yield 1,400 gal/min.
702	Frank Walsh	Max Gorfers	1955	664	8	621	KCEB	787	139	Aug. 1955	T, G 50	S	Open hole from 621 to 664 ft. Top of Edwards 615 ft. Reported yield 1,200 gal/min.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-35-703	H. R. Horlock	--	--	860	--	--	KCEB	691	--	--	T, G 90	Irr	Reported yield 750 gal/min.
705	R. W. Briggs, Well 7	J. R. Johnson Drilling & Supplies	1966	1,060	12	605	KCEB	765	88	Dec. 15, 1966	T, G 150	Irr	Open hole from 605 to 1,060 ft. Cemented from 605 ft to surface. Top of Edwards 605 ft. Development test: drawdown of 23 ft pumping 2,314 gal/min for 2 hours on Dec. 15, 1966. Temp. 71°F. <u>3</u>
706	Justin & Norman Jungman	Ray Rohmer	1949	690	7	--	KCEB	769.4	113.8 106.6	Aug. 22, 1950 Jan. 9, 1951	T, G 30	S	Well H-34 in Texas Board of Water Engineers Bulletin 5608.
707	Lucky Ranch	J. R. Rohmer	--	1,100	8	--	KCEB	697	--	--	T, G	N	Well H-15 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 664 ft. Reported flow 25 gal/min on Sept. 15, 1933. Unused irrigation well.
708	J. H. Uptmore & Assoc. Well 7	W. Rohmer	--	1,300	8 6	--	KCEB	690	15.0	July 1950	T, E 15	Irr	Well H-31 in Texas Board of Water Engineers Bulletin 5608.
801	K. R. Drews	J. R. Johnson Drilling & Supplies	1957	837	12	706	KCEB	768	160	Aug. 14, 1957	T, E 75	Irr	Open hole from 706 to 837 ft. Cemented from 706 ft to surface. Top of Edwards 706 ft. Pump set at 200 ft. Development test: drawdown of 5 ft pumping 1,980 gal/min for 1 hour on Aug. 14, 1957. <u>3</u>
802	Gerald Pursyn	Cravens Drilling Co.	1948	978	10	--	KCEB	722	85.73	Mar. 22, 1955	T, G 68	Irr	Reported yield 1,300 gal/min. Temp. 70°F.
803	A. B. Crosby, Jr.	Fred Burkett	1957	1,004	10	643	KCEB	729	57	Apr. 8, 1958	T, G	D, Irr	Open hole from 643 to 1,004 ft. Top of Edwards 647 ft. Development test: drawdown of 25 ft pumping 1,481 gal/min for 1 hour on Apr. 8, 1958.
806	Schoenfeld Quarries Inc.	Hicks & Puckitt Water Service Inc.	1969	810	8 5	300 810	KCEB	768	140	Apr. 27, 1969	Sub, E 30	Ind	Perforated from 780 to 810 ft. Cemented from 300 ft to surface. Top of Edwards 630 ft. Development test yield 1,500 gal/min. <u>3</u>
807	J. H. Uptmore & Assoc.	Alex Lorenz	--	868	6	--	KCEB	788.1	103.20 149.70 82.01	Sept. 15, 1933 Dec. 1, 1954 Feb. 12, 1975	N	N	Well H-13 in Texas Board of Water Engineers Bulletin 5608. E-log indicates well was deepened. Observation well. <u>1</u> <u>2</u> <u>3</u>
* 808	Lackland City Water Co.	J. R. Johnson Drilling & Supplies	1972	1,050	26 20	43 591	KCEB	730	--	--	T, E 300	P	Open hole from 591 to 1,050 ft. Cemented from 597 ft to surface. Top of Edwards 598 ft. Development test: drawdown of 19 ft pumping 2,518 gal/min for 8 hours. <u>1</u> <u>2</u> <u>3</u>
809	L. A. Kriewald	R. Rohmer	1947	1,004	8	606	KCEB	701	46.4	Aug. 18, 1950	T, E 30	Irr	Well H-46 in Texas Board of Water Engineers Bulletin 5608. Reported yield 550 gal/min.
901	Walter Hansmann	Virdell Brothers Drilling Co.	1956	916	10	595	KCEB	752	135	Sept. 1956	T, G 85	Irr	Open hole from 595 to 916 ft. Top of Edwards 595 ft. Development test: drawdown of 25 ft pumping 1,180 gal/min in Sept. 1956.
* 902	Lackland City Water Co.	Clary Drilling Co.	1956	835	12	634	KCEB	800	--	--	T, U	Irr	Open hole from 634 to 835 ft. Top of Edwards 630 ft. Reported yield 1,200 gal/min. <u>1</u>
* 903	City Water Board, Lackland Station, Well 2	J. R. Johnson Drilling & Supplies	1961	1,020	16	788	KCEB	735	78	May 29, 1961	T, E 200	P	Open hole from 788 to 1,020 ft. Cemented from 788 ft to surface. Top of Edwards 819 ft. Development test: drawdown of 7 ft pumping 1,850 gal/min on May 29, 1961. <u>3</u>
* 904	Bexar County WC&ID No. 16, Well 1	Virdell Brothers Drilling Co.	1958	675	12	612	KCEB	789	--	--	T, E	P	Open hole from 612 to 675 ft. <u>1</u>
* 905	City Water Board, Lackland Station, Well 1	Pegg Brothers	1957	881	12	808	KCEB	792	--	--	T, E 200	P	Open hole from 808 to 881 ft. Top of Edwards 814 ft. Development test: drawdown of 8 ft pumping 1,750 gal/min in 1957.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface datum (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-35-906	Adelaide Okuley	Frank Rosenkranz & Sons	1953	990	7	--	KCEB	782	--	--	T, E 5	P	Reported yield 40 gal/min.
* 907	Lackland City Water Co.	Moos-Haskins	1955	845	8	648	KCEB	811	122.89 131.41	Apr. 11, 1960 June 18, 1965	T, E	P	Open hole from 648 to 845 ft. Top of Edwards 755 ft. Historical observation well. <u>2</u>
* 908	do	J. R. Johnson Drilling & Supplies	1957	1,066	12	904	KCEB	795	175	Feb. 20, 1957	T, E	P	Open hole from 904 to 1,066 ft. Cemented from 904 ft to surface. Top of Edwards 904 ft. Pump set at 200 ft. Development test: drawdown of 2 ft pumping 1,750 gal/min on Feb. 20, 1957. <u>3</u>
* 909	do	do	1962	1,107	20 16	308 912	KCEB	778	--	--	T, E 125	P	Open hole from 912 to 1,107 ft. Cemented from 912 ft to surface. Top of Edwards 910 ft. <u>3</u>
* 910	Bexar County WC&ID No. 16, Well 2	Layne Texas Co.	1967	1,050	16	620	KCEB	781	117	Oct. 9, 1967	T, E 125	P	Open hole from 620 to 1,050 ft. Cemented from 620 ft to surface. Development test: drawdown of 5 ft pumping 1,520 gal/min for 24 hours on Oct. 9, 1967. <u>3</u>
911	Robert Boenig	--	--	916	6	--	KCEB	801.1	113.17 156.87 110.88	Aug. 21, 1937 Dec. 1, 1954 Dec. 3, 1959	C, E	N	Well I-122 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
* 912	City Water Board, Harbach Station, Well 1	Singer-Layne Texas Division	1973	1,040	30 26	304 591	KCEB	754	--	--	T, E 600	P	Open hole from 591 to 1,040 ft. Cemented from 591 ft to surface. Top of Edwards 590 ft. Development test: drawdown of 53.13 ft pumping 8,626 gal/min on Nov. 16, 1973. <u>3</u>
* 913	City Water Board, Harbach Station, Well 2	do	1974	1,040	30 26	301 594	KCEB	754	57.60	Feb. 14, 1974	T, E 600	P	Open hole from 594 to 1,040 ft. Cemented from 594 ft to surface. Top of Edwards 595 ft. Development test: drawdown of 4.8 ft pumping 5,086 gal/min on Feb. 14, 1974. <u>3</u>
* 914	Lackland City Water Co.	--	1960	1,109	8	938	KCEB	792	--	--	T, E 50	P	--
915	Mexican Baptist Childrens Home	Fred Burkett	1919	900	6	--	KCEB	766	100	1950	Sub, E 7½	P	Well I-136 in Texas Board of Water Engineers Bulletin 5608.
916	do	--	--	920	10	--	KCEB	967	--	--	T, E 15	Irr, P	--
* 36-101	Leon Valley Water Supply Co.	Cravens Drilling Co.	1943	340	8	300	KCEB	809	--	--	Sub, E 15	P	Open hole from 300 to 340 ft. Development test: drawdown of 0 ft pumping 300 gal/min for 5 hours.
* 102	City Water Board, Wurzbach Station, Well 1	Layne Texas Co.	1963	786	30	337	KCEB	905	--	--	T, E 600	P	Open hole from 337 to 786 ft. Cemented from 337 ft to surface. Development test: drawdown of 2 ft pumping 5,491 gal/min for 11 hours on Mar. 19, 1963. <u>3</u> <u>1</u> <u>1</u> <u>1</u>
* 103	City Water Board, Wurzbach Station, Well 2	Katy Drilling Co.	1967	824	30	342	KCEB	911	--	--	T, E 1,000	P	Open hole from 342 to 824 ft. Cemented from 342 ft to surface. <u>3</u>
* 104	City Water Board, Wurzbach Station, Well 3	do	1968	808	30	322	KCEB	888	--	--	T, E 1,000	P	Cemented from 322 ft to surface. Development test: drawdown of 5 ft pumping 5,000 gal/min for 16 hours. <u>3</u> <u>1</u>
* 105	City Water Board, Wurzbach Station, Well 4	do	1968	814	30	323	KCEB	890	223.67 189.17	Sept. 22, 1970 Feb. 12, 1975	T, E 1,000	P	Cemented from 323 ft to surface. Observation well. <u>3</u> <u>2</u>
* 107	Leon Valley Utility Co., Well 1	Haskin Pump & Serv. Inc.	1970	550	12	416	KCEB	882	200	Dec. 28, 1970	T, E	P	Open hole from 416 to 550 ft. Cemented from 416 ft to surface. Top of Edwards 406 ft. <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-36-108	W. R. Craig	J. T. Johnson Water Drilling & Serv.	1963	484	7	450	KCEB	870	--	--	Sub, E 15	Ind	Cemented from 430 ft to surface. Top of Edwards 428 ft. <u>2</u>
109	-- Coleman	Max Carfers	--	366	5	--	KCEB	891.6	212.60 200.50	July 21, 1932 Dec. 30, 1936	C, W	D, S	Well I-11 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
110	R. C. Ramirez	--	--	--	6	--	KCEB	845	202.85 205.47	July 21, 1932 Nov. 3, 1954	C, E	D	Well I-18 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u>
* 111	Timbercreek Utility District	Haskin Pump & Serv. Inc.	1972	677	16	330	KCEB	802	122	Nov. 14, 1972	T, E 200	P	Open hole from 330 to 677 ft. Cemented from 330 ft to surface. Top of Edwards 335 ft. Development test: drawdown of .50 ft pumping 3,052 gal/min for 12 hours on Nov. 14, 1972. <u>1</u> <u>2</u> <u>3</u>
112	--	Max Smith	1947	500	7	--	KCEB	838	211.01 151.52	Mar. 4, 1957 Jan. 3, 1961	N	N	Plugged. Historical observation well. <u>2</u>
* 113	City Water Board, Woodlawn Hills Station	J. P. Benkendorfer	1916	1,100	12	--	KCEB	902	230.6	Aug. 29, 1933	T, E 60	P	Well I-39 in Texas Board of Water Engineers Bulletin 5608. Drilled to 2,853 ft plugged back to 1,100 ft. <u>1</u> <u>2</u>
114	Hodges Subdivision	G. Braundle	1952	--	8	--	KCEB	822.4	180.0	Mar. 25, 1952	T, E 20	D	Well I-178 in Texas Board of Water Engineers Bulletin 5608.
115	S. R. Hodges	do	1949	444	7	--	KCEB	815	--	--	T, E 15	D	Well I-177 in Texas Board of Water Engineers Bulletin 5608.
204	Jack Casper	--	1947	502	7	100	KCEB	825	--	--	T, E 7½	P	Open hole from 300 to 502 ft.
* 205	City Water Board, Bandera Station	J. R. Johnson Drilling & Supplies	1953	956	20	421	KCEB	805	174.0	May 17, 1953	Sub, E 400	P	Well I-189 in Texas Board of Water Engineers Bulletin 5608. Open hole from 421 to 956 ft. Cemented from 421 ft to surface. Top of Edwards 420 ft. Development test: drawdown of 3 ft pumping 2,708 gal/min. <u>1</u> <u>2</u>
* 206	City Water Board, Sunshine Station	do	1950	748	18	537	KCEB	756.2	93.4	Jan. 5, 1951	Sub, E 200	P	Well 258 in Texas Board of Water Engineers Bulletin 5608. Cemented from 537 ft to surface. Top of Edwards 548 ft. Development test: drawdown of 2 ft pumping 2,152 gal/min. <u>1</u> <u>2</u>
* 207	City Water Board, Sutton Station	do	1951	1,030	20	495	KCEB	755.1	108 111.5	Oct. 1951 May 20, 1953	T, E 300	P	Well 270 in Texas Board of Water Engineers Bulletin 5608. Open hole from 495 to 1,030 ft. Development test: drawdown of 9 ft pumping 2,708 gal/min. <u>1</u> <u>2</u>
* 208	City Water Board, Loma Linda Station	do	1953	840	20	614	KCEB	813.1	63.2	June 9, 1953	Sub, E 400	P	Well 290 in Texas Board of Water Engineers Bulletin 5608. Cemented from 614 ft to surface. Top of Edwards 640 ft. Development test yield 2,777 gal/min. <u>1</u> <u>2</u>
301	H. C. Stolle	--	--	--	--	--	KCEB	751.3	98.60 107.79	Nov. 14, 1950 Jan. 6, 1954	N	N	Well 247 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u>
* 302	City Water Board, Dreamhill Station	J. R. Johnson Drilling & Supplies	1946	744	16 14 10	452 637 --	KCEB	738	61 107.60	Sept. 5, 1946 1957	T, E 200	P	Well 289 in Texas Board of Water Engineers Bulletin 5608. Deepened from 716 to 744 ft in June 1949; 98 ft of 10-inch liner added. Cemented from 637 ft to surface. Top of Edwards 651 ft. Historical observation well. <u>1</u> <u>2</u> <u>3</u>
303	R. R. McIlwaine	Lorenz Brothers	--	540	6	--	KCEB	710.7	41.63 53.41 50.10	Oct. 30, 1924 Jan. 17, 1951 Dec. 9, 1971	N	N	Well 4 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-36-304	City Water Board, Vance Jackson Station	J. R. Johnson Drilling & Supplies	1952	1,094	20	563	KCEB	775	138.2	June 8, 1953	Sub, E 200	P	Well I-202 in Texas Board of Water Engineers Bulletin 5608. Open hole from 563 to 1,094 ft. Development test: drawdown of 5 ft pumping 2,500 gal/min. <u>1/3</u>
* 305	City Water Board, Basse Road Station	do	1950	703	16	525	KCEB	746.6	95.8	May 28, 1953	Sub, E 250	P	Well 261 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 7 ft pumping 1,600 gal/min. <u>1/3 1/3</u>
306	City Water Board, Edison Station	Whitfield & Draper	1940	1,100	16	548	KCEB	712.6	--	--	T, C	P	Well 259 in Texas Board of Water Engineers Bulletin 5608. Cemented from 548 ft to surface. Development test: drawdown of 1.7 ft pumping 1,400 gal/min. <u>3</u>
307	City Water Board	J. R. Johnson Drilling & Supplies	1948	772	18 14	147 570	KCEB	717.7	80.7	May 28, 1953	N	N	Well 260 in Texas Board of Water Engineers Bulletin 5608. Plugged. Cemented from 570 ft to surface. Top of Edwards 569 ft. <u>1/3</u>
401	Southwest Research Institute	Haskin Pump & Serv. Inc.	1960	590	6	551	KCEB	774	180	Sept. 1960	Sub, E	Irr	Open hole from 551 to 590 ft. Top of Edwards 518 ft. Unused since 1971.
402	do	J. R. Johnson Drilling & Supplies	1952	679	12	574	KCEB	840	--	--	T, E 100	Ind	Open hole from 574 to 679 ft. Cemented from 574 ft to surface. Top of Edwards 574 ft. Reported yield 700 gal/min. <u>3</u>
403	do	do	1954	889	8	567	KCEB	830	--	--	T, E 75	Ind	Open hole from 567 to 889 ft. Top of Edwards 567 ft.
404	do	do	1955	985	12	545	KCEB	821	--	--	T, E 100	Ind	Open hole from 545 to 985 ft. Top of Edwards 540 ft. Reported yield 700 gal/min.
405	do	do	1964	780	12	557	KCEB	832	--	--	T, E 125	Ind	Open hole from 557 to 780 ft. Cemented from 557 ft to surface. Top of Edwards 562 ft. <u>3</u>
406	Community Well	--	--	990	10	--	KCEB	732	--	--	T, E 50	Irr	Reported yield 1,600 gal/min.
407	Doug Saunders	Virdell & Clary	1956	620	8	580	KCEB	730.8	67.55 28.21	Aug. 27, 1970 Feb. 12, 1975	N	N	Open hole from 580 to 620 ft. Top of Edwards 580 ft. Development test: drawdown of 0 ft pumping 1,100 gal/min. Observation well. Recorder observation well from Aug. 27, 1970 to Oct. 24, 1973. <u>1/2</u>
408	Carl Stephan	--	--	400	--	--	KCEB	711	--	--	T, E 60	D	--
409	McDonough Brothers Inc.	J. R. Johnson Drilling & Supplies	1953	1,215	12	680	KCEB	700	--	--	T, E 50	Ind	Open hole from 680 to 1,215 ft. Top of Edwards 678 ft. Pump set at 110 ft. Reported yield 700 gal/min. <u>3</u>
410	M. A. Clapp	do	1947	604	13 10	170 440	KCEB	764.4	112.98 128.00 76.38	Mar. 3, 1953 Nov. 1, 1954 Jan. 4, 1961	T, E 7 1/2	D, S	Well I-158 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 0 ft pumping 1,600 gal/min. Historical observation well. <u>2/3 1/3</u>
411	Southwest Research Institute	Alamo Well Drilling	1971	800	12	521	KCEB	768	110	Sept. 1, 1971	T, E 75	Ind	Open hole from 521 to 800 ft. Cemented from 521 ft to surface. Top of Edwards 516 ft. Reported yield 575 gal/min. <u>3</u>
412	Ruth McClain Bauers	--	--	--	10	90	KCEB	740	--	--	T, E 50	D, S	--
413	Van De Walle & Sons	--	--	--	--	--	KCEB	721	--	--	T, E 40	Irr	--

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water Level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-36-414	Van De Walle & Sons	-- Sead	1945	989	--	--	KCER	727	--	--	T, S 50	Irr	Well T-55 in Texas Board of Water Engineers Bulletin 5608.
415	McDonough Brothers Inc.	Pegg Brothers	--	1,160	10 6	84 862	KCEB	702	30	1946	T, E 30	Ind	Well Y-51 in Texas Board of Water Engineers Bulletin 5608. Pump set at 80 ft. Reported yield 500 gal/min.
417	Carl Stephen	--	--	--	--	--	KCEB	719	--	--	T, E 15	D, S	--
* 502	City Water Board, 34th St. Station, Well 2	J. R. Johnson Drilling & Supplies	1957	1,224	30 26	175 723	KCEB	685	--	--	T, E 200	P	Open hole from 723 to 1,224 ft. Cemented from 723 ft to surface. Top of Edwards 730 ft. <u>1</u> <u>3</u> <u>11</u>
* 503	City Water Board, 34th St. Station, Well 3	do	1957	1,247	30 26	174 740	KCEB	681	--	--	T, E 200	P	Open hole from 740 to 1,247 ft. Top of Edwards 732 ft. Reported yield 2,100 gal/min. <u>1</u> <u>3</u>
* 504	City Water Board, Hillcrest Station	do	1950	772	16	597	KCEB	765.3	105.4	July 31, 1953	T, E 150	P	Well T-201 in Texas Board of Water Engineers Bulletin 5608. Open hole from 597 to 772 ft. Cemented from 597 ft to surface. Top of Edwards 605 ft. Development test: drawdown of 5 ft pumping 1,666 gal/min. <u>1</u> <u>3</u>
505	Westmorland College	--	--	850	5	--	KCEB	715.9	40.57 30.81	Aug. 25, 1933 Aug. 26, 1936	N	N	Well 40 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u>
* 506	Lakeview Gardens	--	1910	1,000	8	--	KCEB	710.3	33.90 61.40	Aug. 25, 1933 Mar. 9, 1953	Sub, B 20	P	Well 44 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 3.6 ft pumping 600 gal/min. Historical observation well. <u>2</u> <u>3</u> <u>13</u>
* 507	Our Lady of the Lake University of San Antonio	J. W. Judson	1906	1,380	12 10 8	267 805 1,070	KCEB	682	57.68 9.59	Aug. 30, 1956 Oct. 1, 1959	T, E 30	P	Well 50 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>3</u>
* 508	City Water Board, 34th St. Station, Well 1	J. R. Johnson Drilling & Supplies	1951	950	24	710	KCEB	687	42 52.1	Nov. 1951 June 10, 1953	T, E 150	P	Well 273 in Texas Board of Water Engineers Bulletin 5608. Open hole from 710 to 950 ft. Cemented from 710 ft to surface. Development test: drawdown of 0 ft pumping 2,000 gal/min. <u>1</u> <u>3</u>
509	City Water Board, 39th St. & Old Highway 90	-- Rohmer	--	1,080	--	--	KCEB	716.8	78	do	T, C	P	Well 45 in Texas Board of Water Engineers Bulletin 5608.
* 510	Lakeview Gardens, Well 2	--	--	1,100	--	--	KCEB	702	--	--	T, E 7 1/2	P	Well 43 in Texas Board of Water Engineers Bulletin 5608.
* 511	City Water Board, San Felipe Station	J. R. Johnson Drilling & Supplies	1948	1,051	18 14 13 12	384 488 520 826	KCEB	706	45	1948	T, E 150	P	Well 272 in Texas Board of Water Engineers Bulletin 5608. Open hole from 826 to 1,051 ft. Cemented from 826 ft to surface. Top of Edwards 830 ft. Development test: drawdown of 5 ft pumping 1,250 gal/min. <u>1</u> <u>3</u>
602	Five Points Laundry	William Gravens	1942	886	5 4	-- 886	KCEB	652	36.72 78.2	Aug. 30, 1956 Jan. 3, 1961	N	N	Well 1257 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u> <u>3</u>
603	John County	L. M. Hubble	1893	498	5	--	KCEB	663.4	11.37 20.1	July 21, 1932 Jan. 4, 1937	N	N	Well 58 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u> <u>3</u> <u>13</u>
604	Jesse Dasha	--	--	--	--	--	--	676.1	34.0 18.51	Nov. 7, 1952 Sept. 8, 1958	N	N	Well 52 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Historical observation well. <u>2</u> <u>4</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft.)	Casing		Water bearing unit	Altitude of land surface (ft.)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft.)			Below land-surface datum (ft.)	Date of measurement			
68-36-405	City Water Board	--	--	--	--	--	KCEB	668.8	33.45 31.93	Aug. 14, 1952 Nov. 4, 1954	N	N	Well 53 in Texas Board of Water Engineers Bulletin 5608. Plugged. Reported flow 50 gal/min on Sept. 19, 1934. Historical observation well. 2/ 13
606	Wilson Wholesale Lumber Co.	Allen Burman	1918	802	5	--	KCEB	667.1	+ 1.35 + 10.5	Aug. 1, 1933 Jan. 4, 1937	N	N	Well 67 in Texas Board of Water Engineers Bulletin 5608. Plugged. Estimated flow 10 gal/min on Aug. 10, 1933. Historical observation well. 2/ 13
607	Mission Ice & Fuel Co.	J. R. Johnson Drilling & Supplies	1949	1,221	10	72B	KCEB	656	--	--	T, E 20	Ind	Well 240 in Texas Board of Water Engineers Bulletin 5608. Cemented from 72B ft to surface. Top of Edwards 742 ft. 3/
608	Tiner Dairies Inc.	do	1946	554	9	472	KCEB	682.1	45.6	June 4, 1953	T, E 20	Ind	Well 245 in Texas Board of Water Engineers Bulletin 5608. Cemented from 472 ft to surface. Top of Edwards 484 ft. 3/
609	International & Great Northern Railroad	--	1924	1,239	8	--	KCEB	657	18	1923	N	N	Well 65 in Texas Board of Water Engineers Bulletin 5608. Abandoned. 3/
610	City Water Board, 19th St. Station	J. R. Johnson Drilling & Supplies	1946	1,213	20 16	50 954	KCEB	652.0	--	--	N	N	Well 62 in Texas Board of Water Engineers Bulletin 5608. Plugged. Cemented from 954 ft to surface. Top of Edwards 969 ft. 3/
611	Southern Ice & Cold Storage Co.	J. P. Benkendorfer	--	890	10	--	KCEB	650	4.6	Mar. 16, 1951	N	N	Well 63 in Texas Board of Water Engineers Bulletin 5608. Capped. Temp. 78°F.
612	Southern-Henke Ice Co.	do	--	911	10	--	KCEB	650	--	--	N	N	Well 64 in Texas Board of Water Engineers Bulletin 5608. Capped. 3/
701	Farah Manufacturing Co., Inc.	J. R. Johnson Drilling & Supplies	1957	1,199	12	890	KCEB	704	--	--	T, E 30	Irr	Open hole from 890 to 1,199 ft. Cemented from 890 ft to surface. Top of Edwards 886 ft. Pump set at 120 ft. Development test yield 2,300 gal/min. 3/
702	Casa Manana Motor Hotel	Moos-Hagkin	1957	985	7	918	KCEB	723	44.49	Nov. 4, 1958	Sub, R 5	P	Open hole from 918 to 985 ft. Top of Edwards 911 ft. Reported yield 40 gal/min. 4/
704	Lackland Air Force Base, Well 5	J. R. Johnson Drilling & Supplies	1960	1,500	--	--	KCEB	740	--	--	T, E, G 200	P	Pump set at 170 ft. Top of Edwards 1,108 ft. Reported yield 1,665 gal/min. 4/ 3/
706	--	Fred Burkett	1921	888	6	--	KCEB	744.4	62.30 105.73	Sept. 20, 1933 Dec. 1, 1954	N	N	Well 1-57 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. 2/ 13
707	Lackland Air Force Base, Well 3	McKinley Drilling Co.	1951	1,755	--	--	KCEB	760.9	--	--	T, E	P	Well 1-190 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 1,495 ft. Reported yield 1,665 gal/min. 4/ 3/ 13
708	Lackland Air Force Base, Well 2	Layne Texas Co.	1942	1,911	13 10	272 1,133	KCEB	764	--	--	T, E 100	P	Well 1-61 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,133 to 1,911 ft. Cemented from 1,133 ft to surface. Reported yield 1,200 gal/min. Development test: drawdown of 92 ft pumping 632 gal/min. 3/ 13
709	Lackland Air Force Base, Well 1	Wiegand Brothers	1940	1,609	13 10	-- 848	KCEB	748	73	Apr. 13, 1942	T, E, G 100, 150	P	Well 1-60 in Texas Board of Water Engineers Bulletin 5608. Cemented from 848 ft to surface. Pump set at 120 ft. Development test yield 1,130 gal/min. Temp. 77°F. 3/ 13
710	Van De Walle & Sons	J. R. Johnson Drilling & Supplies	1950	1,587	10 8	294 1,301	KCEB	700	43.8	Sept. 15, 1950	T, E 25	Irr	Well 1-142 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,301 ft to surface. Top of Edwards 1,303 ft. 3/
711	-- Suberg, et al.	Fred Burkett	1927	1,400	12	--	KCEB	681	--	--	T, E 20	Irr	Well 1-67 in Texas Board of Water Engineers Bulletin 5608. Reported yield 1,230 gal/min on Sept. 24, 1934. 3/

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-36-712	Van De Walle & Sons	J. R. Johnson Drilling & Supplies	1948	1,619	10	1,106	KCEB	713	52	July 1947	T, E 50	Irr	Well I-151 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 53 ft pumping 1,700 gal/min. 3
* 713	Kelly Air Force Base	--	1924	1,677	--	--	KCEB	677.8	4.0 4.6	Nov. 24, 1933 Aug. 6, 1934	T, E, G 50	P	Well I-66 in Texas Board of Water Engineers Bulletin 5608. Well reworked in 1943. 3 13
714	Lackland Air Force Base, Well 4	J. R. Johnson Drilling & Supplies	1952	1,520	13	1,245	KCEB	758.8	111.6	Apr. 29, 1952	T, E, C 150, 100	P	Well I-191 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,245 ft to surface. Top of Edwards 1,252 ft. Reported yield 1,600 gal/min. Development test: drawdown of 7 ft pumping 1,400 gal/min. 1 3 13
715	Fred Anderson	Fred Burkett	1925	1,006	12 10 8	-- -- --	KCEB	712	--	--	T, E 30	P	Well I-32 in Texas Board of Water Engineers Bulletin 5608. 3
801	San Fernando Cemetery	J. R. Johnson Drilling & Supplies	1950	1,270	10 8	204 918	KCEB	680	47	Sept. 1950	T, E 100	Irr	Cemented from 918 ft to surface. Top of Edwards 925 ft. Reported yield 600 gal/min. 3
* 802	Bexar Metropolitan Water Dist., Roselawn Station	do	1953	1,479	12	982	KCEB	681	42	Dec. 1953	T, E 100	P	Open hole from 982 to 1,479 ft. Cemented from 982 ft to surface. Top of Edwards 975 ft. 1 3
* 803	Bexar Metropolitan Water Dist.	do	1954	1,409	12	916	KCEB	675	42	Mar. 1955	T, E 125	P	Open hole from 916 to 1,409 ft. Cemented from 916 ft to surface. Top of Edwards 915 ft. Reported yield 2,000 gal/min. 1 3
804	The Southern Co.	Burkett Drilling Co.	1958	1,288	8 7	200 858	KCEB	671	--	--	N	N	Abandoned. Reported yield 500 gal/min.
* 805	Kelly Air Force Base	Wiegand Brothers	1941	1,632	16	--	KCEB	682.5	11	Apr. 1941	T, E 150	P	Well I-123 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 96 ft pumping 1,200 gal/min on July 4, 1964. 3 13
* 806	do	--	--	1,030	13 8	-- 924	KCEB	686	8.5	Aug. 1943	T, E 100	P	Well I-78 in Texas Board of Water Engineers Bulletin 5608. Reported yield 1,150 gal/min in 1943. 13
* 807	do	Layne Texas Co., Ltd.	--	1,120	12	--	KCEB	669	8	1919	Flows T, E, G	P	Well I-93 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,600 gal/min in 1919. 3 13
* 808	do	--	1940	1,609	16	1,158	KCEB	671	9	1940	T, E, G 125	P	Well I-124 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,158 ft to surface. Reported yield 1,100 gal/min. 13
* 809	do	Layne Texas Co., Ltd.	1910	1,590	10	--	KCEB	671	--	--	T, E, G 100	P	Well I-97 in Texas Board of Water Engineers Bulletin 5608. Temp. 80.6°F. 3 13
* 810	do	--	1906	1,400	10 8	700 1,040	KCEB	677	--	--	T, E 75	P	Well I-96 in Texas Board of Water Engineers Bulletin 5608. Reported yield 900 gal/min. Temp. 80.6°F. 13
811	Wall Colmanoy Corp.	--	--	2,000	--	--	KCEB	669	--	--	T, E 7½	Ind	--
812	St. Andrews Convent	--	1911	1,483	12 8	932 1,228	KCEB	706.9	32.6 32.4 36.7	Nov. 22, 1933 Aug. 6, 1934 Oct. 21, 1934	T, E 30	Irr	Well I-71 in Texas Board of Water Engineers Bulletin 5608. 3
813	Kelly Air Force Base	J. R. Johnson Drilling & Supplies	1943	1,062	9	968	KCEB	687	12.2	June 5, 1946	N	N	Well I-77 in Texas Board of Water Engineers Bulletin 5608. Capped. Open hole from 968 to 1,042 ft. Development test: drawdown of 30 ft pumping 1,057 gal/min for 6 hours on Dec. 12, 1955. 1 3 13

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-36-814	La Gloria Mobile Home Estates	J. R. Johnson Drilling & Supplies	1948	960	8 7	107 942	KCEB	673	13.5	Sept. 1948	T, 6 5	P	Well I-203 in Texas Board of Water Engineers Bulletin 5608. Cemented from 942 ft to surface. Top of Edwards 958 ft. <u>1/3</u>
901	Auge Packing Co.	do	1952	875	8	809	KCEB	635	--	--	Flows T, E 20	Ind	Open hole from 809 to 875 ft. Cemented from 809 ft to surface. Top of Edwards 816 ft. <u>1/3</u>
903	Cudahy Foods Co.	do	1957	805	9	760	KCEB	627	--	--	Flows T, E 20	Ind	Open hole from 760 to 805 ft. Top of Edwards 760 ft.
904	San Antonio Packing Co.	Johnson & Johnson Drilling & Supplies	1967	1,356	12	858	KCEB	641	--	--	Flows T, E 50	Ind	Open hole from 856 to 1,356 ft. Top of Edwards 858 ft. Development test: drawdown of 90 ft pumping 2,300 gal/min for 1 hour on Mar. 16, 1967. <u>1/3</u>
905	San Fernando Water Co.	do	1967	1,065	10 8 6	108 880 1,065	KCEB	651	--	--	Flows T, E	P	Six-inch liner added in 1969. Slotted from 879 to 1,065 ft. Top of Edwards 894 ft. Development test: drawdown of 13 ft pumping 900 gal/min for 8 hours on Oct. 14, 1967. Temp. 72°F. <u>1/3</u>
906	Bexar Metropolitan Water Dist., Kirk Place	J. R. Johnson Drilling & Supplies	1962	1,383	20	920	KCEB	665	9	Oct. 1962	Sub, E 150	P	Open hole from 920 to 1,383 ft. Cemented from 920 ft to surface. Top of Edwards 922 ft. <u>1/3</u>
* 907	Bexar Metropolitan Water Dist., Station 1, Well 1	do	1953	1,616	13	1,226	KCEB	645	--	--	T, E 100	P	Open hole from 1,226 to 1,616 ft. Top of Edwards 1,242 ft. <u>1/3</u>
* 908	Bexar Metropolitan Water Dist., Station 1, Well 2	do	1956	1,708	20	1,230	KCEB	645	--	--	T, E 125	P	Open hole from 1,230 to 1,708 ft. Cemented from 1,230 ft to surface. Top of Edwards 1,252 ft. <u>1/3</u> <u>12/3</u>
909	Gabhardt Mexican Foods Co.	do	1970	1,205	12	814	KCEB	632	--	--	Flows T, E 100	Ind	Open hole from 814 to 1,205 ft. Cemented from 814 ft to surface. Development test: drawdown of 20 ft pumping 800 gal/min for 4 hours.
910	N. H. White	Jacob Wolff	1903	915	6	--	KCEB	652.0	+ 21.5 + 32.0	Sept. 15, 1933 Dec. 30, 1936	N	N	Well 204 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Historical observation well. <u>2/13</u>
911	Frank Brady	J. E. Reukendorfer	1908	1,165	8	--	KCEB	665	+ 34.57 + 14.55	Dec. 11, 1955 Nov. 6, 1958	N	N	Well 198 in Texas Board of Water Engineers Bulletin 5608. Plugged. Temp. 78°F. Historical observation well. <u>2/13</u>
912	do	--	--	--	--	--	--	660.7	27.9 26.38	Aug. 15, 1952 Nov. 4, 1954	N	N	Well 205 in Texas Board of Water Engineers Bulletin 5608. Plugged. Reported flow 130 gal/min in 1934. Historical observation well. <u>2/4</u>
913	Bexar Metropolitan Water Dist.	Jacob Wolff	1913	1,364	6	--	KCEB	643.8	12.0 10.4	Aug. 24, 1952 Nov. 4, 1954	N	N	Well 211 in Texas Board of Water Engineers Bulletin 5608. Reported flow 86 gal/min in 1934. Historical observation well. <u>2/3</u>
914	San Antonio Packing Co.	J. R. Johnson Drilling & Supplies	1973	1,214	20 12	65 831	KCEB	637	+ 55.44	May 1, 1973	Flows T, E 30	Ind	Open hole from 831 to 1,214 ft. Cemented from 831 ft to surface. Top of Edwards 831 ft. Reported flow 3,000 gal/min on May 1, 1973. Temp. 72°F. <u>1/3</u>
915	do	do	1946	1,126	8	866	KCEB	641	--	--	Flows T, E 40	Ind	Well 188 in Texas Board of Water Engineers Bulletin 5608. Cemented from 866 ft to surface. Top of Edwards 859 ft. Reported flow 750 gal/min in 1946. <u>1/3</u>
916	Union Stock Yards, Well 2	do	1949	1,289	10 8	106 765	KCEB	625	--	--	Flows Sub, E 20	Ind	Well 230 in Texas Board of Water Engineers Bulletin 5608. Cemented from 765 ft to surface. Top of Edwards 781 ft. <u>1/3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-36-917	City Water Board, 21st St. Station	J. R. Johnson Drilling & Supplies	1948	1,054	18 12	65 888	KCEB	675.1	--	--	T, E 150	P	Well 286 in Texas Board of Water Engineers Bulletin 5608. Cemented from 888 ft to surface. Top of Edwards 899 ft. <u>3/3</u>
918	Union Stock Yards, Well 3	do	1949	1,351	10 8	117 801	KCEB	640	--	--	Flows T, E 25	Ind	Well 231 in Texas Board of Water Engineers Bulletin 5608. Cemented from 685 ft to surface. Pump set at 390 ft. <u>3</u>
919	The Roesglein Co.	--	1939	--	--	--	--	641	--	--	Flows T, E 25	Ind	Well 234 in Texas Board of Water Engineers Bulletin 5608. Reported yield 400 gal/min. <u>4</u>
920	Beef House Inc.	Huskin Pump & Serv. Inc.	1975	874	6	819	KCEB	635	--	--	Flows T, E 15	Ind	Open hole from 819 to 854 ft. Cemented from 819 ft to surface. Top of Edwards 830 ft. <u>3</u>
921	Cudahy Foods Co.	Yegg Brothers	1938	762	8	--	KCEB	627	--	--	Flows T, E 20	Ind	Well 235 in Texas Board of Water Engineers Bulletin 5608.
922	The Roesglein Co.	J. R. Johnson Drilling & Supplies	1948	1,208	10 8	110 839	KCEB	641	--	--	Flows T, E 60	Ind	Well 233 in Texas Board of Water Engineers Bulletin 5608. Cemented from 839 ft to surface. Top of Edwards 858 ft. Reported flow 1,028 gal/min in 1948. Reported yield 600 gal/min. <u>3</u>
923	San Antonio Indep. School District	J. P. Benkendorfer	1912	1,185	12	--	KCEB	638.4	--	--	Flows T, E 15	Irr	Well 177 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,600 gal/min in Sept. 1934. <u>3</u>
* 924	Bexar Metropolitan Water District	--	--	--	--	--	KCEB	665	--	--	T, E 25	P	Well 217 in Texas Board of Water Engineers Bulletin 5608.
* 925	San Fernando Water Co.	J. R. Johnson Drilling & Supplies	1950	1,006	10 8	104 899	KCEB	651	--	--	Flows T, E	P	Well 246 in Texas Board of Water Engineers Bulletin 5608. Cemented from 899 ft to surface. Top of Edwards 924 ft. <u>3</u>
926	Nick Catalini	Berkett Drilling Co.	1948	915	7	858	KCEB	640	20	Feb. 1951	Flows T	N	Well 229 in Texas Board of Water Engineers Bulletin 5608. Reported flow 600 gal/min in 1948. Doused industrial well. <u>3</u>
927	Swift & Co., Well 1	Layne Texas Co., Ltd.	1921	1,400	10	--	KCEB	627	--	--	Flows T, E 40	Ind	Well 179 in Texas Board of Water Engineers Bulletin 5608. Reported yield 400 gal/min. <u>3</u>
928	Swift & Co., Well 2	J. P. Benkendorfer	1910	1,400	10	--	KCEB	625	--	--	Flows T, E 40	Ind	Well 180 in Texas Board of Water Engineers Bulletin 5608. <u>3</u>
929	Union Stock Yards, Well 1	--	1936	800	8 6	-- 78	KCEB	635	--	--	Flows Sub, E 20	Ind	Well 232 in Texas Board of Water Engineers Bulletin 5608. Six-foot liner added from 0 to 78 ft. Pump set at 90 ft.
930	Bexar Metropolitan Water District	Black-Karsch	1911	1,417	8 6	-- 1,300	KCEB	645	+ 30.0	Aug. 16, 1933	N	N	Well 212 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 10.4 ft pumping 350 gal/min in 1933. Abandoned.
931	City Water Board, Clarissa Station	J. R. Johnson Drilling & Supplies	1947	1,333	16 12	140 1,036	KCEB	652.3	--	--	N	N	Well 287 in Texas Board of Water Engineers Bulletin 5608. Abandoned. <u>4/3</u>
* 37-101	City Water Board, Basin Station, Well 7	Layne Texas Co.	1967	1,005	30 26	201 566	KCEB	730	--	--	T, E 400	P	Open hole from 566 to 1,005 ft. Cemented from 566 ft to surface. Top of Edwards 582 ft. Development test: drawdown of 5 ft pumping 5,500 gal/min for 36 hours on May 16, 1967. <u>4/3 11/3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-37-102	City Water Board, Basin Station, Well 1	J. R. Johnson Drilling & Supplies	1957	1,088	30	568	KCEB	730	--	--	T, E 350	F	Open hole from 568 to 1,088 ft. Cemented from 568 ft to surface. Development test: drawdown of 2 ft pumping 7,638 gal/min. <u>1</u>
* 103	City Water Board, Basin Station, Well 2	Layne Texas Co.	1960	1,025	30	584	KCEB	735	59.97 64.10	Feb. 4, 1972 July 18, 1974	Sub, E 350	F	Open hole from 584 to 1,025 ft. Cemented from 584 ft to surface. Development test: drawdown of 5 ft pumping 7,985 gal/min. Observation well. <u>2</u>
* 104	City Water Board, Basin Station, Well 6	J. R. Johnson Drilling & Supplies	1963	955	30 26	200 570	KCEB	735	--	--	T, E 400	F	Open hole from 570 to 955 ft. Cemented from 570 ft to surface. Top of Edwards 575 ft. Development test: drawdown of 5 ft pumping 7,046 gal/min. <u>1</u> <u>3</u> <u>1</u> <u>1</u>
* 105	City Water Board, Basin Station, Well 3	do	1958	1,050	30 26	197 574	KCEB	736	--	--	T, E 350	F	Open hole from 574 to 1,050 ft. Cemented from 574 ft to surface. Top of Edwards 588 ft. Development test: drawdown of 5 ft pumping 7,985 gal/min. <u>1</u> <u>3</u>
* 106	City Water Board, Basin Station, Well 5	Layne Texas Co.	1963	986	30 26	203 547	KCEB	727	--	--	T, E 400	F	Open hole from 547 to 986 ft. Cemented from 547 ft to surface. Development test: drawdown of 4 ft pumping 7,382 gal/min on Jan. 30, 1963. <u>1</u> <u>3</u>
107	City Water Board	J. R. Johnson Drilling & Supplies	1968	816	20	670	KCEB	760	87	June 1, 1968	N	N	Capped. Open hole from 670 to 816 ft. Cemented from 670 ft to surface. Top of Edwards 670 ft. Development test: drawdown of 2 ft pumping 4,005 gal/min for 8 hours on June 1, 1968. <u>1</u> <u>3</u>
108	San Antonio Portland Cement Co., Well 3	do	1965	986	16	622	KCEB	740	69	June 5, 1965	T, E 100	Ind	Open hole from 622 to 986 ft. Cemented from 622 ft to surface. Top of Edwards 617 ft. Reported yield 1,500 gal/min. Development test: drawdown of 5 ft pumping 2,600 gal/min on June 5, 1966. <u>3</u>
109	San Antonio Portland Cement Co., Village Well 3	do	1964	450	12	278	KCEB	811	--	--	T, E 25	Ind	Open hole from 278 to 450 ft. Cemented from 278 ft to surface. Top of Edwards 271 ft. <u>3</u>
110	San Antonio Portland Cement Co., Village Well 2	Max Gertfers	1960	375	8	280	KCEB	815	138	Aug. 1960	T, N 25	Ind	Open hole from 280 to 375 ft. Top of Edwards 292 ft.
111	Daniel Forestier	J. T. Johnson Water Drilling & Serv.	1953	450	8	249	KCEB	750	116	Mar. 1953	Sub, E 20	Irr	Open hole from 249 to 450 ft. Top of Edwards 243 ft. Pump set at 150 ft.
* 112	City of Alamo Heights, Well 7	Haskin Pump & Serv. Inc.	1971	592	12	424	KCEB	802	164	May 6, 1971	Sub, E 100	F	Open hole from 424 to 592 ft. Cemented from 424 ft to surface. Pump set at 230 ft. Reported yield 1,150 gal/min. Development test: drawdown of 169 ft pumping 1,500 gal/min on May 10, 1971.
113	San Antonio Portland Cement Co., Well 4	J. R. Johnson Drilling & Supplies	1969	805	16	622	KCEB	740	65	Jan. 1970	T, E 125	Ind	Open hole from 622 to 805 ft. Cemented from 622 ft to surface. Top of Edwards 621 ft. Pump set at 180 ft. Reported yield 1,500 gal/min. Development test: drawdown of 7 ft pumping 2,080 gal/min for 3 hours in Jan. 1970. <u>3</u>
114	William Atwell	--	--	--	6	--	KCEB	773.9	101.5 139.50	Aug. 24, 1933 Dec. 1, 1954	N	N	Well 6 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical observation well. <u>2</u>
* 116	City Water Board, Basin Station, Well 4	J. R. Johnson Drilling & Supplies	1951	700	24	516	KCEB	735	79.5	Aug. 20, 1951	T, E 200	F	Well 293 in Texas Board of Water Engineers Bulletin 5608. Open hole from 516 to 700 ft. Cemented from 516 ft to surface. Development test: drawdown of 118 ft pumping 4,166 gal/min. <u>3</u>
117	San Antonio Portland Cement Co., Well 1	Amos Lorenz	--	665	8	--	KCEB	745	--	--	T, E	Ind	Well J-3 in Texas Board of Water Engineers Bulletin 5608. Reported yield 650 gal/min. <u>1</u> <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water Level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-37-118	San Antonio Portland Cement Co., Well 2	Max Gerfers	1926	790	9	--	KCEB	745	--	--	T, E 40	Ind	Well J-4 in Texas Board of Water Engineers Bulletin 5608. Reported yield 600 gal/min.
119	City of Alamo Heights, Well 1	--	--	455	--	--	KCEB	802	--	--	T, E 40	P	Well 12 in Texas Board of Water Engineers Bulletin 5608. Pump set at 190 ft. Reported yield 300 gal/min.
120	City of Alamo Heights, Well 2	--	--	550	12	400	KCEB	802	--	--	T, E 100	P	Pump set at 200 ft. Reported yield 1,000 gal/min.
* 121	City of Alamo Heights, Well 3	I. L. Dingman	1939	603	13	424	KCEB	802	142	1939	T, E 60	P	Cemented from 424 ft to surface. Top of Edwards 424 ft. Pump set at 200 ft. Reported yield 600 gal/min. <u>Y</u>
122	City of Alamo Heights, Well 6	San Antonio Machine & Supply Co.	1955	--	--	--	KCEB	802	--	--	T, E, G 100, 140	P	Pump set at 200 ft. Reported yield 1,000 gal/min.
123	City of Alamo Heights, Well 5	J. R. Johnson Drilling & Supplies	1949	580	12	382	KCEB	781	--	--	T, E 100	P	Cemented from 382 ft to surface. Top of Edwards 330 ft. Pump set at 180 ft. Reported yield 1,000 gal/min. <u>Y Y</u>
124	City of Alamo Heights, Well 4	--	1946	557	13	390	KCEB	813	--	--	T, E 100	P	Pump set at 230 ft. Reported yield 600 gal/min.
125	City of San Antonio	Judson Brothers	--	750	--	--	KCEB	668	--	--	Flows T, E 30	Irr	Well 29 in Texas Board of Water Engineers Bulletin 5608. Reported flow 50 gal/min. Pump set at 80 ft. Temp. 76°K.
126	do	--	--	702	--	--	KCEB	678.4	3.3 9.6 11.7 36.8	Nov. 10, 1932 June 22, 1934 Oct. 12, 1934 Aug. 18, 1952	T, E	Irr	Well 28 in Texas Board of Water Engineers Bulletin 5608. <u>Y</u>
127	do	J. R. Johnson Drilling & Supplies	1946	407	12 10	42 212	KCEB	673.5	--	--	Flows T, E 50	Irr	Well 267 in Texas Board of Water Engineers Bulletin 5608. Cemented from 212 ft to surface. Top of Edwards 209 ft. Reported flow 3,000 gal/min in Sept. 1946 & 456 gal/min on Dec. 18, 1952. <u>Y</u>
128	Timothy Lennard	do	1939	209	8	206	KCEB	750	133	1939	T, E 10	D	Well 9 in Texas Board of Water Engineers Bulletin 5608. Open hole from 206 to 209 ft. Top of Edwards 206 ft. <u>Y</u>
129	Incarnate Word Couvent	H. H. Dretz	1912	390	8	250	KCEB	701	--	--	T, E 15	D, Irr	Well 25 in Texas Board of Water Engineers Bulletin 5608. Open hole from 250 to 390 ft. Pump set at 130 ft. <u>Y</u>
* 130	City Water Board, North Park Station	I. L. Dingman	1940	800	22 16	60 244	KCEB	677.3	41.0	June 12, 1953	T, E 200	P	Well 266 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 639 ft. Pump set at 130 ft.
131	St. Anthony High School Seminary	J. R. Johnson Drilling & Supplies	1940	382	8	264	KCEB	755	1.07	1940	T, E 20	P	Well 32 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 254 ft. Pump set at 230 ft. Reported yield 140 gal/min. <u>Y</u>
132	City Water Board, Olmos Park Station	--	--	--	--	--	KCEB	713.3	--	--	N	N	Well 262 in Texas Board of Water Engineers Bulletin 5608. Plugged. <u>Y</u>
201	University of Texas at San Antonio	Huskin Pump & Serv. Inc.	1964	855	8	688	KCEB	803	170	Aug. 1964	Sub, E 30	Irr	Open hole from 688 to 855 ft. Top of Edwards 690 ft.
202	Salado Water Co.	Jacob Wolff	1912	702	12	--	KCEB	623.3	--	--	Flows	Irr	Well J-21 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,100 gal/min on Aug. 18, 1952. Temp. 77.5°P. <u>Y Y 12 13</u>
203	Mr. Sam Houston	J. P. Benkendorfer	1914	874	8 6	340 694	KCEB	730.8	59.62 54.49	Feb. 9, 1962 Dec. 30, 1975	N	N	Well J-17 in Texas Board of Water Engineers Bulletin 5608. Recorder observation well. <u>Y Y 3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-37-204	Beverly Lodges	Dingman Drilling Co.	1929	756	12	--	KCEB	722.6	46.54 85.67 72.62	Nov. 21, 1932 Dec. 27, 1934 June 1, 1963	N	R	Well 26 in Texas Board of Water Engineers Bulletin 5608. Plugged. Historical recorder observation well. 2/3
206	San Antonio Country Club	J. R. Johnson Drilling & Supplies	1948	921	10	798	KCEB	760	133	Dec. 29, 1948	T, E 100	Irr	Well 255 in Texas Board of Water Engineers Bulletin 5608. Open hole from 798 to 921 ft. Cemented from 798 ft to surface. Top of Edwards 803 ft. Pump set at 200 ft. Reported yield 900 gal/min. 1/3
207	City Water Board, Military Station	do	1952	872	20	707	KCEB	625	76	July 1952	Sub, E 200	P	Well J-88 in Texas Board of Water Engineers Bulletin 5608. Cemented from 707 ft to surface. Top of Edwards 709 ft. Development test: drawdown of 7 ft pumping 2,222 gal/min. 1/3
* 208	City Water Board, Klaus Road Station	do	1949	763	18	426	KCEB	821	159	1949	T, E 400	P	Well 263 in Texas Board of Water Engineers Bulletin 5608. Open hole from 426 to 763 ft. Cemented from 426 ft to surface. Top of Edwards 436 ft. Development test: drawdown of 18 ft pumping 3,472 gal/min. 3
209	Ft. Sam Houston, Well 6	--	--	635	20	--	KCEB	625	--	--	Sub, E 200	P	Well J-19 in Texas Board of Water Engineers Bulletin 5608. 1/3
210	Ft. Sam Houston	--	--	635	20	--	KCEB	625	--	--	Sub, E 200	P	Well J-20 in Texas Board of Water Engineers Bulletin 5608. Reported yield 2,100 gal/min. 1/3
211	R. G. Story	J. R. Johnson Drilling & Supplies	1940	704	8 7	193 624	KCEB	800	131	1940	Sub, E	Irr, D	Well 24 in Texas Board of Water Engineers Bulletin 5608. 3
212	City Water Board	do	1951	778	22	452	KCEB	713	65.8	June 1, 1951	N	N	Well J-89 in Texas Board of Water Engineers Bulletin 5608. Plugged. Cemented from 452 ft to surface. Top of Edwards 452 ft. 1/3 1/3
302	Stewart Co.	Arno Marckwardt	1950	690	5	612	KCEB	700	--	--	T, E 5	N	Open hole from 612 to 690 ft. Top of Edwards 630 ft. Unused industrial well.
* 303	City of Kirby, Well 1	Haskin Pump & Serv. Inc.	1960	725	10 8	300 623	KCEB	702	--	--	T, E 50	P	Open hole from 623 to 725 ft. Top of Edwards 630 ft.
* 304	City of Kirby, Well 2	Arno Marckwardt	1952	685	8 6	150 600	KCEB	704	--	--	T, E, Ng 30	P	Cemented from 60 ft to surface. Top of Edwards 615 ft. Pump set at 135 ft. Reported yield 300 gal/min. Development test: drawdown of 78 ft pumping 625 gal/min. 3/3
305	Texaco, Inc.	Burkett Brothers	--	753	12	--	KCEB	689.5	--	--	T, E 10	Ind	Well J-36 in Texas Board of Water Engineers Bulletin 5608. 3
401	Pearl Brewing Co.	J. R. Johnson Drilling & Supplies	1962	1,106	16	653	KCEB	654	--	--	T, E 100	Ind	Open hole from 653 to 1,106 ft. Cemented from 653 ft to surface. Top of Edwards 653 ft. Reported flow 800 gal/min in 1962. 3
402	do	do	1956	1,162	12	649	KCEB	653	--	--	T, E 75	Ind	Open hole from 649 to 1,162 ft. Cemented from 649 ft to surface. Top of Edwards 649 ft. Reported yield 2,000 gal/min. 1/3
403	Sunshine Laundry & Dry Cleaning Corp.	do	1967	1,089	12	663	KCEB	651	--	--	Flows T, E 30	Ind	Open hole from 663 to 1,089 ft. Top of Edwards 663 ft. Development test yield 800 gal/min. 3
* 404	City Water Board, Market Street Station, Well 4	--	1954	1,326	30	785	KCEB	640	--	--	Flows T, E 350	P	Open hole from 785 to 1,326 ft. Development test: drawdown of 32 ft pumping 15,000 gal/min. 1/1

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water Level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-37-405	Foremost Foods Co.	J. R. Johnson Drilling & Supplies	1968	775	10	664	KCEB	652	--	--	T, E 25	Ind	Open hole from 664 to 775 ft. Cemented from 664 ft to surface. Top of Edwards 660 ft. Development test: drawdown of 30 ft pumping 1,500 gal/min on Aug. 23, 1968. 3/
406	Pt. Sam Houston, Well 7	do	1955	1,103	20 18	688 712	KCEB	676	--	--	T, E, G 250	P	Open hole from 712 to 1,103 ft. Cemented from 688 ft to surface. Top of Edwards 688 ft. 1/ 3/
407	Longhorn Specialty Co., Inc.	-- Breunham	--	900	6	--	KCEB	710.3	38.76 78.36	Aug. 2, 1933 Nov. 2, 1954	C	N	Well 87 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Historical observation well. 2/
408	Moore Building	-- Davidson	1907	765	6	--	KCEB	655.7	+ 16.4 + 27.3	July 26, 1933 Dec. 30, 1936	Flows	N	Well 118 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. 2/
409	U.S. Government	J. P. Benkendorfer	1918	836	8	--	KCEB	644.5	+ 28.6 10.67	Nov. 27, 1933 Dec. 2, 1954	Flows	N	Well 148 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,050 gal/min in 1918. Observation well. 2/ 3/
410	Majestic Building	Dingman Drilling Co.	1929	778	12	--	KCEB	643	--	--	Flows Cf, E 7 1/2	P	Well 121 in Texas Board of Water Engineers Bulletin 5608. Reported yield 1,390 gal/min on July 28, 1941.
411	St. Anthony Hotel	J. R. Johnson Drilling & Supplies	1941	805	13 10	200 689	KCEB	652	+ 7	June 1946	Flows Cf, E 20	P	Well 117 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 689 ft. Reported flow 800 gal/min in 1941. 3/
* 412	Gunter Hotel	do	1944	1,157	13 10	58 696	KCEB	645	--	--	Flows T, E 40	C	Well 238 in Texas Board of Water Engineers Bulletin 5608. Cemented from 696 ft to surface. Top of Edwards 709 ft. Reported flow 415 gal/min in 1944. Development test: drawdown of 52 ft pumping 800 gal/min in 1944. 3/
* 413	City Water Board, Brackenridge Station, Well 14	do	1953	1,000	26 22	144 660	KCEB	662	--	--	Flows Sub, E 200	P	Well 274 in Texas Board of Water Engineers Bulletin 5608. Cemented from 666 ft to surface. Top of Edwards 669 ft. Reported yield 7,300 gal/min. 1/ 3/
* 414	City Water Board, Brackenridge Station, Well 15	do	1953	1,160	26 22	144 669	KCEB	662	--	--	Flows Sub, E 200	P	Well 275 in Texas Board of Water Engineers Bulletin 5608. Cemented from 669 ft to surface. Top of Edwards 669 ft. 1/ 3/
* 415	City Water Board, Brackenridge Station, Well 13	Frank Hickman	1938	1,000	16	--	KCEB	661	--	--	Flows T, E 250	P	--
416	Joske's of Texas	J. R. Johnson Drilling & Supplies	1950	1,113	12	780	KCEB	653	--	--	Flows T, E 75	Ind	Well 236 in Texas Board of Water Engineers Bulletin 5608. Cemented from 780 ft to surface. Top of Edwards 760 ft. Development test: drawdown of 28.6 ft pumping 1,800 gal/min. 3/
417	Gibbs Building	J. P. Benkendorfer	1909	900	8	725	KCEB	654	--	--	Flows T, E 7 1/2	P	Well 119 in Texas Board of Water Engineers Bulletin 5608.
418	Texas Theatre Building	Dingman Drilling Co.	1928	1,414	12	--	KCEB	641	--	--	Flows Sub, E 20	Ind	Well 113 in Texas Board of Water Engineers Bulletin 5608. Reported yield 200 gal/min.
419	Nix Building	do	1931	1,043	12	--	KCEB	642	--	--	Flows T, E 10	P	Well 122 in Texas Board of Water Engineers Bulletin 5608. 3/
420	Merchants Ice & Cold Storage Co.	J. R. Johnson Drilling & Supplies	1944	857	14 8	115 715	KCEB	675	11	1944	T, E 20	Ind	Well 227 in Texas Board of Water Engineers Bulletin 5608. 3/

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-37-421	Slator-White Inc. Cleaners & Laundry	Dingman Drilling Co.	1931	853	8	--	KCEB	652	--	--	T, E 5	Ind	Well 82 in Texas Board of Water Engineers Bulletin 5608. <u>3</u>
422	Ft. Sam Houston, Well 2	--	--	729	12 10 8	185 630 676	KCEB	676	--	--	T, E 100	P	Well 81 in Texas Board of Water Engineers Bulletin 5608. Well reworked. <u>13</u>
423	Ft. Sam Houston, Well 1	-- Judson	1903	729	12 10	282 676	KCEB	676	--	--	T, E 150	P	Well 80 in Texas Board of Water Engineers Bulletin 5608. Well reworked. Temp. 78°F. <u>3</u> <u>13</u>
424	Menger Hotel	Layne Texas Co., Ltd.	1950	1,067	12 10	-- --	KCEB	654	--	--	Flows T, E 30	P	Well 237 in Texas Board of Water Engineers Bulletin 5608. Ten-inch liner added from 0 to 194 ft in 1973. Cemented from 194 ft to surface.
* 425	City Water Board, Market Street Station, Well 1	Dingman Drilling Co.	1936	936	16	783	KCEB	640	--	--	Flows T	P	Well 279 in Texas Board of Water Engineers Bulletin 5608. Cemented from 783 ft to surface. <u>3</u>
* 426	City Water Board, Market Street Station, Well 2	J. R. Johnson Drilling & Supplies	1954	1,326	30 26	183 795	KCEB	640	--	--	Flows T, E 200	P	--
* 427	City Water Board, Market Street Station, Well 3	do	1951	1,140	24	784	KCEB	640	--	--	Flows T, E 200	P	Cemented from 784 ft to surface. Top of Edwards 793 ft. <u>3</u>
428	Borden Inc.	--	--	800	10	--	KCEB	660	50	1952	T, E 40	Ind	Well 288 in Texas Board of Water Engineers Bulletin 5608.
429	City Water Board, 8th Street Station	J. R. Johnson Drilling & Supplies	1946	749	20 16	59 659	KCEB	654.5	--	--	N	N	Well 98 in Texas Board of Water Engineers Bulletin 5608. Open hole from 659 to 749 ft. Cemented from 659 ft to surface. Top of Edwards 670 ft. Plugged. <u>3</u> <u>3</u>
430	City Water Board, Market Street Station, Well 14	Layne Texas Co., Ltd.	1930	900	15	900	KCEB	640	--	--	N	N	Well 141 in Texas Board of Water Engineers Bulletin 5608. Plugged. Top of Edwards 776 ft. <u>3</u>
431	Merchants Ice & Cold Storage Co.	J. P. Benkendorfer	1906	1,195	6	786	KCEB	675	--	--	T, E 20	N	Well 104 in Texas Board of Water Engineers Bulletin 5608. Reported yield 450 gal/min. Unused industrial well.
432	do	J. R. Johnson Drilling & Supplies	1943	966	14 8	80 608	KCEB	675	--	--	T, E 20	N	Well 226 in Texas Board of Water Engineers Bulletin 5608. Unused industrial well. <u>3</u>
433	Granada Homes	William Cravens	1940	1,100	13 10	100 1,085	KCEB	637	--	--	Flows T, E	N	Well 242 in Texas Board of Water Engineers Bulletin 5608. Unused public supply well.
434	St. Anthony Hotel	J. P. Benkendorfer	1908	1,018	6	728	KCEB	652	--	--	Flows Cf, E 20	N	Well 115 in Texas Board of Water Engineers Bulletin 5608. Cased to 728 ft in 1951. Unused public supply well.
435	do	do	1909	831	8	--	KCEB	652	--	--	Flows Cf, E 20	N	Well 116 in Texas Board of Water Engineers Bulletin 5608. Unused public supply well. <u>13</u>
436	U.S. Post Office	Burkett Brothers	1935	1,159	14 6	-- --	KCEB	654	11.0	July 24, 1946	Flows Cf, E 40	N	Well 120 in Texas Board of Water Engineers Bulletin 5608. Unused public supply well. <u>3</u>
437	Property Rentals Inc.	J. P. Benkendorfer	1906	805	10	--	KCEB	650	--	--	N	N	Well 89 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Reported yield 700 gal/min.
438	do	do	1907	728	10	--	KCEB	650	--	--	N	N	Well 90 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Reported yield 700 gal/min.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-37-501	Jack White	--	--	--	--	--	KCEB	651	--	--	Flows T, M 40	Irr	--
* 503	Salado Irrigated Garden Dist. (Co-op)	--	--	1,200	--	--	KCEB	609	--	--	Flows Sub, E	P	3
504	Bow Lim	--	--	--	--	--	KCEB	640	--	--	Flows T	N	Unused irrigation well.
505	Crockett Realty	J. R. Johnson Drilling & Supplies	1945	840	8	--	KCEB	633.9	+ 12.7 + 4.8	Dec. 2, 1952 May 3, 1954	Flows T, E	N	Well J-78 in Texas Board of Water Engineers Bulletin 5608. Unused irrigation well. Historical observation well. Temp. 80°F. 2/3 7/8
* 506	City Water Board, Artesia Station, Well 5	do	1960	1,412	30	963	KCEB	665	--	--	Flows T, E 200	P	Open hole from 963 to 1,412 ft. Cemented from 963 ft to surface. Top of Edwards 936 ft. Development test: drawdown of 21 ft pumping 7,638 gal/min. 1/3
* 507	City Water Board, Artesia Station, Well 3	do	1953	1,108	26 22	157 862	KCEB	645	7	Aug. 1953	Flows T, E 250	P	Well 278 in Texas Board of Water Engineers Bulletin 5608. Cemented from 862 ft to surface. Top of Edwards 856 ft. 1/3 2/3 6/8
* 508	City Water Board, Artesia Station, Well 4	do	1958	1,318	30 26 24	197 840 982	KCEB	645	--	--	Flows T, E 150	P	Open hole from 982 to 1,318 ft. Cemented from 982 ft to surface. Top of Edwards 1,001 ft. Reported flow 8,000 gal/min. Development test: drawdown of 5 ft pumping 5,208 gal/min. 1/3 3/7
511	Frank & Richard Aelvoet	Fred Burkett	1940	904	8 6	542 614	KCEB	642.7	+ 26.0 + 23.6	Feb. 24, 1958 July 15, 1974	Flows	N	Well J-24 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,000 gal/min in 1940. Unused irrigation well. Temp. 72°F. Observation well. 2/3
512	do	do	1929	620	6	--	KCEB	643.5	2.60 9.82	Nov. 3, 1952 Nov. 2, 1954	Flows	N	Well J-27 in Texas Board of Water Engineers Bulletin 5608. Reported flow 500 gal/min on Sept. 16, 1934. Unused irrigation well. Temp. 76°F. Historical observation well. 2/13
513	Hudson Fish Hatchery	--	1916	932	8	--	KCEB	646.2	13.36	do	Flows	D	Well J-28 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,200 gal/min on Aug. 10, 1933. Historical observation well. 2/13
514	V. E. Berry	J. R. Johnson Drilling & Supplies	1944	1,045	8	830	KCEB	607.0	+ 35	Aug. 1952	N	N	Well J-75 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Cemented from 830 ft to surface. Historical observation well. 2/3
515	Hudson Fish Hatchery	--	--	1,380	10	--	KCEB	642	+ 22.0 + 33.2	Feb. 24, 1958 Jan. 9, 1961	Flows T, E	D, S	Deepened in 1947. Historical observation well. 2/
516	J. L. Quernor	J. P. Benkendorfer	1926	739	8	--	KCEB	653	--	--	Flows T, E 25	Irr	Well J-34 in Texas Board of Water Engineers Bulletin 5608. Reported flow 300 gal/min on Sept. 14, 1934.
517	A. G. Brackenridge	--	--	928	6	--	KCEB	635.6	11.6	Aug. 10, 1933	Flows T, E 10	N	Well J-29 in Texas Board of Water Engineers Bulletin 5608. Reported flow 570 gal/min on Sept. 4, 1934. Unused irrigation well.
* 518	City Water Board, Artesia Station, Well 1	J. R. Johnson Drilling & Supplies	1952	977	24	--	KCEB	631.0	--	--	Flows T, E 75	P	Well 277 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 11 ft pumping 4,500 gal/min in 1952. 1/3 7/
519	City Water Board, Artesia Station, Well 6	Singer-Layne Texas Division	1975	1,340	30 26	214 908	KCEB	649	--	--	Flows	N	Open hole from 908 to 1,340 ft. Cemented from 908 ft to surface. Top of Edwards 910 ft. Unused public supply well. 1/3

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water Level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-37-520	City Water Board, Arctesia Station, Well 2	J. R. Johnson Drilling & Supplies	1949	1,000	24	898	KCEB	640.2	--	--	N	N	Well 276 in Texas Board of Water Engineers Bulletin 5608. Plugged. Cemented from 898 ft to surface. Top of Edwards 892 ft. Reported flow 9,722 gal/min in 1949. Development test: drawdown of 11 ft pumping 4,500 gal/min. <u>1</u> <u>3</u>
* 601	City Water Board, Seale Road Station, Well 2	Layne Texas Co., Ltd.	1953	1,150	20	1,012	KCEB	681	--	--	T, E 75	P	Well J-87 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,012 to 1,150 ft. Development test: drawdown of 23 ft pumping 1,527 gal/min. <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>
* 602	Landis Wilson Water System	Haskin Pump & Serv. Inc.	--	1,100	8	961	KCEB	680	--	--	T, E 15	N	Open hole from 961 to 1,100 ft. Top of Edwards 961 ft. Unused public supply well. Reported yield 30 gal/min. Temp. 86°F. <u>7</u> <u>12</u>
* 603	do	John Crowder	1948	797	8	--	KCEB	675	--	--	Sub, E	P	Reported yield 700 gal/min. Temp. 80°F. <u>5</u> <u>6</u> <u>7</u> <u>8</u>
* 604	City Water Board, Seale Road Station, Well 3	J. R. Johnson Drilling & Supplies	1954	1,091	16 12	238 1,000	KCEB	681	--	--	T, E, Ng 200	P	Open hole from 1,000 to 1,091 ft. Development test: drawdown of 4 ft pumping 2,200 gal/min for 12 hours on Oct. 11, 1954.
* 605	City of Kirby, Well 3	Layne Texas Co.	1971	1,139	16	1,008	KCEB	684	47	June 4, 1971	T, E 200	P	Open hole from 1,008 to 1,139 ft. Cemented from 1,008 ft to surface. Pump set at 134 ft. Development test: drawdown of 5 ft pumping 1,714 gal/min for 24 hours on June 4, 1971. <u>3</u>
606	Phillip & Floyd Nunnally	Allen Burman	1922	970	6	--	KCEB	676.5	.28 43.31 .97	Nov. 13, 1932 Nov. 2, 1954 Aug. 2, 1976	J, E	D, S	Well J-35 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2</u>
* 607	City Water Board, Seale Road Station, Well 1	Wiegand Brothers	1947	1,054	10 8	223 1,018	KCEB	684.5	15	Aug. 1947	T, E 25	P	Well J-69 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 5 ft pumping 560 gal/min. <u>3</u>
608	Cruz Lozano	J. R. Johnson Drilling & Supplies	1944	1,047	10 8	60 995	KCEB	688.3	45.9	Apr. 29, 1953	T, E 20	N	Well J-79 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 1,013 ft. Unused irrigation well. <u>3</u> <u>5</u>
* 701	City Water Board, Mission Station, Well 1	do	1951	1,582	20	1,275	KCEB	601	--	--	Flows T	P	Well 284 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,275 to 1,582 ft. Temp. 82°F. <u>1</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>12</u>
* 703	Southern-Henke Ice Co.	J. P. Denkendorfer	--	1,350	8	--	KCEB	635	--	--	Flows T, E 7 1/2	Ind	Well 155 in Texas Board of Water Engineers Bulletin 5608. Temp. 81°F. <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>13</u>
704	Lone Star Brewing Co.	J. R. Johnson Drilling & Supplies	1955	1,617	16	756	KCEB	622	5	Feb. 15, 1956	Flows T, E 60	Ind	Open hole from 756 to 1,617 ft. Pump set at 180 ft. Development test: drawdown of 173 ft pumping 1,000 gal/min on Feb. 15, 1956. <u>12</u>
* 705	City Water Board, Mission Station, Well 5	do	1957	1,800	30 26	99 1,333	KCEB	601	+ 44	Oct. 9, 1964	Flows T, E 200	P	Open hole from 1,333 to 1,800 ft. Cemented from 1,333 ft to surface. Reported yield 6,500 gal/min. <u>1</u> <u>3</u>
* 706	City Water Board, Mission Station, Well 6	do	1957	1,521	30 26	146 1,326	KCEB	601	+ 37	May 10, 1957	Flows	P	Open hole from 1,326 to 1,521 ft. Cemented from 1,326 ft to surface. Top of Edwards 1,332 ft. Reported flow 10,000 gal/min. <u>4</u> <u>11</u> <u>12</u>
707	Newell Salvage Co.	Allen Burman Keystone Drilling Co.	1915	1,103	7 6	550 620	KCEB	627.0	+ 47.6 + 17.0	Aug. 2, 1933 Jan. 18, 1951	Flows	Ind	Well 159 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>2</u> <u>3</u> <u>13</u>
* 708	City Water Board, Mission Station, Well 2	Draper & Dozier	1945	1,400	22 12	-- --	KCEB	601	--	--	Flows T	P	Well 174 in Texas Board of Water Engineers Bulletin 5608. <u>1</u> <u>3</u> <u>13</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-37-709	City Water Board, Mission Station, Well 3	J. R. Johnson Drilling & Supplies	1948	1,361	18	--	KCEB	601	--	--	Flows T, E 100	P	Well 283 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,200 gal/min in 1948. $\frac{1}{2}$ $\frac{1}{3}$
* 710	City Water Board, Mission Station, Well 4	do	1952	1,510	24 18	995 1,347	KCEB	601	--	--	Flows T, E 150	P	Well 285 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,347 ft to surface. $\frac{1}{2}$ $\frac{1}{3}$
* 711	City Water Board, Mission Station, Well 7	Singer-Layne Texas Division	1974	1,550	30 26	201 1,320	KCEB	600	--	--	Flows	P	Open hole from 1,320 to 1,550 ft. Cemented from 1,320 ft to surface. Top of Edwards 1,294 ft. Reported flow 7,452 gal/min. $\frac{1}{2}$ $\frac{1}{3}$
712	Lone Star Brewing Co.	Burkett Drilling Co.	1950	1,400	12 10 8	64 170 1,026	KCEB	622	--	--	Flows T, E 60	Ind	Well 254 in Texas Board of Water Engineers Bulletin 5608. Reported yield 106 gal/min in 1950. $\frac{1}{2}$ $\frac{1}{3}$
713	do	do	1941	972	8	--	KCEB	621	--	--	Flows	Ind	Well 158 in Texas Board of Water Engineers Bulletin 5608. Reported flow 2,000 gal/min in 1941.
714	L & H Packing Co.	J. R. Johnson Drilling & Supplies	1947	1,260	7	1,174	KCEB	612	28	Mar. 16, 1951	Flows T, E 25	Ind	Well 241 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,174 ft to surface. Top of Edwards 1,180 ft. Reported flow 1,100 gal/min in 1947. $\frac{1}{2}$ $\frac{1}{3}$
715	San Antonio Public Service Board, Well 4	Layne Texas Co., Ltd.	1941	1,052	24	--	KCEB	610	+ 56 + 45.7	June 16, 1942 Mar. 1951	Flows T, E 60	Ind	Well 164 in Texas Board of Water Engineers Bulletin 5608. Reported flow 16,800 gal/min on June 16, 1942. Temp. 82°F. $\frac{1}{2}$ $\frac{1}{3}$
716	Gugenheim-Goldsmith	J. R. Johnson Drilling & Supplies	1939	844	10 8	200 593	KCEB	630	+ 34.6	June 1946	Flows CF, E 7 $\frac{1}{2}$	N	Well 153 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 815 ft. Reported flow 1,200 gal/min in 1939. Unused industrial well. Reported yield 200 gal/min. $\frac{1}{2}$ $\frac{1}{3}$
717	City Water Board, Mission Station	Hingman Drilling	1929	1,841	12	--	KCEB	600	--	--	N	N	Well 173 in Texas Board of Water Engineers Bulletin 5608. Plugged. $\frac{1}{2}$ $\frac{1}{3}$
718	City Public Serv. Board	-- Little	--	1,000	10	--	KCEB	610	--	--	N	N	Well 162 in Texas Board of Water Engineers Bulletin 5608. Capped.
719	City Water Board	J. R. Johnson Drilling & Supplies	1952	1,241	20	795	KCEB	649.6	--	--	N	N	Well 294 in Texas Board of Water Engineers Bulletin 5608. Plugged. Top of Edwards 800 ft. $\frac{1}{2}$ $\frac{1}{3}$
* 38-104	Lackland City Water Co.	do	1968	998	16	556	KCEB	744	--	--	T, E 150	P	Cemented from 556 ft to surface. Top of Edwards 563 ft. $\frac{1}{2}$ $\frac{1}{3}$
* 107	Southwest Utility Co.	do	1970	773	16	643	KCEB	725	63.82	Aug. 7, 1970	T, E 150	P	Open hole from 643 to 773 ft. Cemented from 643 ft to surface. Top of Edwards 668 ft. Development test: drawdown of 10.68 ft pumping 2,306 gal/min for 3 hours. $\frac{1}{2}$ $\frac{1}{3}$
* 108	Lackland City Water Co.	do	1971	1,023	20	613	KCEB	730	--	--	T, E	P	Open hole from 613 to 1,023 ft. Cemented from 613 ft to surface. Top of Edwards 630 ft. Pump set at 210 ft. Development test: drawdown of 25 ft pumping 2,475 gal/min. $\frac{1}{2}$ $\frac{1}{3}$
109	E. Eisenhauer	Max Gerfers	1930	860	6	--	KCEB	687.0	57.31 22.25	Nov. 2, 1954 Nov. 29, 1971	N	N	Well J-41 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. $\frac{1}{2}$ $\frac{1}{3}$
* 110	Southwest Utility Co.	J. R. Johnson Drilling & Supplies	1973	1,042	16	595	KCEB	715	24	Aug. 15, 1973	T, E 200	P	Open hole from 595 to 1,042 ft. Cemented from 595 ft to surface. Top of Edwards 590 ft. Development test: drawdown of 160 ft pumping 3,840 gal/min for 36 hours on Aug. 15, 1973. $\frac{1}{2}$ $\frac{1}{3}$

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-38-301	Richard Schirmer	-- Schirmer	1925	854	4	--	KCEB	589.6	+ 34.52 + 50.50	Nov. 2, 1954 May 1, 1967	Flows	S	Well K-2 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 810 ft. Reported flow 100 gal/min. Historical observation well. 3 5 9 7 8 9 1 9 12
42-210	Theophil Rodevyn	Burkett Drilling Co.	1955	1,200	10	882	KCEB	771	--	--	T, Ng 70	Irr	Open hole from 882 to 1,200 ft. Top of Edwards 882 ft. Development test: drawdown of 6 ft pumping 1,500 gal/min.
211	Frank Mechler	J. R. Johnson Drilling & Supplies	1961	1,106	12	881	KCEB	722	--	--	T, Ng	Irr	Open hole from 881 to 1,106 ft. Cemented from 881 ft to surface. Top of Edwards 881 ft. 3
212	E. O. Mechler	Burkett Drilling Co.	1952	985	10	--	KCEB	723	43.40	Apr. 15, 1958	T, Ng	Irr	Top of Edwards 876 ft. Development test: drawdown of 12 ft pumping 1,200 gal/min for 2 hours on Apr. 15, 1958. Temp. 76°F.
216	Echtle Brothers	J. R. Johnson Drilling & Supplies	1972	968	12	876	KCEB	724	57.53	Apr. 20, 1972	T, Ng	Irr	Open hole from 876 to 968 ft. Cemented from 876 ft to surface. Top of Edwards 872 ft. Development test: drawdown of 13 ft pumping 2,565 gal/min for 2 hours on Apr. 20, 1972. Temp. 72°F. 1 3
301	Clarence Keller	Burkett Drilling Co.	1954	1,100	8	709	KCEB	770	--	--	T, Ng	Irr	Open hole from 709 to 1,100 ft. Top of Edwards 733 ft. Pump set at 180 ft. Development test: drawdown of 30 ft pumping 1,200 gal/min.
302	Elmer Mechler	do	1955	1,335	8	845	KCEB	761	--	--	T, Ng	Irr	Open hole from 845 to 1,335 ft. Deepened from 1,160 to 1,335 ft in 1963. Top of Edwards 845 ft. Reported yield 700 gal/min.
303	Frank Mechler	J. R. Johnson Drilling & Supplies	1955	1,065	12	835	KCEB	762	--	--	T, Ng 145	Irr	Open hole from 835 to 1,065 ft. Top of Edwards 834 ft. Development test: drawdown of 75 ft pumping 2,250 gal/min.
304	Henry Mechler	King Stokes	1953	1,200	10	820	KCEB	761	113	Mar. 1953	T, Ng	Irr	Open hole from 820 to 1,200 ft. Top of Edwards 821 ft. Development test: drawdown of 8 ft pumping 1,100 gal/min for 2 hours in Mar. 1953. Temp. 78°F.
305	Eddie Grossenbacher	J. R. Johnson Drilling & Supplies	1955	1,031	12	825	KCEB	741	89	Jan. 20, 1955	T, Ng	Irr	Open hole from 825 to 1,031 ft. Cemented from 825 ft to surface. Top of Edwards 825 ft. Pump set at 150 ft. Development test: drawdown of 9 ft pumping 2,653 gal/min. 3
306	Rio Vista Farms, Inc.	Burkett Drilling Co.	1953	896	12	856	KCEB	722	35	Mar. 11, 1959	T, Ng	Irr	Open hole from 856 to 896 ft. Development test: drawdown of 16 ft pumping 2,032 gal/min on Mar. 11, 1959.
307	Espino Brothers	King Stokes	1953	1,580	10 8	796 796	KCEB	709	60	Oct. 28, 1953	T, G 70	Irr	Open hole from 796 to 1,580 ft. Reported yield 1,250 gal/min. Development test: drawdown of 70 ft pumping 844 gal/min on Oct. 28, 1953.
308	Rio Vista Farms, Inc.	Burkett Drilling Co.	1964	1,670	16 10	330 876	KCEB	669	--	--	Flows T, Ng 140	Irr	Open hole from 876 to 1,670 ft. Cemented from 876 ft to surface. Top of Edwards 876 ft. 3
109	do	do	1964	1,540	12	901	KCEB	710	--	--	T, Ng 140	Irr	Open hole from 901 to 1,540 ft.
310	T. E. Rodevyn	J. R. Johnson Drilling & Supplies	1964	989	12	862	KCEB	721	54	Mar. 9, 1964	T, Ng 80	Irr	Open hole from 862 to 989 ft. Cemented from 862 ft to surface. Top of Edwards 858 ft. Development test: drawdown of 91 ft pumping 2,812 gal/min on Mar. 9, 1964. 3
311	Ugo Bippert	Burkett Drilling Co.	1956	1,052	12	977	KCEB	715	--	--	T, Ng	Irr	Open hole from 977 to 1,052 ft. Development test: drawdown of 13 ft pumping 2,300 gal/min.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-42-312	Rio Vista Farms, Inc.	Burkett Drilling Co.	1964	1,368	12	974	KCEB	705	--	--	T, Ng 140	Irr	Open hole from 974 to 1,368 ft. 12/
313	Texas Livestock Feeder Pens	J. R. Johnson Drilling & Supplies	1967	898	12	803	KCEB	820	--	--	Sub, E 20	D, S	Open hole from 803 to 898 ft. Cemented from 803 ft to surface. Top of Edwards 803 ft. 3/
314	Robert Mechler	Burkett Brothers	1933	918	6	--	KCEB	809.1	116.84 166.46	Sept. 15, 1933 Nov. 1, 1954	Sub, E	D	Well H-17 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. 2/ 13/
315	Oscar Bippert	J. E. Rohmer	1929	830	8	--	KCEB	760.3	70.71 116.65	Jan. 4, 1934 Dec. 1, 1954	C, W	D, S	Well H-16 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. 2/
316	Texas Livestock Feeder Pens	Roy Rohmer	1947	880	8 7	-- --	KCEB	822	125	July 1950	Sub, E 20	D, S	Well H-78 in Texas Board of Water Engineers Bulletin 5608.
317	Elmer Mechler	Burkett Drilling Co.	--	1,365	8	--	KCEB	741	--	--	T, Ng 130	Irr	Well reworked in 1962.
318	Oscar Bippert	-- Dawson	1946	860	8	--	KCEB	741	61.8	Aug. 1, 1950	T, E 50	Irr	Well H-81 in Texas Board of Water Engineers Bulletin 5608. Reported yield 1,000 gal/min.
319	Espino Brothers	Joe Rohmer	1946	1,008	8 7	-- 680	KCEB	702	20.0	July 1950	T, Ng	Irr	Well H-83 in Texas Board of Water Engineers Bulletin 5608.
320	Rio Vista Farms, Inc.	J. R. Johnson Drilling & Supplies	1942	1,445	10 8	44 1,003	KCEB	700	26.0	July 26, 1950	Sub, E 10	D, S	Well H-89 in Texas Board of Water Engineers Bulletin 5608. 3/
321	do	Roy Rohmer	1950	1,120	--	--	KCEB	672	--	--	Flow T, C	Irr	Well H-87 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 11 ft pumping 2,035 gal/min on May 26, 1953.
505	Harvey Lee Kunze	Fence Drilling Co.	1972	1,419	8 7	400 1,180	KCEB	710	22.5	May 16, 1972	T, Ng	Irr	Open hole from 1,180 to 1,419 ft. Cemented from 1,180 ft to surface. Top of Edwards 1,209 ft. Development test: drawdown of 66 ft pumping 700 gal/min for 3 hours on May 16, 1972. 3/
804	Kohleppel Brothers	J. R. Johnson Drilling & Supplies	1964	2,308	12	1,829	KCEB	770	131	Aug. 9, 1964	T, Ng	Irr	Open hole from 1,829 to 2,308 ft. Top of Edwards 1,834 ft. Development test: drawdown of 39 ft pumping 2,600 gal/min on Aug. 9, 1964. 3/ 12/
805	E. Liebe & R. L. House	do	1955	2,524	12	1,935	KCEB	771	--	--	T, C 110	Irr	Open hole from 1,935 to 2,524 ft. Cemented from 1,935 ft to surface. Top of Edwards 1,935 ft. Development test: drawdown of 200 ft pumping 1,600 gal/min. 3/
901	G. W. Kuling	-- Stokes	1964	2,295	10 7	260 1,900	KCEB	764	98	Dec. 24, 1964	T, E 25	Irr	Open hole from 1,900 to 2,290 ft. Cemented from 1,900 ft to surface. Top of Edwards 1,940 ft. 3/
902	Acacosa Rural Water Supply Corp., Well 2	J. R. Johnson Drilling & Supplies	1969	2,326	12 8	311 1,945	KCEB	771	126	Aug. 13, 1969	T, E 40	P	Open hole from 1,945 to 2,326 ft. Cemented from 1,945 ft to surface. Top of Edwards 1,928 ft. Development test: drawdown of 40 ft pumping 650 gal/min for 24 hours on Aug. 13, 1969. 3/
903	Herman Hyman	do	1952	2,041	10 8	304 1,854	KCEB	774.7	121.0	Aug. 1952	T, Ng 125	Irr	Well H-42 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,854 ft to surface. Top of Edwards 1,877 ft. 3/
43-101	J. H. Uptmore & Assoc., Well 8	do	1964	1,019	16 12	298 822	KCEB	720	80.11	Sept. 16, 1964	T, E 125	Irr	Open hole from 822 to 1,019 ft. Cemented from 822 ft to surface. Top of Edwards 822 ft. Development test: drawdown of 45 ft pumping 2,875 gal/min on Mar. 29, 1965. 3/
102	J. H. Uptmore & Assoc., Well 3	do	1964	1,359	16 12	300 846	KCEB	715	71.54	Jan	T, E 100	Irr	Open hole from 847 to 1,359 ft. Cemented from 847 ft to surface. Top of Edwards 840 ft. Development test: drawdown of 13 ft pumping 2,905 gal/min on Mar. 26, 1964. 3/

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-43-103	Rio Vista Farms, Inc.	J. R. Johnson Drilling & Supplies	1964	1,319	16 12	292 851	KCEB	704	42	Mar. 25, 1964	T, G 100	Irr	Open hole from 851 to 1,319 ft. Cemented from 851 ft to surface. Top of Edwards 843 ft. Development test: drawdown of 20 ft pumping 3,025 gal/min on Mar. 25, 1964. Y
* 104	Meadowood Acres Water Supply Corp., Well 2	Crawford E. Gordon	1972	915	8	850	KCEB	721	60.26	Sept. 15, 1972	Sub, E 20	P	Open hole from 850 to 915 ft. Cemented from 850 ft to surface. Reported yield 300 gal/min. Development test yield 1,060 gal/min. Y 3
* 105	Meadowood Acres Water Supply Corp., Well 1	Kutscher Drilling Co.	1963	932	7	882	KCEB	731	--	--	Sub, E 5	P	--
106	Rio Vista Farms, Inc.	--	--	--	--	--	KCEB	680	--	--	Flows T, E 10	N	Unused irrigation well.
107	do	--	--	--	--	--	KCEB	671	--	--	Flows T, E 20	D, S Irr	--
108	Straus Medina Herford Ranch	J. E. Rohmer	--	1,301	8	--	KCEB	650	+ 38.0	Sept. 14, 1933	Flows T, E 10	Irr	Well H-21 in Texas Board of Water Engineers Bulletin 5608. Reported flow 1,400 gal/min on Sept. 14, 1933.
109	do	do	--	1,327	10	--	KCEB	641	--	--	Flows T	Irr	Well H-22 in Texas Board of Water Engineers Bulletin 5608.
110	do	-- Edwards	--	1,250	8	--	KCEB	650	--	--	Flows T, E 10	S, Irr	Well H-20 in Texas Board of Water Engineers Bulletin 5608.
111	do	Joe Rohmer	1947	1,320	8	--	KCEB	661	10	July 1952	Flows T, E 10	D, S Irr	Well H-94 in Texas Board of Water Engineers Bulletin 5608. Reported yield 750 gal/min.
112	J. H. Upton & Assoc., Well 1	W. Rohmer	1942	900	8 7	-- --	KCEB	692	30.0	July 1950	T, E 15	D, S	Well H-27 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 810 ft.
113	J. H. Upton & Assoc., Well 2	do	1942	1,200	10 7	-- --	KCEB	670	5.0	do	Flows T, E 30	Irr	Well H-26 in Texas Board of Water Engineers Bulletin 5608.
114	J. H. Upton & Assoc., Well 4	do	1942	1,300	8 7	-- --	KCEB	670	15.0	do	Flows T, E 75	Irr	Well H-28 in Texas Board of Water Engineers Bulletin 5608. Reported yield 1,000 gal/min.
115	J. H. Upton & Assoc., Well 5	do	1941	745	8 7	-- --	KCEB	670	15.0	do	Flows T, E 60	Irr	Well H-29 in Texas Board of Water Engineers Bulletin 5608. Development test yield 800 gal/min.
116	J. H. Upton & Assoc., Well 6	do	--	1,201	10	660	KCEB	686	15.0	do	Flows T, G	Irr	Well H-30 in Texas Board of Water Engineers Bulletin 5608. Top of Edwards 660 ft.
117	H. J. Jungman	Burkett Drilling Co.	1956	930	10 7	200 878	KCEB	631	+ 50.0	Mar. 11, 1959	Flows T, G	Irr	Open hole from 878 to 930 ft.
201	Arthur Nentwich	A. A. Waunch	1956	1,140	12	866	KCEB	660	--	--	T, G	Irr	Open hole from 866 to 1,140 ft. Reported yield 1,000 gal/min. Y
203	E. W. Becker	Burkett Drilling Co.	1956	1,217	12	910	KCEB	631	+ 37.5	Apr. 11, 1958	Flows T, G 48	Irr	Open hole from 910 to 1,217 ft. Pump set at 70 ft. Development test yield 1,025 gal/min on June 4, 1956.
204	Minnie M. Schumton	do	1957	2,001	13	1,540	KCEB	663	21	Feb. 16, 1959	T, G	Irr	Open hole from 1,540 to 2,001 ft. Pump set at 200 ft. Development test: drawdown of 147 ft pumping 1,702 gal/min on June 18, 1957.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-43-205	M. L. Racker	Borkett Drilling Co.	1956	1,638	10	1,502	KCEB	631	8.5	Aug. 24, 1956	T, C	Irr	Open hole from 1,502 to 1,638 ft. Pump set at 120 ft. Development test: drawdown of 108 ft pumping 1,321 gal/min.
301	Lackland Air Force Base Annex, Well 1	J. R. Johnson Drilling & Supplies	1955	1,622	10	--	KCEB	671	--	--	T, E, C 75, 150	P	Reported yield 900 gal/min.
302	Lackland Air Force Base Annex, Well 2	do	1954	1,543	10 8	159 1,389	KCEB	669	--	--	T, E 75	P	Cemented from 1,389 ft to surface. Top of Edwards 1,388 ft. Reported yield 900 gal/min. <u>3</u>
303	C. R. Cento	Pegg Brothers & Borkett	1951	1,610	8 7	1,102 1,326	KCEB	636.3	18.5 10.0	Nov. 1951 Aug. 27, 1954	Flows T, G 20	D, S Irr	Well I-129 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2/3</u>
304	David Lynch	Borkett Drilling Co.	1963	1,825	10 6	-- 1,602	KCEB	715	93	Aug. 21, 1963	T, E 25	P	Open hole from 1,602 to 1,825 ft. Development test: drawdown of 50 ft pumping 900 gal/min on Aug. 21, 1963.
305	Van De Walle & Sons	J. R. Johnson Drilling & Supplies	1956	2,005	12	1,445	KCEB	645	12	Mar. 1956	T, G 75	Irr	Open hole from 1,445 to 2,005 ft. Cemented from 1,445 ft to surface. Top of Edwards 1,450 ft. Development test: drawdown of 123 ft pumping 1,500 gal/min in Mar. 1956. <u>3</u>
306	Joe Van Hecke	do	1955	1,831	10	1,445	KCEB	625	--	--	T, G	Irr	Open hole from 1,445 to 1,831 ft. Top of Edwards 1,444 ft. Pump set at 120 ft. Development test: drawdown of 27 ft pumping 1,650 gal/min for 2 hrs. on Feb. 21, 1956.
307	Gary Aircraft Corp.	do	1967	1,960	12	1,556	KCEB	650	7	Sept. 17, 1967	T, E 40	Ind	Cemented from 1,556 ft to surface. Top of Edwards 1,550 ft. Development test: drawdown of 155 ft pumping 1,827 gal/min for 8 hours on Sept. 17, 1967. <u>3</u>
401	Fred Becker	Borkett Drilling Co.	1963	1,940	10 7	200 1,600	KCEB	675	26.87	June 10, 1964	T, G	Irr	Open hole from 1,600 to 1,940 ft.
402	A. V. Thurman	do	1963	2,137	10 7	200 1,621	KCEB	700	--	--	T, G	Irr	Open hole from 1,621 to 2,137 ft. Top of Edwards 1,600 ft. Development test: drawdown of 140 ft pumping 1,000 gal/min for 2 hours in 1963.
403	Gonzales Brothers	A. A. Wuensch	1957	2,289	10	--	KCEB	689	33	1957	T, G 55	Irr	Reported yield 1,000 gal/min.
404	Henry G. Netwich	Borkett Drilling Co.	1956	2,285	10 7	300 1,800	KCEB	683	70	Oct. 22, 1956	T, G	Irr	Open hole from 1,800 to 2,285 ft. Top of Edwards 1,800 ft. Pump set at 200 ft. Development test: drawdown of 125 ft pumping 756 gal/min on Oct. 22, 1956.
405	Howard Shadrock	J. R. Johnson Drilling & Supplies	1970	2,035	12 10	406 1,747	KCEB	704	52	1971	T, C	Irr	Open hole from 1,745 to 2,035 ft. Cemented from 1,745 ft to surface. Top of Edwards 1,745 ft. Development test: drawdown of 5 ft pumping 2,200 gal/min for 2 hours in 1971. Temp. 72°F. <u>3</u>
406	C. D. Kerry	do	1951	2,126	10 8	182 1,722	KCEB	726.6	--	--	T, E 60	Irr	Well M-41 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,722 to 2,126 ft. Cemented from 1,722 ft to surface. Top of Edwards 1,722 ft. <u>1/3</u>
501	F. J. Schermer	Harroun Drilling Co.	1954	1,890	8 7	310 1,609	KCEB	613	--	--	Flows T, G 25	Irr	Open hole from 1,609 to 1,890 ft. Development test: drawdown of 100 ft pumping 475 gal/min in 1955.
503	R. R. Jarvis	J. R. Johnson Drilling & Supplies	1955	2,005	10 8	205 1,605	KCEB	623	26.5	Jan. 2, 1956	Flows	D, S	Open hole from 1,605 to 2,005 ft. Cemented from 1,605 ft to surface. Top of Edwards 1,605 ft. Development test: drawdown of 68 ft pumping 700 gal/min for 3 hours on Jan. 2, 1956. Temp. 88°F. <u>3</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-43-504	J. H. Shelton	Will Pegg	1956	1,750	8 7	300 1,680	KCEB	656	--	--	Flows T, G 30	D, S Irr	Open hole from 1,680 to 1,750 ft. Temp. 86°F.
505	J. W. Watts	W. F. Pegg & Sons	1956	2,002	8 7	260 1,716	KCEB	645	+ 25.2 + 31.0	May 2, 1960 Jan. 11, 1961	Flows T, G 30	Irr	Open hole from 1,716 to 2,002 ft. Top of Edwards 1,716 ft. Development test yield 850 gal/min. Temp. 84°F. Historical observation well. <u>2</u>
507	Ramon Gonzales	W. L. Unburn	1934	1,915	8	--	KCEB	658.0	+ 21.30 + 24.3	Nov. 4, 1954 Jan. 11, 1961	Flows	D	Well N-12 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. <u>2</u> <u>13</u>
* 508	Southwest Independent School District	J. R. Johnson Drilling & Supplies	1974	1,750	8	1,596	KCEB	610	+ 60.0	Oct. 28, 1974	Flows	F	Cemented from 1,596 ft to surface. Temp. 79°F. <u>3</u>
601	O. R. Mitchell	do	1946	1,911	14 12	257 1,606	KCEB	600.7	--	--	Flows Cf, G	Irr	Well N-4 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,606 to 1,911 ft. Cemented from 1,606 ft to surface. Top of Edwards 1,604 ft. Reported flow 3,550 gal/min on July 29, 1946. Temp. 80°F. <u>3</u> <u>5</u> <u>6</u> <u>12</u> <u>13</u>
604	Ikmer Veratuyft	Pegg Brothers	1956	2,037	16	1,573	KCEB	627	+ 50.3	Feb. 17, 1960	Flows T, G	Irr	Open hole from 1,573 to 2,037 ft. Development test: drawdown of 188 ft pumping 1,145 gal/min.
605	George Veratuyft	--	1956	1,800	10	1,380	KCEB	633	30	July 23, 1956	Flows T, G	Irr	Open hole from 1,380 to 1,800 ft. Development test: drawdown of 165 ft pumping 1,047 gal/min on July 23, 1956.
606	Henry Von Stratton	Pegg Brothers	1957	1,567	10 8	-- 1,550	KCEB	621	--	--	Flows Cf, E	Irr	Reported flow 2,000 gal/min.
607	O. R. Mitchell	J. R. Johnson Drilling & Supplies	1955	2,068	16 12	200 1,600	KCEB	611	--	--	Flows T, G	Irr	Drilled to 2,145 ft and plugged back to 2,068 ft. Open hole from 1,660 to 2,068 ft. Cemented from 1,660 ft to surface. Top of Edwards 1,642 ft. Flowed 300 gal/min in 1955. Development test yield 1,828 gal/min. <u>1</u> <u>3</u>
608	do	do	1955	1,683	16 13 10	180 1,422 1,596	KCEB	606	--	--	Flows T, G	Irr	Open hole from 1,596 to 1,688 ft. Cemented from 1,596 ft to surface. Top of Edwards 1,567 ft. Reported flow 5,000 gal/min. <u>3</u>
609	Cus Benke	Burkett Drilling Co.	1964	2,124	8 7 5	200 1,200 --	KCEB	595	--	--	Flows	Irr	--
610	L. Knowlton	J. R. Johnson Drilling & Supplies	1956	1,856	13 12	87 1,625	KCEB	600	+ 87.7	Apr. 30, 1976	Flows	Irr	Open hole from 1,625 to 1,856 ft. Cemented from 1,625 ft to surface. Top of Edwards 1,641 ft. Reported flow 3,420 gal/min. <u>3</u> <u>5</u> <u>6</u> <u>7</u>
611	L. F. Ridder	--	--	--	--	--	--	621.6	+ 50.9 + 9.0	Sept. 13, 1933 July 9, 1954	Flows	D, S	Well N-1 in Texas Board of Water Engineers Bulletin 5608. Observation well. <u>1</u> <u>2</u> <u>3</u>
612	Fred Newman	J. R. Johnson Drilling & Supplies	1952	1,951	8	--	KCEB	618.3	--	--	Flows Sub, E	D, S Irr	Well N-116 in Texas Board of Water Engineers Bulletin 5608. Flowed 250 gal/min in 1951.
613	O. R. Mitchell	do	1952	2,171	20 14	114 1,505	KCEB	605	--	--	Flows T, G	Irr	Well N-108 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,505 to 2,171 ft. Cemented from 1,505 ft to surface. Top of Edwards 1,547 ft. Reported flow 800 gal/min in 1953. <u>3</u>
614	Aelvoet Brothers	Pegg Brothers	--	1,771	8	1,530	KCEB	644	+ 13.2	Sept. 8, 1952	Flows T, R 30	Irr	Well N-5 in Texas Board of Water Engineers Bulletin 5608. <u>3</u> <u>5</u> <u>6</u>
701	Terrell Shuler	W. F. Pegg	1952	2,275	8 7	-- 1,750	KCEB	667	30	Apr. 1952	T, G 55	Irr	Well N-43 in Texas Board of Water Engineers Bulletin 5608. Deepened from 1,840 to 2,275 ft in 1954. Reported yield 800 gal/min.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-43-702	K. L. Haggard	King Stokes	1958	2,055	5	--	KCFB	620	--	--	Flows	N	Reported flow 10 gal/min. Unused irrigation well. <u>5 12</u>
* 703	Frank James	Burkett Drilling Co.	1960	2,030	--	--	KCEB	670	--	--	T, G 70	D, Irr	Reported yield 866 gal/min. Temp. 95°F. <u>12</u>
801	Richard Vogt	do	1952	1,875	8 6	200 --	KCEB	640	--	--	Flows T, G	Irr	Reported yield 600 gal/min.
802	Aldridge Nursery Inc.	Fegg Brothers	1955	1,987	10 7	210 1,864	KCEB	661	40	Feb. 9, 1956	T, Ng 50	Irr	Open hole from 1,864 to 1,987 ft. Top of Edwards 1,876 ft. Temp. 83°F.
803	Mary Gosa	do	1953	1,850	8 7	-- 1,800	KCEB	663	20.0	July 1953	Flows T, G	N	Open hole from 1,800 to 1,850 ft. Unused irrigation well. Reported yield 500 gal/min.
804	Constanzo Brothers	do	1951	1,949	8 7	-- 1,740	KCEB	662	--	--	T, Ng 55	Irr	Open hole from 1,740 to 1,949 ft.
805	Henry Versteuyt	J. R. Johnson Drilling & Supplies	1955	2,195	10 8	311 1,763	KCEB	642	20	June 1955	Flows T, G 45	Irr	Open hole from 1,763 to 2,195 ft. Reported yield 1,000 gal/min.
806	Tony Costanzo, Jr.	Bill Fegg	1951	1,887	8 7	-- 1,710	KCEB	643	26	Jan. 21, 1958	T, Ng 55	Irr	Open hole from 1,710 to 1,887 ft.
807	A. A. Grothues	J. R. Johnson Drilling & Supplies	1954	2,292	10 8	204 1,780	KCEB	623	+ 20.6 + 73.5	Nov. 4, 1954 Feb. 13, 1975	Flows T, B 30	Irr	Open hole from 1,780 to 2,292 ft. Cemented from 1,780 ft. to surface. Top of Edwards 1,778 ft. Reported flow 750 gal/min in July 1954. Observation well. <u>2 3 5 6 7 8</u>
809	A. J. Ballard	Fegg Brothers	1954	1,903	8 7	-- 1,800	KCEB	621	--	--	Flows T, G	Irr	Open hole from 1,800 to 1,903 ft. Reported flow 550 gal/min. Temp. 96°F. <u>5 6 7 8 12</u>
810	K. L. Haggard	Burkett Drilling Co.	1961	1,860	7	1,860	KCEB	633	--	--	Flows T	D	Reported flow 100 gal/min. Temp. 95°F. <u>5 6 7 8 12</u>
* 811	Atascosa Rural Water Supply Corp., Well 1	J. R. Johnson Drilling & Supplies	1960	2,298	12 8	306 1,760	KCEB	682	41	Aug. 1, 1969	T, R 25	P	Open hole from 1,726 to 2,298 ft. Cemented from 1,760 ft. to surface. Top of Edwards 1,760 ft. Development test: drawdown of 112 ft pumping 1,600 gal/min for 24 hours on Aug. 1, 1969. Temp. 101°F. <u>3</u>
812	A. A. Sveligson	Fegg Brothers	--	1,800	6	--	KCFB	648.3	+ 30 + 31 + 33	Sept. 8, 1933 Oct. 20, 1933 May 22, 1934	Flows	D	Well M-13 in Texas Board of Water Engineers Bulletin 5608. Oil test converted to water well. Reported flow 220 gal/min on Oct. 20, 1933. Temp. 94°F. Historical observation well. <u>2 5 6 13</u>
813	A. A. Grothues	--	1933	1,800	6	--	KCEB	590.3	+ 97.5 + 56.0	Aug. 26, 1933 May 6, 1954	N	N	Well M-14 in Texas Board of Water Engineers Bulletin 5608. Plugged. Oil test. Temp. 97°F. Historical observation well. <u>2 13</u>
814	Fritz Schneider	--	--	1,900	7	1,700	KCEB	644	--	--	Flows T, G	Irr	Open hole from 1,700 to 1,900 ft. Reported yield 450 gal/min.
815	Aldridge Nursery Inc.	Armstrong & Sutton	1946	2,251	8	1,765	KCEB	658	--	--	T, G	Irr	Well M-29 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 96 ft pumping 550 gal/min. <u>1 13</u>
816	do	Fegg Brothers & Burkett Drilling Co.	1951	1,993	8 6	-- --	KCEB	650	--	--	T, Ng	Irr	Well M-40 in Texas Board of Water Engineers Bulletin 5608. Development test: drawdown of 62 ft pumping 927 gal/min. Temp. 94°F. <u>1 3</u>
817	Tony Costanzo, Jr.	Fegg Brothers	1951	1,949	12 7	-- --	KCEB	650	--	--	Flows T, G 55	Irr	Well M-39 in Texas Board of Water Engineers Bulletin 5608. Reported flow 350 gal/min in 1951. <u>3 6</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-4J-901	Earl Baker Estate	J. R. Johnson Drilling & Supplies	1956	2,274	14 12	226 1,726	KCEB	612	--	--	Flows T, Ng	N	Open hole from 1,726 to 2,274 ft. Cemented from 1,726 ft to surface. Top of Edwards 1,700 ft. Unused irrigation well. Pump set at 225 ft. Development test yield 900 gal/min. Temp. 101°F. <u>3 3 3 3</u>
* 64-101	Gateway Water Supply Corp., Well 2	do	1961	1,570	12	1,171	KCEB	734	73	Apr. 6, 1961	T, K 100	P	Cemented from 1,171 ft to surface. Top of Edwards 1,172 ft. Development test: drawdown of 67 ft pumping 1,987 gal/min for 12 hours on Apr. 6, 1961. <u>3</u>
* 102	Hillside Acres Water Co.	--	1956	--	--	--	KCEB	731	--	--	T, E	P	--
* 103	Lakeside Water Co.	Haskin Pump & Serv. Co.	1962	1,550	12 8	190 1,355	KCEB	674	80	Dec. 22, 1962	Sub, E 5	P	Top of Edwards 1,355 ft. Pump set at 100 ft. Reported yield 100 gal/min. <u>3</u>
104	Lackland City Water Co.	Milwaukee Oil Co.	--	1,753	10	1,600	KCEB	668	20 +	July Apr. 1950 1968	Flows	N	Well 1-170 in Texas Board of Water Engineers Bulletin 5608. Drilled to 3,400 ft and plugged back to 1,753 ft. Cemented from 1,600 ft to surface. Top of Edwards 1,391 ft. Reported flow 100 gal/min in Apr. 1968. Unused public supply well. Pump set at 100 ft. Development test: drawdown of 10 ft pumping 600 gal/min for 4 hours in Apr. 1968. Temp. 72°F. <u>3</u>
105	do	Hurkott Drilling Co.	1956	1,995	12	1,450	KCEB	720	--	--	T, E	P	Open hole from 1,450 to 1,995 ft. Reported yield 1,800 gal/min.
706	Richard Aelvoet	do	--	1,830	8 5	-- --	KCEB	694	--	--	T, E 40	Irr	Reported yield 650 gal/min.
* 107	Lackland City Water Co.	J. R. Johnson Drilling & Supplies	1968	1,820	20 16	310 1,372	KCEB	666	22	Aug. 28, 1968	T, E	P	Open hole from 1,372 to 1,820 ft. Cemented from 1,372 ft to surface. Top of Edwards 1,362 ft. Development test: drawdown of 123 ft pumping 4,000 gal/min on Aug. 28, 1968. <u>3</u>
* 108	Gateway Water Supply Corp., Well 3	do	1958	1,382	17	1,165	KCEB	734	--	--	T, K 100	P	Cemented from 1,165 ft to surface. Top of Edwards 1,172 ft. Development test: drawdown of 18 ft pumping 2,731 gal/min. <u>3</u>
* 109	All-State Pucking Co., Inc.	do	1974	1,228	10 8	158 1,158	KCEB	609	+ 53.13	Nov. 11, 1974	Flows	Ind	Open hole from 1,158 to 1,228 ft. Cemented from 1,158 ft to surface. Reported flow 1,225 gal/min. Development test: drawdown of 21 ft pumping 2,200 gal/min. <u>3</u>
201	Celotex Corp.-Barrett Roofing Materials	do	1955	1,253	8	1,022	KCEB	665	35	Jan. 5, 1955	T, E 15	Ind	Open hole from 1,022 to 1,253 ft. Cemented from 1,022 ft to surface. Development test yield 553 gal/min. <u>3</u>
* 202	Bexar Metropolitan Water District, King Street Station, Well 3	do	1952	1,434	12	1,279	KCEB	651	9	Apr. 1952	T, K 50	P	Open hole from 1,279 to 1,434 ft. Cemented from 1,279 ft to surface. Top of Edwards 1,287 ft. <u>3 3</u>
203	Bexar Metropolitan Water District, King Street Station, Well 4	do	1965	1,586	20	1,251	KCEB	651	3.0	1965	T, K 50	P	Open hole from 1,251 to 1,586 ft. Cemented from 1,251 ft to surface. Top of Edwards 1,250 ft. <u>3</u>
* 204	Bexar Metropolitan Water District, Pitluk Street Station, Well 1	do	1950	1,400	12	1,209	KCEB	649	--	--	Flows T, E 100	P	Well 1-204 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,209 to 1,400 ft. Cemented from 1,209 to 31 ft. Top of Edwards 1,218 ft. Reported flow 2,500 gal/min in Sept. 1950.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-44-205	Bexar Metropolitan Water District, Pitluk Street Station, Well 2	J. R. Johnson Drilling & Supplies	1953	1,420	12	1,218	KCEB	649	50	Mar. 8, 1953	Flows T, E 120	P	Open hole from 1,218 to 1,420 ft. Cemented from 1,218 ft to surface. Top of Edwards 1,217 ft. Reported yield 1,600 gal/min. <u>Y</u> <u>Y</u>
* 206	Bexar Metropolitan Water District, Pitluk Street Station, Well 3	do	1954	1,530	12	1,206	KCEB	649	10	May 1962	Flows T, E 100	P	Cemented from 1,206 ft to surface. Top of Edwards 1,212 ft. Reported yield 1,800 gal/min. <u>Y</u>
207	City Public Service Board, Well 4	do	1956	1,686	20 16	200 1,130	KCEB	640	--	--	Flows T, E 200	Ind	Open hole from 1,130 to 1,686 ft. Cemented from 1,130 ft to surface. Top of Edwards 1,139 ft. Development test: drawdown of 108 ft pumping 2,965 gal/min. <u>Y</u> <u>Y</u>
208	W. P. Fike & I. P. Roesler	do	1951	1,263	12	1,104	KCEB	635	--	--	N	N	Cemented from 1,104 ft to surface. Top of Edwards 1,104 ft. Reported flow 60 gal/min in 1951. Unused irrigation well. <u>Y</u>
209	Trailer City Water Co.	do	1961	1,552	8	1,130	KCEB	612	+ 70	Nov. 1961	Flows Sub, E 5	P	Open hole from 1,130 to 1,552 ft. Cemented from 1,130 ft to surface. Top of Edwards 1,151 ft. <u>Y</u>
* 210	Edmond Persyn	do	1955	1,672	8	1,422	KCEB	631	--	--	Flows T, E 15	Irr	Open hole from 1,422 to 1,672 ft. Cemented from 1,422 ft to surface. Top of Edwards 1,420 ft. Reported flow 300 gal/min in 1955. <u>Y</u> <u>Y</u> <u>Y</u> <u>Y</u> <u>Y</u> <u>Y</u>
211	C. W. Marvin	Pegg Brothers	1930	1,400	7	1,000	KCEB	642	--	--	Flows T, E 15	Irr	Reported yield 650 gal/min.
212	Bexar Metropolitan Water District, Pitluk Street Station, Well 4	J. R. Johnson Drilling & Supplies	1971	1,517	30 24	400 1,217	KCEB	649	--	--	N	N	Capped. Open hole from 1,217 to 1,517 ft. Cemented from 1,217 ft to surface. Top of Edwards 1,217 ft. Temp. 72°F. <u>Y</u>
213	--	--	--	--	10	--	KCEB	653.3	25.53 5.40	Nov. 4, 1954 Nov. 5, 1957	N	N	Well I-117 in Texas Board of Water Engineers Bulletin 5608. Plugged. Reported flow 365 gal/min on Oct. 4, 1934. Temp. 80°F. Historical observation well. <u>Y</u>
214	Thurman Barrett	J. R. Johnson Drilling & Supplies	1946	1,285	10 8	60 1,222	KCEB	654	+ 19.0 + 33.9	May 9, 1958 Feb. 13, 1975	Flows T, E 150	Ind	Well I-195 in Texas Board of Water Engineers Bulletin 5608. Open hole from 1,222 to 1,285 ft. Cemented from 1,222 ft to surface. Top of Edwards 1,222 ft. Reported flow 4,400 gal/min in 1946. Observation well. <u>Y</u> <u>Y</u> <u>Y</u>
215	City Public Service Board, Well 1	do	1947	1,174	12 7	84 1,127	KCEB	634	--	--	Flows T, E 30	Ind	Well I-127 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,127 ft to surface. Top of Edwards 1,141 ft. Reported flow 880 gal/min in 1950. <u>Y</u> <u>Y</u>
216	City Public Service Board, Well 3	do	1949	1,510	12	1,129	KCEB	632	--	--	Flows T, E 60	Ind	Well I-126 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,129 ft to surface. Top of Edwards 1,126 ft. Reported flow 2,500 gal/min in 1950. <u>Y</u> <u>Y</u>
217	City Public Service Board, Well 2	do	1948	1,319	12	1,124	KCEB	641	--	--	Flows T, E 40	Ind	Well I-128 in Texas Board of Water Engineers Bulletin 5608. Reported flow 2,700 gal/min in 1950.
* 218	Bexar Metropolitan Water District, King Street Station, Well 2	Wiegand Brothers	1944	1,326	13	1,263	KCEB	651	--	--	T, E 50	P	Well 223 in Texas Board of Water Engineers Bulletin 5608. <u>Y</u>
* 219	Bexar Metropolitan Water District, King Street Station, Well	Dingman Drilling Co.	--	1,328	12 8 6	-- -- --	KCEB	651	--	--	T, E 30	P	Well 222 in Texas Board of Water Engineers Bulletin 5608. <u>Y</u>

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-44-220	Versluyft, et al.	--	--	1,014	--	--	KCEB	643.1	+ 33.2	Sept. 6, 1933	Flows T, E 10	Irr	Well I-113 in Texas Board of Water Engineers Bulletin 5608. Reported flow 690 gal/min on Oct. 11, 1934.
221	do	--	--	1,204	--	--	KCEB	638.8	+ 34.6 32 28.4	do Aug. 9, 1934 Oct. 14, 1934	Flows T, E 15	Irr	Well I-112 in Texas Board of Water Engineers Bulletin 5608. Reported flow 800 gal/min on Sept. 6, 1933.
222	J. P. Winters, et al.	--	--	1,100	8	--	KCEB	637.4	+ 37.6	Sept. 6, 1933	Flows	Irr	Well I-110 in Texas Board of Water Engineers Bulletin 5608. Reported flow 500 gal/min on Oct. 14, 1934.
223	do	Burkett Brothers	--	1,068	8	840	KCEB	634.6	+ 41.5 37.6	do Aug. 9, 1934	Flows	Irr	Well I-109 in Texas Board of Water Engineers Bulletin 5608. Reported flow 780 gal/min on Oct. 16, 1934. Temp. 81°F.
225	Reni Aelvoet	J. R. Johnson Drilling & Supplies	1949	1,376	8	1,182	KCEB	633	--	--	Flows T, E	Irr	Well I-125 in Texas Board of Water Engineers Bulletin 5608. Cemented from 1,182 ft to surface. Top of Edwards 1,186 ft. $\frac{3}{8}$ $\frac{5}{8}$
226	C. R. Marvin	--	--	--	8	--	KCEB	640	--	--	Flows T, E 15	Irr	--
227	Versluyft, et al.	Burkett Brothers	1934	1,372	8	1,300	KCEB	647.4	--	--	Flows T, E 15	Irr	Well I-114 in Texas Board of Water Engineers Bulletin 5608. Reported flow 715 gal/min on Aug. 30, 1934. $\frac{3}{8}$
228	Leo Mendola	Pegg Brothers	--	1,170	8	--	KCEB	648	--	--	Flows T, E 15	Irr	Casing cemented.
229	Kelly Air Force Base	--	--	1,200	--	--	KCEB	663	--	--	N	N	Well I-94 in Texas Board of Water Engineers Bulletin 5608. Unused. $\frac{1}{2}$
* 303	R. J. R. Foods, Inc.	J. R. Johnson Drilling & Supplies	1964	1,373	8	1,294	KCEB	640	--	--	N	N	Plugged. Open hole from 1,294 to 1,373 ft. Cemented from 1,294 to 275 ft. Top of Edwards 1,308 ft. Flowed. $\frac{1}{2}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{1}{2}$
303	Bexar Metropolitan Water District, Dwight Avenue Station, Well 4	do	1967	1,643	20	1,253	KCEB	652	5	Sept. 1967	T, E 150	P	Open hole from 1,253 to 1,643 ft. Cemented from 1,253 ft to surface. Top of Edwards 1,268 ft. Reported yield 1,700 gal/min. Development test: drawdown of 3 ft pumping 7,000 gal/min for 8 hours in Sept. 1967. Temp. 72°F. $\frac{1}{2}$ $\frac{3}{8}$
* 304	Bexar Metropolitan Water District, Dwight Avenue Station, Well 2	do	1954	1,500	12	1,255	KCEB	652	--	--	T, E 100	P	Cemented from 1,255 ft to surface. Top of Edwards 1,274 ft. $\frac{1}{2}$ $\frac{3}{8}$
* 305	Bexar Metropolitan Water District, Dwight Avenue Station, Well 3	--	1955	1,644	--	--	KCEB	652	--	--	T, E 125	P	--
* 306	Bexar Metropolitan Water District, Dwight Avenue Station, Well 5	J. R. Johnson Drilling & Supplies	1972	1,577	30 24	314 1,237	KCEB	651	--	--	T, E 300	P	Cemented from 1,237 ft to surface. Top of Edwards 1,264 ft. $\frac{1}{2}$
* 307	Bexar Metropolitan Water District, Dwight Avenue Station, Well 1	Wiegand Brothers	1948	1,423	12 10	200 1,088	KCEB	652	--	--	T, E 100	P	Well CY 295 in Texas Board of Water Engineers Bulletin 5608. $\frac{1}{2}$ $\frac{3}{8}$
* 308	R. J. R. Foods, Inc.	Crawford E. Gordon	1975	1,340	12 8 7	-- -- 1,319	KCEB	645	--	--	T, E 30	Ind	Seven-inch liner added from 1,182 to 1,319 ft in 1975.

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
68-44-401	C. Verstuyft	Fred Burkett	--	1,532	12	--	KCEB	643	+ 31.5 + 43.5	Mar. 14, 1958 Jan. 11, 1961	Flows T, E	D, Irr	Well N-6 in Texas Board of Water Engineers Bulletin 5608. Historical observation well. 2/ 5/ 6/ 7/ 8/ 9/ 10/ 12/ 13/
403	Henry Krueger	J. R. Johnson Drilling & Supplies	1955	1,781	8	1,450	KCEB	632	2.18	Feb. 22, 1956	Cf, G	Irr	Open hole from 1,450 to 1,781 ft. Cemented from 1,450 ft to surface. Top of Edwards 1,445 ft. Reported yield 900 gal/min. Temp. 101°F. 2/ 5/ 6/
404	Felipe Vargas	Pegg Brothers	1955	1,660	8 7	200 1,660	KCEB	633	--	--	Flows T, E	N	Unused irrigation well. Reported flow 700 gal/min. Temp. 84°F. 2/ 6/ 7/ 8/ 12/
405	William Ripps	do	1934	2,000	8	--	KCEB	628.6	+ 42.8 + 39.7 14.08	May 22, 1934 Oct. 9, 1934 Aug. 30, 1956	Flows	S	Well N-23 in Texas Board of Water Engineers Bulletin 5608. Reported flow 500 gal/min on May 22, 1934. Historical observation well. 2/ 13/
406	Alfred Hubbard	J. R. Johnson Drilling & Supplies	1955	1,987	12	1,617	KCEB	692	--	--	T, E .30	Irr	Open hole from 1,617 to 1,987 ft. Cemented from 1,617 ft to surface. Top of Edwards 1,610 ft. Development test: drawdown of 15 ft pumping 2,138 gal/min. 1/ 3/
407	O. R. Mitchell	do	1948	2,040	--	--	KCEB	610	--	--	Flows	N	Well N-93 in Texas Board of Water Engineers Bulletin 5608. Oil test completed as water well. Top of Edwards 1,585 ft. Reported flow 70 gal/min in 1950.
502	J. W. Austin	Jacob Wolff	1911	1,850	6	1,670	KCEB	591	--	--	Flows	S, Irr	Well N-11 in Texas Board of Water Engineers Bulletin 5608. Reported flow 75 gal/min on Aug. 31, 1934. Temp. 105°F. 1/ 3/
503	James L. Netts	--	1907	2,400	4	--	KCEB	601	--	--	Flows	N	Well N-12 in Texas Board of Water Engineers Bulletin 5608. Reported flow 30 gal/min on May 19, 1976. Temp. 99°F.
602	Thurman Barrett	Dingman Drilling Co.	--	--	4	--	KCEB	665.7	10.4 10.6	Sept. 5, 1933 Dec. 6, 1933	N	N	Well N-8 in Texas Board of Water Engineers Bulletin 5608. Abandoned. Historical observation well. 2/
45-101	Hot Wells Tourist Ledges	--	--	1,878	8	--	KCEB	552	--	--	Flows	F	Well J-50 in Texas Board of Water Engineers Bulletin 5608. Reported flow 100 gal/min on Aug. 3, 1933. Temp. 101°F. 1/ 2/ 3/ 4/ 5/ 6/ 7/ 8/ 9/ 10/ 12/
* 102	Morrill Elementary School	J. F. Benkendorfer	1910	2,103	8	1,200	KCEB	621.6	+ 39.0 + 2.9	Aug. 21, 1933 Dec. 24, 1954	N	N	Well 175 in Texas Board of Water Engineers Bulletin 5608. Recorder observation well. 2/ 5/ 13/
* 301	Holt Machinery Co.	J. R. Johnson Drilling & Supplies	1956	2,179	12	1,750	KCEB	610	+ 23.0 + 55.2	Mar. 13, 1958 Jan. 20, 1975	N	N	Plugged. Open hole from 1,750 to 2,179 ft. Cemented from 1,750 ft to surface. Top of Edwards 1,744 ft. Historical observation well. 1/ 2/ 3/ 5/ 6/ 7/ 8/ 9/ 10/ 12/
* 302	R. O. Hundley	do	1955	1,715	10 8	207 1,555	KCEB	615	--	--	Flows	S	Open hole from 1,555 to 1,715 ft. Cemented from 1,555 ft to surface. Top of Edwards 1,567 ft. Development test: drawdown of 40 ft pumping 2,000 gal/min for 4 hours in Apr. 1955. Temp. 101°F. 3/
802	Blue Wing Club	Jacob Wolff	--	2,444	8 6 5	440 1,745 2,115	KCEB	500	--	--	Flows	S	Well O-50 in Texas Board of Water Engineers Bulletin 5608. Reported flow 100 gal/min in 1934. Temp. 116°F. 12/ 13/
803	do	Dingman Drilling Co.	1929	2,558	--	--	KCEB	495	--	--	Flows	S	Well O-51 in Texas Board of Water Engineers Bulletin 5608. Reported yield 300 gal/min in 1934. Temp. 118°F. 3/
901	City Public Service Board	J. R. Johnson Drilling & Supplies	1962	2,927	8	2,493	KCEB	511	+ 121.62 + 139.35	Oct. 3, 1969 Feb. 4, 1975	Flows	N	Open hole from 2,493 to 2,927 ft. Cemented from 2,493 ft to surface. Top of Edwards 2,480 ft. Development test: drawdown of 120 ft flowing 800 gal/min for 5 hours on Jan. 30, 1973. Observation well. 1/ 2/ 3/ 12/

See footnotes at end of table.

Table 2.--Records of Selected Wells in Bexar County--Continued

Well	Owner	Driller	Date completed	Depth of well (ft)	Casing		Water bearing unit	Altitude of land surface (ft)	Water level		Method of lift	Use of water	Remarks
					Diameter (in.)	Depth (ft)			Below land-surface datum (ft)	Date of measurement			
* 68-50-304	John Lott	J. R. Johnson Drilling & Supplies	1969	2,165	12	2,000	KCEB	731	--	--	T, E	Irr	Open hole from 2,000 to 2,165 ft. Cemented from 2,000 ft to surface. Top of Edwards 2,000 ft. <u>Y</u>
51-102	Frank Willis	do	1955	2,363	--	--	KCEB	635	--	--	Sub, #	D, Irr	Top of Edwards 2,175 ft. Reported flow 200 gal/min. <u>Y</u>
201	Ashley & Rosenstein	do	1955	2,226	10 8	175 1,973	KCEB	610	--	--	Flows T, G	S, Irr	Open hole from 1,973 to 2,226 ft. Cemented from 1,973 ft to surface. Top of Edwards 1,980 ft. Development test yield 575 gal/min. <u>Y Y Y Y Y</u> <u>10 12</u>

* For chemical analyses of water see Table 4.

1) Electric logs in files of Texas Department of Water Resources.

2) For additional water-level measurements see Table 3.

3) Drillers log in files of Texas Department of Water Resources.

4) Aquifer probably Edwards.

5) Chemical analyses published in Edwards Underground Water District Bulletin 1.

6) Chemical analyses published in Edwards Underground Water District Bulletin 4.

7) Chemical analyses published in Edwards Underground Water District Bulletin 7.

8) Chemical analyses published in Edwards Underground Water District Bulletin 10.

9) Chemical analyses published in Edwards Underground Water District Bulletin 13.

10) Chemical analyses published in Edwards Underground Water District Bulletin 16.

11) Chemical analyses published in Edwards Underground Water District, "Chemical and Bacteriological Quality of Water at Selected Sites in San Antonio Area, Texas, August 1968-January 1975."

12) Chemical analyses published in Edwards Underground Water District, "Geochemical and Isotopic Analyses of Waters Associated with the Edwards Limestone Aquifer, Central Texas, 1976."

13) Chemical analyses published in Texas Board of Water Engineers Bulletin 5608.

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-22-702	KCEB	310	867.40	10-12-33	204.12		
				10-10-34	206.22	2.10	
				08-09-35	189.43		16.79
				11-21-35	190.08	0.65	
				01-19-36	191.82	1.74	
				09-13-49	209.81	17.99	
				10-04-49	211.03	1.22	
				11-07-49	209.47		1.56
				02-01-50	207.40		2.07
				02-28-50	209.53	2.13	
				03-30-50	210.20	0.67	
				05-04-50	210.87	0.67	
				06-06-50	211.13	0.26	
				07-07-50	212.44	1.31	
				08-07-50	214.45	2.01	
				09-07-50	215.18	0.73	
				10-09-50	215.51	0.33	
				11-09-50	216.62	1.11	
				12-05-50	216.96	0.34	
				01-04-51	217.12	0.16	
				03-07-51	218.33	1.21	
				05-11-51	219.88	1.55	
				06-08-51	218.51		1.37
				08-06-51	228.80	10.29	
				09-10-51	224.60		4.20
				10-29-51	220.50		4.10
				12-27-51	224.52	4.02	
				04-04-52	225.54	1.02	
				06-30-52	226.98	1.44	
				09-03-52	230.20	3.22	
				11-03-52	225.84		4.36
				01-06-53	221.40		4.44
				05-07-53	224.25	2.85	
07-14-53	229.37	5.12					
09-18-53	224.83		4.54				
11-04-53	224.75		0.08				
01-05-54	223.77		0.98				
03-02-54	225.72	1.95					
05-04-54	229.21	3.49					
07-07-54	232.06	2.85					
08-25-54	235.02	2.96					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEKAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-12-54	235.22	0.20	
				11-02-54	234.80		0.42
				12-02-54	233.89		0.91
				01-06-55	233.49		0.40
				02-02-55	232.90		0.59
				03-02-55	232.40		0.50
				04-04-55	233.52	1.12	
				05-03-55	235.53	2.01	
				06-01-55	235.53		
				07-06-55	237.24	1.71	
				08-03-55	238.31	1.07	
				09-01-55	239.25	0.94	
				10-05-55	239.67	0.42	
				11-02-55	240.05	0.38	
				12-06-55	239.75		0.30
				01-04-56	238.26		1.49
				02-08-56	237.80		0.46
				03-08-56	238.47	0.67	
				04-03-56	239.71	1.24	
				05-02-56	240.79	1.08	
				06-05-56	242.05	1.26	
				07-03-56	243.65	1.60	
				08-02-56	247.12	3.47	
				08-28-56	246.69		0.43
				10-03-56	247.15	0.46	
				11-07-56	245.50		1.65
				12-07-56	244.21		1.29
				01-03-57	243.06		1.15
				02----57	242.65		0.41
				03-05-57	242.03		0.62
				04-08-57	240.01		2.02
				05-08-57	231.28		8.73
				06-05-57	223.49		7.79
				07-02-57	222.27		1.22
				08-07-57	228.58	6.31	
				09-04-57	231.98	3.40	
				02-11-58	210.57		21.41
				03-04-58	205.87		4.70
				04-04-58	198.05		7.82
				05-07-58	196.72		1.33
				06-03-58	196.59		0.13
				08-05-58	212.05	15.46	
				09-04-58	206.73		5.32

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-09-58	187.42		19.31
				11-04-58	194.43	7.01	
				12-02-58	192.10		2.33
				01-12-59	193.85	1.75	
				02-11-59	194.93	1.08	
				03-02-59	193.57		1.36
				04-02-59	194.96	1.39	
				08-05-59	202.33	7.37	
				09-02-59	204.51	2.18	
				10-02-59	205.47	0.96	
				11-05-59	203.23		2.24
				12-04-59	202.10		1.13
				01-14-60	201.30		0.80
				02-09-60	200.64		0.66
				03-04-60	201.03	0.39	
				04-04-60	201.16	0.13	
				05-02-60	201.12		0.04
				06-01-60	201.79	0.67	
				07-07-60	211.54	9.75	
				08-01-60	205.89		5.65
				09-09-60	203.99		1.90
				10-03-60	204.82	0.83	
				11-07-60	197.92		6.90
				12-06-60	197.08		0.84
				01-09-61	195.58		1.50
66-26-804	KCEB	1000	1044.60	09-22-33	286.90		
				05-23-34	286.71		0.19
				06-21-34	292.15	5.44	
				07-31-34	279.59		12.56
				08-24-34	296.46	16.87	
				09-21-34	300.21	3.75	
				10-10-34	302.05	1.84	
				12-21-34	303.27	1.22	
				02-03-35	309.02	5.75	
				02-04-35	309.06	0.04	
				04-09-35	309.76	0.70	
				05-21-35	254.77		54.99
				06-28-35	219.02		35.75
				08-02-35	239.60	20.58	
				09-27-35	236.15		3.45
				01-20-36	267.10	30.95	
				08-27-36	241.67		25.43

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-04-37	259.26	17.59	
				08-30-49	295.60	36.34	
				10-07-49	296.82*	1.22	
				11-04-49	299.50	2.68	
				06-05-50	286.48		13.02
				09-06-50	322.77*	36.29	
				10-05-50	326.10	3.33	
				11-06-50	332.13	6.03	
				12-05-50	388.17*	56.04	
				01-05-51	346.96*		41.21
				02-08-51	352.65	5.69	
				03-06-51	353.75*	1.10	
				05-12-51	356.45*	2.70	
				09-11-51	366.18*	9.73	
				11-01-51	367.60*	1.42	
				12-28-51	367.80	0.20	
				07-01-52	369.15	1.35	
				09-04-52	379.75*	10.60	
				11-05-52	361.58		18.17
				01-07-53	332.08		29.50
				03-03-53	354.60*	22.52	
				05-06-53	352.71*		1.89
				07-16-53	363.55	10.84	
				09-20-53	319.05		44.50
				11-05-53	336.75*	17.70	
				01-07-54	353.33*	16.58	
				03-05-54	363.84*	10.51	
				05-05-54	370.89*	7.05	
				07-08-54	376.94*	6.05	
				08-26-54	384.61*	7.67	
				11-01-54	372.23Q		12.38
				03-01-55	376.01	3.78	
				07-02-56	407.07	31.06	
				08-27-56	406.37		0.70
				03-06-58	258.82		147.55
				05-12-58	256.53		2.29
				10-08-58	229.80		26.73
				11-05-58	219.21		10.59
				01-09-59	220.96	1.75	
				03-03-59	261.76	40.80	
				05-05-59	266.36	4.60	
				07-08-59	256.26		10.10
				09-01-59	274.56	18.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-04-59	272.42		2.14
				01-11-60	266.13		6.29
				05-05-60	266.82	0.69	
				11-08-60	250.50		16.32
				01-04-61	256.35	5.85	
68-26-901	KCEB	720	956.10	09-20-33	222.00		
				08-24-34	230.22	8.22	
				08-31-49	236.70	6.48	
				10-07-49	244.52	7.82	
				11-04-49	238.57		5.95
				01-27-50	245.23	6.66	
				02-24-50	239.43		5.80
				03-29-50	247.53	8.10	
				05-03-50	242.71		4.82
				06-05-50	205.48		37.23
				07-05-50	236.10	30.62	
				08-02-50	244.44	8.34	
				09-06-50	248.66	4.22	
				10-05-50	251.76	3.10	
				11-08-50	257.59	5.83	
				12-05-50	260.90	3.31	
				01-05-51	268.20	7.30	
				02-06-51	272.81	4.61	
				03-06-51	274.04	1.23	
				05-12-51	277.80	3.76	
				06-07-51	272.90		4.90
				08-07-51	287.06*	14.16	
				09-11-51	289.83*	2.77	
				11-01-51	287.82		2.01
				12-28-51	290.95*	3.13	
				03-05-52	288.90		2.05
				04-03-52	285.98		2.92
				07-01-52	290.20*	4.22	
				09-04-52	299.32*	9.12	
				11-05-52	284.21		15.11
				01-07-53	257.29		26.92
				03-03-53	276.23	18.94	
				05-06-53	279.07*	2.84	
				07-16-53	294.10*	15.03	
				09-21-53	246.24		47.86
				11-05-53	262.22	15.98	
				01-07-54	275.58	13.36	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-54	285.10	9.52	
				05-05-54	291.79	6.69	
				07-08-54	297.43	5.64	
				08-26-54	304.06*	6.63	
				11-01-54	295.92		8.14
				01-04-55	294.52		1.40
				03-01-55	297.72	3.20	
				05-02-55	306.48	8.76	
				07-05-55	310.42	3.94	
				08-29-55	312.70	2.28	
				11-01-55	314.27	1.57	
				01-03-56	313.47		0.80
				03-05-56	312.84		0.63
				05-01-56	316.98	4.14	
				07-02-56	322.51	5.53	
				08-27-56	323.85	1.34	
				11-06-56	321.77		2.08
				01-02-57	319.81		1.96
				03-04-57	318.11		1.70
				05-07-57	272.84		45.27
				07-03-57	264.59		8.25
				09-03-57	287.38	22.79	
				11-07-57	264.53		22.85
				01-07-58	219.68		44.85
				03-06-58	199.78		19.90
				05-07-58	176.60		23.18
				07-08-58	209.00	32.40	
				09-04-58	226.82	17.82	
				11-05-58	155.60		71.22
				01-08-59	193.44	37.84	
				03-03-59	193.96	0.52	
				05-05-59	199.27	5.31	
				07-08-59	197.12		2.15
				09-01-59	209.99	12.87	
				11-04-59	207.60		2.39
				01-11-60	202.52		5.08
				03-03-60	205.04	2.52	
				05-05-60	204.68		0.36
				07-06-60	216.12	11.44	
				09-07-60	213.90		2.22
				11-08-60	188.25		25.65
				01-04-61	192.68	4.43	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-27-505	KCEB	400	979.84	02-17-58	260.50		
				02-20-58	260.73	0.23	
				02-26-58	247.97		12.76
				03-05-58	247.83		0.14
				03-10-58	248.01	0.18	
				03-15-58	248.05	0.04	
				03-20-58	247.74		0.31
				03-25-58	247.10		0.64
				04-01-58	247.21	0.11	
				04-05-58	247.39	0.18	
				04-10-58	248.10	0.71	
				04-15-58	248.74	0.64	
				04-20-58	249.30	0.56	
				04-25-58	250.40	1.10	
				05-01-58	251.14	0.74	
				05-05-58	236.88		14.26
				05-15-58	228.71		8.17
				05-20-58	228.55		0.16
				05-25-58	228.48		0.07
				06-01-58	228.99	0.51	
				06-05-58	229.87	0.88	
				06-10-58	230.45	0.58	
				06-15-58	231.56	1.11	
				06-20-58	232.75	1.19	
				06-25-58	229.25		3.50
				07-01-58	232.51	3.26	
				07-05-58	233.72	1.21	
				07-10-58	235.13	1.41	
				07-15-58	236.17	1.04	
				07-20-58	237.35	1.18	
				07-25-58	238.40	1.05	
				08-01-58	239.90	1.50	
08-05-58	240.60	0.70					
08-10-58	241.67	1.07					
08-15-58	242.52	0.85					
08-20-58	243.50	0.98					
08-25-58	244.30	0.80					
09-01-58	245.70	1.40					
09-05-58	246.35	0.65					
09-10-58	240.55		5.80				
09-15-58	244.50	3.95					
09-20-58	230.28		14.22				
09-25-58	224.20		6.08				

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-01-58	222.50		1.70
				10-05-58	220.85		1.65
				10-15-58	218.48		2.37
				10-20-58	218.88	0.40	
				10-25-58	217.23		1.65
				11-01-58	208.89		8.34
				11-05-58	206.36		2.53
				11-10-58	204.55		1.81
				11-15-58	203.55		1.00
				11-20-58	205.02	1.47	
				11-25-58	206.18	1.16	
				12-01-58	208.15	1.97	
				12-05-58	208.54	0.39	
				12-10-58	210.48	1.94	
				12-15-58	212.07	1.59	
				12-20-58	212.64	0.57	
				12-25-58	213.86	1.22	
				01-01-59	215.06	1.20	
				01-05-59	216.28	1.22	
				01-10-59	217.05	0.77	
				01-15-59	217.41	0.36	
				01-20-59	218.25	0.84	
				01-25-59	219.63	1.38	
				02-01-59	220.94	1.31	
				02-05-59	221.13	0.19	
				02-10-59	222.03	0.90	
				02-15-59	217.66		4.37
				02-20-59	220.46	2.80	
				02-25-59	221.25	0.79	
				03-01-59	221.75	0.50	
				03-05-59	221.97	0.22	
				03-10-59	222.62	0.65	
				03-15-59	223.12	0.50	
				03-20-59	223.86	0.74	
				03-25-59	224.51	0.65	
				04-01-59	225.56	1.05	
				04-05-59	226.03	0.47	
				04-10-59	226.55	0.52	
				04-15-59	223.37		3.18
				04-20-59	223.55	0.18	
				04-25-59	225.08	1.53	
				05-01-59	225.78	0.70	
				05-05-59	225.75		0.03

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-10-59	226.53	0.78	
				05-15-59	227.73	1.20	
				05-20-59	226.38		1.35
				05-25-59	228.20	1.82	
				06-01-59	229.45	1.25	
				06-05-59	230.26	0.81	
				06-10-59	230.82	0.56	
				06-15-59	231.86	1.04	
				06-20-59	232.84	0.98	
				06-25-59	232.43		0.41
				07-01-59	231.10		1.33
				07-05-59	231.78	0.68	
				07-10-59	232.56	0.78	
				07-15-59	232.66	0.10	
				07-20-59	233.38	0.72	
				07-25-59	233.01		0.37
				08-01-59	234.79	1.78	
				08-05-59	235.14	0.35	
				08-10-59	235.90	0.76	
				08-15-59	236.67	0.77	
				08-20-59	237.54	0.87	
				08-27-59	238.02	0.48	
				09-01-59	238.56	0.54	
				09-05-59	239.32	0.76	
				09-10-59	240.15	0.83	
				09-15-59	240.48	0.33	
				09-20-59	241.36	0.88	
				09-25-59	241.73	0.37	
				10-01-59	242.38	0.65	
				10-10-59	239.50		2.88
				10-15-59	237.77		1.73
				10-20-59	240.55	2.78	
				10-25-59	241.70	1.15	
				11-01-59	242.77	1.07	
				11-05-59	242.48		0.29
				11-10-59	242.60	0.12	
				11-15-59	241.55		1.05
				11-20-59	241.45		0.10
				11-25-59	241.57	0.12	
				12-01-59	242.83	1.26	
				12-05-59	242.79		0.04
				12-10-59	243.32	0.53	
				12-14-59	243.45	0.13	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-06-60	237.17		6.28
				01-10-60	237.28	0.11	
				01-15-60	237.42	0.14	
				01-20-60	238.45	1.03	
				01-25-60	238.61	0.16	
				02-01-60	238.92	0.31	
				02-05-60	237.24		1.68
				02-10-60	237.75	0.51	
				03-05-60	240.45	2.70	
				03-10-60	240.14		0.31
				03-15-60	240.40	0.26	
				03-20-60	241.26	0.86	
				03-25-60	241.44	0.18	
				04-05-60	238.27		3.17
				04-10-60	238.87	0.60	
				04-15-60	239.22	0.35	
				04-20-60	239.89	0.67	
				04-25-60	240.08	0.19	
				05-05-60	239.54		0.54
				05-10-60	240.12	0.58	
				05-15-60	240.21	0.09	
				05-20-60	240.87	0.66	
				05-25-60	241.49	0.62	
				06-01-60	242.70	1.21	
				06-05-60	242.89	0.19	
				06-10-60	244.28	1.39	
				06-15-60	244.92	0.64	
				06-20-60	245.88	0.96	
				06-25-60	241.63		4.25
				07-01-60	245.30	3.67	
				07-05-60	246.32	1.02	
				07-10-60	247.43	1.11	
				07-15-60	246.26		1.17
				08-01-60	243.11		3.15
				08-05-60	244.72	1.61	
				08-10-60	245.92	1.20	
				08-15-60	243.88		2.04
				08-29-60	240.18		3.70
				09-01-60	241.26	1.08	
				09-05-60	242.67	1.41	
				09-10-60	243.72	1.05	
				09-15-60	244.78	1.06	
				09-20-60	245.95	1.17	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-25-60	246.66	0.71	
				10-01-60	247.38	0.72	
				10-05-60	247.93	0.55	
				10-10-60	248.61	0.68	
				10-15-60	249.03	0.42	
				10-22-60	240.42		8.61
				10-25-60	242.67	2.25	
				11-10-60	232.61		10.06
				11-15-60	233.89	1.28	
				11-20-60	234.86	0.97	
				11-25-60	235.13	0.27	
				12-01-60	236.31	1.18	
				12-05-60	236.17		0.14
				12-10-60	229.63		6.54
				12-15-60	229.06		0.57
				12-20-60	229.51	0.45	
				12-25-60	229.93	0.42	
				01-01-61	229.43		0.50
				01-05-61	229.36		0.07
				01-10-61	227.87		1.49
				01-15-61	227.36		0.51
				01-20-61	227.84	0.48	
				01-25-61	227.90	0.06	
				02-01-61	227.93	0.03	
				02-05-61	225.54		2.39
				02-21-61	222.47		3.07
				03-20-61	228.22	5.75	
				03-25-61	228.64	0.42	
				04-01-61	229.45	0.81	
				04-05-61	229.70	0.25	
				04-10-61	230.43	0.73	
				04-15-61	230.78	0.35	
				04-25-61	232.22	1.44	
				05-01-61	233.29	1.07	
				05-05-61	233.80	0.51	
				05-10-61	234.90	1.10	
				05-15-61	235.43	0.53	
				05-20-61	236.37	0.94	
				05-25-61	236.97	0.60	
				06-01-61	238.14	1.17	
				06-05-61	238.76	0.62	
				06-10-61	239.34	0.58	
				06-15-61	240.15	0.81	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-25-61	236.56		3.59
				07-01-61	238.37	1.81	
				07-05-61	238.98	0.61	
				07-10-61	237.20		1.78
				07-15-61	239.56	2.36	
				07-20-61	240.16	0.60	
				08-10-61	240.12		0.04
				08-15-61	240.72	0.60	
				08-20-61	241.43	0.71	
				08-25-61	241.98	0.55	
				09-01-61	242.74	0.76	
				09-05-61	243.43	0.69	
				09-10-61	243.92	0.49	
				09-15-61	243.80		0.12
				09-20-61	244.67	0.87	
				09-25-61	245.49	0.82	
				10-01-61	245.97	0.48	
				10-05-61	246.35	0.38	
				10-10-61	242.55		3.80
				10-15-61	242.73	0.18	
				10-20-61	245.08	2.35	
				10-25-61	245.77	0.69	
				11-01-61	246.10	0.33	
				11-05-61	246.91	0.81	
				11-10-61	247.48	0.57	
				11-15-61	247.64	0.16	
				11-27-61	248.61	0.97	
				12-01-61	248.90	0.29	
				12-05-61	249.05	0.15	
				12-10-61	249.28	0.23	
				12-15-61	249.80	0.52	
				12-19-61	249.71		0.09
				02-01-62	252.55	2.84	
				02-25-62	253.67	1.12	
				03-01-62	254.34	0.67	
				03-05-62	254.67	0.33	
				03-10-62	254.57		0.10
				03-15-62	255.22	0.65	
				03-20-62	255.13		0.09
				03-25-62	255.43	0.30	
				04-01-62	256.86	1.43	
				04-05-62	256.32		0.54
				04-10-62	255.43		0.89

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-15-62	256.18	0.75	
				04-20-62	256.59	0.41	
				04-25-62	256.30		0.29
				05-01-62	253.82		2.48
				05-05-62	254.84	1.02	
				05-10-62	255.65	0.81	
				05-15-62	256.45	0.80	
				05-20-62	256.97	0.52	
				05-25-62	257.40	0.43	
				06-01-62	257.90	0.50	
				06-05-62	256.30		1.60
				06-10-62	258.20	1.90	
				06-15-62	258.80	0.60	
				06-20-62	260.07	1.27	
				06-25-62	260.84	0.77	
				07-01-62	256.75		4.09
				07-05-62	257.74	0.99	
				07-10-62	259.80	2.06	
				07-15-62	261.20	1.40	
				07-20-62	262.18	0.98	
				07-25-62	262.75	0.57	
				08-01-62	263.70	0.95	
				08-05-62	264.13	0.43	
				08-10-62	264.63	0.50	
				08-15-62	265.22	0.59	
				08-20-62	266.84	1.62	
				08-25-62	267.37	0.53	
				09-01-62	268.06	0.69	
				09-05-62	268.48	0.42	
				09-26-62	267.28		1.20
				10-01-62	267.84	0.56	
				10-05-62	268.34	0.50	
				10-16-62	268.33		0.01
				10-20-62	268.47	0.14	
				11-20-62	272.02	3.55	
				11-25-62	272.57	0.55	
				12-01-62	264.92		7.65
				12-05-62	260.53		4.39
				12-10-62	264.58	4.05	
				12-15-62	266.87	2.29	
				12-20-62	267.58	0.71	
				12-25-62	267.92	0.34	
				01-01-63	266.56		1.36

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-05-63	266.93	0.37	
				01-10-63	267.12	0.19	
				01-15-63	268.26	1.14	
				01-20-63	268.52	0.26	
				01-25-63	270.22	1.70	
				02-01-63	270.86	0.64	
				02-05-63	271.38	0.52	
				02-10-63	270.53		0.85
				02-15-63	271.23	0.70	
				02-20-63	265.06		6.17
				02-25-63	268.35	3.29	
				03-01-63	268.87	0.52	
				03-05-63	269.20	0.33	
				03-10-63	269.48	0.28	
				03-15-63	270.14	0.66	
				03-20-63	270.88	0.74	
				03-25-63	271.07	0.19	
				04-01-63	271.60	0.53	
				04-05-63	267.79		3.81
				04-10-63	267.13		0.66
				04-15-63	268.63	1.50	
				04-20-63	269.17	0.54	
				04-25-63	269.62	0.45	
				05-01-63	269.88	0.26	
				05-05-63	270.62	0.74	
				05-10-63	271.13	0.51	
				05-15-63	272.07	0.94	
				05-20-63	272.66	0.59	
				05-25-63	273.02	0.36	
				06-01-63	273.72	0.70	
				06-05-63	274.14	0.42	
				06-10-63	274.56	0.42	
				06-15-63	275.12	0.56	
				06-20-63	275.40	0.28	
				06-25-63	276.03	0.63	
				07-01-63	276.39	0.36	
				07-05-63	276.67	0.28	
				07-10-63	277.17	0.50	
				07-15-63	277.64	0.47	
				07-20-63	278.19	0.55	
				07-25-63	278.36	0.17	
				08-01-63	278.99	0.63	
				08-05-63	279.32	0.33	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-10-63	279.84	0.52	
				08-15-63	280.18	0.34	
				08-20-63	280.76	0.58	
				09-14-63	276.38		4.38
				09-25-63	282.86	6.48	
				10-01-63	283.46	0.60	
				10-05-63	283.77	0.31	
				10-10-63	284.12	0.35	
				10-15-63	284.48	0.36	
				10-20-63	284.73	0.25	
				10-25-63	284.77	0.04	
				11-01-63	284.86	0.09	
				11-05-63	285.20	0.34	
				11-10-63	284.74		0.46
				11-15-63	285.64	0.90	
				11-20-63	285.98	0.34	
				11-25-63	286.18	0.20	
				12-01-63	286.43	0.25	
				12-05-63	286.67	0.24	
				12-11-63	286.88	0.21	
				12-15-63	287.29	0.41	
				12-20-63	287.33	0.04	
				12-26-63	287.55	0.22	
				01-01-64	287.92	0.37	
				01-05-64	288.03	0.11	
				01-10-64	288.40	0.37	
				01-15-64	288.51	0.11	
				01-20-64	288.57	0.06	
				01-25-64	288.83	0.26	
				02-01-64	273.83		15.00
				02-05-64	272.53		1.30
				02-21-64	280.68	8.15	
				02-25-64	280.57		0.11
				03-01-64	281.07	0.50	
				03-05-64	280.97		0.10
				03-10-64	281.53	0.56	
				03-15-64	281.91	0.38	
				03-20-64	278.59		3.32
				03-25-64	278.67	0.08	
				04-07-64	280.69	2.02	
				04-10-64	281.02	0.33	
				04-17-64	281.45	0.43	
				04-20-64	281.32		0.13

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-25-64	281.72	0.40	
				05-01-64	282.15	0.43	
				05-05-64	283.30	1.15	
				05-10-64	284.02	0.72	
				05-15-64	284.74	0.72	
				05-20-64	285.33	0.59	
				05-25-64	285.70	0.37	
				06-01-64	286.36	0.66	
				06-05-64	286.58	0.22	
				06-10-64	286.99	0.41	
				06-15-64	287.44	0.45	
				06-25-64	275.32		12.12
				07-01-64	279.52	4.20	
				07-25-64	284.67	5.15	
				08-01-64	285.54	0.87	
				08-05-64	285.92	0.38	
				08-10-64	286.45	0.53	
				08-15-64	286.89	0.44	
				08-20-64	287.40	0.51	
				08-25-64	287.31		0.09
				09-01-64	288.27	0.96	
				09-05-64	288.64	0.37	
				09-10-64	288.91	0.27	
				09-15-64	289.36	0.45	
				09-20-64	289.58	0.22	
				09-25-64	288.92		0.66
				10-01-64	280.76		8.16
				10-05-64	283.05	2.29	
				10-10-64	284.41	1.36	
				10-15-64	285.25	0.84	
				10-20-64	287.36	2.11	
				10-25-64	287.58	0.22	
				11-01-64	280.44		7.14
				11-26-64	278.39		2.05
				12-01-64	279.58	1.19	
				12-05-64	280.24	0.66	
				12-10-64	279.80		0.44
				12-15-64	280.21	0.41	
				12-22-64	280.86	0.65	
				12-25-64	280.90	0.04	
				01-01-65	281.63	0.73	
				01-05-65	281.82	0.19	
				01-10-65	282.31	0.49	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-15-65	283.08	0.77	
				01-20-65	283.51	0.43	
				01-24-65	281.27		2.24
				02-20-65	263.51		17.76
				02-25-65	263.44		0.07
				03-01-65	263.06		0.38
				03-05-65	263.66	0.60	
				03-10-65	264.07	0.41	
				03-15-65	264.74	0.67	
				03-20-65	265.77	1.03	
				03-25-65	265.50		0.27
				04-01-65	259.10		6.40
				04-05-65	258.84		0.26
				04-09-65	256.38		2.46
				04-22-65	256.37		0.01
				04-25-65	256.38	0.01	
				05-01-65	255.07		1.31
				05-05-65	254.95		0.12
				05-10-65	252.02		2.93
				05-15-65	246.19		5.83
				05-20-65	239.53		6.66
				05-25-65	235.63		3.90
				06-01-65	232.33		3.30
				06-05-65	230.36		1.97
				06-10-65	227.60		2.76
				06-15-65	225.84		1.76
				06-20-65	224.78		1.06
				06-25-65	224.56		0.22
				07-01-65	225.29	0.73	
				07-05-65	225.87	0.58	
				07-10-65	227.17	1.30	
				07-15-65	228.75	1.58	
				07-20-65	230.16	1.41	
				07-25-65	231.85	1.69	
				08-01-65	233.97	2.12	
				08-05-65	235.15	1.18	
				08-10-65	236.50	1.35	
				08-15-65	237.84	1.34	
				08-20-65	239.16	1.32	
				08-25-65	240.00	0.84	
				09-01-65	241.62	1.62	
				09-05-65	247.83	6.21	
				09-10-65	243.55		4.28

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-15-65	244.76	1.21	
				09-20-65	245.80	1.04	
				09-25-65	246.84	1.04	
				10-01-65	247.88	1.04	
				10-05-65	248.50	0.62	
				10-10-65	249.02	0.52	
				10-15-65	249.99	0.97	
				10-20-65	244.61		5.38
				10-25-65	249.93	5.32	
				11-01-65	250.97	1.04	
				11-05-65	251.35	0.38	
				11-25-65	253.42	2.07	
				12-01-65	254.47	1.05	
				12-05-65	241.51		12.96
				12-10-65	240.35		1.16
				12-15-65	240.36	0.01	
				12-20-65	240.47	0.11	
				12-25-65	240.80	0.33	
				01-01-66	241.07	0.27	
				01-05-66	241.64	0.57	
				01-10-66	242.31	0.67	
				01-15-66	242.59	0.28	
				01-20-66	243.65	1.06	
				01-25-66	244.16	0.51	
				02-01-66	244.80	0.64	
				02-05-66	245.69	0.89	
				02-10-66	240.66		5.03
				02-15-66	239.15		1.51
				02-20-66	239.15		
				02-25-66	238.99		0.16
				03-01-66	238.53		0.46
				03-05-66	239.09	0.56	
				03-10-66	239.38	0.29	
				03-15-66	239.70	0.32	
				03-20-66	240.58	0.88	
				03-25-66	241.61	1.03	
				04-01-66	242.27	0.66	
				04-05-66	243.24	0.97	
				04-10-66	243.90	0.66	
				04-15-66	245.03	1.13	
				04-20-66	244.92		0.11
				04-25-66	242.06		2.86
				05-01-66	242.51	0.45	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-05-66	242.11		0.40
				05-10-66	242.41	0.30	
				05-15-66	243.16	0.75	
				05-20-66	241.92		1.24
				05-25-66	241.94	0.02	
				06-01-66	242.83	0.89	
				06-05-66	243.51	0.68	
				06-10-66	244.51	1.00	
				06-15-66	245.66	1.15	
				06-20-66	246.41	0.75	
				06-25-66	246.88	0.47	
				07-01-66	247.74	0.86	
				07-05-66	248.55	0.81	
				07-10-66	249.31	0.76	
				07-15-66	250.18	0.87	
				07-20-66	251.12	0.94	
				07-25-66	252.10	0.98	
				08-15-66	244.94		7.16
				08-20-66	246.51	1.57	
				08-25-66	249.92	3.41	
				09-01-66	246.07		3.85
				09-05-66	247.99	1.92	
				09-10-66	244.50		3.49
				09-15-66	243.06		1.44
				09-20-66	241.42		1.64
				09-25-66	241.01		0.41
				10-01-66	242.19	1.18	
				10-05-66	243.18	0.99	
				10-10-66	244.43	1.25	
				10-15-66	245.92	1.49	
				10-20-66	247.37	1.45	
				10-25-66	248.34	0.97	
				11-01-66	249.37	1.03	
				11-05-66	250.27	0.90	
				11-10-66	250.82	0.55	
				11-14-66	251.92	1.10	
				12-15-66	256.61	4.69	
				12-20-66	257.28	0.67	
				12-25-66	258.17	0.89	
				01-01-67	258.77	0.60	
				01-05-67	259.47	0.70	
				01-10-67	260.57	1.10	
				01-15-67	261.18	0.61	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-20-67	262.11	0.93	
				01-25-67	262.69	0.58	
				02-01-67	263.75	1.06	
				02-05-67	264.47	0.72	
				02-10-67	264.87	0.40	
				02-15-67	265.55	0.68	
				02-20-67	266.34	0.79	
				02-25-67	266.38	0.04	
				03-01-67	266.71	0.33	
				04-01-67	270.67	3.96	
				04-05-67	271.04	0.37	
				04-10-67	271.60	0.56	
				04-15-67	267.63		3.97
				04-20-67	270.75	3.12	
				04-25-67	271.96	1.21	
				05-01-67	272.70	0.74	
				05-05-67	273.15	0.45	
				05-10-67	273.79	0.64	
				05-15-67	274.66	0.87	
				05-20-67	275.03	0.37	
				05-25-67	275.58	0.55	
				06-01-67	275.11		0.47
				06-05-67	276.40	1.29	
				06-10-67	277.12	0.72	
				06-15-67	277.68	0.56	
				06-20-67	278.37	0.69	
				06-25-67	279.12	0.75	
				07-01-67	279.98	0.86	
				07-05-67	280.30	0.32	
				07-10-67	280.40	0.10	
				07-20-67	281.76	1.36	
				08-20-67	283.69	1.93	
				08-25-67	284.77	1.08	
				09-01-67	285.14	0.37	
				09-20-67	280.74		4.40
				10-26-67	274.00		6.74
				11-01-67	274.00		
				11-05-67	274.66	0.66	
				11-10-67	265.64		9.02
				11-15-67	265.34		0.30
				11-20-67	266.80	1.46	
				11-25-67	267.66	0.86	
				12-01-67	268.52	0.86	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-05-67	268.69	0.17	
				12-10-67	268.48		0.21
				12-15-67	268.70	0.22	
				12-20-67	268.28		0.42
				12-25-67	268.42	0.14	
				01-01-68	268.41		0.01
				01-05-68	268.29		0.12
				01-10-68	267.36		0.93
				01-15-68	267.44	0.08	
				01-29-68	246.90		20.54
				02-01-68	244.58		2.32
				03-11-68	230.16		14.42
				03-15-68	229.75		0.41
				03-20-68	228.91		0.84
				03-25-68	228.65		0.26
				04-01-68	228.52		0.13
				04-05-68	228.88	0.36	
				04-10-68	229.12	0.24	
				04-16-68	229.95	0.83	
				05-27-68	224.40		5.55
				06-20-68	226.13	1.73	
				07-30-68	232.36	6.23	
				09-04-68	238.40	6.04	
				10-09-68	241.73	3.33	
				11-13-68	245.65	3.92	
				12-17-68	247.23	1.58	
				01-23-69	250.60	3.37	
				03-05-69	247.44		3.16
				04-14-69	243.57		3.87
				05-26-69	233.37		10.20
				07-01-69	238.15	4.78	
				08-06-69	238.10		0.05
				09-10-69	249.02	10.92	
				10-15-69	254.63	5.61	
				11-19-69	251.10		3.53
				12-22-69	243.81		7.29
				01-28-70	245.54	1.73	
				03-05-70	239.44		6.10
				04-09-70	237.10		2.34
				05-21-70	237.28	0.18	
				07-02-70	228.62		8.66
				07-21-70	230.41	1.79	
				08-27-70	238.23	7.82	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-30-70	238.69	0.46	
				11-04-70	245.50	6.81	
				12-08-70	248.93	3.43	
				01-14-71	252.80	3.87	
				02-19-71	256.86	4.06	
				03-24-71	261.34	4.48	
				05-03-71	266.45	5.11	
				05-24-71	267.69	1.24	
				06-29-71	272.20	4.51	
				08-11-71	265.76		6.44
				08-14-71	256.70		9.06
				08-16-71	254.78		1.92
				08-19-71	254.15		0.63
				08-26-71	253.75		0.40
				09-09-71	254.60	0.85	
				10-13-71	252.48		2.12
				11-12-71	246.00		6.48
				12-17-71	237.82		8.18
				12-20-71	237.19		0.63
				01-24-72	238.07	0.88	
				02-03-72	239.11	1.04	
				02-27-72	239.44	0.33	
				04-04-72	244.09	4.65	
				05-08-72	235.27		8.82
				06-07-72	219.10		16.17
				06-13-72	219.99	0.89	
				07-17-72	224.53	4.54	
				08-08-72	228.94	4.41	
				09-26-72	232.26	3.32	
				10-26-72	232.48	0.22	
				02-06-73	227.80		4.68
				07-19-73	173.90		53.90
				07-26-73	166.45		7.45
				08-02-73	164.04		2.41
				09-05-73	181.43	17.39	
				09-28-73	168.92		12.51
				10-10-73	153.80		15.12
				11-14-73	130.95		22.85
				12-17-73	148.58	17.63	
				01-28-74	168.86	20.28	
				02-13-74	174.94	6.08	
				03-11-74	179.34	4.40	
				04-23-74	194.94	15.60	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE. - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-15-74	212.92	17.98	
				02-12-75	198.58		14.34
				02-13-75	198.02		0.56
				07-17-75	216.70	18.68	
				08-02-76	209.08		7.62
68-27-512	KCEB	502	994.50	12-20-71	198.84		
				02-03-72	193.89		4.95
				02-24-72	195.32	1.43	
				03-22-72	195.23		0.09
				04-27-72	194.70		0.53
				05-25-72	193.77		0.93
				06-07-72	191.79		1.98
				06-23-72	195.32	3.53	
				07-24-72	195.66	0.34	
				08-21-72	195.74	0.08	
				09-22-72	194.79		0.95
				10-24-72	192.95		1.84
				12-15-72	220.55	27.60	
				02-06-73	202.80		17.75
				02-26-73	194.25		8.55
				03-16-73	193.70		0.55
				04-26-73	170.30		23.40
				05-01-73	197.80	27.50	
				05-21-73	182.45		15.35
				06-18-73	175.07		7.38
				07-23-73	159.71		15.36
				07-26-73	156.93		2.78
				08-21-73	172.54	15.61	
				09-26-73	169.44		3.10
				10-26-73	130.09		39.35
				11-27-73	144.76	14.67	
				01-28-74	172.49	27.73	
				02-13-74	176.18	3.69	
				04-30-74	195.75	19.57	
				07-15-74	211.60	15.85	
				07-29-74	193.25		18.35
				10-10-74	194.98	1.73	
				02-04-75	178.59		16.39
				02-13-75	173.04		5.55
				04-25-75	195.62	22.58	
				07-09-75	194.04		1.58
				10-22-75	194.78	0.74	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-28-76	202.15	7.37	
				01-30-76	192.56		9.59
				04-23-76	191.94		0.62
				07-13-76	195.09	3.15	
				10-22-76	173.39		21.70
				02-03-77	177.16	3.77	
				04-19-77	178.56	1.40	
				07-19-77	178.71	0.15	
68-27-514	KCEB	344	986.70	10-18-32	261.70		
				11-18-32	262.00	0.30	
				01-15-33	264.00	2.00	
				04-09-33	263.20		0.80
				07-18-33	268.42	5.22	
				08-17-33	270.20	1.78	
				09-18-33	271.93	1.73	
				10-17-33	273.29	1.36	
				11-20-33	274.62	1.33	
				12-18-33	276.04	1.42	
				01-19-34	276.82	0.78	
				02-19-34	276.58		0.24
				04-18-34	273.00		3.58
				05-21-34	270.51		2.49
				06-19-34	271.56	1.05	
				07-30-34	272.85	1.29	
				09-19-34	275.95	3.10	
				10-13-34	277.32	1.37	
				11-20-34	279.24	1.92	
				12-19-34	281.13	1.89	
				02-02-35	281.78	0.65	
				04-10-35	282.56	0.78	
				05-20-35	277.83		4.73
				08-26-36	213.46		64.37
				12-30-36	229.86	16.40	
				08-31-49	265.29	35.43	
				03-30-50	275.99	10.70	
68-27-515	KCEB	360	968.00	10-18-32	244.90		
				11-18-32	245.65	0.75	
				01-15-33	246.95	1.30	
				04-09-33	246.81		0.14
				07-18-33	252.37	5.56	
				09-18-33	255.79	3.42	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-17-33	256.98	1.19	
				11-20-33	258.32	1.34	
				12-18-33	259.66	1.34	
				01-19-34	260.57	0.91	
				02-19-34	259.96		0.61
				03-19-34	258.56		1.40
				04-18-34	255.75		2.81
				05-21-34	253.15		2.60
				06-19-34	255.05	1.90	
				07-30-34	256.88	1.83	
				08-22-34	258.02	1.14	
				09-19-34	260.01	1.99	
				10-13-34	261.23	1.22	
				11-20-34	263.09	1.86	
				12-19-34	264.90	1.81	
				02-02-35	265.53	0.63	
				02-28-35	265.12		0.41
				04-10-35	265.94	0.82	
				06-28-35	229.10		36.84
				09-29-35	215.56		13.54
				11-19-35	217.05	1.49	
				01-18-36	223.83	6.78	
				08-26-36	199.30		24.53
				12-30-36	214.53	15.23	
				08-31-49	250.95	36.42	
				10-11-49	254.90*	3.95	
				11-04-49	253.78*		1.12
				01-27-50	259.16	5.38	
				02-24-50	259.12		0.04
				03-30-50	260.25*	1.13	
				05-04-50	261.11*	0.86	
				06-05-50	256.70		4.41
				07-06-50	256.94	0.24	
				08-02-50	257.38	0.44	
				09-06-50	260.18*	2.80	
				10-06-50	263.17	2.99	
				11-08-50	266.42*	3.25	
				12-05-50	269.07	2.65	
				01-06-51	271.12	2.05	
				02-06-51	273.55	2.43	
				03-07-51	274.70	1.15	
				05-12-51	277.97	3.27	
				06-05-51	278.49	0.52	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-07-51	281.52*	3.03	
				09-11-51	282.64	1.12	
				10-30-51	285.30*	2.66	
				12-28-51	286.61	1.31	
				03-04-52	288.97	2.36	
				04-10-52	289.42*	0.45	
				07-01-52	292.22*	2.80	
				11-06-52	289.74		2.48
				01-07-53	281.00Q		8.74
				03-03-53	284.05*	3.05	
				05-08-53	286.85*	2.80	
				09-21-53	281.94		4.91
				11-05-53	280.10*		1.84
				01-08-54	283.32*	3.22	
				03-03-54	286.75	3.43	
				05-05-54	290.53	3.78	
				07-08-54	293.64	3.11	
				08-26-54	295.49*	1.85	
				10-11-54	297.05	1.56	
				11-03-54	298.06	1.01	
				12-01-54	298.77	0.71	
				01-05-55	299.55	0.78	
				02-01-55	299.41		0.14
				03-01-55	300.73	1.32	
				04-06-55	301.49	0.76	
				05-04-55	304.18	2.69	
				06-02-55	302.12		2.06
				07-05-55	303.47	1.35	
				08-04-55	304.97	1.50	
				08-31-55	305.46	0.49	
				10-04-55	306.51	1.05	
				11-03-55	307.41	0.90	
				12-05-55	307.01		0.40
				01-06-56	308.74	1.73	
				02-06-56	309.32	0.58	
				03-06-56	309.85	0.53	
				04-02-56	310.39	0.54	
				05-01-56	311.02	0.63	
				06-04-56	311.90	0.88	
				07-05-56	312.71	0.81	
				08-01-56	313.50	0.79	
				08-29-56	315.48	1.98	
				11-05-56	316.20	0.72	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-04-56	316.24	0.04	
				01-02-57	316.71	0.47	
				02----57	317.25	0.54	
				03-04-57	317.51	0.26	
				05-07-57	311.19		6.32
				06-03-57	301.80		9.39
				07-03-57	294.61		7.19
				08-06-57	297.53	2.92	
				09-03-57	308.85	11.32	
				10-02-57	297.51		11.34
				01-07-58	278.44		19.07
				02-11-58	259.80		18.64
				03-05-58	253.60		6.20
				04-04-58	242.73		10.87
				05-07-58	221.30		21.43
				06-05-58	229.46	8.16	
				07-08-58	234.76	5.30	
				08-04-58	238.19	3.43	
				10-08-58	228.00		10.19
				11-05-58	214.30		13.70
				12-02-58	209.80		4.50
				01-09-59	215.34	5.54	
				02-11-59	216.23	0.89	
				03-03-59	221.20	4.97	
				05-05-59	225.54	4.34	
				06-01-59	227.49	1.95	
				07-08-59	230.98	3.49	
				08-06-59	232.90	1.92	
				09-01-59	235.22	2.32	
				10-01-59	238.19	2.97	
				11-04-59	238.40	0.21	
				12-03-59	239.50*	1.10	
				12-03-59	239.47*		0.03
				01-11-60	238.26		1.21
				02-08-60	237.91		0.35
				03-03-60	238.67	0.76	
				04-04-60	238.68	0.01	
				05-05-60	238.46		0.22
				06-02-60	239.56	1.10	
				07-06-60	242.52	2.96	
				08-03-60	242.22		0.30
				09-07-60	241.81		0.41
				10-02-60	243.80	1.99	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-08-60	236.66		7.14
				12-05-60	235.39		1.27
				01-03-61	232.33		3.06
				10-13-70	237.54	5.21	
				08-14-71	264.58	27.04	
				08-26-71	253.68		10.90
68-27-607	KCEB	285	906.80	07-21-32	204.70		
				10-18-32	200.65		4.05
				11-18-32	200.98	0.33	
				04-09-33	201.06	0.08	
				07-18-33	204.93	3.87	
				08-17-33	206.18	1.25	
				09-18-33	207.14	0.96	
				10-17-33	207.73	0.59	
				11-20-33	208.81	1.08	
				12-18-33	209.73	0.92	
				01-19-34	210.32	0.59	
				02-19-34	209.58		0.74
				03-19-34	208.48		1.10
				04-18-34	207.02		1.46
				05-21-34	205.95		1.07
				06-19-34	207.54	1.59	
				07-30-34	209.54	2.00	
				08-22-34	209.83	0.29	
				09-19-34	211.50	1.67	
				10-11-34	213.00	1.50	
				11-20-34	214.05	1.05	
				12-19-34	214.99	0.94	
				02-02-35	215.36	0.37	
				02-28-35	215.19		0.17
				04-10-35	215.90	0.71	
				05-20-35	211.50		4.40
				06-28-35	188.12		23.38
				09-29-35	184.90		3.22
				11-19-35	183.00		1.90
				01-18-36	185.68	2.68	
				08-26-36	168.94		16.74
				12-30-36	176.61	7.67	
				08-31-49	209.13	32.52	
				10-11-49	212.62	3.49	
				11-04-49	208.84		3.78
				01-27-50	212.37	3.53	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-24-50	212.40	0.03	
				03-30-50	213.14	0.74	
				05-03-50	212.67		0.47
				06-05-50	212.19		0.48
				07-06-50	212.32	0.13	
				08-02-50	215.44	3.12	
				09-06-50	215.79	0.35	
				10-06-50	217.20	1.41	
				11-08-50	219.37	2.17	
				12-05-50	220.91	1.54	
				01-06-51	222.57	1.66	
				03-07-51	225.32	2.75	
				05-12-51	227.96	2.64	
				06-05-51	227.97	0.01	
				08-07-51	231.16	3.19	
				09-11-51	233.35	2.19	
				10-30-51	235.17	1.82	
				12-28-51	236.36	1.19	
				03-04-52	238.14	1.78	
				04-10-52	238.88	0.74	
				07-01-52	239.80	0.92	
				09-04-52	240.96	1.16	
				11-06-52	239.88		1.08
				01-07-53	235.83		4.05
				03-03-53	234.50		1.33
				05-08-53	237.75	3.25	
				07-16-53	242.40	4.65	
68-27-608	KCEB	340	950.00	03-03-54	280.22		
				05-05-54	284.69	4.47	
				05-21-54	284.38*		0.31
				07-08-54	286.08*	1.70	
				08-26-54	288.32	2.24	
				11-03-54	290.68	2.36	
				01-05-55	291.48	0.80	
				03-01-55	291.75	0.27	
				05-04-55	295.91	4.16	
				07-05-55	304.20	8.29	
				08-31-55	297.03		7.17
				11-03-55	299.01	1.98	
				01-06-56	299.91	0.90	
				03-06-56	300.46	0.55	
				05-01-56	302.03	1.57	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-05-56	304.40	2.37	
				08-29-56	306.44*	2.04	
				11-05-56	308.26*	1.82	
				01-02-57	308.28	0.02	
				03-04-57	308.48	0.20	
				05-07-57	301.89		6.59
				07-03-57	292.99		8.90
				09-03-57	305.59	12.60	
				01-07-58	281.83		23.76
				03-05-58	269.10		12.73
				05-12-58	268.23		0.87
				07-07-58	284.14	15.91	
				09-05-58	287.04	2.90	
				11-05-58	245.90		41.14
				01-08-59	247.60	1.70	
				03-03-59	233.62*		13.98
				05-05-59	234.30	0.68	
				07-08-59	237.58	3.28	
				09-01-59	239.93	2.35	
				11-04-59	240.52	0.59	
				01-11-60	239.66		0.86
				03-03-60	238.93		0.73
				05-05-60	239.42	0.49	
				07-06-60	243.02	3.60	
				09-07-60	242.67		0.35
				11-08-60	242.25		0.42
				01-03-61	237.99		4.26
68-27-701	KCEB	570	936.80	09-22-33	233.86		
				08-30-49	242.98	9.12	
				11-04-49	237.63		5.35
				01-27-50	246.83	9.20	
				02-24-50	242.99		3.84
				03-29-50	247.10	4.11	
				05-03-50	246.30		0.80
				06-05-50	230.59		15.71
				07-05-50	243.93	13.34	
				08-02-50	249.33	5.40	
				09-06-50	251.83	2.50	
				10-05-50	253.20	1.37	
				11-06-50	257.03	3.83	
				12-05-50	258.52	1.49	
				01-05-51	261.42	2.90	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-06-51	264.28	2.86	
				03-06-51	275.20*	10.92	
				05-12-51	268.20		7.00
				06-07-51	265.25		2.95
				08-07-51	275.11	9.86	
				09-11-51	277.27	2.16	
				11-01-51	276.58		0.69
				12-28-51	276.14		0.44
				03-05-52	277.72	1.58	
				04-08-52	277.37		0.35
68-27-702	KCEB	466	914.30	06-17-46	215.80		
				10-07-49	231.53	15.73	
				11-03-49	222.46		9.07
				01-27-50	230.24	7.78	
				02-24-50	227.09		3.15
				03-29-50	231.26	4.17	
				05-03-50	230.13		1.13
				06-05-50	220.43		9.70
				07-05-50	229.85	9.42	
				08-02-50	234.04	4.19	
				09-06-50	235.64	1.60	
				10-05-50	236.43	0.79	
				11-08-50	239.65	3.22	
				12-05-50	240.56	0.91	
				01-05-51	242.38	1.82	
				02-06-51	244.61	2.23	
				03-06-51	245.33	0.72	
				05-12-51	248.02	2.69	
				06-07-51	245.27		2.75
				08-07-51	254.76	9.49	
				09-11-51	256.92	2.16	
				11-01-51	256.50		0.42
				12-28-51	255.25		1.25
				03-05-52	256.83	1.58	
				04-03-52	256.35		0.48
				07-01-52	259.55	3.20	
				09-04-52	266.02	6.47	
				11-05-52	257.51		8.51
				01-07-53	245.19		12.32
				03-03-53	251.53	6.34	
				05-06-53	255.97	4.44	
				07-16-53	263.95	7.98	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-01-53	245.84		18.11
				11-05-53	250.80	4.96	
				01-07-54	252.96	2.16	
				03-05-54	258.33	5.37	
				05-05-54	263.07	4.74	
				07-08-54	267.22	4.15	
				08-26-54	272.36	5.14	
				11-01-54	269.02		3.34
				01-04-55	266.84		2.18
				03-01-55	266.28		0.56
				05-02-55	272.94	6.66	
				07-05-55	275.97	3.03	
				08-29-55	278.57	2.60	
				11-01-55	279.25	0.68	
				01-03-56	276.42		2.83
				03-05-56	276.91	0.49	
				05-01-56	281.49	4.58	
				07-02-56	286.54	5.05	
				08-27-56	289.02	2.48	
				11-06-56	285.73		3.29
				01-02-57	282.98		2.75
				03-04-57	281.39		1.59
				05-07-57	260.06		21.33
				07-03-57	252.11		7.95
				09-03-57	268.79	16.68	
				11-08-57	248.61		20.18
				01-07-58	237.82		10.79
				03-06-58	217.78		20.04
				05-07-58	207.70		10.08
				07-08-58	222.60	14.90	
				09-04-58	232.52	9.92	
				11-05-58	195.05		37.47
				01-08-59	202.98	7.93	
				03-03-59	205.29	2.31	
				05-05-59	208.46	3.17	
				07-08-59	215.40	6.94	
				09-01-59	219.33	3.93	
				11-04-59	212.98		6.35
				01-11-60	209.83		3.15
				03-03-60	211.37	1.54	
				05-05-60	211.38	0.01	
				07-06-60	221.30	9.92	
				09-07-60	216.91		4.39

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-08-60	206.54		10.37
				01-04-61	205.21		1.33
68-28-102	KCEB	440	1001.52	12-11-57	191.60		
				02-11-58	174.06		17.54
				02-15-58	175.75	1.69	
				02-20-58	179.44	3.69	
				02-25-58	162.72		16.72
				03-01-58	160.32		2.40
				03-05-58	158.58		1.74
				03-10-58	158.04		0.54
				03-15-58	158.51	0.47	
				03-20-58	159.47	0.96	
				03-25-58	161.07	1.60	
				04-01-58	165.43	4.36	
				04-05-58	169.32	3.89	
				04-10-58	173.25	3.93	
				04-15-58	175.89	2.64	
				04-20-58	174.75		1.14
				04-25-58	173.34		1.41
				05-01-58	171.78		1.56
				05-15-58	151.44		20.34
				05-20-58	152.96	1.52	
				05-25-58	155.96	3.00	
				06-01-58	162.70	6.74	
				06-05-58	165.15	2.45	
				06-10-58	167.68	2.53	
				06-15-58	170.08	2.40	
				06-20-58	173.47	3.39	
				06-25-58	175.45	1.98	
				07-01-58	178.28	2.83	
				07-05-58	179.88	1.60	
				07-10-58	181.63	1.75	
				07-15-58	183.39	1.76	
				07-20-58	184.96	1.57	
				07-25-58	186.30	1.34	
				08-01-58	187.85	1.55	
				08-05-58	188.55	0.70	
				08-10-58	189.43	0.88	
				08-15-58	189.93	0.50	
				08-20-58	190.68	0.75	
				08-25-58	191.07	0.39	
				09-01-58	191.98	0.91	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-05-58	192.33	0.35	
				09-12-58	191.90		0.43
				09-15-58	192.53	0.63	
				09-20-58	156.22		36.31
				09-25-58	163.89	7.67	
				10-01-58	163.98	0.09	
				10-05-58	164.55	0.57	
				10-10-58	168.40	3.85	
				10-20-58	175.00	6.60	
				10-25-58	169.88		5.12
				11-01-58	161.19		8.69
				11-05-58	159.64		1.55
				11-10-58	157.36		2.28
				11-15-58	157.68	0.32	
				11-20-58	157.96	0.28	
				11-25-58	158.23	0.27	
				12-01-58	159.87	1.64	
				12-05-58	160.80	0.93	
				12-10-58	162.05	1.25	
				12-15-58	163.45	1.40	
				12-20-58	164.63	1.18	
				12-25-58	166.90	2.27	
				01-10-59	177.73	10.83	
				01-15-59	178.83	1.10	
				01-20-59	180.21	1.38	
				01-25-59	181.89	1.68	
				02-01-59	183.51	1.62	
				02-05-59	184.00	0.49	
				02-10-59	185.06	1.06	
				02-13-59	185.76	0.70	
				03-03-59	183.47		2.29
				03-06-59	183.33		0.14
				04-05-59	188.95	5.62	
				04-10-59	189.69	0.74	
				04-23-59	188.67		1.02
				04-25-59	188.87	0.20	
				05-01-59	189.73	0.86	
				05-05-59	189.95	0.22	
				05-10-59	190.71	0.76	
				05-15-59	191.73	1.02	
				05-20-59	191.66		0.07
				05-25-59	192.85	1.19	
				06-01-59	194.07	1.22	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-59	194.73	0.66	
				06-10-59	193.62		1.11
				06-15-59	194.18	0.56	
				06-20-59	194.60	0.42	
				06-23-59	195.04	0.44	
				07-10-59	195.06	0.02	
				07-15-59	195.13	0.07	
				07-20-59	195.69	0.56	
				07-25-59	195.92	0.23	
				08-01-59	196.77	0.85	
				08-05-59	197.33	0.56	
				08-10-59	198.25	0.92	
				08-15-59	198.68	0.43	
				08-20-59	198.26		0.42
				08-25-59	200.62	2.36	
				09-01-59	199.89		0.73
				09-05-59	200.44	0.55	
				09-10-59	201.19	0.75	
				09-15-59	201.56	0.37	
				09-20-59	202.28	0.72	
				10-05-59	197.50		4.78
				10-10-59	199.81	2.31	
				10-15-59	199.59		0.22
				10-20-59	200.53	0.94	
				10-23-59	200.80	0.27	
				11-05-59	200.68		0.12
				11-10-59	200.72	0.04	
				11-15-59	200.88	0.16	
				11-20-59	200.70		0.18
				11-25-59	200.58		0.12
				11-30-59	201.18	0.60	
				12-15-59	198.35		2.83
				12-20-59	198.40	0.05	
				12-25-59	200.14	1.74	
				01-01-60	196.15		3.99
				01-05-60	198.06	1.91	
				01-10-60	198.23	0.17	
				01-15-60	198.52	0.29	
				01-20-60	199.52	1.00	
				01-25-60	199.51		0.01
				02-01-60	199.97	0.46	
				02-05-60	198.50		1.47
				02-10-60	198.92	0.42	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-15-60	199.89	0.97	
				02-20-60	200.33	0.44	
				02-25-60	200.64	0.31	
				03-01-60	200.99	0.35	
				03-27-60	200.95		0.04
				04-01-60	200.42		0.53
				04-05-60	200.93	0.51	
				04-10-60	201.02	0.09	
				04-13-60	200.97		0.05
				05-03-60	201.22	0.25	
				06-03-60	207.41	6.19	
				08-03-60	200.87		6.54
68-28-201	KCEB	387	1003.90	12-22-33	288.08		
				03-02-34	288.50	0.42	
				10-12-34	291.62	3.12	
				03-01-35	291.28		0.34
				11-20-35	260.38		30.90
				09-01-49	275.65	15.27	
				11-07-49	277.84	2.19	
				01-31-50	280.49	2.65	
				02-27-50	286.53	6.04	
				03-30-50	280.94		5.59
				05-04-50	281.79	0.85	
				06-05-50	281.61		0.18
				07-06-50	282.41	0.80	
				08-03-50	287.27	4.86	
				09-07-50	290.99	3.72	
				10-06-50	289.18		1.81
				11-08-50	289.64	0.46	
				12-05-50	292.16	2.52	
				01-06-51	287.39		4.77
				02-06-51	288.05	0.66	
				03-07-51	292.93	4.88	
				05-11-51	290.61		2.32
				06-06-51	290.79	0.18	
				07-25-51	291.89	1.10	
				10-30-51	294.55	2.66	
				12-27-51	295.15	0.60	
				03-04-52	296.63	1.48	
				07-01-52	298.80	2.17	
				09-05-52	301.30	2.50	
				11-07-52	301.03		0.27

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-08-53	299.80		1.23
				03-09-53	300.77	0.97	
				05-08-53	302.76	1.99	
				07-17-53	304.14	1.38	
				09-22-53	311.10	6.96	
				01-08-54	307.00Q		4.10
				03-05-54	306.25Q		0.75
				05-06-54	307.70	1.45	
				07-09-54	307.94	0.24	
				08-27-54	308.54	0.60	
				11-03-54	309.21	0.67	
				03-02-55	309.94	0.73	
				05-04-55	312.68	2.74	
				07-07-55	311.07		1.61
				09-02-55	311.96	0.89	
				11-03-55	312.96	1.00	
				01-06-56	312.61		0.35
				03-08-56	312.97	0.36	
				05-03-56	313.53	0.56	
				07-05-56	314.90	1.37	
				08-28-56	316.78	1.88	
				11-06-56	316.15		0.63
				01-03-57	316.23	0.08	
				03-08-57	316.49	0.26	
				05-10-57	311.08		5.41
				07-03-57	302.42		8.66
				09-05-57	304.80	2.38	
				01-07-58	275.38Q		29.42
				03-07-58	258.40Q		16.98
				05-08-58	256.63		1.77
				07-08-58	270.92	14.29	
				09-08-58	282.26	11.34	
				11-04-58	253.17		29.09
				01-09-59	254.15	0.98	
				03-03-59	260.23	6.08	
				05-04-59	262.30	2.07	
				07-08-59	264.18	1.88	
				09-04-59	266.20	2.02	
				11-04-59	269.85	3.65	
				01-15-60	269.00		0.85
				03-03-60	270.38	1.38	
				05-05-60	270.26		0.12
				07-06-60	279.58	9.32	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-07-60	272.10		7.48
				11-08-60	272.16	0.06	
				01-03-61	270.55		1.61
68-28-404	KCEB	546	920.00	04-19-73	209.28		
				05-01-73	205.60		3.68
				07-17-73	177.90		27.70
				07-27-73	193.25	15.35	
				02-14-74	164.60		28.65
				07-15-74	188.07	23.47	
				02-13-75	199.40	11.33	
				07-18-75	192.40		7.00
				02-25-76	207.90	15.50	
				08-02-76	199.80		8.10
				02-03-77	171.29		28.51
68-28-507	KCEB	319	894.10	08-06-33	214.90		
				10-11-34	220.10	5.20	
				09-01-49	224.91	4.81	
				11-07-49	220.27		4.64
				01-31-50	223.76	3.49	
				02-27-50	221.01		2.75
				03-30-50	225.02	4.01	
				05-03-50	224.14		0.88
				06-05-50	221.72		2.42
				07-06-50	227.31	5.59	
				08-03-50	230.41	3.10	
				09-07-50	230.39		0.02
				10-06-50	230.63	0.24	
				11-08-50	232.48	1.85	
				12-05-50	232.81	0.33	
				01-06-51	233.46	0.65	
				02-06-51	234.88	1.42	
				03-07-51	236.85	1.97	
				05-11-51	237.82	0.97	
				06-06-51	235.93		1.89
				08-06-51	244.46	8.53	
				09-12-51	246.18	1.72	
				10-30-51	244.07		2.11
				12-27-51	243.80		0.27
				03-04-52	244.97	1.17	
				04-03-52	244.99	0.02	
				07-02-52	248.80	3.81	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-05-52	254.45	5.65	
				11-07-52	248.94		5.51
				01-08-53	238.12		10.82
				03-09-53	243.31	5.19	
				05-08-53	247.47	4.16	
				07-17-53	254.40	6.93	
				09-22-53	243.79		10.61
				11-06-53	244.65	0.86	
				01-08-54	244.75	0.10	
				03-04-54	248.75	4.00	
				07-09-54	256.22	7.47	
				06-27-54	260.84	4.62	
				11-03-54	257.76		3.08
				12-01-54	256.25		1.51
				01-07-55	255.68		0.57
				02-03-55	256.23	0.55	
				03-03-55	254.33		1.90
				04-07-55	257.61	3.28	
				05-04-55	260.95	3.34	
				06-02-55	259.49		1.46
				07-07-55	263.27	3.78	
				08-02-55	264.22	0.95	
				09-02-55	265.35	1.13	
				11-04-55	265.49	0.14	
				12-06-55	262.08		3.41
				01-06-56	261.94		0.14
				02-07-56	260.93		1.01
				03-06-56	262.94	2.01	
				04-04-56	265.68	2.74	
				05-03-56	266.90	1.22	
				06-04-56	269.22	2.32	
				07-05-56	271.92	2.70	
				08-01-56	274.63	2.71	
				06-29-56	274.42		0.21
				10-02-56	277.31	2.89	
				11-06-56	270.51		6.80
				12-04-56	269.06		1.45
				01-03-57	267.23		1.83
				02-06-57	266.95		0.28
				03-07-57	266.12		0.83
				04-03-57	263.85		2.27
				05-10-57	250.08		13.77
				06-05-57	241.16		8.92

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-03-57	246.07	4.91	
				08-06-57	257.67	11.60	
				09-05-57	261.36	3.69	
				10-07-57	249.92		11.44
				11-07-57	240.66		9.26
				12-02-57	236.01		4.65
				01-07-58	233.60		2.41
				02-11-58	225.08		8.52
				03-07-58	216.80		8.28
				04-04-58	217.47	0.67	
				05-08-58	213.80		3.67
				06-03-58	217.88	4.08	
				07-03-58	222.35	4.47	
				08-05-58	227.75	5.40	
				09-02-58	231.11	3.36	
				10-08-58	211.33		19.78
				11-04-58	204.20		7.13
				12-02-58	204.42	0.22	
				01-12-59	206.67	2.25	
				02-11-59	207.62	0.95	
				03-03-59	206.53		1.09
				04-03-59	209.14	2.61	
				05-04-59	208.62		0.52
				06-02-59	211.70	3.08	
				07-08-59	216.71	5.01	
				08-07-59	218.78	2.07	
				09-04-59	218.82	0.04	
				10-02-59	218.71		0.11
				11-05-59	213.52		5.19
				12-03-59	212.08		1.44
				01-15-60	209.07		3.01
				02-10-60	209.67	0.60	
				03-03-60	210.55	0.88	
				04-04-60	210.57	0.02	
				05-05-60	210.46		0.11
				06-03-60	216.47	6.01	
				07-06-60	219.82	3.35	
				08-03-60	218.62		1.20
				09-07-60	216.07		2.55
				10-04-60	219.82	3.75	
				11-08-60	206.93		12.89
				12-06-60	208.20	1.27	
				01-03-61	205.29		2.91

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-24-71	217.75	12.46	
				02-03-72	228.55Q	10.80	
				03-21-72	229.00	0.45	
				05-08-72	220.30		8.70
				06-08-72	215.40		4.90
				02-10-73	231.05	15.65	
				04-16-73	210.65		20.40
				07-27-73	189.40		21.25
				02-14-74	202.70	13.30	
				07-15-74	228.80	26.10	
				02-13-75	238.80	10.00	
				07-18-75	202.05		36.75
				02-25-76	226.74	24.69	
				08-02-76	217.10		9.64
68-28-704	KCEB	355	892.70	09-28-33	190.65		
				10-11-34	215.20	24.55	
				08-31-49	220.40	5.20	
				10-11-49	222.43	2.03	
				11-07-49	215.68		6.75
				01-31-50	219.09	3.41	
				02-27-50	218.74		0.35
				03-30-50	220.98	2.24	
				05-03-50	219.90		1.08
				06-05-50	216.91		2.99
				07-05-50	163.86		53.05
				08-02-50	224.50	60.64	
				09-07-50	225.57	1.07	
				10-06-50	225.68	0.11	
				11-08-50	227.82	2.14	
				12-05-50	231.35	3.53	
				01-05-51	228.94		2.41
				02-06-51	230.70	1.76	
				03-07-51	231.30	0.60	
				09-12-51	241.60	10.30	
68-28-705	KCEB	----	874.80	02-27-50	198.40		
				03-30-50	202.28	3.88	
				05-03-50	201.01		1.27
				06-05-50	197.40		3.61
				07-06-50	203.70	6.30	
				08-02-50	207.06	3.36	
				09-06-50	208.39	1.33	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-05-50	208.91	0.52	
				11-08-50	209.69	0.78	
				12-05-50	209.55		0.14
				01-05-51	212.20	2.65	
				02-06-51	212.25	0.05	
				03-06-51	213.38	1.13	
				05-11-51	215.00	1.62	
				06-06-51	212.91		2.09
				08-07-51	222.82	9.91	
				09-11-51	224.39	1.57	
				10-30-51	221.63		2.76
				12-27-51	221.52		0.11
				03-14-52	222.60	1.08	
				04-03-52	222.77	0.17	
				07-01-52	226.35	3.58	
				09-04-52	233.04	6.69	
				11-06-52	226.00		7.04
				01-07-53	215.53		10.47
				03-03-53	219.97	4.44	
				09-21-53	220.52	0.55	
				11-05-53	221.20	0.68	
				01-07-54	221.76	0.56	
				03-03-54	226.44	4.68	
				05-05-54	229.80	3.36	
				07-08-54	234.67	4.87	
				08-26-54	239.72	5.05	
				11-03-54	235.02		4.70
				01-05-55	232.97		2.05
				05-04-55	240.12	7.15	
				08-30-55	245.32	5.20	
				11-03-55	244.00		1.32
				01-06-56	240.09		3.91
				03-06-56	241.66	1.57	
				05-01-56	245.84	4.18	
				07-05-56	251.20	5.36	
				08-29-56	252.47	1.27	
				11-05-56	248.20		4.27
				01-02-57	245.28		2.92
				03-04-57	243.98		1.30
				05-07-57	227.28		16.70
				07-03-57	225.20		2.08
				09-03-57	239.41	14.21	
				11-07-57	225.73		13.68

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-07-58	210.54		15.19
				03-05-58	195.42		15.12
				05-08-58	193.96		1.46
				09-04-58	209.75	15.79	
				11-05-58	179.30		30.45
				01-09-59	182.86	3.56	
				03-03-59	182.89	0.03	
				05-05-59	185.37	2.48	
				07-08-59	193.95	8.58	
				09-01-59	194.23	0.28	
				11-04-59	190.25		3.98
				01-11-60	185.40		4.85
				03-03-60	186.55	1.15	
				05-05-60	187.02	0.47	
				07-07-60	196.77*	9.75	
				09-07-60	193.10		3.67
				11-08-60	183.50		9.60
				01-03-61	181.77		1.73
				11-23-71	192.96	11.19	
				02-03-72	189.14		3.82
				02-07-72	188.88		0.26
				10-17-72	198.48	9.60	
				10-17-72	199.72	1.24	
				02-08-73	198.30		1.42
				04-16-73	176.70		21.60
				07-27-73	171.50		5.20
				02-14-74	171.10		0.40
				07-16-74	192.58	21.48	
				02-13-75	167.61		24.97
				07-17-75	176.28	8.67	
				03-05-76	197.36	21.08	
				08-02-76	178.66		18.70
				02-02-77	161.71		16.95
68-28-901	KCEB	791	877.50	02-04-72	195.25		
				06-08-72	204.66	9.41	
				02-09-73	192.93		11.73
				07-26-73	166.47		26.46
				07-16-74	209.15	42.68	
				02-12-75	185.40		23.75
				02-17-75	196.47	11.07	
				02-23-76	214.21	17.74	
				08-02-76	200.23		13.98

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-28-908	KCEB	325	837.60	03---52	188.90		
				02-17-55	197.34	8.44	
				03-03-55	196.96		0.38
				05-04-55	204.97	8.01	
				07-07-55	207.79	2.82	
				08-02-55	207.83	0.04	
				09-02-55	207.58		0.25
				10-04-55	207.63	0.05	
				11-03-55	208.13	0.50	
				12-06-55	203.89		4.24
				01-06-56	204.03	0.14	
				02-07-56	202.71		1.32
				03-06-56	206.33	3.62	
				04-04-56	208.82	2.49	
				05-03-56	209.12	0.30	
				06-04-56	213.71	4.59	
				07-05-56	215.31	1.60	
				08-01-56	219.71	4.40	
				08-29-56	216.15		3.56
				10-02-56	217.97	1.82	
				11-06-56	211.37		6.60
				12-04-56	211.11		0.26
				01-03-57	208.63		2.48
				03-07-57	207.69		0.94
				04-03-57	204.08		3.61
				05-10-57	191.94		12.14
				06-05-57	181.17		10.77
				07-03-57	191.86	10.69	
				09-05-57	204.55	12.69	
				10-07-57	192.75		11.80
				11-07-57	183.76		8.99
				12-02-57	178.69		5.07
				01-07-58	175.84		2.85
02-11-58	168.35		7.49				
03-07-58	159.70		8.65				
04-04-58	161.18	1.48					
05-08-58	157.67		3.51				
06-05-58	165.38	7.71					
07-03-58	168.89	3.51					
08-05-58	175.88	6.99					
09-02-58	178.16	2.28					
10-08-58	155.08		23.08				
11-04-58	148.36		6.72				

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-02-58	149.42	1.06	
				01-12-59	152.05	2.63	
				02-11-59	153.28	1.23	
				03-03-59	152.04		1.24
				04-03-59	155.75	3.71	
				05-04-59	154.69		1.06
				06-02-59	159.35	4.66	
				07-08-59	164.50	5.15	
				08-07-59	166.85	2.35	
				09-04-59	165.68		1.17
				10-02-59	165.16		0.52
				11-05-59	157.90		7.26
				12-03-59	157.01		0.89
				01-15-60	155.14		1.87
				02-10-60	155.19	0.05	
				03-03-60	155.75	0.56	
				04-04-60	155.99	0.24	
				05-02-60	156.17	0.18	
				06-03-60	164.44	8.27	
				07-06-60	166.46	2.02	
				08-03-60	165.71		0.75
				09-07-60	161.73		3.98
				10-04-60	165.93	4.20	
				11-08-60	151.65		14.28
				12-06-60	153.50	1.85	
				01-03-61	150.21		3.29
68-28-909	KCEB	867	871.00	02-04-72	106.80		
				06-08-72	108.56	1.76	
				10-17-72	113.80	5.24	
				02-09-73	106.00		7.80
				02-13-74	91.25		14.75
				07-16-74	111.47	20.22	
				02-12-75	89.25		22.22
				07-17-75	97.31	8.06	
				02-23-76	111.62	14.31	
				08-02-76	101.04		10.58
68-28-910	KCEB	804	815.00	04-16-74	127.05		
				07-16-74	138.84	11.79	
				02-12-75	116.22		22.62
				07-17-75	125.75	9.53	
				02-23-76	143.23	17.48	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
C MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-02-76	129.08		14.15
				02-03-77	105.12		23.96
68-29-103	KCEB	547	952.67	01-01-57	283.23		
				01-05-57	282.20		1.03
				01-10-57	279.44		2.76
				01-15-57	278.59		0.85
				01-20-57	277.70		0.89
				01-25-57	277.24		0.46
				02-01-57	276.84		0.40
				02-05-57	276.33		0.51
				02-10-57	277.17	0.84	
				02-15-57	277.41	0.24	
				02-20-57	277.50	0.09	
				02-25-57	272.67		4.83
				11-15-57	284.25	11.58	
				11-20-57	284.28	0.03	
				11-25-57	284.10		0.18
				12-01-57	283.75		0.35
				12-05-57	283.35		0.40
				12-10-57	283.25		0.10
				12-15-57	283.35	0.10	
				12-20-57	283.20		0.15
				12-25-57	283.18		0.02
				03-01-58	272.67		10.51
				03-05-58	272.07		0.60
				03-10-58	271.63		0.44
				03-15-58	271.37		0.26
				03-20-58	271.03		0.34
				03-25-58	270.55		0.48
				04-01-58	270.44		0.11
				04-05-58	270.56	0.12	
				04-10-58	271.31	0.75	
				04-15-58	271.38	0.07	
				04-20-58	271.21		0.17
				04-25-58	271.37	0.16	
				05-01-58	271.22		0.15
				05-05-58	268.74		2.48
				05-10-58	267.99		0.75
				05-15-58	267.55		0.44
				05-20-58	267.19		0.36
				05-25-58	266.77		0.42
				06-01-58	267.35	0.58	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-58	268.14	0.79	
				06-10-58	268.32	0.18	
				06-15-58	268.54	0.22	
				06-20-58	268.75	0.21	
				06-25-58	268.55		0.20
				07-01-58	268.89	0.34	
				07-05-58	269.17	0.28	
				07-10-58	268.84		0.33
				07-15-58	268.83		0.01
				07-20-58	269.08	0.25	
				07-25-58	269.33	0.25	
				08-01-58	269.90	0.57	
				08-05-58	270.00	0.10	
				08-10-58	270.35	0.35	
				08-15-58	270.24		0.11
				08-20-58	270.53	0.29	
				08-25-58	270.62	0.09	
				09-01-58	271.23	0.61	
				09-05-58	271.04		0.19
				09-10-58	270.83		0.21
				09-15-58	270.73		0.10
				09-20-58	267.32		3.41
				09-25-58	267.34	0.02	
				10-01-58	266.74		0.60
				10-05-58	266.48		0.26
				10-10-58	266.59	0.11	
				10-15-58	266.33		0.26
				10-20-58	265.87		0.46
				10-25-58	265.60		0.27
				11-01-58	260.56		5.04
				11-05-58	260.14		0.42
				11-10-58	259.76		0.38
				11-15-58	258.94		0.82
				11-20-58	258.78		0.16
				11-25-58	258.17		0.61
				12-01-58	258.04		0.13
				12-05-58	257.29		0.75
				12-10-58	257.82	0.53	
				12-15-58	258.19	0.37	
				12-20-58	257.91		0.28
				12-25-58	258.08	0.17	
				01-01-59	257.74		0.34
				01-05-59	258.34	0.60	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-10-59	258.22		0.12
				01-15-59	257.72		0.50
				01-20-59	257.39		0.33
				01-25-59	257.86	0.47	
				02-01-59	258.15	0.29	
				02-05-59	257.68		0.47
				02-10-59	257.66		0.02
				02-15-59	257.87	0.21	
				02-20-59	258.11	0.24	
				02-25-59	257.77		0.34
				03-01-59	257.72		0.05
				03-05-59	257.41		0.31
				03-10-59	257.35		0.06
				03-15-59	257.50	0.15	
				03-20-59	257.34		0.16
				03-25-59	257.46	0.12	
				04-01-59	257.68	0.22	
				04-05-59	257.88	0.20	
				04-10-59	257.96	0.08	
				04-15-59	257.88		0.08
				04-20-59	257.63		0.25
				04-25-59	257.92	0.29	
				05-01-59	257.93	0.01	
				05-05-59	257.84		0.09
				05-10-59	257.78		0.06
				05-15-59	258.28	0.50	
				05-20-59	258.06		0.22
				05-25-59	258.26	0.20	
				06-01-59	258.65	0.39	
				06-05-59	258.81	0.16	
				06-10-59	259.04	0.23	
				06-15-59	259.62	0.58	
				06-20-59	259.88	0.26	
				06-25-59	259.98	0.10	
				07-01-59	260.19	0.21	
				07-05-59	260.60	0.41	
				07-10-59	260.77	0.17	
				07-15-59	260.64		0.13
				07-20-59	260.89	0.25	
				07-25-59	260.89		
				08-01-59	261.37	0.48	
				08-05-59	261.66	0.29	
				08-10-59	262.08	0.42	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-15-59	262.22	0.14	
				08-20-59	262.43	0.21	
				08-25-59	262.30		0.13
				09-01-59	262.31	0.01	
				09-05-59	262.75	0.44	
				09-10-59	262.81	0.06	
				09-15-59	262.51		0.30
				09-20-59	263.08	0.57	
				09-25-59	262.84		0.24
				10-01-59	262.99	0.15	
				10-05-59	261.44		1.55
				10-10-59	262.63	1.19	
				10-15-59	262.83	0.20	
				10-20-59	262.73		0.10
				10-25-59	262.77		
				11-01-59	263.03	0.30	
				11-05-59	262.79		0.24
				11-10-59	262.88	0.09	
				11-15-59	263.02	0.14	
				11-20-59	262.82		0.20
				11-25-59	262.69		0.13
				12-01-59	263.09	0.40	
				12-05-59	262.89		0.20
				12-10-59	262.79		0.10
				12-15-59	262.85	0.06	
				12-20-59	263.22	0.37	
				12-25-59	262.95		0.27
				01-01-60	262.87		0.08
				01-05-60	262.95	0.08	
				01-10-60	263.00	0.05	
				01-15-60	262.90		0.10
				01-20-60	263.43	0.53	
				01-25-60	262.90		0.53
				02-01-60	262.87		0.03
				02-05-60	262.80		0.07
				02-10-60	262.27		0.53
				02-15-60	263.09	0.82	
				02-20-60	263.02		0.07
				02-25-60	262.98		0.04
				03-01-60	262.97		0.01
				03-05-60	263.33	0.36	
				03-10-60	262.78		0.55
				03-15-60	262.77		0.01

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-20-60	263.32	0.55	
				03-25-60	263.16		0.16
				04-01-60	262.75		0.41
				04-05-60	263.31	0.56	
				04-10-60	263.46	0.15	
				04-15-60	263.23		0.23
				04-20-60	263.62	0.39	
				04-25-60	263.28		0.34
				05-01-60	262.58		0.70
				05-05-60	262.36		0.22
				05-10-60	262.88	0.52	
				05-15-60	262.83		0.05
				05-20-60	263.00	0.17	
				05-25-60	263.01	0.01	
				06-01-60	263.42	0.41	
				06-05-60	263.75	0.33	
				06-10-60	264.13	0.38	
				06-15-60	264.30	0.17	
				06-20-60	264.81	0.51	
				06-25-60	264.74		0.07
				07-01-60	264.90	0.16	
				07-05-60	265.16	0.26	
				07-10-60	265.45	0.29	
				07-15-60	265.58	0.13	
				07-20-60	265.59	0.01	
				07-25-60	265.24		0.35
				08-01-60	265.84	0.60	
				08-05-60	265.92	0.08	
				08-10-60	266.16	0.24	
				08-15-60	263.26		2.90
				08-20-60	264.48	1.22	
				08-25-60	264.79	0.31	
				09-01-60	264.87	0.08	
				09-05-60	264.95	0.08	
				09-10-60	265.12	0.17	
				09-15-60	265.23	0.11	
				09-20-60	265.37	0.14	
				09-25-60	265.46	0.09	
				10-01-60	265.65	0.19	
				10-05-60	265.59		0.06
				10-10-60	265.80	0.21	
				10-15-60	265.58		0.22
				10-20-60	263.97		1.61

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-25-60	264.78	0.81	
				11-01-60	260.93		3.85
				11-05-60	261.46	0.53	
				11-10-60	262.20	0.74	
				11-15-60	262.02		0.18
				11-20-60	262.07	0.05	
				11-25-60	261.97		0.10
				12-01-60	262.25	0.28	
				12-05-60	261.69		0.56
				12-10-60	261.02		0.67
				12-15-60	260.67		0.35
				12-20-60	260.80	0.13	
				12-25-60	260.76		0.04
				01-01-61	260.42		0.34
				01-04-61	260.52	0.10	
				01-27-61	259.48		1.04
				02-01-61	259.15		0.33
				02-05-61	258.96		0.19
				02-10-61	257.68		1.28
				02-15-61	257.80	0.12	
				02-20-61	257.64		0.16
				02-25-61	257.74	0.10	
				03-01-61	257.80	0.06	
				03-05-61	257.42		0.38
				03-10-61	257.64	0.22	
				03-15-61	257.47		0.17
				03-20-61	257.75	0.28	
				03-25-61	257.71		0.04
				04-01-61	257.85	0.14	
				04-05-61	257.77		0.08
				04-10-61	257.83	0.06	
				04-15-61	257.92	0.09	
				04-20-61	258.33	0.41	
				04-25-61	258.27		0.06
				05-01-61	258.57	0.30	
				05-05-61	258.67	0.10	
				05-10-61	259.30	0.63	
				05-15-61	259.50	0.20	
				05-20-61	260.18	0.68	
				05-25-61	259.87		0.36
				06-01-61	260.45	0.63	
				06-05-61	260.68	0.23	
				06-10-61	260.58		0.10

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-15-61	260.75	0.17	
				06-20-61	258.11		2.64
				06-25-61	259.74	1.63	
				07-01-61	260.36	0.62	
				07-05-61	260.95	0.59	
				07-10-61	260.56		0.39
				07-15-61	260.52		0.04
				07-20-61	260.72	0.20	
				07-25-61	260.43		0.29
				08-01-61	260.25		0.18
				08-05-61	260.06		0.19
				08-10-61	260.32	0.26	
				08-15-61	260.28		0.04
				08-20-61	260.57	0.29	
				08-25-61	260.61	0.04	
				09-01-61	260.98	0.37	
				09-05-61	261.75	0.77	
				09-10-61	262.10	0.35	
				09-15-61	262.03		0.07
				09-20-61	261.58		0.45
				09-25-61	262.12	0.54	
				10-01-61	262.12		
				10-05-61	262.03		0.09
				10-10-61	261.83		0.20
				10-15-61	261.52		0.31
				10-20-61	261.40		0.12
				10-25-61	261.46	0.06	
				11-01-61	260.91		0.55
				11-05-61	261.49	0.58	
				11-10-61	261.29		0.20
				11-15-61	261.24		0.05
				11-20-61	261.40	0.16	
				11-25-61	261.58	0.18	
				12-01-61	261.48		0.10
				12-05-61	261.41		0.07
				12-11-61	261.26		0.15
				12-15-61	261.50	0.24	
				12-20-61	261.68	0.18	
				12-25-61	261.60		0.08
				01-01-62	261.95	0.35	
				01-05-62	261.48		0.47
				01-10-62	262.57	1.09	
				01-15-62	262.15		0.42

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-20-62	261.95		0.20
				01-25-62	261.82		0.13
				02-01-62	262.03	0.21	
				02-05-62	261.88		0.15
				02-10-62	262.36	0.48	
				02-15-62	262.33		0.03
				02-20-62	262.38	0.05	
				02-25-62	262.55	0.17	
				03-01-62	262.93	0.38	
				03-05-62	263.06	0.13	
				03-10-62	262.75		0.31
				03-15-62	263.12	0.37	
				03-20-62	262.65		0.47
				03-25-62	263.32	0.67	
				04-01-62	263.66	0.34	
				04-05-62	263.52		0.14
				04-10-62	263.54	0.02	
				04-15-62	263.94	0.40	
				04-20-62	264.06	0.12	
				04-25-62	264.01		0.05
				05-01-62	263.54		0.47
				05-05-62	263.79	0.25	
				05-10-62	263.89	0.10	
				05-15-62	264.34	0.45	
				05-20-62	264.80	0.46	
				05-25-62	265.05	0.25	
				06-01-62	265.07	0.02	
				06-05-62	265.13	0.06	
				06-10-62	265.58	0.45	
				06-15-62	265.80	0.22	
				06-20-62	266.28	0.48	
				06-25-62	266.58	0.30	
				07-01-62	266.40		0.18
				07-05-62	266.70	0.30	
				07-10-62	267.22	0.52	
				07-15-62	267.83	0.61	
				07-20-62	268.16	0.33	
				07-25-62	268.60	0.44	
				08-01-62	269.21	0.61	
				08-05-62	269.63	0.42	
				08-10-62	269.82	0.19	
				08-15-62	270.15	0.33	
				08-20-62	270.58	0.43	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-25-62	270.65	0.07	
				09-01-62	270.67	0.02	
				09-05-62	270.98	0.31	
				09-10-62	270.72		0.26
				09-15-62	270.87	0.15	
				09-20-62	271.06	0.19	
				09-25-62	271.18	0.12	
				10-01-62	270.96		0.22
				10-05-62	270.99	0.03	
				10-10-62	271.19	0.20	
				10-15-62	271.33	0.14	
				10-20-62	271.32		0.01
				10-25-62	271.78	0.46	
				11-01-62	271.43		0.35
				11-05-62	271.79	0.36	
				11-10-62	271.62		0.17
				11-15-62	271.73	0.11	
				11-20-62	271.63		0.10
				11-25-62	272.08	0.45	
				12-01-62	271.43		0.65
				12-05-62	271.62	0.19	
				12-10-62	271.67	0.05	
				12-15-62	271.40		0.27
				12-20-62	271.52	0.12	
				12-25-62	271.50		0.02
				01-01-63	271.45		0.05
				01-05-63	271.45		
				01-10-63	271.17		0.28
				01-15-63	271.82	0.65	
				01-20-63	271.59		0.23
				01-25-63	271.54		0.05
				02-01-63	271.68	0.14	
				02-05-63	271.83	0.15	
				02-10-63	271.71		0.12
				02-15-63	271.93	0.22	
				02-20-63	271.41		0.52
				02-25-63	271.50	0.09	
				03-01-63	271.40		0.10
				03-05-63	271.45	0.05	
				03-10-63	271.30		0.15
				03-15-63	271.62	0.32	
				03-20-63	272.00	0.38	
				03-25-63	271.91		0.09

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-01-63	272.43	0.52	
				04-05-63	272.14		0.29
				04-10-63	272.13		0.01
				04-15-63	272.55	0.42	
				04-20-63	272.64	0.09	
				04-25-63	272.82	0.18	
				05-01-63	273.09	0.27	
				05-05-63	273.19	0.10	
				05-10-63	272.92		0.27
				05-15-63	273.32	0.40	
				05-20-63	273.38	0.06	
				05-25-63	273.58	0.20	
				06-01-63	273.80	0.22	
				06-05-63	274.13	0.33	
				06-10-63	274.50	0.37	
				06-15-63	274.92	0.42	
				06-20-63	274.51		0.41
				06-25-63	274.73	0.22	
				07-01-63	274.84	0.11	
				07-05-63	274.79		0.05
				07-10-63	275.35	0.56	
				07-15-63	275.84	0.49	
				07-20-63	276.25	0.41	
				07-25-63	276.63	0.38	
				08-01-63	277.07	0.44	
				08-05-63	277.31	0.24	
				08-10-63	277.50	0.19	
				08-15-63	277.63	0.13	
				08-20-63	277.93	0.30	
				08-25-63	278.29	0.36	
				09-01-63	278.55	0.26	
				09-05-63	278.58	0.03	
				09-10-63	278.85	0.27	
				09-15-63	278.67		0.18
				09-20-63	278.58		0.09
				09-25-63	279.04	0.46	
				10-01-63	279.23	0.19	
				10-05-63	279.39	0.16	
				10-10-63	279.50	0.11	
				10-15-63	279.53	0.03	
				10-20-63	279.63	0.10	
				10-25-63	279.38		0.25
				11-01-63	279.44	0.06	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-05-63	279.24		0.20
				11-10-63	279.44	0.20	
				11-15-63	279.37		0.07
				11-20-63	279.35		0.02
				11-25-63	279.25		0.10
				12-01-63	279.23		0.02
				12-05-63	279.35	0.12	
				12-10-63	278.81		0.54
				12-15-63	279.49	0.68	
				12-20-63	278.84		0.65
				12-25-63	278.87	0.03	
				01-01-64	278.87		
				01-05-64	278.80		0.07
				01-10-64	278.97	0.17	
				01-15-64	279.04	0.07	
				01-20-64	279.10	0.06	
				01-25-64	278.26		0.84
				02-01-64	277.64		0.62
				02-05-64	277.95	0.31	
				02-10-64	276.21	0.26	
				02-15-64	278.19		0.02
				02-20-64	278.45	0.26	
				02-25-64	278.30		0.15
				03-01-64	278.34	0.04	
				03-05-64	278.48	0.14	
				03-10-64	278.45		0.03
				03-15-64	278.64	0.19	
				03-20-64	278.37		0.27
				03-25-64	278.27		0.10
				04-01-64	278.44	0.17	
				04-05-64	278.44		
				04-10-64	278.78	0.34	
				04-15-64	279.13	0.35	
				04-20-64	278.73		0.40
				04-25-64	278.71		0.02
				05-01-64	278.92	0.21	
				05-05-64	279.31	0.39	
				05-10-64	279.28		0.03
				05-15-64	279.68	0.40	
				05-20-64	279.93	0.25	
				05-25-64	279.67		0.26
				06-01-64	279.87	0.20	
				06-05-64	279.81		0.06

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Ø MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-10-64	280.18	0.37	
				06-15-64	280.18		
				06-20-64	276.90		3.28
				06-25-64	278.89	1.99	
				07-01-64	279.22	0.33	
				07-05-64	279.53	0.31	
				07-25-64	280.36	0.83	
				08-01-64	280.77	0.41	
				08-05-64	280.97	0.20	
				08-10-64	280.82		0.15
				08-15-64	281.13	0.31	
				08-20-64	281.26	0.13	
				08-25-64	280.95		0.31
				09-01-64	281.22	0.27	
				09-05-64	281.33	0.11	
				09-10-64	281.33		
				09-15-64	281.52	0.19	
				09-20-64	281.52		
				09-25-64	281.66	0.14	
				10-01-64	281.39		0.27
				10-05-64	281.86	0.47	
				10-10-64	281.79		0.07
				10-15-64	281.72		0.07
				10-20-64	282.02	0.30	
				10-25-64	281.84		0.18
				11-01-64	281.73		0.11
				11-05-64	280.13		1.60
				11-10-64	280.84	0.71	
				11-15-64	280.97	0.13	
				11-20-64	280.94		0.03
				11-25-64	280.50		0.44
				12-01-64	280.55	0.05	
				12-05-64	281.11	0.56	
				12-10-64	280.57		0.54
				12-15-64	280.73	0.16	
				12-20-64	280.85	0.12	
				12-25-64	280.47		0.38
				01-01-65	280.97	0.50	
				01-05-65	280.97		
				01-10-65	281.06	0.09	
				01-15-65	280.73		0.33
				01-20-65	280.63		0.10
				01-25-65	280.28		0.35

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-01-65	280.01		0.27
				02-05-65	279.26		0.75
				02-20-65	274.94		4.32
				02-25-65	274.74		0.20
				03-01-65	275.22	0.48	
				03-05-65	276.06	0.84	
				03-10-65	275.96		0.10
				03-15-65	276.00	0.04	
				03-20-65	276.70	0.70	
				03-25-65	276.08		0.62
				04-01-65	274.03		2.05
				04-05-65	274.82	0.79	
				04-10-65	273.28		1.54
				04-15-65	274.05	0.77	
				04-20-65	274.59	0.54	
				04-25-65	274.55		0.04
				05-01-65	274.65	0.10	
				05-05-65	274.50		0.15
				05-10-65	274.35		0.15
				05-20-65	266.32		8.03
				05-25-65	266.52	0.20	
				06-01-65	266.37		0.15
				06-05-65	266.11		0.26
				06-10-65	265.39		0.72
				06-15-65	265.25		0.14
				06-20-65	264.97		0.28
				06-25-65	264.67		0.30
				07-01-65	265.47	0.80	
				07-05-65	266.12	0.65	
				07-10-65	266.67	0.55	
				07-15-65	266.90	0.23	
				07-20-65	267.55	0.65	
				07-25-65	268.02	0.47	
				08-01-65	268.54	0.52	
				08-05-65	268.65	0.11	
				08-10-65	268.75	0.10	
				08-15-65	269.15	0.40	
				08-20-65	269.64	0.49	
				08-25-65	270.05	0.41	
				09-01-65	270.43	0.38	
				09-05-65	270.60	0.17	
				09-10-65	270.48		0.12
				09-15-65	270.89	0.41	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-20-65	271.23	0.34	
				09-25-65	271.80	0.57	
				10-01-65	271.42		0.38
				10-05-65	271.55	0.13	
				10-10-65	271.68	0.13	
				10-15-65	271.69	0.01	
				10-20-65	269.84		1.85
				10-25-65	271.25	1.41	
				11-01-65	271.43	0.18	
				11-05-65	271.17		0.26
				11-10-65	271.15		0.02
				11-15-65	271.22	0.07	
				11-20-65	271.16		0.06
				11-25-65	271.26	0.10	
				12-01-65	271.56	0.30	
				12-05-65	268.53		3.03
				12-10-65	268.03		0.50
				12-15-65	268.12	0.09	
				12-20-65	268.52	0.40	
				12-25-65	268.55	0.03	
				01-01-66	268.14		0.41
				01-05-66	268.13		0.01
				01-10-66	268.00		0.13
				01-15-66	267.59		0.41
				01-20-66	267.78	0.19	
				01-25-66	267.72		0.06
				02-01-66	267.77	0.05	
				02-05-66	268.12	0.35	
				02-10-66	267.80		0.32
				02-15-66	267.90	0.10	
				02-20-66	268.02	0.12	
				02-25-66	267.88		0.14
				03-01-66	267.65		0.23
				03-05-66	267.97	0.32	
				03-10-66	267.80		0.17
				03-15-66	267.67		0.13
				03-20-66	267.64		0.03
				03-25-66	267.96	0.32	
				04-01-66	267.82		0.14
				04-05-66	268.43	0.61	
				04-10-66	268.70	0.27	
				04-15-66	268.84	0.14	
				04-20-66	268.47		0.37

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-25-66	268.57	0.10	
				05-01-66	268.44		0.13
				05-05-66	268.47	0.03	
				05-10-66	268.14		0.33
				05-15-66	268.10		0.04
				05-20-66	268.11	0.01	
				05-25-66	268.20	0.09	
				06-01-66	268.05		0.15
				06-05-66	268.17	0.12	
				06-10-66	268.68	0.51	
				06-15-66	269.22	0.54	
				06-20-66	269.21		0.01
				06-25-66	269.33	0.12	
				07-01-66	269.48	0.15	
				07-05-66	269.95	0.47	
				07-10-66	270.44	0.49	
				07-15-66	270.94	0.50	
				07-20-66	271.67	0.73	
				07-25-66	271.67		
				08-01-66	272.34	0.67	
				08-05-66	272.34		
				08-10-66	272.45	0.11	
				08-15-66	272.70	0.25	
				08-20-66	272.76	0.06	
				08-25-66	273.11	0.35	
				09-01-66	272.88		0.23
				09-05-66	272.96	0.08	
				09-10-66	273.03	0.07	
				09-15-66	272.83		0.20
				09-20-66	273.04	0.21	
				09-25-66	272.82		0.22
				10-01-66	273.29	0.47	
				10-05-66	273.34	0.05	
				10-10-66	273.23		0.11
				10-15-66	273.54	0.31	
				10-20-66	273.60	0.06	
				10-25-66	273.80	0.20	
				11-01-66	273.79		0.01
				11-05-66	273.69		0.10
				11-10-66	273.82	0.13	
				11-15-66	274.11	0.29	
				11-20-66	274.02		0.09
				11-25-66	273.90		0.12

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELLS) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-01-66	273.97	0.07	
				12-05-66	273.75		0.22
				12-10-66	274.27	0.52	
				12-15-66	273.94		0.33
				12-20-66	273.90		0.04
				12-25-66	274.13	0.23	
				01-01-67	274.00		0.13
				01-05-67	274.11	0.11	
				01-10-67	274.43	0.32	
				01-15-67	274.38		0.05
				01-20-67	274.37		0.01
				01-25-67	273.98		0.39
				02-01-67	274.31	0.33	
				02-05-67	274.52	0.21	
				02-10-67	274.64	0.12	
				02-15-67	274.80	0.16	
				02-20-67	274.84	0.04	
				02-25-67	275.13	0.29	
				03-01-67	275.17	0.04	
				03-05-67	274.98		0.19
				03-10-67	275.39	0.41	
				03-15-67	276.10	0.71	
				03-20-67	276.01		0.09
				03-25-67	275.78		0.23
				04-01-67	276.37	0.59	
				04-05-67	276.31		0.06
				04-10-67	276.90	0.59	
				04-15-67	276.98	0.08	
				04-20-67	276.96		0.02
				04-25-67	277.28	0.32	
				05-01-67	277.68	0.40	
				05-05-67	277.77	0.09	
				05-10-67	278.06	0.29	
				05-15-67	278.75	0.69	
				05-20-67	278.70		0.05
				05-25-67	278.76	0.06	
				06-01-67	278.69		0.07
				06-05-67	279.08	0.39	
				06-10-67	279.29	0.21	
				06-15-67	279.74	0.45	
				06-20-67	280.10	0.36	
				06-25-67	281.00	0.90	
				07-01-67	281.56	0.56	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-05-67	281.30		0.26
				07-10-67	282.09	0.79	
				07-15-67	281.84		0.25
				07-20-67	281.84		
				07-25-67	281.74		0.10
				08-01-67	282.62	0.88	
				08-05-67	283.04	0.42	
				08-10-67	283.43	0.39	
				08-15-67	283.74	0.31	
				08-20-67	283.11		0.63
				08-25-67	283.02		0.09
				09-01-67	283.14	0.12	
				09-05-67	281.93		1.21
				09-10-67	282.21	0.28	
				09-15-67	282.24	0.03	
				09-20-67	282.19		0.05
				09-25-67	277.99		4.20
				10-01-67	279.69	1.70	
				10-05-67	279.74	0.05	
				10-10-67	279.79	0.05	
				10-15-67	279.68		0.11
				10-20-67	279.81	0.13	
				10-25-67	279.91	0.10	
				11-01-67	279.65		0.26
				11-05-67	277.83		1.82
				11-25-67	277.78		0.05
				12-01-67	277.66		0.12
				12-05-67	277.67	0.01	
				12-10-67	277.36		0.31
				12-26-67	277.46	0.10	
				01-01-68	277.45		0.01
				01-05-68	277.38		0.07
				01-10-68	277.27		0.11
				01-15-68	276.96		0.31
				01-20-68	271.28		5.68
				01-29-68	270.19		1.09
				02-01-68	269.74		0.45
				02-05-68	269.61		0.13
				02-10-68	268.82		0.79
				02-15-68	268.49		0.33
				02-20-68	267.14		1.35
				02-25-68	266.74		0.40
				03-01-68	266.12		0.62

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-68	265.56		0.56
				03-10-68	265.12		0.44
				03-15-68	264.73		0.39
				03-20-68	263.92		0.81
				03-25-68	263.86		0.06
				04-01-68	263.99	0.13	
				04-05-68	264.18	0.19	
				04-10-68	264.09		0.09
				04-15-68	263.71		0.38
				04-20-68	263.43		0.28
				04-25-68	263.28		0.15
				05-01-68	263.17		0.11
				05-05-68	263.10		0.07
				05-10-68	262.30		0.80
				05-15-68	260.50		1.80
				05-20-68	260.19		0.31
				05-25-68	259.74		0.45
				06-01-68	259.43		0.31
				06-05-68	258.92		0.51
				06-10-68	258.84		0.08
				06-15-68	259.22	0.36	
				06-20-68	259.59	0.37	
				06-25-68	259.59		
				07-01-68	260.03	0.44	
				07-05-68	259.95		0.08
				07-10-68	260.22	0.27	
				07-15-68	260.31	0.09	
				07-20-68	260.82	0.51	
				07-25-68	261.25	0.43	
				08-01-68	261.68	0.43	
				08-04-68	261.99	0.31	
				08-15-68	263.25	1.26	
				08-20-68	263.67	0.42	
				08-25-68	264.13	0.46	
				09-01-68	264.27	0.14	
				09-05-68	264.25		0.02
				09-10-68	263.81		0.44
				09-15-68	263.61		0.20
				09-20-68	263.97	0.36	
				09-25-68	264.10	0.13	
				10-01-68	264.22	0.12	
				10-05-68	264.07		0.15
				10-10-68	264.38	0.31	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Ø MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-68	264.22		0.16
				10-20-68	264.60	0.38	
				10-25-68	264.48		0.12
				11-01-68	264.63	0.15	
				11-05-68	264.55		0.08
				11-10-68	264.41		0.14
				11-15-68	264.55	0.14	
				11-20-68	265.12	0.57	
				11-25-68	264.94		0.18
				12-01-68	264.84		0.10
				12-05-68	264.84		
				12-10-68	265.16	0.32	
				12-15-68	264.89		0.27
				12-20-68	264.84		0.05
				12-25-68	264.78		0.06
				01-01-69	265.22	0.44	
				01-05-69	265.04		0.18
				01-10-69	265.28	0.24	
				01-15-69	265.02		0.26
				01-20-69	265.03	0.01	
				01-25-69	265.45	0.42	
				02-01-69	265.07		0.38
				02-05-69	265.11	0.04	
				02-10-69	265.39	0.28	
				02-15-69	265.06		0.33
				02-20-69	265.07	0.01	
				02-25-69	264.65		0.42
				03-01-69	264.51		0.14
				03-05-69	264.43		0.08
				03-10-69	265.05	0.62	
				03-15-69	264.73		0.32
				03-20-69	265.11	0.38	
				03-25-69	265.14	0.03	
				04-01-69	264.94		0.20
				04-05-69	265.02	0.08	
				04-10-69	265.10	0.08	
				04-15-69	264.90		0.20
				04-20-69	265.09	0.19	
				04-25-69	264.90		0.19
				05-01-69	264.84		0.06
				05-05-69	264.10		0.74
				05-10-69	264.53	0.43	
				05-15-69	264.05		0.48

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-20-69	261.28		2.77
				05-25-69	260.93		0.35
				06-01-69	261.62	0.69	
				06-05-69	262.00	0.38	
				06-10-69	262.09	0.09	
				06-15-69	262.76	0.67	
				06-20-69	263.21	0.45	
				06-25-69	263.74	0.53	
				07-01-69	263.97	0.23	
				07-05-69	264.23	0.26	
				07-10-69	264.74	0.51	
				07-15-69	265.16	0.42	
				07-20-69	265.74	0.58	
				07-25-69	265.68		0.06
				08-01-69	266.49	0.81	
				08-06-69	267.04	0.55	
				08-10-69	267.45	0.41	
				08-15-69	268.64	1.39	
				08-20-69	268.44		0.40
				08-25-69	267.77		0.67
				09-01-69	267.01		0.76
				09-05-69	267.26	0.25	
				09-10-69	267.32	0.06	
				09-15-69	267.29		0.03
				09-20-69	267.42	0.13	
				10-15-69	267.59	0.17	
				10-20-69	267.66	0.07	
				10-25-69	267.83	0.17	
				11-01-69	267.66		0.17
				11-05-69	267.67	0.01	
				11-10-69	267.67		
				11-15-69	267.85	0.18	
				11-20-69	268.03	0.18	
				11-25-69	267.68		0.35
				12-01-69	267.58		0.10
				12-15-69	266.83		0.75
				12-20-69	266.58		0.25
				12-25-69	266.57		0.01
				01-01-70	266.63	0.06	
				01-05-70	266.45		0.18
				01-10-70	266.28		0.17
				01-15-70	266.30	0.02	
				01-20-70	266.49	0.19	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-25-70	266.18		0.31
				02-01-70	265.54		0.64
				02-05-70	266.09	0.55	
				02-10-70	266.18	0.09	
				02-15-70	265.77		0.41
				02-20-70	266.41	0.64	
				03-05-70	264.99		1.42
				03-10-70	262.68		2.31
				03-15-70	262.66		0.02
				03-20-70	262.39		0.27
				03-25-70	262.90	0.51	
				04-01-70	262.64		0.26
				04-05-70	263.05	0.41	
				04-10-70	262.67		0.38
				04-15-70	262.52		0.15
				04-20-70	262.47		0.05
				04-25-70	262.28		0.19
				05-01-70	262.59	0.31	
				05-05-70	263.17	0.58	
				05-10-70	263.17		
				05-15-70	263.34	0.17	
				05-20-70	263.59	0.25	
				05-25-70	262.94		0.65
				06-01-70	259.96		2.98
				06-05-70	259.58		0.38
				06-10-70	259.21		0.37
				06-15-70	259.90	0.69	
				06-20-70	260.50	0.60	
				06-25-70	260.65	0.15	
				07-01-70	261.04	0.39	
				07-05-70	261.28	0.24	
				07-10-70	262.12	0.84	
				07-15-70	262.53	0.41	
				07-20-70	262.63	0.10	
				07-25-70	263.30	0.67	
				08-01-70	264.19	0.89	
				08-05-70	264.25	0.06	
				08-10-70	265.36	1.11	
				08-15-70	265.66	0.30	
				08-20-70	265.67	0.01	
				08-25-70	266.20	0.53	
				09-01-70	266.27	0.07	
				09-05-70	267.15	0.88	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-10-70	267.79	0.64	
				09-15-70	267.34		0.45
				09-20-70	267.54	0.20	
				09-25-70	267.58	0.04	
				10-01-70	267.16		0.42
				10-05-70	267.28	0.12	
				10-10-70	267.36	0.08	
				10-15-70	267.24		0.12
				10-25-70	266.74		0.50
				11-02-70	266.16		0.58
				11-05-70	267.41	1.25	
				11-10-70	267.51	0.10	
				11-15-70	267.81	0.30	
				11-20-70	267.72		0.09
				11-25-70	267.65		0.07
				12-01-70	268.04	0.39	
				12-05-70	268.29	0.25	
				12-10-70	268.03		0.26
				12-15-70	267.81		0.22
				12-20-70	268.26	0.45	
				12-25-70	268.17		0.09
				01-01-71	268.16		0.01
				01-05-71	268.56	0.40	
				01-10-71	268.25		0.31
				01-15-71	268.78	0.53	
				01-20-71	269.03	0.25	
				01-25-71	269.28	0.25	
				02-01-71	269.89	0.61	
				02-05-71	269.54		0.35
				02-10-71	270.01	0.47	
				02-15-71	270.31	0.30	
				02-20-71	270.34	0.03	
				02-25-71	270.34		
				03-02-71	270.67	0.33	
				03-05-71	270.73	0.06	
				03-10-71	271.22	0.49	
				03-15-71	272.10	0.88	
				03-20-71	272.19	0.09	
				03-25-71	272.08		0.11
				04-01-71	272.95	0.87	
				04-05-71	273.50	0.55	
				04-10-71	274.18	0.68	
				04-15-71	274.53	0.35	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-20-71	273.87		0.66
				04-25-71	274.51	0.64	
				05-01-71	274.98	0.47	
				05-05-71	275.22	0.24	
				05-10-71	274.67		0.55
				05-15-71	274.79	0.12	
				05-20-71	275.60	0.81	
				05-25-71	275.68	0.08	
				06-01-71	276.35	0.67	
				06-05-71	277.14	0.79	
				06-10-71	278.73	1.59	
				06-15-71	277.93		0.80
				06-20-71	277.79		0.14
				06-25-71	277.53		0.26
				07-01-71	277.53		
				07-05-71	277.91	0.38	
				07-10-71	279.05	1.14	
				07-15-71	280.51	1.46	
				07-20-71	281.00	0.49	
				07-25-71	281.51	0.51	
				08-01-71	280.03		1.48
				08-05-71	276.66		3.37
				08-10-71	277.38	0.72	
				08-15-71	276.20		1.18
				08-20-71	276.94	0.74	
				08-25-71	277.51	0.57	
				09-01-71	277.04		0.47
				09-05-71	277.00		0.04
				09-10-71	277.08	0.08	
				09-15-71	276.88		0.20
				09-20-71	276.98	0.10	
				09-25-71	276.67		0.31
				10-01-71	277.05	0.38	
				10-05-71	277.28	0.23	
				10-10-71	276.90		0.38
				10-15-71	277.28	0.38	
				10-20-71	276.06		1.22
				10-25-71	274.71		1.35
				11-01-71	275.09	0.38	
				11-05-71	274.28		0.81
				11-10-71	274.19		0.09
				11-15-71	275.05	0.86	
				11-20-71	275.02		0.03

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-25-71	274.92		0.10
				12-01-71	274.47		0.45
				12-05-71	273.92		0.55
				12-10-71	271.47		2.45
				12-15-71	270.86		0.61
				12-20-71	271.74	0.88	
				12-25-71	271.67		0.07
				01-01-72	271.30		0.37
				01-05-72	271.33	0.03	
				01-20-72	270.35		0.98
				01-25-72	270.57	0.22	
				02-01-72	269.79		0.78
				02-05-72	269.80	0.01	
				02-10-72	269.98	0.18	
				02-15-72	269.77		0.21
				02-20-72	269.93	0.16	
				02-25-72	269.47		0.46
				03-01-72	269.83	0.36	
				03-05-72	270.70	0.87	
				03-10-72	270.71	0.01	
				03-15-72	270.63		0.08
				03-20-72	270.87	0.24	
				03-25-72	271.15	0.28	
				04-01-72	271.86	0.71	
				04-05-72	271.67		0.19
				04-10-72	272.36	0.69	
				04-15-72	272.13		0.23
				04-20-72	272.90	0.77	
				04-25-72	273.07	0.17	
				05-01-72	272.59		0.48
				05-05-72	272.99	0.40	
				05-15-72	265.81		7.18
				05-20-72	265.57		0.24
				05-25-72	264.55		1.02
				06-01-72	264.20		0.35
				06-05-72	264.55	0.35	
				06-10-72	264.03		0.52
				06-15-72	263.96		0.07
				06-20-72	263.60		0.36
				06-25-72	264.22	0.62	
				07-01-72	265.62	1.40	
				07-05-72	265.85	0.23	
				07-10-72	266.03	0.18	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-15-72	266.61	0.58	
				07-20-72	265.87		0.74
				07-25-72	265.47		0.40
				08-01-72	266.33	0.86	
				08-05-72	266.10		0.23
				08-10-72	265.97		0.13
				08-15-72	265.76		0.21
				08-20-72	266.17	0.41	
				08-25-72	265.93		0.24
				09-01-72	266.07	0.14	
				09-05-72	266.90	0.83	
				09-10-72	267.42	0.52	
				09-15-72	266.99		0.43
				09-20-72	267.45	0.46	
				09-25-72	267.06		0.39
				10-01-72	267.35	0.29	
				10-05-72	267.63	0.28	
				10-10-72	268.44	0.81	
				10-15-72	268.41		0.03
				10-20-72	268.42	0.01	
				10-25-72	268.09		0.33
				11-01-72	267.88		0.21
				11-05-72	267.71		0.17
				11-10-72	267.73	0.02	
				11-15-72	267.34		0.39
				11-20-72	267.65	0.31	
				11-25-72	267.17		0.48
				12-01-72	267.40	0.23	
				12-05-72	267.01		0.39
				12-10-72	267.22	0.21	
				12-15-72	267.32	0.10	
				12-20-72	266.78		0.54
				12-25-72	267.16	0.38	
				01-01-73	267.14		0.02
				01-05-73	266.94		0.20
				01-10-73	266.90		0.04
				01-15-73	267.27	0.37	
				01-20-73	266.77		0.50
				01-25-73	267.08	0.31	
				02-01-73	266.60		0.48
				02-05-73	266.79	0.19	
				02-10-73	267.00	0.21	
				02-15-73	266.84		0.16

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-73	266.70		0.14
				02-25-73	265.81		0.89
				03-01-73	265.21		0.60
				03-05-73	265.46	0.25	
				03-10-73	265.30		0.16
				03-15-73	265.48	0.18	
				03-20-73	265.59	0.11	
				03-25-73	265.52		0.07
				04-01-73	265.33		0.19
				04-05-73	265.58	0.25	
				04-10-73	265.15		0.43
				04-15-73	262.82		2.33
				04-20-73	259.57		3.25
				04-25-73	259.43		0.14
				05-01-73	258.54		0.89
				05-05-73	258.34		0.20
				05-10-73	258.17		0.17
				05-15-73	257.95		0.22
				05-20-73	257.80		0.15
				05-25-73	258.09	0.29	
				06-01-73	259.06	0.97	
				06-05-73	259.56	0.50	
				06-10-73	259.81	0.25	
				06-15-73	255.79		4.02
				06-20-73	255.97	0.18	
				06-25-73	254.56		1.41
				07-01-73	253.09		1.47
				07-05-73	253.03		0.06
				07-10-73	252.58		0.45
				07-15-73	252.08		0.50
				07-20-73	250.08		2.00
				07-25-73	249.08		1.00
				08-01-73	248.78		0.30
				08-05-73	248.70		0.08
				08-10-73	248.86	0.16	
				08-15-73	248.06		0.80
				08-20-73	248.22	0.16	
				08-25-73	248.68	0.46	
				09-01-73	247.70		0.98
				09-05-73	247.77	0.07	
				09-10-73	247.62		0.15
				09-15-73	247.65	0.03	
				09-20-73	246.48		1.17

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-25-73	246.10		0.38
				10-01-73	243.22		2.88
				10-05-73	243.13		0.09
				10-10-73	242.01		1.12
				10-15-73	240.09		1.92
				10-20-73	238.62		1.47
				10-25-73	238.14		0.48
				11-01-73	236.85		1.29
				11-05-73	237.10	0.25	
				11-10-73	236.40		0.70
				11-15-73	235.96		0.44
				11-20-73	234.83		1.13
				11-25-73	235.02	0.19	
				12-01-73	235.18	0.16	
				12-05-73	234.83		0.35
				12-10-73	234.30		0.53
				12-15-73	233.82		0.48
				12-20-73	233.93	0.11	
				12-25-73	233.14		0.79
				01-01-74	234.57	1.43	
				01-05-74	234.13		0.44
				01-10-74	233.91		0.22
				01-15-74	234.12	0.21	
				01-20-74	234.01		0.11
				01-25-74	234.38	0.37	
				02-01-74	234.34		0.04
				02-05-74	234.64	0.30	
				02-10-74	235.13	0.49	
				02-15-74	235.59	0.46	
				02-20-74	235.61	0.02	
				02-25-74	236.78	1.17	
				03-01-74	236.58		0.20
				03-05-74	236.29		0.29
				03-10-74	236.29		
				03-15-74	236.38	0.09	
				03-20-74	236.31		0.07
				03-25-74	236.92	0.61	
				04-01-74	237.32	0.40	
				04-05-74	238.20	0.88	
				04-10-74	237.89		0.31
				04-15-74	238.51	0.62	
				04-20-74	238.30		0.21
				04-25-74	238.86	0.56	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-01-74	239.53	0.67	
				05-05-74	239.23		0.30
				05-10-74	239.17		0.06
				05-15-74	239.36	0.19	
				05-20-74	239.89	0.53	
				05-25-74	240.65	0.76	
				06-01-74	240.58		0.07
				06-05-74	241.37	0.79	
				06-10-74	241.76	0.39	
				06-15-74	241.33		0.43
				06-20-74	242.19	0.86	
				06-25-74	242.87	0.68	
				07-01-74	243.67	1.00	
				07-05-74	244.29	0.42	
				07-10-74	245.05	0.76	
				07-15-74	244.34		0.71
				07-20-74	244.86	0.52	
				07-25-74	245.95	1.09	
				08-01-74	246.67	0.72	
				08-05-74	247.30	0.63	
				08-10-74	246.02		1.28
				08-15-74	246.56	0.54	
				08-20-74	247.07	0.51	
				08-25-74	247.28	0.21	
				09-01-74	245.08		2.20
				09-05-74	246.02	0.94	
				09-10-74	246.29	0.27	
				09-15-74	246.13		0.16
				09-20-74	246.23	0.10	
				09-25-74	246.23		
				10-01-74	246.82	0.59	
				10-05-74	247.08	0.26	
				10-10-74	247.17	0.09	
				10-15-74	247.30	0.13	
				10-20-74	247.16		0.14
				10-25-74	246.98		0.18
				11-01-74	246.84		0.14
				11-05-74	247.00	0.16	
				11-10-74	246.60		0.40
				11-15-74	247.00	0.40	
				11-20-74	247.06	0.06	
				11-25-74	246.64		0.42
				12-01-74	247.01	0.37	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-05-74	246.63		0.38
				12-10-74	246.60		0.03
				12-15-74	246.57		0.03
				12-20-74	246.69	0.12	
				12-25-74	247.08	0.39	
				01-07-75	246.68		0.40
				01-10-75	246.24		0.44
				01-15-75	246.75	0.51	
				01-20-75	247.26	0.51	
				01-25-75	246.79		0.47
				02-01-75	247.64	0.85	
				02-05-75	244.16		3.48
				02-10-75	244.05		0.11
				02-15-75	243.06		0.99
				02-20-75	242.50		0.56
				02-25-75	242.34		0.16
				03-01-75	242.26		0.08
				03-05-75	243.01	0.75	
				03-10-75	243.42	0.41	
				03-15-75	243.88	0.46	
				03-20-75	244.35	0.47	
				03-25-75	244.59	0.24	
				04-01-75	244.50		0.09
				04-05-75	244.87	0.37	
				04-10-75	244.98	0.11	
				04-15-75	245.30	0.32	
				04-20-75	245.63	0.33	
				04-25-75	245.37		0.26
				05-01-75	245.20		0.17
				05-05-75	245.47	0.27	
				05-10-75	245.78	0.31	
				05-15-75	245.82	0.04	
				05-20-75	245.76		0.06
				05-25-75	245.13		0.63
				06-01-75	244.60		0.53
				06-05-75	244.76	0.16	
				06-10-75	243.53		1.23
				06-15-75	242.52		1.01
				06-20-75	243.27	0.75	
				06-25-75	243.45	0.18	
				07-01-75	243.43		0.02
				07-05-75	244.06	0.63	
				07-10-75	244.62	0.56	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-15-75	244.43		0.19
				07-20-75	245.41	0.98	
				07-25-75	245.82	0.41	
				08-01-75	246.60	0.78	
				08-05-75	246.87	0.27	
				08-10-75	247.07	0.20	
				08-15-75	247.42	0.35	
				08-26-75	248.37	0.95	
				09-01-75	248.74	0.37	
				09-05-75	248.95	0.21	
				09-10-75	249.28	0.33	
				09-15-75	249.41	0.13	
				09-20-75	249.62	0.21	
				09-25-75	250.14	0.52	
				10-01-75	250.50	0.36	
				10-05-75	250.70	0.20	
				10-10-75	251.33	0.63	
				10-15-75	251.56	0.23	
				10-20-75	251.80	0.24	
				10-25-75	252.18	0.38	
				11-01-75	252.05		0.13
				11-05-75	252.48	0.43	
				11-10-75	252.04		0.44
				11-15-75	251.66		0.38
				11-20-75	251.90	0.24	
				11-25-75	252.68	0.78	
				12-01-75	253.19	0.51	
				12-05-75	253.14		0.05
				12-10-75	253.43	0.29	
				12-15-75	253.76	0.33	
				12-20-75	254.07	0.31	
				12-25-75	254.00		0.07
				01-01-76	254.00		
				01-05-76	254.73	0.73	
				01-10-76	254.64		0.09
				01-15-76	254.83	0.19	
				01-20-76	254.92	0.09	
				01-25-76	254.86		0.06
				01-30-76	254.70		0.16
				02-01-76	254.62		0.08
				02-05-76	254.79	0.17	
				02-10-76	255.07	0.28	
				02-15-76	255.65	0.58	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-76	255.71	0.06	
				02-25-76	256.11	0.40	
				02-29-76	256.41	0.30	
				03-01-76	256.80	0.39	
				03-05-76	257.20	0.40	
				03-10-76	257.00		0.20
				03-15-76	257.10	0.10	
				03-20-76	257.63	0.53	
				03-25-76	258.13	0.50	
				03-30-76	258.74	0.61	
				04-01-76	258.54		0.20
				04-05-76	258.80	0.26	
				04-10-76	258.95	0.15	
				04-15-76	258.81		0.14
				04-20-76	257.19		1.62
				04-25-76	257.72	0.53	
				04-30-76	257.52		0.20
				05-01-76	257.53	0.01	
				05-05-76	256.92		0.61
				05-10-76	254.30		2.62
				05-15-76	253.58		0.72
				05-20-76	253.48		0.10
				05-25-76	252.84		0.64
				05-30-76	251.68		1.16
				06-01-76	251.67		0.01
				06-05-76	251.18		0.49
				06-10-76	250.65		0.53
				06-15-76	251.87	1.22	
				06-20-76	252.57	0.70	
				06-25-76	252.88	0.31	
				06-30-76	253.06	0.18	
				07-01-76	253.25	0.19	
				07-05-76	253.61	0.36	
				07-10-76	253.49		0.12
				07-15-76	252.59		0.90
				07-20-76	251.97		0.62
				07-25-76	252.07	0.10	
				07-30-76	252.68	0.61	
				08-01-76	252.67		0.01
				08-05-76	252.80	0.13	
				08-10-76	253.93	1.13	
				08-15-76	254.84	0.91	
				08-20-76	254.07		0.77

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-25-76	254.45	0.38	
				08-30-76	253.82		0.63
				09-01-76	254.07	0.25	
				09-05-76	253.68		0.39
				09-10-76	254.02	0.34	
				09-15-76	253.99		0.03
				09-20-76	254.37	0.38	
				09-25-76	254.25		0.12
				10-01-76	252.17		2.08
				10-05-76	252.40	0.23	
				10-10-76	251.49		0.91
				10-15-76	250.98		0.51
				10-20-76	248.39		2.59
				10-25-76	246.31		2.08
				11-01-76	243.40		2.91
				11-05-76	242.86		0.54
				11-10-76	242.12		0.74
				11-15-76	241.64		0.48
				11-20-76	240.62		1.02
				11-25-76	239.98		0.64
				12-01-76	239.25		0.73
				12-05-76	238.43		0.82
				12-10-76	237.57		0.86
				12-15-76	236.90		0.67
				12-20-76	236.34		0.56
				12-25-76	235.58		0.76
				01-01-77	234.77		0.81
				01-05-77	234.60		0.17
				01-10-77	234.38		0.22
				01-15-77	233.50		0.88
				01-20-77	233.09		0.41
				01-25-77	232.15		0.94
				02-01-77	231.30		0.85
				02-05-77	230.82		0.48
				02-10-77	230.63		0.79
				02-15-77	229.75		0.28
				02-20-77	229.13		0.62
				02-25-77	228.31		0.82
				03-01-77	228.38	0.07	
				03-05-77	228.30		0.08
				03-10-77	227.72		0.58
				03-15-77	228.97	1.25	
				03-20-77	229.16	0.19	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-25-77	229.29	0.13	
				04-01-77	229.46	0.17	
68-29-107	KCEB	600	875.00	01-17-72	201.43		
				03-22-72	200.80		0.63
				04-27-72	203.74	2.94	
				07-24-72	196.70		7.04
				08-19-72	197.31	0.61	
				09-22-72	204.50	7.19	
68-29-207	KCEB	300	948.20	07-20-32	259.00		
				10-19-32	260.50	1.50	
				04-10-33	261.95	1.45	
				07-17-33	262.42	0.47	
				08-18-33	261.40		1.02
				10-18-33	262.64	1.24	
				11-21-33	262.75	0.11	
				12-20-33	262.95	0.20	
				05-22-34	259.70		3.25
				08-27-54	264.75	5.05	
				08-28-56	266.78	2.03	
68-29-304	KCEB	360	907.65	07-20-32	234.08		
				10-19-32	232.40		1.68
				01-16-33	232.38		0.02
				07-17-33	234.68	2.30	
				09-19-33	235.28	0.60	
				11-21-33	235.77	0.49	
				12-20-33	236.04	0.27	
				01-19-34	236.17	0.13	
				02-20-34	234.88		1.29
				03-20-34	233.57		1.31
				04-19-34	233.54		0.03
				05-22-34	234.20	0.66	
				06-20-34	235.76	1.56	
				07-30-34	236.63	0.87	
				08-23-34	236.82	0.19	
				09-20-34	238.00	1.18	
				10-10-34	238.40	0.40	
				11-20-34	239.00	0.60	
				02-04-35	238.48		0.52
				03-01-35	237.62		0.86
				04-10-35	238.18	0.56	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-26-35	223.25		14.93
				08-03-35	221.63		1.62
				11-20-35	220.47		1.16
				01-18-36	222.85	2.38	
				08-28-36	218.26		4.59
				09-13-49	241.56	23.30	
				10-04-49	242.81	1.25	
				11-07-49	240.10		2.71
				01-31-50	241.70	1.60	
				02-27-50	241.02		0.68
				03-30-50	242.42	1.40	
				05-04-50	244.60	2.18	
				06-06-50	243.12		1.48
				07-06-50	244.80	1.68	
				08-07-50	247.45	2.65	
				09-07-50	247.75	0.30	
				10-06-50	247.69		0.06
				11-08-50	248.98	1.29	
				12-05-50	249.30	0.32	
				01-04-51	249.61	0.31	
				02-05-51	250.65	1.04	
				03-07-51	251.30	0.65	
				05-11-51	253.21	1.91	
				06-08-51	252.38		0.83
				08-06-51	261.53	9.15	
				09-10-51	258.96		2.57
				10-30-51	258.94		0.02
				12-27-51	258.76		0.18
				02-29-52	259.82	1.06	
				04-04-52	260.19	0.37	
				06-30-52	262.42	2.23	
				09-03-52	265.45	3.03	
				11-03-52	262.60		2.85
				01-06-53	256.80		5.80
				03-06-53	257.35	0.55	
				05-07-53	260.64	3.29	
				07-15-53	265.24	4.60	
				09-18-53	262.16		3.08
				11-04-53	261.07		1.09
				01-08-54	259.70		1.37
				03-02-54	261.72	2.02	
				05-05-54	265.16	3.44	
				07-07-54	267.96	2.80	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-26-54	271.15	3.19	
				10-12-54	271.56	0.41	
				11-02-54	271.14		0.42
				01-06-55	269.69		1.25
				03-02-55	272.54	2.65	
				05-03-55	272.04		0.50
				07-06-55	273.97	1.93	
				09-01-55	276.36	2.39	
				11-02-55	277.27	0.91	
				01-04-56	275.60		1.67
				03-08-56	275.87	0.27	
				05-02-56	278.31	2.44	
				07-03-56	281.59	3.28	
				08-28-56	284.88	3.29	
				11-07-56	283.81		1.07
				01-03-57	281.42		2.39
				03-05-57	280.39		1.03
				05-08-57	271.19		9.20
				07-02-57	262.40		8.79
				09-04-57	269.92	7.52	
				11-05-57	261.57		8.35
				01-07-58	252.00		9.57
				03-04-58	247.39		4.61
				05-08-58	245.83		1.56
				07-03-58	256.46	10.63	
				09-04-58	240.70		15.76
				11-04-58	227.60		13.10
				01-12-59	225.30		2.30
				03-02-59	227.25	1.95	
				05-06-59	229.74	2.49	
				07-06-59	237.51	7.77	
				09-02-59	240.73	3.22	
				11-05-59	232.40		8.33
				01-14-60	230.68		1.72
				03-04-60	230.91	0.23	
				05-03-60	231.74	0.83	
				07-07-60	236.79	5.05	
				09-08-60	233.40		3.39
				01-09-61	225.62		7.78
				12-21-71	237.20*	11.58	
				01-03-72	235.95		1.25
				02-10-73	242.60*	6.65	
				07-15-75	251.00	8.40	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-76	235.33		15.67
68-29-411	KCEB	415	831.70	09-29-33	157.12		
				10-10-34	153.62		3.50
				09-01-49	136.25		17.37
				10-04-49	140.69	4.44	
				11-07-49	134.13		6.56
				01-31-50	140.08	5.95	
				02-27-50	140.37	0.29	
				03-30-50	142.19	1.82	
				05-04-50	143.27	1.08	
				06-06-50	144.06	0.79	
				07-05-50	146.95	2.89	
				08-03-50	152.48	5.53	
				09-07-50	147.77		4.71
				10-06-50	146.66		1.11
				11-08-50	152.17	5.51	
				12-05-50	155.22	3.05	
				01-22-51	158.54	3.32	
				02-06-51	159.24	0.70	
				03-07-51	160.09	0.85	
				05-11-51	161.12	1.03	
				06-08-51	155.48		5.64
				08-06-51	162.28	6.80	
				09-12-51	165.12	2.84	
				10-08-51	165.38	0.26	
				10-30-51	165.72	0.34	
				12-27-51	167.07	1.35	
				03-03-52	164.57		2.50
				04-07-52	166.45	1.88	
				06-30-52	169.20	2.75	
				09-03-52	173.09	3.89	
				11-03-52	171.94		1.15
				01-06-53	163.13		8.81
03-06-53	164.17	1.04					
05-07-53	166.30	2.13					
07-15-53	171.75	5.45					
09-18-53	167.81		3.94				
11-04-53	168.39	0.58					
01-08-54	168.73	0.34					
03-02-54	170.76	2.03					
05-06-54	173.99	3.23					
07-07-54	175.98	1.99					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-28-54	178.82	2.84	
				11-04-54	178.39		0.43
				01-06-55	176.41		1.98
				03-04-55	177.05	0.64	
				05-04-55	180.60	3.55	
				07-07-55	181.50	0.90	
				09-02-55	183.41	1.91	
				11-03-55	184.36	0.95	
				01-06-56	183.30		1.06
				03-07-56	183.99	0.69	
				05-01-56	186.33	2.34	
				07-05-56	188.89	2.56	
				08-29-56	190.27	1.38	
				11-06-56	189.42		0.85
				01-05-57	188.48		0.94
				03-05-57	187.57		0.91
				05-09-57	134.26		53.31
				09-05-57	149.07	14.81	
				11-07-57	130.96		18.11
				01-07-58	117.05		13.91
				03-07-58	83.50		33.55
				05-08-58	110.92	27.42	
				06-27-58	121.92	11.00	
				07-03-58	131.60	9.68	
				09-02-58	137.61	6.01	
				11-03-58	78.70		58.91
				01-12-59	115.32	36.62	
				03-03-59	113.20		2.12
				07-08-59	136.60	23.40	
				09-04-59	140.54	3.94	
				11-05-59	138.02		2.52
				01-14-60	137.14		0.88
				03-07-60	137.41	0.27	
				05-03-60	137.29		0.12
68-29-506	KCEB	694	788.00	09-26-72	122.25		
				07-26-73	98.65		23.60
				02-13-74	92.88		5.77
				07-16-74	113.35	20.47	
				02-13-75	107.20		6.15
				07-17-75	105.20		2.00
				02-25-76	120.20	15.00	
				08-02-76	104.40		15.80

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-04-77	86.93		17.47
68-29-507	KCEB	----	821.60	10-02-33	137.81		
				10-10-33	138.68	0.87	
				11-21-33	138.92	0.24	
				12-20-33	139.77	0.85	
				01-19-34	139.49		0.28
				02-20-34	136.57		2.92
				03-20-34	135.43		1.14
				04-19-34	134.51		0.92
				05-22-34	133.51		1.00
				06-20-34	136.17	2.66	
				07-30-34	136.66	0.49	
				08-23-34	138.84	2.18	
				09-20-34	139.24	0.40	
				10-10-34	139.15		0.09
				11-20-34	138.15		1.00
				12-19-34	141.47	3.32	
				02-04-35	138.30		3.17
				03-01-35	134.75		3.55
				04-10-35	136.30	1.55	
				05-20-35	123.84		12.46
				06-26-35	107.00		16.84
				08-03-35	119.45	12.45	
				09-26-35	127.58	8.13	
11-20-35	130.28	2.70					
01-18-36	132.90	2.62					
08-28-36	126.50		6.40				
01-05-37	126.85	0.35					
68-29-508	KCEB	239	874.00	07-20-32	202.14		
				10-19-32	200.05		2.09
				01-16-33	199.68		0.37
				04-10-33	200.06	0.38	
				07-17-33	203.18	3.12	
				08-18-33	202.83		0.35
				10-18-33	203.08	0.25	
				11-21-33	203.39	0.31	
				12-20-33	203.50	0.11	
				01-19-34	203.33		0.17
				02-20-34	202.48		0.85
				03-20-34	201.31		1.17
				04-19-34	200.85		0.46

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-22-34	202.31	1.46	
				06-20-34	204.29	1.98	
				07-30-34	204.54	0.25	
				08-23-34	205.37	0.83	
				09-20-34	206.25	0.88	
				10-10-34	206.70	0.45	
				11-20-34	206.87	0.17	
				12-19-34	206.92	0.05	
				02-04-35	206.31		0.61
				04-10-35	207.13	0.82	
				05-20-35	200.18		6.95
				09-26-35	189.75		10.43
				01-18-36	192.11	2.36	
				08-28-36	188.11		4.00
				01-05-37	189.56	1.45	
				09-13-49	212.36	22.80	
				10-04-49	212.93	0.57	
				11-07-49	208.50		4.43
				01-31-50	213.50	5.00	
				02-27-50	209.76		3.74
				03-30-50	211.57	1.81	
				05-04-50	211.59	0.02	
				06-06-50	211.02		0.57
				07-06-50	214.22	3.20	
				08-03-50	218.20	3.98	
				09-07-50	217.14		1.06
				10-06-50	216.82		0.32
				11-08-50	218.20	1.38	
				12-05-50	218.48	0.28	
				01-04-51	218.56	0.08	
				02-05-51	219.95	1.39	
				03-07-51	220.40	0.45	
				05-11-51	222.62	2.22	
				06-08-51	221.05		1.57
				08-06-51	227.95	6.90	
				09-10-51	229.97	2.02	
				10-30-51	228.63		1.34
				12-27-51	228.65	0.02	
				02-29-52	229.40	0.75	
				04-04-52	229.20		0.20
				06-30-52	232.90	3.70	
				09-03-52	236.92	4.02	
				11-03-52	232.19		4.73

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-06-53	224.36		7.83
				03-06-53	226.68	2.32	
				05-07-53	230.06	3.38	
				07-14-53	236.35	6.29	
				09-18-53	229.64		6.71
				11-04-53	228.95		0.69
				01-08-54	228.40		0.55
				03-02-54	230.84	2.44	
				05-04-54	234.62	3.78	
				07-07-54	238.88	4.26	
				08-26-54	242.87	3.99	
				10-12-54	240.38		2.49
				11-02-54	240.15		0.23
				01-06-55	238.78		1.37
				03-02-55	237.51		1.27
				05-03-55	242.45	4.94	
				07-06-55	244.69	2.24	
				09-01-55	246.76	2.07	
				11-02-55	246.89	0.13	
				01-04-56	244.10		2.79
				03-08-56	244.86	0.76	
				05-02-56	248.03	3.17	
				07-03-56	252.63	4.60	
				08-28-56	255.09	2.46	
				11-07-56	251.59		3.50
				01-03-57	248.62		2.97
				03-05-57	247.93		0.69
				05-08-57	235.51		12.42
				07-02-57	231.26		4.25
				09-04-57	241.55	10.29	
				11-05-57	226.10		15.45
				01-07-58	218.79		7.31
				03-05-58	205.10		13.69
				05-08-58	200.65		4.45
				07-03-58	205.50	4.85	
				09-04-58	213.40	7.90	
				11-04-58	195.30		18.10
				01-12-59	196.13	0.83	
				03-02-59	192.35		3.78
				05-06-59	194.87	2.52	
				07-08-59	202.21	7.34	
				09-02-59	205.11	2.90	
				11-05-59	201.29		3.82

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-14-60	198.92		2.37
				03-04-60	199.24*	0.32	
				05-02-60	199.52*	0.28	
				07-07-60	207.14	7.62	
				09-08-60	204.23*		2.91
				11-07-60	197.58		6.65
				01-06-61	193.55		4.03
				12-21-71	202.97	9.42	
				06-07-72	200.01		2.96
				02-10-73	206.00	5.99	
				05-01-73	192.18		13.82
				07-27-73	183.70		8.48
68-29-604	KCEB	457	815.90	06-15-46	146.55		
				09-13-49	159.88	13.33	
				10-04-49	160.07	0.19	
				11-07-49	154.12		5.95
				02-01-50	156.43	2.31	
				02-27-50	155.28		1.15
				03-30-50	158.90	3.62	
				05-04-50	157.70		1.20
				06-06-50	155.72		1.98
				07-06-50	161.56	5.84	
				08-03-50	164.24	2.68	
				09-07-50	163.31		0.93
				10-06-50	163.10		0.21
				11-09-50	164.60	1.50	
				12-05-50	164.57		0.03
				01-04-51	164.64	0.07	
				02-05-51	166.28	1.64	
				03-07-51	167.83	1.55	
				05-11-51	168.55	0.72	
				06-08-51	166.30		2.25
				08-06-51	176.30	10.00	
				09-10-51	177.36	1.06	
				10-30-51	173.08		4.28
				12-27-51	172.44		0.64
				02-29-52	173.44	1.00	
				04-04-52	174.16	0.72	
				09-03-52	184.02Q	9.86	
				11-03-52	177.59		6.43
				01-06-53	167.62		9.97
				03-06-53	172.50	4.88	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-07-53	176.69	4.19	
				07-14-53	183.20	6.51	
				09-18-53	173.17		10.03
				11-04-53	170.23		2.94
				01-05-54	172.83	2.60	
				03-02-54	177.40	4.57	
				05-04-54	179.69	2.29	
				07-07-54	184.55	4.86	
				08-25-54	189.80	5.25	
				10-12-54	184.37		5.43
				11-02-54	184.49	0.12	
				01-06-55	182.37		2.12
				03-02-55	181.70		0.67
				05-03-55	189.60	7.90	
				07-06-55	191.97	2.37	
				09-01-55	191.61		0.36
				11-02-55	192.05	0.44	
				01-04-56	187.70		4.35
				03-08-56	190.02	2.32	
				05-02-56	192.59	2.57	
				07-03-56	198.47	5.88	
				08-28-56	199.28	0.81	
				11-07-56	193.89		5.39
				01-03-57	191.38		2.51
				03-05-57	190.11		1.27
				05-08-57	176.61		13.50
				07-03-57	177.61	1.00	
				09-04-57	188.17	10.56	
				11-05-57	169.29		18.88
				01-07-58	162.35		6.94
				03-05-58	148.34		14.01
				05-08-58	146.88		1.46
				07-03-58	156.25	9.37	
				09-04-58	165.56	9.31	
				11-04-58	139.60		25.96
				01-12-59	141.65	2.05	
				03-02-59	141.70	0.05	
				05-06-59	144.09	2.39	
				07-06-59	152.61	8.52	
				09-02-59	153.57	0.96	
				11-05-59	146.90		6.67
				01-14-60	144.33		2.57
				03-04-60	144.97	0.64	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-03-60	145.24	0.27	
				07-07-60	154.82	9.58	
				09-08-60	150.56		4.26
				11-07-60	141.55		9.01
				01-06-61	138.72		2.83
68-29-605	KCEB	438	808.50	06-20-46	139.95		
				09-13-49	151.19	11.24	
				10-04-49	151.39	0.20	
				11-07-49	145.45		5.94
				02-01-50	147.59	2.14	
				02-27-50	146.49		1.10
				03-30-50	151.35	4.86	
				06-06-50	147.01		4.34
				07-06-50	153.05	6.04	
				08-03-50	155.35	2.30	
				09-07-50	154.37		0.98
				10-06-50	154.43	0.06	
				11-09-50	155.53	1.10	
				12-05-50	155.55	0.02	
				01-04-51	155.66	0.11	
				02-05-51	159.83	4.17	
				03-07-51	158.76		1.07
				05-11-51	159.45	0.69	
				06-08-51	157.38		2.07
				08-06-51	167.67	10.29	
				09-10-51	168.44	0.77	
				10-30-51	164.50		3.94
				02-29-52	164.67	0.17	
				04-04-52	165.48	0.81	
				06-30-52	168.61	3.13	
				09-03-52	175.98	7.37	
				11-03-52	169.29		6.69
				01-06-53	159.57		9.72
				03-06-53	164.43	4.86	
				05-07-53	168.59	4.16	
				09-18-53	165.17		3.42
				11-04-53	164.86		0.31
				01-05-54	164.72		0.14
				05-04-54	171.87	7.15	
				07-07-54	176.54	4.67	
				08-28-54	182.16	5.62	
				11-02-54	176.40		5.76

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-06-55	174.25		2.15
				03-02-55	173.65		0.60
				11-02-55	185.91	12.26	
				01-04-56	184.20		1.71
				05-09-57	168.60		15.60
				07-02-57	170.53	1.93	
				09-04-57	180.03	9.50	
				11-05-57	161.43		18.60
				01-07-58	154.78		6.65
				03-05-58	141.05		13.73
				05-08-58	139.78		1.27
				07-03-58	149.65	9.87	
				09-04-58	158.00	8.35	
				11-04-58	132.76		25.24
				01-12-59	134.34	1.58	
				03-02-59	134.31		0.03
				05-06-59	136.89	2.58	
				07-06-59	145.36	8.47	
				09-02-59	145.98	0.62	
				11-05-59	139.22		6.76
				01-14-60	136.73		2.49
				03-04-60	137.31	0.58	
				05-03-60	137.69	0.38	
				07-07-60	147.12	9.43	
				09-08-60	142.86		4.26
				11-07-60	134.16		8.70
				01-09-61	132.41		1.75
				12-21-71	138.31	5.90	
				02-03-72	139.59	1.28	
				05-08-72	150.90	11.31	
				05-10-72	142.98		7.92
				06-08-72	141.90		1.08
				02-10-73	144.22	2.32	
				04-16-73	134.10		10.12
				07-26-73	124.35		9.75
				07-15-74	147.09	22.74	
				07-17-75	126.10		20.99
68-29-701	KCEB	500	778.80	09-09-42	100.00		
				05-21-52	134.99	34.99	
				05-25-52	136.24	1.25	
				05-30-52	133.73		2.51
				06-01-52	133.75	0.02	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY.

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-52	134.78	1.03	
				06-10-52	134.84	0.06	
				06-15-52	135.26	0.42	
				06-20-52	137.52	2.26	
				06-25-52	139.44	1.92	
				07-04-52	137.53		1.91
				07-05-52	137.53		
				07-10-52	138.95	1.42	
				07-15-52	139.97	1.02	
				07-20-52	137.15		2.82
				07-25-52	138.04	0.89	
				08-01-52	139.58	1.54	
				08-05-52	140.12	0.54	
				08-10-52	141.25	1.13	
				08-15-52	142.55	1.30	
				08-25-52	142.40		0.15
				09-01-52	143.00	0.60	
				09-07-52	142.30		0.70
				09-10-52	140.30		2.00
				09-15-52	135.10		5.20
				09-20-52	134.20		0.90
				09-26-52	134.60	0.40	
				10-01-52	135.20	0.60	
				10-08-52	135.40	0.20	
				10-25-52	136.40	1.00	
				11-01-52	136.41	0.01	
				11-05-52	136.37		0.04
				11-10-52	135.55		0.82
				11-15-52	135.29		0.26
				11-20-52	134.72		0.57
				11-25-52	134.46		0.26
				11-29-52	130.55		3.91
				12-01-52	129.48		1.07
				12-05-52	130.27	0.79	
				12-10-52	130.92	0.65	
				12-15-52	130.82		0.10
				12-20-52	130.41		0.41
				12-25-52	129.70		0.71
				12-31-52	126.14		3.56
				01-01-53	125.92		0.22
				01-02-53	125.82		0.10
				01-05-53	126.08	0.26	
				01-10-53	127.09	1.01	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-15-53	127.53	0.44	
				01-20-53	127.71	0.18	
				01-25-53	128.54	0.83	
				02-01-53	129.03	0.49	
				02-02-53	128.81		0.22
				02-05-53	129.57	0.76	
				02-10-53	129.97	0.40	
				02-15-53	129.70		0.27
				02-20-53	130.04	0.34	
				02-25-53	129.99		0.05
				03-01-53	130.22	0.23	
				03-05-53	131.14	0.92	
				03-10-53	131.05		0.09
				03-15-53	131.14	0.09	
				03-20-53	132.00	0.86	
				03-25-53	133.33	1.33	
				04-01-53	134.05	0.72	
				04-10-53	133.81		0.24
				04-14-53	131.14		2.67
				04-15-53	133.16	2.02	
				04-20-53	133.71	0.55	
				04-25-53	133.93	0.22	
				05-01-53	134.67	0.74	
				05-05-53	134.95	0.28	
				05-10-53	136.22	1.27	
				05-15-53	134.82		1.40
				05-18-53	134.25		0.57
				05-28-53	137.69	3.44	
				06-01-53	138.18	0.49	
				06-05-53	139.65	1.47	
				06-10-53	141.17	1.52	
				06-15-53	141.27	0.10	
				06-20-53	142.81	1.54	
				06-25-53	143.72	0.91	
				07-01-53	141.03		2.69
				07-05-53	140.19		0.84
				07-10-53	142.22	2.03	
				07-15-53	142.44	0.22	
				07-20-53	142.80	0.36	
				07-25-53	142.60		0.20
				08-05-53	145.26	2.66	
				08-10-53	145.61	0.35	
				08-20-53	145.87	0.26	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-25-53	143.06		2.81
				08-31-53	138.61		4.45
				09-01-53	137.40		1.21
				09-05-53	131.31		6.09
				09-08-53	129.88		1.43
				09-10-53	129.96	0.08	
				09-15-53	130.69	0.73	
				09-20-53	132.13	1.44	
				09-25-53	133.64	1.51	
				10-01-53	135.09	1.45	
				10-05-53	133.50		1.59
				10-10-53	133.51	0.01	
				10-15-53	134.33	0.82	
				10-20-53	134.69	0.36	
				10-25-53	133.78		0.91
				10-31-53	132.94		0.84
				11-01-53	132.62		0.32
				11-05-53	132.20		0.42
				11-10-53	131.93		0.27
				11-15-53	132.07	0.14	
				11-16-53	131.88		0.19
				11-20-53	132.09	0.21	
				11-25-53	132.51	0.42	
				12-01-53	132.42		0.09
				12-05-53	131.64		0.78
				12-10-53	131.94	0.30	
				12-15-53	131.55		0.39
				12-20-53	131.12		0.43
				12-21-53	130.88		0.24
				12-25-53	131.75	0.87	
				01-01-54	131.64		0.11
				01-02-54	131.33		0.31
				01-05-54	131.83	0.50	
				01-10-54	132.30	0.47	
				01-15-54	132.02		0.28
				01-20-54	132.13	0.11	
				01-25-54	132.40	0.27	
				02-01-54	132.87	0.47	
				02-05-54	133.80	0.93	
				02-10-54	133.98	0.18	
				02-15-54	134.10	0.12	
				02-20-54	134.81	0.71	
				02-25-54	135.72	0.91	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-01-54	135.97	0.25	
				03-11-54	137.66	1.69	
				03-15-54	137.57		0.09
				03-20-54	137.76	0.19	
				03-25-54	138.75	0.99	
				04-01-54	139.74	0.99	
				04-05-54	139.91	0.17	
				04-10-54	139.55		0.36
				04-15-54	138.86		0.69
				04-20-54	139.85	0.99	
				04-25-54	141.10	1.25	
				05-01-54	139.28		1.82
				05-03-54	138.75		0.53
				05-05-54	139.04	0.29	
				05-10-54	140.25	1.21	
				05-15-54	140.07		0.18
				05-20-54	140.76	0.69	
				05-25-54	139.12		1.64
				06-01-54	141.04	1.92	
				06-05-54	142.53	1.49	
				06-09-54	143.75	1.22	
				06-15-54	144.84	1.09	
				06-20-54	144.57		0.27
				06-25-54	145.49	0.92	
				07-01-54	142.72		2.77
				07-05-54	142.48		0.24
				07-10-54	144.75	2.27	
				07-15-54	145.95	1.20	
				07-20-54	146.69	0.74	
				07-24-54	149.10	2.41	
				08-01-54	146.39		2.71
				08-02-54	145.72		0.67
				08-05-54	147.37	1.65	
				08-10-54	149.05	1.68	
				08-14-54	149.44	0.39	
				08-20-54	149.03		0.41
				08-25-54	148.76		0.27
				09-01-54	147.95		0.81
				09-05-54	148.45	0.50	
				09-06-54	147.60		0.85
				09-26-54	148.61	1.01	
				10-01-54	147.23		1.38
				10-05-54	145.55		1.68

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-10-54	143.98		1.57
				10-11-54	143.65		0.33
				10-15-54	144.45	0.80	
				10-20-54	144.92	0.47	
				10-25-54	144.37		0.55
				11-01-54	143.83		0.54
				11-05-54	143.64		0.19
				11-10-54	143.00		0.64
				11-17-54	142.02		0.98
				11-20-54	142.26	0.24	
				11-26-54	142.15		0.11
				12-01-54	142.64	0.49	
				12-05-54	142.78	0.14	
				12-10-54	142.89	0.11	
				12-15-54	142.32		0.57
				12-20-54	142.16		0.16
				12-25-54	142.08		0.08
				12-27-54	141.55		0.53
				01-01-55	141.57	0.02	
				01-05-55	141.83	0.26	
				01-10-55	141.21		0.62
				01-15-55	141.00		0.21
				01-20-55	140.74		0.26
				01-25-55	140.61		0.13
				02-01-55	141.10	0.49	
				02-05-55	141.09		0.01
				02-10-55	140.09		1.00
				02-15-55	140.34	0.25	
				02-20-55	140.30		0.04
				02-25-55	140.26		0.04
				03-01-55	140.54	0.28	
				03-05-55	141.52	0.98	
				03-10-55	141.77	0.25	
				03-15-55	142.89	1.12	
				03-20-55	142.74		0.15
				03-25-55	142.43		0.31
				04-01-55	143.39	0.96	
				04-05-55	144.36	0.97	
				04-10-55	143.43		0.93
				04-15-55	145.32	1.89	
				04-20-55	146.18	0.86	
				04-25-55	146.93	0.75	
				05-01-55	147.89	0.96	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-05-55	149.00	1.11	
				05-10-55	148.84		0.16
				05-15-55	145.89		2.95
				05-20-55	143.61		2.28
				05-25-55	144.73	1.12	
				06-01-55	146.40	1.67	
				06-05-55	146.98	0.58	
				06-10-55	146.70		0.28
				06-15-55	147.47	0.77	
				06-20-55	148.59	1.12	
				06-25-55	149.33	0.74	
				07-01-55	151.12	1.79	
				07-05-55	150.20		0.92
				07-10-55	150.93	0.73	
				07-15-55	150.42		0.51
				07-20-55	150.54	0.12	
				07-25-55	150.92	0.38	
				08-01-55	151.03	0.11	
				08-05-55	151.64	0.61	
				08-10-55	153.00	1.36	
				08-15-55	150.48		2.52
				08-20-55	151.29	0.81	
				08-25-55	152.89	1.60	
				09-01-55	151.47		1.42
				09-05-55	150.95		0.52
				09-10-55	152.01	1.06	
				09-15-55	151.84		0.17
				09-20-55	152.40	0.56	
				09-25-55	151.41		0.99
				10-01-55	151.98	0.57	
				10-05-55	150.97		1.01
				10-10-55	150.77		0.20
				10-15-55	151.03	0.26	
				10-20-55	151.99	0.96	
				10-25-55	151.57		0.42
				11-01-55	151.43		0.14
				11-05-55	151.19		0.24
				11-12-55	149.37		1.82
				11-15-55	149.00		0.37
				11-20-55	148.92		0.08
				11-25-55	148.60		0.32
				12-01-55	148.14		0.46
				12-15-55	147.86		0.28

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-20-55	147.80		0.06
				12-25-55	147.51		0.29
				01-01-56	147.39		0.12
				01-05-56	147.76	0.37	
				01-10-56	147.90	0.14	
				01-15-56	147.94	0.04	
				01-20-56	147.51		0.43
				01-25-56	146.92		0.59
				02-01-56	146.71		0.21
				02-05-56	146.46		0.25
				02-10-56	146.50	0.04	
				02-15-56	146.86	0.36	
				02-20-56	147.57	0.71	
				02-25-56	147.66	0.09	
				03-01-56	148.61	0.95	
				03-05-56	149.25	0.64	
				03-10-56	149.99	0.74	
				03-15-56	149.35		0.64
				03-21-56	150.06	0.71	
				03-25-56	150.56	0.50	
				04-01-56	151.92	1.36	
				04-05-56	152.85	0.93	
				04-10-56	152.32		0.53
				04-15-56	153.67	1.35	
				04-20-56	153.69	0.02	
				04-25-56	152.37		1.32
				05-01-56	153.00	0.63	
				05-04-56	152.85		0.15
				05-11-56	154.87	2.02	
				05-15-56	154.60		0.27
				05-20-56	154.37		0.23
				05-24-56	155.35	0.98	
				06-10-56	157.65	2.30	
				06-15-56	158.86	1.21	
				06-20-56	157.09		1.77
				06-25-56	157.28	0.19	
				07-01-56	159.49	2.21	
				07-05-56	158.90		0.59
				07-10-56	159.69	0.79	
				07-15-56	160.21	0.52	
				07-21-56	161.24	1.03	
				07-25-56	161.52	0.28	
				08-01-56	162.63	1.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-56	163.10	0.47	
				08-10-56	163.94	0.84	
				08-15-56	164.59	0.65	
				08-20-56	163.04		1.55
				08-25-56	161.28		1.76
				09-15-56	158.91		2.37
				09-20-56	160.07	1.16	
				09-25-56	159.86		0.21
				10-05-56	160.82	0.96	
				10-10-56	161.66	0.84	
				10-15-56	159.94		1.72
				10-20-56	157.25		2.69
				10-25-56	156.28		0.97
				11-01-56	155.77		0.51
				01-25-57	152.35		3.42
				02-05-57	152.00		0.35
				02-10-57	152.74	0.74	
				02-15-57	153.35	0.61	
				02-20-57	152.18		1.17
				02-25-57	150.56		1.62
				03-01-57	151.32	0.76	
				03-05-57	150.70		0.62
				03-10-57	150.82	0.12	
				03-15-57	151.89	1.07	
				03-20-57	150.34		1.55
				03-25-57	147.92		2.42
				04-01-57	147.27		0.65
				04-05-57	148.20	0.93	
				04-10-57	148.86	0.66	
				04-15-57	148.49		0.37
				04-20-57	145.08		3.41
				04-25-57	139.55		5.53
				05-01-57	133.42		6.13
				05-01-57	133.42		
				05-05-57	134.60	1.18	
				05-10-57	136.39	1.79	
				05-15-57	137.66	1.27	
				05-20-57	136.33		1.33
				05-25-57	137.95	1.62	
				10-26-57	127.63		10.32
				11-01-57	127.33		0.30
				11-05-57	127.46	0.13	
				11-10-57	128.30	0.84	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-15-57	125.95		2.35
				11-20-57	125.57		0.38
				11-25-57	124.31		1.26
				12-01-57	123.46		0.85
				12-05-57	123.40		0.06
				12-10-57	123.37		0.03
				12-26-57	123.74	0.37	
				01-01-58	123.67		0.07
				01-05-58	121.09		2.58
				01-10-58	119.30		1.79
				01-15-58	117.08		2.22
				01-20-58	115.80		1.28
				01-25-58	114.52		1.28
				02-01-58	113.80		0.72
				02-05-58	113.46		0.34
				02-10-58	113.40		0.06
				02-15-58	113.84	0.44	
				02-20-58	114.16	0.32	
				02-25-58	106.95		7.21
				03-01-58	106.25		0.70
				03-05-58	105.62		0.63
				03-10-58	105.50		0.12
				03-15-58	105.85	0.35	
				03-20-58	105.93	0.08	
				03-25-58	105.93		
				04-01-58	106.71	0.78	
				04-05-58	107.35	0.64	
				04-10-58	108.31	0.96	
				04-15-58	108.41	0.10	
				04-20-58	108.82	0.41	
				04-25-58	110.13	1.31	
				05-01-58	111.23	1.10	
				05-05-58	104.20		7.03
				05-10-58	104.04		0.16
				05-15-58	104.32	0.28	
				05-20-58	104.30		0.02
				05-25-58	105.57	1.27	
				06-01-58	108.87	3.30	
				06-05-58	111.64	2.77	
				06-10-58	113.76	2.12	
				06-15-58	115.84	2.08	
				06-20-58	115.98	0.14	
				06-25-58	113.20		2.78

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-01-58	113.76	0.56	
				07-05-58	114.99	1.23	
				07-10-58	112.20		2.79
				07-15-58	112.31	0.11	
				07-20-58	114.59	2.28	
				07-25-58	117.30	2.71	
				08-01-58	120.46	3.16	
				08-05-58	121.50	1.04	
				08-10-58	123.35	1.85	
				08-15-58	122.57		0.78
				08-20-58	123.15	0.58	
				08-25-58	122.17		0.98
				09-01-58	123.51	1.34	
				09-05-58	123.83	0.32	
				09-10-58	119.75		4.08
				09-15-58	117.75		2.00
				09-20-58	109.00		8.75
				09-25-58	104.94		4.06
				10-01-58	102.38		2.56
				10-05-58	101.82		0.56
				10-10-58	102.28	0.46	
				10-15-58	102.09		0.19
				10-20-58	101.85		0.24
				10-25-58	101.68		0.17
				11-01-58	96.62		5.06
				11-05-58	95.73		0.89
				11-10-58	95.47		0.26
				11-15-58	95.80	0.33	
				11-20-58	96.11	0.31	
				11-25-58	96.23	0.12	
				12-01-58	96.37	0.14	
				12-05-58	96.82	0.45	
				12-10-58	97.30	0.48	
				12-15-58	98.07	0.77	
				12-20-58	98.52	0.45	
				12-25-58	98.53	0.01	
				01-01-59	98.37		0.16
				01-05-59	98.89	0.52	
				01-10-59	99.08	0.19	
				01-15-59	98.97		0.11
				01-20-59	99.12	0.15	
				01-25-59	99.70	0.58	
				02-01-59	99.94	0.24	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-05-59	99.71		0.23
				02-10-59	99.88	0.17	
				02-15-59	99.18		0.70
				02-20-59	99.22	0.04	
				02-25-59	98.96		0.26
				03-01-59	99.04	0.08	
				03-05-59	99.10	0.06	
				03-10-59	99.75	0.65	
				03-15-59	100.25	0.50	
				03-20-59	100.93	0.68	
				03-25-59	101.68	0.75	
				04-01-59	102.39	0.71	
				04-05-59	102.78	0.39	
				04-10-59	102.39		0.39
				04-15-59	101.27		1.12
				04-20-59	100.57		0.70
				04-25-59	101.28	0.71	
				05-01-59	102.40	1.12	
				05-05-59	101.62		0.78
				05-10-59	101.80	0.18	
				05-15-59	102.94	1.14	
				05-20-59	103.22	0.28	
				05-25-59	102.70		0.52
				06-01-59	104.93	2.23	
				06-05-59	106.71	1.78	
				06-10-59	108.06	1.35	
				06-15-59	110.19	2.13	
				06-22-59	114.30	4.11	
				06-25-59	112.47		1.83
				07-01-59	109.34		3.13
				07-05-59	109.89	0.55	
				07-10-59	111.90	2.01	
				07-15-59	110.11		1.79
				07-20-59	110.87	0.76	
				07-25-59	109.06		1.81
				08-01-59	110.11	1.05	
				08-05-59	112.54	2.43	
				08-10-59	111.95		0.59
				08-15-59	112.93	0.98	
				08-20-59	115.08	2.15	
				08-25-59	112.49		2.59
				09-01-59	110.76		1.73
				09-05-59	112.81	2.05	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-10-59	112.11		0.70
				09-15-59	110.52		1.59
				09-20-59	112.63	2.11	
				09-25-59	111.44		1.19
				10-01-59	110.91		0.53
				10-05-59	105.75		5.16
				10-10-59	106.01	0.26	
				10-15-59	105.37		0.64
				10-20-59	104.78		0.59
				10-25-59	105.12	0.34	
				11-01-59	104.82		0.30
				11-05-59	104.63		0.19
				11-10-59	104.78	0.15	
				11-15-59	104.33		0.45
				11-20-59	104.02		0.31
				11-25-59	103.53		0.49
				12-01-59	103.48		0.05
				12-05-59	103.58	0.10	
				12-10-59	103.74	0.16	
				12-15-59	103.53		0.21
				12-20-59	103.03		0.50
				12-25-59	102.87		0.16
				01-01-60	102.40		0.47
				01-01-60	97.22		5.18
				01-05-60	97.18		0.04
				01-05-60	102.26	5.08	
				01-10-60	102.05		0.21
				01-10-60	96.80		5.25
				01-15-60	96.58		0.22
				01-15-60	102.02	5.44	
				01-20-60	102.33	0.31	
				01-20-60	96.87		5.46
				01-25-60	97.06	0.19	
				01-25-60	102.10	5.04	
				02-01-60	102.26	0.16	
				02-01-60	97.15		5.11
				02-05-60	96.61		0.54
				02-05-60	102.09	5.48	
				02-10-60	102.05		0.04
				02-10-60	95.38		6.67
				02-15-60	95.34		0.04
				02-15-60	102.24	6.90	
				02-20-60	102.62	0.38	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-60	95.04		7.58
				02-25-60	95.28	0.24	
				02-25-60	102.57	7.29	
				03-01-60	102.54		0.03
				03-05-60	102.75	0.21	
				03-10-60	102.64		0.11
				03-15-60	102.44		0.20
				03-20-60	103.47	1.03	
				03-25-60	104.41	0.94	
				04-01-60	103.00		1.41
				04-05-60	103.33	0.33	
				04-10-60	104.19	0.86	
				04-15-60	104.00		0.19
				04-20-60	104.88	0.88	
				04-25-60	105.23	0.35	
				05-06-60	103.21		2.02
				05-10-60	104.21	1.00	
				05-15-60	104.51	0.30	
				05-25-60	105.77	1.26	
				06-01-60	109.08	3.31	
				06-06-60	111.63	2.55	
				06-10-60	114.11	2.48	
				06-15-60	116.15	2.04	
				06-20-60	117.52	1.37	
				06-25-60	113.05		4.47
				07-01-60	111.59		1.46
				07-05-60	111.72	0.13	
				07-10-60	113.48	1.76	
				07-15-60	115.00	1.52	
				07-20-60	109.80		5.20
				07-25-60	107.64		2.16
				08-01-60	111.47	3.83	
				08-05-60	113.75	2.28	
				08-10-60	115.17	1.42	
				08-15-60	108.59		6.58
				08-20-60	107.32		1.27
				08-25-60	108.23	0.91	
				09-01-60	108.24	0.01	
				09-05-60	107.92		0.32
				09-10-60	108.79	0.87	
				09-15-60	110.29	1.50	
				09-20-60	111.68	1.39	
				09-25-60	111.13		0.55

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-01-60	111.44	0.31	
				10-05-60	112.27	0.83	
				10-10-60	110.67		1.60
				10-15-60	110.54		0.13
				10-20-60	105.02		5.52
				10-25-60	104.97		0.05
				11-01-60	98.63		6.34
				11-05-60	98.59		0.04
				11-10-60	98.87	0.28	
				11-15-60	99.08	0.21	
				11-20-60	99.50	0.42	
				11-25-60	99.59	0.09	
				12-01-60	100.25	0.66	
				12-05-60	100.01		0.24
				12-10-60	98.28		1.73
				12-15-60	97.48		0.80
				12-20-60	97.47		0.01
				12-25-60	97.53	0.06	
				01-01-61	97.22		0.31
				01-05-61	97.18		0.04
				01-10-61	96.80		0.38
				01-15-61	96.58		0.22
				01-20-61	96.87	0.29	
				01-25-61	97.06	0.19	
				02-01-61	97.15	0.09	
				02-05-61	96.61		0.54
				02-10-61	95.38		1.23
				02-15-61	95.34		0.04
				02-20-61	95.04		0.30
				02-25-61	95.28	0.24	
				03-01-61	95.72	0.44	
				03-05-61	95.90	0.18	
				03-10-61	97.08	1.18	
				03-15-61	97.77	0.69	
				03-20-61	97.82	0.05	
				03-25-61	99.33	1.51	
				04-01-61	99.44	0.11	
				04-05-61	100.75	1.31	
				04-10-61	100.02		0.73
				04-15-61	102.20	2.18	
				04-20-61	102.96	0.76	
				04-25-61	103.61	0.65	
				05-01-61	103.65	0.04	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-05-61	104.77	1.12	
				05-10-61	106.16	1.39	
				05-16-61	107.87	1.71	
				05-20-61	109.20	1.33	
				05-25-61	110.53	1.33	
				06-01-61	111.60	1.07	
				06-05-61	111.90	0.30	
				06-10-61	110.83		1.07
				06-15-61	108.02		2.81
				06-20-61	101.32		6.70
				06-25-61	102.39	1.07	
				07-01-61	104.31	1.92	
				07-05-61	105.07	0.76	
				07-10-61	104.07		1.00
				07-15-61	102.91		1.16
				07-20-61	104.81	1.90	
				07-25-61	100.48		4.33
				08-01-61	101.33	0.85	
				08-05-61	102.28	0.95	
				08-10-61	103.10	0.82	
				08-15-61	103.72	0.62	
				08-20-61	104.66	0.94	
				08-25-61	106.30	1.64	
				09-01-61	107.67	1.37	
				09-05-61	108.17	0.50	
				09-10-61	108.46	0.29	
				09-15-61	105.49		2.97
				09-20-61	104.73		0.76
				09-25-61	105.47	0.74	
				10-01-61	105.04		0.43
				10-05-61	104.24		0.80
				10-10-61	102.24		2.00
				10-15-61	100.91		1.33
				10-20-61	102.30	1.39	
				10-25-61	103.16	0.86	
				11-01-61	102.43		0.73
				11-05-61	102.28		0.15
				11-10-61	102.41	0.13	
				11-15-61	101.88		0.53
				11-20-61	101.62		0.26
				11-25-61	101.79	0.17	
				12-01-61	101.96	0.17	
				12-05-61	102.05	0.09	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-10-61	102.95	0.90	
				12-15-61	102.19		0.76
				12-20-61	102.24	0.05	
				12-25-61	102.12		0.12
				01-01-62	102.46	0.34	
				01-05-62	102.88	0.42	
				01-10-62	103.78	0.90	
				01-15-62	104.11	0.33	
				01-20-62	104.10		0.01
				01-25-62	103.66		0.44
				02-01-62	104.21	0.55	
				02-05-62	104.28	0.07	
				02-10-62	105.44	1.16	
				02-15-62	106.36	0.92	
				02-20-62	105.91		0.45
				02-25-62	105.73		0.18
				03-01-62	105.67		0.06
				03-05-62	105.84	0.17	
				03-10-62	106.19	0.35	
				03-15-62	106.55	0.36	
				03-20-62	105.69		0.86
				03-25-62	107.42	1.73	
				04-01-62	108.23	0.81	
				04-05-62	108.13		0.10
				04-10-62	106.42		1.71
				04-15-62	107.61	1.19	
				04-20-62	109.05	1.44	
				04-25-62	106.73		2.32
				05-01-62	104.82		1.91
				05-05-62	105.87	1.05	
				05-10-62	108.13	2.26	
				05-15-62	109.95	1.82	
				05-20-62	112.27	2.32	
				05-25-62	114.60	2.33	
				06-01-62	112.80		1.80
				06-05-62	110.36		2.44
				06-10-62	110.83	0.47	
				06-15-62	113.75	2.92	
				06-20-62	115.65	1.90	
				06-25-62	117.21	1.56	
				07-01-62	114.80		2.41
				07-05-62	116.00	1.20	
				07-10-62	119.08	3.08	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-15-62	121.76	2.68	
				07-20-62	123.85	2.09	
				07-25-62	125.53	1.68	
				08-01-62	127.76	2.23	
				08-22-62	130.09	2.33	
				08-25-62	128.28		1.81
				09-01-62	126.19		2.09
				09-05-62	126.21	0.02	
				09-10-62	120.28		5.93
				09-15-62	121.43	1.15	
				09-20-62	120.86		0.57
				09-25-62	121.88	1.02	
				10-01-62	119.21		2.67
				10-05-62	120.34	1.13	
				10-10-62	120.68	0.34	
				10-15-62	120.97	0.29	
				10-20-62	120.80		0.17
				10-25-62	120.98	0.18	
				11-01-62	119.67		1.31
				11-05-62	119.57		0.10
				11-10-62	118.87		0.70
				11-15-62	119.27	0.40	
				11-20-62	117.97		1.30
				11-25-62	117.04		0.93
				12-01-62	113.51		3.53
				12-05-62	113.10		0.41
				12-10-62	112.97		0.13
				12-15-62	113.33	0.36	
				12-20-62	113.47	0.14	
				12-25-62	112.88		0.59
				01-01-63	112.57		0.31
				01-05-63	112.77	0.20	
				01-10-63	113.18	0.41	
				01-15-63	114.88	1.70	
				01-20-63	114.59		0.29
				01-25-63	115.42	0.83	
				02-01-63	115.20		0.22
				02-05-63	115.57	0.37	
				02-10-63	116.65	1.08	
				02-15-63	116.69	0.04	
				02-20-63	113.89		2.80
				02-25-63	113.39		0.50
				03-01-63	113.75	0.36	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-63	114.18	0.43	
				03-10-63	114.71	0.53	
				03-15-63	115.56	0.85	
				03-20-63	116.02	0.46	
				03-25-63	116.72	0.70	
				04-01-63	119.06	2.34	
				04-05-63	119.36	0.30	
				04-10-63	117.12		2.24
				04-15-63	117.49	0.37	
				04-20-63	119.17	1.68	
				04-25-63	120.75	1.58	
				05-01-63	121.00	0.25	
				05-05-63	120.20		0.80
				05-10-63	119.46		0.74
				05-15-63	122.63	3.17	
				05-20-63	123.23	0.60	
				05-25-63	123.36	0.13	
				06-01-63	127.16	3.80	
				06-05-63	128.99	1.83	
				06-10-63	129.90	0.91	
				06-15-63	132.84	2.94	
				06-20-63	128.90		3.94
				06-25-63	128.04		0.86
				07-01-63	127.75		0.29
				07-05-63	127.37		0.38
				07-10-63	131.02	3.65	
				07-15-63	132.55	1.53	
				07-20-63	135.32	2.77	
				07-25-63	137.00	1.68	
				08-01-63	138.74	1.74	
				09-15-63	136.45		2.29
				09-26-63	134.31		2.14
				10-01-63	134.67	0.36	
				10-05-63	135.49	0.82	
				10-10-63	136.16	0.67	
				10-15-63	135.77		0.39
				10-20-63	134.92		0.85
				10-25-63	133.14		1.78
				11-01-63	129.97		3.17
				11-05-63	129.18		0.79
				11-10-63	128.27		0.91
				11-15-63	128.02		0.25
				11-20-63	127.96		0.06

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-25-63	127.31		0.65
				12-01-63	126.48		0.83
				12-05-63	126.80	0.32	
				12-10-63	126.21		0.59
				12-15-63	126.28	0.07	
				12-20-63	125.85		0.43
				12-25-63	125.81		0.04
				01-01-64	125.69		0.12
				01-28-64	126.50	0.81	
				02-01-64	120.91		5.59
				02-05-64	120.75		0.16
				02-10-64	121.14	0.39	
				02-15-64	121.69	0.55	
				02-20-64	122.34	0.65	
				02-25-64	121.78		0.56
				03-01-64	121.77		0.01
				03-05-64	122.29	0.52	
				03-10-64	122.72	0.43	
				03-15-64	123.65	0.93	
				03-20-64	123.38		0.27
				03-25-64	122.87		0.51
				04-01-64	123.63	0.76	
				04-05-64	123.89	0.26	
				04-10-64	124.08	0.19	
				04-15-64	126.89	2.81	
				04-20-64	125.23		1.66
				04-25-64	126.20	0.97	
				05-01-64	126.77	0.57	
				05-05-64	128.44	1.67	
				05-10-64	129.30	0.86	
				05-15-64	131.36	2.06	
				05-20-64	134.19	2.83	
				05-25-64	131.58		2.61
				06-01-64	130.84		0.74
				06-05-64	131.86	1.02	
				06-10-64	133.50	1.64	
				06-15-64	134.69	1.19	
				06-20-64	124.78		9.91
				06-25-64	128.14	3.36	
				07-01-64	131.03	2.89	
				07-05-64	132.69	1.66	
				07-10-64	136.45	3.76	
				07-15-64	137.60	1.15	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-20-64	136.80		0.80
				07-25-64	140.64	3.84	
				08-01-64	142.12	1.48	
				08-06-64	144.32	2.20	
				08-10-64	139.15		5.17
				08-15-64	141.73	2.58	
				08-21-64	144.26	2.53	
				08-25-64	138.11		6.15
				09-01-64	139.78	1.67	
				09-05-64	140.72	0.94	
				09-10-64	140.48		0.24
				09-15-64	140.84	0.36	
				09-20-64	138.54		2.30
				09-25-64	136.63		1.91
				10-01-64	132.27		4.36
				10-05-64	132.10		0.17
				10-10-64	133.13	1.03	
				10-15-64	133.58	0.45	
				10-20-64	133.52		0.06
				10-25-64	133.94	0.42	
				11-01-64	130.41		3.53
				11-05-64	124.32		6.09
				11-10-64	124.55	0.23	
				11-15-64	125.06	0.51	
				11-20-64	124.79		0.27
				11-25-64	124.88	0.09	
				12-01-64	125.26	0.38	
				12-05-64	125.67	0.41	
				12-10-64	125.00		0.67
				12-15-64	125.18	0.18	
				12-20-64	125.30	0.12	
				12-25-64	124.92		0.38
				01-01-65	125.43	0.51	
				01-05-65	125.20		0.23
				01-10-65	125.44	0.24	
				01-15-65	125.58	0.14	
				01-20-65	125.95	0.37	
				01-25-65	124.25		1.70
				02-01-65	125.21	0.96	
				02-05-65	121.74		3.47
				02-10-65	117.36		4.38
				02-15-65	116.15		1.21
				02-20-65	113.90		2.25

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-25-65	113.77		0.13
				03-01-65	112.91		0.86
				03-05-65	113.75	0.84	
				03-10-65	114.71	0.96	
				03-15-65	115.19	0.48	
				03-20-65	116.57	1.38	
				03-25-65	116.98	0.41	
				04-01-65	113.50		3.48
				04-05-65	112.78		0.72
				04-10-65	111.76		1.02
				04-15-65	112.08	0.32	
				04-20-65	112.30	0.22	
				04-25-65	114.57	2.27	
				05-01-65	114.50		0.07
				05-05-65	115.24	0.74	
				05-10-65	113.66		1.58
				05-15-65	110.64		3.02
				05-20-65	100.78		9.86
				05-25-65	99.78		1.00
				06-01-65	100.30	0.52	
				06-05-65	102.15	1.85	
				06-10-65	102.10		0.05
				06-15-65	104.60	2.50	
				06-20-65	107.61	3.01	
				06-25-65	108.66	1.05	
				07-01-65	111.50	2.84	
				07-05-65	112.80	1.30	
				07-10-65	116.64	3.84	
				07-15-65	118.97	2.33	
				07-20-65	120.96	1.99	
				07-25-65	123.11	2.15	
				08-01-65	124.58	1.47	
				08-05-65	125.70	1.12	
				08-10-65	124.09		1.61
				08-15-65	125.18	1.09	
				08-20-65	127.38	2.20	
				08-25-65	128.39	1.01	
				09-01-65	128.60	0.21	
				09-05-65	128.33		0.27
				09-10-65	129.16	0.83	
				09-15-65	131.10	1.94	
				09-20-65	130.23		0.87
				09-25-65	129.61		0.62

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-01-65	125.01		4.60
				10-05-65	122.73		2.28
				10-10-65	122.18		0.55
				10-15-65	122.24	0.06	
				10-20-65	116.33		5.91
				10-25-65	117.52	1.19	
				11-01-65	118.84	1.32	
				11-05-65	118.68		0.16
				11-10-65	118.25		0.43
				11-15-65	117.85		0.40
				11-20-65	118.20	0.35	
				11-25-65	118.32	0.12	
				12-01-65	118.54	0.22	
				12-05-65	110.11		8.43
				12-10-65	109.01		1.10
				12-15-65	108.38		0.63
				12-20-65	107.63		0.75
				12-25-65	107.80	0.17	
				01-01-66	108.24	0.44	
				01-05-66	108.34	0.10	
				01-10-66	108.84	0.50	
				01-15-66	109.27	0.43	
				01-20-66	109.55	0.28	
				01-25-66	110.91	1.36	
				02-01-66	110.66		0.25
				02-05-66	111.27	0.61	
				02-10-66	110.56		0.71
				02-15-66	109.39		1.17
				02-20-66	109.45	0.06	
				02-25-66	109.65	0.20	
				03-01-66	108.96		0.69
				03-05-66	109.45	0.49	
				03-10-66	109.50	0.05	
				03-15-66	109.63	0.13	
				03-20-66	110.67	1.04	
				03-25-66	111.94	1.27	
				04-01-66	112.13	0.19	
				04-05-66	113.63	1.50	
				04-10-66	115.27	1.64	
				04-15-66	116.06	0.79	
				04-20-66	115.38		0.68
				04-25-66	112.96		2.42
				05-01-66	111.65		1.31

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-05-66	110.43		1.22
				05-10-66	109.85		0.58
				05-15-66	110.23	0.38	
				05-20-66	111.25	1.02	
				05-25-66	111.80	0.55	
				06-01-66	112.85	1.05	
				06-20-66	121.33	8.48	
				06-25-66	119.75		1.58
				07-01-66	121.19	1.44	
				07-05-66	122.70	1.51	
				07-27-66	132.46	9.76	
				08-01-66	133.93	1.47	
				08-05-66	133.50		0.43
				08-10-66	131.00		2.50
				08-15-66	127.05		3.95
				08-20-66	127.82	0.77	
				08-25-66	128.05	0.23	
				09-01-66	124.34		3.71
				09-05-66	124.26		0.08
				09-10-66	122.08		2.18
				09-15-66	120.26		1.82
				09-20-66	118.36		1.90
				09-25-66	119.29	0.93	
				10-01-66	119.50	0.21	
				10-05-66	119.56	0.06	
				10-10-66	119.30		0.26
				10-15-66	119.96	0.66	
				10-20-66	119.72		0.24
				10-25-66	119.94	0.22	
				11-01-66	120.74	0.80	
				11-05-66	120.74		
				11-10-66	121.19	0.45	
				11-15-66	121.54	0.35	
				11-20-66	121.77	0.23	
				11-25-66	121.51		0.26
				12-01-66	121.91	0.40	
				12-05-66	121.03		0.88
				12-10-66	121.96	0.93	
				12-15-66	121.82		0.14
				12-20-66	121.43		0.39
				12-25-66	121.17		0.26
				01-01-67	120.75		0.42
				01-05-67	121.68	0.93	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-10-67	121.70	0.02	
				01-15-67	121.99	0.29	
				01-20-67	122.78	0.79	
				01-25-67	123.08	0.30	
				02-01-67	124.82	1.74	
				02-05-67	125.30	0.48	
				02-10-67	124.24		1.06
				02-15-67	125.58	1.34	
				02-20-67	125.42		0.16
				02-25-67	126.13	0.71	
				03-01-67	126.50	0.37	
				03-05-67	128.24	1.74	
				03-10-67	128.85	0.61	
				03-15-67	132.30	3.45	
				03-20-67	130.74		1.56
				03-25-67	129.64		1.10
				04-01-67	129.79	0.15	
				04-05-67	131.42	1.63	
				04-10-67	132.41	0.99	
				04-15-67	130.97		1.44
				04-20-67	130.93		0.04
				04-25-67	131.46	0.53	
				05-01-67	132.75	1.29	
				05-05-67	134.52	1.77	
				05-10-67	136.87	2.35	
				05-15-67	138.98	2.11	
				05-20-67	141.09	2.11	
				05-25-67	140.83		0.26
				06-01-67	140.80		0.03
				06-05-67	142.01	1.21	
				06-10-67	145.07	3.06	
				06-15-67	146.81	1.74	
				06-20-67	148.29	1.48	
				06-25-67	148.77	0.48	
				07-01-67	151.16	2.39	
				07-05-67	146.87		4.29
				07-10-67	148.74	1.87	
				07-15-67	146.84		1.90
				07-20-67	146.47		0.37
				07-25-67	144.99		1.48
				08-01-67	149.17	4.18	
				08-05-67	150.49	1.32	
				08-10-67	152.29	1.80	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-15-67	152.05		0.24
				08-20-67	146.46		5.59
				08-25-67	144.83		1.63
				09-01-67	143.97		0.86
				09-05-67	137.16		6.81
				09-10-67	135.56		1.60
				09-15-67	134.45		1.11
				09-20-67	134.99	0.54	
				09-25-67	124.55		10.44
				10-01-67	125.62	1.07	
				10-05-67	126.76	1.14	
				10-10-67	126.93	0.17	
				10-15-67	127.68	0.75	
				10-20-67	126.71		0.97
				10-25-67	126.88	0.17	
				11-01-67	126.16		0.72
				11-05-67	126.25	0.09	
				11-10-67	121.24		5.01
				11-15-67	119.18		2.06
				11-20-67	118.58		0.60
				11-25-67	119.00	0.42	
				12-01-67	119.35	0.35	
				12-05-67	119.58	0.23	
				12-10-67	119.01		0.57
				12-15-67	119.31	0.30	
				12-20-67	118.80		0.51
				12-25-67	118.38		0.42
				01-01-68	118.35		0.03
				01-05-68	118.69	0.34	
				01-10-68	118.38		0.31
				01-15-68	117.79		0.59
				01-20-68	105.35		12.44
				01-25-68	99.32		6.03
				02-01-68	98.66		0.66
				02-05-68	98.74	0.08	
				02-10-68	99.25	0.51	
				02-15-68	99.29	0.04	
				02-20-68	98.46		0.83
				02-25-68	98.16		0.30
				03-01-68	98.56	0.40	
				03-05-68	98.56		
				03-10-68	98.67	0.11	
				03-15-68	98.78	0.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-20-68	98.75		0.03
				03-25-68	99.11	0.36	
				04-01-68	99.99	0.88	
				04-05-68	100.60	0.61	
				04-10-68	101.09	0.49	
				04-15-68	100.50		0.59
				04-20-68	101.18	0.68	
				04-25-68	100.81		0.37
				05-01-68	101.52	0.71	
				05-05-68	101.44		0.08
				05-10-68	100.29		1.15
				05-15-68	97.90		2.39
				05-20-68	97.54		0.36
				05-25-68	99.06	1.52	
				06-10-68	102.20	3.14	
				06-15-68	106.73	4.53	
				06-20-68	106.58		0.15
				06-25-68	104.67		1.91
				07-01-68	104.47		0.20
				07-05-68	104.40		0.07
				07-10-68	105.65	1.25	
				07-15-68	104.53		1.12
				07-20-68	106.98	2.45	
				07-25-68	109.13	2.15	
				08-01-68	112.44	3.31	
				08-05-68	112.40		0.04
				08-10-68	115.60	3.20	
				08-15-68	118.10	2.50	
				08-20-68	118.05		0.05
				08-25-68	118.94	0.89	
				09-01-68	117.54		1.40
				09-05-68	113.97		3.57
				09-10-68	112.43		1.54
				09-15-68	110.94		1.49
				09-20-68	111.05	0.11	
				09-25-68	110.94		0.11
				10-01-68	111.05	0.11	
				10-05-68	110.80		0.25
				10-10-68	110.42		0.38
				10-15-68	110.64	0.22	
				10-20-68	110.69	0.05	
				10-25-68	110.86	0.17	
				11-01-68	111.69	0.83	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-05-68	110.98		0.71
				11-10-68	110.03		0.95
				11-15-68	110.10	0.07	
				11-20-68	109.97		0.13
				11-25-68	110.31	0.34	
				12-01-68	107.28		3.03
				12-05-68	107.55	0.27	
				12-10-68	107.82	0.27	
				12-15-68	107.80		0.02
				12-20-68	108.00	0.20	
				12-25-68	107.62		0.38
				01-01-69	108.13	0.51	
				01-05-69	107.66		0.47
				01-10-69	108.15	0.49	
				01-15-69	108.22	0.07	
				01-20-69	107.55		0.67
				01-25-69	108.23	0.68	
				02-01-69	108.03		0.20
				02-05-69	108.44	0.41	
				02-10-69	108.72	0.28	
				02-15-69	106.98		1.74
				02-20-69	106.52		0.46
				02-25-69	105.45		1.07
				03-01-69	106.10	0.65	
				03-05-69	106.18	0.08	
				03-10-69	106.69	0.51	
				03-15-69	107.10	0.41	
				03-20-69	106.70		0.40
				03-25-69	106.16		0.54
				04-01-69	107.42	1.26	
				04-05-69	107.80	0.38	
				04-10-69	108.31	0.51	
				04-15-69	107.02		1.29
				04-20-69	106.70		0.32
				04-25-69	107.90	1.20	
				05-01-69	107.22		0.68
				05-05-69	104.47		2.75
				05-10-69	104.35		0.12
				05-15-69	103.64		0.71
				05-20-69	99.34		4.30
				05-25-69	100.36	1.02	
				06-01-69	105.32	4.96	
				06-05-69	105.58	0.26	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-10-69	106.26	0.68	
				06-15-69	110.33	4.07	
				06-20-69	114.94	4.61	
				06-25-69	116.26	1.32	
				07-01-69	117.68	1.42	
				07-05-69	119.05	1.37	
				07-10-69	121.79	2.74	
				07-15-69	123.95	2.16	
				07-20-69	125.49	1.54	
				07-25-69	125.80	0.31	
				08-01-69	128.68	2.88	
				08-05-69	128.88	0.20	
				08-10-69	130.78	1.90	
				08-15-69	133.32	2.54	
				08-20-69	134.15	0.83	
				08-25-69	127.30		6.85
				09-01-69	119.35		7.95
				09-05-69	119.46	0.11	
				09-10-69	119.75	0.29	
				09-15-69	119.45		0.30
				09-20-69	120.91	1.46	
				09-25-69	119.87		1.04
				10-01-69	120.64	0.77	
				10-05-69	118.84		1.80
				10-10-69	116.63		2.21
				10-15-69	113.87		2.76
				10-20-69	113.95	0.08	
				10-25-69	115.09	1.14	
				11-01-69	113.46		1.63
				11-05-69	113.31		0.15
				11-10-69	112.93		0.38
				11-15-69	113.18	0.25	
				11-20-69	112.90		0.28
				11-25-69	112.23		0.67
				12-01-69	110.83		1.40
				12-05-69	119.95	9.12	
				12-10-69	116.58		3.37
				12-15-69	116.16		0.42
				12-20-69	116.80	0.64	
				12-25-69	106.95		9.85
				01-01-70	107.10	0.15	
				01-05-70	106.86		0.24
				01-10-70	107.33	0.47	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-15-70	107.10		0.23
				01-20-70	107.21	0.11	
				01-25-70	107.08		0.13
				02-01-70	106.85		0.23
				02-05-70	107.15	0.30	
				02-10-70	106.70		0.45
				02-15-70	106.66		0.04
				02-20-70	107.24	0.58	
				02-25-70	104.61		2.63
				03-01-70	103.40		1.21
				03-05-70	103.13		0.27
				03-10-70	101.35		1.78
				03-15-70	101.34		0.01
				03-20-70	101.04		0.30
				03-25-70	101.22	0.18	
				04-01-70	101.85	0.63	
				04-05-70	102.80	0.95	
				04-10-70	103.42	0.62	
				04-15-70	104.07	0.65	
				04-20-70	103.12		0.95
				04-25-70	104.43	1.31	
				05-01-70	105.80	1.37	
				05-05-70	107.19	1.39	
				05-10-70	110.12	2.93	
				05-15-70	110.78	0.66	
				05-20-70	108.71		2.07
				05-25-70	105.57		3.14
				06-01-70	98.90		6.67
				06-05-70	98.70		0.20
				06-10-70	100.48	1.78	
				06-15-70	103.30	2.82	
				06-20-70	108.54	5.24	
				06-25-70	110.12	1.58	
				07-01-70	112.52	2.40	
				07-05-70	114.32	1.80	
				07-10-70	118.13	3.81	
				07-15-70	117.31		0.82
				07-20-70	114.40		2.91
				07-25-70	116.67	2.27	
				08-01-70	119.70	3.03	
				08-05-70	117.80		1.90
				08-10-70	119.41	1.61	
				08-15-70	121.70	2.29	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-20-70	122.56	0.86	
				08-25-70	122.05		0.51
				09-01-70	123.52	1.47	
				09-05-70	124.34	0.82	
				09-10-70	126.56	2.22	
				09-15-70	121.78		4.78
				09-20-70	121.00		0.78
				09-25-70	118.88		2.12
				11-05-70	114.99		3.89
				11-10-70	114.70		0.29
				11-15-70	114.70		
				11-20-70	115.32	0.62	
				11-25-70	115.15		0.17
				12-01-70	115.00		0.15
				12-05-70	115.60	0.60	
				12-10-70	115.75	0.15	
				12-15-70	115.14		0.61
				12-20-70	115.58	0.44	
				12-25-70	115.27		0.31
				01-01-71	115.30	0.03	
				01-05-71	115.60	0.30	
				01-10-71	115.78	0.18	
				01-15-71	117.39	1.61	
				01-20-71	118.84	1.45	
				01-25-71	120.46	1.62	
				02-01-71	122.84	2.38	
				02-05-71	122.54		0.30
				02-10-71	123.29	0.75	
				02-15-71	124.50	1.21	
				02-20-71	125.81	1.31	
				02-25-71	125.20		0.61
				03-01-71	124.04		1.16
				03-05-71	124.10	0.06	
				03-10-71	125.86	1.76	
				03-15-71	128.28	2.42	
				03-20-71	129.56	1.28	
				03-25-71	130.50	0.94	
				04-01-71	133.16	2.66	
				04-05-71	132.04		1.12
				04-10-71	135.00	2.96	
				04-15-71	137.23	2.23	
				04-20-71	132.46		4.77
				04-25-71	133.63	1.17	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-01-71	136.35	2.72	
				05-05-71	138.65	2.30	
				05-10-71	136.35		2.30
				05-15-71	137.12	0.77	
				05-20-71	141.65	4.53	
				05-25-71	140.74		0.91
				06-01-71	141.63	0.89	
				06-05-71	144.90	3.27	
				06-10-71	148.80	3.90	
				06-15-71	148.09		0.71
				06-20-71	144.40		3.69
				06-25-71	141.74		2.66
				07-01-71	138.01		3.73
				07-05-71	138.12	0.11	
				07-10-71	140.80	2.68	
				07-15-71	143.67	2.87	
				07-20-71	145.40	1.73	
				07-25-71	146.08	0.68	
				08-01-71	146.90	0.82	
				08-05-71	133.42		13.48
				08-10-71	130.78		2.64
				08-15-71	124.63		6.15
				08-20-71	123.28		1.35
				08-25-71	124.27	0.99	
				09-01-71	124.82	0.55	
				09-05-71	125.08	0.26	
				09-10-71	126.60	1.52	
				09-15-71	123.56		3.04
				09-20-71	122.60		0.96
				09-25-71	120.82		1.78
				10-01-71	119.98		0.84
				10-05-71	118.81		1.17
				10-10-71	117.60		1.21
				10-13-71	117.25		0.35
				11-05-71	109.95		7.30
				11-10-71	109.64		0.31
				11-15-71	109.69	0.05	
				11-20-71	108.32		1.37
				11-25-71	107.71		0.61
				12-01-71	107.71		
				12-05-71	104.63		3.08
				12-10-71	103.08		1.55
				12-15-71	102.45		0.63

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-20-71	102.45		
				12-25-71	102.84	0.39	
				01-01-72	102.73		0.11
				01-05-72	103.28	0.55	
				01-10-72	103.14		0.14
				01-15-72	104.05	0.91	
				01-20-72	104.03		0.02
				01-25-72	104.78	0.75	
				02-01-72	104.37		0.41
				02-05-72	104.78	0.41	
				02-10-72	104.97	0.19	
				02-15-72	104.97		
				02-20-72	105.96	0.99	
				02-25-72	107.27	1.31	
				03-01-72	108.40	1.13	
				03-05-72	109.68	1.28	
				03-10-72	110.83	1.15	
				03-15-72	111.51	0.68	
				03-20-72	113.54	2.03	
				03-25-72	114.70	1.16	
				04-01-72	116.03	1.33	
				04-05-72	117.51	1.48	
				04-10-72	119.09	1.58	
				04-15-72	122.44	3.35	
				04-20-72	125.69	3.25	
				04-25-72	123.96		1.73
				05-01-72	120.64		3.32
				05-05-72	121.43	0.79	
				05-10-72	104.88		16.55
				05-15-72	96.77		8.11
				05-20-72	95.77		1.00
				05-25-72	96.78	1.01	
				06-01-72	100.77	3.99	
				06-05-72	103.58	2.81	
				06-10-72	105.00	1.42	
				06-15-72	164.25	59.25	
				06-20-72	103.18		61.07
				06-25-72	105.75	2.57	
				07-01-72	110.79	5.04	
				07-05-72	111.14	0.35	
				07-10-72	112.60	1.46	
				07-15-72	113.59	0.99	
				07-20-72	110.75		2.84

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PPREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-25-72	109.46		1.29
				08-01-72	112.48	3.02	
				08-05-72	110.12		2.36
				08-10-72	109.98		0.14
				08-15-72	108.95		1.03
				08-20-72	110.24	1.29	
				08-25-72	109.85		0.39
				09-01-72	110.41	0.56	
				09-05-72	111.30	0.89	
				09-10-72	112.23	0.93	
				09-15-72	112.04		0.19
				09-20-72	113.37	1.33	
				09-25-72	110.97		2.40
				10-01-72	108.97		2.00
				10-05-72	109.59	0.62	
				10-10-72	110.53	0.94	
				10-15-72	111.28	0.75	
				10-20-72	111.72	0.44	
				10-25-72	109.03		2.69
				11-01-72	108.00		1.03
				11-05-72	106.54		1.46
				11-10-72	106.78	0.24	
				11-15-72	105.68		1.10
				11-20-72	105.43		0.25
				11-25-72	104.76		0.67
				12-01-72	104.87	0.11	
				12-05-72	104.60		0.27
				12-10-72	104.45		0.15
				12-15-72	104.80	0.35	
				12-20-72	104.78		0.02
				12-25-72	104.97	0.19	
				01-01-73	105.33	0.36	
				01-05-73	104.90		0.43
				01-10-73	104.99	0.09	
				01-15-73	105.09	0.10	
				01-20-73	104.86		0.23
				01-25-73	104.38		0.48
				02-01-73	103.23		1.15
				02-05-73	103.68	0.45	
				02-10-73	103.94	0.26	
				02-15-73	103.43		0.51
				02-20-73	102.84		0.59
				02-25-73	100.33		2.51

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-01-73	99.91		0.42
				03-05-73	100.19	0.28	
				03-10-73	100.89	0.70	
				03-15-73	101.67	0.78	
				03-20-73	102.01	0.34	
				03-25-73	101.55		0.46
				04-01-73	102.13	0.58	
				04-05-73	102.48	0.35	
				04-10-73	101.86		0.62
				04-15-73	98.50		3.36
				04-20-73	92.30		6.20
				04-25-73	91.72		0.58
				05-01-73	92.17	0.45	
				05-05-73	92.93	0.76	
				05-10-73	94.49	1.56	
				05-15-73	94.73	0.24	
				05-20-73	97.40	2.67	
				05-25-73	100.81	3.41	
				06-01-73	106.26	5.45	
				06-05-73	107.50	1.24	
				06-10-73	109.08	1.58	
				06-15-73	99.09		9.99
				06-20-73	98.64		0.45
				06-25-73	94.42		4.22
				07-01-73	91.37		3.05
				07-05-73	92.05	0.68	
				07-10-73	90.55		1.50
				07-15-73	90.53		0.02
				07-20-73	84.73		5.80
				07-25-73	85.31	0.58	
				08-01-73	87.75	2.44	
				08-05-73	88.25	0.50	
				08-10-73	90.62	2.37	
				08-15-73	91.45	0.83	
				08-20-73	91.57	0.12	
				08-25-73	93.97	2.40	
				09-01-73	93.45		0.52
				09-05-73	93.87	0.42	
				09-10-73	91.92		1.95
				09-15-73	92.35	0.43	
				09-20-73	88.44		3.91
				09-25-73	88.29		0.15
				10-01-73	80.95		7.34

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-05-73	81.13	0.18	
				10-10-73	81.60	0.47	
				10-15-73	77.63		3.97
				10-20-73	74.92		2.71
				10-25-73	75.76	0.84	
				11-01-73	77.05	1.29	
				11-05-73	77.88	0.83	
				11-10-73	79.08	1.20	
				11-15-73	79.94	0.86	
				11-20-73	80.57	0.63	
				11-25-73	80.72	0.15	
				12-01-73	81.93	1.21	
				12-05-73	82.32	0.39	
				12-10-73	82.91	0.59	
				12-15-73	83.78	0.87	
				12-20-73	84.29	0.51	
				12-25-73	84.27		0.02
				01-01-74	85.15	0.88	
				01-05-74	85.27	0.12	
				01-10-74	85.50	0.23	
				01-15-74	85.82	0.32	
				01-20-74	86.59	0.77	
				01-25-74	87.22	0.63	
				02-01-74	87.40	0.18	
				02-05-74	87.86	0.46	
				02-10-74	88.72	0.86	
				02-15-74	89.96	1.24	
				02-20-74	90.68	0.72	
				02-25-74	91.59	0.91	
				03-01-74	92.78	1.19	
				03-05-74	93.80	1.02	
				03-10-74	94.48	0.68	
				03-15-74	94.98	0.50	
				03-20-74	94.23		0.75
				03-25-74	93.99		0.24
				04-01-74	95.78	1.79	
				04-05-74	97.79	2.01	
				04-10-74	99.14	1.35	
				04-15-74	98.42		0.72
				04-20-74	98.87	0.45	
				04-25-74	98.69		0.18
				05-01-74	98.49		0.20
				05-05-74	96.82		1.67

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-10-74	95.23		1.59
				05-15-74	94.35		0.88
				05-20-74	95.54	1.19	
				05-25-74	98.83	3.29	
				06-01-74	99.85	1.02	
				06-05-74	101.08	1.23	
				06-10-74	103.32	2.24	
				06-15-74	103.35	0.03	
				06-20-74	106.45	3.10	
				06-25-74	106.20	1.75	
				07-01-74	110.44	2.24	
				07-05-74	109.92		0.52
				07-10-74	112.06	2.14	
				07-15-74	109.08		2.98
				07-20-74	109.44	0.36	
				07-25-74	112.87	3.43	
				08-01-74	114.87	2.00	
				08-05-74	113.83		1.04
				08-10-74	103.82		10.01
				08-15-74	104.82	1.00	
				08-20-74	106.57	1.75	
				08-25-74	107.31	0.74	
				09-01-74	98.36		8.95
				09-05-74	97.53		0.83
				09-10-74	97.86	0.33	
				09-15-74	95.43		2.43
				09-20-74	95.67	0.24	
				09-25-74	95.63		0.04
				10-01-74	96.47	0.84	
				10-05-74	97.44	0.97	
				10-10-74	98.43	0.99	
				10-15-74	99.10	0.67	
				10-20-74	98.51		0.59
				10-25-74	97.28		1.23
				11-01-74	96.01		1.27
				11-05-74	95.68		0.33
				11-10-74	94.60		1.08
				11-15-74	94.66	0.06	
				11-20-74	94.79	0.13	
				11-25-74	92.12		2.67
				12-01-74	92.50	0.38	
				12-05-74	93.02	0.52	
				12-10-74	93.23	0.21	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-15-74	93.25	0.02	
				12-20-74	93.81	0.56	
				12-25-74	93.95	0.14	
				01-01-75	93.60		0.35
				01-05-75	93.63	0.03	
				01-10-75	93.69	0.06	
				01-15-75	94.17	0.48	
				01-20-75	93.95		0.22
				01-25-75	94.15	0.20	
				02-01-75	94.68	0.53	
				02-05-75	88.73		5.95
				02-10-75	87.33		1.40
				02-15-75	87.69	0.36	
				02-20-75	88.18	0.49	
				02-25-75	88.82	0.64	
				03-01-75	89.79	0.97	
				03-05-75	90.50	0.71	
				03-10-75	90.83	0.33	
				03-15-75	91.80	0.97	
				03-20-75	92.84	1.04	
				03-25-75	93.93	1.09	
				04-01-75	94.29	0.36	
				04-05-75	95.68	1.39	
				04-10-75	94.31		1.37
				04-15-75	93.97		0.34
				04-20-75	94.73	0.76	
				04-25-75	95.76	1.03	
				05-01-75	94.25		1.51
				05-05-75	93.59		0.66
				05-10-75	91.63		1.96
				05-15-75	91.68	0.05	
				05-20-75	92.46	0.78	
				05-25-75	89.96		2.50
				06-01-75	90.18	0.22	
				06-05-75	91.77	1.59	
				06-10-75	91.91	0.14	
				06-15-75	90.92		0.99
				06-20-75	94.35	3.43	
				06-25-75	96.17	1.82	
				07-01-75	96.17		
				07-05-75	95.68		0.49
				07-10-75	97.68	2.00	
				07-15-75	96.45		1.23

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-20-75	95.29		1.16
				07-25-75	97.25	1.96	
				08-01-75	100.11	2.86	
				08-05-75	98.18		1.93
				08-10-75	98.73	0.55	
				08-15-75	100.60	1.87	
				08-20-75	102.81	2.21	
				08-25-75	102.20		0.61
				09-01-75	102.03		0.17
				09-05-75	101.80		0.23
				09-10-75	101.37		0.43
				09-15-75	100.71		0.66
				09-20-75	101.18	0.47	
				09-25-75	102.00	0.82	
				10-01-75	103.29	1.29	
				10-05-75	103.23		0.06
				10-10-75	104.52	1.29	
				10-15-75	104.95	0.43	
				10-20-75	104.42		0.53
				10-25-75	103.50		0.92
				11-01-75	101.55		1.95
				11-05-75	101.49		0.06
				11-10-75	101.74	0.25	
				11-15-75	101.82	0.08	
				11-20-75	102.10	0.28	
				11-25-75	101.80		0.30
				12-01-75	101.63		0.17
				12-05-75	102.20	0.57	
				12-10-75	102.30	0.10	
				12-15-75	102.10		0.20
				12-20-75	101.81		0.29
				12-25-75	101.36		0.45
				01-01-76	101.02		0.34
				01-05-76	101.09	0.07	
				01-10-76	101.84	0.75	
				01-15-76	102.37	0.53	
				01-20-76	102.88	0.51	
				01-25-76	102.30		0.58
				02-01-76	104.10	1.80	
				02-05-76	105.98	1.88	
				02-10-76	107.26	1.28	
				02-15-76	109.36	2.10	
				02-20-76	111.04	1.68	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-25-76	111.02		0.02
				03-01-76	112.34	1.32	
				03-05-76	113.53	1.19	
				03-10-76	109.87		3.66
				03-15-76	108.39		1.48
				03-20-76	109.86	1.47	
				04-10-76	107.99		1.87
				04-15-76	107.74		0.25
				04-20-76	101.36		6.38
				04-25-76	99.81		1.55
				05-01-76	98.39		1.42
				05-05-76	99.13	0.74	
				05-10-76	92.40		6.73
				05-15-76	91.31		1.09
				05-20-76	92.12	0.81	
				05-25-76	92.18	0.06	
				06-01-76	91.56		0.62
				06-05-76	92.59	1.03	
				06-10-76	96.30	3.71	
				06-15-76	100.39	4.09	
				06-20-76	101.72	1.33	
				06-25-76	104.83	3.11	
				07-01-76	105.28	0.45	
				07-05-76	104.28		1.00
				07-10-76	100.16		4.12
				07-15-76	96.68		3.48
				07-20-76	95.24		1.44
				07-25-76	95.78	0.54	
				08-01-76	98.37	2.59	
				08-05-76	100.20	1.83	
				08-10-76	102.52	2.32	
				08-15-76	103.82	1.30	
				08-20-76	102.41		1.41
				08-25-76	103.50	1.09	
				09-01-76	100.94		2.56
				09-05-76	99.78		1.16
				09-10-76	101.30	1.52	
				09-15-76	101.43	0.13	
				09-20-76	99.88		1.55
				09-25-76	98.70		1.18
				10-01-76	95.19		3.51
				10-05-76	94.29		0.90
				10-10-76	93.72		0.57

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-76	93.41		0.31
				10-20-76	89.30		4.11
				10-25-76	86.23		3.07
				11-01-76	80.38		5.85
				11-05-76	80.26		0.12
				11-10-76	81.29	1.03	
				11-15-76	81.90	0.61	
				11-20-76	81.68		0.22
				11-25-76	81.77	0.09	
				12-01-76	81.67		0.10
				12-05-76	81.69	0.02	
				12-10-76	81.26		0.43
				12-15-76	80.67		0.59
				12-20-76	80.43		0.24
				12-25-76	80.50	0.07	
				01-01-77	81.00	0.50	
				01-05-77	81.40	0.40	
				01-10-77	81.79	0.39	
				01-15-77	81.28		0.51
				01-20-77	81.35	0.07	
				01-25-77	80.18		1.17
				02-01-77	79.39		0.79
				02-05-77	79.13		0.26
				02-10-77	79.13		
				02-15-77	79.00		0.13
				02-20-77	79.06	0.06	
				02-24-77	79.48	0.42	
				03-01-77	80.30	0.82	
				03-05-77	80.28		0.02
				03-10-77	81.05	0.77	
				03-15-77	82.42	1.37	
				03-20-77	83.52	1.10	
				03-25-77	84.13	0.61	
				04-01-77	83.90		0.23
				04-05-77	84.20	0.30	
				04-10-77	85.39	1.19	
				04-15-77	84.72		0.67
				04-20-77	78.78		5.94
				04-25-77	76.52		2.26
				05-01-77	77.45	0.93	
68-29-708	KCEB	370	820.70	07-19-32	151.25		
				10-19-32	145.50		5.75

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-17-33	149.05	3.55	
				08-18-33	148.88		0.17
				09-19-33	148.54		0.34
				10-18-33	149.28	0.74	
				11-21-33	149.26		0.02
				12-20-33	149.23		0.03
				01-19-34	148.88		0.35
				02-20-34	148.55		0.33
				04-19-34	146.88		1.67
				06-20-34	151.81	4.93	
				08-23-34	153.18	1.37	
				09-20-34	153.51	0.33	
				10-10-34	153.90	0.39	
				11-20-34	153.40		0.50
				12-19-34	153.42	0.02	
				02-04-35	153.17		0.25
				03-01-35	152.76		0.41
				04-08-35	153.65	0.89	
				05-19-35	145.15		8.50
				06-26-35	135.35		9.80
				09-26-35	140.05	4.70	
				11-19-35	140.82	0.77	
				01-18-36	142.18	1.36	
				08-28-36	140.52		1.66
				01-05-37	139.90		0.62
				09-14-49	169.98	30.08	
				11-07-49	165.08		4.90
				02-01-50	165.87	0.79	
				02-28-50	164.59		1.28
				03-31-50	169.54*	4.95	
				05-05-50	167.66		1.88
				06-06-50	165.10		2.56
				07-07-50	172.24	7.14	
				08-03-50	174.95*	2.71	
68-29-709	KCEB	339	828.30	11-17-52	185.72		
				01-06-53	177.70		8.02
				03-10-53	181.90	4.20	
				05-07-53	187.95	6.05	
				07-07-53	199.200	11.25	
				11-04-53	183.10		16.10
				01-05-54	183.13	0.03	
				03-04-54	187.500	4.37	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-06-54	191.50Q	4.00	
				07-06-54	195.44Q	3.94	
				08-23-54	202.00Q	6.56	
				11-04-54	193.94		8.06
				01-05-55	192.77		1.17
				03-03-55	192.50Q		0.27
				05-04-55	200.79	8.29	
				07-07-55	205.84	5.05	
				09-07-55	202.75Q		3.09
				01-06-56	199.58Q		3.17
				05-01-56	204.61	5.03	
68-29-710	KCEB	425	828.00	11-14-50	179.43		
				12-06-50	170.44		8.99
				01-04-51	170.37		0.07
				02-05-51	172.12	1.75	
				03-07-51	172.68	0.56	
				05-11-51	174.34	1.66	
				06-07-51	171.86		2.48
				08-10-51	179.55	7.69	
				09-10-51	183.98	4.43	
				10-30-51	179.48		4.50
				12-27-51	179.21		0.27
				03-03-52	179.64	0.43	
				04-07-52	181.30	1.66	
				06-30-52	184.35	3.05	
68-29-811	KCEB	612	735.57	02----54	88.00		
				03-23-71	95.07	7.07	
				02-04-72	66.55		28.52
				06-08-72	69.08	2.53	
				10-17-72	73.02	3.94	
				10-17-72	73.72	0.70	
				02-09-73	65.64		8.08
				07-26-73	51.08		14.56
				02-13-74	52.52	1.44	
				07-15-74	78.22	25.70	
				02-13-75	51.33		26.89
				07-17-75	72.21	20.88	
				02-23-76	85.57	13.36	
				08-02-76	75.06		10.51
				02-21-77	58.08		16.98

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-29-913	KCEB	784	810.00	02-04-72	142.54*		
				06-08-72	145.13*	2.59	
				02-09-73	141.98		3.15
				07-26-73	127.60		14.38
				02-13-74	129.10	1.50	
				07-15-74	147.50	18.40	
				02-13-75	127.41		20.09
				07-17-75	134.51	7.10	
				02-23-76	148.16	13.65	
				08-02-76	131.68		16.48
68-29-914	KCEB	845	737.70	02-04-72	68.18		
				06-08-72	71.21*	3.03	
				10-17-72	76.03*	4.82	
				02-09-73	67.52		8.51
				07-26-73	53.18		14.34
				02-13-74	54.36	1.18	
				07-15-74	79.26	24.90	
				02-13-75	52.91		26.35
				07-17-75	60.30	7.39	
				02-23-76	73.42	13.12	
08-02-76	62.83		10.59				
68-29-916	KCEB	434	721.60	10-03-33	52.34		
				10-10-34	57.85	5.51	
				08-09-35	44.85		13.00
				08-28-35	44.00		0.85
				11-21-35	45.02	1.02	
				02-26-38	46.06	1.04	
				03-23-38	46.72	0.66	
				04-26-38	45.65		1.07
				05-28-38	44.74		0.91
				06-27-38	48.10	3.36	
				07-26-38	49.72	1.62	
				08-22-38	51.11	1.39	
				09-25-38	51.00		0.11
				10-26-38	51.89	0.89	
				12-08-38	51.80		0.09
				01-24-39	51.48		0.32
02-28-39	52.57	1.09					
03-29-39	53.41	0.84					
04-22-39	56.18	2.77					
05-25-39	56.48	0.30					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-03-39	59.15	2.67	
				10-05-39	59.60	0.45	
				12-19-39	58.17		1.43
				01-30-40	57.92		0.25
				02-20-40	58.43	0.51	
				03-22-40	59.51	1.08	
				04-26-40	60.91	1.40	
				05-23-40	60.48		0.43
				06-21-40	59.03		1.45
				07-25-40	60.12	1.09	
				08-28-40	63.67	3.55	
				09-24-40	63.18		0.49
				10-25-40	63.02		0.16
				12-04-40	59.58		3.44
				01-23-41	57.03		2.55
				03-25-41	49.25		7.78
				05-29-41	44.23		5.02
				08-07-41	49.72	5.49	
				11-14-41	48.54		1.18
				04-09-42	50.21	1.67	
				08-03-42	53.75	3.54	
				12-03-42	44.18		9.57
				04-20-43	50.70	6.52	
				09-03-43	55.13	4.43	
				12-21-43	55.69	0.56	
				08-24-44	56.86	1.17	
				12-19-44	49.87		6.99
				05-23-45	47.29		2.58
				03-19-46	52.58	5.29	
				07-03-47	56.13	3.55	
				11-08-47	59.18	3.05	
				04-23-48	64.60	5.42	
				06-24-48	69.30	4.70	
				07-01-48	65.98		3.32
				08-06-48	70.18	4.20	
				01-10-49	69.15		1.03
				03-08-49	65.44		3.71
				04-18-49	66.04	0.60	
				05-16-49	54.37		11.67
				08-30-49	65.05	10.68	
				10-04-49	65.78	0.73	
				11-07-49	59.52		6.26
				12-07-49	61.36	1.84	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-01-50	61.94	0.58	
				02-28-50	60.63		1.31
				03-31-50	64.18	3.55	
				05-04-50	63.49		0.69
				06-06-50	61.17		2.32
				07-06-50	67.58	6.41	
				08-04-50	70.79	3.21	
				09-07-50	69.17		1.62
				10-06-50	70.44	1.27	
				11-09-50	70.10		0.34
				12-06-50	70.03		0.07
				01-04-51	70.35	0.32	
				02-05-51	71.82	1.47	
				03-07-51	72.85	1.03	
				05-08-51	74.29	1.44	
				05-25-51	72.57		1.72
				06-07-51	71.67		0.90
				07-03-51	77.61	5.94	
				08-06-51	82.32	4.71	
				09-10-51	83.55	1.23	
				10-08-51	80.11		3.44
				10-29-51	78.96		1.15
				12-27-51	78.93		0.03
				02-29-52	79.42	0.49	
				04-04-52	80.23	0.81	
				06-03-52	81.73	1.50	
				06-30-52	83.40	1.67	
				08-01-52	86.91	3.51	
				09-02-52	89.80Q	2.89	
				10-01-52	82.30Q		7.50
				11-07-52	83.71	1.41	
				12-02-52	77.41		6.30
				01-06-53	73.34		4.07
				02-09-53	76.96	3.62	
				03-06-53	78.80	1.84	
				04-07-53	79.37	0.57	
				05-08-53	82.50	3.13	
				06-03-53	86.95	4.45	
				08-07-53	93.50	6.55	
				09-18-53	78.81		14.69
				10-16-53	82.10	3.29	
				11-02-53	79.10		3.00
				12-07-53	77.92		1.18

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-21-53	77.46		0.46
				01-04-54	78.10	0.64	
				02-04-54	80.64	2.54	
				03-01-54	83.15	2.51	
				05-03-54	79.66		3.49
				06-07-54	83.62	3.96	
				07-06-54	83.57		0.05
				08-04-54	86.43	2.86	
				06-23-54	87.71	1.28	
				10-04-54	85.90		1.81
				10-12-54	76.09		9.81
				11-02-54	76.71	0.62	
				12-02-54	74.30		2.41
				01-06-55	75.62	1.32	
				02-02-55	70.36		5.26
				03-02-55	69.73		0.63
				04-04-55	76.77	7.04	
				05-03-55	77.74	0.97	
				06-01-55	76.25		1.49
				07-06-55	78.41	2.16	
				08-03-55	80.67	2.26	
				09-01-55	73.99		6.68
				10-05-55	65.37		8.62
				11-02-55	81.83	16.46	
				12-06-55	65.70		16.13
				01-04-56	68.15	2.45	
				02-08-56	60.28		7.87
				03-08-56	59.45		0.83
				04-03-56	66.31	6.86	
				05-02-56	74.80	8.49	
				06-05-56	87.02	12.22	
				07-03-56	83.87		3.15
				08-02-56	85.19	1.32	
				08-28-56	84.87		0.32
				10-03-56	83.96		0.91
				11-08-56	61.73		22.23
				12-07-56	66.64	4.91	
				01-04-57	59.62		7.02
				02-05-57	59.71	0.09	
				03-06-57	54.64		5.07
				04-02-57	56.92	2.28	
				05-09-57	50.83		6.09
				06-06-57	52.63	1.80	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-04-57	52.31		0.32
				10-01-57	51.48		0.83
				11-04-57	40.09		11.39
				12-02-57	36.38		3.71
				01-06-58	36.17		0.21
				02-11-58	36.93	0.76	
				03-04-58	33.66		3.27
				04-02-58	33.40		0.26
				05-08-58	31.98		1.42
				06-03-58	30.92		1.06
				07-03-58	33.37	2.45	
				08-05-58	39.80	6.43	
				09-04-58	41.62	1.82	
				10-08-58	28.11		13.51
				11-03-58	26.25		1.86
				12-01-58	24.65		1.60
				01-07-59	24.42		0.23
				02-09-59	24.35		0.07
				03-02-59	23.85		0.50
				04-02-59	24.37	0.52	
				05-06-59	24.41	0.04	
				06-02-59	26.27	1.86	
				08-05-59	25.00		1.27
				09-02-59	24.86		0.14
				10-02-59	24.93	0.07	
				11-05-59	23.92		1.01
				12-04-59	24.51	0.59	
				01-14-60	24.35		0.16
				02-09-60	24.21		0.14
				03-04-60	24.29	0.08	
				05-02-60	24.30	0.01	
				06-01-60	24.68	0.38	
68-29-917	KCEB	----	715.00	04-06-54	81.00		
				05-03-54	78.33		2.67
				06-07-54	83.28	4.95	
				07-06-54	83.55	0.27	
				08-04-54	87.22	3.67	
				08-05-54	88.37	1.15	
				10-04-54	84.96		3.41
				10-12-54	84.10		0.86
				11-02-54	83.69		0.41
				12-02-54	82.24		1.45

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-06-55	81.33		0.91
				02-02-55	81.27		0.06
				03-02-55	80.87		0.40
				04-04-55	84.34*	3.47	
				05-03-55	89.31	4.97	
				06-01-55	89.60	0.29	
				07-06-55	91.56	1.96	
				08-03-55	92.15	0.59	
				09-01-55	90.74		1.41
				10-05-55	90.33		0.41
				11-02-55	91.40*	1.07	
				12-06-55	86.31		5.09
				01-04-56	86.89	0.58	
				02-08-56	85.25		1.64
				03-08-56	89.47	4.22	
				04-02-56	91.81	2.34	
				05-02-56	91.62		0.19
				06-05-56	96.77	5.15	
				07-03-56	97.78	1.01	
				08-02-56	102.27	4.49	
				08-28-56	98.55		3.72
				10-03-56	100.60	2.05	
				11-08-56	92.77		7.83
				12-07-56	93.23	0.46	
				01-04-57	90.46		2.77
				02-05-57	90.82	0.36	
				03-06-57	89.61		1.21
				04-02-57	86.48		3.13
				05-09-57	75.79		10.69
				06-04-57	66.95		8.84
				07-02-57	78.51	11.56	
				08-06-57	89.77	11.26	
				09-04-57	87.60		2.17
				10-01-57	75.46		12.14
				11-04-57	68.09		7.37
				12-02-57	62.18		5.91
				01-06-58	62.28	0.10	
				02-11-58	55.14		7.14
				03-04-58	47.94		7.20
				04-02-58	48.36	0.42	
				05-08-58	46.52		1.84
				06-03-58	52.05	5.53	
				07-03-58	55.69	3.64	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-58	63.50	7.81	
				09-04-58	65.06	1.56	
				10-08-58	44.62		20.44
				11-03-58	39.98		4.64
				12-01-58	39.51		0.47
				01-07-59	41.05	1.54	
				02-09-59	41.66	0.61	
				03-02-59	41.22		0.44
				04-02-59	44.29	3.07	
				05-06-59	43.54		0.75
				06-02-59	47.92	4.38	
				07-06-59	52.73	4.81	
				08-05-59	55.09	2.36	
				09-02-59	52.95		2.14
				10-02-59	52.37		0.58
				11-05-59	45.88		6.49
				12-04-59	44.75		1.13
				01-14-60	43.17		1.58
				02-09-60	43.22	0.05	
				03-04-60	43.84	0.62	
				04-04-60	44.30*	0.46	
				05-02-60	44.26		0.04
				06-01-60	51.47	7.21	
				07-07-60	54.21	2.74	
				08-02-60	54.04		0.17
				09-08-60	49.63		4.41
				10-03-60	53.06	3.43	
				11-07-60	40.93		12.13
				12-06-60	41.53	0.60	
				01-09-61	39.29		2.24
				02-21-61	37.67		1.62
				03-23-61	40.79	3.12	
				04-27-61	46.25	5.46	
				05-24-61	52.15	5.90	
				06-22-61	43.81		8.34
				07-18-61	44.35	0.54	
				08-24-61	47.50	3.15	
				09-27-61	46.04		1.46
				10-25-61	44.43		1.61
				11-28-61	43.04		1.39
				12-18-61	43.12	0.08	
				01-25-62	44.62	1.50	
				02-19-62	46.88	2.26	

TABLE 3.--WATER LEVELS IN ELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-22-62	47.99	1.11	
				04-27-62	47.17		0.82
				05-23-62	54.81	7.64	
				06-20-62	57.44	2.63	
				07-26-62	68.08	10.64	
				08-22-62	70.75	2.67	
				09-26-62	62.36		8.39
				10-26-62	61.31		1.05
				11-21-62	57.97		3.34
				12-20-62	53.69		4.28
				01-26-63	55.50	1.61	
				02-20-63	54.50		1.00
				03-19-63	57.76	3.26	
				04-22-63	61.51	3.75	
				05-23-63	63.54	2.03	
				06-19-63	69.48	5.94	
				07-22-63	76.59	7.11	
				08-20-63	82.02	5.43	
				09-24-63	74.33		7.69
				10-22-63	74.40	0.07	
				11-18-63	67.84		6.56
				12-16-63	66.04		1.80
				01-20-64	65.55		0.49
				02-17-64	61.84		3.71
				03-26-64	63.50	1.66	
				04-20-64	65.69	2.19	
				05-19-64	73.25	7.56	
				06-22-64	68.60		4.65
				07-22-64	81.53	12.93	
				08-20-64	83.53	2.00	
				09-23-64	76.71		6.82
				10-23-64	74.34		2.37
				11-23-64	65.13		9.21
				12-18-64	65.80	0.67	
				01-19-65	66.10	0.30	
				02-17-65	57.08		9.02
				03-22-65	57.69	0.61	
				04-19-65	54.41		3.28
				06-16-65	47.90		6.51
				07-19-65	63.20	15.30	
				08-25-65	68.94	5.74	
				02-25-70	46.99		21.95

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-30-101	KCEB	350	917.61	10-12-33	250.65		
				10-08-34	254.50	3.85	
				08-09-35	241.60		12.90
				11-21-35	241.94	0.34	
				09-13-49	261.56	19.62	
				10-04-49	261.13		0.43
				11-07-49	257.38		3.75
				02-01-50	258.45	1.07	
				02-28-50	257.39		1.06
				03-30-50	260.78	3.39	
				05-04-50	259.79		0.99
				08-07-50	266.86	7.07	
				09-07-50	265.50		1.36
				10-09-50	265.20		0.30
				11-09-50	266.42	1.22	
				12-05-50	266.36		0.06
				01-04-51	267.06	0.70	
				02-05-51	268.06	1.00	
				03-07-51	269.87	1.81	
				05-11-51	270.95	1.08	
				06-08-51	268.54		2.41
				08-06-51	279.17	10.63	
				09-10-51	278.64		0.53
				10-30-51	274.94		3.70
				12-27-51	276.98	2.04	
				02-29-52	275.61		1.37
				04-04-52	276.28	0.67	
				06-30-52	279.32	3.04	
				09-03-52	285.90	6.58	
				11-03-52	279.30		6.60
01-06-53	270.02		9.28				
03-06-53	274.50	4.48					
05-07-53	278.55	4.05					
07-14-53	284.90	6.35					
09-18-53	275.35		9.55				
11-04-53	274.99		0.36				
01-05-54	274.81		0.18				
03-02-54	279.24	4.43					
05-04-54	281.38	2.14					
07-07-54	285.97	4.59					
08-25-54	291.08	5.11					
10-12-54	286.03		5.05				
11-02-54	286.14	0.11					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-02-54	284.84		1.30
				01-06-55	284.01		0.83
				02-02-55	283.90		0.11
				03-02-55	283.29		0.61
				04-04-55	286.46	3.17	
				05-03-55	290.84	4.38	
				06-01-55	288.73		2.11
				07-06-55	292.38	3.65	
				08-03-55	294.10	1.72	
				09-01-55	293.07		1.03
				10-05-55	292.42		0.65
				11-02-55	293.27	0.85	
				12-06-55	291.93		1.34
				01-04-56	289.14		2.79
				02-08-56	288.00		1.14
				03-08-56	291.42	3.42	
				04-03-56	293.73	2.31	
				05-02-56	294.30	0.57	
				06-05-56	298.55	4.25	
				07-03-56	299.79	1.24	
				08-02-56	304.13	4.34	
				08-28-56	300.60		3.53
				10-03-56	302.56	1.96	
				11-07-56	295.28		7.28
				12-07-56	297.90	2.62	
				01-03-57	292.81		5.09
				02-05-57	294.71	1.90	
				03-05-57	292.14		2.57
				04-02-57	288.16		3.98
				05-08-57	278.91		9.25
				06-05-57	269.93		8.98
				07-02-57	279.67	9.74	
				08-07-57	290.29	10.62	
				09-04-57	289.66		0.63
				10-08-57	280.11		9.55
				11-05-57	271.32		8.79
				12-02-57	268.18		3.14
				01-06-58	264.65		3.53
				02-11-58	258.05		6.60
				03-05-58	251.05		7.00
				04-04-58	251.42	0.37	
				05-08-58	249.34		2.08
				06-03-58	254.00	4.66	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-03-58	259.53	5.53	
				08-05-58	265.94	6.41	
				09-04-58	267.30	1.36	
				10-07-58	247.92		19.38
				11-04-58	242.71		5.21
				12-02-58	242.41		0.30
				01-12-59	244.06	1.65	
				02-11-59	244.94	0.88	
				03-02-59	244.83		0.11
				04-02-59	247.54	2.71	
				05-06-59	248.16	0.62	
				06-02-59	249.75	1.59	
				07-06-59	255.50	5.75	
				08-05-59	257.53	2.03	
				09-02-59	260.76	3.23	
				10-02-59	255.95		4.81
				11-05-59	250.10		5.85
				12-04-59	245.52		0.58
				01-07-60	247.93		1.59
				02-09-60	247.55		0.38
				03-04-60	248.09	0.54	
				04-04-60	248.52	0.43	
				05-03-60	248.44		0.08
				06-01-60	254.18	5.74	
				07-07-60	257.13	2.95	
				08-01-60	256.64		0.49
				09-07-60	252.53		4.11
				10-03-60	256.33	3.80	
				11-07-60	245.15		11.18
				12-06-60	245.66	0.51	
				01-09-61	243.17		2.49
				02-21-61	241.75		1.42
				03-22-61	245.30	3.55	
				04-26-61	248.87	3.57	
				05-24-61	254.75	5.88	
				06-22-61	247.93		6.82
				08-22-61	249.91	1.98	
				09-29-61	250.16	0.25	
				10-27-61	248.11		2.05
				11-30-61	247.32		0.79
				12-18-61	247.27		0.05
				01-21-62	248.91	1.64	
				02-21-62	250.67	1.76	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-22-62	251.45	0.78	
				04-27-62	251.47	0.02	
				05-24-62	258.16	6.69	
				06-20-62	259.51	1.35	
				07-24-62	268.23	8.72	
				08-23-62	273.19	4.96	
				10-01-62	263.43		9.76
				10-24-62	265.53	2.10	
				11-21-62	261.89		3.64
				12-20-62	257.03		4.86
				01-21-63	258.02	0.99	
				02-21-63	258.41	0.39	
				03-20-63	259.64	1.23	
				03-21-63	259.75	0.11	
				04-23-63	263.40	3.65	
				05-21-63	265.51	2.11	
				06-19-63	271.06	5.55	
				07-24-63	277.88	6.82	
				08-21-63	283.10	5.22	
				09-25-63	276.99		6.11
				10-22-63	277.26	0.27	
				11-20-63	270.49		6.77
				12-16-63	268.80		1.69
				01-20-64	268.69		0.11
				02-20-64	265.28		3.41
				03-26-64	266.06	0.78	
				04-20-64	268.02	1.96	
				05-19-64	273.91	5.89	
				06-22-64	269.74		4.17
				07-22-64	282.23	12.49	
				08-20-64	284.82	2.59	
				09-23-64	278.99		5.83
				10-21-64	276.23		2.76
				11-23-64	270.41		5.82
				12-18-64	266.50		3.91
				01-19-65	272.09	5.59	
				02-17-65	259.25		12.84
				03-22-65	260.33	1.08	
				04-19-65	259.29		1.04
				05-19-65	247.65		11.44
				06-16-65	250.63	2.78	
				07-19-65	263.87	13.24	
				08-23-65	268.26	4.39	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-21-72	266.68*		1.58
				02-03-72	250.10		16.58
				06-07-72	255.65Q	5.55	
				02-06-73	252.35*		3.30
				07-26-73	234.68		17.67
				02-13-74	235.12	0.44	
				07-15-74	253.67	18.55	
				02-13-75	235.60		18.07
				07-17-75	243.53	7.93	
				08-02-76	235.37		8.16
				02-03-77	227.98		7.39
68-30-211	KCEB	777	776.45	08-07-64	144.17		
				08-10-64	141.78		2.39
				08-15-64	143.18	1.40	
				08-20-64	144.85	1.67	
				08-25-64	141.24		3.61
				09-01-64	141.73	0.49	
				09-05-64	142.56	0.83	
				09-10-64	142.39		0.17
				09-15-64	142.65	0.26	
				09-20-64	141.04		1.61
				09-25-64	139.73		1.31
				10-01-64	136.72		3.01
				10-05-64	136.27		0.45
				10-10-64	136.77	0.50	
				10-15-64	137.03	0.26	
				10-20-64	137.00		0.03
				10-25-64	137.29	0.29	
				11-01-64	134.94		2.35
				11-05-64	131.98		2.96
				11-10-64	130.92		1.06
				11-15-64	130.81		0.11
				11-20-64	130.56		0.25
				11-25-64	130.38		0.18
				12-01-64	130.44	0.06	
				12-05-64	130.68	0.24	
				12-10-64	130.20		0.48
				12-15-64	130.17		0.03
				12-20-64	130.28	0.11	
				12-25-64	129.96		0.32
				01-01-65	130.22	0.26	
				01-05-65	130.03		0.19

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-10-65	130.19	0.16	
				01-15-65	130.27	0.08	
				01-20-65	130.50	0.23	
				01-25-65	129.49		1.01
				02-01-65	129.97	0.48	
				02-05-65	128.71		1.26
				02-10-65	125.65		3.06
				02-15-65	124.42		1.23
				02-20-65	122.76		1.66
				02-25-65	122.27		0.49
				03-01-65	121.49		0.78
				03-05-65	121.76	0.27	
				03-10-65	122.10	0.34	
				03-15-65	122.18	0.08	
				03-20-65	122.98	0.80	
				03-25-65	123.14	0.16	
				04-01-65	121.84		1.30
				04-05-65	121.02		0.82
				04-10-65	117.69		3.33
				04-15-65	120.04	2.35	
				04-20-65	120.38	0.34	
				04-25-65	121.43	1.05	
				05-01-65	121.43		
				05-05-65	121.82	0.39	
				05-10-65	121.16		0.66
				05-15-65	119.07		2.09
				05-20-65	109.55		9.52
				05-25-65	110.58	1.03	
				06-01-65	110.45		0.13
				06-05-65	111.17	0.72	
				06-10-65	110.90		0.27
				06-15-65	112.36	1.46	
				06-20-65	114.42	2.06	
				06-25-65	115.34	0.92	
				07-01-65	117.51	2.17	
				07-05-65	118.54	1.03	
				07-10-65	121.30	2.76	
				07-15-65	123.29	1.99	
				07-20-65	124.87	1.58	
				07-25-65	126.72	1.85	
				08-01-65	127.97	1.25	
				08-05-65	128.89	0.92	
				08-10-65	127.85		1.04

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-15-65	128.77	0.92	
				08-20-65	130.48	1.71	
				08-25-65	131.37	0.89	
				09-01-65	131.60	0.23	
				09-05-65	131.58		0.02
				09-10-65	132.24	0.66	
				09-15-65	133.70	1.46	
				09-20-65	133.30		0.40
				09-25-65	132.80		0.50
				10-01-65	129.77		3.03
				10-05-65	128.18		1.59
				10-10-65	127.53		0.65
				10-15-65	127.40		0.13
				10-20-65	120.32		7.08
				10-25-65	123.73	3.41	
				11-01-65	124.41	0.68	
				11-05-65	124.30		0.11
				11-10-65	123.91		0.39
				11-15-65	123.56		0.35
				11-20-65	123.77	0.21	
				11-25-65	123.84	0.07	
				12-01-65	124.00	0.16	
				12-05-65	116.16		7.84
				12-10-65	116.87	0.71	
				12-15-65	117.20	0.33	
				12-20-65	116.50		0.70
				12-25-65	116.34		0.16
				01-01-66	116.20		0.14
				01-05-66	116.25	0.05	
				01-10-66	116.42	0.17	
				01-15-66	116.62	0.20	
				01-20-66	116.77	0.15	
				01-25-66	116.93	0.16	
				02-01-66	117.42	0.49	
				02-05-66	117.78	0.36	
				02-10-66	117.65		0.13
				02-15-66	116.99		0.66
				02-20-66	116.98		0.01
				02-25-66	117.05	0.07	
				03-01-66	116.67		0.38
				03-05-66	116.90	0.23	
				03-10-66	116.93	0.03	
				03-15-66	116.93		

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-20-66	117.54	0.61	
				03-25-66	118.36	0.82	
				04-01-66	118.58	0.22	
				04-05-66	119.60	1.02	
				04-10-66	120.79	1.19	
				04-15-66	121.50	0.71	
				04-20-66	121.16		0.34
				04-25-66	120.12		1.04
				05-01-66	119.08		1.04
				05-05-66	118.37		0.71
				05-10-66	117.85		0.52
				05-15-66	117.90	0.05	
				05-20-66	118.53	0.63	
				05-25-66	118.97	0.44	
				06-01-66	119.62	0.65	
				06-05-66	121.06	1.44	
				06-10-66	124.13	3.07	
				06-15-66	126.15	2.02	
				06-20-66	125.20		0.95
				06-25-66	124.56		0.64
				07-01-66	125.46	0.90	
				07-05-66	126.63	1.17	
				07-10-66	127.26	0.63	
				07-15-66	129.79	2.53	
				07-20-66	132.16	2.37	
				07-25-66	133.58	1.42	
				08-01-66	135.87	2.29	
				08-05-66	136.00	0.13	
				08-10-66	134.13		1.87
				08-15-66	131.76		2.37
				08-20-66	132.07	0.31	
				08-25-66	132.15	0.08	
				09-01-66	129.50		2.65
				09-05-66	129.42		0.08
				09-10-66	128.10		1.32
				09-15-66	126.90		1.20
				09-20-66	125.68		1.22
				09-25-66	125.86	0.18	
				10-01-66	125.83		0.03
				10-05-66	125.63		0.20
				10-10-66	125.37		0.26
				10-15-66	125.87	0.50	
				10-20-66	125.62		0.25

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-25-66	125.74	0.12	
				11-01-66	126.29	0.55	
				11-05-66	126.30	0.01	
				11-10-66	126.57	0.27	
				11-15-66	126.83	0.26	
				11-20-66	127.01	0.18	
				11-25-66	126.90		0.11
				12-01-66	127.18	0.28	
				12-05-66	126.67		0.51
				12-10-66	127.23	0.56	
				12-15-66	127.09		0.14
				12-20-66	126.82		0.27
				12-25-66	126.67		0.15
				01-01-67	126.39		0.28
				01-05-67	126.92	0.53	
				01-10-67	127.00	0.08	
				01-15-67	127.24	0.24	
				01-20-67	127.64	0.40	
				01-25-67	127.86	0.22	
				02-01-67	129.06	1.20	
				02-05-67	129.50	0.44	
				02-10-67	128.91		0.59
				02-15-67	129.79	0.88	
				02-20-67	130.00	0.21	
				02-25-67	130.41	0.41	
				03-01-67	130.74	0.33	
				03-05-67	131.83	1.09	
				03-10-67	132.37	0.54	
				03-15-67	135.05	2.68	
				03-20-67	134.14		0.91
				03-25-67	133.44		0.70
				04-01-67	133.51	0.07	
				04-05-67	134.63	1.12	
				04-10-67	135.51	0.88	
				04-15-67	134.62		0.89
				04-20-67	134.62		
				04-25-67	135.00	0.38	
				05-01-67	135.87	0.87	
				05-05-67	137.10	1.23	
				05-10-67	139.09	1.99	
				05-15-67	140.76	1.67	
				05-20-67	142.56	1.80	
				05-25-67	142.40		0.16

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-01-67	142.27		0.13
				06-05-67	143.32	1.05	
				06-10-67	145.73	2.41	
				06-15-67	147.04	1.31	
				06-20-67	148.33	1.29	
				06-25-67	148.88	0.55	
				07-01-67	151.02	2.14	
				07-05-67	147.81		3.21
				07-10-67	149.14	1.33	
				07-15-67	148.00		1.14
				07-20-67	147.54		0.46
				07-25-67	146.31		1.23
				08-01-67	149.48	3.17	
				08-05-67	150.61	1.13	
				08-10-67	152.08	1.47	
				08-15-67	152.04		0.04
				08-20-67	148.13		3.91
				08-25-67	146.60		1.53
				09-01-67	145.80		0.80
				09-05-67	136.99		8.81
				09-10-67	141.07	4.08	
				09-15-67	141.64	0.57	
				09-20-67	139.28		2.36
				09-25-67	132.64		6.64
				10-01-67	132.19		0.45
				10-05-67	132.51	0.32	
				10-10-67	132.43		0.08
				10-15-67	132.70	0.27	
				10-20-67	131.99		0.71
				10-25-67	131.96		0.03
				11-01-67	131.26		0.70
				11-05-67	131.21		0.05
				11-10-67	128.23		2.98
				11-15-67	126.68		1.55
				11-20-67	125.87		0.81
				11-25-67	125.78		0.09
				12-01-67	125.73		0.05
				12-05-67	125.69		0.04
				12-10-67	125.22		0.47
				12-15-67	125.31	0.09	
				12-20-67	124.86		0.45
				12-25-67	124.54		0.32
				01-01-68	124.87	0.33	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-05-68	124.53		0.34
				01-10-68	124.35		0.18
				01-15-68	123.92		0.43
				01-20-68	109.10		14.82
				01-25-68	109.53	0.43	
				02-01-68	108.80		0.73
				02-05-68	108.81	0.01	
				02-10-68	109.32	0.51	
				02-15-68	109.04		0.28
				02-20-68	108.39		0.65
				02-25-68	108.14		0.25
				03-01-68	108.27	0.13	
				03-05-68	108.17		0.10
				03-10-68	108.17		
				03-15-68	108.20	0.03	
				03-20-68	108.08		0.12
				03-25-68	108.30	0.22	
				04-01-68	108.85	0.55	
				04-05-68	109.23	0.38	
				04-10-68	109.64	0.41	
				04-15-68	109.32		0.32
				04-20-68	109.77	0.45	
				04-25-68	109.57		0.20
				05-01-68	110.00	0.43	
				05-05-68	110.05	0.05	
				05-10-68	109.57		0.48
				05-17-68	104.63		4.94
				05-20-68	107.63	3.00	
				05-25-68	108.58	0.95	
				06-01-68	110.25	1.67	
				06-05-68	109.99		0.26
				06-10-68	110.60	0.61	
				06-15-68	113.54	2.94	
				06-20-68	113.71	0.17	
				06-25-68	112.46		1.25
				07-01-68	112.40		0.06
				07-05-68	112.46	0.06	
				07-10-68	113.22	0.76	
				07-15-68	112.65		0.57
				07-20-68	114.10	1.45	
				07-25-68	115.62	1.52	
				08-01-68	118.11	2.49	
				08-05-68	118.29	0.18	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-10-68	120.61	2.32	
				08-15-68	122.74	2.13	
				08-20-68	123.00	0.26	
				08-25-68	123.48	0.48	
				09-01-68	122.86		0.62
				09-05-68	120.18		2.68
				09-10-68	119.08		1.10
				09-15-68	118.20		0.88
				09-20-68	118.17		0.03
				09-25-68	118.09		0.08
				10-01-68	118.06		0.03
				10-05-68	118.01		0.05
				10-10-68	117.83		0.18
				10-15-68	117.92	0.09	
				10-20-68	117.98	0.06	
				10-25-68	118.11	0.13	
				11-01-68	118.53	0.42	
				11-05-68	118.19		0.34
				11-10-68	117.62		0.57
				11-15-68	117.61		0.01
				11-20-68	117.58		0.03
				11-25-68	117.73	0.15	
				12-01-68	115.89		1.84
				12-05-68	115.75		0.14
				12-10-68	115.85	0.10	
				12-15-68	115.83		0.02
				12-20-68	115.87	0.04	
				12-25-68	115.55		0.32
				01-01-69	115.82	0.27	
				01-05-69	115.58		0.24
				01-10-69	115.87	0.29	
				01-15-69	115.98	0.11	
				01-20-69	115.60		0.38
				01-25-69	116.07	0.47	
				02-01-69	115.94		0.13
				02-05-69	116.11	0.17	
				02-10-69	116.35	0.24	
				02-15-69	115.79		0.56
				02-20-69	115.13		0.66
				02-25-69	114.51		0.62
				03-01-69	114.69	0.18	
				03-05-69	114.61		0.08
				03-10-69	114.85	0.24	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(*) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-15-69	114.89	0.04	
				03-20-69	114.68		0.21
				03-25-69	114.54		0.14
				04-01-69	115.19	0.65	
				04-05-69	115.50	0.31	
				04-10-69	116.44	0.94	
				04-15-69	115.47		0.97
				04-20-69	115.12		0.35
				04-25-69	115.74	0.62	
				05-01-69	115.37		0.37
				05-05-69	113.87		1.50
				05-10-69	113.47		0.40
				05-15-69	112.88		0.59
				05-20-69	110.65		2.23
				05-25-69	110.83	0.18	
				06-01-69	113.50	2.67	
				06-05-69	113.62	0.12	
				06-10-69	113.92	0.30	
				06-15-69	116.61	2.69	
				06-20-69	119.86	3.25	
				06-25-69	120.85	0.99	
				07-01-69	122.21	1.36	
				07-05-69	123.40	1.19	
				07-10-69	125.47	2.07	
				07-15-69	127.23	1.76	
				07-20-69	128.57	1.34	
				07-25-69	128.99	0.42	
				08-01-69	131.82	2.83	
				08-05-69	132.52	0.70	
				08-10-69	133.19	0.67	
				08-15-69	135.23	2.04	
				08-20-69	135.86	0.63	
				08-25-69	131.65		4.21
				09-01-69	126.13		5.52
				09-05-69	125.81		0.32
				09-10-69	125.71		0.10
				09-15-69	125.38		0.33
				09-20-69	126.26	0.88	
				09-25-69	125.59		0.67
				10-01-69	125.90	0.31	
				10-05-69	125.30		0.60
				10-10-69	123.65		1.65
				10-15-69	121.97		1.68

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL.

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-20-69	121.56		0.41
				10-25-69	122.01	0.45	
				11-01-69	121.07		0.94
				11-05-69	120.83		0.24
				11-10-69	120.45		0.38
				11-15-69	120.56	0.11	
				11-20-69	120.22		0.34
				11-25-69	119.83		0.39
				12-01-69	118.92		0.91
				12-05-69	118.63		0.29
				12-10-69	116.78		1.85
				12-15-69	116.13		0.65
				12-20-69	116.27	0.14	
				12-25-69	116.15		0.12
				01-01-70	116.03		0.12
				01-05-70	115.79		0.24
				01-10-70	116.03	0.24	
				01-15-70	115.91		0.12
				01-20-70	115.93	0.02	
				01-25-70	115.85		0.08
				02-01-70	115.63		0.22
				02-05-70	115.77	0.14	
				02-10-70	115.54		0.23
				02-15-70	115.48		0.06
				02-20-70	115.78	0.30	
				02-25-70	114.73		1.05
				03-01-70	113.70		1.03
				03-05-70	113.46		0.24
				03-10-70	112.34		1.12
				03-15-70	111.99		0.35
				03-20-70	111.62		0.37
				03-25-70	111.49		0.13
				04-01-70	111.71	0.22	
				04-05-70	112.35	0.64	
				04-10-70	112.73	0.38	
				04-15-70	113.08	0.35	
				04-20-70	112.73		0.35
				04-25-70	113.40	0.67	
				05-01-70	114.25	0.85	
				05-05-70	115.00	0.75	
				05-10-70	117.02	2.02	
				05-15-70	117.79	0.77	
				05-20-70	116.69		1.10

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-25-70	115.08		1.61
				06-01-70	110.64		4.44
				06-05-70	110.24		0.40
				06-10-70	110.80	0.56	
				06-15-70	112.37	1.57	
				06-20-70	115.78	3.41	
				06-25-70	117.13	1.35	
				07-01-70	118.62	1.49	
				07-05-70	120.17	1.55	
				07-10-70	122.87	2.70	
				07-15-70	122.77		0.10
				07-20-70	120.74		2.03
				07-25-70	122.35	1.61	
				08-01-70	124.58	2.23	
				08-05-70	123.47		1.11
				08-10-70	124.52	1.05	
				08-15-70	126.12	1.60	
				08-20-70	126.85	0.73	
				08-25-70	126.82		0.03
				09-01-70	127.95	1.13	
				09-05-70	128.68	0.73	
				09-10-70	130.32	1.64	
				09-15-70	127.34		2.98
				09-20-70	126.63		0.71
				09-25-70	125.15		1.48
				10-01-70	123.10		2.05
				10-05-70	122.90		0.20
				10-10-70	122.35		0.55
				10-15-70	122.05		0.30
				10-20-70	121.38		0.67
				10-25-70	121.00		0.38
				11-01-70	121.07	0.07	
				11-05-70	121.38	0.31	
				11-10-70	121.63	0.25	
				11-15-70	121.70	0.07	
				11-20-70	122.03	0.33	
				11-25-70	121.92		0.11
				12-01-70	121.90		0.02
				12-05-70	122.32	0.42	
				12-10-70	122.42	0.10	
				12-15-70	122.07		0.35
				12-20-70	122.25	0.18	
				12-25-70	122.18		0.07

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-01-71	122.13		0.05
				01-05-71	122.31	0.18	
				01-10-71	122.48	0.17	
				01-15-71	123.66	1.18	
				01-20-71	124.54	0.88	
				01-25-71	125.71	1.17	
				02-01-71	127.49	1.78	
				02-05-71	127.44		0.05
				02-10-71	128.04	0.60	
				02-15-71	128.97	0.93	
				02-20-71	130.04	1.07	
				02-25-71	129.76		0.28
				03-01-71	129.06		0.70
				03-04-71	129.20	0.14	
				03-08-71	129.52	0.32	
				03-16-71	132.83	3.31	
				03-20-71	133.36	0.53	
				03-25-71	134.30	0.94	
				04-01-71	136.21	1.91	
				04-05-71	135.57		0.64
				04-10-71	137.50	1.93	
				04-15-71	139.21	1.71	
				04-20-71	135.98		3.23
				04-25-71	136.68	0.70	
				05-01-71	138.84	2.16	
				05-05-71	140.57	1.73	
				05-10-71	138.92		1.65
				05-15-71	139.52	0.60	
				05-20-71	142.85	3.33	
				05-25-71	141.85		1.00
				06-01-71	143.02	1.17	
				06-05-71	145.61	2.59	
				06-10-71	148.57	2.96	
				06-15-71	148.23		0.34
				06-20-71	145.85		2.38
				06-25-71	143.88		1.97
				07-01-71	141.26		2.62
				07-05-71	141.13		0.13
				07-10-71	143.04	1.91	
				07-15-71	145.16	2.12	
				07-20-71	146.55	1.39	
				07-25-71	147.30	0.75	
				08-01-71	147.84	0.54	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-71	139.47		8.37
				08-10-71	136.65		2.82
				08-15-71	130.56		6.09
				08-20-71	130.86	0.30	
				08-25-71	131.14	0.28	
				09-01-71	131.19	0.05	
				09-05-71	131.14		0.05
				09-10-71	131.91	0.77	
				09-15-71	129.81		2.10
				09-20-71	129.12		0.69
				09-25-71	127.95		1.17
				10-01-71	127.15		0.80
				10-05-71	126.43		0.72
				10-10-71	125.45		0.98
				10-15-71	124.85		0.60
				10-20-71	117.03		7.82
				10-25-71	119.31	2.28	
				11-01-71	118.73		0.58
				11-05-71	118.82	0.09	
				11-10-71	118.73		0.09
				11-15-71	118.63		0.10
				11-20-71	117.58		1.05
				11-25-71	116.96		0.62
				12-01-71	116.87		0.09
				12-05-71	115.38		1.49
				12-10-71	114.12		1.26
				12-15-71	113.43		0.69
				12-20-71	113.08		0.35
				12-25-71	113.11	0.03	
				01-01-72	112.83		0.28
				01-05-72	113.06	0.23	
				01-10-72	112.87		0.19
				01-15-72	113.43	0.56	
				01-20-72	113.29		0.14
				01-25-72	113.71	0.42	
				02-01-72	113.45		0.26
				02-05-72	113.63	0.18	
				02-10-72	113.80	0.17	
				02-15-72	113.77		0.03
				02-20-72	114.43	0.66	
				02-25-72	115.26	0.83	
				03-01-72	116.10	0.84	
				03-05-72	117.03	0.93	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-10-72	117.97	0.94	
				03-15-72	118.51	0.54	
				03-20-72	119.91	1.40	
				03-25-72	120.91	1.00	
				04-01-72	122.01	1.10	
				04-05-72	123.01	1.00	
				04-10-72	124.25	1.24	
				04-15-72	126.77	2.52	
				04-20-72	129.16	2.39	
				04-25-72	128.33		0.83
				05-01-72	126.42		1.91
				05-05-72	126.71	0.29	
				05-10-72	111.11		15.60
				05-15-72	105.12		5.99
				05-20-72	106.67	1.55	
				05-25-72	106.94	0.27	
				06-01-72	110.23	3.29	
				06-05-72	111.77	1.54	
				06-10-72	112.77	1.00	
				06-15-72	112.33		0.44
				06-20-72	111.66		0.67
				06-25-72	113.01	1.35	
				07-01-72	116.43	3.42	
				07-05-72	117.05	0.62	
				07-10-72	118.24	1.19	
				07-15-72	119.00	0.76	
				07-20-72	117.36		1.64
				07-25-72	116.55		0.81
				08-01-72	118.47	1.92	
				08-06-72	116.86		1.61
				08-10-72	117.00	0.14	
				08-15-72	116.35		0.65
				08-20-72	117.27	0.92	
				08-25-72	117.58	0.31	
				09-01-72	117.69	0.11	
				09-05-72	118.22	0.53	
				09-10-72	119.07	0.85	
				09-15-72	118.98		0.09
				09-20-72	119.72	0.74	
				09-25-72	118.50		1.22
				10-01-72	117.14		1.36
				10-05-72	117.44	0.30	
				10-10-72	117.95	0.51	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-72	118.53	0.58	
				10-20-72	118.84	0.31	
				10-25-72	117.26		1.58
				11-01-72	116.50		0.76
				11-05-72	115.67		0.83
				11-10-72	115.64		0.03
				11-15-72	115.08		0.56
				11-20-72	114.68		0.40
				11-25-72	114.25		0.43
				12-01-72	114.19		0.06
				12-05-72	113.94		0.25
				12-10-72	113.93		0.01
				12-15-72	114.07	0.14	
				12-20-72	113.86		0.21
				12-25-72	113.97	0.11	
				01-01-73	114.17	0.20	
				01-05-73	113.99		0.18
				01-10-73	113.95		0.04
				01-15-73	114.00	0.05	
				01-20-73	113.96		0.04
				01-25-73	113.69		0.27
				02-01-73	112.97		0.72
				02-05-73	113.12	0.15	
				02-10-73	113.28	0.16	
				02-15-73	113.07		0.21
				02-20-73	112.69		0.38
				02-25-73	111.38		1.31
				03-01-73	110.97		0.41
				03-05-73	110.85		0.12
				03-10-73	111.17	0.32	
				03-15-73	111.50	0.33	
				03-20-73	111.78	0.28	
				03-25-73	111.61		0.17
				04-01-73	112.00	0.39	
				04-05-73	112.26	0.26	
				04-10-73	111.79		0.47
				04-15-73	110.35		1.44
				04-20-73	106.96		3.39
				04-25-73	105.97		0.99
				05-01-73	105.63		0.34
				05-05-73	105.92	0.29	
				05-10-73	106.41	0.49	
				05-15-73	106.60	0.19	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-20-73	108.00	1.40	
				05-25-73	109.98	1.98	
				06-01-73	113.47	3.49	
				06-05-73	114.53	1.06	
				06-10-73	115.94	1.41	
				06-15-73	109.98		5.96
				06-20-73	109.30		0.68
				06-25-73	107.23		2.07
				07-01-73	105.02		2.21
				07-05-73	104.89		0.13
				07-10-73	101.11		3.78
				07-15-73	99.12		1.99
				07-20-73	94.29		4.83
				07-25-73	97.80	3.51	
				08-01-73	99.65	1.85	
				08-05-73	100.09	0.44	
				08-10-73	101.75	1.66	
				08-15-73	102.49	0.74	
				08-20-73	102.80	0.31	
				08-25-73	104.25	1.45	
				09-01-73	104.15		0.10
				09-05-73	104.35	0.20	
				09-10-73	103.39		0.96
				09-15-73	103.54	0.15	
				09-20-73	101.34		2.20
				09-25-73	100.91		0.43
				10-01-73	94.85		6.06
				10-05-73	94.95	0.10	
				10-15-73	86.16		8.79
				10-20-73	87.42	1.26	
				10-23-73	87.81	0.39	
				11-13-73	92.87	5.06	
				11-15-73	92.92	0.05	
				11-20-73	93.36	0.44	
				11-25-73	93.66	0.30	
				12-01-73	94.48	0.82	
				12-05-73	94.80	0.32	
				12-10-73	95.25	0.45	
				12-15-73	95.86	0.61	
				12-20-73	96.23	0.37	
				12-25-73	96.28	0.05	
				01-01-74	96.91	0.63	
				01-05-74	97.07	0.16	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-10-74	97.23	0.16	
				01-15-74	97.52	0.29	
				01-20-74	98.00	0.48	
				01-25-74	98.50	0.50	
				02-01-74	98.67	0.17	
				02-05-74	98.99	0.32	
				02-10-74	99.60	0.61	
				02-15-74	100.39	0.79	
				02-20-74	100.92	0.53	
				02-25-74	101.67	0.75	
				03-01-74	102.40	0.73	
				03-05-74	103.18	0.78	
				03-09-74	103.79	0.61	
				03-17-74	103.95	0.16	
				03-20-74	103.96	0.01	
				03-25-74	104.00	0.04	
				04-25-74	107.47	3.47	
				05-01-74	107.60	0.13	
				05-05-74	106.60		1.00
				05-10-74	105.70		0.90
				05-15-74	104.83		0.87
				05-20-74	105.36	0.53	
				05-25-74	107.34	1.98	
				06-01-74	108.32	0.98	
				06-05-74	109.04	0.72	
				06-10-74	110.67	1.63	
				06-15-74	110.82	0.15	
				06-20-74	112.82	2.00	
				06-25-74	114.39	1.57	
				07-01-74	116.23	1.84	
				07-05-74	116.14		0.09
				07-10-74	117.70	1.56	
				07-15-74	115.95		1.75
				07-20-74	116.13	0.18	
				07-25-74	118.50	2.37	
				08-01-74	120.39	1.89	
				08-05-74	119.80		0.59
				08-10-74	113.92		5.88
				08-15-74	113.64		0.28
				08-20-74	114.52	0.88	
				08-25-74	114.95	0.43	
				09-01-74	110.28		4.67
				09-05-74	109.25		1.03

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q. MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-10-74	108.92		0.33
				09-15-74	107.39		1.53
				09-20-74	107.13		0.26
				09-25-74	106.83		0.30
				10-01-74	107.08	0.25	
				10-05-74	107.49	0.41	
				10-10-74	108.15	0.66	
				10-15-74	108.55	0.40	
				10-20-74	108.22		0.33
				10-25-74	107.60		0.62
				11-01-74	106.88		0.72
				11-05-74	106.46		0.42
				11-10-74	105.90		0.56
				11-15-74	105.77		0.13
				11-20-74	105.68		0.09
				11-25-74	104.08		1.60
				12-01-74	103.40		0.68
				12-05-74	103.50	0.10	
				12-10-74	103.61	0.11	
				12-15-74	103.72	0.11	
				12-20-74	104.04	0.32	
				12-25-74	104.14	0.10	
				01-01-75	104.07		0.07
				01-05-75	104.10	0.03	
				01-05-75	104.10		
				01-10-75	104.14	0.04	
				01-10-75	104.14		
				01-15-75	104.47	0.33	
				01-15-75	104.47		
				01-20-75	104.43		0.04
				01-20-75	104.43		
				01-25-75	104.53	0.10	
				02-01-75	104.94	0.41	
				02-05-75	101.59		3.35
				02-10-75	100.37		1.22
				02-15-75	100.31		0.06
				02-20-75	100.37	0.06	
				02-25-75	100.59	0.22	
				03-01-75	101.08	0.49	
				03-05-75	101.51	0.43	
				03-10-75	101.71	0.20	
				03-15-75	102.32	0.61	
				03-20-75	102.98	0.66	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-25-75	103.73	0.75	
				04-01-75	104.11	0.38	
				04-05-75	105.04	0.93	
				04-10-75	104.39		0.65
				04-15-75	104.14		0.25
				04-20-75	104.78	0.64	
				04-25-75	105.34	0.56	
				05-01-75	105.02		0.32
				05-05-75	104.33		0.69
				05-10-75	103.05		1.28
				05-15-75	102.60		0.45
				05-20-75	102.94	0.34	
				05-25-75	100.92		2.02
				06-01-75	100.90		0.02
				06-05-75	101.65	0.75	
				06-10-75	102.59	0.94	
				06-15-75	101.61		0.98
				06-20-75	103.29	1.68	
				06-25-75	104.63	1.34	
				07-01-75	105.00	0.37	
				07-05-75	104.89		0.11
				07-10-75	106.12	1.23	
				07-15-75	105.67		0.45
				07-20-75	105.01		0.66
				07-25-75	106.16	1.15	
				08-01-75	108.04	1.88	
				08-05-75	107.09		0.95
				08-10-75	107.42	0.33	
				08-15-75	108.50	1.08	
				08-20-75	110.12	1.62	
				08-25-75	110.23	0.11	
				09-01-75	110.20		0.03
				09-05-75	110.09		0.11
				09-10-75	109.72		0.37
				09-15-75	109.28		0.44
				09-20-75	109.57	0.29	
				09-25-75	110.05	0.48	
				10-01-75	111.10	1.05	
				10-05-75	111.22	0.12	
				10-10-75	112.05	0.83	
				10-15-75	112.50	0.45	
				10-20-75	112.29		0.21
				10-25-75	111.80		0.49

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-01-75	110.48		1.32
				11-05-75	110.32		0.16
				11-10-75	110.46	0.14	
				11-15-75	110.55	0.09	
				11-20-75	110.71	0.16	
				11-25-75	110.54		0.17
				12-01-75	110.45		0.09
				12-05-75	110.84	0.39	
				12-10-75	110.90	0.06	
				12-15-75	110.88		0.02
				12-20-75	110.77		0.11
				12-25-75	110.47		0.30
				01-01-76	110.17		0.30
				01-05-76	110.17		
				01-10-76	110.58	0.41	
				01-14-76	111.03	0.45	
				01-20-76	111.48	0.45	
				01-25-76	111.22		0.26
				02-01-76	112.22	1.00	
				02-05-76	113.40	1.18	
				02-10-76	114.19	0.79	
				02-15-76	115.77	1.58	
				02-20-76	116.98	1.21	
				02-25-76	117.26	0.28	
				03-01-76	118.35	1.09	
				03-05-76	119.25	0.90	
				03-10-76	117.13		2.12
				03-15-76	116.23		0.90
				03-20-76	117.10	0.87	
				03-25-76	117.20	0.10	
				04-01-76	117.85	0.65	
				04-05-76	117.10		0.75
				04-10-76	116.25		0.85
				04-15-76	115.92		0.33
				04-20-76	112.69		3.23
				04-25-76	111.23		1.46
				05-01-76	109.96		1.27
				05-05-76	109.85		0.11
				05-10-76	105.93		3.92
				05-15-76	104.65		1.28
				05-20-76	104.58		0.07
				05-25-76	104.41		0.17
				06-01-76	103.70		0.71

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-76	104.02	0.32	
				06-10-76	105.95	1.93	
				06-15-76	108.48	2.53	
				06-20-76	109.71	1.23	
				06-25-76	111.75	2.04	
				07-01-76	112.47	0.72	
				07-05-76	112.07		0.40
				07-10-76	109.78		2.29
				07-15-76	107.62		2.16
				07-20-76	106.47		1.15
				07-25-76	106.43		0.04
				08-01-76	107.84	1.41	
				08-04-76	108.69	0.85	
				09-01-76	110.42	1.73	
				09-21-76	109.49		0.93
				09-25-76	108.83		0.66
				10-01-76	107.29		1.54
				10-05-76	106.48		0.81
				10-10-76	105.74		0.74
				10-20-76	103.54		2.20
				10-25-76	100.87		2.67
				11-10-76	96.06		4.81
				11-15-76	96.15	0.09	
				11-20-76	96.00		0.15
				11-25-76	95.70		0.30
				12-01-76	95.58		0.12
				12-05-76	95.37		0.21
				12-10-76	95.20		0.17
				01-01-77	94.74		0.46
				01-05-77	94.89	0.15	
				01-10-77	95.07	0.18	
				01-15-77	94.93		0.14
				02-02-77	93.50		1.43
				02-05-77	93.97	0.47	
				02-10-77	93.26		0.71
				02-15-77	92.80		0.46
				02-20-77	92.85	0.05	
				02-25-77	93.19	0.34	
				03-28-77	95.72	2.53	
				04-01-77	95.95	0.23	
				04-05-77	96.15	0.20	
				04-10-77	96.92	0.77	
				04-15-77	96.74		0.18

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-20-77	91.53		5.21
				04-26-77	90.39		1.14
68-30-404	KCEB	509	946.90	12-17-39	255.00		
				08-28-56	336.50	81.50	
				11-08-56	330.91		5.59
				01-04-57	328.37*		2.54
				03-06-57	327.69*		0.68
				05-09-57	314.26		13.43
				07-03-57	316.36	2.10	
68-30-513	KCEB	280	824.10	03-14-50	160.00		
				01-12-51	169.00	9.00	
				09-03-52	198.90	29.90	
				08-24-54	194.42		4.48
				08-28-56	207.10	12.68	
				01-09-61	145.10		62.00
68-30-514	KCEB	1497	768.10	09-13-49	109.70		
				10-04-49	110.28	0.58	
				11-07-49	105.05		5.23
				02-01-50	107.00	1.95	
				02-28-50	105.97		1.03
				03-30-50	109.08	3.11	
				05-04-50	108.12		0.96
				06-06-50	106.67		1.45
				07-07-50	111.71	5.04	
				08-04-50	114.25	2.54	
				09-07-50	113.04		1.21
				10-09-50	112.99		0.05
				11-09-50	114.13	1.14	
				12-06-50	114.09		0.04
				01-04-51	114.00		0.09
				02-05-51	115.47	1.47	
				03-07-51	116.24	0.77	
				05-11-51	117.71	1.47	
				05-25-51	116.40		1.31
				06-08-51	115.51		0.89
08-06-51	123.78	8.27					
09-10-51	124.66	0.88					
10-29-51	121.77		2.89				
12-27-51	121.48		0.29				
02-29-52	122.32	0.84					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-04-52	123.00	0.68	
				06-30-52	124.77	1.77	
				09-03-52	131.82	7.05	
				11-03-52	125.79		6.03
				12-03-52	120.61		5.18
				01-06-53	117.38		3.23
				02-09-53	119.98	2.60	
				03-06-53	121.28	1.30	
				04-07-53	122.32	1.04	
				05-07-53	125.00	2.68	
				06-03-53	128.65	3.65	
				07-14-53	130.90	2.25	
				08-07-53	134.36	3.46	
				09-18-53	122.25		12.11
				10-16-53	124.32	2.07	
				11-02-53	122.20		2.12
				12-03-53	121.43		0.77
				12-07-53	121.36		0.07
				01-05-54	121.65	0.29	
				02-04-54	123.22	1.57	
				03-02-54	125.56	2.34	
				04-06-54	129.52	3.96	
				05-03-54	127.57		1.95
				06-07-54			
				06-10-54	132.44	4.87	
				07-06-54	131.79		0.65
				08-04-54	134.83	3.04	
				08-24-54	136.36	1.53	
				10-04-54	133.35		3.01
				10-12-54	131.75		1.60
				11-02-54	131.84	0.09	
				12-02-54	130.58		1.26
				01-06-55	129.81		0.77
				02-02-55	129.65		0.16
				03-02-55	129.02		0.63
				04-04-55	131.96	2.94	
				05-03-55	136.00	4.04	
				06-01-55	134.03		1.97
				07-06-55	138.13	4.10	
				08-03-55	138.96	0.83	
				09-01-55	138.20		0.76
				10-05-55	137.60		0.60
				11-02-55	138.24	0.64	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-06-55	134.35		3.89
				01-04-56	134.47	0.12	
				02-08-56	133.45		1.02
				03-08-56	136.53	3.08	
				04-03-56	138.56	2.03	
				05-02-56	139.69	1.13	
				06-05-56	143.08	3.39	
				07-02-56	144.58	1.50	
				08-02-56	148.52	3.94	
				08-28-56	145.34		3.18
				10-03-56	147.13	1.79	
				11-07-56	140.16		6.97
				12-06-56	140.12		0.04
				01-03-57	137.77		2.35
				02-05-57	138.13	0.36	
				03-05-57	137.17		0.96
				04-02-57	134.44		2.73
				05-08-57	125.05		9.39
				06-04-57	117.55		7.50
				07-02-57	125.11	7.56	
				08-06-57	136.53	11.42	
				09-04-57	135.28		1.25
				10-01-57	125.14		10.14
				11-05-57	118.45		6.69
				12-02-57	114.89		3.56
				01-06-58	113.07		1.82
				02-11-58	106.77		6.30
				03-04-58	100.24		6.53
				04-02-58	101.52	1.28	
				05-08-58	99.00		2.52
				06-02-58	102.93	3.93	
				07-03-58	106.75	3.82	
				08-05-58	112.30	5.55	
				09-03-58	114.91	2.61	
				10-07-58	98.03		16.88
				11-03-58	93.42		4.61
				12-02-58	92.74		0.68
				01-12-59	94.20	1.46	
				02-11-59	95.10	0.90	
				03-02-59	94.17		0.93
				04-02-59	96.60	2.43	
				05-08-59	96.42		0.18
				06-08-59	99.38	2.96	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07---59	103.88	4.50	
				08-05-59	105.69	1.81	
				09-02-59	104.77		0.92
				02-11-60	96.90		7.87
				03-04-60	97.07	0.17	
				04-04-60	97.50	0.43	
				05-02-60	97.64	0.14	
				06-01-60	102.25	4.61	
				07-07-60	105.23	2.98	
				08-01-60	104.82		0.41
				09-08-60	101.80		3.02
				10-03-60	104.41	2.61	
				11-07-60	94.30		10.11
				12-06-60	94.56	0.26	
				01-09-61	92.40		2.16
				02-03-72	99.20	6.80	
				06-08-72	107.80	8.60	
				02-10-73	103.54		4.26
				05-03-73	90.60		12.94
				07-26-73	87.08		3.52
				02-13-74	86.40		0.68
				07-16-74	102.55	16.15	
				02-12-75	85.80		16.75
				07-16-75	100.80	15.00	
				02-24-76	103.80	3.00	
				08-04-76	95.15		8.65
66-30-612	KCEB	554	762.40	10-03-33	92.39		
				10-08-34	97.05	4.66	
				06-24-48	108.36	11.31	
				08-29-49	103.75		4.61
				10-10-49	105.31	1.56	
				11-08-49	99.03		6.28
				02-01-50	100.96*	1.93	
				02-28-50	99.94		1.02
				03-31-50	103.48	3.54	
				05-04-50	102.37		1.11
				06-06-50	100.36		2.01
				07-07-50	107.06	6.70	
				08-04-50	109.72	2.66	
				09-07-50	108.23		1.49
				10-06-50	108.03		0.20
				11-09-50	108.95*	0.92	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-06-50	109.04	0.09	
				01-04-51	109.09	0.05	
				02-05-51	110.61	1.52	
				03-07-51	111.64	1.03	
				05-10-51	113.07	1.43	
				06-08-51	110.75		2.32
				08-06-51	120.47	9.72	
				09-10-51	121.82	1.35	
				10-29-51	117.82		4.00
				12-27-51	117.14		0.68
				02-29-52	118.19	1.05	
				04-04-52	118.97	0.78	
				06-30-52	122.24	3.27	
				09-03-52	129.28	7.04	
				11-03-52	122.47		6.81
				01-06-53	112.64		9.83
				03-06-53	117.30	4.66	
				05-07-53	121.76	4.46	
				07-14-53	128.57	6.81	
				09-18-53	118.18		10.39
				11-04-53	117.64		0.54
				01-05-54	117.80	0.16	
				03-02-54	122.06	4.26	
				05-04-54	124.57	2.51	
				07-07-54	129.51	4.94	
				08-24-54	134.51	5.00	
				10-12-54	128.99		5.52
				11-02-54	129.28	0.29	
				12-02-54	127.88		1.40
				01-06-55	127.00		0.88
				02-02-55	127.09	0.09	
				03-02-55	126.39		0.70
				04-04-55	130.17	3.78	
				05-03-55	134.66	4.49	
				06-01-55	132.18		2.48
				07-08-55	136.67	4.49	
				08-03-55	137.60	0.93	
				09-01-55	136.41		1.19
				10-05-55	136.01		0.40
				11-02-55	136.46	0.45	
				12-06-55	131.89		4.57
				01-04-56	132.11	0.22	
				02-08-56	130.85		1.26

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-08-56	134.63	3.78	
				05-02-56	137.24	2.61	
				06-05-56	142.35	5.11	
				07-03-56	143.51	1.16	
				08-02-56	148.39	4.88	
				08-28-56	144.07		4.32
				10-03-56	146.33	2.26	
				11-07-56	138.41		7.92
				12-06-56	138.59	0.18	
				01-03-57	135.95		2.64
				03-05-57	135.03*		0.92
				04-02-57	132.15		2.88
				06-04-57	113.05		19.10
				07-02-57	122.54	9.49	
				08-06-57	135.63	13.09	
				09-04-57	133.46		2.17
				10-01-57	121.73		11.73
				11-04-57	114.18		7.55
				12-02-57	110.50		3.68
				01-06-58	108.42		2.08
				02-11-58	101.30		7.12
				03-04-58	94.20		7.10
				04-02-58	95.15	0.95	
				06-02-58	98.40	3.25	
				07-03-58	102.27	3.87	
				08-05-58	108.67	6.40	
				09-03-58	111.45	2.78	
				10-07-58	91.88		19.57
				11-03-58	86.39		5.49
				12-01-58	86.21		0.18
				01-06-59	88.90	2.69	
				02-05-59	88.68		0.22
				03-08-59	88.15		0.53
				04-02-59	90.56	2.41	
				05-08-59	89.99		0.57
				06-02-59	93.62	3.63	
				08-05-59	100.53	6.91	
				09-02-59	98.91		1.62
				10-02-59	98.33		0.58
				11-03-59	92.08		6.25
				12-04-59	91.27		0.81
				01-14-60	89.74		1.53
				02-09-60	89.79	0.05	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-04-60	90.83	1.04	
				04-04-60	91.00	0.17	
				05-02-60	90.66		0.34
				07-07-60	100.33	9.67	
				08-01-60	98.81		1.52
				09-08-60	95.71		3.10
				10-03-60	99.37	3.66	
				11-07-60	87.26		12.11
				12-06-60	87.96	0.70	
				01-09-61	84.90		3.06
68-30-705	KCEB	745	920.00	01-25-72	242.88		
				01-26-72	242.86		0.02
				02-04-72	242.71		0.15
				06-08-72	245.15	2.44	
				08-18-72	248.38	3.23	
				10-17-72	248.85	0.47	
				02-09-73	242.20		6.65
				07-26-73	228.06		14.14
				02-13-74	229.32	1.26	
				07-15-74	256.37	27.05	
				02-13-75	228.02		28.35
				07-16-75	234.91	6.89	
				02-23-76	247.42	12.51	
				08-02-76	237.70		9.72
				02-03-77	221.74		15.96
68-30-706	KCEB	625	790.20	10-03-33	122.85		
				06-24-48	138.88	16.03	
				08-29-49	136.25		2.63
				10-10-49	137.93	1.68	
				11-08-49	131.04		6.89
				02-01-50	133.50	2.46	
				02-28-50	131.88		1.62
				05-04-50	134.71	2.83	
				06-06-50	132.53		2.18
				07-07-50	140.76	8.23	
				08-04-50	142.000	1.24	
68-30-707	KCEB	515	791.80	06-24-48	141.90		
				02-28-50	133.30		8.60
				03-31-50	136.82	3.52	
				05-04-50	136.07		0.75

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-06-50	133.89		2.18
				07-07-50	140.72	6.83	
				08-04-50	143.50	2.78	
				09-07-50	141.84		1.66
				10-06-50	141.50		0.34
				11-09-50	142.88	1.38	
				12-06-50	142.73		0.15
				01-04-51	142.96	0.23	
				02-05-51	144.35	1.39	
				03-07-51	145.34	0.99	
				05-10-51	146.84	1.50	
				06-08-51	144.71		2.13
				08-06-51	155.05	10.34	
				09-10-51	156.31	1.26	
				10-29-51	151.64		4.67
				12-27-51	151.10		0.54
				02-29-52	152.07	0.97	
				04-04-52	152.95	0.88	
				06-30-52	156.18	3.23	
				09-02-52	163.94	7.76	
				11-07-52	156.53		7.41
				01-06-53	146.26		10.27
				03-06-53	151.68	5.42	
				05-08-53	155.77	4.09	
				09-18-53	152.20		3.57
				11-16-53	151.56		0.64
				01-04-54	151.18		0.38
				03-01-54	156.14	4.96	
				08-23-54	168.42	12.28	
				08-30-54	168.37		0.05
				11-02-54	163.57		4.80
				01-06-55	161.36		2.21
				05-03-55	169.15	7.79	
				07-06-55	171.52	2.37	
				09-01-55	170.67		0.85
				11-02-55	171.39	0.72	
				01-04-56	166.76		4.63
				03-08-56	169.34	2.58	
				05-02-56	171.55	2.21	
				11-07-56	172.85	1.30	
				01-04-57	170.38		2.47
				03-05-57	169.70		0.68
				05-09-57	157.16		12.54

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-02-57	158.42	1.26	
				09-04-57	167.71	9.29	
				11-05-57	148.16		19.55
				01-06-58	142.08		6.08
				03-04-58	127.81		14.27
				05-08-58	119.49		8.32
				07-03-58	125.17	5.68	
				09-03-58	145.48	20.31	
				11-03-58	119.59		25.89
				01-07-59	120.75	1.16	
				03-02-59	120.72		0.03
				05-08-59	123.27	2.55	
				07-07-59	132.22	8.95	
				09-02-59	132.56	0.34	
				11-05-59	125.40		7.16
				01-14-60	122.79		2.61
				03-04-60	123.44	0.65	
				05-02-60	123.74	0.30	
				07-07-60	133.70	9.96	
				09-09-60	129.14		4.56
				11-07-60	120.50		8.64
				01-09-61	118.71		1.79
68-30-801	KCEB	700	710.10	10-02-33	39.20		
				02-26-38	31.93		7.27
				04-26-38	31.94	0.01	
				06-27-38	35.26*	3.32	
				07-26-38	36.82	1.56	
				08-22-38	31.90		4.92
				05-25-39	44.94*	13.04	
				07-04-39	46.10*	1.16	
				10-05-39	46.46	0.36	
				12-19-39	44.83		1.63
				02-20-40	45.15*	0.32	
				03-22-40	46.34	1.19	
				04-26-40	47.63*	1.29	
				05-23-40	47.21		0.42
				06-21-40	45.96		1.25
				09-24-40	50.30	4.34	
				10-25-40	50.13		0.17
				12-04-40	46.46		3.67
				01-23-41	44.03		2.43
				05-29-41	31.35Q		12.68

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-08-41	36.50Q	5.15	
				04-09-42	37.10	0.60	
				04-12-50	51.88	14.78	
				05-04-50	51.23		0.65
				06-06-50	48.95*		2.28
				07-07-50	55.76	6.81	
				08-04-50	58.61	2.85	
				09-07-50	56.86		1.75
				10-06-50	56.52		0.34
				11-09-50	57.82	1.30	
				12-06-50	57.70*		0.12
				01-04-51	57.50		0.20
				02-05-51	59.31*	1.81	
				03-07-51	60.30*	0.99	
				05-10-51	61.64*	1.34	
				05-25-51	59.96*		1.68
				06-08-51	59.28*		0.68
				08-06-51	69.25*	9.97	
				09-10-51	70.82	1.57	
				10-08-51	67.63		3.19
				10-29-51	66.64		0.99
				12-27-51	66.06		0.58
				02-29-52	67.02	0.96	
				04-04-52	67.78	0.76	
				06-30-52	71.25	3.47	
				09-03-52	78.48*	7.23	
				11-03-52	71.40		7.08
				01-06-53	61.21		10.19
				03-06-53	66.20	4.99	
				05-07-53	70.67	4.47	
				07-04-53	77.98	7.31	
				09-18-53	66.96		11.02
				11-04-53	66.36		0.60
				01-05-54	66.35		0.01
				03-02-54	70.87	4.52	
				05-04-54	73.26*	2.39	
				07-07-54	78.29*	5.03	
				11-02-54	78.52	0.23	
				12-02-54	76.89		1.63
				01-06-55	75.92		0.97
				02-02-55	76.06	0.14	
				03-02-55	76.25	0.19	
				04-04-55	79.13	2.88	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-01-55	81.69	2.56	
				01-04-56	82.50	0.81	
				06-05-56	92.50	10.00	
				07-03-56	93.73	1.23	
				08-02-56	98.29	4.56	
				08-28-56	94.00		4.29
				10-03-56	96.69	2.69	
68-30-802	KCEB	----	708.50	08-24-54	83.62		
				10-12-54	77.82		5.80
				11-02-54	78.31	0.49	
				12-02-54	77.04		1.27
				01-06-55	76.08		0.96
				02-02-55	75.93		0.15
				03-02-55	75.10		0.83
				04-04-55	78.93	3.83	
				05-03-55	84.12	5.19	
				06-01-55	81.66		2.46
				07-06-55	86.02	4.36	
				08-03-55	87.17	1.15	
				09-01-55	86.11		1.06
				10-05-55	85.27		0.84
				11-02-55	85.91	0.64	
				12-06-55	81.34		4.57
				01-04-56	81.50	0.16	
				02-08-56	80.26		1.24
				03-08-56	84.19	3.93	
				04-03-56	86.59	2.40	
				05-02-56	86.83	0.24	
				06-05-56	91.88	5.05	
				07-03-56	93.17	1.29	
				08-02-56	97.89	4.72	
				08-28-56	93.67		4.22
				10-03-56	96.16	2.49	
				11-07-56	88.05		8.11
				12-06-56	88.56	0.51	
				01-03-57	85.45		3.11
				02-05-57	86.08	0.63	
				03-05-57	84.73		1.35
				04-02-57	81.68		3.05
				05-08-57	70.96		10.72
				06-04-57	62.34		8.62
				07-02-57	72.08	9.74	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-06-57	85.41	13.33	
				09-04-57	83.22		2.19
				10-01-57	71.02		12.20
				11-04-57	63.66		7.36
				12-02-57	59.67		3.99
				01-06-58	57.44		2.23
				02-11-58	50.40		7.04
				03-04-58	43.27		7.13
				04-02-58	43.68	0.41	
				05-08-58	41.84		1.84
				06-02-58	47.56	5.72	
				07-03-58	51.53	3.97	
				08-05-58	58.17	6.64	
				09-03-58	60.65	2.48	
				10-07-58	39.98		20.67
				11-03-58	35.20		4.78
				12-01-58	34.51		0.69
				01-06-59	37.21	2.70	
				02-06-59	36.81		0.40
				03-02-59	36.10		0.71
				04-02-59	39.09	2.99	
				05-08-59	38.76		0.33
				06-02-59	42.71	3.95	
				07-06-59	47.55	4.84	
				08-05-59	49.69	2.14	
				09-02-59	48.95		0.74
				10-02-59	47.27		1.68
				11-03-59	40.52		6.75
				12-02-59	39.63		0.89
				01-14-60	38.07		1.56
				02-09-60	37.92		0.15
				03-04-60	38.64	0.72	
				04-06-60	39.88	1.24	
				05-02-60	39.28		0.60
				06-01-60	45.99	6.71	
				07-07-60	49.30	3.31	
				08-01-60	48.92		0.38
				09-08-60	44.59		4.33
				10-03-60	48.30	3.71	
				11-07-60	36.10		12.20
				12-06-60	36.51	0.41	
				01-09-61	33.97		2.54
				02-21-61	32.50		1.47

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-21-61	35.52	3.02	
				04-22-61	41.66	6.14	
				05-24-61	47.51	5.85	
				06-21-61	38.86		8.65
				07-18-61	39.86	1.00	
				08-24-61	42.65	2.79	
				09-26-61	41.28		1.37
				10-25-61	39.58		1.70
				11-30-61	37.98		1.60
				12-18-61	38.40	0.42	
				01-25-62	40.68	2.28	
				02-19-62	42.23	1.55	
				03-22-62	43.04	0.81	
				04-27-62	42.42		0.62
				05-25-62	51.03	8.61	
				06-20-62	52.60	1.57	
				07-24-62	62.66	10.06	
				08-22-62	66.23	3.57	
				09-28-62	58.67		7.56
				10-26-62	57.15		1.52
				11-21-62	53.13		4.02
				12-18-62	49.00		4.13
				01-26-63	50.30	1.30	
				02-20-63	49.47		0.83
				03-21-63	52.47	3.00	
				04-23-63	56.95	4.48	
				05-21-63	58.57	1.62	
				06-19-63	67.71	9.14	
				07-23-63	73.02	5.31	
				08-21-63	79.14	6.12	
				09-24-63	69.55		9.59
				10-23-63	70.08	0.53	
				11-18-63	63.00		7.08
				12-16-63	61.21		1.79
				01-21-64	60.80		0.41
				02-17-64	56.57		4.23
				03-26-64	58.20	1.63	
				04-21-64	60.78	2.58	
				05-21-64	69.33	8.55	
				06-23-64	64.19		5.14
				07-20-64	78.41	14.22	
				08-21-64	79.10	0.69	
				09-24-64	71.60		7.50

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-23-64	69.58		2.02
				11-23-64	60.27		9.31
				12-18-64	63.15	2.88	
				01-19-65	61.09		2.06
				02-17-65	52.34		8.75
				03-22-65	52.71	0.37	
				04-19-65	49.59		3.12
				05-18-65	43.50		6.09
				06-16-65	44.10	0.60	
				07-19-65	58.55	14.45	
				08-25-65	66.60	8.05	
				03-19-68	36.00		30.60
				01-21-72	41.29	5.29	
				02-03-72	40.59		0.70
				06-07-72	44.46	3.87	
				10-17-72	47.70	3.24	
				02-06-73	40.45		7.25
				07-26-73	26.50		13.95
				02-13-74	27.90	1.40	
				07-15-74	45.32	17.42	
				02-13-75	26.70		18.62
				07-16-75	33.45	6.75	
				02-23-76	45.86	12.41	
				08-02-76	31.71		14.15
				02-03-77	19.73		11.98
68-30-807	KCEB	1202	750.00	02-10-73	86.90		
				04-16-73	78.60		8.30
				07-26-73	68.55		10.05
				02-13-74	69.10	0.55	
				07-15-74	86.60	17.50	
				02-12-75	68.40		18.20
				07-08-75	75.13	6.73	
				02-24-76	88.13	13.00	
				06-02-76	75.80		12.33
				02-03-77	62.15		13.65
68-30-901	KCEB	690	708.20	03-22-50	47.36		
				01-12-51	50.89	3.53	
				08-24-54	57.31	6.42	
				08-28-56	62.38	5.07	
				01-09-61	44.08		18.30
				12-20-71	4.17		39.91

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-34-301	KCEB	370	941.90	08-31-50	254.30		
				09-17-52	276.90	22.60	
				08-26-54	295.18	18.28	
				08-27-56	312.10	16.92	
				01-04-61	226.49		85.61
68-34-602	KCEB	462	976.20	10-13-34	289.50		
				08-30-49	294.38	4.88	
				10-11-49	296.58	2.20	
				11-04-49	291.14		5.44
				01-27-50	293.54	2.40	
				02-24-50	291.63		1.91
				03-29-50	295.24	3.61	
				05-03-50	293.89		1.35
				06-01-50	293.07		0.82
				07-05-50	297.23	4.16	
				08-02-50	299.60	2.37	
				09-06-50	299.66	0.06	
				10-05-50	300.00	0.34	
				11-06-50	302.30	2.30	
				12-04-50	302.71	0.41	
				01-05-51	304.10	1.39	
				03-06-51	308.85	4.75	
				05-12-51	310.20	1.35	
				06-06-51	307.19		3.01
				08-07-51	316.69	9.50	
				09-11-51	319.00	2.31	
				11-01-51	316.60		2.40
				12-28-51	315.75		0.85
				03-05-52	317.58	1.83	
				07-01-52	322.19	4.61	
				09-04-52	328.64	6.45	
				11-05-52	323.70		4.94
				01-07-53	311.93		11.77
03-03-53	316.00	4.07					
05-06-53	320.75	4.75					
07-16-53	329.30	8.55					
09-21-53	316.61		12.69				
11-05-53	317.30	0.69					
01-07-54	317.81	0.51					
05-05-54	324.05	6.24					
08-26-54	334.50	10.45					
11-01-54	331.00		3.50				

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL.

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-04-55	329.20		1.80
				03-01-55	327.80		1.40
				11-01-55	340.45	12.65	
				01-03-56	336.91		3.54
				03-05-56	339.65	2.74	
				04-30-56	342.85	3.20	
				07-02-56	344.20	1.35	
				08-27-56	343.30		0.90
				11-06-56	341.20		2.10
				01-02-57	341.90	0.70	
				05-07-57	326.10		15.80
				07-01-57	322.42		3.68
				09-03-57	336.88	14.46	
				11-06-57	321.13		15.75
				01-08-58	313.73		7.40
				03-06-58	291.22		22.51
				05-09-58	287.07		4.15
				09-08-58	307.75	20.68	
				10-08-58	280.41		27.34
				11-05-58	273.45		6.96
				01-09-59	275.00	1.55	
				03-04-59	274.69		0.31
				05-09-59	277.39	2.70	
				07-08-59	285.43	8.04	
				09-01-59	285.89	0.46	
				11-04-59	278.10		7.79
				01-12-60	275.76		2.34
				03-03-60	276.53	0.77	
				05-05-60	277.44	0.91	
				07-05-60	286.60	9.16	
				09-06-60	283.26*		3.34
				11-09-60	274.25		9.01
				01-04-61	271.82		2.43
				01-05-72	275.40	3.58	
				02-04-72	276.65	1.25	
				06-08-72	287.28	10.63	
				02-08-73	276.70		10.58
				05-01-73	253.20Q		23.50
				07-27-73	253.50	0.30	
				02-14-74	263.70	10.20	
				07-15-74	282.30	18.60	
				02-13-75	258.10		24.20
				07-18-75	248.10		10.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-26-76	284.50	36.40	
				08-02-76	284.90	0.40	
				02-14-77	239.75		45.15
68-34-603	KCEB	478	808.90	10-08-34	125.21		
				07-01-48	133.74	8.53	
				08-30-49	130.78		2.96
				10-11-49	132.83	2.05	
				11-04-49	125.54		7.29
				02-24-50	127.27	1.73	
				03-29-50	139.96*	12.69	
				05-03-50	129.81		10.15
				06-01-50	129.02		0.79
				07-05-50	137.50*	8.48	
				08-02-50	135.92		1.58
				09-06-50	137.59	1.67	
				10-05-50	136.09		1.50
				11-06-50	138.19	2.10	
				12-04-50	138.94	0.75	
				01-05-51	139.62	0.68	
				02-06-51	141.76	2.14	
				03-05-51	141.90	0.14	
				05-12-51	144.34	2.44	
				06-06-51	142.00		2.34
				08-07-51	152.84	10.84	
				09-11-51	153.88	1.04	
				11-01-51	153.01		0.87
				12-28-51	155.14	2.13	
				03-05-52	152.26		2.88
				04-08-52	153.22	0.96	
				07-01-52	156.90	3.68	
				09-04-52	163.34	6.44	
				11-05-52	156.42		6.92
				01-07-53	146.09		10.33
				03-03-53	151.02	4.93	
				05-06-53	155.94	4.92	
				07-16-53	164.10	8.16	
				09-21-53	152.34		11.76
				11-05-53	152.58	0.24	
				01-07-54	153.00	0.42	
				03-03-54	158.00	5.00	
				05-04-54	160.71	2.71	
				07-08-54	164.95	4.24	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-25-54	171.04	6.09	
				11-01-54	165.90		5.14
				01-04-55	163.83		2.07
				03-01-55	162.45		1.38
				05-02-55	174.01	11.56	
				07-05-55	174.09	0.08	
				09-29-55	176.16	2.07	
				11-01-55	175.23		0.93
				01-03-56	187.80*	12.57	
				03-05-56	173.53		14.27
				04-30-56	177.70	4.17	
				07-02-56	184.19	6.49	
				08-27-56	184.24	0.05	
				11-06-56	179.31		4.93
				01-02-57	177.01		2.30
				03-04-57	175.85		1.16
				05-07-57	157.98		17.87
				07-01-57	158.46	0.48	
				09-03-57	172.26	13.80	
				11-06-57	150.39		21.87
				01-08-58	141.28		9.11
				03-06-58	117.74		23.54
				05-06-58	106.60		11.14
				07-08-58	130.71	24.11	
				09-04-58	150.33	19.62	
				11-05-58	84.10		66.23
				01-02-59	111.88	27.78	
				03-04-59	111.95	0.07	
				05-09-59	114.81	2.86	
				11-04-59	115.42	0.61	
				01-12-60	113.07		2.35
				03-03-60	113.88	0.81	
				05-05-60	114.64	0.76	
				07-05-60	123.90	9.26	
				09-06-60	123.60*		0.30
				11-09-60	115.69*		7.91
				01-04-61	109.15		6.54
				01-06-72	113.40	4.25	
				02-04-72	116.75	3.35	
				06-08-72	125.42	8.67	
				02-08-73	114.38		11.04
				05-01-73	97.60		16.78
				02-14-74	98.80	1.20	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-15-74	118.75	19.95	
				07-18-75	102.38		16.37
				02-26-76	127.00	24.62	
				08-02-76	123.30		3.70
68-35-202	KCEB	286	848.50	09-21-33	157.73		
				01-09-34	160.16	2.43	
				04-20-34	153.37		6.79
				05-23-34	158.47	5.10	
				06-21-34	161.38	2.91	
				07-31-34	159.99		1.39
				08-24-34	163.30	3.31	
				09-21-34	163.64	0.34	
				10-11-34	165.16	1.52	
				12-21-34	167.66	2.50	
				02-04-35	165.86		1.80
				03-02-35	165.40		0.46
				04-09-35	166.00	0.60	
				05-21-35	149.85		16.15
				06-28-35	133.08		16.77
				08-02-35	140.32	7.24	
				09-27-35	140.30		0.02
				01-20-36	145.68	5.38	
				08-27-36	139.74		5.94
				01-04-37	141.17	1.43	
				07-01-48	169.60	28.43	
				08-30-49	168.47		1.13
				10-07-49	171.23	2.76	
				11-03-49	162.91		8.32
				01-27-50	168.93	6.02	
				02-24-50	166.15		2.78
				03-29-50	169.64	3.49	
				05-03-50	168.86		0.78
				06-01-50	163.36		5.50
				07-05-50	169.86	6.50	
				08-02-50	174.28	4.42	
				09-06-50	174.58	0.30	
				10-05-50	177.80	3.22	
				11-08-50	177.78		0.02
				12-05-50	181.14*	3.36	
				01-05-51	179.56*		1.58
				05-12-51	184.75	5.19	
				06-07-51	182.59		2.16

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-07-51	192.26*	9.67	
				09-11-51	194.07	1.81	
				11-01-51	193.30		0.77
				12-28-51	191.75		1.55
				03-02-52	193.25	1.50	
				04-03-52	193.14		0.11
				07-01-52	196.54	3.40	
				09-04-52	202.91	6.37	
				11-05-52	195.46		7.45
				01-07-53	184.44		11.02
				03-03-53	189.28	4.84	
				05-06-53	194.10	4.82	
				07-16-53	202.04	7.94	
				09-21-53	187.42		14.62
				11-05-53	190.26	2.84	
				01-07-54	191.03*	0.77	
				03-05-54	196.12	5.09	
				05-05-54	200.19*	4.07	
				07-08-54	204.31	4.12	
				08-26-54	210.23	5.92	
				10-11-54	206.46		3.77
				11-01-54	206.17		0.29
				12-01-54	204.75		1.42
				01-04-55	203.82		0.93
				02-01-55	203.19		0.63
				03-01-55	202.79		0.40
				05-02-55	209.80	7.01	
				06-02-55	208.44		1.36
				08-02-55	213.91	5.47	
				08-29-55	215.18	1.27	
				11-01-55	215.35	0.17	
				12-05-55	212.00Q		3.35
				01-03-56	212.01	0.01	
				02-06-56	211.05		0.96
				03-05-56	213.28	2.23	
				04-02-56	215.60	2.32	
				05-01-56	218.43*	2.83	
				06-04-56	219.97*	1.54	
				07-02-56	222.66*	2.69	
				08-01-56	225.23*	2.57	
				08-27-56	225.15		0.08
				10-07-56	225.45	0.30	
				11-06-56	221.22		4.23

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-04-56	219.75		1.47
				01-02-57	218.09*		1.66
				02-04-57	217.69		0.40
				03-04-57	216.68		1.01
				04-01-57	212.78		3.90
				05-07-57	198.59		14.19
				06-03-57	189.26		9.33
				07-01-57	192.33	3.07	
				08-06-57	204.98	12.65	
				09-03-57	208.45	3.47	
				10-07-57	198.21		10.24
				11-06-57	188.86		9.35
				12-03-57	185.12		3.74
				01-07-58	177.71		7.41
				02-12-58	171.86		5.85
				03-06-58	160.60		11.26
				04-04-58	161.76	1.16	
				05-07-58	153.20		8.56
				06-03-58	161.05	7.85	
				07-08-58	164.95	3.90	
				08-06-58	171.50	6.55	
				09-04-58	175.14	3.64	
				10-08-58	153.63		21.51
				11-05-58	141.65		11.98
				12-03-58	144.64	2.99	
				01-08-59	147.63	2.99	
				02-11-59	149.30	1.67	
				03-03-59	149.10		0.20
				04-01-59	151.31	2.21	
				05-05-59	151.07		0.24
				06-01-59	153.76	2.69	
				07-08-59	158.80	5.04	
				08-06-59	159.60*	0.80	
				09-01-59	160.45	0.85	
				10-01-59	160.98	0.53	
				11-04-59	154.45		6.53
				12-03-59	153.66		0.79
				01-12-60	151.63		2.03
				02-08-60	151.41		0.22
				03-03-60	152.48	1.07	
				04-05-60	152.90	0.42	
				05-05-60	153.05	0.15	
				06-02-60	158.35	5.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-06-60	162.69	4.34	
				08-03-60	162.53		0.16
				09-07-60	158.58		3.95
				10-02-60	162.20	3.62	
				11-08-60	148.97		13.23
				12-06-60	149.97	1.00	
				01-04-61	147.36		2.61
				12-01-71	155.92	8.56	
				02-04-72	154.55		1.37
				05-09-72	159.00	4.45	
				06-08-72	154.20		4.80
				02-08-73	156.80	2.60	
				04-16-73	140.20		16.60
				07-27-73	119.80		20.40
				02-14-74	130.70	10.90	
				07-15-74	158.36	27.66	
				02-13-75	142.10		16.26
				07-18-75	142.50	0.40	
				02-25-76	160.37	17.87	
				02-03-77	112.24		48.13
68-35-311	KCEB	200	803.60	09-21-33	116.50		
				10-11-34	123.97	7.47	
				01-01-48	131.14	7.17	
				08-30-49	128.78		2.36
				10-11-49	130.80	2.02	
				11-03-49	115.14		15.66
				01-27-50	127.53	12.39	
				02-24-50	125.06		2.47
				03-29-50	128.79	3.73	
				05-03-50	127.78		1.01
				06-01-50	122.65		5.13
				07-05-50	131.92	9.27	
				08-02-50	133.63	1.91	
				09-05-50	133.73		0.10
				10-05-50	134.10	0.37	
				11-08-50	136.46	2.36	
				12-05-50	137.08*	0.62	
				01-05-51	137.88	0.80	
				02-06-51	139.62	1.74	
				03-06-51	140.22	0.60	
				05-12-51	141.81	1.59	
				06-07-51	140.00		1.81

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-07-51	149.67*	9.67	
				09-11-51	151.43	1.76	
				11-01-51	148.55		2.88
				12-28-51	148.46		0.09
				03-05-52	150.42	1.96	
				04-03-52	150.52	0.10	
				07-01-52	154.40*	3.88	
				09-04-52	161.09*	6.69	
				11-05-52	153.97		7.12
				01-07-53	143.58		10.39
				03-03-53	148.08*	4.50	
				05-06-53	152.97	4.89	
				07-16-53	162.02	9.05	
				09-21-53	101.24		60.78
				11-05-53	134.20	32.96	
				01-07-54	142.85	8.65	
				03-05-54	148.76	5.91	
				05-05-54	150.14Q	1.38	
				08-26-54	164.00Q	13.86	
				11-01-54	148.85		15.15
				11-11-54	148.76		0.09
				03-04-55	148.60*		0.16
				05-02-55	153.31Q	4.71	
				07-05-55	151.91Q		1.40
				08-31-55	151.56		0.35
				11-01-55	148.87		2.69
				01-03-56	157.35	8.48	
				03-05-56	154.64		2.71
				04-30-56	173.78	19.14	
				08-27-56	177.00Q	3.22	
				11-06-56	149.05		27.95
68-35-312	KCEB	235	813.00	06-17-46	123.10		
				01-02-57	191.48	68.38	
				03-04-57	190.17		1.31
				05-08-57	172.34		17.83
				07-01-57	170.33		2.01
				09-03-57	185.20	14.87	
				11-07-57	164.05		21.15
				01-07-58	156.80		7.25
				03-06-58	138.15		18.65
				05-07-58	128.91		9.24
				07-08-58	144.50	15.59	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-04-58	155.35	10.85	
				11-05-58	120.60		34.75
				01-08-59	126.48	5.88	
				03-03-59	126.83	0.35	
				05-05-59	129.66	2.83	
				07-08-59	138.06	8.40	
				09-01-59	138.73	0.67	
				11-04-59	131.75		6.98
				01-12-60	129.16		2.59
				03-03-60	129.97	0.81	
				05-05-60	130.72	0.75	
				07-06-60	140.33	9.61	
				09-07-60	136.35		3.98
				11-08-60	126.60		9.75
				01-03-61	125.15		1.45
				02-21-61	122.09		3.06
				03-20-61	124.52	2.43	
				04-25-61	130.12	5.60	
				05-24-61	136.59	6.47	
				06-22-61	129.39		7.20
				07-17-61	129.28		0.11
				08-21-61	131.06	1.78	
				09-26-61	132.39	1.33	
				10-24-61	129.64		2.75
				11-28-61	129.19		0.45
				12-18-61	129.22	0.03	
				01-29-62	131.72	2.50	
				02-22-62	133.72	2.00	
				03-20-62	134.38	0.66	
				04-26-62	134.74	0.36	
				05-23-62	140.94	6.20	
				06-19-62	143.46	2.52	
				07-23-62	153.76	10.30	
				08-21-62	157.67	3.91	
				09-25-62	152.65		5.02
				10-23-62	150.64		2.01
				12-17-62	143.16		7.48
				01-25-63	144.79	1.63	
				02-19-63	145.33	0.54	
				03-19-63	145.75	0.42	
				04-24-63	150.19	4.44	
				05-20-63	153.57	3.38	
				06-18-63	161.21	7.64	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-22-63	165.35	4.14	
				08-21-63	170.75	5.40	
				09-23-63	166.07		4.68
				11-19-63	159.95		6.12
				12-18-63	158.71		1.24
				01-20-64	158.69		0.02
				02-20-64	153.89		4.80
				03-27-64	155.12	1.23	
				04-22-64	157.61	2.49	
				05-21-64	166.20	8.59	
				06-24-64	159.13		7.07
				07-23-64	171.24	12.11	
				08-20-64	175.94	4.70	
				09-23-64	171.09		4.85
				11-25-64	156.82		14.27
				12-21-64	157.44	0.62	
				01-21-65	158.30	0.86	
				02-19-65	148.09		10.21
				03-23-65	148.48	0.39	
				04-21-65	145.15		3.33
				05-20-65	128.41		16.74
				06-18-65	137.94	9.53	
				06-24-65	157.33	19.39	
				01-21-72	130.36		26.97
				02-03-72	131.37	1.01	
				02-06-72	132.17	0.80	
				02-06-73	130.43		1.74
				07-25-73	101.55		28.88
				02-13-74	112.94	11.39	
				07-15-74	134.39	21.45	
				02-13-75	112.63		21.76
				07-17-75	118.57	5.94	
				08-02-76	126.07	7.50	
68-35-504	KCEB	500	857.80	04-14-52	206.87		
				09-17-52	209.00	2.13	
				01-07-54	206.60		2.40
				03-03-54	211.61	5.01	
				05-04-54	215.37	3.76	
				08-16-54	224.41*	9.04	
				10-13-54	219.78*		4.63
				11-01-54	219.91*	0.13	
				12-01-54	216.25		1.66

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Ø MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREEVIOUS MEASUREMENT	
						DECLINE	RISE
				01-04-55	217.35		0.90
				02-01-55	216.81		0.54
				03-01-55	216.21		0.60
				04-06-55	220.89	4.68	
				05-02-55	224.38	3.49	
				06-02-55	223.35		1.03
				07-05-55	227.46	4.11	
				08-02-55	227.92	0.46	
				08-31-55	229.02	1.10	
				10-04-55	227.49		1.53
				11-01-55	228.77	1.28	
				12-05-55	223.65		5.12
				01-03-56	224.35	0.70	
				01-06-56	222.79		1.56
				02-05-56	226.25	3.46	
				03-02-56	228.85	2.60	
				04-30-56	230.54	1.69	
				06-04-56	233.81	3.27	
				07-02-56	237.02	3.21	
				08-01-56	239.77	2.75	
				08-29-56	237.15		2.62
				10-02-56	238.35	1.20	
				11-06-56	231.01		7.34
				12-04-56	231.80	0.79	
				01-02-57	229.28		2.52
				02-04-57	229.19		0.09
				03-04-57	227.92		1.27
				04-01-57	224.65		3.27
				05-07-57	212.29		12.36
				06-03-57	203.35		8.94
				07-01-57	211.74	8.39	
				08-06-57	224.45	12.71	
				09-03-57	225.39	0.94	
				10-08-57	213.57		11.82
				11-07-57	203.26		10.31
				12-03-57	198.62		4.64
				01-08-58	195.94		2.68
				02-12-58	188.45		7.49
				03-06-58	179.63		8.82
				05-09-58	176.23		3.40
				06-05-58	182.97	6.74	
				10-08-58	174.40		8.57
				11-05-58	165.58		8.82

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-03-58	168.30	2.72	
				01-08-59	171.15	2.85	
				02-11-59	172.01	0.86	
				03-04-59	168.51		3.50
				04-01-59	172.31	3.80	
				05-05-59	171.51		0.80
				06-01-59	175.29	3.78	
				07-08-59	181.47	6.18	
				08-06-59	182.38	0.91	
				09-01-59	180.98		1.40
				10-01-59	180.55		0.43
				11-05-59	173.52		7.03
				12-03-59	172.18		1.34
				01-12-60	170.38		1.80
				02-08-60	170.47	0.09	
				03-03-60	171.27	0.80	
				04-05-60	172.00	0.73	
				05-05-60	171.98		0.02
				06-02-60	180.15	8.17	
				07-05-60	181.62	1.47	
				08-03-60	182.27	0.65	
				09-06-60	177.94		4.33
				10-03-60	181.69	3.75	
				11-09-60	168.35		13.34
				12-05-60	169.03	0.68	
				01-04-61	166.44		2.59
68-35-807	KCEB	868	788.10	09-15-33	103.20		
				01-04-34	104.67	1.47	
				04-20-34	102.22		2.45
				05-23-34	105.87	3.65	
				06-21-34	108.40	2.53	
				07-31-34	107.27		1.13
				08-24-34	110.44	3.17	
				09-21-34	111.13	0.69	
				10-11-34	111.76	0.63	
				11-20-34	111.28		0.48
				12-21-34	111.70	0.42	
				02-03-35	111.68		0.02
				03-02-35	111.52		0.16
				04-09-35	112.28	0.76	
				05-21-35	102.50		9.78
				06-28-35	89.68		12.82

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

- * MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-03-35	91.85	2.17	
				09-27-35	91.21		0.64
				01-20-36	93.28	2.07	
				08-27-36	90.97		2.31
				01-04-37	89.00		1.97
				02-23-38	93.67	4.67	
				03-15-38	94.17	0.50	
				04-26-38	93.65		0.52
				05-23-38	93.13		0.52
				07-26-38	97.39	4.26	
				08-22-38	97.42	0.03	
				09-24-38	99.32	1.90	
				10-26-38	100.63	1.31	
				12-08-38	101.20	0.57	
				01-27-39	100.60		0.60
				03-02-39	102.35	1.75	
				04-03-39	104.08	1.73	
				05-04-39	106.91	2.83	
				06-09-39	106.62		0.29
				07-06-39	110.49	3.87	
				08-17-39	108.39		2.10
				09-16-39	109.04	0.65	
				10-26-39	110.34	1.30	
				01-17-40	108.83		1.51
				02-21-40	110.14	1.31	
				03-18-40	111.61	1.47	
				04-23-40	112.47	0.86	
				05-20-40	112.64	0.17	
				06-17-40	111.79		0.85
				07-22-40	110.97		0.82
				08-23-40	115.17	4.20	
				09-24-40	115.60	0.43	
				10-21-40	115.62	0.02	
				12-02-40	111.71		3.91
				01-20-41	108.96		2.75
				05-26-41	91.23		17.73
				08-07-41	97.73	6.50	
				11-14-41	95.72	#	2.01
				04-06-42	99.38	3.66	
				08-04-42	101.85	2.47	
				11-30-42	90.68		11.17
				04-26-43	99.87	9.19	
				08-26-43	105.46	5.59	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-14-43	105.61	0.15	
				04-29-44	102.06		3.55
				08-08-44	106.59	4.53	
				12-18-44	99.56		7.03
				06-04-45	97.56		2.00
				04-04-46	104.84	7.28	
				07-02-47	105.02	0.18	
				11-07-47	110.18	5.16	
				04-23-48	116.97	6.79	
				06-30-48	119.55	2.58	
				08-02-48	123.22	3.67	
				01-04-49	124.41	1.19	
				03-07-49	119.99		4.42
				04-12-49	119.89		0.10
				08-26-49	117.90		1.99
				10-10-49	119.75	1.85	
				11-03-49	111.97		7.78
				12-21-49	114.70	2.73	
				01-26-50	116.27	1.57	
				02-24-50	115.49		0.78
				03-28-50	117.03	1.54	
				05-03-50	116.40		0.63
				06-01-50	116.34		0.06
				07-05-50	119.33	2.99	
				08-01-50	123.07	3.74	
				09-05-50	122.43		0.64
				10-05-50	122.48	0.05	
				11-06-50	124.58	2.10	
				12-04-50	124.92	0.34	
				01-05-51	126.06	1.14	
				02-07-51	128.36	2.30	
				03-05-51	127.60		0.76
				05-08-51	130.51	2.91	
				05-25-51	128.55		1.96
				06-06-51	127.93		0.62
				07-03-51	132.43	4.50	
				08-08-51	138.72	6.29	
				09-11-51	140.00	1.28	
				10-08-51	137.67		2.33
				10-31-51	136.56		1.11
				12-27-51	136.70	0.14	
				03-05-52	137.64	0.94	
				04-08-52	138.75	1.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-03-52	139.63	0.88	
				07-02-52	142.35	2.72	
				08-01-52	145.03	2.68	
				09-02-52	149.11	4.08	
				10-01-52	140.28		8.83
				11-04-52	142.30	2.02	
				12-02-52	136.05		6.25
				01-05-53	132.08		3.97
				02-09-53	135.66	3.58	
				03-05-53	137.44	1.78	
				04-07-53	138.41	0.97	
				05-05-53	141.68	3.27	
				06-03-53	146.03	4.35	
				08-07-53	152.91	6.88	
				09-17-53	137.41		15.50
				10-16-53	140.46	3.05	
				11-02-53	138.20		2.26
				12-07-53	137.62		0.58
				01-04-54	137.61		0.01
				02-04-54	139.71	2.10	
				03-01-54	143.67	3.96	
				04-06-54	147.57	3.90	
				05-03-54	145.72		1.85
				06-07-54	149.22	3.50	
				07-06-54	149.75	0.53	
				08-04-54	153.60	3.85	
				08-23-54	155.44	1.84	
				10-04-54	152.50		2.94
				10-11-54	150.46		2.04
				11-01-54	151.05	0.59	
				12-01-54	149.70		1.35
				01-04-55	148.84		0.86
				02-01-55	148.56		0.28
				03-01-55	147.27		1.29
				04-05-55	152.53	5.26	
				05-02-55	155.92	3.39	
				06-02-55	155.40		0.52
				07-05-55	159.50	4.10	
				08-02-55	159.79	0.29	
				08-29-55	161.20	1.41	
				10-04-55	158.81		2.39
				11-01-55	159.97	1.16	
				12-05-55	155.09		4.88

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-03-56	155.57	0.48	
				02-06-56	154.24		1.33
				03-05-56	157.83	3.59	
				04-02-56	160.45	2.62	
				04-30-56	161.50	1.05	
				06-04-56	165.85	4.35	
				07-02-56	168.80	2.95	
				08-01-56	171.44	2.64	
				08-27-56	168.24		3.20
				10-02-56	169.83	1.59	
				11-05-56	163.42		6.41
				12-04-56	163.58	0.16	
				01-02-57	160.58		3.00
				02-04-57	161.02	0.44	
				03-04-57	159.46		1.56
				04-01-57	156.47		2.99
				05-06-57	144.32		12.15
				06-03-57	135.81		8.51
				07-01-57	141.67	5.86	
				08-05-57	156.08	14.41	
				09-03-57	157.29	1.21	
				10-08-57	145.73		11.56
				11-06-57	135.55		10.18
				12-03-57	131.10		4.45
				01-08-58	128.09		3.01
				02-12-58	120.72		7.37
				03-06-58	112.25		8.47
				04-03-58	112.44	0.19	
				05-06-58	109.90		2.54
				06-04-58	116.62	6.72	
				07-08-58	118.21	1.59	
				08-06-58	124.12	5.91	
				09-08-58	126.86	2.74	
				10-09-58	104.06		22.80
				11-05-58	96.77		7.29
				12-03-58	96.54		0.23
				02-11-59	98.45	1.91	
				03-04-59	97.66		0.79
				04-01-59	101.37	3.71	
				05-05-59	100.19		1.18
				06-05-59	103.97	3.78	
				07-09-59	109.98	6.01	
				08-06-59	111.46	1.48	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-01-59	109.68		1.78
				10-01-59	109.44		0.24
				11-04-59	101.41		8.03
				12-03-59	100.44		0.97
				01-12-60	98.66		1.78
				02-08-60	98.58		0.08
				03-07-60	99.15	0.57	
				04-05-60	100.29	1.14	
				05-04-60	99.94		0.35
				06-02-60	108.51	8.57	
				07-05-60	109.42	0.91	
				08-02-60	110.62	1.20	
				09-06-60	106.59		4.03
				10-02-60	110.02	3.43	
				11-09-60	97.48		12.54
				12-05-60	97.75	0.27	
				01-04-61	95.35		2.40
				02-21-61	92.06		3.29
				03-20-61	95.29	3.23	
				04-25-61	100.81	5.52	
				05-24-61	107.93	7.12	
				06-22-61	98.82		9.11
				07-17-61	98.67		0.15
				08-21-61	100.65	1.98	
				09-26-61	101.74	1.09	
				10-27-61	99.09		2.65
				12-01-61	98.11		0.98
				12-18-61	98.04		0.07
				01-29-62	100.84	2.80	
				02-19-62	103.44	2.60	
				03-20-62	103.27		0.17
				04-26-62	104.40	1.13	
				05-23-62	112.48	8.08	
				06-19-62	114.92	2.44	
				07-23-62	122.46	7.54	
				08-21-62	128.81	6.35	
				09-25-62	122.68		6.13
				10-25-62	122.17		0.51
				11-20-62	118.42		3.75
				12-17-62	114.08		4.34
				01-25-63	116.07	1.99	
				02-19-63	115.51		0.56
				03-22-63	118.62	3.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-24-63	122.75	4.13	
				06-18-63	131.89	9.14	
				07-22-63	138.10	6.21	
				08-20-63	143.76	5.66	
				09-23-63	136.61		7.15
				10-22-63	137.95	1.34	
				11-18-63	131.22		6.73
				12-17-63	129.67		1.55
				01-21-64	129.50		0.17
				02-19-64	125.30		4.20
				03-27-64	126.57	1.27	
				04-22-64	129.62	3.05	
				05-21-64	138.81	9.19	
				06-24-64	133.79		5.02
				07-22-64	146.45	12.66	
				08-20-64	149.45	3.00	
				09-23-64	141.62		7.83
				10-22-64	137.59		4.03
				11-25-64	128.70		8.89
				12-22-64	128.41		0.29
				01-21-65	129.48	1.07	
				02-19-65	119.70		9.78
				03-24-65	120.75	1.05	
				04-21-65	117.82		2.93
				05-20-65	107.98		9.84
				06-18-65	113.42	5.44	
				07-21-65	126.00	12.58	
				08-23-65	131.90	5.90	
				01-21-72	101.70		30.20
				02-03-72	102.04	0.34	
				06-07-72	107.62	5.58	
				02-06-73	101.06		6.56
				07-26-73	81.64		19.42
				02-12-74	85.79	4.15	
				07-15-74	105.73	19.94	
				02-12-75	82.01		23.72
				07-16-75	89.90	7.89	
				02-23-76	108.58	18.68	
				08-02-76	97.61		10.97
				02-04-77	70.61		27.00
68-35-907	KCEB	845	811.00	04-11-60	122.89		
				05-08-60	122.02		0.87

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-02-60	132.48	10.46	
				07-05-60	129.61		2.87
				08-02-60	132.52	2.91	
				09-06-60	127.88		4.64
				10-02-60	131.56	3.68	
				11-09-60	118.50		13.06
				12-05-60	119.06	0.56	
				01-09-61	116.10		2.96
				02-21-61	114.85		1.25
				03-20-61	117.01	2.16	
				04-25-61	122.99	5.98	
				05-24-61	130.22	7.23	
				06-22-61	122.72		7.50
				07-17-61	120.75		1.97
				08-23-61	124.44	3.69	
				09-25-61	123.78*		0.66
				09-25-61	123.61*		0.17
				10-23-61	121.10*		2.51
				11-02-61	120.14*		0.96
				12-08-61	120.29*	0.15	
				12-18-61	120.06*		0.23
				01-24-62	122.09*	2.03	
				02-19-62	125.09*	3.00	
				03-20-62	125.12	0.03	
				04-26-62	125.87	0.75	
				05-23-62	133.62	7.75	
				06-21-62	136.92*	3.30	
				07-23-62	144.69	7.77	
				08-21-62	149.18	4.49	
				09-25-62	142.55		6.63
				10-25-62	141.74		0.81
				11-20-62	137.76		3.98
				12-17-62	133.60		4.16
				01-25-63	135.73	2.13	
				02-19-63	134.95		0.78
				03-12-63	137.85	2.90	
				04-24-63	142.51	4.66	
				10-22-63	165.21*	22.70	
				11-18-63	147.23		17.98
				12-17-63	147.75*	0.52	
				01-21-64	147.62		0.13
				02-19-64	143.97		3.65
				03-27-64	145.19	1.22	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-22-64	148.04*	2.85	
				05-21-64	157.13	9.09	
				06-24-64	152.33		4.80
				07-23-64	168.88*	16.55	
				11-25-64	146.72*		22.16
				12-22-64	146.53		0.19
				01-21-65	147.60	1.07	
				02-19-65	137.97*		9.63
				03-24-65	138.95	0.98	
				04-21-65	135.85*		3.10
				05-20-65	125.42		10.43
				06-18-65	131.41*	5.99	
66-35-911	XCEB	916	801.10	08-21-37	113.17		
				10-18-37	126.96	13.79	
				11-15-37	124.04		2.92
				01-19-38	112.09		11.95
				02-26-38	110.03		2.06
				03-15-38	110.53	0.50	
				04-26-38	109.80		0.73
				05-24-38	108.51		1.29
				06-27-38	112.39	3.88	
				07-26-38	113.81	1.42	
				08-22-38	115.76	1.95	
				09-24-38	115.63		0.13
				10-26-38	116.91	1.28	
				12-08-38	117.15	0.24	
				01-27-39	117.27	0.12	
				03-02-39	118.44	1.17	
				04-03-39	120.20	1.76	
				05-04-39	122.97	2.77	
				06-09-39	122.51		0.46
				07-06-39	126.40	3.89	
				08-17-39	124.96		1.44
				09-16-39	124.90		0.06
				10-26-39	126.21	1.31	
				01-17-40	125.20		1.01
				02-21-40	125.67	0.47	
				03-18-40	127.08	1.41	
				04-23-40	128.02	0.94	
				05-20-40	128.15	0.13	
				06-17-40	127.20		0.95
				07-22-40	126.43		0.77

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-23-40	130.67	4.24	
				09-24-40	130.87	0.20	
				10-21-40	130.84		0.03
				12-02-40	126.70		4.14
				01-20-41	123.99		2.71
				05-28-41	107.47		16.52
				08-07-41	113.75	6.28	
				11-12-41	111.96		1.79
				04-08-42	114.97	3.01	
				08-04-42	117.97	3.00	
				11-30-42	106.91		11.06
				04-26-43	116.13	9.22	
				12-14-43	121.52	5.39	
				05-03-44	116.90		4.62
				08-07-44	122.29	5.39	
				12-18-44	115.25		7.04
				06-04-45	113.91		1.34
				04-04-46	120.59	6.68	
				07-02-47	121.16	0.57	
				11-08-47	125.74	4.58	
				04-23-48	132.13	6.39	
				06-30-48	133.71	1.58	
				08-02-48	136.91	3.20	
				01-04-49	137.40	0.49	
				03-07-49	133.22		4.18
				04-12-49	133.18		0.04
				08-25-49	131.66		1.52
				10-11-49	133.25	1.59	
				11-04-49	125.66		7.59
				12-21-49	128.10	2.44	
				01-26-50	129.81	1.71	
				02-24-50	127.03		2.78
				03-28-50	130.42	3.39	
				05-03-50	129.84		0.58
				06-01-50	129.85	0.01	
				07-05-50	132.90	3.05	
				08-02-50	136.54	3.64	
				09-05-50	135.94		0.60
				10-05-50	135.75		0.19
				11-06-50	137.77	2.02	
				12-04-50	137.84	0.07	
				01-05-51	138.67	0.83	
				02-07-51	141.36	2.69	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-51	140.32		1.04
				05-08-51	142.95	2.63	
				06-06-51	140.30		2.65
				07-03-51	145.70	5.40	
				08-08-51	152.32	6.62	
				09-11-51	151.67		0.65
				10-08-51	149.92		1.75
				10-31-51	147.57		2.35
				12-27-51	146.81		0.76
				03-05-52	147.64	0.83	
				04-04-52	148.31	0.67	
				06-03-52	149.83	1.52	
				07-02-52	152.25	2.42	
				08-01-52	154.98	2.73	
				09-02-52	158.39	3.41	
				10-01-52	149.02		9.37
				11-04-52	151.32	2.30	
				12-02-52	144.55		6.77
				01-05-53	140.38		4.17
				02-09-53	144.00	3.62	
				03-05-53	145.92	1.92	
				04-07-53	146.91	0.99	
				05-05-53	150.14	3.23	
				06-03-53	154.62	4.48	
				07-15-53	157.90	3.28	
				08-07-53	161.19	3.29	
				09-17-53	145.31		15.88
				10-16-53	148.52	3.21	
				11-02-53	145.84		2.68
				12-07-53	145.19		0.65
				01-04-54	145.20	0.01	
				02-04-54	147.62	2.42	
				03-01-54	150.45	2.83	
				04-06-54	155.26	4.81	
				05-03-54	153.21		2.05
				06-07-54	157.22	4.01	
				07-06-54	156.40		0.82
				08-04-54	161.51	5.11	
				08-23-54	163.07	1.56	
				10-04-54	159.86		3.21
				10-11-54	157.69		2.17
				11-01-54	158.26	0.57	
				12-01-54	156.87		1.39

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-04-55	156.00		0.87
				02-01-55	155.75		0.25
				03-01-55	154.36		1.39
				04-05-55	159.30	4.94	
				05-02-55	162.91	3.61	
				06-02-55	162.53		0.38
				07-05-55	166.59	4.06	
				08-02-55	166.92	0.33	
				08-29-55	168.36	1.44	
				10-04-55	165.71		2.65
				11-01-55	166.78	1.07	
				12-05-55	161.96		4.82
				01-03-56	162.42	0.46	
				02-06-56	160.86		1.56
				03-05-56	164.46	3.60	
				04-02-56	166.97	2.51	
				04-30-56	167.90	0.93	
				06-04-56	172.58	4.68	
				07-02-56	175.23	2.65	
				08-01-56	178.11	2.88	
				08-27-56	175.05		3.06
				10-02-56	176.34	1.29	
				11-05-56	169.93		6.41
				12-04-56	170.11	0.18	
				01-02-57	167.07		3.04
				02-04-57	166.96		0.11
				03-04-57	165.27		1.69
				04-01-57	162.32		2.95
				05-06-57	150.08		12.24
				06-03-57	141.29		8.79
				07-01-57	148.47	7.18	
				08-05-57	162.34	13.87	
				09-03-57	163.42	1.08	
				10-08-57	151.23		12.19
				12-03-57	136.62		14.61
				01-08-58	127.40		9.22
				02-12-58	127.40		
				03-06-58	118.33		9.07
				04-03-58	119.07	0.74	
				05-06-58	116.68		2.39
				06-05-58	122.26	5.58	
				07-08-58	123.13	0.87	
				08-06-58	128.54	5.41	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-08-58	132.63	4.09	
				10-10-58	112.28		20.35
				11-05-58	105.27		7.01
				12-03-58	106.63	1.36	
				01-08-59	107.30	0.67	
				03-04-59	107.41	0.11	
				04-01-59	111.09	3.68	
				05-05-59	109.89		1.20
				06-01-59	113.45	3.56	
				07-09-59	120.70	7.25	
				08-06-59	121.97	1.27	
				09-01-59	119.52		2.45
				10-01-59	119.44		0.08
				11-04-59	111.73		7.71
				12-03-59	110.88		0.85
68-36-105	KCEB	814	890.00	09-22-70	223.47		
				10-06-70	218.07		5.40
				10-07-70	217.75		0.32
				01-12-71	220.17	2.42	
				02-04-72	207.48		12.69
				06-08-72	210.33	2.85	
				10-17-72	214.09	3.76	
				02-09-73	206.35		7.74
				02-13-74	190.62		15.73
				07-15-74	211.34	20.72	
				02-12-75	189.17		22.17
				07-17-75	205.20	16.03	
68-36-109	KCEB	366	891.60	07-21-32	212.60		
				10-18-32	207.27		5.33
				11-18-32	208.34	1.07	
				01-15-33	208.05		0.29
				04-09-33	208.80	0.75	
				07-18-33	212.54	3.74	
				08-17-33	212.58	0.04	
				09-18-33	212.48		0.10
				10-17-33	213.10	0.62	
				11-20-33	213.35	0.25	
				12-18-33	213.54	0.19	
				01-19-34	213.09		0.45
				02-19-34	212.69		0.40
				03-19-34	211.65		1.04

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(*) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-18-34	210.86		0.79
				05-21-34	213.06	2.20	
				06-19-34	215.74	2.68	
				07-30-34	214.65		1.09
				08-22-34	217.38	2.73	
				09-19-34	218.17	0.79	
				10-12-34	218.89	0.72	
				11-20-34	218.43		0.46
				12-19-34	218.51	0.08	
				02-02-35	218.48		0.03
				04-10-35	218.92	0.44	
				05-20-35	207.34		11.58
				06-28-35	195.82		11.52
				08-05-35	201.15	5.33	
				09-29-35	200.23		0.92
				11-19-35	202.21	1.98	
				08-26-36	200.71		1.50
				12-30-36	200.50		0.21
68-36-110	KCEB	----	845.00	07-21-32	202.85		
				10-18-32	198.45		4.40
				11-18-32	198.97	0.52	
				01-15-33	198.70		0.27
				04-08-33	199.50	0.80	
				07-18-33	203.06	3.56	
				08-17-33	203.00		0.06
				09-18-33	202.89		0.11
				10-17-33	203.50	0.61	
				11-20-33	203.72	0.22	
				12-18-33	203.86	0.14	
				01-19-34	203.45		0.41
				02-19-34	203.05		0.40
				03-19-34	202.15		0.90
				04-18-34	201.42		0.73
				05-21-34	203.55	2.13	
				06-19-34	206.29	2.74	
				07-30-34	205.12		1.17
				08-22-34	207.72	2.60	
				09-19-34	208.45	0.73	
				10-12-34	209.18	0.73	
				11-20-34	208.60		0.58
				12-19-34	208.75	0.15	
				02-02-35	208.58		0.17

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-28-35	208.22		0.36
				04-10-35	209.02	0.80	
				05-20-35	198.40		10.62
				06-28-35	186.85		11.55
				08-05-35	191.82	4.97	
				09-29-35	191.20		0.62
				11-19-35	193.28	2.08	
				01-18-36	194.92	1.64	
				08-26-36	192.00		2.92
				12-30-36	191.69		0.31
				10-07-49	175.29		16.40
				11-04-49	167.95		7.34
				02-01-50	171.33	3.38	
				02-27-50	169.49		1.84
				03-30-50	173.53	4.04	
				05-03-50	172.25		1.28
				06-06-50	169.82*		2.43
				07-06-50	175.99	6.17	
				08-02-50	179.20	3.21	
				09-05-50	178.09		1.11
				10-05-50	178.17	0.08	
				11-08-50	180.25*	2.08	
				12-05-50	181.06*	0.81	
				01-05-51	180.94		0.12
				02-06-51	182.61*	1.67	
				03-05-51	182.46		0.15
				05-11-51	184.95	2.49	
				05-25-51	183.14		1.81
				06-06-51	182.28		0.86
				08-07-51	193.27	10.99	
				09-11-51	194.18	0.91	
				10-30-51	190.59		3.59
				12-27-51	190.44		0.15
				03-04-52	191.39	0.95	
				04-08-52	191.34		0.05
				07-01-52	195.38	4.04	
				09-04-52	202.19	6.81	
				11-04-52	195.84		6.35
				01-07-53	184.96		10.88
				03-03-53	189.13	4.17	
				05-06-53	194.25	5.12	
				07-16-53	201.28	7.03	
				09-11-53	191.19		10.09

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-06-53	190.75		0.44
				01-08-54	191.34	0.59	
				03-04-54	195.99	4.65	
				05-06-54	199.28*	3.29	
				07-09-54	204.34	5.06	
				08-25-54	208.54	4.20	
				11-03-54	205.47		3.07
				06-04-55	212.41	6.94	
				11-03-55	212.47	0.06	
68-36-112	KCEB	500	838.00	03-04-57	211.01		
				05-07-57	192.99		18.02
				06-03-57	183.68*		9.31
				07-03-57	194.64	10.96	
				09-03-57	206.80	12.16	
				11-07-57	184.99		21.81
				12-02-57	180.62		4.37
				01-07-58	177.65		2.97
				02-11-58	170.31		7.34
				03-05-58	162.92		7.39
				05-07-58	159.69		3.23
				06-03-58	166.62	6.93	
				07-08-58	168.23	1.61	
				08-06-58	173.92	5.69	
				09-04-58	180.16	6.24	
				10-09-58	156.52		23.64
				11-05-58	150.24		6.28
				12-02-58	151.96	1.72	
				01-08-59	153.30	1.34	
				02-11-59	154.43	1.13	
				03-03-59	152.32		2.11
				04-01-59	156.57	4.25	
				05-05-59	155.79		0.78
				06-01-59	159.83	4.04	
				07-08-59	166.08	6.25	
				08-06-59	167.19	1.11	
				09-01-59	165.06		2.13
				10-01-59	165.18	0.12	
				11-04-59	158.38		6.80
				12-03-59	157.48		0.90
				01-11-60	155.67		1.81
				02-08-60	155.65		0.02
				03-03-60	156.55	0.90	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-04-60	157.01	0.46	
				05-05-60	157.08	0.07	
				06-02-60	164.86	7.78	
				07-06-60	166.84	1.98	
				08-03-60	167.20	0.36	
				09-07-60	162.95		4.25
				10-02-60	166.71	3.76	
				11-08-60	153.05		13.66
				12-05-60	154.16	1.11	
				01-03-61	151.52		2.64
68-36-301	KCEB	----	751.30	11-14-50	98.60		
				12-05-50	97.98		0.62
				01-05-51	99.57	1.59	
				02-06-51	100.38	0.81	
				03-05-51	100.05		0.33
				05-11-51	101.40	1.35	
				06-06-51	96.73		4.67
				08-06-51	113.40	16.67	
				09-10-51	113.64	0.24	
				10-30-51	108.20		5.44
				03-04-52	108.87Q	0.67	
				04-03-52	105.30Q		3.57
				09-05-52	120.70	15.40	
				11-04-52	113.80Q		6.90
				01-08-53	102.80Q		11.00
				05-06-53	111.70Q	8.90	
				07-14-53	118.94	7.24	
				09-22-53	109.74		9.20
				11-06-53	107.52		2.22
				01-06-54	107.79	0.27	
68-36-302	KCEB	794	738.00	-----46	61.00		
				02-03-55	105.27	44.27	
				03-03-55	104.68		0.59
				05-06-55	113.23	8.55	
				06-02-55	110.92		2.31
				07-07-55	116.81	5.89	
				08-04-55	116.24		0.57
				09-02-55	115.16		1.08
				10-04-55	115.72	0.56	
				11-03-55	115.87	0.15	
				12-05-55	111.61		4.26

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-06-56	111.77	0.16	
				02-07-56	110.66		1.11
				03-06-56	113.89	3.23	
				04-04-56	117.57	3.68	
				05-01-56	118.04	0.47	
				06-04-56	122.71	4.67	
				07-06-56	124.28	1.57	
				08-30-56	121.60		2.68
				10-02-56	124.00	2.40	
				11-08-56	116.50		7.50
				12-04-56	116.50		
				01-04-57	113.60		2.90
				02-05-57	114.10	0.50	
				03-08-57	112.40		1.70
				04-03-57	108.90		3.50
				05-10-57	101.70		7.20
				09-05-57	107.60	5.90	
68-36-303	KCEB	540	710.70	10-30-34	41.63		
				01-17-51	53.41	11.78	
				04-08-52	73.92	20.51	
				09-12-52	90.10	16.18	
				11-07-52	81.70		8.40
				12-03-52	72.56		9.14
				01-06-53	66.80		5.76
				02-09-53	64.51		2.29
				03-09-53	64.29		0.22
				04-07-53	68.24*	3.95	
				05-08-53	84.57*	16.33	
				06-03-53	95.13*	10.56	
				07-14-53	95.43	0.30	
				08-07-53	113.30*	17.87	
				09-17-53	87.13*		26.17
				10-16-53	89.80*	2.67	
				11-04-53	73.68		16.12
				12-08-53	70.48		3.20
				01-06-54	67.36		3.12
				02-04-54	66.37		0.99
				03-04-54	73.11	6.74	
				06-07-54	103.91*	30.80	
				07-06-54	111.04	7.13	
				08-05-54	118.20	7.16	
				08-23-54	119.55	1.35	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-04-54	102.84		16.71
				11-02-54	98.95		3.89
				12-01-54	87.28		11.67
				01-04-55	85.08		2.20
				02-02-55	82.60		2.48
				03-01-55	77.95		4.65
				04-04-55	100.80	22.85	
				05-02-55	124.53	23.73	
				06-01-55	106.06		18.47
				07-05-55	121.64	15.58	
				08-04-55	128.39	6.75	
				08-30-55	126.17		2.22
				11-04-55	118.06		8.11
				12-05-55	95.05		23.01
				01-04-56	97.93	2.88	
				02-08-56	87.06		10.87
				03-06-56	105.96	18.90	
				04-03-56	124.81*	18.85	
				05-01-56	108.45		16.36
				11-05-56	120.71	12.26	
				01-04-57	101.93		18.78
				02-06-57	95.90		6.03
				03-08-57	93.48		2.42
				04-02-57	91.89		1.59
				05-09-57	83.52		8.37
				06-05-57	77.23		6.29
				07-04-57	116.95	39.72	
				01-09-58	64.74		52.21
				02-12-58	58.74		6.00
				03-05-58	53.15		5.59
				04-03-58	49.13		4.02
				05-09-58	52.55	3.42	
				06-05-58	59.03	6.48	
				07-07-58	93.54	34.51	
				09-08-58	89.91		3.63
				10-10-58	57.15		32.76
				11-06-58	47.60		9.55
				12-01-58	42.29		5.31
				01-12-59	37.82		4.47
				02-11-59	36.43		1.39
				03-04-59	38.44	2.01	
				04-01-59	53.29	14.85	
				05-04-59	47.71		5.58

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-03-59	58.67	10.96	
				08-07-59	111.07*	52.40	
				09-01-59	80.01		31.06
				09-30-59	92.55*	12.54	
				11-02-59	62.90		29.65
				12-03-59	50.16		12.74
				01-15-60	42.87		7.29
				02-09-60	40.92		1.95
				03-03-60	40.59		0.33
				04-04-60	48.85	8.26	
				05-02-60	51.91	3.06	
				08-02-60	110.15	58.24	
				09-07-60	91.10		19.05
				11-08-60	58.22		32.88
				12-06-60	45.94		12.28
				01-04-61	40.56		5.38
				02-22-61	34.11		6.45
				03-20-61	59.08	24.97	
				12-09-71	50.10		8.98
				02-03-72	44.03		6.07
				06-08-72	124.90	80.87	
				06-09-72	100.70Q		24.20
68-36-407	KCEB,	620	730.83	08-27-70	67.55		
				09-01-70	66.59		0.96
				09-05-70	67.46	0.87	
				09-10-70	69.65	2.19	
				09-15-70	64.75		4.90
				09-20-70	63.87		0.88
				09-25-70	61.67		2.20
				10-01-70	58.67		3.00
				10-05-70	58.14		0.53
				10-10-70	57.25		0.89
				10-15-70	57.00		0.25
				10-20-70	56.29		0.71
				10-25-70	55.82		0.47
				11-01-70	56.08	0.26	
				11-05-70	56.82	0.74	
				11-10-70	57.26	0.44	
				11-15-70	57.38	0.12	
				11-20-70	57.86	0.48	
				11-25-70	57.71		0.15
				12-01-70	57.79	0.08	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-05-70	58.27	0.48	
				12-10-70	58.36	0.09	
				12-15-70	57.81		0.55
				12-20-70	58.22	0.41	
				12-25-70	57.89		0.33
				01-01-71	58.05	0.16	
				01-05-71	58.38	0.33	
				01-10-71	58.56	0.18	
				01-15-71	60.68	2.12	
				01-20-71	62.72	2.04	
				01-25-71	64.57	1.85	
				02-01-71	67.36	2.79	
				02-05-71	67.04		0.32
				02-10-71	67.78	0.74	
				02-15-71	68.84	1.06	
				02-20-71	70.29	1.45	
				02-25-71	69.66		0.63
				03-01-71	68.03		1.63
				03-05-71	68.08	0.05	
				03-10-71	69.65	1.57	
				03-15-71	72.17	2.52	
				03-20-71	73.99	1.82	
				03-25-71	74.79	0.80	
				04-01-71	77.36	2.57	
				04-05-71	75.84		1.52
				04-10-71	78.99	3.15	
				04-14-71	80.84	1.85	
				04-29-71	80.38		0.46
				05-01-71	81.60	1.22	
				05-05-71	84.33	2.73	
				05-10-71	82.05		2.28
				05-15-71	83.02	0.97	
				05-20-71	88.15	5.13	
				05-25-71	86.34		1.81
				06-01-71	88.08	1.74	
				06-05-71	91.73	3.65	
				06-10-71	96.02	4.29	
				06-15-71	95.12		0.90
				06-20-71	90.58		4.54
				06-25-71	87.42		3.16
				07-01-71	82.88		4.54
				07-05-71	82.39		0.49
				07-10-71	85.03	2.64	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-15-71	88.29	3.26	
				07-20-71	90.03	1.74	
				07-25-71	91.07	1.04	
				08-01-71	91.79	0.72	
				08-05-71	79.73		12.06
				08-10-71	75.71		4.02
				08-15-71	68.24		7.47
				08-20-71	66.93		1.31
				08-25-71	67.51	0.58	
				09-01-71	67.97	0.46	
				09-05-71	68.21	0.24	
				09-10-71	69.30	1.09	
				09-15-71	66.35		2.95
				09-20-71	65.34		1.01
				09-25-71	63.72		1.62
				10-01-71	62.71		1.01
				10-05-71	61.65		1.06
				10-10-71	60.13		1.52
				10-15-71	59.21		0.92
				10-20-71	55.60		3.61
				10-25-71	52.27		3.33
				11-01-71	51.11		1.16
				11-05-71	51.52	0.41	
				11-10-71	51.47		0.05
				11-15-71	51.34		0.13
				11-20-71	50.43		0.91
				11-25-71	49.64		0.79
				12-01-71	49.30		0.34
				12-05-71	47.71		1.59
				12-10-71	45.75		1.96
				12-15-71	44.87		0.88
				12-20-71	44.51		0.36
				12-25-71	44.79	0.28	
				01-01-72	44.56		0.23
				01-05-72	45.14	0.58	
				01-10-72	44.88		0.26
				01-15-72	45.81	0.93	
				01-20-72	45.78		0.03
				01-25-72	46.59	0.81	
				02-01-72	46.11		0.48
				02-05-72	46.62	0.51	
				02-10-72	46.80	0.18	
				02-15-72	46.83	0.03	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-72	47.95	1.12	
				02-25-72	49.33	1.38	
				03-01-72	50.48	1.15	
				03-05-72	51.95	1.47	
				03-10-72	53.23	1.28	
				03-15-72	53.98	0.75	
				03-20-72	55.92	1.94	
				03-25-72	57.17	1.25	
				04-01-72	58.64	1.47	
				04-05-72	60.48	1.84	
				04-10-72	62.21	1.73	
				04-15-72	66.35	4.14	
				04-20-72	69.77	3.42	
				04-25-72	67.89		1.88
				05-01-72	64.06		3.83
				05-05-72	65.07	1.01	
				05-10-72	49.43		15.64
				05-15-72	40.80		8.63
				05-20-72	38.63		2.17
				05-25-72	39.58	0.95	
				06-01-72	44.98	5.40	
				06-05-72	47.66	2.68	
				06-10-72	49.04	1.38	
				06-15-72	47.98		1.06
				06-20-72	46.69		1.29
				06-25-72	49.36	2.67	
				07-01-72	54.13	4.77	
				07-05-72	54.18	0.05	
				07-10-72	55.29	1.11	
				07-15-72	56.63	1.34	
				07-20-72	54.03		2.60
				07-25-72	52.41		1.62
				08-01-72	54.98	2.57	
				08-05-72	52.95		2.03
				08-10-72	52.54		0.41
				08-15-72	51.43		1.11
				08-20-72	52.69	1.26	
				08-25-72	52.23		0.46
				09-01-72	52.25	0.02	
				09-05-72	52.96	0.71	
				09-10-72	54.02	1.06	
				09-15-72	53.95		0.07
				09-20-72	55.16	1.21	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-25-72	52.70		2.46
				10-01-72	50.05		2.65
				10-05-72	50.49	0.44	
				10-10-72	51.66	1.17	
				10-15-72	52.45	0.79	
				10-20-72	53.12	0.67	
				10-25-72	50.70		2.42
				11-01-72	49.61		1.09
				11-05-72	48.18		1.43
				11-10-72	48.28	0.10	
				11-15-72	47.60		0.68
				11-20-72	47.03		0.57
				11-25-72	46.38		0.65
				12-01-72	46.47	0.09	
				12-05-72	46.11		0.36
				12-10-72	45.94		0.17
				12-15-72	46.27	0.33	
				12-20-72	46.04		0.23
				12-25-72	46.29	0.25	
				01-01-73	46.71	0.42	
				01-05-73	46.45		0.26
				01-10-73	46.47	0.02	
				01-15-73	46.63	0.16	
				01-20-73	46.42		0.21
				01-25-73	46.45	0.03	
				02-01-73	45.41		1.04
				02-05-73	45.77	0.36	
				02-10-73	45.95	0.18	
				02-15-73	45.54		0.41
				02-20-73	44.98		0.56
				02-25-73	42.91		2.07
				03-01-73	42.34		0.57
				03-05-73	42.26		0.08
				03-10-73	42.90	0.64	
				03-15-73	43.55	0.65	
				03-20-73	43.95	0.40	
				03-25-73	43.64		0.31
				04-01-73	44.17	0.53	
				04-05-73	44.69	0.52	
				04-10-73	44.02		0.67
				04-15-73	42.25		1.77
				04-20-73	35.18		7.07
				04-25-73	33.81		1.37

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-01-73	34.17	0.36	
				05-05-73	35.09	0.92	
				05-10-73	36.78	1.69	
				05-15-73	37.01	0.23	
				05-20-73	40.15	3.14	
				05-25-73	44.46	4.31	
				06-01-73	50.76	6.30	
				06-05-73	51.92	1.16	
				06-10-73	53.37	1.45	
				06-15-73	43.38		9.99
				06-20-73	41.62		1.76
				06-25-73	38.22		3.40
				07-01-73	34.10		4.12
				07-05-73	34.47	0.37	
				07-10-73	33.50		0.97
				07-15-73	32.53		0.97
				07-20-73	26.84		5.69
				07-25-73	26.81		0.03
				08-01-73	28.89	2.08	
				08-05-73	29.42	0.53	
				08-10-73	31.81	2.39	
				08-15-73	32.62	0.81	
				08-20-73	32.79	0.17	
				08-25-73	35.17	2.38	
				09-01-73	34.50		0.67
				09-05-73	35.00	0.50	
				09-10-73	33.00		2.00
				09-15-73	33.36	0.36	
				09-20-73	29.23		4.13
				09-25-73	28.77		0.46
				10-01-73	22.83		5.94
				10-05-73	22.86	0.03	
				10-10-73	22.40		0.46
				10-15-73	18.10		4.30
				10-20-73	15.22		2.88
				10-24-73	15.48	0.26	
				02-06-74	29.60	14.12	
				07-15-74	51.52	21.92	
				02-12-75	28.21		23.31
				07-16-75	32.09	3.88	
				02-23-76	53.98	21.89	
				08-02-76	42.21		11.77
				02-04-77	18.38		23.83

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
66-36-410	KCEB	604	764.40	12----47	103.00		
				10-24-50	103.17	0.17	
				01-09-51	103.84	0.67	
				03-03-53	112.98	9.14	
				05-06-53	118.12	5.14	
				08-07-53	129.92	11.80	
				09-21-53	114.78		15.14
				11-05-53	114.50		0.28
				01-07-54	114.85	0.35	
				03-04-54	119.81	4.96	
				05-05-54	122.44	2.63	
				07-08-54	127.08	4.64	
				08-26-54	132.45	5.37	
				11-01-54	128.00		4.45
				01-05-55	124.94		3.06
				03-01-55	124.29		0.65
				05-02-55	132.85	8.56	
				08-31-55	136.59	3.74	
				11-01-55	136.60	0.01	
				01-03-56	131.94		4.66
				03-03-56	134.44	2.50	
				07-02-56	145.20	10.76	
				08-29-56	144.63		0.57
				01-02-57	136.51Q		8.12
				03-04-57	135.20Q		1.31
				05-05-57	124.65Q		10.55
				07-01-57	119.88Q		4.77
				09-03-57	133.39Q	13.51	
				11-07-57	111.30Q		22.09
				01-08-58	104.35Q		6.95
				03-06-58	88.77Q		15.58
				05-06-58	87.10Q		1.67
				07-08-58	94.60Q	7.50	
				09-05-58	105.27Q	10.67	
				11-06-58	76.60Q		28.67
				01-03-59	79.44Q	2.84	
03-03-59	79.08Q		0.36				
05-05-59	81.59Q	2.51					
07-08-59	91.87Q	10.28					
09-01-59	90.74Q		1.13				
11-04-59	83.42Q		7.32				
01-12-60	80.64		2.78				
03-03-60	81.51Q	0.87					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-05-60	82.35Q	0.84	
				07-06-60	91.69Q	9.34	
				09-06-60	87.78Q		3.91
				11-09-60	78.20Q		9.58
				01-04-61	76.38Q		1.82
68-36-505	KCEB	850	715.90	08-25-33	40.57		
				09-18-33	40.30		0.27
				10-12-33	40.68	0.58	
				11-20-33	40.98	0.10	
				12-18-33	41.08	0.10	
				01-18-34	40.89		0.19
				02-19-34	40.23		0.66
				03-19-34	39.59		0.64
				04-18-34	38.98		0.61
				05-21-34	40.50	1.52	
				06-19-34	43.59	3.09	
				07-30-34	42.34		1.25
				11-20-35	31.34		11.00
				01-18-36	32.96	1.62	
				08-26-36	30.81		2.15
68-36-506	KCEB	1000	710.30	08-25-33	33.90		
				09-18-33	33.61		0.29
				10-17-33	34.35Q	0.74	
				12-20-33	34.55	0.20	
				01-18-34	34.42		0.13
				02-19-34	33.94		0.48
				03-19-34	33.18		0.76
				04-19-34	32.05		1.13
				05-21-34	34.77	2.72	
				06-19-34	37.33	2.56	
				08-02-34	35.96		1.37
				08-22-34	38.78	2.82	
				09-19-34	39.17	0.39	
				10-11-34	39.77	0.60	
				10-25-34	40.28	0.51	
				11-19-34	39.21		1.07
				12-20-34	39.10		0.11
				02-01-35	39.17	0.07	
				02-28-35	38.78		0.39
				04-09-35	39.44	0.66	
				05-21-35	30.04		9.40

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-28-35	20.18		9.86
				08-03-35	24.22	4.04	
				09-27-35	24.05		0.17
				01-20-36	26.78	2.73	
				08-27-36	24.87		1.91
				12-30-36	23.79		1.08
				11-27-50	51.75	27.96	
				12-04-50	51.90*	0.15	
				01-05-51	52.49	0.59	
				02-07-51	55.12	2.63	
				03-05-51	54.19		0.93
				05-10-51	56.75	2.56	
				06-11-51	55.81		0.94
				08-07-51	64.49	8.68	
				09-11-51	62.98		1.51
				10-01-51	62.40		0.58
				10-08-51	61.82		0.58
				10-31-51	63.14	1.32	
				12-27-51	62.82		0.32
				03-04-52	61.48		1.34
				04-04-52	62.70	1.22	
				08-01-52	61.75		0.95
				11-04-52	61.58		0.17
				01-05-53	56.73		4.85
				03-09-53	61.40	4.67	
68-36-507	KCEB	1380	682.00	08-30-56	57.68		
				11-08-56	53.01		4.67
				02-07-57	51.56		1.45
				03-06-57	49.55		2.01
				04-03-57	46.48		3.07
				05-06-57	34.88		11.60
				07-03-57	38.86	3.98	
				09-03-57	48.61	9.75	
				11-05-57	27.82		20.79
				01-09-58	19.82		8.00
				03-06-58	5.79		14.03
				05-09-58	4.80		0.99
				07-07-58	13.94	9.14	
				09-08-58	19.39	5.45	
				10-13-58	1.80		17.59
				12-03-58 +	7.00		8.80
				01-12-59 +	5.50	1.50	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				02-04-59	+	5.00	0.50	
				07-09-59		10.98	15.98	
				08-06-59		14.06	3.08	
				09-01-59		10.47		3.59
				10-01-59		9.59		0.88
68-36-602	KCEB	886	652.00	08-30-56		36.72		
				11-06-58	+	28.20		64.92
				12-03-58	+	27.70	0.50	
				01-12-59	+	26.70	1.00	
				02-04-59	+	26.70		
				03-03-59	+	24.70	2.00	
				04-02-59	+	23.40	1.30	
				05-04-59	+	22.70	0.70	
				06-04-59	+	17.20	5.50	
				07-07-59	+	12.90	4.30	
				08-05-59	+	9.90	3.00	
				09-01-59	+	14.60		4.70
				09-30-59	+	14.50	0.10	
				11-02-59	+	20.90		6.40
				12-02-59	+	22.20		1.30
				01-06-60	+	25.00		2.80
				02-08-60	+	23.70	1.30	
				03-10-60	+	23.20	0.50	
				04-06-60	+	21.70	1.50	
				05-02-60	+	22.40		0.70
				06-01-60	+	15.70	6.70	
				07-06-60	+	14.20	1.50	
				08-02-60	+	12.20	2.00	
				09-06-60	+	17.95		5.75
				10-14-60	+	12.90	5.05	
				11-08-60	+	24.80		11.90
				12-05-60	+	26.20		1.40
				01-05-61	+	28.20		2.00
68-36-603	KCEB	498	663.40	07-21-32	+	11.37		
				10-18-32	+	15.99		4.62
				11-18-32	+	14.83	1.16	
				04-09-33	+	13.68	1.15	
				07-18-33	+	10.90	2.78	
				08-17-33	+	11.14		0.24
				09-18-33	+	11.14		
				10-17-33	+	10.67	0.47	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-20-33	* 10.56	0.11	
				12-20-33	+ 10.56		
				01-18-34	+ 10.90		0.34
				02-19-34	+ 11.25		0.35
				03-19-34	+ 14.37		3.12
				04-19-34	+ 12.98	1.39	
				05-21-34	+ 10.44	2.54	
				06-19-34	+ 15.52		5.08
				07-27-34	+ 9.06	6.46	
				08-22-34	+ 6.38	2.68	
				09-19-34	+ 6.15	0.23	
				10-11-34	+ 5.61	0.54	
				10-25-34	+ 5.15	0.46	
				11-19-34	+ 6.30		1.15
				12-30-34	+ 6.41		0.11
				01-31-35	+ 6.48		0.07
				02-28-35	+ 6.70		0.22
				04-08-35	+ 6.00	0.70	
				05-20-35	+ 14.35		8.35
				08-29-36	+ 18.70		4.35
				01-04-37	+ 20.10		1.40
66-36-604	KCEB	-----	676.10	04-08-33	+ 1.43		
				07-18-33	1.55	2.98	
				08-17-33	1.38		0.17
				09-18-33	1.10		0.28
				10-17-33	1.84	0.74	
				11-20-33	1.85	0.01	
				12-20-33	1.90	0.05	
				01-18-34	1.75		0.15
				02-19-34	1.24		0.51
				03-19-34	0.56		0.68
				04-19-34	+ 0.61		1.17
				05-21-34	1.85	2.46	
				06-19-34	4.45	2.60	
				07-27-34	4.38		0.07
				08-22-34	5.69	1.31	
				09-19-34	6.14	0.45	
				10-11-34	6.67	0.53	
				10-25-34	7.23	0.56	
				11-19-34	6.42		0.81
				12-20-34	6.09		0.33
				01-31-35	5.86		0.23

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-28-35	5.78		0.08
				04-08-35	6.66	0.88	
				05-20-35 +	1.75		8.41
				06-27-35 +	12.00		10.25
				08-03-35 +	7.70	4.30	
				09-27-35 +	7.95		0.25
				01-21-36 +	5.15	2.80	
				08-27-36 +	6.50		1.35
				12-30-36 +	8.00		1.50
				11-07-52	34.00	42.00	
				01-06-56	46.29	12.29	
				02-07-56	44.64		1.65
				03-07-56	48.07	3.43	
				04-04-56	51.13	3.06	
				05-01-56	51.53	0.40	
				06-06-56	56.46	4.93	
				11-08-56	52.29		4.17
				12-05-56	52.26		0.03
				01-04-57	50.11		2.15
				02-08-57	50.68	0.57	
				03-06-57	48.76		1.92
				04-03-57	45.77		2.99
				05-06-57	33.91		11.86
				06-04-57	25.18		8.73
				07-03-57	37.05	11.87	
				08-06-57	48.41	11.36	
				09-03-57	47.49		0.92
				10-08-57	36.30		11.19
				11-05-57	26.72		9.58
				12-03-57	22.00		4.72
				01-09-58	18.70		3.30
				02-12-58	12.40		6.30
				03-05-58	4.42		7.98
				04-03-58	5.70	1.28	
				05-09-58	3.00		2.70
				06-04-58	10.63	7.63	
				07-07-58	12.82	2.19	
				08-05-58	15.09	2.27	
				09-08-58	18.51	3.42	
68-36-605	KCEB	-----	668.80	08-14-52	33.45		
				11-07-52	26.10		7.35
				01-05-53	15.73		10.37

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-09-53	20.70	4.97	
				05-05-53	25.30	4.60	
				07-17-53	33.15	7.85	
				09-17-53	21.88		11.27
				11-05-53	21.26		0.62
				01-06-54	22.04	0.78	
				03-03-54	26.46	4.42	
				05-03-54	26.84	0.38	
				07-07-54	33.60	6.76	
				08-23-54	33.60		
				11-04-54	31.93		1.67
				01-04-55	30.44		1.49
				03-03-55	29.59		0.85
				04-06-55	33.19	3.60	
				05-04-55	38.82	5.63	
				06-02-55	36.81		2.01
68-36-606	KCEB	802	667.10	08-01-33 +	1.35		
				09-18-33 +	1.89		0.54
				10-17-33 +	0.83	1.06	
				11-20-33 +	0.85		0.02
				12-18-33 +	0.96		0.11
				01-18-34 +	1.29		0.33
				02-19-34 +	1.53		0.24
				03-19-34	0.76	2.29	
				04-19-34	1.98	1.22	
				06-19-34	2.60	0.62	
				07-27-34	1.92		0.68
				08-22-34	3.63	1.71	
				09-19-34	3.95	0.32	
				10-08-34	4.49	0.54	
				10-25-34	5.35	0.86	
				11-19-34	3.76		1.59
				12-20-34	3.30		0.46
				01-31-35	3.15		0.15
				03-01-35	2.90		0.25
				04-08-35	3.48	0.58	
				05-21-35 +	4.60		8.08
				06-27-35 +	13.35		8.75
				08-03-35 +	9.25	4.10	
				09-27-35 +	9.55		0.30
				11-20-35 +	9.00	0.55	
				01-21-36 +	6.75	2.25	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-27-36	8.20		1.45
				01-04-37	10.50		2.30
68-36-706	KCEB	288	744.40	09-20-33	62.30		
				01-04-34	63.65	1.35	
				04-20-34	60.83		2.82
				05-23-34	64.63	3.80	
				06-21-34	66.89	2.26	
				07-31-34	65.36		1.53
				08-24-34	68.63	3.27	
				09-01-34	69.05	0.42	
				10-11-34	69.64	0.59	
				10-12-34	69.90	0.26	
				11-20-34	69.10		0.80
				12-21-34	62.69		6.41
				02-03-35	69.14	6.45	
				03-02-35	68.92		0.22
				04-09-35	69.74	0.82	
				05-21-35	60.26		9.48
				06-28-35	48.13		12.13
				08-03-35	52.21	4.08	
				09-27-35	51.46		0.75
				01-20-36	54.53	3.07	
				08-27-36	52.66		1.87
				01-04-37	51.07		1.59
				02-23-38	55.38	4.31	
				03-15-38	55.13		0.25
				04-26-38	54.53		0.60
				05-23-38	53.29*		1.24
				06-27-38	57.26	3.97	
				07-26-38	58.69	1.43	
				08-22-38	60.66	1.97	
				09-24-38	60.37		0.29
				11-26-38	61.68	1.31	
				12-08-38	61.80*	0.12	
				01-27-39	61.97	0.17	
				03-02-39	63.03	1.06	
				04-03-39	64.80	1.77	
				02-21-40	70.09	5.29	
				03-18-40	71.51	1.42	
				04-26-40	72.24	0.73	
				05-20-40	72.63	0.39	
				06-17-40	71.74		0.89

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-22-40	70.89		0.85
				08-23-40	75.17	4.28	
				09-24-40	75.50	0.33	
				10-21-40	75.40		0.10
				12-02-40	71.13		4.27
				01-20-41	68.57		2.56
				05-28-41	52.32		16.25
				08-07-41	58.60	6.28	
				11-12-41	56.96		1.64
				04-06-42	60.44	3.48	
				06-04-42	62.94	2.50	
				12-03-42	52.36		10.58
				04-29-43	61.97	9.61	
				08-26-43	66.63	4.66	
				12-14-43	66.03		0.60
				04-29-44	62.29		3.74
				08-08-44	67.63	5.34	
				12-19-44	60.23		7.40
				06-04-45	58.73*		1.50
				04-01-46	64.46	5.73	
				07-02-47	65.81	1.35	
				11-08-47	70.30	4.49	
				04-23-48	76.52	6.22	
				07-01-48	77.94	1.42	
				08-02-48	81.57	3.63	
				01-10-49	82.14*	0.57	
				03-07-49	77.41*		4.73
				04-12-49	77.51	0.10	
				08-25-49	76.07		1.44
				10-10-49	77.87	1.80	
				11-03-49	70.05*		7.82
				02-24-50	71.30*	1.25	
				03-28-50	74.74*	3.44	
				05-03-50	74.10*		0.64
				06-01-50	74.20	0.10	
				07-05-50	77.31*	3.11	
				08-02-50	81.01*	3.70	
				09-05-50	80.35*		0.66
				10-05-50	80.13*		0.22
				11-06-50	82.13*	2.00	
				12-04-50	82.24	0.11	
				01-05-51	83.01	0.77	
				02-07-51	85.85	2.84	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-51	84.82		1.03
				05-08-51	87.78	2.96	
				05-25-51	85.67		2.11
				06-06-51	85.05		0.62
				07-03-51	90.68	5.63	
				08-08-51	96.98	6.30	
				09-11-51	97.93	0.95	
				10-08-51	94.86		3.07
				10-31-51	93.51		1.35
				12-27-51	93.61	0.10	
				03-05-52	94.30	0.69	
				04-04-52	94.72	0.42	
				06-03-52	96.43	1.71	
				07-02-52	99.00	2.57	
				08-01-52	101.94	2.94	
				09-02-52	106.24	4.30	
				10-01-52	96.82		9.42
				11-04-52	99.14	2.32	
				12-02-52	92.96		6.18
				01-05-53	88.12		4.84
				02-09-53	91.95	3.83	
				03-05-53	93.65	1.70	
				04-07-53	94.64	0.99	
				05-05-53	97.92	3.28	
				06-03-53	102.28	4.36	
				07-15-53	106.35*	4.07	
				08-07-53	109.30*	2.95	
				09-12-53	93.91		15.39
				10-16-53	96.74	2.83	
				11-02-53	94.21		2.53
				12-07-53	93.60		0.61
				01-04-54	93.61	0.01	
				02-04-54	95.84	2.23	
				03-01-54	98.74	2.90	
				04-06-54	103.93	5.19	
				05-03-54	101.44		2.49
				06-07-54	106.10	4.66	
				07-06-54	105.59		0.51
				08-23-54	111.60	6.01	
				10-04-54	108.49		3.11
				10-11-54	106.38		2.11
				11-01-54	106.99	0.61	
				12-01-54	105.73		1.26

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-04-55	104.97		0.76
				02-01-55	104.45*		0.52
				03-01-55	103.15		1.30
				04-05-55	108.29	5.14	
				05-02-55	112.01	3.72	
				06-02-55	111.61		0.40
				07-05-55	115.45	3.84	
				08-02-55	115.89	0.44	
				08-29-55	117.26	1.37	
				10-04-55	114.42		2.84
				11-01-55	116.32	1.90	
				12-05-55	110.40		5.92
				01-03-56	110.87	0.47	
				02-06-56	109.86		1.01
				03-05-56	113.55	3.69	
				04-02-56	115.86	2.31	
				04-30-56	116.77	0.91	
				06-04-56	121.80	5.03	
				08-01-56	127.21	5.41	
				08-27-56	123.71		3.50
				10-02-56	125.16	1.45	
				11-04-56	118.59		6.57
				01-02-57	115.66		2.93
				02-04-57	116.19	0.53	
				03-04-57	114.55		1.64
				04-01-57	111.72		2.83
				05-06-57	99.49		12.23
				06-03-57	90.80		8.69
				08-05-57	112.07	21.27	
				09-03-57	112.94	0.87	
				10-08-57	101.14		11.80
				11-07-57	91.81		9.33
				02-12-58	76.71		15.10
				03-07-58	69.29		7.42
				04-03-58	70.36	1.07	
				05-09-58	68.97		1.39
				06-04-58	73.00	4.03	
				07-08-58	73.90	0.90	
				08-06-58	83.67	9.77	
				09-08-58	80.68		2.99
				10-10-58	66.19		14.49
				11-05-58	55.86		10.33
				12-03-58	57.40	1.54	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-08-59	57.90	0.50	
				02-11-59	58.79	0.89	
				03-04-59	57.98		0.81
				04-01-59	61.56	3.58	
				05-09-59	60.89		0.67
				06-01-59	64.40	3.51	
				07-09-59	71.36	6.96	
				08-06-59	72.78	1.42	
				09-01-59	69.96		2.82
				10-01-59	69.95		0.01
				11-04-59	62.21		7.74
				12-03-59	61.32		0.89
				01-12-60	59.58		1.74
				02-08-60	59.50		0.08
				03-07-60	60.09	0.59	
				04-05-60	61.20	1.11	
				05-05-60	61.19		0.01
				06-02-60	69.84	8.65	
				07-05-60	70.69	0.85	
				08-02-60	71.83	1.14	
				09-06-60	66.97		4.86
				10-02-60	70.98	4.01	
				11-09-60	57.63		13.35
				12-05-60	58.22	0.59	
				01-09-61	55.30		2.92
				02-21-61	53.19		2.11
				03-20-61	56.53	3.34	
				04-25-61	62.40	5.87	
				05-24-61	69.61	7.21	
				06-22-61	60.00		9.61
				07-17-61	60.12	0.12	
				08-23-61	63.85	3.73	
				09-25-61	62.96		0.89
				10-23-61	60.40		2.56
				12-01-61	59.35		1.05
				12-18-61	59.34		0.01
				01-24-62	61.39	2.05	
				02-19-62	64.58	3.19	
				03-20-62	64.67	0.09	
				04-26-62	65.27	0.60	
				05-23-62	73.12	7.85	
				06-19-62	76.03	2.91	
				07-23-62	84.44	8.41	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-21-62	88.60	4.16	
				09-25-62	81.92		6.68
				10-25-62	81.29		0.63
				11-20-62	77.62		3.67
				12-17-62	73.12		4.50
				01-25-63	75.41	2.29	
				02-19-63	74.43		0.98
				03-22-63	76.89	2.46	
				04-24-63	82.54	5.65	
				05-20-63	82.89	0.35	
				06-18-63	89.62	6.73	
				07-22-63	96.80	7.18	
				08-21-63	100.55	3.75	
				09-23-63	94.30		6.25
				10-22-63	95.69	1.39	
				11-18-63	88.77		6.92
				12-17-63	87.11		1.66
				01-21-64	86.89		0.22
				02-19-64	83.35		3.54
				03-27-64	84.40	1.05	
68-36-910	KCEB	915	652.00	09-15-33 +	21.50		
				10-18-33 +	22.00		0.50
				11-20-33 +	23.00		1.00
				12-20-33 +	23.60		0.60
				01-18-34 +	22.50	1.10	
				02-19-34 +	22.50		
				03-19-34 +	22.90		0.40
				04-19-34 +	23.90		1.00
				05-21-34 +	19.70	4.20	
				06-19-34 +	18.50	1.20	
				07-27-34 +	19.70		1.20
				08-22-34 +	16.90	2.80	
				09-19-34 +	16.90		
				10-09-34 +	17.10		0.20
				10-25-34	16.20	33.30	
				11-19-34	18.05	1.85	
				12-20-34	18.30	0.25	
				01-31-35	16.40		1.90
				02-28-35	19.20	2.80	
				04-08-35	18.40		0.80
				05-21-35	27.20	8.80	
				06-27-35	35.90	8.70	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-35	33.10		2.80
				09-27-35	20.30		12.80
				11-21-35	31.70	11.40	
				01-21-36	31.10		0.60
				08-29-36	29.40		1.70
				12-30-36	32.00	2.60	
68-36-911	KCEB	1165	665.00	12-11-55	34.57		
				01-05-56	36.19	1.62	
				02-07-56	34.43		1.76
				03-07-56	38.06	3.63	
				04-04-56	41.57	3.51	
				05-04-56	41.21		0.36
				06-06-56	47.38	6.17	
				07-06-56	48.45	1.07	
				08-02-56	52.94	4.49	
				08-30-56	48.96		3.98
				10-03-56	49.54	0.58	
				11-08-56	42.00		7.54
				12-05-56	42.17	0.17	
				01-01-57	39.84		2.33
				02-07-57	40.37	0.53	
				03-06-57	38.51		1.86
				04-03-57	35.32		3.19
				05-10-57	25.03		10.29
				06-03-57	15.14		9.89
				07-01-57	24.39	9.25	
				08-06-57	38.51	14.12	
				02-17-58	2.00		36.51
				03-11-58 +	5.55		7.55
				04-03-58 +	4.05	1.50	
				05-09-58 +	6.05		2.00
				06-04-58	1.75	7.60	
				07-07-58	3.35	1.60	
				10-10-58 +	9.55		12.90
				11-06-58 +	14.55		5.00
68-36-912	KCEB	----	660.70	08-15-52	27.90		
				10-21-52	19.58		8.32
				12-23-52	12.10		7.48
				03-04-53	14.26	2.16	
				05-05-53	18.45	4.19	
				08-07-53	30.95	12.50	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-17-53	15.55		15.40
				11-03-53	14.34		1.21
				01-05-54	14.48	0.14	
				03-05-54	16.71	4.23	
				05-06-54	23.11	4.40	
				07-09-54	29.47	6.36	
				08-25-54	33.27	3.80	
				11-04-54	26.38		6.89
				01-05-55	24.56		1.82
				03-03-55	24.10		0.46
				04-05-55	29.27	5.17	
				07-07-55	37.48	8.21	
				08-04-55	35.93		1.55
				08-31-55	34.43		1.50
				05-10-57	20.38		14.05
				06-04-57	10.30		10.08
				07-01-57	19.82	9.52	
				08-06-57	34.85	15.03	
				09-05-57	30.12		4.73
				10-08-57	21.30		8.82
				11-05-57	11.67		9.63
				12-03-57	6.89		4.78
				01-09-58	3.60		3.29
68-36-913	KCEB	1364	643.60	08-21-52	11.98		
				10-21-52	2.62		9.36
				12-23-52 +	4.90		7.52
				03-04-53 +	2.10	2.80	
				05-05-53	2.30	4.40	
				07-17-53	11.85	9.55	
				09-17-53 +	1.10		12.95
				11-03-53 +	1.60		0.50
				01-05-54 +	2.13		0.53
				03-05-54	2.65	4.78	
				05-06-54	6.86	4.21	
				07-09-54	13.64	6.78	
				08-25-54	16.93	3.29	
				11-04-54	10.39		6.54
				01-05-55	18.49	8.10	
				03-04-55	8.32		10.17
				05-05-55	17.28	8.96	
				07-07-55	20.95	3.67	
				09-31-55	19.41		1.54

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
C MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-04-55	18.39		1.02
				01-05-56	15.10		3.29
				03-07-56	17.18	2.08	
				05-04-56	20.09	2.91	
				07-06-56	28.29	8.20	
				08-30-56	27.66		0.63
				04-30-57	1.89		25.77
				05-01-57	2.08	0.19	
				05-06-57	2.79	0.71	
68-37-103	KCEB	1025	720.00	01-05-71	70.12*		
				01-17-71	70.29*	0.17	
				02-04-72	59.97*		10.32
				06-08-72	67.70	7.73	
				10-16-72	62.82		4.88
				10-17-72	62.24		0.58
				02-09-73	55.55		6.69
				02-13-74	40.26		15.29
				07-18-74	64.10	23.84	
				07-16-75	47.77		16.33
				02-23-76	61.55	13.78	
				08-02-76	50.98		10.57
				02-21-77	32.22		18.76
68-37-114	KCEB	----	773.90	06-24-33	101.50		
				09-18-33	100.89		0.61
				10-17-33	101.49	0.60	
				11-20-33	101.48		0.01
				12-18-33	101.46		0.02
				01-18-34	101.33		0.13
				02-19-34	100.90		0.43
				03-19-34	100.20		0.70
				04-19-34	99.22		0.98
				06-19-34	104.12	4.90	
				07-27-34	103.86		0.26
				08-22-34	105.54	1.68	
				09-19-34	105.81	0.27	
				10-12-34	106.42	0.61	
				10-25-34	106.72	0.30	
				11-19-34	105.69		1.03
				12-19-34	105.44		0.25
				01-31-35	105.41		0.03
				04-08-35	105.92	0.51	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-19-35	197.75	91.83	
				06-26-35	189.38		8.37
				08-03-35	192.83	3.45	
				11-20-35	195.78	0.95	
				11-27-50	118.27		75.51
				12-06-50	118.07		0.20
				01-04-51	119.11	1.04	
				02-05-51	120.47	1.36	
				03-05-51	119.93		0.54
				05-11-51	122.76	2.83	
				05-25-51	121.21		1.55
				06-07-51	120.50		0.71
				07-03-51	126.75	6.25	
				08-06-51	136.90	10.15	
				09-10-51	133.15		3.75
				10-30-51	128.11		5.04
				12-27-51	127.95		0.16
				04-07-52	128.41	0.46	
				06-03-52	129.51	1.10	
				06-30-52	132.500	2.99	
				08-01-52	136.53	4.03	
				09-02-52	138.000	1.47	
				10-01-52	132.13		5.87
				11-07-52	133.33	1.20	
				12-03-52	126.08		7.25
				01-06-53	122.78		3.30
				02-09-53	126.41	3.63	
				03-09-53	126.880	0.47	
				04-07-53	129.13	2.25	
				05-07-53	131.75	2.62	
				06-03-53	136.94	5.19	
				07-14-53	138.36	1.42	
				08-07-53	143.43	5.07	
				09-17-53	128.34		15.09
				10-16-53	131.65	3.31	
				11-02-53	128.40		3.25
				12-08-53	127.30		1.10
				01-06-54	128.65	1.35	
				02-04-54	130.36	1.71	
				03-04-54	132.70	2.34	
				04-06-54	138.30	5.60	
				05-06-54	136.68		1.62
				06-07-54	140.35	3.67	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PPREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-06-54	140.69	0.34	
				08-04-54	144.03	3.34	
				08-23-54	144.01		0.02
				10-06-54	141.50		2.51
				11-04-54	136.50		3.00
				12-01-54	139.50	1.00	
				01-07-55	137.90		1.60
				02-03-55	137.10		0.80
				03-01-55	135.98		1.12
				04-04-55	139.12	3.14	
				05-05-55	145.85	6.73	
				06-02-55	142.73		3.12
				07-07-55	147.60	4.87	
				08-03-55	149.00	1.40	
				08-30-55	149.78	0.78	
				10-06-55	147.41		2.37
				10-31-55	147.94	0.53	
				12-09-55	143.15		4.79
				01-04-56	144.02	0.87	
				02-08-56	142.32		1.70
				03-06-56	146.16	3.84	
				04-03-56	148.45	2.29	
				05-01-56	149.83	1.38	
				06-04-56	153.11	3.28	
				07-06-56	155.28	2.17	
				08-02-56	159.87	4.59	
				08-30-56	155.52		4.35
				10-02-56	157.18	1.66	
				11-05-56	150.25		6.93
				12-05-56	150.56	0.31	
				01-04-57	147.33		3.23
				02-05-57	148.03	0.70	
				03-08-57	146.71		1.32
				04-03-57	143.63		3.08
				05-09-57	132.30		11.33
				06-05-57	122.65		9.65
				07-03-57	136.01	13.36	
				08-07-57	145.58	9.57	
				09-05-57	144.69		0.89
				10-07-57	133.00		11.69
				11-05-57	124.10		8.90
				12-03-57	120.28		3.82
				01-09-58	117.06		3.22

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-12-58	110.86		6.20
				03-06-58	103.05		7.81
				04-03-58	103.86	0.81	
				05-09-58	102.82		1.04
				06-05-58	110.15	7.33	
				07-07-58	117.23	7.08	
				08-05-58	120.05	2.82	
				09-08-58	116.83		3.22
				10-10-58	100.38		16.45
				11-06-58	94.54		5.84
				12-01-58	93.90		0.64
				01-12-59	96.40	2.50	
				02-11-59	97.13	0.73	
				03-03-59	97.68	0.55	
				04-01-59	99.37	1.69	
				05-08-59	98.38		0.99
				06-02-59	103.23	4.85	
				07-09-59	109.56	6.33	
				08-05-59	110.73	1.17	
				09-04-59	108.99		1.74
				09-30-59	107.29		1.70
				11-02-59	100.56		6.73
				12-03-59	99.55		1.01
				01-15-60	98.25		1.30
				02-09-60	98.32	0.07	
				03-04-60	98.66	0.34	
				04-04-60	98.88	0.22	
				05-02-60	99.12	0.24	
				06-03-60	107.31	8.19	
				07-06-60	108.14	0.83	
				08-02-60	108.20	0.06	
				09-07-60	104.83		3.37
				10-04-60	108.40	3.57	
				11-09-60	94.12		14.28
				12-06-60	96.65	2.53	
				01-06-61	94.55		2.10
68-37-203	KCEB	874	730.81	02-09-62	59.62		
				03-03-62	58.71		0.91
				03-05-62	58.87	0.16	
				03-10-62	59.92	1.05	
				03-15-62	59.60		0.32
				03-20-62	58.82		0.78

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-25-62	60.62	1.80	
				04-01-62	61.33	0.71	
				04-05-62	61.20		0.13
				04-10-62	59.48		1.72
				04-15-62	60.70	1.22	
				04-20-62	62.37	1.67	
				04-25-62	60.28		2.09
				05-01-62	58.34		1.94
				05-05-62	59.16	0.82	
				05-10-62	61.54	2.38	
				05-15-62	63.43	1.89	
				06-22-62	70.20	6.77	
				06-25-62	70.49	0.29	
				07-01-62	67.70		2.79
				07-05-62	69.15	1.45	
				07-10-62	72.54	3.39	
				07-15-62	75.26	2.72	
				07-20-62	77.69	2.43	
				07-25-62	79.31	1.62	
				08-23-62	83.65	4.34	
				08-25-62	81.20		2.45
				09-01-62	79.40		1.80
				09-05-62	79.50	0.10	
				09-10-62	73.58		5.92
				09-15-62	74.50	0.92	
				09-20-62	73.80		0.70
				09-25-62	74.94	1.14	
				10-01-62	71.78		3.16
				10-05-62	73.37	1.59	
				10-10-62	73.77	0.40	
				10-15-62	73.89	0.12	
				10-20-62	73.71		0.18
				10-25-62	73.83	0.12	
				11-01-62	72.59		1.24
				11-05-62	72.35		0.24
				11-10-62	71.55		0.80
				11-15-62	72.06	0.51	
				11-20-62	70.46		1.60
				11-25-62	69.38		1.08
				12-01-62	66.38		3.00
				12-03-62	65.80		0.58
				12-10-62	65.52		0.28
				12-20-62	66.14	0.62	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-25-62	65.41		0.73
				01-01-63	65.12		0.29
				01-05-63	65.47	0.35	
				01-10-63	65.90	0.43	
				01-15-63	67.72	1.82	
				01-20-63	67.49		0.23
				01-25-63	68.40	0.91	
				02-01-63	67.91		0.49
				02-05-63	68.37	0.46	
				02-10-63	69.52	1.15	
				02-15-63	69.45		0.07
				02-20-63	66.86		2.59
				02-25-63	66.07		0.79
				03-01-63	66.49	0.42	
				03-05-63	66.99	0.50	
				03-10-63	67.40	0.41	
				03-15-63	68.40	1.00	
				03-20-63	68.76	0.36	
				03-25-63	69.53	0.77	
				04-01-63	71.97	2.44	
				04-05-63	71.18		0.79
				04-10-63	69.82		1.36
				04-15-63	70.28	0.46	
				04-20-63	72.10	1.82	
				04-25-63	73.80	1.70	
				05-01-63	73.79		0.01
				05-05-63	72.88		0.91
				05-10-63	72.42		0.46
				05-15-63	75.97	3.55	
				05-20-63	76.33	0.36	
				05-25-63	76.45	0.12	
				06-01-63	80.47	4.02	
				06-05-63	82.58	2.11	
				06-10-63	83.34	0.76	
				06-15-63	86.66	3.32	
				06-20-63	82.02		4.64
				06-25-63	81.03		0.99
				07-01-63	80.52		0.51
				07-05-63	80.17		0.35
				07-10-63	84.43	4.26	
				07-13-63	85.63	1.40	
				07-25-63	90.63	4.80	
				08-01-63	92.43	1.80	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-63	91.55		0.88
				08-10-63	93.38	1.83	
				08-15-63	92.83		0.55
				08-20-63	93.28	0.45	
				08-25-63	94.18	0.90	
				09-01-63	94.63	0.45	
				09-05-63	94.27		0.36
				09-10-63	94.82	0.55	
				09-15-63	89.01		5.81
				09-20-63	86.64		2.37
				09-25-63	87.13	0.49	
				10-01-63	87.42	0.29	
				10-05-63	88.22	0.80	
				10-10-63	89.00	0.78	
				10-15-63	88.55		0.45
				10-20-63	87.52		1.03
				10-25-63	85.46		2.06
				11-01-63	82.21		3.25
				11-05-63	81.44		0.77
				11-10-63	80.48		0.96
				11-15-63	80.22		0.26
				11-20-63	80.18		0.04
				11-25-63	79.57		0.61
				12-01-63	78.70		0.87
				12-05-63	79.14	0.44	
				12-10-63	78.60		0.54
				12-15-63	78.56		0.04
				12-20-63	78.29		0.27
				12-25-63	78.18		0.11
				01-01-64	78.12		0.06
				01-05-64	78.11		0.01
				01-10-64	78.87	0.76	
				01-15-64	79.10	0.23	
				01-20-64	78.17		0.93
				01-25-64	78.79	0.62	
				02-01-64	75.03		3.76
				02-05-64	74.01		1.02
				02-10-64	74.80	0.79	
				02-15-64	74.30		0.50
				02-20-64	75.07	0.77	
				02-25-64	74.44		0.63
				03-01-64	74.41		0.03
				03-05-64	75.02	0.61	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-10-64	75.33	0.31	
				03-15-64	76.39	1.06	
				03-20-64	76.01		0.38
				03-25-64	75.55		0.46
				04-01-64	76.30	0.75	
				04-05-64	76.53	0.23	
				04-10-64	77.84	1.31	
				04-15-64	79.77	1.93	
				04-20-64	77.84		1.93
				04-25-64	78.93	1.09	
				05-01-64	79.56	0.63	
				05-05-64	81.40	1.84	
				05-10-64	82.23	0.83	
				05-15-64	84.59	2.36	
				05-20-64	87.58	2.99	
				05-25-64	84.25		3.33
				06-01-64	83.34		0.91
				06-05-64	84.68	1.34	
				06-10-64	86.55	1.87	
				06-15-64	87.59	1.04	
				06-20-64	79.46		8.13
				06-25-64	81.70	2.24	
				07-01-64	84.55	2.85	
				07-05-64	86.05	1.50	
				07-10-64	90.18	4.13	
				07-15-64	91.18	1.00	
				07-20-64	89.92		1.26
				07-25-64	94.35	4.43	
				08-01-64	95.50	1.15	
				08-05-64	97.30	1.80	
				08-10-64	91.87		5.43
				08-15-64	94.91	3.04	
				08-20-64	97.34	2.43	
				08-25-64	91.27		6.07
				09-01-64	92.82	1.55	
				09-05-64	93.87	1.05	
				09-10-64	93.54		0.33
				09-15-64	93.90	0.36	
				09-20-64	91.20		2.70
				09-25-64	89.25		1.95
				10-01-64	85.16		4.09
				10-05-64	84.69		0.47
				10-10-64	85.84	1.15	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-64	86.30	0.46	
				10-20-64	86.18		0.12
				10-25-64	86.71	0.53	
				11-01-64	83.00		3.71
				11-05-64	79.43		3.57
				11-10-64	78.15		1.28
				11-15-64	77.99		0.16
				11-20-64	77.72		0.27
				11-25-64	77.77	0.05	
				12-01-64	78.09	0.32	
				12-05-64	78.51	0.42	
				12-10-64	77.72		0.79
				12-15-64	77.87	0.15	
				12-20-64	78.08	0.21	
				12-25-64	77.56		0.52
				01-01-65	78.06	0.50	
				01-05-65	77.80		0.26
				01-10-65	77.98	0.18	
				01-15-65	78.23	0.25	
				01-20-65	78.71	0.48	
				01-25-65	77.05		1.66
				02-01-65	77.94	0.89	
				02-05-65	76.10		1.84
				02-10-65	72.02		4.08
				02-15-65	70.19		1.83
				02-20-65	68.43		1.76
				02-25-65	67.98		0.45
				03-01-65	67.05		0.93
				03-05-65	67.72	0.67	
				03-10-65	68.48	0.76	
				03-15-65	68.56	0.08	
				03-20-65	69.96	1.40	
				03-25-65	70.24	0.28	
				04-01-65	67.97		2.27
				04-05-65	66.96		1.01
				04-10-65	66.27		0.69
				04-15-65	66.38	0.11	
				04-20-65	67.01	0.63	
				04-25-65	68.48	1.47	
				05-01-65	68.48		
				05-05-65	69.10	0.62	
				05-10-65	67.71		1.39
				05-15-65	65.37		2.34

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY.

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-20-65	57.28		8.09
				05-25-65	55.76		1.52
				06-01-65	56.14	0.38	
				06-05-65	57.55	1.41	
				06-09-65	57.05		0.50
				06-15-65	59.91	2.86	
				06-20-65	62.84	2.93	
				06-25-65	63.84	1.00	
				07-01-65	66.68	2.84	
				07-05-65	67.58	0.90	
				07-10-65	71.64	4.06	
				07-15-65	73.88	2.24	
				07-20-65	75.60	1.72	
				07-25-65	77.56	1.96	
				08-01-65	78.70	1.14	
				08-05-65	79.99	1.29	
				08-10-65	78.20		1.79
				08-15-65	79.06	0.86	
				08-20-65	81.56	2.50	
				08-25-65	82.66	1.10	
				09-01-65	82.45		0.21
				09-05-65	82.24		0.21
				09-10-65	83.17	0.93	
				09-15-65	85.07	1.90	
				09-20-65	83.89		1.18
				09-25-65	83.12		0.77
				10-01-65	78.20		4.92
				10-05-65	75.91		2.29
				10-10-65	75.28		0.63
				10-15-65	75.53	0.25	
				10-20-65	71.38		4.15
				10-25-65	70.92		0.46
				11-01-65	72.05	1.13	
				11-05-65	71.87		0.18
				11-10-65	71.38		0.49
				11-15-65	70.86		0.52
				11-20-65	71.30	0.44	
				11-25-65	71.44	0.14	
				12-01-65	71.69	0.25	
				12-05-65	65.34		6.35
				12-10-65	63.70		1.64
				12-15-65	62.76		0.94
				12-20-65	61.93		0.83

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-25-65	62.15	0.22	
				01-01-66	62.25	0.10	
				01-05-66	62.20		0.05
				01-10-66	62.51	0.31	
				01-15-66	62.92	0.41	
				01-20-66	63.14	0.22	
				01-25-66	63.44	0.30	
				02-01-66	64.12	0.68	
				02-05-66	64.63	0.51	
				02-10-66	64.30		0.33
				02-15-66	63.22		1.08
				02-20-66	63.16		0.06
				02-25-66	63.35	0.19	
				03-01-66	62.80		0.55
				03-05-66	63.22	0.42	
				03-10-66	63.33	0.11	
				03-15-66	63.38	0.05	
				03-20-66	64.25	0.87	
				03-25-66	65.07	0.82	
				04-01-66	65.64	0.57	
				04-05-66	67.17	1.53	
				04-10-66	68.83	1.66	
				04-15-66	69.59	0.76	
				04-20-66	68.79		0.80
				04-25-66	67.15		1.64
				05-01-66	65.41		1.74
				05-05-66	64.31		1.10
				05-10-66	63.79		0.52
				05-15-66	63.98	0.19	
				05-20-66	65.06	1.08	
				05-25-66	65.81	0.75	
				06-01-66	66.96	1.15	
				06-05-66	69.27	2.31	
				06-10-66	73.77	4.50	
				06-15-66	76.32	2.55	
				06-20-66	74.21		2.11
				06-25-66	73.12		1.09
				07-01-66	74.82	1.70	
				07-05-66	76.59	1.77	
				07-10-66	76.81	0.22	
				07-15-66	80.32	3.51	
				07-20-66	83.24	2.92	
				07-25-66	84.54	1.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
C MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-01-66	87.74	3.20	
				08-05-66	87.32		0.42
				08-10-66	84.52		2.80
				08-15-66	80.41		4.11
				08-20-66	81.23	0.82	
				08-25-66	81.20		0.03
				09-01-66	77.93		3.27
				09-05-66	77.26		0.67
				09-10-66	75.34		1.92
				09-15-66	73.65		1.69
				09-20-66	72.01		1.64
				09-25-66	72.76	0.75	
				10-01-66	72.79	0.03	
				10-05-66	72.82	0.03	
				10-10-66	72.41		0.41
				10-15-66	73.15	0.74	
				10-20-66	72.87		0.28
				10-25-66	73.02	0.15	
				11-01-66	73.84	0.82	
				11-05-66	73.80		0.04
				11-10-66	74.19	0.39	
				11-15-66	74.52	0.33	
				11-20-66	74.62	0.10	
				11-25-66	74.35		0.27
				12-01-66	74.91	0.56	
				12-05-66	73.86		1.05
				12-10-66	74.80	0.94	
				12-15-66	74.77		0.03
				12-20-66	74.19		0.58
				12-25-66	73.75		0.44
				01-01-67	73.49		0.26
				01-05-67	74.46	0.97	
				01-10-67	74.57	0.11	
				01-15-67	74.70	0.13	
				01-20-67	75.62	0.92	
				01-25-67	75.91	0.29	
				02-01-67	77.72	1.81	
				02-05-67	78.15	0.43	
				02-10-67	77.08		1.07
				02-15-67	78.57	1.49	
				02-23-67	80.39	1.82	
				03-02-67	80.20		0.19
				03-05-67	81.17	0.97	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-10-67	81.92	0.75	
				03-15-67	85.70	3.78	
				03-20-67	83.67		2.03
				03-25-67	82.43		1.24
				04-01-67	82.61	0.18	
				04-05-67	85.88	3.27	
				04-17-67	84.50		1.38
				04-20-67	83.84		0.66
				04-25-67	84.43	0.59	
				05-01-67	85.77	1.34	
				05-05-67	87.67	1.90	
				05-10-67	90.62	2.95	
				05-15-67	92.36	1.74	
				05-20-67	94.41	2.05	
				05-25-67	94.32		0.09
				06-01-67	94.15		0.17
				06-05-67	95.32	1.17	
				06-10-67	98.63	3.31	
				06-15-67	100.49	1.86	
				06-20-67	101.75	1.26	
				06-25-67	101.78	0.03	
				07-01-67	104.66	2.88	
				07-05-67	99.87		4.79
				07-10-67	101.87	2.00	
				07-15-67	99.13		2.74
				07-20-67	99.30	0.17	
				07-25-67	97.96		1.34
				08-01-67	102.47	4.51	
				08-05-67	103.84	1.37	
				08-10-67	105.90	2.06	
				08-15-67	105.32		0.58
				08-20-67	99.06		6.26
				08-25-67	97.48		1.58
				09-01-67	96.60		0.88
				09-05-67	91.25		5.35
				09-10-67	90.63		0.62
				09-15-67	91.77	1.14	
				09-20-67	88.35		3.42
				09-25-67	79.23		9.12
				10-01-67	79.07		0.16
				10-05-67	80.01	0.94	
				10-10-67	80.23	0.22	
				10-15-67	81.71	1.48	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-20-67	79.87		1.84
				10-25-67	80.03	0.16	
				11-01-67	78.97		1.06
				11-05-67	79.03	0.06	
				11-10-67	75.84		3.19
				11-15-67	73.37		2.47
				11-20-67	72.39		0.98
				11-25-67	72.49	0.10	
				12-01-67	72.66	0.17	
				12-05-67	72.87	0.21	
				12-10-67	72.11		0.76
				12-15-67	72.38	0.27	
				12-20-67	71.84		0.54
				12-25-67	71.17		0.67
				01-01-68	71.15		0.02
				01-05-68	71.44	0.29	
				01-10-68	71.44		
				01-15-68	70.73		0.71
				01-20-68	61.68		9.05
				01-25-68	55.55		6.13
				02-01-68	54.12		1.43
				02-05-68	53.95		0.17
				02-10-68	54.34	0.39	
				02-15-68	54.20		0.14
				02-20-68	53.63		0.57
				02-25-68	53.25		0.38
				03-01-68	53.58	0.33	
				03-05-68	53.45		0.13
				03-10-68	53.45		
				03-15-68	53.57	0.12	
				03-20-68	53.43		0.14
				03-25-68	53.67	0.24	
				04-01-68	54.55	0.88	
				04-05-68	55.11	0.56	
				04-10-68	55.60	0.49	
				04-15-68	54.90		0.70
				04-20-68	55.70	0.80	
				04-25-68	55.27		0.43
				05-01-68	55.93	0.66	
				05-05-68	55.71		0.22
				05-10-68	54.95		0.76
				05-15-68	53.14		1.81
				05-20-68	52.48		0.66

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-25-68	54.16	1.68	
				06-01-68	57.13	2.97	
				06-05-68	56.35		0.78
				06-10-68	57.20	0.85	
				06-15-68	62.17	4.97	
				06-20-68	61.59		0.58
				06-25-68	59.27		2.32
				07-01-68	58.98		0.29
				07-05-68	58.74		0.24
				07-10-68	60.12	1.38	
				07-15-68	58.68		1.44
				07-20-68	61.07	2.39	
				07-25-68	63.56	2.49	
				08-01-68	66.91	3.35	
				08-05-68	66.48		0.43
				08-10-68	69.95	3.47	
				08-15-68	72.46	2.51	
				08-20-68	72.33		0.13
				08-25-68	72.89	0.56	
				09-01-68	71.14		1.75
				09-05-68	67.90		3.24
				09-10-68	65.92		1.98
				09-15-68	64.26		1.66
				09-20-68	64.57	0.31	
				09-25-68	64.45		0.12
				10-01-68	64.59	0.14	
				10-05-68	64.17		0.42
				10-10-68	64.00		0.17
				10-15-68	64.19	0.19	
				10-20-68	64.04		0.15
				10-25-68	64.24	0.20	
				11-01-68	65.06	0.82	
				11-05-68	64.23		0.83
				11-10-68	63.19		1.04
				11-15-68	63.28	0.09	
				11-20-68	63.22		0.06
				11-25-68	63.43	0.21	
				12-01-68	61.14		2.29
				12-05-68	60.90		0.24
				12-10-68	61.01	0.11	
				12-15-68	60.88		0.13
				12-20-68	61.15	0.27	
				12-25-68	60.66		0.49

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-01-69	61.17	0.51	
				01-05-69	60.69		0.48
				01-10-69	61.31	0.62	
				01-15-69	61.41	0.10	
				01-20-69	60.63		0.78
				01-25-69	61.39	0.76	
				02-01-69	61.19		0.20
				02-05-69	61.57	0.38	
				02-10-69	61.74	0.17	
				02-15-69	60.92		0.82
				02-20-69	60.05		0.87
				02-25-69	59.22		0.83
				03-01-69	59.60	0.38	
				03-05-69	59.61	0.01	
				03-10-69	59.93	0.32	
				03-15-69	60.31	0.38	
				03-20-69	60.07		0.24
				03-25-69	59.66		0.41
				04-01-69	60.90	1.24	
				04-05-69	61.23	0.33	
				04-10-69	61.91	0.68	
				04-15-69	60.95		0.96
				04-20-69	60.45		0.50
				04-25-69	61.71	1.26	
				05-01-69	60.89		0.82
				05-05-69	58.79		2.10
				05-10-69	58.75		0.04
				05-15-69	57.64		1.11
				05-20-69	54.71		2.93
				05-25-69	55.24	0.53	
				06-01-69	60.35	5.11	
				06-05-69	60.17		0.18
				06-10-69	60.70	0.53	
				06-15-69	64.74	4.04	
				06-20-69	69.59	4.85	
				06-25-69	70.55	0.96	
				07-01-69	71.90	1.35	
				07-05-69	73.12	1.22	
				07-10-69	76.00	2.88	
				07-15-69	77.95	1.95	
				07-20-69	79.20	1.25	
				07-25-69	79.73	0.53	
				08-01-69	82.54	2.81	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

C MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-69	83.95	1.41	
				08-10-69	84.45	0.50	
				08-15-69	87.34	2.89	
				08-20-69	88.04	0.70	
				08-25-69	83.33		4.71
				09-01-69	73.05		10.28
				09-05-69	73.17	0.12	
				09-10-69	73.32	0.15	
				09-15-69	72.84		0.48
				09-20-69	74.31	1.47	
				09-25-69	73.07		1.24
				10-01-69	73.80	0.73	
				10-05-69	72.44		1.36
				10-10-69	70.03		2.41
				10-15-69	68.12		1.91
				10-20-69	67.79		0.33
				10-25-69	68.53	0.74	
				11-01-69	67.10		1.43
				11-05-69	66.69		0.41
				11-10-69	66.04		0.65
				11-15-69	66.25	0.21	
				11-20-69	65.81		0.44
				11-25-69	65.28		0.53
				12-01-69	63.93		1.35
				12-05-69	63.70		0.23
				12-10-69	60.96		2.74
				12-15-69	60.11		0.85
				12-20-69	61.01	0.90	
				12-25-69	60.87		0.14
				01-01-70	60.89	0.02	
				01-05-70	60.61		0.28
				01-10-70	61.23	0.62	
				01-15-70	60.98		0.25
				01-20-70	60.98		
				01-25-70	60.77		0.21
				02-01-70	60.16		0.61
				02-05-70	60.57	0.41	
				02-10-70	60.17		0.40
				02-15-70	60.10		0.07
				02-20-70	60.71	0.61	
				02-25-70	59.08		1.63
				03-01-70	57.67		1.41
				03-05-70	57.46		0.21

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-10-70	56.12		1.34
				03-15-70	55.77		0.35
				03-20-70	55.49		0.28
				03-25-70	55.62	0.13	
				04-01-70	56.03	0.41	
				04-05-70	56.86	0.83	
				04-10-70	57.45	0.59	
				04-15-70	58.00	0.55	
				04-20-70	57.20		0.80
				04-25-70	58.48	1.28	
				05-01-70	59.62	1.14	
				05-05-70	61.22	1.60	
				05-10-70	64.06	2.84	
				05-15-70	64.73	0.67	
				05-20-70	62.60		2.13
				05-25-70	60.04		2.56
				06-01-70	54.31		5.73
				06-05-70	53.88		0.43
				06-10-70	55.45	1.57	
				06-15-70	58.20	2.75	
				06-20-70	63.78	5.58	
				06-25-70	64.84	1.06	
				07-01-70	67.21	2.37	
				07-05-70	68.79	1.58	
				07-10-70	72.76	3.97	
				07-15-70	71.56		1.20
				07-20-70	68.21		3.35
				07-25-70	70.67	2.46	
				08-01-70	73.65	2.98	
				08-05-70	71.12		2.53
				08-10-70	72.92	1.80	
				08-15-70	75.31	2.39	
				08-20-70	76.26	0.95	
				08-25-70	75.44		0.82
				09-01-70	77.11	1.67	
				09-05-70	77.91	0.80	
				09-10-70	80.40	2.49	
				09-15-70	74.93		5.47
				09-20-70	74.21		0.72
				09-25-70	72.17		2.04
				10-01-70	68.89		3.28
				10-05-70	68.69		0.20
				10-10-70	67.89		0.80

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-70	67.84		0.05
				10-20-70	66.85		0.99
				10-25-70	66.43		0.42
				11-01-70	66.58	0.15	
				11-05-70	67.28	0.70	
				11-10-70	67.69	0.41	
				11-15-70	67.59		0.10
				11-20-70	68.38	0.79	
				11-25-70	68.03		0.35
				12-01-70	68.09	0.06	
				12-05-70	68.51	0.42	
				12-10-70	68.78	0.27	
				12-15-70	68.05		0.73
				12-20-70	68.36	0.31	
				12-25-70	68.12		0.24
				01-01-71	68.06		0.06
				01-05-71	68.55	0.49	
				01-10-71	68.61	0.06	
				01-15-71	70.49	1.88	
				01-20-71	72.00	1.51	
				01-25-71	73.49	1.49	
				02-01-71	75.93	2.44	
				02-05-71	75.65		0.28
				02-10-71	76.35	0.70	
				02-15-71	77.55	1.20	
				02-20-71	78.96	1.41	
				02-25-71	78.33		0.63
				03-01-71	76.92		1.41
				03-05-71	77.14	0.22	
				03-10-71	78.98	1.84	
				03-15-71	81.42	2.44	
				03-20-71	82.60	1.18	
				03-25-71	83.66	1.06	
				04-01-71	86.39	2.73	
				04-05-71	84.91		1.48
				04-10-71	88.40	3.49	
				04-15-71	90.76	2.36	
				04-20-71	85.33		5.43
				04-25-71	86.62	1.29	
				05-01-71	89.74	3.12	
				05-05-71	92.18	2.44	
				05-10-71	89.41		2.77
				05-15-71	90.59	1.18	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-20-71	95.39	4.80	
				05-25-71	92.98		2.41
				06-01-71	95.04	2.06	
				06-05-71	98.40	3.36	
				06-10-71	102.60	4.20	
				06-15-71	101.44		1.16
				06-20-71	97.58		3.86
				06-25-71	94.81		2.77
				07-01-71	90.84		3.97
				07-05-71	90.70		0.14
				07-10-71	93.72	3.02	
				07-15-71	96.99	3.27	
				07-20-71	98.78	1.79	
				07-25-71	99.13	0.35	
				08-01-71	100.05	0.92	
				08-05-71	88.04		12.01
				08-10-71	84.47		3.57
				08-15-71	79.12		5.35
				08-20-71	77.22		1.90
				08-25-71	78.23	1.01	
				09-01-71	78.43	0.20	
				09-05-71	78.47	0.04	
				09-10-71	79.62	1.15	
				09-15-71	76.62		3.00
				09-20-71	75.57		1.05
				09-25-71	73.95		1.62
				10-01-71	73.13		0.82
				10-05-71	72.07		1.06
				10-10-71	70.67		1.40
				10-15-71	70.17		0.50
				10-20-71	66.95		3.22
				10-25-71	63.50		3.45
				11-01-71	62.80		0.70
				11-05-71	63.24	0.44	
				11-10-71	63.20		0.04
				11-15-71	63.03		0.17
				11-20-71	61.86		1.17
				11-25-71	61.27		0.59
				12-01-71	61.21		0.06
				12-05-71	59.51		1.70
				12-10-71	57.79		1.72
				12-15-71	56.85		0.94
				12-20-71	56.45		0.40

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-25-71	56.71	0.26	
				01-01-72	56.42		0.29
				01-05-72	57.10	0.68	
				01-10-72	56.85		0.25
				01-15-72	57.67	0.82	
				01-20-72	57.68	0.01	
				01-25-72	58.37	0.69	
				02-01-72	57.77		0.60
				02-05-72	58.19	0.42	
				02-10-72	58.44	0.25	
				02-15-72	58.57	0.13	
				02-20-72	59.57	1.00	
				02-25-72	60.95	1.38	
				03-01-72	62.11	1.16	
				03-05-72	63.33	1.22	
				03-10-72	64.48	1.15	
				03-15-72	65.22	0.74	
				03-20-72	67.28	2.06	
				03-25-72	68.35	1.07	
				04-01-72	69.51	1.16	
				04-05-72	71.24	1.73	
				04-10-72	72.79	1.55	
				04-15-72	76.45	3.66	
				04-20-72	79.64	3.19	
				04-25-72	77.72		1.92
				05-01-72	73.98		3.74
				05-05-72	74.97	0.99	
				05-10-72	61.51		13.46
				05-15-72	53.65		7.86
				05-20-72	51.97		1.68
				05-25-72	52.69	0.72	
				06-01-72	56.45	3.76	
				06-05-72	58.88	2.43	
				06-10-72	60.19	1.31	
				06-15-72	59.42		0.77
				06-20-72	58.16		1.26
				06-25-72	60.54	2.38	
				07-01-72	65.82	5.28	
				07-05-72	65.85	0.03	
				07-10-72	67.21	1.36	
				07-15-72	68.27	1.06	
				07-20-72	64.94		3.33
				07-25-72	63.63		1.31

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-01-72	66.72	3.09	
				08-05-72	64.29		2.43
				08-10-72	64.06		0.23
				08-15-72	63.04		1.02
				08-20-72	64.26	1.22	
				08-25-72	64.38	0.12	
				09-01-72	64.78	0.40	
				09-05-72	65.40	0.62	
				09-10-72	66.27	0.87	
				09-15-72	65.93		0.34
				09-20-72	67.30	1.37	
				09-25-72	64.42		2.88
				10-01-72	62.43		1.99
				10-05-72	63.14	0.71	
				10-10-72	64.09	0.95	
				10-15-72	64.70	0.61	
				10-20-72	65.16	0.46	
				10-25-72	62.67		2.49
				11-01-72	61.61		1.06
				11-05-72	61.06		0.55
				11-10-72	60.27		0.79
				11-15-72	59.50		0.77
				11-20-72	58.93		0.57
				11-25-72	58.40		0.53
				12-01-72	58.58	0.18	
				12-05-72	58.21		0.37
				12-10-72	57.95		0.26
				12-15-72	58.32	0.37	
				12-20-72	58.20		0.12
				12-25-72	58.26	0.06	
				01-01-73	58.57	0.31	
				01-05-73	58.39		0.18
				01-10-73	58.39		
				01-15-73	58.54	0.15	
				01-20-73	58.36		0.18
				01-25-73	58.17		0.19
				02-01-73	57.21		0.96
				02-05-73	57.51	0.30	
				02-10-73	57.79	0.28	
				02-15-73	57.34		0.45
				02-20-73	56.83		0.51
				02-25-73	54.95		1.88
				03-01-73	54.57		0.38

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-05-73	54.49		0.08
				03-10-73	55.20	0.71	
				03-15-73	55.82	0.62	
				03-20-73	56.20	0.38	
				03-25-73	55.70		0.50
				04-01-73	56.26	0.56	
				04-05-73	56.78	0.52	
				04-10-73	55.93		0.85
				04-15-73	54.36		1.57
				04-20-73	49.18		5.18
				04-25-73	47.96		1.22
				05-01-73	48.10	0.14	
				05-05-73	48.77	0.67	
				05-10-73	50.25	1.48	
				05-15-73	50.26	0.01	
				05-20-73	52.93	2.67	
				05-25-73	56.17	3.24	
				06-01-73	61.42	5.25	
				06-05-73	62.55	1.13	
				06-10-73	63.79	1.24	
				06-15-73	55.36		8.43
				06-20-73	54.28		1.08
				06-25-73	51.29		2.99
				07-01-73	48.04		3.25
				07-05-73	48.36	0.32	
				07-10-73	47.43		0.93
				07-15-73	46.95		0.48
				07-20-73	43.06		3.89
				07-25-73	43.15	0.09	
				08-01-73	44.78	1.63	
				08-05-73	45.14	0.36	
				08-10-73	47.39	2.25	
				08-15-73	47.89	0.50	
				08-20-73	47.81		0.08
				08-25-73	50.14	2.33	
				09-01-73	49.29		0.85
				09-05-73	49.66	0.37	
				09-10-73	47.66		2.00
				09-15-73	48.08	0.42	
				09-20-73	45.02		3.06
				09-25-73	44.65		0.37
				10-01-73	39.23		5.42
				10-05-73	39.38	0.15	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-10-73	39.40	0.02	
				10-15-73	36.95		2.45
				10-20-73	34.51		2.44
				10-25-73	34.88	0.37	
				11-01-73	35.58	0.70	
				11-05-73	36.25	0.67	
				11-10-73	37.12	0.87	
				11-15-73	37.80	0.68	
				11-20-73	38.28	0.48	
				11-25-73	38.31	0.03	
				12-01-73	39.25	0.94	
				12-05-73	39.69	0.44	
				12-10-73	39.99	0.30	
				12-15-73	40.83	0.84	
				12-20-73	41.17	0.34	
				12-25-73	40.97		0.20
				01-01-74	41.64	0.67	
				01-05-74	41.80	0.16	
				01-10-74	41.97	0.17	
				01-15-74	42.25	0.28	
				01-20-74	42.82	0.57	
				01-25-74	43.43	0.61	
				02-01-74	43.67	0.24	
				02-05-74	44.01	0.34	
				02-10-74	44.64	0.63	
				02-15-74	45.82	1.18	
				02-20-74	46.49	0.67	
				02-25-74	47.12	0.63	
				03-01-74	48.33	1.21	
				03-05-74	49.24	0.91	
				03-10-74	49.69	0.45	
				03-15-74	50.22	0.53	
				03-20-74	49.44		0.78
				03-25-74	49.11		0.33
				04-01-74	50.87	1.76	
				04-05-74	52.86	1.99	
				04-10-74	54.13	1.27	
				04-15-74	53.16		0.97
				04-20-74	53.64	0.48	
				04-25-74	53.40		0.24
				05-01-74	53.44	0.04	
				05-05-74	51.50		1.94
				05-10-74	50.38		1.12

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-15-74	49.46		0.92
				05-20-74	50.35	0.89	
				05-25-74	53.75	3.40	
				06-01-74	54.58	0.83	
				06-05-74	55.63	1.05	
				06-10-74	57.92	2.29	
				06-15-74	57.82		0.10
				06-20-74	60.81	2.99	
				06-25-74	62.80	1.99	
				07-01-74	64.67	1.87	
				07-05-74	64.07		0.60
				07-10-74	66.38	2.31	
				07-15-74	63.12		3.26
				07-20-74	63.34	0.22	
				07-25-74	67.03	3.69	
				08-01-74	69.46	2.43	
				08-05-74	67.63		1.83
				08-10-74	59.09		8.54
				08-15-74	59.44	0.35	
				08-20-74	60.82	1.38	
				08-25-74	61.31	0.49	
				09-01-74	54.35		6.96
				09-05-74	52.80		1.55
				09-10-74	52.99	0.19	
				09-15-74	50.87		2.12
				09-20-74	51.00	0.13	
				09-25-74	50.77		0.23
				10-01-74	51.35	0.58	
				10-05-74	52.21	0.86	
				10-10-74	53.27	1.06	
				10-15-74	53.72	0.45	
				10-20-74	52.73		0.99
				10-25-74	51.90		0.83
				11-01-74	50.92		0.98
				11-05-74	50.21		0.71
				11-10-74	49.38		0.83
				11-15-74	49.39	0.01	
				11-20-74	49.44	0.05	
				11-25-74	47.82		1.62
				12-01-74	47.43		0.39
				12-05-74	47.83	0.40	
				12-10-74	47.87	0.04	
				12-15-74	48.02	0.15	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-20-74	48.54	0.52	
				12-25-74	48.51		0.03
				01-01-75	48.23		0.28
				01-05-75	48.28	0.05	
				01-10-75	48.46	0.18	
				01-15-75	48.88	0.42	
				01-20-75	48.60		0.28
				01-25-75	48.86	0.26	
				02-01-75	49.34	0.48	
				02-05-75	45.88		3.46
				02-10-75	43.94		1.94
				02-15-75	43.94		
				02-20-75	44.20	0.26	
				02-25-75	44.69	0.49	
				03-01-75	45.49	0.80	
				03-05-75	46.00	0.51	
				03-10-75	46.16	0.16	
				03-15-75	47.07	0.91	
				03-20-75	48.14	1.07	
				03-25-75	49.06	0.92	
				04-01-75	49.33	0.27	
				04-05-75	50.59	1.26	
				04-10-75	49.24		1.35
				04-15-75	48.74		0.50
				04-20-75	49.49	0.75	
				04-25-75	50.61	1.12	
				05-01-75	49.67		0.94
				05-05-75	48.66		1.01
				05-10-75	47.22		1.44
				05-15-75	46.99		0.23
				05-20-75	47.53	0.54	
				05-25-75	46.15		1.38
				06-01-75	45.57		0.58
				06-05-75	47.04	1.47	
				06-10-75	48.76	1.72	
				06-15-75	46.77		1.99
				06-20-75	49.73	2.96	
				06-25-75	51.35	1.62	
				07-01-75	51.42	0.07	
				07-05-75	50.69		0.73
				07-10-75	52.84	2.15	
				07-15-75	51.33		1.51
				07-20-75	50.10		1.23

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-25-75	52.15	2.05	
				08-01-75	54.75	2.60	
				08-05-75	52.70		2.05
				08-10-75	53.38	0.68	
				08-15-75	55.02	1.64	
				08-20-75	57.07	2.05	
				08-25-75	56.42		0.65
				09-01-75	56.04		0.38
				09-05-75	55.75		0.29
				09-10-75	55.29		0.46
				09-15-75	54.49		0.80
				09-20-75	55.05	0.56	
				09-25-75	55.84	0.79	
				10-01-75	57.12	1.28	
				10-05-75	57.03		0.09
				10-10-75	58.34	1.31	
				10-15-75	58.82	0.48	
				10-20-75	58.00		0.82
				10-25-75	57.11		0.89
				11-01-75	55.16		1.95
				11-05-75	55.04		0.12
				11-10-75	55.23	0.19	
				11-15-75	55.41	0.18	
				11-20-75	55.67	0.26	
				11-25-75	55.47		0.20
				12-01-75	55.14		0.33
				12-05-75	55.73	0.59	
				12-10-75	55.87	0.14	
				12-15-75	55.62		0.25
				12-20-75	55.33		0.29
				12-25-75	54.88		0.45
				01-01-76	54.58		0.30
				01-05-76	54.46		0.12
				01-10-76	55.24	0.78	
				01-15-76	55.90	0.66	
				01-15-76	55.90		
				01-20-76	56.40	0.50	
				01-25-76	55.88		0.52
				02-01-76	57.59	1.71	
				02-05-76	59.54	1.95	
				02-10-76	60.53	0.99	
				02-15-76	62.75	2.22	
				02-15-76	62.75		

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-76	64.51	1.76	
				02-25-76	64.38		0.13
				03-01-76	65.68	1.30	
				03-05-76	67.05	1.37	
				03-10-76	63.10		3.95
				03-15-76	61.53		1.57
				03-15-76	61.53		
				03-20-76	63.20	1.67	
				03-25-76	63.18		0.02
				04-01-76	64.11	0.93	
				04-05-76	62.44		1.67
				04-10-76	61.30		1.14
				04-15-76	60.86		0.44
				04-15-76	60.86		
				04-20-76	56.53		4.33
				04-25-76	54.47		2.06
				05-01-76	53.38		1.09
				05-05-76	53.70	0.32	
				05-10-76	48.74		4.96
				05-15-76	47.52		1.22
				05-15-76	47.52		
				05-20-76	47.91	0.39	
				05-25-76	47.86		0.05
				06-01-76	47.40		0.46
				06-05-76	48.22	0.82	
				06-10-76	51.92	3.70	
				06-15-76	55.54	3.62	
				06-15-76	55.54		
				06-20-76	57.00	1.46	
				06-25-76	60.02	3.02	
				07-01-76	60.19	0.17	
				07-05-76	56.88		1.31
				07-10-76	55.33		3.55
				07-15-76	52.06		3.27
				07-15-76	52.06		
				07-20-76	50.58		1.48
				07-25-76	50.62	0.04	
				08-01-76	53.08	2.46	
				08-05-76	54.93	1.85	
				08-10-76	56.96	2.03	
				08-15-76	58.08	1.12	
				08-15-76	58.08		
				08-20-76	56.58		1.50

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-25-76	57.92	1.34	
				09-01-76	55.55		2.37
				09-05-76	54.82		0.73
				09-10-76	55.51	0.69	
				09-15-76	55.31		0.20
				09-15-76	55.31		
				09-20-76	54.37		0.94
				09-25-76	52.85		1.52
				10-01-76	50.71		2.14
				10-05-76	49.93		0.78
				10-10-76	48.70		1.23
				10-15-76	49.36	0.66	
				10-15-76	49.36		
				10-20-76	45.90		3.46
				10-25-76	43.43		2.47
				11-01-76	38.95		4.48
				11-05-76	38.34		0.61
				11-10-76	38.75	0.41	
				11-15-76	39.10	0.35	
				11-20-76	39.06		0.04
				11-25-76	38.95		0.11
				12-01-76	38.95		
				12-05-76	38.85		0.10
				12-10-76	38.61		0.24
				12-15-76	38.15		0.46
				12-20-76	37.75		0.40
				12-25-76	37.73		0.02
				01-01-77	38.18	0.45	
				01-05-77	38.57	0.39	
				01-10-77	38.76	0.19	
				01-15-77	38.64		0.12
				01-20-77	38.72	0.08	
				01-25-77	37.92		0.80
				02-01-77	37.10		0.82
				02-05-77	36.78		0.32
				02-10-77	36.80	0.02	
				02-15-77	36.60		0.20
				02-20-77	36.60		
68-37-204	KCEB	756	722.60	11-12-32	46.96		
				11-15-32	46.64		0.32
				11-20-32	46.59		0.05
				11-21-32	46.54		0.05

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PPREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-25-32	46.58	0.04	
				12-01-32	46.63	0.05	
				12-05-32	46.82	0.19	
				12-10-32	46.66		0.16
				12-15-32	46.57		0.09
				12-20-32	46.65	0.08	
				12-25-32	46.61		0.04
				12-30-32	46.46		0.15
				01-01-33	46.79	0.33	
				01-05-33	46.65		0.14
				01-10-33	46.54		0.11
				01-15-33	46.45		0.09
				01-20-33	46.40		0.05
				01-24-33	46.30		0.10
				01-25-33	46.36	0.06	
				02-03-33	46.57	0.21	
				02-05-33	46.63	0.06	
				02-10-33	47.10	0.47	
				02-16-33	45.55		1.55
				02-20-33	45.66	0.11	
				02-23-33	45.75	0.09	
				03-01-33	46.61	0.86	
				03-05-33	46.37		0.24
				03-08-33	46.26		0.11
				03-10-33	46.46	0.20	
				03-15-33	46.55	0.09	
				03-20-33	46.58	0.03	
				03-25-33	46.99	0.41	
				04-15-33	47.26	0.27	
				04-18-33	47.50	0.24	
				04-25-33	47.51	0.01	
				05-01-33	47.97	0.46	
				05-05-33	48.50	0.53	
				05-07-33	48.45		0.05
				05-17-33	48.72	0.27	
				05-20-33	48.87	0.15	
				05-24-33	49.07	0.20	
				06-02-33	48.43		0.64
				06-05-33	48.56	0.13	
				06-09-33	49.07	0.51	
				06-22-33	48.86		0.21
				06-25-33	49.23	0.37	
				07-08-33	49.58	0.35	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-10-33	49.38		0.20
				07-15-33	50.26	0.88	
				07-20-33	50.45	0.19	
				07-25-33	50.57	0.12	
				08-01-33	49.87		0.70
				08-05-33	49.96	0.09	
				08-10-33	50.24	0.28	
				08-15-33	50.49	0.25	
				08-20-33	49.90		0.59
				08-25-33	50.01	0.11	
				08-27-33	49.73		0.28
				09-01-33	49.52		0.21
				09-04-33	49.13		0.39
				09-05-33	49.16	0.03	
				09-10-33	49.80	0.64	
				09-15-33	50.22	0.42	
				09-20-33	49.48		0.74
				09-25-33	49.52	0.04	
				10-01-33	49.44		0.08
				10-03-33	49.30		0.14
				10-05-33	49.52	0.22	
				10-10-33	50.10	0.58	
				10-15-33	50.20	0.10	
				10-20-33	50.48	0.28	
				10-25-33	50.62	0.14	
				11-01-33	50.20		0.42
				11-05-33	50.13		0.07
				11-08-33	49.98		0.15
				11-10-33	50.29	0.31	
				11-15-33	50.33	0.04	
				11-20-33	50.26		0.07
				11-25-33	50.55	0.29	
				12-01-33	50.33		0.22
				12-05-33	50.34	0.01	
				12-10-33	50.26		0.08
				12-15-33	50.23		0.03
				12-20-33	50.11		0.12
				12-25-33	50.00		0.11
				12-26-33	49.84		0.16
				01-01-34	50.12	0.28	
				01-05-34	50.35	0.23	
				01-10-34	50.55	0.20	
				01-15-34	50.34		0.21

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-20-34	49.86		0.48
				01-25-34	49.79		0.07
				01-29-34	49.12		0.67
				02-01-34	49.06		0.06
				02-05-34	49.17	0.11	
				02-10-34	49.49	0.32	
				02-15-34	49.40		0.09
				02-20-34	49.64	0.24	
				02-25-34	49.72	0.08	
				03-01-34	49.64		0.08
				03-05-34	47.53		2.11
				03-10-34	48.14	0.61	
				03-15-34	48.56	0.42	
				03-20-34	48.95	0.39	
				03-25-34	49.08	0.13	
				04-01-34	49.52	0.44	
				04-05-34	49.77	0.25	
				04-10-34	47.96		1.81
				04-15-34	48.10	0.14	
				04-20-34	47.85		0.25
				04-22-34	47.36		0.49
				04-25-34	47.83	0.47	
				05-01-34	48.94	1.11	
				05-03-34	48.69		0.25
				05-05-34	48.93	0.24	
				05-10-34	49.92	0.99	
				05-15-34	49.98	0.06	
				05-20-34	50.35	0.37	
				05-25-34	50.96	0.61	
				06-01-34	51.57	0.61	
				06-04-34	51.38		0.19
				06-05-34	51.73	0.35	
				06-10-34	52.14	0.41	
				06-15-34	52.89	0.75	
				06-20-34	53.08	0.19	
				06-25-34	53.21	0.13	
				07-01-34	54.06	0.85	
				07-05-34	53.90		0.16
				07-10-34	54.26	0.36	
				07-15-34	54.31	0.05	
				07-20-34	55.01	0.70	
				07-25-34	54.98		0.03
				07-31-34	51.63		3.35

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-01-34	51.55		0.08
				08-05-34	51.49		0.06
				08-10-34	52.23	0.74	
				08-15-34	53.18	0.95	
				08-21-34	53.98	0.80	
				08-25-34	54.70	0.72	
				09-01-34	55.18	0.48	
				09-04-34	54.68		0.50
				09-05-34	54.77	0.09	
				09-10-34	54.87	0.10	
				09-15-34	54.82		0.05
				09-17-34	54.26		0.56
				09-20-34	54.59	0.33	
				09-25-34	55.03	0.44	
				10-01-34	54.68		0.35
				10-04-34	54.22		0.46
				10-05-34	54.28	0.06	
				10-10-34	54.80	0.52	
				10-15-34	55.17	0.37	
				10-20-34	55.35	0.18	
				10-25-34	55.45	0.10	
				11-01-34	55.66	0.21	
				11-05-34	54.93		0.73
				11-10-34	55.20	0.27	
				11-15-34	55.08		0.12
				11-20-34	54.50		0.58
				11-25-34	54.51	0.01	
				11-30-34	54.42		0.09
				12-01-34	54.40		0.02
				12-05-34	54.46	0.06	
				12-10-34	54.34		0.12
				12-15-34	54.40	0.06	
				12-20-34	54.33		0.07
				12-25-34	54.44	0.11	
				12-31-34	53.34		1.10
				01-01-35	53.56	0.22	
				01-05-35	53.73	0.17	
				01-10-35	53.89	0.16	
				01-15-35	54.11	0.22	
				01-20-35	54.27	0.16	
				01-25-35	53.74		0.53
				02-01-35	54.05	0.31	
				02-05-35	54.24	0.19	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-10-35	54.18		0.06
				02-15-35	52.77		1.41
				02-20-35	53.24	0.47	
				02-25-35	53.29	0.05	
				03-01-35	53.79	0.50	
				03-02-35	53.74		0.05
				03-05-35	53.74		
				03-10-35	53.82	0.08	
				03-15-35	54.19	0.37	
				03-20-35	54.64	0.45	
				03-25-35	55.16	0.52	
				04-01-35	55.18	0.02	
				04-05-35	54.82		0.36
				04-09-35	54.60		0.22
				04-10-35	54.70	0.10	
				04-15-35	55.50	0.80	
				04-20-35	55.67	0.17	
				04-25-35	55.50		0.17
				05-01-35	54.97		0.53
				05-05-35	53.85		1.12
				05-10-35	52.23		1.62
				05-15-35	51.23		1.00
				05-20-35	46.88		4.35
				05-25-35	45.93		0.95
				05-31-35	45.13		0.80
				06-01-35	44.88		0.25
				06-05-35	43.70		1.18
				06-08-35	43.58		0.12
				06-26-35	37.02		6.56
				08-05-35	41.25	4.23	
				08-10-35	42.23	0.98	
				08-15-35	42.34	0.11	
				08-20-35	42.91	0.57	
				08-25-35	43.56	0.65	
				09-01-35	44.19	0.63	
				09-05-35	44.20	0.01	
				09-10-35	42.81		1.39
				09-13-35	42.32		0.49
				09-20-35	42.15		0.17
				09-25-35	41.88		0.27
				09-30-35	40.59		1.29
				10-01-35	40.52		0.07
				10-03-35	40.76	0.24	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-20-35	42.00	1.24	
				11-25-35	42.21	0.21	
				12-01-35	42.45	0.24	
				12-05-35	42.55	0.10	
				12-09-35	42.35		0.20
				12-10-35	42.45	0.10	
				12-15-35	42.50	0.05	
				12-20-35	42.62	0.12	
				12-25-35	42.60		0.02
				01-01-36	42.61	0.01	
				01-05-36	42.45		0.16
				01-10-36	42.98	0.53	
				01-15-36	43.25	0.27	
				01-20-36	43.35	0.10	
				01-25-36	43.61	0.26	
				02-01-36	43.70	0.09	
				02-03-36	43.52		0.18
				02-05-36	43.95	0.43	
				02-10-36	44.08	0.13	
				02-15-36	44.30	0.22	
				02-20-36	44.34	0.04	
				02-25-36	44.42	0.08	
				03-01-36	44.58	0.16	
				03-05-36	43.52		1.06
				03-10-36	43.22		0.30
				03-13-36	43.21		0.01
				03-15-36	43.30	0.09	
				03-20-36	43.72	0.42	
				03-25-36	43.96	0.24	
				04-01-36	44.22	0.26	
				04-05-36	44.45	0.23	
				04-10-36	44.98	0.53	
				04-15-36	45.76	0.78	
				04-20-36	45.73		0.03
				04-25-36	45.37		0.36
				05-01-36	44.98		0.39
				05-05-36	45.20	0.22	
				05-10-36	45.15		0.05
				05-15-36	44.93		0.22
				05-20-36	45.00	0.07	
				05-25-36	43.07		1.93
				05-31-36	39.80		3.27
				06-01-36	39.60		0.20

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-02-36	39.54		0.06
				06-05-36	39.75	0.21	
				06-10-36	40.45	0.70	
				06-15-36	40.93	0.48	
				08-06-36	39.64		1.29
				08-10-36	39.93	0.29	
				08-15-36	41.06	1.13	
				08-20-36	41.57	0.51	
				08-25-36	41.84	0.27	
				09-01-36	41.45		0.39
				09-05-36	41.68	0.23	
				09-10-36	42.22	0.54	
				09-15-36	42.10		0.12
				09-20-36	41.30		0.80
				09-25-36	41.15		0.15
				09-30-36	40.80		0.35
				10-01-36	40.85	0.05	
				10-05-36	40.60		0.25
				10-10-36	40.30		0.30
				10-12-36	40.25		0.05
				10-15-36	40.39	0.14	
				10-20-36	40.84	0.45	
				10-25-36	40.70		0.14
				11-01-36	40.39		0.31
				11-02-36	40.34		0.05
				11-05-36	40.55	0.21	
				11-10-36	40.75	0.20	
				11-15-36	40.50		0.25
				11-20-36	40.65	0.15	
				11-25-36	40.68	0.03	
				12-01-36	40.58		0.10
				12-05-36	40.73	0.15	
				12-10-36	40.73		
				12-15-36	40.95	0.22	
				12-20-36	41.03	0.08	
				12-25-36	40.98		0.05
				01-01-37	40.97		0.01
				01-05-37	41.10	0.13	
				01-10-37	41.62	0.52	
				01-15-37	41.48		0.14
				01-20-37	41.38		0.10
				01-25-37	41.54	0.16	
				02-01-37	41.82	0.28	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-05-37	42.00	0.18	
				02-08-37	41.80		0.20
				02-10-37	42.35	0.55	
				02-15-37	42.29		0.06
				02-20-37	42.54	0.25	
				02-25-37	42.57	0.03	
				03-01-37	42.45		0.12
				03-05-37	42.42		0.03
				03-10-37	41.80		0.62
				03-15-37	41.57		0.23
				03-20-37	41.45		0.12
				03-25-37	41.40		0.05
				03-29-37	41.34		0.06
				04-01-37	41.43	0.09	
				04-05-37	41.66	0.23	
				04-10-37	42.23	0.57	
				04-15-37	42.34	0.11	
				04-20-37	43.21	0.87	
				04-25-37	42.77		0.44
				05-01-37	43.97	1.20	
				05-03-37	43.95		0.02
				05-05-37	44.41	0.46	
				05-10-37	44.66	0.25	
				05-15-37	44.82	0.16	
				05-20-37	45.34	0.52	
				05-25-37	45.70	0.36	
				06-01-37	44.25		1.45
				06-05-37	41.68		2.57
				06-10-37	40.48		1.20
				06-15-37	40.87	0.39	
				06-20-37	41.81	0.94	
				06-25-37	42.62	0.81	
				07-01-37	42.88	0.26	
				07-05-37	42.94	0.06	
				07-10-37	43.01	0.07	
				07-12-37	42.80		0.21
				07-15-37	43.20	0.40	
				07-20-37	43.58	0.38	
				07-25-37	44.34	0.76	
				08-01-37	45.07	0.73	
				08-02-37	45.00		0.07
				08-05-37	45.40	0.40	
				08-10-37	45.92	0.52	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-15-37	46.35	0.43	
				08-20-37	46.50	0.15	
				08-25-37	46.70	0.20	
				09-05-37	46.80	0.10	
				09-06-37	46.63		0.17
				09-10-37	47.07	0.44	
				09-15-37	47.04		0.03
				09-20-37	47.70	0.66	
				09-25-37	47.23		0.47
				10-01-37	47.26	0.03	
				10-05-37	47.30	0.04	
				10-10-37	47.52	0.22	
				10-15-37	46.70		0.82
				10-18-37	46.13		0.57
				10-20-37	46.24	0.11	
				10-25-37	46.13		0.11
				11-01-37	46.61	0.48	
				11-05-37	46.96	0.35	
				11-10-37	46.69		0.27
				11-15-37	46.62		0.07
				11-20-37	47.21	0.59	
				11-25-37	46.82		0.39
				12-01-37	46.82		
				12-05-37	46.84	0.02	
				12-10-37	46.93	0.09	
				12-15-37	46.64		0.29
				12-20-37	46.19		0.45
				12-25-37	46.17		0.02
				12-31-37	44.88		1.29
				01-01-38	44.68		0.20
				01-05-38	44.57		0.11
				01-10-38	44.63	0.06	
				01-15-38	44.80	0.17	
				01-20-38	44.92	0.12	
				01-25-38	42.83		2.09
				01-30-38	41.63		1.20
				02-01-38	41.84	0.21	
				02-02-38	41.72		0.12
				02-05-38	41.87	0.15	
				02-10-38	42.34	0.47	
				02-15-38	42.68	0.34	
				02-20-38	43.10	0.42	
				02-25-38	43.14	0.04	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-01-38	43.23	0.09	
				03-05-38	43.45	0.22	
				03-10-38	43.50	0.05	
				03-15-38	43.44		0.06
				03-20-38	43.75	0.31	
				03-25-38	43.92	0.17	
				04-01-38	43.92		
				04-05-38	44.10	0.18	
				04-10-38	44.20	0.10	
				04-15-38	44.52	0.32	
				04-20-38	44.40		0.12
				04-25-38	42.91		1.49
				04-30-38	41.68		1.23
				05-01-38	41.45		0.23
				05-05-38	41.20		0.25
				05-06-38	41.17		0.03
				05-10-38	41.26	0.09	
				05-15-38	41.90	0.64	
				05-20-38	41.68		0.22
				05-25-38	41.75	0.07	
				06-01-38	42.55	0.80	
				06-05-38	43.12	0.57	
				06-10-38	43.49	0.37	
				06-15-38	44.50	1.01	
				06-20-38	44.79	0.29	
				06-25-38	45.47	0.68	
				07-01-38	45.94	0.47	
				07-05-38	46.06	0.12	
				07-10-38	46.47	0.41	
				07-15-38	46.85	0.38	
				07-20-38	47.19	0.34	
				07-25-38	46.40		0.79
				08-01-38	46.67	0.27	
				08-05-38	47.28	0.61	
				08-10-38	46.65		0.63
				08-15-38	47.66	1.01	
				08-20-38	48.38	0.72	
				08-25-38	48.33		0.05
				09-01-38	48.33		
				09-05-38	48.00		0.33
				09-10-38	48.40	0.40	
				09-15-38	47.69		0.71
				09-19-38	47.37		0.32

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-20-38	47.45	0.08	
				09-25-38	47.98	0.53	
				10-01-38	48.55	0.57	
				10-05-38	48.81	0.26	
				10-10-38	48.43		0.38
				10-14-38	48.85	0.42	
				10-20-38	48.68		0.17
				10-25-38	48.61		0.07
				11-01-38	48.83	0.22	
				11-05-38	48.80		0.03
				11-10-38	48.50		0.30
				11-15-38	48.45		0.05
				11-19-38	48.30		0.15
				11-20-38	48.40	0.10	
				11-25-38	48.73	0.33	
				12-01-38	48.56		0.17
				12-05-38	48.66	0.10	
				12-07-38	48.52		0.14
				12-10-38	48.73	0.21	
				12-15-38	48.94	0.21	
				12-20-38	48.98	0.04	
				12-25-38	48.89		0.09
				01-02-39	48.50		0.39
				01-03-39	48.46		0.04
				01-05-39	48.65	0.19	
				01-10-39	48.64		0.01
				01-15-39	48.58		0.06
				01-20-39	48.62	0.04	
				01-25-39	48.79	0.17	
				02-01-39	48.66		0.13
				02-05-39	48.95	0.29	
				02-10-39	49.19	0.24	
				02-15-39	49.45	0.26	
				02-20-39	49.06		0.39
				02-25-39	49.37	0.31	
				03-01-39	49.45	0.08	
				03-04-39	49.37		0.08
				03-05-39	49.53	0.16	
				03-10-39	49.58	0.05	
				03-15-39	50.02	0.44	
				03-20-39	50.03	0.01	
				03-25-39	50.25	0.22	
				04-01-39	50.79	0.54	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-05-39	51.46	0.67	
				04-10-39	51.35		0.11
				04-15-39	52.07	0.72	
				04-20-39	52.82	0.75	
				04-25-39	53.17	0.35	
				05-01-39	52.86		0.31
				05-05-39	53.36	0.50	
				05-10-39	54.04	0.68	
				05-15-39	53.79		0.25
				05-20-39	54.68	0.89	
				05-25-39	55.17	0.49	
				06-01-39	53.67		1.50
				06-05-39	52.96		0.71
				06-10-39	53.47	0.51	
				06-15-39	54.65	1.18	
				06-20-39	55.25	0.60	
				06-25-39	55.75	0.50	
				07-01-39	56.54	0.79	
				07-05-39	56.61	0.07	
				07-12-39	56.66	0.05	
				07-15-39	54.83		1.83
				07-17-39	54.01		0.82
				07-20-39	54.56	0.55	
				11-16-39	55.07	0.51	
				11-20-39	54.70		0.37
				11-25-39	54.96	0.26	
				12-01-39	54.67		0.29
				12-05-39	54.72	0.05	
				12-10-39	54.74	0.02	
				12-15-39	55.14	0.40	
				12-20-39	55.07		0.07
				12-25-39	54.77		0.30
				12-30-39	54.34		0.43
				01-01-40	54.22		0.12
				01-05-40	54.34	0.12	
				01-10-40	54.17		0.17
				01-11-40	54.07		0.10
				01-15-40	54.39	0.32	
				01-20-40	55.38	0.99	
				01-25-40	55.28		0.10
				02-01-40	55.00		0.28
				02-05-40	54.51		0.49
				02-10-40	54.87	0.36	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-15-40	55.25	0.38	
				02-20-40	55.35	0.10	
				02-25-40	55.57	0.22	
				03-01-40	55.84	0.27	
				03-05-40	56.10	0.26	
				03-10-40	56.51	0.41	
				03-15-40	57.06	0.55	
				03-20-40	57.00		0.06
				04-27-40	57.98	0.98	
				04-29-40	57.37		0.61
				05-01-40	57.86	0.49	
				05-05-40	58.65	0.79	
				05-10-40	58.35		0.30
				05-15-40	58.26		0.09
				05-20-40	57.81		0.45
				05-25-40	56.80		1.01
				05-31-40	56.55		0.25
				06-01-40	56.67	0.12	
				06-05-40	57.29	0.62	
				06-10-40	57.68	0.39	
				06-15-40	57.73	0.05	
				06-20-40	56.45		1.28
				06-26-40	56.02		0.43
				06-30-40	54.92		1.10
				07-01-40	54.66		0.26
				07-05-40	55.13	0.47	
				07-10-40	56.28	1.15	
				07-15-40	56.31	0.03	
				07-20-40	56.38	0.07	
				07-25-40	57.30	0.92	
				08-01-40	58.90	1.60	
				08-05-40	59.02	0.12	
				08-10-40	60.03	1.01	
				08-15-40	60.35	0.32	
				08-20-40	60.12		0.23
				08-25-40	60.42	0.30	
				09-01-40	60.39		0.03
				09-02-40	60.08		0.31
				09-05-40	60.69	0.61	
				09-10-40	61.12	0.43	
				09-15-40	61.16	0.04	
				09-20-40	61.60	0.44	
				09-25-40	60.51		1.09

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-01-40	60.28		0.23
				10-05-40	61.05	0.77	
				10-10-40	60.12		0.93
				10-15-40	60.00		0.12
				10-20-40	60.34	0.34	
				10-25-40	60.56	0.22	
				10-31-40	59.31		1.25
				11-01-40	58.60		0.71
				11-05-40	58.21		0.39
				11-10-40	57.80		0.41
				11-15-40	58.33	0.53	
				11-20-40	58.39	0.06	
				11-25-40	56.44		1.95
				11-26-40	56.02		0.42
				12-01-40	56.18	0.16	
				12-05-40	56.78	0.60	
				12-10-40	57.15	0.37	
				12-15-40	55.20		1.95
				12-20-40	51.69		3.51
				12-25-40	51.23		0.46
				12-26-40	51.13		0.10
				01-01-41	52.07	0.94	
				01-05-41	52.49	0.42	
				01-10-41	53.26	0.77	
				01-15-41	53.19		0.07
				01-20-41	53.75	0.56	
				01-25-41	54.22	0.47	
				02-01-41	53.99		0.23
				02-05-41	48.76		5.23
				02-10-41	47.59		1.17
				02-13-41	47.50		0.09
				02-15-41	47.74	0.24	
				02-20-41	47.90	0.16	
				02-25-41	47.98	0.08	
				03-01-41	48.11	0.13	
				03-05-41	48.26	0.15	
				03-10-41	48.17		0.09
				03-15-41	48.66	0.49	
				03-20-41	47.32		1.34
				03-25-41	46.25		1.07
				03-31-41	45.64		0.61
				04-01-41	45.67	0.03	
				04-05-41	46.00	0.33	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-10-41	46.12	0.12	
				04-15-41	46.07		0.05
				04-20-41	46.67	0.60	
				04-25-41	47.08	0.41	
				04-30-41	42.81		4.27
				05-01-41	42.25		0.56
				05-05-41	40.69		1.56
				05-09-41	40.10		0.59
				05-10-41	40.17	0.07	
				05-15-41	40.61	0.44	
				05-20-41	41.21	0.60	
				05-25-41	41.20		0.01
				06-01-41	41.76	0.56	
				06-02-41	41.67		0.09
				06-05-41	41.93	0.26	
				06-10-41	42.16	0.23	
				06-15-41	42.67	0.51	
				06-20-41	42.77	0.10	
				06-25-41	43.49	0.72	
				07-01-41	43.38		0.11
				07-05-41	44.04	0.66	
				07-10-41	45.03	0.99	
				07-15-41	44.65		0.38
				07-20-41	45.24	0.59	
				07-25-41	46.10	0.86	
				08-01-41	47.00	0.90	
				08-05-41	47.12	0.12	
				08-10-41	46.76		0.36
				08-11-41	46.54		0.22
				08-15-41	47.27	0.73	
				08-20-41	47.55	0.28	
				08-25-41	47.52		0.03
				09-01-41	48.55	1.03	
				09-05-41	49.40	0.85	
				09-10-41	48.21		1.19
				09-15-41	48.04		0.17
				09-20-41	46.40		1.64
				09-24-41	46.09		0.31
				09-25-41	47.00	0.91	
				10-01-41	46.30		0.70
				10-05-41	44.55		1.75
				10-07-41	44.05		0.50
				10-10-41	44.12	0.07	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-41	44.25	0.13	
				10-20-41	44.65	0.40	
				10-25-41	46.01	1.36	
				11-01-41	44.73		1.28
				11-03-41	44.65		0.08
				11-05-41	44.83	0.18	
				11-10-41	44.92	0.09	
				11-15-41	45.35	0.43	
				11-20-41	45.21		0.14
				11-25-41	44.99		0.22
				12-01-41	44.82		0.17
				12-05-41	45.08	0.26	
				12-10-41	45.22	0.14	
				12-15-41	44.99		0.23
				12-20-41	45.28	0.29	
				12-25-41	45.21		0.07
				01-01-42	45.35	0.14	
				01-05-42	45.71	0.36	
				01-10-42	46.03	0.32	
				01-15-42	46.22	0.19	
				01-20-42	46.23	0.01	
				01-25-42	46.40	0.17	
				02-01-42	46.64	0.24	
				02-05-42	46.68	0.04	
				02-10-42	46.92	0.24	
				02-15-42	46.55		0.37
				02-20-42	46.43		0.12
				02-23-42	46.15		0.28
				02-25-42	46.42	0.27	
				03-01-42	46.42		
				03-04-42	46.40		0.02
				03-05-42	46.60	0.20	
				03-10-42	46.89	0.29	
				03-15-42	47.21	0.32	
				03-20-42	47.55	0.34	
				03-25-42	47.57	0.02	
				04-01-42	47.86	0.29	
				04-05-42	48.16	0.30	
				04-10-42	46.79		1.37
				04-13-42	46.39		0.40
				04-15-42	46.76	0.37	
				04-20-42	46.84	0.08	
				04-25-42	47.00	0.16	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-01-42	46.79		0.21
				05-05-42	46.79		
				05-10-42	46.90	0.11	
				05-12-42	46.77		0.13
				05-15-42	47.38	0.61	
				05-20-42	47.35		0.03
				05-25-42	47.20		0.15
				06-01-42	47.94	0.74	
				06-05-42	48.67	0.73	
				06-09-42	47.67		1.00
				06-10-42	47.73	0.06	
				06-15-42	48.58	0.85	
				06-20-42	49.83	1.25	
				06-25-42	49.81		0.02
				07-01-42	51.00	1.19	
				07-05-42	50.54		0.46
				07-09-42	47.67		2.87
				07-10-42	47.73	0.06	
				07-15-42	48.84	1.11	
				07-20-42	49.42	0.58	
				07-25-42	50.10	0.68	
				08-01-42	50.86	0.76	
				08-03-42	50.73		0.13
				08-05-42	51.17	0.44	
				08-10-42	51.36	0.19	
				08-15-42	52.31	0.95	
				08-20-42	51.82		0.49
				08-25-42	52.07	0.25	
				09-01-42	51.34		0.73
				09-05-42	49.24		2.10
				09-10-42	45.42		3.82
				09-14-42	44.43		0.99
				09-15-42	44.51	0.08	
				09-20-42	45.38	0.87	
				09-25-42	45.98	0.60	
				10-01-42	46.71	0.73	
				10-05-42	43.31		3.40
				10-10-42	41.45		1.86
				10-15-42	41.67	0.22	
				10-20-42	38.00		3.67
				10-25-42	37.20		0.80
				11-01-42	36.01	0.81	
				11-02-42	37.99		0.02

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-05-42	38.47	0.48	
				11-10-42	39.17	0.70	
				11-15-42	39.82	0.65	
				11-20-42	40.42	0.60	
				11-25-42	40.44	0.02	
				12-01-42	41.38	0.94	
				12-06-42	41.56	0.18	
				12-10-42	41.79	0.23	
				12-15-42	42.01	0.22	
				12-20-42	42.37	0.36	
				12-25-42	42.45	0.08	
				01-01-43	42.98	0.53	
				01-05-43	43.24	0.26	
				01-10-43	43.15		0.09
				01-15-43	43.23	0.08	
				01-20-43	44.12	0.89	
				01-25-43	43.93		0.19
				02-01-43	44.28	0.35	
				02-05-43	44.45	0.17	
				02-10-43	45.03	0.58	
				02-15-43	45.19	0.16	
				02-20-43	45.70	0.51	
				02-25-43	45.69		0.01
				03-01-43	45.67		0.02
				03-05-43	45.60		0.07
				03-10-43	45.98	0.38	
				03-15-43	46.09	0.11	
				03-20-43	46.77	0.68	
				03-25-43	46.53		0.24
				04-01-43	46.48		0.05
				04-05-43	46.74	0.26	
				04-10-43	46.68		0.06
				04-15-43	47.22	0.54	
				04-20-43	48.01	0.79	
				04-25-43	49.10	1.09	
				05-01-43	50.16	1.06	
				05-05-43	50.57	0.41	
				05-10-43	50.58	0.01	
				05-15-43	50.91	0.33	
				05-20-43	51.32	0.41	
				05-25-43	50.30		1.02
				05-31-43	49.94		0.36
				06-01-43	49.97	0.03	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-43	50.09	0.12	
				06-10-43	48.84		1.25
				06-14-43	48.57		0.27
				06-15-43	48.74	0.17	
				06-20-43	49.03	0.29	
				06-25-43	49.98	0.95	
				07-01-43	51.08	1.10	
				07-05-43	50.98		0.10
				07-10-43	51.48	0.50	
				07-15-43	48.62		2.86
				07-17-43	48.23		0.39
				07-20-43	48.68	0.45	
				07-25-43	49.86	1.18	
				08-01-43	50.42	0.56	
				08-02-43	50.29		0.13
				08-05-43	51.44	1.15	
				08-10-43	52.02	0.58	
				08-15-43	52.43	0.41	
				08-20-43	53.15	0.72	
				08-25-43	53.68	0.53	
				09-01-43	53.19		0.49
				09-05-43	51.85		1.34
				09-10-43	51.74		0.11
				09-15-43	52.00	0.26	
				09-20-43	51.40		0.60
				09-25-43	52.04	0.64	
				10-01-43	51.54		0.50
				10-04-43	51.37		0.17
				10-05-43	51.43	0.06	
				10-10-43	51.93	0.50	
				10-15-43	51.88		0.05
				10-20-43	52.35	0.47	
				10-25-43	52.72	0.37	
				11-01-43	52.83	0.11	
				11-05-43	52.50		0.33
				11-10-43	52.58	0.08	
				11-15-43	52.45		0.13
				11-20-43	52.42		0.03
				11-22-43	52.30		0.12
				11-25-43	52.60	0.30	
				12-01-43	52.40		0.20
				12-22-43	53.07	0.67	
				12-25-43	53.25	0.18	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-01-44	53.54	0.29	
				01-05-44	52.77		0.77
				01-07-44	52.69		0.08
				01-10-44	53.02	0.33	
				01-15-44	53.24	0.22	
				01-20-44	53.29	0.05	
				01-25-44	52.95		0.34
				02-01-44	52.77		0.18
				02-05-44	52.83	0.06	
				02-10-44	52.78		0.05
				02-15-44	52.85	0.07	
				02-20-44	52.73		0.12
				02-25-44	52.63		0.10
				02-29-44	51.07		1.56
				03-01-44	50.90		0.17
				03-05-44	50.58		0.32
				03-10-44	51.28	0.70	
				03-15-44	50.18		1.10
				03-20-44	47.00		3.18
				03-25-44	46.32		0.62
				03-28-44	46.34		0.04
				04-01-44	46.55	0.21	
				04-03-44	46.53		0.02
				04-05-44	46.64	0.11	
				04-10-44	46.58		0.06
				04-15-44	47.34	0.76	
				04-20-44	48.06	0.72	
				04-25-44	48.54	0.48	
				05-01-44	48.50		0.04
				05-05-44	47.82		0.68
				05-10-44	48.11	0.29	
				05-15-44	48.44	0.33	
				05-20-44	48.68	0.24	
				05-25-44	48.60		0.08
				05-31-44	45.06		3.54
				06-01-44	45.07	0.01	
				06-02-44	44.94		0.13
				06-05-44	45.03	0.09	
				06-10-44	45.61	0.58	
				06-15-44	45.60		0.01
				06-20-44	46.25	0.65	
				06-25-44	47.28	1.03	
				07-01-44	49.05	1.77	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-05-44	48.08		0.97
				07-10-44	49.82	1.74	
				07-15-44	50.99	1.17	
				07-20-44	51.80	0.81	
				07-25-44	52.38	0.58	
				08-01-44	53.52	1.14	
				08-05-44	54.30	0.78	
				08-10-44	54.80	0.50	
				08-15-44	54.94	0.14	
				08-20-44	55.06	0.12	
				08-25-44	54.72		0.34
				08-31-44	50.87		3.85
				09-01-44	51.08	0.21	
				09-05-44	50.67		0.41
				09-08-44	49.47		1.20
				09-10-44	50.00	0.53	
				09-15-44	50.80	0.80	
				09-20-44	51.35	0.55	
				09-25-44	51.64	0.29	
				10-01-44	51.66	0.02	
				10-05-44	51.54		0.12
				10-09-44	51.31		0.23
				10-10-44	51.43	0.12	
				10-15-44	51.57	0.14	
				10-20-44	52.44	0.87	
				01-05-45	46.88		5.56
				01-10-45	46.95	0.07	
				01-15-45	47.03	0.08	
				01-20-45	44.60		2.43
				01-25-45	43.43		1.17
				01-27-45	43.40		0.03
				02-01-45	43.61	0.21	
				02-05-45	43.45		0.16
				02-10-45	43.13		0.32
				02-15-45	41.17		1.96
				02-20-45	40.81		0.36
				02-25-45	41.50	0.69	
				03-01-45	41.68	0.18	
				03-02-45	41.71	0.03	
				03-05-45	41.78	0.07	
				03-10-45	42.65	0.87	
				03-15-45	42.94	0.29	
				03-20-45	43.00	0.06	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-25-45	43.14	0.14	
				04-01-45	41.87		1.27
				04-05-45	40.96		0.91
				04-09-45	40.65		0.31
				04-10-45	40.77	0.12	
				04-15-45	41.26	0.49	
				04-20-45	41.76	0.50	
				04-25-45	41.64		0.12
				05-01-45	42.62	0.98	
				05-05-45	42.67	0.05	
				05-07-45	42.38		0.29
				05-10-45	42.88	0.50	
				05-15-45	43.27	0.39	
				05-20-45	44.33	1.06	
				05-25-45	45.01	0.68	
				06-01-45	46.76	1.75	
				06-05-45	47.38	0.62	
				06-10-45	48.12	0.74	
				06-15-45	47.66		0.46
				06-20-45	47.40		0.26
				06-25-45	47.06		0.34
				07-01-45	48.33	1.27	
				07-02-45	48.26		0.07
				07-05-45	48.50	0.24	
				07-10-45	49.27	0.77	
				07-15-45	49.91	0.64	
				07-20-45	50.32	0.41	
				07-25-45	50.60	0.28	
				08-01-45	50.54		0.06
				08-03-45	50.18		0.36
				08-05-45	50.29	0.11	
				08-10-45	51.30	1.01	
				08-15-45	52.10	0.80	
				08-20-45	52.40	0.30	
				08-25-45	52.25		0.15
				09-01-45	52.00		0.25
				09-03-45	51.81		0.19
				09-05-45	52.30	0.49	
				09-10-45	52.85	0.55	
				09-15-45	53.22	0.37	
				09-20-45	53.65	0.43	
				09-25-45	52.94		0.71
				10-03-45	51.27		1.67

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-05-45	51.13		0.14
				10-10-45	50.04		1.09
				10-15-45	49.16		0.88
				10-20-45	49.56	0.40	
				10-25-45	49.86	0.30	
				11-01-45	50.49	0.63	
				11-05-45	50.55	0.06	
				11-10-45	50.95	0.40	
				11-15-45	50.59		0.36
				11-20-45	50.34		0.25
				11-25-45	50.56	0.22	
				12-01-45	50.95	0.39	
				12-05-45	50.78		0.17
				12-10-45	50.91	0.13	
				12-15-45	49.82		1.09
				12-20-45	49.75		0.07
				12-25-45	49.27		0.48
				01-05-46	49.72	0.45	
				01-07-46	49.57		0.15
				01-10-46	50.84	1.27	
				01-15-46	49.70		1.14
				01-20-46	50.43	0.73	
				01-25-46	50.89	0.46	
				02-01-46	51.17	0.28	
				02-05-46	51.18	0.01	
				02-10-46	51.42	0.24	
				02-15-46	51.85	0.43	
				02-20-46	49.70		2.15
				02-25-46	48.97		0.73
				02-26-46	48.71		0.26
				03-01-46	49.52	0.81	
				03-05-46	49.92	0.40	
				03-10-46	50.50	0.58	
				03-14-46	49.57		0.93
				04-02-46	51.16	1.59	
				04-05-46	51.70	0.54	
				04-10-46	52.26	0.56	
				04-15-46	52.44	0.18	
				04-20-46	52.88	0.44	
				04-25-46	51.92		0.96
				05-01-46	51.05		0.87
				05-05-46	50.52		0.53
				05-10-46	50.55	0.03	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-15-46	50.45		0.10
				05-20-46	50.24		0.21
				05-22-46	50.10		0.14
				05-25-46	50.30	0.20	
				06-01-46	50.64	0.34	
				06-05-46	50.25		0.39
				06-10-46	50.53	0.28	
				06-15-46	50.51		0.02
				06-20-46	50.74	0.23	
				06-25-46	49.89		0.85
				06-26-46	49.79		0.10
				07-01-46	50.27	0.48	
				07-05-46	50.96	0.69	
				07-10-46	52.12	1.16	
				07-15-46	53.20	1.08	
				07-20-46	54.45	1.25	
				07-25-46	54.55	0.10	
				08-01-46	56.41	1.86	
				08-05-46	55.25		1.16
				08-10-46	57.11	1.86	
				08-15-46	58.08	0.97	
				08-20-46	58.40	0.32	
				08-25-46	58.84	0.44	
				08-31-46	54.03		4.81
				09-01-46	53.19		0.84
				09-05-46	52.55		0.64
				09-10-46	52.72	0.17	
				09-15-46	50.55		2.17
				09-20-46	48.59		1.96
				09-25-46	48.75	0.16	
				09-30-46	41.58		7.17
				10-01-46	41.52		0.06
				10-02-46	41.41		0.11
				10-05-46	41.60	0.19	
				10-10-46	41.98	0.38	
				10-15-46	42.25	0.27	
				10-20-46	42.70	0.45	
				10-25-46	43.14	0.44	
				11-01-46	44.13	0.99	
				11-05-46	44.07		0.06
				11-10-46	43.33		0.74
				11-14-46	42.25		1.08
				11-15-46	42.25		

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-20-46	42.60	0.35	
				11-25-46	42.90	0.30	
				12-01-46	43.93	1.03	
				12-05-46	44.34	0.41	
				12-10-46	44.65	0.31	
				12-15-46	42.97		1.68
				12-20-46	42.70		0.27
				12-25-46	42.90	0.20	
				01-01-47	43.42	0.52	
				01-05-47	43.93	0.51	
				01-10-47	43.55		0.38
				01-15-47	42.94		0.61
				01-20-47	42.40		0.54
				01-25-47	42.19		0.21
				01-27-47	41.86		0.33
				02-01-47	42.14	0.28	
				02-03-47	42.02		0.12
				02-05-47	42.32	0.30	
				02-10-47	42.65	0.33	
				02-15-47	43.18	0.53	
				02-20-47	43.35	0.17	
				02-25-47	43.58	0.23	
				03-01-47	43.40		0.18
				03-05-47	43.70	0.30	
				03-10-47	43.82	0.12	
				03-21-47	44.25	0.43	
				03-25-47	44.43	0.18	
				04-01-47	44.77	0.34	
				04-05-47	45.22	0.45	
				04-10-47	45.70	0.48	
				04-15-47	46.84	1.14	
				04-20-47	46.83		0.01
				04-25-47	47.59	0.76	
				05-01-47	47.03		0.56
				06-23-47	51.32	4.29	
				06-26-47	52.88	1.56	
				07-01-47	52.87		0.01
				07-05-47	53.17	0.30	
				07-10-47	53.29	0.12	
				07-15-47	53.56	0.27	
				07-20-47	53.50		0.06
				07-25-47	54.94	1.44	
				08-01-47	55.40	0.46	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-47	53.90		1.50
				08-10-47	55.13	1.23	
				08-15-47	53.44		1.69
				08-20-47	53.76	0.32	
				08-25-47	52.42		1.34
				08-28-47	51.97		0.45
				09-01-47	52.13	0.16	
				09-05-47	53.24	1.11	
				09-10-47	53.57	0.33	
				09-14-47	54.06	0.49	
				10-01-47	55.70	1.64	
				10-05-47	55.69		0.01
				10-10-47	55.97	0.28	
				10-14-47	55.45		0.52
				10-15-47	55.55	0.10	
				10-20-47	55.72	0.17	
				10-25-47	56.41	0.69	
				11-01-47	56.22		0.19
				11-05-47	56.48	0.26	
				11-10-47	55.90		0.58
				11-15-47	56.11	0.21	
				11-20-47	54.98		1.13
				11-25-47	55.21	0.23	
				12-01-47	55.07		0.14
				12-05-47	55.79	0.72	
				12-10-47	55.09		0.70
				12-15-47	54.67		0.42
				12-20-47	54.97	0.30	
				12-25-47	55.14	0.17	
				12-29-47	54.63		0.51
				01-01-48	54.94	0.31	
				01-02-48	54.83		0.11
				01-05-48	54.96	0.13	
				01-10-48	55.78	0.82	
				01-15-48	56.27	0.49	
				01-20-48	56.27		
				01-23-48	56.12		0.15
				02-22-48	55.18		0.94
				02-24-48	54.80		0.38
				02-25-48	54.88	0.08	
				03-01-48	54.63		0.25
				03-05-48	56.10	1.47	
				03-10-48	56.21	0.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-15-48	56.20		0.01
				03-20-48	57.21	1.01	
				03-25-48	57.70	0.49	
				04-01-48	58.75	1.05	
				04-05-48	58.83	0.08	
				04-10-48	61.00	2.17	
				04-15-48	61.79	0.79	
				04-20-48	62.39	0.60	
				04-25-48	61.15		1.24
				05-01-48	61.37	0.22	
				05-05-48	62.66	1.29	
				05-10-48	62.70	0.04	
				05-15-48	62.00		0.70
				05-20-48	63.50	1.50	
				05-25-48	63.61	0.11	
				06-01-48	63.90	0.29	
				06-05-48	65.16	1.26	
				06-10-48	66.26	1.10	
				06-15-48	66.45	0.19	
				06-20-48	67.25	0.80	
				06-25-48	66.52		0.73
				06-29-48	63.77		2.75
				07-01-48	63.44		0.33
				07-05-48	61.40		2.04
				07-06-48	61.26		0.14
				07-10-48	62.42	1.16	
				07-15-48	63.18	0.76	
				07-20-48	64.74	1.56	
				07-25-48	66.20	1.46	
				08-01-48	67.70	1.50	
				08-02-48	66.81		0.89
				08-05-48	68.02	1.21	
				08-10-48	68.18	0.16	
				08-15-48	68.66	0.48	
				08-18-48	68.79	0.13	
				09-11-48	66.10		2.69
				09-13-48	65.47		0.63
				09-15-48	65.87	0.40	
				09-20-48	65.70		0.17
				09-25-48	66.54	0.84	
				10-01-48	67.25	0.71	
				10-05-48	67.52	0.27	
				10-10-48	67.77	0.25	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

© MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-15-48	68.27	0.50	
				10-20-48	65.38		2.89
				10-25-48	64.73		0.65
				11-01-48	64.98	0.25	
				11-05-48	66.41	1.43	
				11-10-48	66.83	0.42	
				11-15-48	65.48		1.35
				11-20-48	65.49	0.01	
				11-25-48	65.02		0.47
				11-26-48	64.69		0.33
				12-01-48	65.22	0.53	
				12-05-48	65.43	0.21	
				12-10-48	66.07	0.64	
				12-15-48	65.75		0.32
				12-20-48	65.38		0.37
				12-25-48	65.92	0.54	
				01-03-49	65.27		0.65
				01-05-49	66.03	0.76	
				01-10-49	66.75	0.72	
				01-15-49	66.11		0.64
				01-20-49	66.14	0.03	
				01-25-49	65.74		0.40
				01-27-49	65.10		0.64
				02-01-49	67.18	2.08	
				02-05-49	66.17		1.01
				02-10-49	66.26	0.09	
				02-15-49	66.55	0.29	
				02-20-49	66.82	0.27	
				02-25-49	66.52		0.30
				02-28-49	63.02		3.50
				03-01-49	62.76		0.26
				03-05-49	62.52		0.24
				03-09-49	62.23		0.29
				03-10-49	62.31	0.08	
				03-15-49	63.29	0.98	
				03-20-49	63.23		0.06
				03-25-49	63.12		0.11
				04-01-49	63.38	0.26	
				04-05-49	62.48		0.90
				04-10-49	62.44		0.04
				04-15-49	63.82	1.38	
				04-20-49	62.58		1.24
				04-25-49	55.65		6.93

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-30-49	51.45		4.20
				05-01-49	51.12		0.33
				05-02-49	50.97		0.15
				05-05-49	51.08	0.11	
				05-10-49	51.66	0.58	
				05-15-49	51.58		0.08
				05-20-49	52.35	0.77	
				05-25-49	53.61	1.26	
				06-01-49	55.35	1.74	
				06-05-49	56.85	1.50	
				06-10-49	55.70		1.15
				06-13-49	54.65		1.05
				06-15-49	54.85	0.20	
				06-20-49	55.00	0.15	
				06-25-49	57.10	2.10	
				07-01-49	56.16		0.94
				07-05-49	55.36		0.80
				07-10-49	56.90	1.54	
				07-15-49	58.02	1.12	
				07-20-49	59.16	1.14	
				07-25-49	59.73	0.57	
				08-01-49	59.81	0.08	
				08-05-49	60.57	0.76	
				08-09-49	58.76		1.81
				08-10-49	58.90	0.14	
				08-15-49	59.67	0.77	
				08-20-49	61.70	2.03	
				08-25-49	62.25	0.55	
				09-01-49	62.84	0.59	
				09-05-49	62.31		0.53
				09-10-49	63.10	0.79	
				09-15-49	63.34	0.24	
				09-20-49	62.70		0.64
				09-25-49	63.19	0.49	
				10-01-49	64.00	0.81	
				10-05-49	63.32		0.68
				10-10-49	63.28		0.04
				10-15-49	64.03	0.75	
				10-20-49	64.56	0.53	
				10-25-49	56.73		7.83
				10-28-49	55.48		1.25
				11-01-49	55.82	0.34	
				11-05-49	56.70	0.88	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-10-49	57.46	0.76	
				11-15-49	57.78	0.32	
				11-20-49	58.34	0.56	
				11-25-49	58.64	0.30	
				12-01-49	59.48	0.84	
				12-05-49	58.71		0.77
				12-10-49	58.65		0.06
				12-15-49	58.73	0.08	
				12-19-49	58.30		0.43
				12-20-49	58.46	0.16	
				12-25-49	58.69	0.23	
				01-01-50	58.63		0.06
				01-03-50	58.26		0.37
				01-05-50	59.06	0.80	
				01-10-50	58.84		0.22
				01-15-50	59.02	0.18	
				01-20-50	59.34	0.32	
				01-25-50	59.38	0.04	
				02-01-50	59.04		0.34
				02-05-50	59.06	0.02	
				02-10-50	58.66		0.40
				02-15-50	57.53		1.13
				02-20-50	57.28		0.25
				02-24-50	57.18		0.10
				02-25-50	57.37	0.19	
				03-01-50	58.21	0.84	
				03-05-50	57.48		0.73
				03-06-50	57.42		0.06
				03-10-50	58.10	0.68	
				03-15-50	58.16	0.06	
				03-20-50	58.80	0.64	
				03-25-50	60.37	1.57	
				04-01-50	61.51	1.14	
				04-05-50	60.62		0.89
				04-10-50	60.32		0.30
				04-15-50	60.98	0.66	
				04-20-50	60.09		0.89
				04-24-50	59.37		0.72
				04-25-50	59.50	0.13	
				05-01-50	59.38		0.12
				05-05-50	60.76	1.38	
				05-10-50	62.26	1.50	
				05-15-50	59.38		2.88

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-18-50	58.36		1.02
				05-20-50	60.28	1.92	
				05-25-50	61.14	0.86	
				06-01-50	60.55		0.59
				06-05-50	58.31		2.24
				06-06-50	58.25		0.06
				06-10-50	59.33	1.08	
				06-15-50	61.16	1.83	
				06-20-50	62.17	1.01	
				06-25-50	62.86	0.69	
				07-01-50	63.67	0.81	
				07-03-50	62.72		0.95
				07-05-50	63.58	0.86	
				07-10-50	64.86	1.28	
				07-15-50	64.04		0.82
				07-20-50	64.17	0.13	
				07-25-50	65.31	1.14	
				08-01-50	66.88	1.57	
				08-05-50	68.08	1.20	
				08-10-50	68.57	0.49	
				08-15-50	64.76		3.81
				08-20-50	65.68	0.92	
				08-25-50	67.30	1.62	
				09-01-50	65.66		1.64
				09-05-50	65.61		0.05
				09-10-50	66.64	1.03	
				09-15-50	67.36	0.72	
				09-20-50	65.65		1.71
				09-25-50	64.94		0.71
				09-28-50	65.03	0.09	
				10-01-50	64.84		0.19
				10-02-50	64.71		0.13
				10-05-50	65.51	0.80	
				10-10-50	66.19	0.68	
				10-15-50	66.95	0.76	
				10-20-50	66.93		0.02
				10-25-50	67.41	0.48	
				11-01-50	67.74	0.33	
				11-05-50	67.19		0.55
				11-10-50	67.40	0.21	
				11-13-50	66.55		0.85
				11-15-50	66.64	0.09	
				11-20-50	66.75	0.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-25-50	67.16	0.41	
				12-01-50	67.41	0.25	
				12-04-50	66.83		0.58
				12-05-50	67.00	0.17	
				12-10-50	67.34	0.34	
				12-15-50	67.55	0.21	
				12-20-50	67.45		0.10
				12-25-50	66.82		0.63
				01-01-51	66.88	0.06	
				01-02-51	66.55		0.33
				01-05-51	67.61	1.06	
				01-10-51	67.68	0.07	
				01-15-51	67.40		0.28
				01-20-51	68.64	1.24	
				01-25-51	68.98	0.34	
				02-01-51	69.52	0.54	
				02-05-51	69.23		0.29
				02-10-51	70.08	0.85	
				02-15-51	70.69	0.61	
				02-20-51	68.70		1.99
				02-25-51	68.36		0.34
				02-28-51	68.28		0.08
				03-01-51	68.45	0.17	
				03-05-51	68.70	0.25	
				03-10-51	70.52	1.82	
				03-15-51	70.08		0.44
				03-20-51	70.30	0.22	
				03-25-51	70.87	0.57	
				04-01-51	69.41		1.46
				04-05-51	70.44	1.03	
				04-10-51	70.55	0.11	
				04-15-51	71.36	0.81	
				04-20-51	72.92	1.56	
				04-25-51	73.03	0.11	
				05-01-51	72.69		0.34
				05-05-51	73.37	0.68	
				05-10-51	71.32		2.05
				05-15-51	70.91		0.41
				05-20-51	69.88		1.03
				05-21-51	69.73		0.15
				05-25-51	70.04	0.31	
				06-01-51	72.26	2.22	
				06-04-51	68.94		3.32

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY.

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-51	69.26	0.32	
				06-10-51	69.85	0.59	
				06-15-51	70.67	0.82	
				06-20-51	72.40	1.73	
				06-25-51	73.13	0.73	
				07-01-51	74.57	1.44	
				07-02-51	74.33		0.24
				07-05-51	75.48	1.15	
				07-10-51	76.65	1.17	
				07-15-51	75.95		0.70
				07-20-51	78.03	2.08	
				07-25-51	78.84	0.81	
				08-01-51	79.69	0.85	
				08-05-51	80.03	0.34	
				08-10-51	81.13	1.10	
				08-15-51	81.40	0.27	
				08-20-51	79.85		1.55
				08-25-51	81.23	1.38	
				09-01-51	81.88	0.65	
				09-05-51	80.66		1.22
				09-10-51	80.61		0.05
				09-15-51	78.60		2.01
				09-20-51	77.73		0.87
				09-25-51	77.26		0.47
				09-26-51	77.05		0.21
				10-01-51	77.02		0.03
				10-05-51	78.42	1.40	
				10-10-51	78.59	0.17	
				10-15-51	78.37		0.22
				10-20-51	78.91	0.54	
				10-25-51	77.97		0.94
				10-29-51	76.61		1.36
				11-01-51	76.95	0.34	
				11-05-51	76.18		0.77
				11-10-51	77.13	0.95	
				11-15-51	77.31	0.18	
				11-20-51	76.83		0.48
				11-25-51	76.51		0.32
				11-27-51	76.16		0.35
				12-01-51	76.13		0.03
				12-03-51	75.81		0.32
				12-05-51	76.08	0.27	
				12-10-51	76.26	0.18	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-15-51	76.80	0.54	
				12-20-51	76.06		0.74
				12-25-51	76.13	0.07	
				01-01-52	76.67	0.54	
				01-05-52	76.45		0.22
				01-07-52	76.18		0.27
				01-10-52	77.27	1.09	
				01-15-52	77.05		0.22
				01-20-52	77.33	0.28	
				01-25-52	77.63	0.30	
				02-01-52	77.64	0.01	
				02-05-52	77.73	0.09	
				02-10-52	78.62	0.89	
				02-15-52	79.01	0.39	
				02-20-52	78.45		0.56
				02-25-52	76.99		1.46
				02-29-52	76.91		0.08
				03-01-52	77.19	0.28	
				03-03-52	76.52		0.67
				03-05-52	77.26	0.74	
				03-10-52	77.01		0.25
				03-15-52	78.03	1.02	
				03-20-52	78.88	0.85	
				03-25-52	78.92	0.04	
				04-01-52	77.32		1.60
				04-05-52	78.01	0.69	
				04-10-52	78.12	0.11	
				04-15-52	77.19		0.93
				04-20-52	77.10		0.09
				04-25-52	76.53		0.57
				04-26-52	76.42		0.11
				05-01-52	77.70	1.28	
				05-02-52	77.44		0.26
				05-05-52	77.65	0.21	
				05-10-52	79.92	2.27	
				05-15-52	81.10	1.18	
				05-20-52	79.60		1.50
				05-25-52	79.77	0.17	
				06-01-52	78.57		1.20
				06-02-52	78.57		
				06-05-52	79.84	1.27	
				06-10-52	79.71		0.13
				06-15-52	80.09	0.38	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-20-52	82.54	2.45	
				06-25-52	83.26	0.72	
				07-01-52	81.50		1.76
				07-05-52	82.37	0.87	
				07-10-52	83.95	1.58	
				07-15-52	84.83	0.88	
				07-20-52	81.95		2.88
				07-25-52	83.15	1.20	
				08-01-52	84.68	1.53	
				08-03-52	84.63		0.05
				08-05-52	85.34	0.71	
				08-10-52	86.54	1.20	
				08-15-52	88.14	1.60	
				08-20-52	88.48	0.34	
				08-25-52	88.00		0.48
				09-01-52	88.10	0.10	
				09-05-52	88.43	0.33	
				09-10-52	85.83		2.60
				09-15-52	80.10		5.73
				09-20-52	79.10		1.00
				09-22-52	78.74		0.36
				09-25-52	79.10	0.36	
				10-01-52	80.05	0.95	
				10-05-52	80.55	0.50	
				10-10-52	80.59	0.04	
				10-15-52	80.79	0.20	
				10-20-52	80.44		0.35
				10-25-52	81.22	0.78	
				11-01-52	81.24	0.02	
				11-05-52	81.14		0.10
				11-10-52	80.19		0.95
				11-15-52	79.86		0.33
				11-20-52	79.36		0.50
				11-25-52	78.36		1.00
				11-30-52	75.67		2.69
				12-01-52	75.03		0.64
				12-05-52	75.55	0.52	
				12-10-52	75.49		0.06
				12-15-52	75.29		0.20
				12-20-52	75.23		0.06
				12-25-52	74.28		0.95
				12-31-52	72.07		2.21
				01-01-53	71.54		0.53

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

- * MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-05-53	71.04		0.50
				01-10-53	71.87	0.83	
				01-15-53	72.23	0.36	
				01-20-53	72.38	0.15	
				01-25-53	73.21	0.83	
				02-01-53	73.67	0.46	
				02-02-53	73.54		0.13
				02-05-53	74.35	0.81	
				02-10-53	74.68	0.33	
				02-15-53	74.48		0.20
				02-20-53	74.68	0.20	
				02-25-53	74.56		0.12
				03-01-53	74.85	0.29	
				03-05-53	75.86	1.01	
				03-10-53	75.73		0.13
				03-15-53	75.65		0.08
				03-20-53	76.72	1.07	
				03-25-53	78.12	1.40	
				04-01-53	78.93	0.81	
				04-05-53	77.27		1.66
				04-06-53	76.64		0.63
				04-10-53	78.64	2.00	
				04-15-53	77.73		0.91
				04-20-53	78.28	0.55	
				04-25-53	78.50	0.22	
				05-01-53	79.57	1.07	
				05-05-53	79.66	0.09	
				05-10-53	81.02	1.36	
				05-15-53	79.33		1.69
				05-18-53	78.71		0.62
				05-20-53	79.60	0.89	
				05-25-53	81.61	2.01	
				06-01-53	83.63	2.02	
				06-05-53	85.28	1.65	
				06-10-53	86.43	1.15	
				06-15-53	86.28		0.15
				06-20-53	88.06	1.78	
				06-25-53	89.12	1.06	
				07-01-53	85.65		3.47
				07-05-53	84.87		0.78
				07-10-53	87.28	2.41	
				07-15-53	87.48	0.20	
				07-20-53	87.90	0.42	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-25-53	89.21	1.31	
				08-01-53	89.84	0.63	
				08-05-53	90.51	0.67	
				08-10-53	90.95	0.44	
				08-15-53	92.03	1.08	
				08-20-53	90.92		1.11
				08-25-53	87.72		3.20
				08-31-53	83.50		4.22
				09-01-53	82.82		0.68
				09-05-53	77.15		5.67
				09-10-53	75.26		1.89
				09-14-53	75.18		0.08
				09-15-53	75.77	0.59	
				09-20-53	76.87	1.10	
				09-25-53	78.63	1.76	
				10-01-53	80.05	1.42	
				10-05-53	78.03		2.02
				10-10-53	78.20	0.17	
				10-15-53	79.06	0.86	
				10-20-53	79.40	0.34	
				10-25-53	78.20		1.20
				10-31-53	77.40		0.80
				11-01-53	76.97		0.43
				11-05-53	76.58		0.39
				11-09-53	76.15		0.43
				11-10-53	76.33	0.18	
				11-15-53	76.46	0.13	
				11-20-53	76.55	0.09	
				11-25-53	76.99	0.44	
				12-01-53	76.81		0.18
				12-05-53	76.00		0.81
				12-10-53	76.43	0.43	
				12-15-53	75.89		0.54
				12-20-53	75.37		0.52
				12-21-53	75.16		0.21
				12-23-53	76.45	1.29	
				01-18-54	76.22		0.23
				01-20-54	76.54	0.32	
				01-25-54	76.80	0.26	
				02-01-54	77.30	0.50	
				02-05-54	78.38	1.08	
				02-10-54	78.55	0.17	
				02-15-54	78.53		0.02

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-54	79.37	0.84	
				02-25-54	80.35	0.98	
				03-01-54	80.50	0.15	
				03-05-54	80.82	0.32	
				03-06-54	80.38		0.44
				03-10-54	81.68	1.30	
				03-15-54	81.98	0.30	
				03-20-54	82.95	0.97	
				03-25-54	83.48	0.53	
				04-01-54	84.38	0.90	
				04-05-54	84.60	0.22	
				04-10-54	84.05		0.55
				04-12-54	83.30		0.75
				04-15-54	83.37	0.07	
				04-20-54	84.54	1.17	
				04-25-54	85.79	1.25	
				05-01-54	83.74		2.05
				05-03-54	83.19		0.55
				05-05-54	83.63	0.44	
				05-10-54	84.84	1.21	
				05-15-54	84.61		0.23
				05-20-54	85.33	0.72	
				05-25-54	84.15		1.18
				06-01-54	85.78	1.63	
				06-05-54	87.33	1.55	
				06-10-54	89.20	1.87	
				06-15-54	89.80	0.60	
				06-20-54	89.40		0.40
				06-25-54	90.38	0.98	
				07-01-54	87.26		3.12
				07-05-54	86.97		0.29
				07-10-54	89.63	2.66	
				07-15-54	90.40	0.77	
				07-20-54	91.75	1.35	
				07-25-54	92.54	0.79	
				08-01-54	91.42		1.12
				08-02-54	90.35		1.07
				08-06-54	92.50	2.15	
				08-10-54	93.65	1.15	
				08-15-54	94.18	0.53	
				08-21-54	93.85		0.33
				08-25-54	93.78		0.07
				09-01-54	92.67		1.11

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-05-54	92.97	0.30	
				09-06-54	92.45		0.52
				09-10-54	94.05	1.60	
				09-15-54	94.16	0.11	
				09-20-54	92.53		1.63
				09-25-54	93.50	0.97	
				10-01-54	92.27		1.23
				10-05-54	89.90		2.37
				10-10-54	88.15		1.75
				10-15-54	88.95	0.80	
				10-20-54	89.52	0.57	
				10-25-54	88.70		0.82
				11-01-54	88.11		0.59
				11-05-54	87.86		0.25
				11-10-54	87.52		0.34
				11-15-54	86.40		1.12
				11-17-54	86.25		0.15
				11-20-54	86.59	0.34	
				11-26-54	86.35		0.24
				12-01-54	87.00	0.65	
				12-05-54	86.98		0.02
				12-10-54	87.14	0.16	
				12-15-54	86.48		0.66
				12-20-54	86.23		0.25
				12-25-54	86.58	0.35	
				12-26-54	85.67		0.91
				01-01-55	84.74		0.93
				01-05-55	86.11	1.37	
				01-10-55	85.36		0.75
				01-15-55	85.21		0.15
				01-20-55	84.93		0.28
				01-25-55	84.83		0.10
				02-01-55	85.37	0.54	
				02-05-55	85.20		0.17
				02-10-55	84.73		0.47
				02-15-55	91.24	6.51	
				02-20-55	84.44		6.80
				02-25-55	84.43		0.01
				03-01-55	84.75	0.32	
				03-05-55	85.79	1.04	
				03-10-55	86.12	0.33	
				03-15-55	87.32	1.20	
				03-20-55	87.04		0.28

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING. (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-25-55	86.75		0.29
				04-01-55	87.61	0.86	
				04-05-55	89.07	1.46	
				04-10-55	87.71		1.36
				04-15-55	90.02	2.31	
				04-20-55	90.88	0.86	
				04-25-55	91.64	0.76	
				05-01-55	92.19	0.55	
				05-05-55	93.54	1.35	
				05-10-55	93.28		0.26
				05-15-55	90.13		3.15
				05-20-55	88.06		2.07
				05-25-55	89.22	1.16	
				06-01-55	90.98	1.76	
				06-05-55	91.45	0.47	
				06-10-55	91.15		0.30
				06-15-55	92.12	0.97	
				06-20-55	93.05	0.93	
				06-25-55	94.08	1.03	
				07-01-55	96.02	1.94	
				07-05-55	95.28		0.74
				07-10-55	95.58	0.30	
				07-15-55	95.09		0.49
				07-20-55	95.31	0.22	
				07-25-55	94.90		0.41
				08-01-55	95.59	0.69	
				08-05-55	96.31	0.72	
				08-10-55	97.97	1.66	
				08-15-55	94.78		3.19
				08-20-55	96.38	1.60	
				08-25-55	97.75	1.37	
				09-01-55	96.29		1.46
				09-05-55	95.38		0.91
				09-10-55	96.67	1.29	
				09-15-55	96.49		0.18
				09-20-55	97.02	0.53	
				09-25-55	95.85		1.17
				10-01-55	96.58	0.73	
				10-05-55	95.47		1.11
				10-10-55	95.25		0.22
				10-15-55	95.54	0.29	
				10-20-55	96.68	1.14	
				10-25-55	96.02		0.66

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-01-55	95.88		0.14
				11-05-55	95.68		0.20
				11-10-55	93.88		1.80
				11-15-55	93.27		0.61
				11-20-55	93.10		0.17
				11-25-55	92.60		0.50
				12-01-55	92.17		0.43
				12-05-55	91.48		0.69
				12-10-55	91.83	0.35	
				12-15-55	92.19	0.36	
				12-20-55	92.15		0.04
				12-25-55	96.73	4.58	
				01-01-56	91.63		5.10
				01-05-56	92.07	0.44	
				01-10-56	92.25	0.18	
				01-15-56	92.33	0.08	
				01-20-56	91.84		0.49
				01-25-56	91.18		0.66
				02-01-56	90.94		0.24
				02-05-56	90.65		0.29
				02-10-56	90.71	0.06	
				02-15-56	91.24	0.53	
				02-20-56	91.81	0.57	
				02-25-56	92.00	0.19	
				03-01-56	93.18	1.18	
				03-05-56	93.78	0.60	
				03-10-56	94.52	0.74	
				03-15-56	93.74		0.78
				03-20-56	95.33	1.59	
				03-25-56	95.01		0.32
				04-01-56	96.45	1.44	
				04-05-56	97.63	1.18	
				04-10-56	96.87		0.76
				04-15-56	98.12	1.25	
				04-20-56	98.27	0.15	
				04-25-56	96.72		1.55
				05-01-56	97.91	1.19	
				05-05-56	97.31		0.60
				05-10-56	99.57	2.26	
				05-15-56	99.27		0.30
				05-20-56	98.97		0.30
				05-25-56	100.36	1.39	
				06-01-56	100.64	0.28	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-05-56	101.66	1.02	
				06-10-56	102.43	0.77	
				06-15-56	103.77	1.34	
				06-20-56	101.60		2.17
				06-25-56	102.85	1.25	
				07-01-56	104.23	1.38	
				07-05-56	103.30		0.93
				07-10-56	104.70	1.40	
				07-15-56	104.77	0.07	
				07-20-56	106.42	1.65	
				07-25-56	106.43	0.01	
				08-01-56	107.52	1.09	
				08-05-56	107.83	0.31	
				08-10-56	108.93	1.10	
				08-15-56	109.56	0.63	
				08-20-56	108.76		0.80
				08-25-56	104.96		3.80
				09-01-56	104.31		0.65
				09-05-56	102.60		1.71
				09-10-56	102.16		0.44
				09-15-56	104.10	1.94	
				09-20-56	105.39	1.29	
				09-25-56	105.77	0.38	
				10-01-56	105.01		0.76
				10-05-56	105.38	0.37	
				10-10-56	106.32	0.94	
				10-15-56	104.23		2.09
				10-20-56	101.49		2.74
				10-25-56	100.44		1.05
				11-01-56	100.00		0.44
				11-05-56	98.89		1.11
				11-10-56	98.17		0.72
				11-15-56	98.15		0.02
				11-20-56	97.83		0.32
				11-25-56	98.18	0.35	
				12-01-56	98.28	0.10	
				12-05-56	98.58	0.30	
				12-10-56	98.20		0.38
				12-15-56	98.03		0.17
				12-20-56	96.97		1.06
				12-25-56	96.12		0.85
				01-01-57	96.00		0.12
				01-05-57	96.30	0.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-10-57	96.65	0.35	
				01-15-57	96.62		0.03
				01-20-57	96.10		0.52
				01-25-57	96.00		0.10
				02-01-57	95.92		0.08
				02-05-57	96.29	0.37	
				02-10-57	97.03	0.74	
				02-15-57	97.78	0.75	
				02-20-57	96.37		1.41
				02-25-57	94.68		1.69
				03-01-57	95.55	0.87	
				03-05-57	95.02		0.53
				03-10-57	95.14	0.12	
				03-15-57	96.29	1.15	
				03-20-57	94.95		1.34
				03-25-57	92.29		2.66
				04-01-57	91.79		0.50
				04-05-57	92.63	0.84	
				04-10-57	93.31	0.68	
				04-15-57	92.82		0.49
				04-20-57	90.35		2.47
				04-25-57	86.62		3.73
				05-01-57	79.88		6.74
				05-05-57	80.28	0.40	
				05-10-57	81.66	1.38	
				05-15-57	82.51	0.85	
				05-20-57	81.15		1.36
				05-25-57	82.68	1.53	
				06-01-57	74.33		8.35
				06-05-57	71.90		2.43
				06-10-57	71.62		0.28
				06-15-57	73.37	1.75	
				06-20-57	74.69	1.32	
				06-25-57	77.00	2.31	
				07-01-57	80.74	3.74	
				07-05-57	83.74	3.00	
				07-10-57	84.99	1.25	
				07-15-57	87.06	2.07	
				07-20-57	89.95	2.89	
				07-25-57	91.13	1.18	
				08-01-57	92.95	1.82	
				08-05-57	93.29	0.34	
				08-10-57	95.06	1.77	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-15-57	95.86	0.80	
				08-20-57	93.78		2.08
				08-25-57	95.00	1.22	
				09-01-57	94.70		0.30
				09-05-57	93.05		1.65
				09-10-57	91.74		1.31
				09-15-57	90.95		0.79
				09-20-57	92.35	1.40	
				09-25-57	84.12		8.23
				10-01-57	80.84		3.28
				10-05-57	81.89	1.05	
				10-10-57	82.07	0.18	
				10-15-57	81.35		0.72
				10-20-57	81.20		0.15
				10-25-57	74.54		6.66
				11-01-57	73.53		1.01
				11-05-57	73.26		0.27
				11-10-57	73.78	0.52	
				11-15-57	72.05		1.73
				11-20-57	71.44		0.61
				11-25-57	72.47	1.03	
				12-01-57	69.50		2.97
				12-05-57	69.43		0.07
				12-10-57	69.26		0.17
				12-15-57	69.70	0.44	
				12-20-57	69.86	0.16	
				12-25-57	69.78		0.08
				01-01-58	69.30		0.48
				01-05-58	68.00		1.30
				01-10-58	66.07		1.93
				01-15-58	63.95		2.12
				01-20-58	62.47		1.48
				01-25-58	61.53		0.94
				02-01-58	60.54		0.99
				02-05-58	60.28		0.26
				02-10-58	59.97		0.31
				02-15-58	60.34	0.37	
				02-20-58	60.45	0.11	
				02-25-58	54.74		5.71
				03-01-58	53.35		1.39
				03-05-58	52.57		0.78
				03-10-58	52.36		0.21
				03-15-58	52.57	0.21	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-20-58	52.53		0.04
				03-25-58	52.46		0.07
				04-01-58	53.21	0.75	
				04-05-58	53.85	0.64	
				04-10-58	54.70	0.85	
				04-15-58	54.42		0.28
				04-20-58	54.83	0.41	
				04-25-58	56.24	1.41	
				05-01-58	56.18		0.06
				05-05-58	51.98		4.20
				05-10-58	51.35		0.63
				05-15-58	51.26		0.09
				05-20-58	51.16		0.10
				05-25-58	52.45	1.29	
				06-01-58	55.89	3.44	
				06-05-58	58.82	2.93	
				06-10-58	60.58	1.76	
				06-16-58	61.82	1.24	
				06-20-58	62.47	0.65	
				06-25-58	59.37		3.10
				07-01-58	60.05	0.68	
				07-05-58	61.28	1.23	
				07-10-58	58.20		3.08
				07-15-58	58.35	0.15	
				07-20-58	60.82	2.47	
				07-25-58	63.55	2.73	
				08-01-58	66.76	3.21	
				08-05-58	67.81	1.05	
				08-10-58	69.50	1.69	
				08-15-58	68.43		1.07
				08-20-58	69.05	0.62	
				08-25-58	67.45		1.60
				09-01-58	69.13	1.68	
				09-05-58	69.35	0.22	
				09-10-58	64.72		4.63
				09-15-58	62.80		1.92
				09-20-58	57.40		5.40
				09-25-58	52.11		5.29
				10-01-58	49.50		2.61
				10-05-58	48.60		0.90
				10-10-58	48.92	0.32	
				10-15-58	48.63		0.29
				10-20-58	48.16		0.47

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-25-58	48.26	0.10	
				11-01-58	44.91		3.35
				11-05-58	43.53		1.38
				11-10-58	43.00		0.53
				11-15-58	43.26	0.26	
				11-20-58	43.49	0.23	
				11-25-58	43.46		0.03
				12-01-58	43.49	0.03	
				12-05-58	43.89	0.40	
				12-10-58	44.13	0.24	
				12-15-58	44.78	0.65	
				12-20-58	45.12	0.34	
				12-25-58	44.98		0.14
				01-01-59	44.90		0.08
				01-05-59	45.47	0.57	
				01-10-59	45.34		0.13
				01-15-59	45.23		0.11
				01-20-59	45.35	0.12	
				01-25-59	45.72	0.37	
				02-01-59	45.89	0.17	
				02-05-59	45.65		0.24
				02-10-59	45.84	0.19	
				02-15-59	45.81		0.03
				02-20-59	45.45		0.36
				02-25-59	45.14		0.31
				03-01-59	45.07		0.07
				03-05-59	45.22	0.15	
				03-10-59	45.99	0.77	
				03-15-59	46.43	0.44	
				03-20-59	47.07	0.64	
				03-25-59	47.83	0.76	
				04-01-59	48.50	0.67	
				04-05-59	48.55	0.05	
				04-10-59	47.93		0.62
				04-15-59	46.98		0.95
				04-20-59	46.33		0.65
				04-25-59	47.05	0.72	
				05-01-59	48.28	1.23	
				05-05-59	47.20		1.08
				05-10-59	47.44	0.24	
				05-15-59	48.65	1.21	
				05-20-59	48.65		
				05-25-59	48.01		0.64

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-01-59	50.45	2.44	
				06-05-59	52.33	1.88	
				06-10-59	53.83	1.50	
				06-15-59	55.75	1.92	
				06-20-59	59.19	3.44	
				06-25-59	56.57		2.62
				07-01-59	54.96		1.61
				07-05-59	55.45	0.49	
				07-10-59	57.76	2.31	
				07-15-59	55.67		2.09
				07-20-59	56.25	0.58	
				07-25-59	54.11		2.14
				08-01-59	55.50	1.39	
				08-05-59	58.23	2.73	
				08-10-59	57.00		1.23
				08-15-59	58.26	1.26	
				08-20-59	60.56	2.30	
				08-25-59	57.10		3.46
				09-01-59	55.81		1.29
				09-05-59	58.05	2.24	
				09-10-59	57.23		0.82
				09-15-59	55.33		1.90
				09-20-59	57.51	2.18	
				09-25-59	56.24		1.27
				10-01-59	55.78		0.46
				10-05-59	52.23		3.55
				10-10-59	50.87		1.36
				10-15-59	50.08		0.79
				10-20-59	49.52		0.56
				10-25-59	49.90	0.38	
				11-01-59	49.40		0.50
				11-05-59	49.28		0.12
				11-10-59	49.48	0.20	
				11-15-59	49.13		0.35
				11-20-59	48.68		0.45
				11-25-59	47.78		0.90
				12-01-59	48.14	0.36	
				12-05-59	48.27	0.13	
				12-10-59	48.42	0.15	
				12-15-59	48.22		0.20
				12-20-59	47.72		0.50
				12-25-59	47.47		0.25
				01-01-60	47.26		0.21

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-05-60	47.03		0.23
				01-10-60	46.90		0.13
				01-15-60	47.01	0.11	
				01-20-60	47.12	0.11	
				01-25-60	46.78		0.34
				02-01-60	47.06	0.28	
				02-05-60	46.99		0.07
				02-10-60	46.97		0.02
				02-15-60	47.00	0.03	
				02-20-60	47.48	0.48	
				02-26-60	47.58	0.10	
				03-01-60	47.32		0.26
				03-05-60	47.52	0.20	
				03-10-60	47.44		0.08
				03-15-60	47.24		0.20
				03-20-60	48.28	1.04	
				03-25-60	49.17	0.89	
				04-01-60	47.93		1.24
				04-05-60	48.17	0.24	
				04-10-60	48.97	0.80	
				04-15-60	48.81		0.16
				04-20-60	49.67	0.86	
				04-25-60	49.84	0.17	
				05-01-60	48.23		1.61
				05-05-60	47.97		0.26
				05-10-60	49.26	1.29	
				05-15-60	49.46	0.20	
				05-20-60	51.14	1.68	
				05-25-60	50.77		0.37
				06-01-60	54.32	3.55	
				06-05-60	56.98	2.66	
				06-10-60	59.64	2.66	
				06-15-60	61.91	2.27	
				06-20-60	62.98	1.07	
				06-25-60	58.83		4.15
				07-01-60	56.38		2.45
				07-05-60	56.67	0.29	
				07-10-60	58.55	1.88	
				07-15-60	60.15	1.60	
				07-20-60	55.25		4.90
				07-25-60	52.94		2.31
				08-01-60	56.57	3.63	
				08-05-60	59.05	2.48	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-10-60	60.43	1.38	
				08-15-60	55.50		4.93
				08-20-60	53.07		2.43
				08-25-60	53.60	0.53	
				09-01-60	53.23		0.37
				09-05-60	52.69		0.54
				09-10-60	53.79	1.10	
				09-15-60	55.34	1.55	
				09-20-60	56.78	1.44	
				09-25-60	56.20		0.58
				10-01-60	56.34	0.14	
				10-05-60	57.07	0.73	
				10-10-60	55.26		1.81
				10-15-60	55.06		0.20
				10-20-60	50.85		4.21
				10-25-60	49.72		1.13
				11-01-60	46.29		3.43
				11-05-60	45.12		1.17
				11-10-60	44.81		0.31
				11-15-60	44.12		0.69
				11-20-60	45.02	0.90	
				11-25-60	45.02		
				12-01-60	45.50	0.48	
				12-05-60	45.19		0.31
				12-10-60	44.51		0.68
				12-15-60	43.81		0.70
				12-20-60	43.65		0.16
				12-25-60	43.55		0.10
				01-01-61	43.22		0.33
				01-05-61	43.22		
				01-10-61	42.97		0.25
				01-15-61	42.24		0.73
				01-20-61	43.01	0.77	
				01-25-61	43.13	0.12	
				02-01-61	43.11		0.02
				02-05-61	43.08		0.03
				02-10-61	41.94		1.14
				02-15-61	42.36	0.42	
				02-20-61	41.40		0.96
				02-25-61	41.53	0.13	
				03-01-61	41.87	0.34	
				03-05-61	42.02	0.15	
				03-10-61	43.12	1.10	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-15-61	43.84	0.72	
				03-20-61	43.59		0.25
				03-25-61	45.16	1.57	
				04-01-61	45.20	0.04	
				04-05-61	46.67	1.47	
				04-10-61	45.65		1.02
				04-15-61	47.96	2.31	
				04-20-61	48.69	0.73	
				04-25-61	49.20	0.51	
				05-01-61	48.81		0.39
				05-05-61	50.15	1.34	
				05-10-61	51.65	1.50	
				05-15-61	52.11	0.46	
				05-20-61	54.65	2.54	
				05-25-61	55.10	0.45	
				06-01-61	57.05	1.95	
				06-05-61	57.16	0.11	
				06-10-61	56.03		1.13
				06-15-61	52.99		3.04
				06-20-61	47.92		5.07
				06-25-61	47.81		0.11
				07-01-61	49.60	1.79	
				07-05-61	50.29	0.69	
				07-10-61	49.44		0.85
				07-15-61	48.05		1.39
				07-20-61	49.05	1.00	
				07-25-61	46.36		2.69
				08-01-61	46.65	0.29	
				08-05-61	47.52	0.87	
				08-10-61	48.34	0.82	
				08-15-61	49.05	0.71	
				08-20-61	49.75	0.70	
				08-25-61	51.62	1.87	
				09-01-61	53.06	1.44	
				09-05-61	53.16	0.10	
				09-10-61	53.52	0.36	
				09-15-61	50.23		3.29
				09-20-61	49.65		0.58
				09-25-61	50.52	0.87	
				10-01-61	49.82		0.70
				10-05-61	48.93		0.89
				10-10-61	48.94	0.01	
				10-15-61	46.47		2.47

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-20-61	47.37	0.90	
				10-25-61	48.26	0.89	
				11-01-61	47.29		0.97
				11-05-61	47.62	0.33	
				11-10-61	47.25		0.37
				11-15-61	46.74		0.51
				11-20-61	46.44		0.30
				11-25-61	46.56	0.12	
				12-01-61	46.61	0.05	
				12-05-61	46.81	0.20	
				12-10-61	46.63		0.18
				12-15-61	46.86	0.23	
				12-20-61	47.05	0.19	
				12-25-61	46.85		0.20
				01-01-62	47.05	0.20	
				01-05-62	47.66	0.61	
				01-10-62	48.68	1.02	
				01-15-62	48.78	0.10	
				01-20-62	48.95	0.17	
				01-25-62	48.47		0.48
				02-01-62	49.10	0.63	
				02-05-62	49.01		0.09
				02-10-62	50.30	1.29	
				02-15-62	51.18	0.88	
				02-20-62	50.60		0.58
				02-25-62	50.37		0.23
				03-01-62	50.31		0.06
				03-05-62	50.37	0.06	
				03-10-62	51.46	1.09	
				03-15-62	51.10		0.36
				03-20-62	50.33		0.77
				03-25-62	52.20	1.87	
				04-01-62	52.90	0.70	
				04-05-62	52.78		0.12
				04-10-62	51.06		1.72
				04-15-62	52.26	1.20	
				04-20-62	53.86	1.60	
				04-25-62	51.83		2.03
				05-01-62	49.85		1.98
				05-05-62	50.72	0.87	
				05-10-62	53.11	2.39	
				05-15-62	54.94	1.83	
				05-20-62	57.20	2.26	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-25-62	60.00	2.80	
				06-01-62	57.85		2.15
				06-05-62	54.90		2.95
				06-10-62	55.39	0.49	
				06-15-62	58.80	3.41	
				06-20-62	60.60	1.80	
				06-25-62	62.15	1.55	
				07-01-62	59.33		2.82
				07-05-62	60.80	1.47	
				07-10-62	64.20	3.40	
				07-15-62	66.95	2.75	
				07-20-62	69.37	2.42	
				07-25-62	70.99	1.62	
				08-01-62	73.22	2.23	
				08-05-62	73.41	0.19	
				08-10-62	75.08	1.67	
				08-15-62	75.22	0.14	
				08-20-62	73.57		1.65
				08-25-62	73.01		0.56
				09-01-62	70.88		2.13
				09-05-62	71.08	0.20	
				09-10-62	65.10		5.98
				09-15-62	66.08	0.98	
				09-20-62	65.39		0.69
				09-25-62	66.53	1.14	
				10-01-62	63.44		3.09
				10-05-62	65.02	1.58	
				10-10-62	65.41	0.39	
				10-15-62	65.53	0.12	
				10-20-62	65.34		0.19
				10-25-62	65.48	0.14	
				11-01-62	64.30		1.18
				11-05-62	64.06		0.24
				11-10-62	63.25		0.81
				11-15-62	63.77	0.52	
				11-20-62	62.16		1.61
				11-25-62	61.03		1.13
				12-01-62	58.02		3.01
				12-05-62	57.58		0.44
				12-10-62	57.18		0.40
				12-15-62	57.54	0.36	
				12-20-62	57.72	0.18	
				12-25-62	57.02		0.70

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-01-63	56.81		0.21
				01-05-63	57.10	0.29	
				01-10-63	57.53	0.43	
				01-15-63	59.34	1.81	
				01-20-63	59.12		0.22
				01-25-63	60.01	0.89	
				02-01-63	59.56		0.45
				02-05-63	60.02	0.46	
				02-10-63	61.14	1.12	
				02-15-63	61.09		0.05
				02-20-63	58.54		2.55
				02-25-63	57.71		0.83
				03-01-63	58.14	0.43	
				03-05-63	58.56	0.42	
				03-10-63	59.14	0.58	
				03-15-63	60.03	0.89	
				03-20-63	60.40	0.37	
				03-25-63	61.18	0.78	
				04-01-63	63.62	2.44	
				04-05-63	63.03		0.59
				04-10-63	61.47		1.56
				04-15-63	61.93	0.46	
				04-20-63	63.71	1.78	
				04-25-63	65.40	1.69	
				05-01-63	65.53	0.13	
				05-05-63	64.83		0.70
				05-10-63	64.10		0.73
				05-15-63	67.67	3.57	
				05-20-63	68.01	0.34	
				05-25-63	68.11	0.10	
				06-01-63	72.62	4.51	
				06-03-63	72.05		0.57
				04-01-77	44.77		27.28
				04-05-77	45.22	0.45	
				04-10-77	45.70	0.48	
				04-15-77	46.84	1.14	
				04-20-77	46.83		0.01
				04-25-77	47.59	0.76	
				05-01-77	47.03		0.56
				06-23-77	51.32	4.29	
				06-26-77	52.88	1.56	
				07-01-77	52.87		0.01
				07-05-77	53.17	0.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-10-77	53.29	0.12	
				07-15-77	53.56	0.27	
				07-20-77	53.50		0.06
				07-25-77	54.94	1.44	
				08-01-77	55.40	0.46	
				08-05-77	53.90		1.50
				08-10-77	55.13	1.23	
66-37-407	KCEB	900	710.30	08-07-33	38.76		
				09-19-33	37.79		0.97
				10-18-33	38.95	1.16	
				11-21-33	38.68		0.27
				12-20-33	38.70	0.02	
				01-20-34	38.64		0.06
				02-20-34	37.95		0.69
				03-20-34	37.74		0.21
				04-19-34	36.38		1.36
				05-22-34	39.55	3.17	
				06-20-34	42.03	2.48	
				07-27-34	41.46		0.57
				08-23-34	43.42	1.96	
				09-20-34	43.47	0.05	
				10-08-34	43.16		0.31
				10-25-34	44.33	1.17	
				11-19-34	43.11		1.22
				12-20-34	42.76		0.35
				01-31-35	42.85	0.09	
				03-01-35	42.42		0.43
				04-08-35	43.28	0.86	
				05-19-35	34.73		8.55
				06-27-35	26.24		8.49
				08-03-35	30.14	3.90	
				09-26-35	29.80		0.34
				11-19-35	30.62	0.82	
				01-21-36	31.61	0.99	
				08-29-36	30.58		1.03
				01-05-37	29.07		1.51
				08-15-52	77.78	48.71	
				11-03-52	70.38		7.40
				01-05-53	60.24		10.14
				03-06-53	65.30	5.06	
				05-07-53	69.99	4.69	
				07-14-53	76.46	6.47	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-18-53	64.93		11.53
				11-04-53	66.56	1.63	
				01-05-54	65.88		0.68
				03-02-54	68.10	2.22	
				05-04-54	72.60	4.50	
				07-07-54	76.25	3.65	
				08-24-54	82.44	6.19	
				11-02-54	78.36		4.08
				01-05-55	77.34		1.02
				03-03-55	76.35		0.99
				05-05-55	79.02	2.67	
				07-06-55	81.07	2.05	
				09-02-55	83.37	2.30	
				10-31-55	84.57	1.20	
				01-06-56	84.57		
				03-09-56	84.33		0.24
				05-04-56	85.48	1.15	
				07-06-56	89.55	4.07	
				08-30-56	93.79	4.24	
				11-09-56	94.31	0.52	
				01-04-57	93.89		0.42
				03-06-57	93.45		0.44
				05-09-57	72.06		21.39
				07-04-57	74.32	2.26	
				09-05-57	84.67	10.35	
				11-05-57	64.68		19.99
				01-08-58	53.23		11.45
				03-06-58	38.28		14.95
				05-12-58	39.52	1.24	
				10-10-58	35.14		4.38
				11-06-58	28.96		6.18
				12-03-58	31.10	2.14	
				01-12-59	32.03	0.93	
				03-05-59	31.35		0.68
				05-04-59	31.91	0.56	
				07-06-59	43.34	11.43	
				11-05-59	38.50		4.84
				01-15-60	35.00		3.50
				03-04-60	30.40		4.60
				05-04-60	32.25	1.85	
				07-07-60	41.60	9.35	
				09-09-60	37.98		3.62
				11-07-60	32.70		5.28

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-09-61	27.20		5.50
				12-09-71	33.53	6.33	
68-37-408	KCEB	765	655.70	07-26-33 +	16.40		
				09-19-33 +	18.70		2.30
				10-18-33 +	14.30	4.40	
				11-21-33 +	17.60		3.30
				12-20-33 +	17.60		
				01-18-34 +	18.20		0.60
				02-20-34 +	17.80	0.40	
				03-20-34 +	18.70		0.90
				04-19-34 +	19.20		0.50
				05-22-34 +	16.40	2.80	
				06-20-34 +	13.30	3.10	
				07-27-34 +	14.50		1.20
				08-22-34 +	12.50	2.00	
				09-19-34 +	12.60		0.10
				10-12-34 +	12.80		0.20
				10-25-34 +	12.90		0.10
				11-19-34 +	13.60		0.70
				12-20-34 +	13.40	0.20	
				01-31-35 +	14.10		0.70
				03-01-35 +	14.30		0.20
				04-09-35 +	13.80	0.50	
				05-21-35 +	22.20		8.40
				06-27-35 +	30.20		8.00
				08-05-35 +	17.50	12.70	
				09-26-35 +	27.30		9.80
				11-21-35 +	26.90	0.40	
				01-21-36 +	25.60	1.30	
				12-30-36 +	27.30		1.70
68-37-409	KCEB	836	644.50	11-27-33 +	28.60		
				07-17-52	10.71	39.31	
				07-18-52	6.76		3.95
				07-21-52	5.48		1.28
				08-05-52	9.52	4.04	
				08-29-52	13.83	4.31	
				09-11-52	6.38		7.45
				09-23-52	1.92		4.46
				10-02-52	3.79	1.87	
				11-03-52	4.52	0.73	
				12-03-52 +	2.45		6.97

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				01-08-53	+	5.45		3.00
				02-09-53	+	2.54	2.91	
				03-04-53	+	0.91	1.63	
				03-10-53	+	1.52		0.61
				04-07-53		0.25	1.77	
				05-11-53		4.76	4.51	
				06-04-53		8.48	3.72	
				06-22-53		12.62	4.14	
				07-15-53		13.24	0.62	
				08-07-53		15.34	2.10	
				09-17-53		0.18		15.16
				10-16-53		2.35	2.17	
				11-02-53	+	0.58		2.93
				12-07-53	+	1.47		0.89
				01-04-54	+	1.55		0.08
				02-04-54		0.97	2.52	
				03-01-54		3.27	2.30	
				04-06-54		8.30	5.03	
				05-03-54		5.96		2.34
				06-07-54		10.48	4.52	
				07-06-54		9.80		0.68
				08-04-54		14.99	5.19	
				08-23-54		16.44	1.45	
				10-04-54		12.47		3.97
				11-01-54		11.13		1.34
				12-02-54		10.67		0.46
				01-05-55		9.34		1.33
				02-01-55		8.26		1.08
				03-04-55		9.42	1.16	
				03-05-55		8.71		0.71
				04-04-55		12.25	3.54	
				05-03-55		17.32	5.07	
				06-02-55		15.75		1.57
				07-08-55		21.58	5.83	
				08-04-55		20.89		0.69
				09-19-55		21.83	0.94	
				10-05-55		19.95		1.88
				11-03-55		20.36	0.41	
				12-05-55		14.87		5.49
				01-05-56		16.01	1.14	
				02-07-56		14.13		1.88
				03-07-56		18.16	4.03	
				04-04-56		22.37	4.21	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-03-56	20.89		1.48
				06-06-56	27.87	6.98	
				07-06-56	29.78	1.91	
				08-02-56	34.96	5.18	
				09-28-56	26.80		8.16
				10-02-56	29.90	3.10	
				11-09-56	21.87		8.03
				12-05-56	22.54	0.67	
				01-04-57	19.82		2.72
				02-04-57	19.66		0.16
				03-07-57	18.04		1.62
				04-03-57	14.85		3.19
				05-09-57	4.04		10.81
				06-05-57 +	6.40		10.44
				07-01-57	5.23	11.63	
				08-07-57	20.25	15.02	
				09-03-57	17.65		2.60
				10-01-57	4.48		13.17
				11-13-57 +	5.50		9.98
				12-03-57 +	8.50		3.00
				01-09-58 +	11.50		3.00
				02-12-58 +	17.50		6.00
				03-11-58 +	25.50		8.00
				04-03-58 +	24.50	1.00	
				05-09-58 +	26.50		2.00
				06-09-58 +	18.00	8.50	
				07-03-58 +	15.50	2.50	
				08-04-58 +	11.00	4.50	
				09-08-58 +	7.00	4.00	
				10-10-58 +	28.00		21.00
				11-06-58 +	35.00		7.00
				12-03-58 +	34.50	0.50	
				01-12-59 +	33.50	1.00	
				02-04-59 +	33.00	0.50	
				03-04-59 +	31.50	1.50	
				04-02-59 +	28.00	3.50	
				05-04-59 +	29.30		1.30
				06-02-59 +	24.80	4.50	
				07-07-59 +	18.30	6.50	
				08-05-59 +	17.70	0.60	
				08-31-59 +	21.20		3.50
				09-30-59 +	20.80	0.40	
				11-02-59 +	28.00		7.20

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-30-59	+ 28.60		0.60
				01-06-60	+ 31.50		2.90
				02-10-60	+ 30.00	1.50	
				03-02-60	+ 31.30		1.30
				04-06-60	+ 28.20	3.10	
				05-02-60	+ 31.00		2.80
				05-13-60	+ 27.50	3.50	
				06-01-60	+ 22.20	5.30	
				07-05-60	+ 20.70	1.50	
				08-02-60	+ 18.70	2.00	
				09-06-60	+ 25.50		6.80
				10-03-60	+ 20.50	5.00	
				11-10-60	+ 32.70		12.20
				12-05-60	+ 32.70		
				01-09-61	+ 35.50		2.80
				02-20-61	+ 37.00		1.50
				03-21-61	+ 33.70	3.30	
				04-26-61	+ 27.50	6.20	
				05-22-61	+ 23.70	3.80	
				06-23-61	+ 30.00		6.30
				07-17-61	+ 30.30		0.30
				08-23-61	+ 26.00	4.30	
				09-26-61	+ 28.50		2.50
				10-23-61	+ 31.00		2.50
				11-29-61	+ 31.40		0.40
				12-18-61	+ 32.00		0.60
				01-24-62	+ 29.60	2.40	
				02-19-62	+ 27.50	2.10	
				03-19-62	+ 28.00		0.50
				04-26-62	+ 27.20	0.80	
				05-23-62	+ 18.50	8.70	
				05-23-62	+ 19.00		0.50
				06-22-62	+ 15.00	4.00	
				07-23-62	+ 0.41	14.59	
				10-23-62	+ 0.35	0.06	
				11-19-62	+ 16.50		16.15
				12-17-62	+ 21.50		5.00
				01-22-63	+ 19.50	2.00	
				02-21-63	+ 20.70		1.20
				03-22-63	+ 17.00	3.70	
				04-25-63	+ 12.50	4.50	
				05-21-63	+ 11.00	1.50	
				01-20-64	+ 11.50		0.50

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-17-64	+ 13.00		1.50
				04-27-64	+ 7.00	6.00	
				12-07-71	+ 40.00		33.00
				02-04-72	+ 30.50	9.50	
				06-08-72	+ 28.00	2.50	
				10-17-72	+ 22.30	5.70	
				02-08-73	+ 29.80		7.50
				02-13-74	+ 42.60		12.80
				07-15-74	+ 23.00	19.60	
				02-13-75	+ 42.60		19.60
				07-17-75	+ 27.50	15.10	
				02-25-76	+ 21.23	6.27	
				08-02-76	+ 31.66		10.43
				02-04-77	+ 49.51		17.85
68-37-505	KCEB	840	633.90	08-29-52	2.13		
				09-11-52	+ 7.90		10.03
				10-01-52	+ 1.76	6.14	
				11-03-52	+ 6.40		4.64
				12-02-52	+ 12.70		6.30
				01-05-53	+ 17.30		4.60
				02-09-53	+ 9.40	7.90	
				03-06-53	+ 8.95	0.45	
				04-07-53	+ 7.90	1.05	
				04-28-53	+ 8.40		0.50
				05-07-53	+ 6.40	2.00	
				09-18-53	+ 10.40		4.00
				10-16-53	+ 6.90Q	3.50	
				11-02-53	+ 8.70Q		1.80
				12-07-53	+ 11.20		2.50
				01-04-54	+ 12.60Q		1.40
				02-04-54	+ 9.45Q	3.15	
				03-01-54	+ 6.58	2.87	
				05-03-54	+ 4.80	1.78	
				03-01-55	+ 3.65*	1.15	
				05-08-57	+ 6.85		3.20
				06-04-57	+ 14.10		7.25
				07-02-57	+ 6.90	7.20	
				07-02-57	+ 6.32	0.58	
68-37-511	KCEB	904	642.70	12-02-52	+ 4.10		
				01-05-53	+ 8.20		4.10
				02-09-53	+ 4.10*	4.10	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				03-06-53	+	3.00	1.10	
				04-07-53	+	1.42	1.58	
				09-18-53	+	2.80*		1.38
				11-02-53	+	1.85	0.95	
				12-07-53	+	3.26		1.41
				01-04-54	+	3.23	0.03	
				06-04-57	+	7.29		4.06
				12-18-57	+	12.00		4.71
				02-24-58	+	26.00		14.00
				04-03-58	+	27.00		1.00
				05-12-58	+	28.00		1.00
				06-12-58	+	16.00	12.00	
				07-03-58	+	14.00	2.00	
				08-05-58	+	11.00	3.00	
				10-09-58	+	32.50		21.50
				11-06-58	+	37.00		4.50
				12-02-58	+	36.50	0.50	
				01-06-59	+	35.00	1.50	
				02-05-59	+	33.70	1.30	
				03-02-59	+	33.80		0.10
				04-02-59	+	30.20	3.60	
				05-04-59	+	31.00		0.80
				06-02-59	+	26.10	4.90	
				07-06-59	+	21.40	4.70	
				08-05-59	+	19.70	1.70	
				09-02-59	+	21.30		1.60
				11-03-59	+	28.80		7.50
				12-02-59	+	29.40		0.60
				01-15-60	+	34.70		5.30
				02-09-60	+	31.70	3.00	
				03-04-60	+	31.10	0.60	
				04-06-60	+	30.80	0.30	
				05-04-60	+	32.30		1.50
				06-01-60	+	25.40	6.90	
				07-07-60	+	22.10	3.30	
				08-02-60	+	23.00		0.90
				09-08-60	+	25.50		2.50
				10-03-60	+	21.60	3.90	
				11-07-60	+	34.70		13.10
				12-06-60	+	33.70	1.00	
				01-10-61	+	36.70		3.00
				01-11-72	+	32.70	4.00	
				02-04-72	+	31.70	1.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-08-72	+ 26.70	5.00	
				10-17-72	+ 22.65	4.05	
				02-08-73	+ 31.35		8.70
				02-13-74	+ 41.85		10.50
				07-15-75	+ 23.60	18.25	
68-37-512	KCEB	620	643.50	11-03-52	2.60		
				12-02-52	+ 4.00		6.60
				01-05-53	+ 8.15		4.15
				02-09-53	+ 4.00	4.15	
				03-06-53	+ 2.60	1.40	
				11-02-53	+ 2.40	0.20	
				12-07-53	+ 2.88		0.48
				05-03-54	4.58	7.46	
				06-07-54	10.17	5.59	
				07-06-54	10.31	0.14	
				08-04-54	16.06	5.75	
				08-23-54	15.81*		0.25
				10-04-54	13.67		2.14
				10-12-54	9.66*		4.01
				11-02-54	9.82	0.16	
				12-02-54	8.58		1.24
				01-06-55	7.44*		1.14
				02-02-55	7.41		0.03
				03-02-55	6.39		1.02
				04-04-55	10.61*	4.22	
				05-03-55	16.12*	5.51	
				07-06-55	18.33	2.21	
				08-03-55	19.92	1.59	
				09-01-55	17.80		2.12
				10-05-55	16.96		0.84
				11-02-55	17.38	0.42	
				12-06-55	12.84		4.54
				01-04-56	13.12*	0.28	
				02-08-56	11.89		1.23
				03-08-56	16.22	4.33	
				04-03-56	18.66*	2.44	
				05-02-56	18.70	0.04	
				06-05-56	24.26	5.56	
				07-03-56	25.40	1.14	
				08-02-56	30.46*	5.06	
				08-28-56	25.10*		5.36
				10-05-56	27.40*	2.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-07-56	19.56		7.84
				12-06-56	20.28	0.72	
				01-03-57	16.78		3.50
				02-05-57	17.92*	1.14	
				03-05-57	16.16*		1.76
				04-02-57	13.09		3.07
				05-08-57	2.11		10.98
				07-02-57	3.23	1.12	
				08-06-57	17.83	14.60	
				09-04-57	14.72		3.11
				10-01-57	2.35		12.37
				01-08-58 +	13.20		15.55
				02-12-58 +	20.15		6.95
				03-04-58 +	26.65		6.50
68-37-513	KCEB	932	646.20	11-03-52	5.95		
				12-02-52	0.57		5.38
				01-05-53 +	6.80		7.37
				02-09-53 +	0.80	6.00	
				03-06-53	0.70	1.50	
				04-07-53	2.18	1.48	
				05-07-53	5.74	3.56	
				06-03-53	11.08	5.34	
				07-14-53	12.70	1.62	
				08-07-53	17.90	5.20	
				09-18-53	1.25		16.65
				10-16-53	4.85	3.60	
				11-02-53	1.30		3.55
				12-07-53	0.72		0.58
				01-04-54	0.72		
				02-04-54	3.51	2.79	
				03-01-54	6.27	2.76	
				04-06-54	11.50	5.23	
				05-03-54	8.28		3.22
				06-07-54	13.77	5.49	
				07-06-54	14.16	0.39	
				08-04-54	18.12	3.96	
				08-23-54	18.92	0.80	
				10-04-54	15.06		3.86
				10-12-54	13.19		1.87
				11-02-54	13.36	0.17	
				12-02-54	11.97		1.39
				01-06-55	10.82		1.15

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-02-55	10.77		0.05
				03-02-55	9.87		0.90
				04-04-55	14.05	4.18	
				05-03-55	19.29	5.24	
				06-01-55	16.83		2.46
				07-06-55	23.01	6.18	
				08-03-55	22.85		0.16
				09-01-55	21.16		1.69
				10-05-55	20.56		0.60
				11-02-55	20.94	0.38	
				12-06-55	16.53		4.41
				01-04-56	16.55	0.02	
				02-02-56	15.24		1.31
				03-08-56	19.72	4.48	
				04-03-56	21.66	1.94	
				05-02-56	22.24	0.58	
				06-05-56	27.89	5.65	
				07-03-56	28.23	0.34	
				08-02-56	33.26	5.03	
				08-28-56	23.09		10.17
				10-05-56	30.06	6.97	
				11-07-56	22.60		7.46
				12-06-56	23.04	0.44	
				01-03-57	19.88		3.16
				02-05-57	20.85	0.97	
				03-05-57	19.21		1.64
				04-02-57	16.11		3.10
				05-08-57	5.02		11.09
				06-04-57 +	2.06		7.08
				07-02-57	6.01	8.07	
				08-06-57	20.65	14.64	
				09-04-57	17.89		2.76
				10-01-57	5.50		12.39
68-37-514	KCEB	1045	607.00	-----44 +	35.45		
				08----52 +	35.00	0.45	
				10-01-52 +	30.80Q	4.20	
				11-03-52 +	30.70Q	0.10	
				12-02-52 +	36.80Q		6.10
				01-05-53 +	38.80Q		2.00
				02-09-53 +	35.30Q	3.50	
				03-06-53 +	32.80Q	2.50	
				04-07-53 +	25.80Q	7.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-07-53	+ 18.80Q	7.00	
				06-03-53	+ 25.90		7.10
				09-18-53	+ 34.60		8.70
				10-16-53	+ 30.10	4.50	
				11-02-53	+ 33.90		3.80
				12-07-53	+ 35.20		1.30
				01-04-54	+ 35.70		0.50
				02-04-54	+ 32.40	3.30	
				03-01-54	+ 30.70	1.70	
				04-09-54	+ 25.90	4.80	
				05-03-54	+ 27.90		2.00
				06-10-54	+ 21.65	6.25	
				07-12-54	+ 20.90	0.75	
				08-04-54	+ 19.40	1.50	
				08-30-54	+ 17.90	1.50	
				10-04-54	+ 21.40		3.50
				10-12-54	+ 23.40		2.00
				11-02-54	+ 23.10	0.30	
				12-02-54	+ 24.90		1.80
				01-06-55	+ 25.40		0.50
				02-02-55	+ 26.40		1.00
				03-02-55	+ 26.90		0.50
				04-04-55	+ 22.70	4.20	
				05-03-55	+ 17.80	4.90	
				06-01-55	+ 20.65		2.85
				07-06-55	+ 12.40	8.25	
				08-03-55	+ 14.40		2.00
				09-01-55	+ 10.90	3.50	
				10-05-55	+ 15.90		5.00
				11-02-55	+ 15.90		
				12-06-55	+ 19.90		4.00
				01-04-56	+ 20.40		0.50
				02-08-56	+ 21.40		1.00
				03-08-56	+ 16.90	4.50	
				04-03-56	+ 14.90	2.00	
				05-02-56	+ 14.10	0.80	
				06-05-56	+ 8.90	5.20	
				07-03-56	+ 7.15	1.75	
				08-02-56	+ 2.22	4.93	
				08-28-56	+ 7.80		5.58
				10-05-56	+ 5.88	1.92	
				11-07-56	+ 12.90		7.02
				12-06-56	+ 11.40	1.50	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-03-57	+ 14.40		3.00
				02-05-57	+ 12.40	2.00	
				03-05-57	+ 12.90		0.50
				04-02-57	+ 15.40		2.50
				05-08-57	+ 30.90		15.50
				05-10-57	+ 29.90	1.00	
68-37-515	KCEB	1380	642.00	06-04-57	+ 2.06		
				01-08-58	+ 10.50		8.44
				02-12-58	+ 10.00	0.50	
				02-24-58	+ 22.00		12.00
				03-04-58	+ 25.50		3.50
				04-03-58	+ 17.50	8.00	
				05-12-58	+ 17.50		
				06-12-58	+ 5.00	12.50	
				07-03-58	+ 12.00		7.00
				08-05-58	+ 5.50	6.50	
				10-09-58	+ 29.00		23.50
				11-06-58	+ 33.00		4.00
				12-02-58	+ 33.00		
				01-06-59	+ 31.50	1.50	
				02-05-59	+ 30.50	1.00	
				05-04-59	+ 27.00	3.50	
				06-02-59	+ 22.50	4.50	
				07-06-59	+ 17.70	4.80	
				08-04-59	+ 16.30	1.40	
				09-02-59	+ 17.90		1.60
				10-02-59	+ 18.20		0.30
				11-03-59	+ 13.00	5.20	
				12-02-59	+ 25.50		12.50
				01-15-60	+ 29.60		4.10
				02-09-60	+ 28.50	1.10	
				03-04-60	+ 27.20	1.30	
				04-06-60	+ 25.60	1.60	
				05-04-60	+ 27.50		1.90
				06-01-60	+ 19.20	8.30	
				07-07-60	+ 16.50	2.70	
				08-02-60	+ 17.70		1.20
				09-08-60	+ 22.00		4.30
				10-03-60	+ 16.00	6.00	
				11-07-60	+ 29.50		13.50
				12-06-60	+ 28.90	0.60	
				01-09-61	+ 33.20		4.30

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-37-606	KCEB	970	676.50	11-13-32	0.28		
				02-07-34	3.21	2.93	
				10-08-34	8.71	5.50	
				06-24-48	21.47	12.76	
				06-29-49	17.19		4.28
				10-10-49	18.61	1.42	
				11-08-49	11.53		7.08
				02-01-50	13.48	1.95	
				02-28-50	12.48		1.00
				03-31-50	16.46	3.98	
				05-05-50	15.33		1.13
				06-06-50	12.98		2.35
				07-07-50	20.78	7.80	
				08-01-50	22.08*	1.30	
				09-08-50	21.43		0.65
				10-09-50	21.47	0.04	
				11-09-50	22.37	0.90	
				12-06-50	22.18		0.19
				01-04-51	21.91		0.27
				02-05-51	23.77	1.86	
				03-07-51	25.20	1.43	
				05-10-51	26.30	1.10	
				05-25-51	24.39		1.91
				06-08-51	23.86		0.53
				08-06-51	34.29	10.43	
				09-10-51	35.88	1.59	
				10-08-51	32.42		3.46
				10-29-51	32.33		0.09
				12-17-51	30.59		1.74
				02-29-52	31.62	1.03	
				04-04-52	32.55	0.93	
				06-30-52	36.05	3.50	
				09-02-52	44.83	8.78	
11-03-52	36.28		8.55				
01-05-53	25.66		10.62				
03-06-53	30.97	5.31					
05-07-53	35.68	4.71					
07-14-53	42.53*	6.85					
09-18-53	31.62		10.91				
11-03-53	30.88		0.74				
01-04-54	30.90	0.02					
03-01-54	36.52	5.62					
05-03-54	38.24	1.72					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-07-54	43.37*	5.13	
				08-23-54	48.95*	5.58	
				10-12-54	43.19		5.76
				11-02-54	43.31*	0.12	
				12-07-54	41.95		1.36
				01-06-55	40.78		1.17
				02-02-55	40.86	0.08	
				03-02-55	40.01		0.85
				04-04-55	44.04	4.03	
				05-03-55	49.03*	4.99	
				06-01-55	46.82		2.21
				07-06-55	51.86	5.04	
				08-03-55	52.70	0.84	
				09-01-55	50.96*		1.74
				10-05-55	48.55		2.41
				11-02-55	51.04*	2.49	
				12-06-55	46.35		4.69
				01-04-56	46.48	0.13	
				02-08-56	45.06*		1.42
				03-09-56	49.12	4.06	
				04-03-56	51.87*	2.75	
				05-02-56	51.93*	0.06	
				06-05-56	57.65*	5.72	
				07-03-56	58.47	0.82	
				08-02-56	63.56	5.09	
				08-28-56	58.59		4.97
				10-05-56	60.41	1.82	
				11-07-56	52.97		7.44
				12-06-56	53.48	0.51	
				01-03-57	50.28*		3.20
				02-05-57	51.25*	0.97	
				03-05-57	49.76*		1.49
				04-02-57	46.52		3.24
				05-08-57	37.14		9.38
				06-04-57	27.05		10.09
				07-02-57	37.37	10.32	
				08-06-57	51.57	14.20	
				09-04-57	48.70		2.87
				10-01-57	36.05		12.65
				11-04-57	28.21		7.84
				12-02-57	24.08		4.13
				01-08-58	21.75		2.33
				02-11-58	14.75		7.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-04-58	7.58		7.17
				04-02-58	7.81	0.23	
				05-12-58	6.52		1.29
				06-02-58	12.73	6.21	
				07-03-58	15.90	3.17	
				08-05-58	25.08	9.18	
				09-03-58	26.40	1.32	
				10-10-58	3.90		22.50
				01-06-59	0.21		3.69
				02-05-59	0.48	0.27	
				03-02-59 *	0.39		0.87
				04-03-59	4.03	4.42	
				05-08-59	2.42		1.61
				06-02-59	6.93	4.51	
				07-06-59	11.78	4.85	
				08-04-59	14.26	2.48	
				09-02-59	11.97		2.29
				10-02-59	11.26		0.71
				11-03-59	4.20		7.06
				12-02-59	3.22		0.98
				01-14-60	2.08		1.14
				02-09-60	1.36		0.72
				03-04-60	2.23	0.87	
				04-06-60	3.39	1.16	
				05-04-60	2.24		1.15
				06-01-60	10.60	8.36	
				07-07-60	14.04	3.44	
				08-02-60	12.89		1.15
				09-08-60	8.60		4.29
				10-03-60	13.03	4.43	
				11-07-60 *	0.30		13.33
				12-06-60	0.45	0.75	
				01-10-61 *	4.50		4.95
				03-21-61 *	0.31	4.19	
				04-27-61	6.36	6.67	
				05-24-61	12.16*	5.80	
				06-21-61	2.31		9.85
				07-18-61	3.59*	1.28	
				08-24-61	6.90*	3.31	
				09-26-61	4.97*		1.93
				10-24-61	3.63*		1.34
				11-28-61	1.61		2.02
				12-18-61	1.72	0.11	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-25-62	3.29	1.57	
				02-19-62	6.24	2.95	
				03-22-62	7.26	1.02	
				04-27-62	5.71		1.55
				05-25-62	15.47	9.76	
				06-20-62	17.58	2.11	
				07-24-62	28.34*	10.76	
				08-22-62	31.57	3.23	
				09-26-62	21.80		9.77
				10-26-62	20.47		1.33
				11-20-62	16.66		3.81
				12-18-62	12.52		4.14
				01-26-63	14.22	1.70	
				02-21-63	13.53		0.69
				03-19-63	17.01	3.48	
				04-23-63	21.90*	4.89	
				05-21-63	23.03*	1.13	
				06-18-63	29.92	6.89	
				07-22-63	38.06	8.14	
				08-20-63	43.30	5.24	
				09-24-63	32.12		11.18
				10-22-63	34.97	2.85	
				11-18-63	27.37		7.60
				12-16-63	25.55		1.82
				01-21-64	25.30		0.25
				02-17-64	21.01		4.29
				03-26-64	21.94	0.93	
				04-21-64	26.03	4.09	
				05-21-64	33.99	7.96	
				06-23-64	30.53		3.46
				07-23-64	43.89	13.36	
				08-20-64	46.98*	3.09	
				09-23-64	36.51*		10.47
				10-23-64	34.51*		2.00
				11-25-64	24.95		9.56
				12-18-64	25.24	0.29	
				01-19-65	25.80	0.56	
				02-17-65	16.33		9.47
				03-24-65	17.30	0.97	
				04-19-65	14.15		3.15
				05-20-65	4.23		9.92
				06-16-65	8.90*	4.67	
				08-25-65	32.39*	23.49	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-25-70	5.62		26.77
				12-02-71	4.77		0.85
				02-04-72	4.54		0.23
				06-08-72	9.17	4.63	
				10-17-72	12.51	3.34	
				02-09-73	4.41		8.10
				07-26-73 +	9.45		13.86
				02-13-74 +	9.70		0.25
				07-15-74 +	11.83		2.13
				02-13-75 +	9.10	2.73	
				07-16-75 +	1.60	7.50	
				02-23-76	10.65	12.25	
				08-02-76	0.97		9.68
				02-04-77 +	15.71		16.68
68-37-707	KCEB	1103	627.00	08-02-33 +	47.60		
				09-18-33 +	47.80		0.20
				10-18-33 +	47.80		
				11-20-33 +	47.20	0.60	
				12-20-33 +	47.10	0.10	
				01-18-34 +	47.20		0.10
				02-19-34 +	47.80		0.60
				03-19-34 +	48.80		1.00
				04-19-34 +	49.30		0.50
				05-21-34 +	46.70	2.60	
				06-19-34 +	43.80	2.90	
				07-27-34 +	44.40		0.60
				08-22-34 +	42.40	2.00	
				09-19-34 +	42.10	0.30	
				10-09-34 +	42.50		0.40
				10-25-34 +	41.60	0.90	
				04-10-35 +	42.70		1.10
				05-21-35 +	52.00		9.30
				06-27-35 +	61.00		9.00
				08-05-35 +	57.90	3.10	
				09-27-35 +	57.80	0.10	
				11-21-35 +	61.20		3.40
				01-21-36 +	56.40	4.80	
				08-29-36 +	55.10	1.30	
				12-30-36 +	57.10		2.00
				01-18-51 +	17.00	40.10	
				01-07-55 +	11.00	6.00	
				03-04-55 +	8.70	2.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				04-04-55	+	4.18	4.52	
				05-03-55	+	0.88	3.30	
				06-03-55	+	1.35		0.47
				07-08-55		3.66	5.01	
				08-04-55		2.97		0.69
				08-29-55		3.82	0.85	
				10-05-55		1.94		1.88
				11-04-55		1.29		0.65
				12-05-55	+	2.99		4.28
				01-05-56	+	1.81	1.18	
				02-07-56	+	3.72		1.91
				03-07-56		0.22	3.94	
				04-04-56		4.25	4.03	
				05-03-56		2.92		1.33
				06-06-56		9.40	6.48	
				07-06-56		11.29	1.89	
				08-03-56		16.62	5.33	
				08-28-56		8.84		7.78
				10-02-56		11.85	3.01	
				11-09-56		3.42		8.43
				12-05-56		4.25	0.83	
				01-04-57		1.84		2.41
				02-04-57		1.73		0.11
				03-07-57		0.15		1.58
				04-03-57	+	3.00		3.15
				05-09-57	+	14.90		11.90
				06-04-57	+	23.90		9.00
				07-01-57	+	13.40	10.50	
				08-07-57		1.92	15.32	
				09-03-57	+	0.30		2.22
				11-04-57	+	20.35		20.05
				12-03-57	+	32.00		11.65
				02-12-58	+	35.30		3.30
				03-11-58	+	42.50		7.20
				04-03-58	+	41.50	1.00	
				05-09-58	+	43.50		2.00
				06-04-58	+	36.00	7.50	
				07-03-58	+	33.00	3.00	
				08-04-58	+	28.50	4.50	
				09-08-58	+	23.50	5.00	
				10-10-58	+	48.00		24.50
				11-06-58	+	53.50		5.50
				12-03-58	+	53.00	0.50	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-09-59	+ 52.00	1.00	
				02-04-59	+ 51.00	1.00	
				03-04-59	+ 49.40	1.60	
				04-02-59	+ 45.90	3.50	
				05-04-59	+ 46.90		1.00
				06-02-59	+ 42.90	4.00	
				07-07-59	+ 36.20	6.70	
				08-05-59	+ 37.20		1.00
				08-31-59	+ 38.70		1.50
				09-30-59	+ 38.70		
				11-02-59	+ 45.60		6.90
				11-30-59	+ 46.40		0.80
				01-15-60	+ 49.90		3.50
				02-10-60	+ 47.40	2.50	
				03-02-60	+ 47.30	0.10	
				04-06-60	+ 46.80	0.50	
				05-04-60	+ 50.40		3.60
				06-01-60	+ 40.00	10.40	
				07-05-60	+ 38.50	1.50	
				08-02-60	+ 37.90	0.60	
				09-06-60	+ 43.20		5.30
				10-02-60	+ 37.90	5.30	
				11-10-60	+ 50.60		12.70
				12-06-60	+ 49.90	0.70	
				01-10-61	+ 54.10		4.20
				12-07-71	+ 48.10	6.00	
				02-04-72	+ 47.60	0.50	
				06-08-72	+ 43.10	4.50	
				10-17-72	+ 39.40	3.70	
				02-08-73	+ 45.70		6.30
				07-26-73	+ 59.00		13.30
				02-13-74	+ 57.10	1.90	
				07-15-74	+ 39.40	17.70	
				02-13-75	+ 58.60		19.20
				07-17-75	+ 53.23	5.37	
				02-25-76	+ 37.59	15.64	
				08-02-76	+ 49.03		11.44
68-38-109	KCEB	860	687.00	02-07-34	24.61		
				10-08-34	28.80	4.19	
				06-24-45	39.30	10.50	
				07-28-49	33.69		5.61
				10-10-49	35.42	1.73	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-08-49	30.84		4.58
				02-01-50	31.39	0.55	
				02-28-50	30.14		1.25
				03-31-50	32.84	2.70	
				05-04-50	31.67		1.17
				06-06-50	31.57		0.10
				07-03-50	33.18	1.61	
				08-01-50	36.58	3.40	
				08-14-50	38.06	1.48	
				09-08-50	36.97		1.09
				10-09-50	36.74		0.23
				11-09-50	38.02	1.28	
				12-06-50	37.98		0.04
				01-04-51	37.60		0.38
				02-05-51	39.02	1.42	
				03-07-51	39.13	0.11	
				05-08-51	42.08	2.95	
				05-25-51	39.40		2.68
				06-08-51	40.38	0.98	
				08-06-51	47.94	7.56	
				09-10-51	50.11	2.17	
				10-29-51	47.26		2.85
				12-27-51	45.99		1.27
				02-29-52	46.51	0.52	
				04-04-52	46.95	0.44	
				06-30-52	50.69	3.74	
				09-03-52	56.51	5.82	
				11-03-52	50.21		6.30
				01-06-53	42.55		7.66
				03-06-53	44.36	1.81	
				05-07-53	48.14	3.78	
				07-14-53	54.86	6.72	
				09-18-53	47.76		7.10
				11-04-53	46.70		1.06
				01-05-54	44.91		1.79
				03-02-54	48.28	3.37	
				05-04-54	52.32	4.04	
				07-07-54	55.80	3.48	
				08-24-54	61.23	5.43	
				11-02-54	57.31		3.92
				01-06-55	54.40		2.91
				03-02-55	52.60		1.80
				05-03-55	59.36	6.76	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-06-55	62.30	2.94	
				08-01-55	64.68	2.38	
				11-02-55	63.64		1.04
				01-04-56	59.73		3.91
				03-09-56	61.06	1.33	
				07-03-56	70.67	9.61	
				08-28-56	73.35	2.68	
				11-07-56	67.65		5.70
				01-03-57	64.18		3.47
				03-05-57	63.10		1.08
				05-08-57	52.69		10.41
				07-02-57	47.85		4.84
				09-04-57	62.57	14.72	
				11-05-57	45.68		16.89
				01-06-58	39.42		6.26
				03-04-58	27.35		12.07
				05-08-58	25.22		2.13
				07-03-58	30.14	4.92	
				09-03-58	38.20	8.06	
				11-03-58	19.30		18.90
				01-06-59	16.38		2.92
				03-02-59	16.30		0.08
				05-08-59	18.12	1.82	
				07-06-59	25.29	7.17	
				09-02-59	25.81	0.52	
				11-05-59	19.77		6.04
				01-14-60	16.87		2.90
				03-04-60	16.71		0.16
				05-02-60	18.11	1.40	
				07-07-60	26.21	8.10	
				09-09-60	22.57		3.64
				11-07-60	17.66		4.91
				01-10-61	13.24		4.42
				11-29-71	22.25	9.01	
68-38-301	KCEB	854	589.60	02-06-34 +	59.50		
				10-08-34 +	57.60	1.90	
				08-14-50 +	48.50	9.10	
				09-08-50 +	49.00		0.50
				10-09-50 +	49.00		
				11-09-50 +	48.00	1.00	
				12-06-50 +	48.00		
				01-04-51 +	45.00	3.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-19-51	+ 46.50		3.50
				03-07-51	+ 47.00	1.50	
				05-10-51	+ 45.50	1.50	
				05-25-51	+ 45.50		
				06-08-51	+ 45.50		
				08-06-51	+ 38.00	7.50	
				09-10-51	+ 39.00		1.00
				10-29-51	+ 40.50		1.50
				12-27-51	+ 41.00		0.50
				02-29-52	+ 41.50		0.50
				04-04-52	+ 41.00	0.50	
				06-30-52	+ 39.00	2.00	
				09-03-52	+ 35.70	3.30	
				11-03-52	+ 38.50		2.80
				01-06-53	+ 42.50		4.00
				03-06-53	+ 41.00	1.50	
				05-07-53	+ 38.50	2.50	
				09-18-53	+ 37.00	1.50	
				11-04-53	+ 39.90		2.90
				01-05-54	+ 39.40	0.50	
				03-02-54	+ 38.50	0.90	
				05-04-54	+ 39.50		1.00
				07-07-54	+ 37.00	2.50	
				08-24-54	+ 28.60	8.40	
				10-12-54	+ 34.30		5.70
				11-02-54	+ 34.52		0.22
				12-02-54	+ 36.25		1.73
				01-06-55	+ 36.50		0.25
				02-02-55	+ 36.00	0.50	
				03-02-55	+ 38.50		2.50
				04-04-55	+ 37.00	1.50	
				05-03-55	+ 34.30	2.70	
				06-01-55	+ 34.50		0.20
				07-06-55	+ 32.00	2.50	
				08-03-55	+ 31.00	1.00	
				09-01-55	+ 29.80	1.20	
				10-05-55	+ 30.50		0.70
				11-02-55	+ 30.20	0.30	
				12-06-55	+ 32.50		2.30
				01-04-56	+ 32.75		0.25
				02-08-56	+ 33.50		0.75
				03-07-56	+ 32.00	1.50	
				04-03-56	+ 30.75	1.25	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				05-02-56	+	29.00	1.75	
				06-05-56	+	26.50	2.50	
				07-03-56	+	24.20	2.30	
				08-02-56	+	21.70	2.50	
				08-28-56	+	21.95		0.25
				10-03-56	+	22.20		0.25
				11-07-56	+	25.40		3.20
				12-05-56	+	26.70		1.30
				01-03-57	+	27.70		1.00
				02-05-57	+	28.45		0.75
				03-05-57	+	29.45		1.00
				04-02-57	+	31.00		1.55
				05-08-57	+	36.50		5.50
				06-04-57	+	40.25		3.75
				07-02-57	+	41.75		1.50
				08-06-57	+	33.65	8.10	
				09-04-57	+	31.00	2.65	
				10-01-57	+	35.50		4.50
				11-04-57	+	42.30		6.80
				02-11-58	+	53.10		10.80
				03-11-58	+	57.10		4.00
				04-02-58	+	60.00		2.90
				05-08-58	+	60.50		0.50
				06-02-58	+	60.00	0.50	
				07-03-58	+	57.00	3.00	
				08-05-58	+	55.00	2.00	
				09-03-58	+	51.50	3.50	
				10-07-58	+	64.00		12.50
				11-06-58	+	63.00	1.00	
				12-01-58	+	66.00		3.00
				01-07-59	+	64.50	1.50	
				02-05-59	+	69.00		4.50
				03-07-59	+	69.10		0.10
				04-02-59	+	67.00	2.10	
				05-08-59	+	65.90	1.10	
				06-02-59	+	66.00		0.10
				07-06-59	+	62.80	3.20	
				08-05-59	+	62.40	0.40	
				09-02-59	+	61.50	0.90	
				10-02-59	+	61.30	0.20	
				11-03-59	+	65.30		4.00
				12-02-59	+	65.40		0.10
				01-14-60	+	68.30		2.90

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-09-60	+ 68.50		0.20
				04-12-60	+ 68.60		0.10
				05-02-60	+ 68.70		0.10
				06-01-60	+ 66.50	2.20	
				07-07-60	+ 62.20	4.30	
				08-02-60	+ 62.50		0.30
				09-09-60	+ 63.50		1.00
				10-03-60	+ 62.50	1.00	
				11-07-60	+ 67.00		4.50
				12-06-60	+ 69.50		2.50
				01-10-61	+ 71.80		2.30
				02-21-61	+ 75.00		3.20
				03-21-61	+ 74.00	1.00	
				04-27-61	+ 72.20	1.80	
				05-24-61	+ 65.00	7.20	
				06-21-61	+ 68.50		3.50
				07-18-61	+ 70.50		2.00
				08-24-61	+ 70.80		0.30
				09-26-61	+ 70.00	0.80	
				10-24-61	+ 71.50		1.50
				11-30-61	+ 72.50		1.00
				12-18-61	+ 73.00		0.50
				01-25-62	+ 72.20	0.80	
				02-19-62	+ 71.10	1.10	
				03-22-62	+ 71.10		
				04-27-62	+ 71.70		0.60
				05-25-62	+ 67.10	4.60	
				06-20-62	+ 65.80	1.30	
				07-24-62	+ 54.50	11.30	
				08-22-62	+ 53.00	1.50	
				09-26-62	+ 11.00	42.00	
				10-26-62	+ 57.00		46.00
				11-21-62	+ 59.20		2.20
				12-18-62	+ 62.00		2.80
				01-26-63	+ 63.00		1.00
				02-20-63	+ 62.50	0.50	
				04-23-63	+ 55.50	7.00	
				05-21-63	+ 53.00	2.50	
				08-07-63	+ 45.00	8.00	
				09-24-63	+ 45.50		0.50
				10-23-63	+ 45.00	0.50	
				11-18-63	+ 50.50		5.50
				12-17-63	+ 52.50		2.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-21-64	+ 53.00		0.50
				02-17-64	+ 56.00		3.00
				03-26-64	+ 55.00	1.00	
				04-21-64	+ 8.00	47.00	
				05-21-64	+ 49.00		41.00
				06-23-64	+ 50.00		1.00
				07-23-64	+ 44.00	6.00	
				08-21-64	+ 40.00	4.00	
				09-23-64	+ 43.00		3.00
				10-22-64	+ 46.00		3.00
				11-25-64	+ 51.00		5.00
				01-19-65	+ 53.00		2.00
				02-17-65	+ 55.30		2.30
				03-22-65	+ 59.00		3.70
				04-19-65	+ 61.00		2.00
				05-21-65	+ 63.50		2.50
				06-16-65	+ 68.00		4.50
				07-19-65	+ 56.50	11.50	
				08-25-65	+ 54.00	2.50	
				09-22-65	+ 51.00	3.00	
				10-21-65	+ 56.00		5.00
				11-22-65	+ 59.00		3.00
				12-27-65	+ 66.00		7.00
				02-02-66	+ 65.00	1.00	
				03-07-66	+ 65.00		
				04-11-66	+ 64.00	1.00	
				05-18-66	+ 65.00		1.00
				06-20-66	+ 55.00	10.00	
				07-25-66	+ 49.00	6.00	
				08-29-66	+ 42.00	7.00	
				10-03-66	+ 52.00		10.00
				11-07-66	+ 59.00		7.00
				12-12-66	+ 57.00	2.00	
				01-19-67	+ 59.00		2.00
				02-20-67	+ 56.00	3.00	
				03-29-67	+ 52.50	3.50	
				05-01-67	+ 50.50	2.00	
				08-14-67	+ 27.000	23.50	
68-42-314	KCEB	918	809.14	09-15-33	116.84		
				01-04-34	118.61	1.77	
				04-20-34	116.47		2.14
				05-23-34	119.76	3.29	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-21-34	122.24	2.48	
				07-31-34	121.37		0.87
				08-24-34	124.27	2.90	
				09-21-34	125.09	0.82	
				10-09-34	124.90		0.19
				11-21-34	125.55	0.65	
				12-21-34	125.97	0.42	
				02-03-35	126.08	0.11	
				03-02-35	126.00		0.08
				04-09-35	126.87	0.87	
				05-21-35	117.34		9.53
				06-28-35	102.36		14.98
				08-03-35	105.50	3.14	
				01-20-36	107.35	1.85	
				08-27-36	105.48		1.87
				01-04-37	102.95		2.53
				02-23-38	109.04	6.09	
				03-21-38	109.71	0.67	
				04-26-38	108.87		0.84
				05-23-38	108.17		0.70
				06-28-38	110.94	2.77	
				07-26-38	112.59	1.65	
				08-22-38	114.35	1.76	
				09-23-38	115.34	0.99	
				10-26-38	116.02	0.68	
				12-08-38	116.55	0.53	
				01-27-39	117.12	0.57	
				03-02-39	118.35	1.23	
				04-03-39	120.03	1.68	
				05-04-39	122.76	2.73	
				06-09-39	122.72		0.04
				07-06-39	126.35	3.63	
				08-17-39	124.12		2.23
				09-16-39	124.88	0.76	
				10-26-39	126.30	1.42	
				01-17-40	125.12		1.18
				02-21-40	126.53	1.41	
				03-21-40	127.87	1.34	
				04-23-40	128.63	0.76	
				05-20-40	128.86	0.23	
				06-17-40	128.06		0.80
				07-22-40	127.13		0.93
				08-23-40	131.09	3.96	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-24-40	131.73	0.64	
				10-25-40	131.95	0.22	
				12-02-40	128.10		3.85
				01-20-41	125.32		2.78
				05-28-41	106.51		18.81
				08-07-41	112.69	6.18	
				11-12-41	110.32		2.37
				04-06-42	114.39	4.07	
				08-04-42	116.93	2.54	
				11-30-42	105.77		11.16
				04-26-43	115.06	9.29	
				08-26-43	120.70	5.64	
				12-14-43	121.44	0.74	
				04-29-44	117.88		3.56
				08-08-44	122.12	4.24	
				12-19-44	116.17		5.95
				06-04-45	112.72		3.45
				04-01-46	119.78	7.06	
				07-02-47	120.33	0.55	
				11-08-47	125.33	5.00	
				04-24-48	132.47	7.14	
				06-30-48	134.33	1.86	
				08-02-48	137.35	3.02	
				01-05-49	138.93	1.58	
				03-07-49	134.27		4.66
				04-12-49	133.98		0.29
				08-26-49	131.32		2.66
				10-10-49	132.71	1.39	
				11-03-49	125.24		7.47
				12-21-49	127.20	1.96	
				01-26-50	129.41	2.21	
				03-28-50	131.34	1.93	
				05-23-50	129.84		1.50
				06-01-50	129.47		0.37
				07-05-50	132.22	2.75	
				08-01-50	135.79	3.57	
				09-05-50	135.47		0.32
				10-05-50	135.66	0.19	
				11-06-50	137.27	1.61	
				12-04-50	138.05	0.78	
				01-05-51	138.95	0.90	
				02-07-51	141.75	2.80	
				03-05-51	141.18		0.57

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-08-51	144.12	2.94	
				06-06-51	141.58		2.54
				07-03-51	146.58	5.00	
				08-07-51	153.60	7.02	
				09-11-51	153.76	0.16	
				10-08-51	151.53		2.23
				10-31-51	150.25		1.28
				12-27-51	149.84		0.41
				03-05-52	152.15	2.31	
				04-04-52	152.73	0.58	
				06-03-52	153.97	1.24	
				07-02-52	156.92	2.95	
				08-01-52	159.45	2.53	
				09-02-52	163.64	4.19	
				09-22-52	154.14		9.50
				10-01-52	155.30	1.16	
				11-04-52	157.30	2.00	
				12-02-52	151.41		5.89
				01-05-53	147.36		4.05
				02-09-53	150.70	3.34	
				03-03-53	152.50	1.80	
				04-07-53	153.39	0.89	
				05-05-53	155.84	2.45	
				06-03-53	160.65	4.81	
				07-15-53	165.00	4.35	
				08-07-53	168.38	3.38	
				09-17-53	152.23		16.15
				10-16-53	155.42	3.19	
				11-02-53	153.17		2.25
				12-07-53	152.73		0.44
				01-04-54	152.63		0.10
				02-04-54	154.66	2.03	
				03-01-54	157.45	2.79	
				04-06-54	162.80	5.35	
				05-03-54	161.25		1.55
				06-07-54	162.95	1.70	
				07-06-54	163.60	0.65	
				08-04-54	168.26	4.66	
				08-23-54	170.10	1.84	
				10-04-54	167.43		2.67
				10-11-54	164.90		2.53
				11-01-54	166.46	1.56	
				12-01-54	164.57		1.89

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-04-55	163.73		0.84
				02-01-55	163.00		0.73
				03-01-55	162.16		0.84
				04-05-55	167.11	4.95	
				05-02-55	170.54	3.43	
				06-02-55	170.24		0.30
				07-05-55	174.46	4.22	
				08-02-55	174.62	0.16	
				08-29-55	176.41	1.79	
				10-04-55	174.23		2.18
				11-01-55	175.51	1.28	
				12-05-55	170.91		4.60
				01-03-56	171.32	0.41	
				02-06-56	166.70		4.62
				03-05-56	173.54	6.84	
				04-02-56	175.74	2.20	
				04-30-56	177.56	1.82	
				06-04-56	180.53	2.97	
				07-02-56	183.80	3.27	
				08-01-56	187.65	3.85	
				08-27-56	183.86		3.79
				10-02-56	186.22	2.36	
				11-05-56	179.93		6.29
				12-04-56	179.86		0.07
				01-02-57	177.16		2.70
				02-04-57	177.78	0.62	
				03-04-57	175.92		1.86
				04-01-57	172.85		3.07
				05-06-57	160.49		12.36
				06-03-57	152.01		8.48
				07-01-57	157.93	5.92	
				08-05-57	170.94	13.01	
				09-03-57	173.15	2.21	
				10-07-57	161.41		11.74
				11-06-57	150.94		10.47
				12-03-57	146.73		4.21
				01-08-58	143.04		3.69
				02-12-58	137.42		5.62
				03-05-58	125.80		11.62
				04-03-58	126.15	2.35	
				05-06-58	124.80		3.35
				06-04-58	131.26	6.46	
				07-08-58	132.68	1.42	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-05-58	136.44	3.76	
				09-08-58	137.35	0.91	
				10-08-58	120.73		16.62
				11-05-58	111.43		9.30
				12-03-58	110.23		1.20
				01-08-59	112.10	1.87	
				02-11-59	113.20	1.10	
				03-04-59	111.92		1.28
				04-01-59	115.76	3.84	
				05-05-59	114.55		1.21
				06-01-59	118.61	4.06	
				07-09-59	123.85	5.24	
				08-06-59	124.67	0.82	
				09-01-59	123.81		0.86
				10-01-59	123.10		0.71
				11-04-59	115.74		7.36
				12-03-59	114.98		0.76
				01-12-60	113.33		1.65
				02-08-60	113.27		0.06
				03-07-60	113.83	0.56	
				04-05-60	114.98	1.15	
				05-05-60	115.20	0.22	
				06-02-60	123.52	8.32	
				07-05-60	124.20	0.68	
				08-02-60	126.03	1.83	
				09-06-60	120.91		5.12
				10-02-60	124.30	3.39	
				11-09-60	111.98		12.32
				12-05-60	112.27	0.29	
				01-04-61	109.56		2.71
				02-21-61	106.63		2.93
				03-20-61	109.44	2.81	
				04-25-61	115.38	5.94	
				05-24-61	122.66	7.28	
				06-22-61	113.02		9.64
				07-17-61	112.86		0.16
				08-21-61	115.15	2.29	
				09-25-61	117.30	2.15	
				10----61	113.46		3.84
				12-01-61	112.64		0.82
				12-18-61	112.48		0.16
				01-29-62	115.30	2.82	
				02-19-62	117.84	2.54	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-20-62	118.47	0.63	
				04-26-62	118.95	0.48	
				05-23-62	126.69	7.74	
				06-19-62	129.34	2.65	
				07-23-62	136.61	7.27	
				08-21-62	142.01	5.40	
				09-25-62	136.12		5.89
				10-25-62	135.63		0.49
				11-20-62	131.92		3.71
				12-17-62	127.83		4.09
				01-25-63	129.86	2.03	
				02-19-63	129.46		0.40
				03-22-63	132.08	2.62	
				04-24-63	136.52	4.44	
				05-20-63	138.48	1.96	
				06-18-63	145.38	6.90	
				07-22-63	151.19	5.81	
				08-20-63	156.35	5.16	
				09-23-63	149.87		6.48
				10-22-63	151.04	1.17	
				11-18-63	144.65		6.39
				12-17-63	143.03		1.62
				01-21-64	143.22	0.19	
				02-19-64	138.50		4.72
				03-27-64	140.55	2.05	
				04-22-64	143.25	2.70	
				05-21-64	152.31	9.06	
				06-24-64	147.12		5.19
				07-23-64	158.56	11.44	
				08-20-64	162.96	4.40	
				09-23-64	155.85		7.11
				10-22-64	151.64		4.21
				11-25-64	142.60		9.04
				12-22-64	142.72	0.12	
				01-21-65	144.00	1.28	
				02-19-65	134.57		9.43
				03-24-65	135.15	0.58	
				04-21-65	132.15		3.00
				05-20-65	124.02		8.13
				06-18-65	128.33	4.31	
				07-21-65	139.42	11.09	
				08-24-65	145.15	5.73	
				09-23-65	148.64	3.49	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-19-65	138.27		10.37
				11-23-65	135.61		2.66
				12-28-65	126.56		9.05
				01-31-66	128.07	1.51	
				03-07-66	127.82		0.25
				04-11-66	132.47	4.65	
				05-19-66	128.25		4.22
				06-20-66	140.16	11.91	
				08-30-66	141.02	0.86	
				11-08-66	136.86		4.16
				12-14-66	138.05	1.19	
				01-16-67	143.02	4.97	
				02-20-67	142.65		0.37
				03-29-67	147.17	4.52	
				05-01-67	150.18	3.01	
				06-05-67	162.92	12.74	
				07-10-67	168.24	5.32	
				08-14-67	171.37	3.13	
				09-19-67	154.42		16.95
				09-28-67	144.38		10.04
				10-27-67	144.58	0.20	
				12-28-67	134.45		10.13
				02-08-68	116.15		18.30
				03-17-68	113.80		2.35
				04-24-68	115.21	1.41	
				07-30-68	125.43	10.22	
				09-04-68	127.76	2.33	
				11-05-68	123.96		3.80
66-42-315	KCEB	830	760.33	01-04-34	70.71		
				10-09-34	77.03	6.32	
				08-21-37	63.04		13.99
				09-26-37	64.22	1.18	
				10-23-37	62.93		1.29
				11-15-37	64.83	1.90	
				12-23-37	63.89		0.94
				01-19-38	63.09		0.80
				02-26-38	61.16		1.93
				03-15-38	61.58	0.42	
				04-26-38	60.07		1.51
				05-24-38	59.59		0.48
				06-27-38	63.07	3.48	
				07-26-38	64.72	1.65	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-22-38	66.50	1.78	
				09-24-38	66.64	0.14	
				10-26-38	68.09	1.45	
				01-27-39	69.10	1.01	
				03-02-39	70.42	1.32	
				04-03-39	72.07	1.65	
				05-04-39	74.75	2.68	
				06-09-39	74.70		0.05
				07-06-39	78.32	3.62	
				08-17-39	76.02		2.30
				09-16-39	77.08	1.06	
				10-25-39	77.12	0.04	
				01-17-40	77.04		0.08
				02-21-40	78.45	1.41	
				03-21-40	79.79	1.34	
				04-26-40	80.90	1.11	
				05-20-40	80.80		0.10
				06-17-40	80.00		0.80
				07-22-40	79.03		0.97
				08-23-40	83.04	4.01	
				09-21-40	84.34	1.30	
				10-25-40	83.85		0.49
				12-02-40	80.02		3.83
				01-20-41	77.19		2.83
				05-28-41	58.60		18.59
				08-07-41	64.80	6.20	
				11-12-41	62.42		2.38
				04-08-42	66.04	3.62	
				08-04-42	69.07	3.03	
				12-03-42	58.29		10.78
				04-29-43	67.97	9.68	
				08-26-43	72.80	4.83	
				12-14-43	73.24	0.44	
				04-29-44	69.85		3.39
				08-08-44	73.01	3.16	
				12-19-44	67.23		5.78
				06-04-45	64.79		2.44
				07-02-47	72.21	7.42	
				11-08-47	77.71	5.50	
				04-24-48	83.87	6.16	
				06-30-48	86.22	2.35	
				08-09-48	90.10	3.88	
				01-05-49	90.77	0.67	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE --CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-09-49	86.13		4.64
				04-12-49	85.87		0.26
				08-26-49	83.29		2.58
				10-10-49	85.12	1.83	
				11-03-49	77.69		7.43
				02-23-50	79.58	1.89	
				03-28-50	82.70	3.12	
				05-03-50	82.13		0.57
				06-01-50	82.00		0.13
				07-05-50	84.84	2.84	
				08-01-50	88.24	3.40	
				09-05-50	87.99		0.25
				10-05-50	88.26	0.27	
				11-06-50	90.44	2.18	
				12-04-50	90.71	0.27	
				01-05-51	91.74	1.03	
				02-07-51	94.43	2.69	
				03-05-51	93.76		0.67
				05-08-51	96.77	3.01	
				06-06-51	94.15		2.62
				07-03-51	99.19	5.04	
				08-07-51	104.66	5.47	
				09-11-51	106.00	1.34	
				10-08-51	103.84		2.16
				12-27-51	103.26		0.58
				03-05-52	104.28	1.02	
				04-04-52	104.60	0.32	
				06-03-52	106.03	1.43	
				07-02-52	108.80	2.77	
				08-01-52	111.30	2.50	
				09-02-52	115.32	4.02	
				09-22-52	105.76		9.56
				11-04-52	108.88	3.12	
				12-02-52	102.99		5.89
				01-05-53	98.97		4.02
				02-09-53	102.35	3.38	
				03-05-53	103.99	1.64	
				04-07-53	105.12	1.13	
				05-05-53	108.09	2.97	
				06-03-53	112.44	4.35	
				07-15-53	115.77	3.33	
				08-07-53	119.21	3.44	
				09-17-53	103.94		15.27

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

- * MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-16-53	107.02	3.08	
				11-02-53	104.89		2.13
				12-07-53	104.33		0.56
				01-04-54	104.38	0.05	
				02-04-54	106.41	2.03	
				03-01-54	109.28	2.87	
				04-06-54	114.13	4.85	
				05-03-54	112.65		1.48
				06-07-54	115.86	3.21	
				07-06-54	116.02	0.16	
				08-04-54	120.20	4.18	
				08-23-54	122.08	1.88	
				10-04-54	119.27		2.81
				10-11-54	117.25		2.02
				11-01-54	117.79	0.54	
				12-01-54	116.65		1.14
				01-04-55	115.80		0.85
				02-01-55	115.39		0.41
				03-01-55	114.34		1.05
				04-05-55	119.43	5.09	
				05-02-55	122.90	3.47	
				06-02-55	122.19		0.71
				07-05-55	126.26	4.07	
				08-02-55	126.61	0.35	
				08-29-55	128.21	1.60	
				10-04-55	126.06		2.15
				11-01-55	127.24	1.18	
				12-05-55	122.43		4.81
				01-03-56	123.16	0.73	
				02-06-56	121.73		1.43
				03-05-56	125.40	3.67	
				04-02-56	127.97	2.57	
				04-30-56	129.08	1.11	
				06-04-56	133.38	4.30	
				07-02-56	136.19	2.81	
				08-01-56	138.95	2.76	
				08-27-56	136.04		2.91
				10-02-56	137.48	1.44	
				11-05-56	131.24		6.24
				12-04-56	131.38	0.14	
				01-02-57	128.52		2.86
				02-04-57	128.91	0.39	
				03-04-57	127.44		1.47

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-01-57	124.34		3.10
				05-06-57	112.15		12.19
				06-03-57	103.68		8.47
				07-01-57	109.51	5.83	
				08-05-57	122.83	13.32	
				09-03-57	124.40	1.57	
				10-07-57	112.11		12.29
				11-06-57	102.95		9.16
				12-03-57	100.46		2.49
				01-08-58	95.18		5.28
				02-12-58	87.85		7.33
				03-05-58	79.38		8.47
				04-03-58	79.43	0.05	
				05-06-58	77.32		2.11
				06-04-58	84.84	7.52	
				07-08-58	86.26	1.42	
				08-05-58	91.10	4.84	
				09-08-58	93.84	2.74	
				10-10-58	72.86		20.98
				11-05-58	62.89		9.97
				12-03-58	63.02	0.13	
				01-09-59	64.50	1.48	
				02-11-59	65.38	0.88	
				03-04-59	64.63		0.75
				04-01-59	68.39	3.76	
				05-05-59	67.20		1.19
				06-01-59	71.12	3.92	
				07-01-59	76.46	5.34	
				07-09-59	123.85	47.39	
				08-06-59	77.40		46.45
				09-01-59	76.19		1.21
				10-01-59	75.81		0.38
				11-04-59	67.63		8.18
				12-03-59	67.13		0.50
				01-12-60	65.33		1.80
				02-08-60	65.40	0.07	
				03-07-60	66.10	0.70	
				04-05-60	67.11	1.01	
				05-04-60	66.90		0.21
				06-02-60	75.64	8.74	
				07-05-60	76.37	0.73	
				08-02-60	77.14	0.77	
				09-06-60	73.09		4.05

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-02-60	76.50	3.41	
				11-09-60	63.83		12.67
				12-05-60	64.13	0.30	
				01-04-61	61.71		2.42
				04-25-61	67.57	5.86	
				05-24-61	74.74	7.17	
				06-22-61	65.27		9.47
				07-17-61	65.15		0.12
				08-21-61	67.48	2.33	
				09-25-61	68.15	0.67	
				10-23-61	65.76		2.39
				12-01-61	64.65		1.11
				12-18-61	64.50		0.15
				01-29-62	67.27	2.77	
				02-19-62	69.90	2.63	
				03-20-62	70.09	0.19	
				04-26-62	70.51	0.42	
				05-23-62	78.63	8.12	
				06-19-62	81.23	2.60	
				07-23-62	88.74	7.51	
				08-21-62	93.99	5.25	
				09-25-62	88.00		5.99
				10-25-62	87.48		0.52
				11-20-62	83.90		3.58
				12-17-62	80.26		3.64
				03-22-63	84.04	3.78	
				04-24-63	87.96	3.92	
				05-20-63	90.15	2.19	
				06-18-63	97.31	7.16	
				07-22-63	103.27	5.96	
				08-20-63	108.20	4.93	
				09-23-63	101.69		6.51
				10-22-63	102.72	1.03	
				11-18-63	96.41		6.31
				12-17-63	94.88		1.53
				01-21-64	95.16	0.28	
				02-19-64	91.04		4.12
				03-27-64	92.39	1.35	
				04-22-64	95.03	2.64	
				05-21-64	104.85	9.82	
				06-24-64	98.70		6.15
				07-23-64	110.24	11.54	
				08-20-64	114.51	4.27	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-23-64	107.34		7.17
				10-22-64	103.18		4.16
				11-25-64	94.16		9.02
				12-22-64	94.15		0.01
				01-21-65	95.39	1.24	
				02-19-65	85.92		9.47
				03-20-65	86.51	0.59	
				04-21-65	83.51		3.00
				05-20-65	74.44		9.07
				06-18-65	79.50	5.06	
				07-21-65	92.22	12.72	
				08-24-65	96.70	4.48	
68-43-303	KCEB	1610	636.30	02-11-51	+ 18.50		
				09-03-52	+ 6.00	12.50	
				09-10-52	+ 0.80	5.20	
				01-05-53	+ 15.60		14.80
				03-05-53	+ 10.50	5.10	
				05-05-53	+ 5.00	5.50	
				06-21-53	1.60	6.60	
				08-07-53	7.60	6.00	
				09-04-53	+ 8.00		15.60
				09-10-53	+ 13.00		5.00
				09-23-53	+ 7.00	6.00	
				10-02-53	+ 5.00	2.00	
				10-05-53	+ 8.00		3.00
				10-08-53	+ 8.00		
				10-17-53	+ 6.50	1.50	
				10-26-53	+ 8.00		1.50
				10-30-53	+ 9.00		1.00
				11-02-53	+ 9.50		0.50
				11-03-53	+ 9.50		
				11-12-53	+ 10.00		0.50
				11-27-53	+ 9.50	0.50	
				12-04-53	+ 10.00		0.50
				01-06-54	+ 9.75	0.25	
				03-01-54	+ 5.40	4.35	
				03-09-54	+ 4.00	1.40	
				05-11-54	+ 7.00		3.00
				07-19-54	7.20	14.20	
				08-27-54	10.00	2.80	
				08-31-54	7.90		2.10

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
68-43-505	KCEB	2002	648.00	03-02-60	+ 25.20		
				04-05-60	+ 24.60	0.60	
				05-04-60	+ 26.00		1.40
				07-05-60	+ 15.80	10.20	
				08-02-60	+ 13.90	1.90	
				09-06-60	+ 20.20		6.30
				10-02-60	+ 16.20	4.00	
				11-10-60	+ 28.90		12.70
				12-05-60	+ 28.60	0.30	
				01-11-61	+ 31.00		2.40
				68-43-507	KCEB	1915	658.00
05-05-53	12.80	4.07					
07-15-53	20.97	8.17					
09-17-53	8.78		12.19				
11-03-53	9.10	0.32					
01-06-54	8.62		0.48				
03-05-54	12.43	3.81					
05-06-54	15.92	3.49					
07-09-54	24.38	8.46					
08-25-54	28.33	3.95					
10-11-54	21.06		7.27				
11-04-54	21.30	0.24					
12-03-54	19.99		1.31				
01-05-55	17.25		2.74				
02-01-55	19.15	1.90					
03-05-55	18.39		0.76				
05-05-55	18.22		0.17				
06-03-55	25.68	7.46					
07-08-55	31.32	5.64					
08-02-55	29.41		1.91				
08-31-55	29.47	0.06					
10-06-55	29.18		0.29				
11-04-55	29.26	0.08					
12-07-55	23.68		5.58				
01-05-56	25.80	2.12					
02-07-56	22.45		3.35				
03-07-56	28.27	5.82					
04-04-56	32.86	4.59					
05-04-56	32.57		0.29				
06-06-56	38.62	6.05					
07-06-56	38.69	0.07					
08-03-56	39.13	0.44					

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-30-56	35.59		3.54
				10-03-56	34.46		1.13
				11-08-56	24.19		10.27
				12-05-56	33.30	9.11	
				01-05-57	30.70		2.60
				02-04-57	30.52		0.18
				03-07-57	29.39		1.13
				04-01-57	23.51		5.88
				05-06-57	11.23		12.28
				06-03-57	3.27		7.96
				07-01-57	11.14	7.87	
				08-05-57	28.57	17.43	
				09-06-57	26.81		1.76
				10-08-57	12.89		13.92
				11-06-57	2.42		10.47
				12-02-57	0.10		2.32
				01-08-58 +	0.16		0.26
				07-03-58	2.13	2.29	
				08-04-58	4.02	1.89	
				09-05-58	6.89	2.87	
				04-03-59 +	17.80		24.69
				05-06-59 +	18.00		0.20
				06-03-59 +	8.00	10.00	
				08-06-59 +	8.00		
				08-31-59 +	12.50		4.50
				09-30-59 +	12.20	0.30	
				11-02-59	19.50	31.70	
				12-01-59	17.50		2.00
				01-12-60	21.00	3.50	
				02-10-60	18.50		2.50
				03-02-60	16.60		1.90
				04-05-60	18.60	2.00	
				05-04-60	19.70	1.10	
				06-02-60	12.80		6.90
				07-05-60	12.30		0.50
				08-02-60	11.10		1.20
				09-06-60	17.80	6.70	
				10-02-60	12.30		5.50
				11-10-60	20.10	7.80	
				01-11-61	24.30	4.20	
68-43-611	KCEB	2911	621.60	09-13-33 +	50.90		
				10-10-34 +	44.40	6.50	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				08-14-50	+	32.00	12.40	
				09-05-50	+	35.00		3.00
				10-09-50	+	36.00		1.00
				11-10-50	+	31.00	5.00	
				12-06-50	+	29.00	2.00	
				01-06-51	+	38.50		9.50
				02-07-51	+	34.00	4.50	
				03-08-51	+	33.00	1.00	
				05-12-51	+	29.00	4.00	
				06-06-51	+	35.00		6.00
				08-08-51	+	16.00	19.00	
				10-31-51	+	21.50		5.50
				12-27-51	+	21.50		
				03-05-52	+	24.50		3.00
				04-08-52	+	21.50	3.00	
				07-02-52	+	15.00	6.50	
				09-02-52	+	11.50	3.50	
				11-03-52	+	21.70		10.20
				01-05-53	+	31.00		9.30
				03-05-53	+	26.00	5.00	
				05-05-53	+	21.50	4.50	
				09-17-53	+	21.20	0.30	
				11-03-53	+	24.50		3.30
				01-06-54	+	24.70		0.20
				03-05-54	+	19.00	5.70	
				05-06-54	+	13.75	5.25	
				07-09-54	+	9.00	4.75	
				08-25-54	+	2.30	6.70	
				01-05-55	+	14.00		11.70
				03-05-55	+	19.20		5.20
				04-05-55	+	20.50		1.30
				04-05-55	+	20.50		
				05-05-55	+	2.00	18.50	
				06-03-55	+	3.80		1.80
				10-06-55	+	4.62		0.82
				11-04-55	+	4.45	0.17	
				12-07-55	+	9.25		4.80
				01-05-56	+	8.43	0.82	
				02-07-56	+	9.75		1.32
				03-07-56	+	5.05	4.70	
				04-04-56	+	2.38	2.67	
				05-04-56	+	2.72		0.34
				06-06-56	+	4.80	7.52	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

0 MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-30-56	4.52		0.28
				10-03-56	5.87	1.35	
				11-07-56 *	1.30		7.17
				12-05-56 *	1.15	0.15	
				01-05-57 *	3.05		1.90
				02-04-57 *	2.36	0.69	
				03-02-57 *	3.50		1.14
				04-01-57 *	6.01		2.51
				05-06-57 *	14.05		8.04
				06-03-57 *	25.80		11.75
				07-01-57 *	19.30	6.50	
				08-05-57 *	2.29	17.01	
				09-06-57 *	6.69		4.40
				10-08-57 *	17.65		10.96
				11-06-57 *	28.65		11.00
				12-03-57 *	20.70	7.95	
				01-08-58 *	34.70		14.00
				02-12-58 *	40.85		6.15
				03-11-58 *	48.10		7.25
				04-03-58 *	46.60	1.50	
				05-06-58 *	49.00		2.40
				06-03-58 *	42.00	7.00	
				07-03-58 *	39.00	3.00	
				09-08-58 *	31.00	8.00	
				10-09-58 *	59.00		28.00
				11-06-58 *	61.00		2.00
				12-01-58 *	60.00	1.00	
				01-07-59 *	57.00	3.00	
				02-04-59 *	57.00		
				03-04-59 *	55.50	1.50	
				04-02-59 *	51.50	4.00	
				05-06-59 *	52.80		1.30
				06-03-59 *	48.90	3.90	
				08-06-59 *	40.70	8.20	
				08-31-59 *	45.20		4.50
				09-30-59 *	42.30	2.90	
				11-02-59 *	50.20		7.90
				12-01-59 *	53.90		3.70
				01-16-60 *	57.50		3.60
				02-10-60 *	54.00	3.50	
				03-02-60 *	54.20		0.20
				04-05-60 *	55.90		1.70
				05-04-60 *	57.20		1.30

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-02-60	+ 48.60	8.60	
				07-05-60	+ 44.80	3.80	
				08-02-60	+ 44.20	0.60	
				09-06-60	+ 47.50		3.30
				10-02-60	+ 42.50	5.00	
				11-10-60	+ 56.50		14.00
				12-05-60	+ 57.00		0.50
				01-11-61	+ 61.20		4.20
				02-20-61	+ 62.50		1.30
				03-21-61	+ 57.50	5.00	
				04-24-61	+ 52.00	5.50	
				05-23-61	+ 45.00	7.00	
				06-23-61	+ 56.00		11.00
				07-17-61	+ 55.50	0.50	
				08-21-61	+ 53.00	2.50	
				09-26-61	+ 49.00	4.00	
				10-27-61	+ 55.00		6.00
				12-01-61	+ 54.50	0.50	
				12-18-61	+ 55.00		0.50
				01-24-62	+ 54.00	1.00	
				02-19-62	+ 52.10	1.90	
				03-20-62	+ 50.00	2.10	
				04-26-62	+ 49.20	0.80	
				05-22-62	+ 44.00	5.20	
				06-21-62	+ 40.50	3.50	
				07-23-62	+ 26.50	14.00	
				08-20-62	+ 25.00	1.50	
				09-25-62	+ 31.00		6.00
				10-25-62	+ 34.50		3.50
				11-19-62	+ 37.00		2.50
				12-17-62	+ 45.20		8.20
				01-23-63	+ 45.00	0.20	
				02-19-63	+ 44.50	0.50	
				04-24-63	+ 33.00	11.50	
				05-20-63	+ 34.00		1.00
				06-18-63	+ 28.00	6.00	
				07-22-63	+ 19.00	9.00	
				08-20-63	+ 16.50	2.50	
				10-22-63	+ 20.50		4.00
				11-18-63	+ 30.00		9.50
				12-17-63	+ 32.00		2.00
				01-21-64	+ 33.00		1.00
				02-19-64	+ 34.00		1.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-27-64	+ 31.00	3.00	
				04-22-64	+ 31.50		0.50
				05-22-64	+ 6.00Q	25.50	
				06-24-64	+ 27.00		21.00
				07-23-64	+ 13.00	14.00	
				08-25-64	+ 6.00	7.00	
				09-23-64	+ 21.00		15.00
				10-22-64	+ 22.00		1.00
				11-25-64	+ 31.00		9.00
				12-21-64	+ 28.50	2.50	
				01-21-65	+ 28.50		
				02-19-65	+ 37.50		9.00
				03-24-65	+ 36.50	1.00	
				04-21-65	+ 37.00		0.50
				05-20-65	+ 47.50		10.50
				06-18-65	+ 45.70	1.80	
				07-19-65	+ 27.00*	18.70	
				08-23-65	+ 24.00*	3.00	
				01-21-72	+ 57.00		33.00
				06-08-72	+ 51.00	6.00	
				02-08-73	+ 53.35		2.35
				02-13-74	+ 67.00		13.65
				07-15-74	+ 46.92	20.08	
				02-13-75	+ 68.92		22.00
				07-17-75	+ 63.04	5.88	
				02-25-76	+ 44.45	18.59	
				08-02-76	+ 60.43		15.98
				02-04-77	+ 77.23		16.80
68-43-807	KCEB	2292	625.00	11-04-54	+ 20.60		
				12-03-54	+ 21.50		0.90
				01-05-55	+ 22.00		0.50
				03-04-55	+ 22.50		0.50
				04-05-55	+ 20.00	2.50	
				05-05-55	+ 14.90	5.10	
				06-03-55	+ 17.20		2.30
				07-08-55	+ 12.25	4.95	
				08-02-55	+ 12.00	0.25	
				08-31-55	+ 9.30	2.70	
				10-06-55	+ 10.55*		1.25
				11-04-55	+ 9.05	1.50	
				12-07-55	+ 15.05		6.00
				01-05-56	+ 13.05	2.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				02-07-56	+	14.10		1.05
				03-20-56	+	9.80	4.30	
				06-06-56	+	2.50	7.30	
				11-08-56	+	6.25		3.75
				01-05-57	+	10.95Q		4.70
				02-04-57	+	10.20Q	0.75	
				03-06-57	+	12.95		2.75
				05-06-57	+	24.70		11.75
				06-03-57	+	32.45Q		7.75
				07-01-57	+	12.70Q	19.75	
				12-03-57	+	36.90		24.20
				01-02-58	+	38.40		1.50
				01-08-58	+	39.90		1.50
				02-12-58	+	47.75		7.85
				03-11-58	+	53.80		6.05
				04-03-58	+	54.80		1.00
				05-08-58	+	55.30		0.50
				06-03-58	+	49.80	5.50	
				07-03-58	+	50.80		1.00
				10-09-58	+	67.80		17.00
				11-06-58	+	64.30	3.50	
				12-01-58	+	64.80		0.50
				01-07-59	+	65.00		0.20
				02-04-59	+	64.80	0.20	
				04-03-59	+	59.80	5.00	
				05-06-59	+	61.00		1.20
				06-03-59	+	57.10	3.90	
				07-01-59	+	52.00	5.10	
				08-31-59	+	52.00Q		
				09-30-59	+	53.90Q		1.90
				11-02-59	+	61.20Q		7.30
				11-30-59	+	62.50		1.30
				01-16-60	+	65.00		2.50
				02-10-60	+	64.10	0.90	
				03-02-60	+	63.30	0.80	
				04-05-60	+	62.80	0.50	
				05-04-60	+	65.10		2.30
				07-05-60	+	54.20	10.90	
				08-02-60	+	27.90	26.30	
				09-06-60	+	57.40		29.50
				10-02-60	+	54.20	3.20	
				11-10-60	+	64.50		10.30
				12-05-60	+	65.50		1.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-10-61	+ 68.00		2.50
				03-21-61	+ 67.50	0.50	
				04-24-61	+ 64.00	3.50	
				05-22-61	+ 57.50	6.50	
				12-04-61	+ 67.00		9.50
				12-18-61	+ 67.00Q		
				01-24-62	+ 63.90Q	3.10	
				02-19-62	+ 62.50Q	1.40	
				04-26-62	+ 60.80Q	1.70	
				05-22-62	+ 54.00Q	6.80	
				06-21-62	+ 50.50Q	3.50	
				07-23-62	+ 42.00	8.50	
				08-20-62	+ 38.50	3.50	
				09-25-62	+ 44.50		6.00
				11-19-62	+ 48.50Q		4.00
				12-17-62	+ 53.00Q		4.50
				01-25-63	+ 52.50Q	0.50	
				02-19-63	+ 52.00Q	0.50	
				04-24-63	+ 23.50Q	28.50	
				05-20-63	+ 43.00Q		19.50
				06-18-63	+ 36.00Q	7.00	
				09-23-63	+ 32.00Q	4.00	
				10-22-63	+ 31.50Q	0.50	
				11-19-63	+ 40.00Q		8.50
				12-17-63	+ 41.00Q		1.00
				01-21-64	+ 41.00Q		
				02-19-64	+ 42.50Q		1.50
				03-27-64	+ 40.50Q	2.00	
				04-22-64	+ 34.00Q	6.50	
				05-22-64	+ 13.00Q	21.00	
				06-24-64	+ 33.00Q		20.00
				09-23-64	+ 29.00Q	4.00	
				10-23-64	+ 41.00Q		12.00
				11-25-64	+ 39.50Q	1.50	
				12-22-64	+ 40.00Q		0.50
				01-21-65	+ 24.00*	16.00	
				02-19-65	+ 47.70		23.70
				03-24-65	+ 46.00Q	1.70	
				04-21-65	+ 25.00Q	21.00	
				05-20-65	+ 58.00Q		33.00
				12-07-71	+ 61.00		3.00
				02-04-72	+ 29.50Q	31.50	
				06-08-72	+ 28.50*	1.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-08-73	+ 49.30		20.80
				07-22-74	+ 52.12		2.82
				02-13-75	+ 73.02		20.90
				07-17-75	+ 68.00	5.02	
				02-25-76	+ 53.44	14.56	
				02-04-77	+ 77.07		23.63
68-43-812	KCEB	1800	648.30	09-08-33	+ 30.00		
				10-20-33	+ 31.00		1.00
				05-22-34	+ 33.00		2.00
				01-18-51	+ 19.00	14.00	
				08-30-56	22.61*	41.61	
68-43-813	KCEB	1800	590.10	08-26-33	+ 97.50		
				10-20-33	+ 97.30	0.20	
				05-22-34	+ 95.20	2.10	
				10-10-34	+ 91.70	3.50	
				11-25-35	+ 101.50		9.80
				08-19-52	+ 55.30	46.20	
				03-05-53	+ 66.30		11.00
				05-05-53	+ 52.50	13.80	
				09-17-53	+ 64.60		12.10
				11-03-53	+ 55.70	8.90	
				01-06-54	+ 65.70		10.00
				03-05-54	+ 62.00	3.70	
				05-06-54	+ 56.00	6.00	
68-44-213	KCEB	----	653.30	07-30-52	16.98		
				03-05-53	6.88		10.10
				05-05-53	12.53	5.65	
				07-17-53	20.20	7.67	
				09-17-53	9.72		10.48
				11-03-53	7.82		1.90
				01-05-54	8.07	0.25	
				03-05-54	12.14	4.07	
				05-06-54	17.83	5.69	
				07-09-54	25.84	8.01	
				08-25-54	29.22	3.38	
				11-04-54	25.53		3.69
				01-05-55	23.27		2.26
				03-04-55	22.86		0.41
				04-05-55	24.59	1.73	
				05-05-55	34.40	9.81	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-03-55	31.50		2.90
				07-08-55	42.40	10.90	
				08-02-55	31.35		11.05
				09-31-55	30.70		0.65
				10-06-55	27.60		3.10
				11-04-55	27.66	0.06	
				12-07-55	22.86		4.80
				01-05-56	23.74	0.88	
				02-07-56	22.68		1.06
				03-07-56	27.07	4.39	
				04-04-56	30.60	3.53	
				05-04-56	29.59		1.01
				06-06-56	36.22	6.63	
				07-06-56	38.68	2.46	
				08-03-56	41.34	2.66	
				08-30-56	37.19		4.15
				10-03-56	37.85	0.66	
				11-08-56	30.51		7.34
				12-05-56	30.62	0.11	
				01-05-57	28.23		2.39
				02-04-57	28.42	0.19	
				03-06-57	26.91		1.51
				04-01-57	23.84		3.07
				05-01-57	12.81		11.03
				05-02-57	12.20		0.61
				05-06-57	12.68	0.48	
				05-10-57	14.05	1.37	
				06-03-57	4.16		9.89
				06-03-57	4.36	0.20	
				07-01-57	12.87	8.51	
				08-05-57	28.22	15.35	
				09-06-57	24.67		3.55
				10-08-57	14.30		10.37
				11-05-57	5.40		8.90
68-44-214	KCEB	1285	654.00	05-09-58 +	19.00		
				06-04-58 +	11.00	8.00	
				07-03-58 +	8.50	2.50	
				10-09-58 +	24.50		16.00
				11-06-58 +	27.50		3.00
				12-01-58 +	28.50		1.00
				01-12-59 +	27.50	1.00	
				02-09-59 +	26.50	1.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				03-04-59	+	24.00	2.50	
				04-03-59	+	21.00	3.00	
				05-06-59	+	23.50		2.50
				06-03-59	+	18.00	5.50	
				07-07-59	+	11.80	6.20	
				08-06-59	+	9.50	2.30	
				08-31-59	+	14.80		5.30
				09-30-59	+	14.90		0.10
				11-06-59	+	23.50		8.60
				11-30-59	+	23.50		
				01-16-60	+	26.60		3.10
				02-10-60	+	24.40	2.20	
				03-02-60	+	26.00		1.60
				04-05-60	+	22.70	3.30	
				05-04-60	+	23.70		1.00
				06-02-60	+	16.80	6.90	
				07-05-60	+	14.30	2.50	
				08-02-60	+	12.80	1.50	
				09-06-60	+	20.00		7.20
				10-02-60	+	14.25	5.75	
				11-10-60	+	25.00		10.75
				12-05-60	+	27.10		2.10
				01-09-61	+	30.30		3.20
				02-20-61	+	31.90		1.60
				03-26-61	+	26.50	5.40	
				04-24-61	+	20.50	6.00	
				07-17-61	+	23.00		2.50
				08-21-61	+	19.90	3.10	
				10-23-61	+	23.00		3.10
				12-01-61	+	24.50		1.50
				12-18-61	+	24.50		
				01-24-62	+	22.10	2.40	
				03-19-62	+	20.80	1.30	
				04-26-62	+	18.80	2.00	
				05-22-62	+	11.40	7.40	
				06-21-62	+	8.20	3.20	
				11-19-62	+	9.00		0.80
				12-17-62	+	13.50		4.50
				01-22-63	+	12.00	1.50	
				02-19-63	+	13.00		1.00
				03-22-63	+	8.60	4.40	
				04-24-63	+	4.20	4.40	
				05-20-63	+	2.00	2.20	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-19-64	+ 3.50Q		1.50
				02-19-65	+ 8.70Q		5.20
				02-04-72	+ 28.60		19.90
				06-08-72	+ 24.00	4.60	
				10-17-72	+ 18.30	5.70	
				07-15-74	+ 15.52	2.78	
				02-13-75	+ 34.42		18.90
				07-17-75	+ 28.30	6.12	
				02-25-76	+ 13.88	14.42	
				08-02-76	+ 26.36		12.48
				02-04-77	+ 41.42		15.06
68-44-401	KCEB	1532	643.00	03-14-58	+ 31.50		
				01-11-61	+ 43.50		12.00
68-44-405	KCEB	2000	628.60	05-22-34	+ 42.80		
				10-09-34	+ 39.70	3.10	
				08-30-56	14.08	53.78	
68-44-602	KCEB	----	665.70	09-05-33	15.35		
				12-06-33	15.55	0.20	
68-45-102	KCEB	2103	621.60	08-21-33	+ 39.00		
				09-19-33	+ 39.80		0.80
				10-18-33	+ 39.40	0.40	
				11-20-33	+ 38.80	0.60	
				12-20-33	+ 38.60	0.20	
				01-18-34	+ 38.60		
				02-19-34	+ 38.90		0.30
				03-19-34	+ 40.00		1.10
				04-19-34	+ 40.00		
				05-21-34	+ 38.60	1.40	
				06-19-34	+ 36.50	2.10	
				07-27-34	+ 34.60	1.90	
				08-22-34	+ 34.60		
				09-19-34	+ 34.60		
				10-09-34	+ 34.40	0.20	
				10-25-34	+ 33.70	0.70	
				11-19-34	+ 35.00		1.30
				12-20-34	+ 34.00	1.00	
				02-01-35	+ 34.60		0.60
				02-28-35	+ 34.90		0.30
				04-10-35	+ 35.90		1.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-21-35	+ 38.00		2.10
				06-27-35	+ 48.80		10.80
				08-05-35	+ 47.20	1.60	
				09-27-35	+ 45.70	1.50	
				11-21-35	+ 46.80		1.10
				01-21-36	+ 45.70	1.10	
				08-29-36	+ 45.00	0.70	
				12-30-36	+ 47.50		2.50
				10-10-50	+ 19.20	28.30	
				10-17-50	+ 20.70		1.50
				10-23-50	+ 21.50		0.80
				11-06-50	+ 20.00	1.50	
				11-14-50	+ 20.80		0.80
				11-22-50	+ 20.70	0.10	
				12-06-50	+ 20.80		0.10
				12-18-50	+ 20.00	0.80	
				12-28-50	+ 21.00		1.00
				01-06-51	+ 22.20		1.20
				01-20-51	+ 20.80	1.40	
				02-03-51	+ 22.00		1.20
				02-17-51	+ 19.80	2.20	
				03-12-51	+ 19.10	0.70	
				03-26-51	+ 17.70	1.40	
				04-12-51	+ 18.40		0.70
				05-21-51	+ 18.00	0.40	
				06-01-51	+ 16.80	1.20	
				06-11-51	+ 18.00		1.20
				06-16-51	+ 17.30	0.70	
				06-26-51	+ 15.40	1.90	
				07-03-51	+ 14.80	0.60	
				07-12-51	+ 13.20	1.60	
				07-23-51	+ 12.60	0.60	
				08-06-51	+ 11.00	1.60	
				08-10-51	+ 10.00	1.00	
				08-18-51	+ 9.80	0.20	
				08-28-51	+ 8.80	1.00	
				09-15-51	+ 9.50		0.70
				10-01-51	+ 12.20		2.70
				10-10-51	+ 11.30	0.90	
				11-12-51	+ 13.40		2.10
				11-27-51	+ 12.00	1.40	
				12-08-51	+ 12.50		0.50
				12-21-51	+ 11.80	0.70	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-08-52	+ 13.50		1.70
				01-26-52	+ 12.50	1.00	
				02-16-52	+ 12.00	0.50	
				03-08-52	+ 12.80		0.80
				03-15-52	+ 11.60	1.20	
				04-03-52	+ 11.00	0.60	
				04-10-52	+ 10.10	0.90	
				04-26-52	+ 12.00		1.90
				05-07-52	+ 10.30	1.70	
				06-03-52	+ 10.00	0.30	
				06-10-52	+ 9.00	1.00	
				06-17-52	+ 9.50		0.50
				07-01-52	+ 7.80	1.70	
				07-08-52	+ 6.40	1.40	
				07-15-52	+ 7.00		0.60
				07-22-52	+ 7.20		0.20
				07-29-52	+ 6.80	0.40	
				08-05-52	+ 5.80	1.00	
				08-12-52	+ 4.90	0.90	
				08-19-52	+ 3.80	1.10	
				08-26-52	+ 1.08	2.72	
				09-02-52	+ 0.41	0.67	
				09-09-52	+ 0.74		0.33
				09-16-52	+ 6.10		5.36
				09-23-52	+ 8.10		2.00
				09-30-52	+ 8.90		0.80
				10-07-52	+ 8.20	0.70	
				10-14-52	+ 8.10	0.10	
				10-21-52	+ 7.90	0.20	
				10-28-52	+ 7.90		
				11-04-52	+ 8.30		0.40
				11-10-52	+ 8.20	0.10	
				11-18-52	+ 8.60		0.40
				11-25-52	+ 10.50		1.90
				12-02-52	+ 12.10		1.60
				12-09-52	+ 13.60		1.50
				12-16-52	+ 13.30	0.30	
				12-23-52	+ 13.70		0.40
				12-31-52	+ 14.70		1.00
				01-08-53	+ 17.60		2.90
				01-14-53	+ 16.60	1.00	
				01-20-53	+ 16.70		0.10
				01-28-53	+ 16.00	0.70	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-09-53	+ 15.60	0.40	
				02-18-53	+ 15.10	0.50	
				02-24-53	+ 14.80	0.30	
				03-04-53	+ 14.90		0.10
				03-11-53	+ 14.70	0.20	
				03-19-53	+ 14.40	0.30	
				03-26-53	+ 13.20	1.20	
				04-03-53	+ 12.20	1.00	
				04-09-53	+ 13.00		0.80
				04-20-53	+ 12.20	0.80	
				04-27-53	+ 12.20		
				05-05-53	+ 10.90	1.30	
				05-13-53	+ 9.00	1.90	
				05-18-53	+ 10.70		1.70
				05-25-53	+ 10.00	0.70	
				06-04-53	+ 7.60	2.40	
				06-10-53	+ 5.70	1.90	
				06-16-53	+ 5.00	0.70	
				06-23-53	+ 4.20	0.80	
				07-01-53	+ 3.60	0.60	
				07-15-53	+ 4.20		0.60
				07-31-53	+ 0.07	4.13	
				08-07-53	0.92	0.99	
				08-17-53	1.85	0.93	
				08-25-53	0.15		1.70
				09-03-53	+ 4.35		4.50
				09-17-53	+ 11.20		6.85
				09-28-53	+ 11.10	0.10	
				10-06-53	+ 10.90	0.20	
				10-14-53	+ 10.80	0.10	
				10-22-53	+ 10.50	0.30	
				10-29-53	+ 11.60		1.10
				11-06-53	+ 12.50		0.90
				11-16-53	+ 13.50		1.00
				11-24-53	+ 13.90		0.40
				12-04-53	+ 13.10	0.80	
				12-14-53	+ 13.20		0.10
				12-21-53	+ 14.10		0.90
				12-29-53	+ 13.30	0.80	
				01-06-54	+ 13.30		
				01-14-54	+ 12.60	0.70	
				01-20-54	+ 13.60		1.00
				01-27-54	+ 12.70	0.90	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				02-03-54	+	12.60	0.10	
				02-11-54	+	12.30	0.30	
				02-19-54	+	12.70		0.40
				02-26-54	+	11.20	1.50	
				03-05-54	+	9.70	1.50	
				03-12-54	+	10.80		1.10
				03-19-54	+	9.90	0.90	
				03-26-54	+	6.82	3.08	
				04-02-54	+	5.08	1.74	
				04-09-54	+	4.64	0.44	
				04-16-54	+	4.70		0.06
				04-24-54	+	4.50	0.20	
				04-30-54	+	4.70		0.20
				05-06-54	+	5.30		0.60
				05-17-54	+	5.00	0.30	
				05-24-54	+	3.97	1.03	
				06-02-54	+	3.90	0.07	
				06-11-54	+	0.66	3.24	
				06-18-54		0.60	1.26	
				06-25-54		0.17		0.43
				07-02-54	+	1.21		1.38
				07-09-54	+	0.50	0.71	
				07-16-54		1.12	1.62	
				07-23-54		1.92	0.80	
				07-30-54		3.76	1.84	
				08-06-54		3.00		0.76
				08-17-54		4.12	1.12	
				08-23-54		3.91		0.21
				09-03-54		3.53		0.38
				09-13-54		3.97	0.44	
				09-20-54		3.72		0.25
				09-27-54		3.42		0.30
				10-05-54		1.74		1.68
				10-15-54	+	0.12		1.86
				10-26-54	+	0.40		0.28
				11-04-54	+	0.42		0.02
				11-16-54	+	2.53		2.11
				11-24-54	+	2.95		0.42
				12-03-54	+	2.93	0.02	
				12-09-54	+	2.53	0.40	
				12-17-54	+	2.70		0.17
				12-24-54	+	2.88		0.18
				01-03-55	+	3.77		0.89

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				01-20-55	+	4.25		0.48
				01-31-55	+	4.50		0.25
				02-09-55	+	4.95		0.45
				02-15-55	+	5.12		0.17
				02-22-55	+	5.11	0.01	
				03-15-55	+	3.60	1.51	
				03-24-55	+	3.36	0.24	
				03-30-55	+	3.47		0.11
				04-20-55		0.06	3.53	
				04-26-55		1.21	1.15	
				05-05-55		3.06	1.85	
				05-19-55		3.15	0.09	
				05-27-55		0.64		2.51
				06-03-55		2.13	1.49	
				06-14-55		2.31	0.18	
				06-23-55		3.92	1.61	
				07-01-55		5.77	1.85	
				07-08-55		6.51	0.74	
				07-20-55		6.39		0.12
				07-29-55		6.76	0.37	
				08-10-55		7.39	0.63	
				08-18-55		7.16		0.23
				09-30-55		6.99		0.17
				10-24-55		6.85		0.14
				11-04-55		6.62		0.23
				11-20-55		4.22		2.40
				12-02-55		3.29		0.93
				12-15-55		2.94		0.35
				01-08-56		2.73		0.21
				02-07-56		1.28		1.45
				02-22-56		3.66	2.38	
				03-07-56		6.38	2.72	
				04-04-56		6.38		
				05-04-56		8.30	1.92	
				05-16-56		10.19	1.89	
				06-06-56		12.04	1.85	
				07-06-56		15.05	3.01	
				08-02-56		18.01	2.96	
				08-30-56		16.14		1.87
				10-03-56		15.65		0.49
				11-08-56		10.21		5.44
				12-05-56		10.37	0.16	
				01-05-57		8.13		2.24

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-04-57	7.55		0.58
				03-07-57	6.46		1.09
				04-01-57	4.01		2.45
				05-03-57	3.50		0.51
				05-06-57 +	4.43		7.93
				05-21-57 +	4.60		0.17
				06-03-57 +	8.46		3.86
				06-14-57 +	11.70		3.24
				06-26-57 +	9.20	2.50	
				07-01-57 +	6.28	2.92	
				07-31-57	4.97	11.25	
				08-07-57	6.88	1.91	
				09-05-57	7.49	0.61	
				11-08-57 +	11.85		19.34
				12-03-57 +	16.35		4.50
				12-16-57 +	16.85		0.50
				01-09-58 +	19.00		2.15
				02-12-58 +	25.20		6.20
				03-11-58 +	31.10		5.90
				05-06-58 +	30.00	1.10	
				06-04-58 +	29.00	1.00	
				07-03-58 +	25.00	4.00	
				08-04-58 +	21.00	4.00	
				09-08-58 +	18.00	3.00	
				10-10-58 +	33.00		15.00
				11-06-58 +	40.00		7.00
				12-03-58 +	43.00		3.00
				01-09-59 +	40.50	2.50	
				02-04-59 +	41.00		0.50
				03-04-59 +	41.00		
				04-02-59 +	41.00		
				04-21-59 +	40.00	1.00	
				04-25-59 +	40.00		
				05-05-59 +	41.80		1.80
				05-10-59 +	41.60	0.20	
				05-15-59 +	41.80		0.20
				05-20-59 +	41.70	0.10	
				05-25-59 +	41.10	0.60	
				06-01-59 +	40.10	1.00	
				06-05-59 +	38.50	1.60	
				06-10-59 +	37.40	1.10	
				06-15-59 +	36.20	1.20	
				06-20-59 +	33.50	2.70	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				06-25-59	+	31.10	2.40	
				07-01-59	+	32.90		1.80
				07-05-59	+	32.90		
				07-10-59	+	32.60	0.30	
				07-15-59	+	33.50		0.90
				07-20-59	+	32.20	1.30	
				07-25-59	+	33.60		1.40
				08-01-59	+	34.80		1.20
				08-05-59	+	33.50	1.30	
				08-10-59	+	32.10	1.40	
				08-15-59	+	31.70	0.40	
				08-20-59	+	31.10	0.60	
				08-25-59	+	30.20	0.90	
				09-01-59	+	34.70		4.50
				09-05-59	+	29.90	4.80	
				09-10-59	+	30.70		0.80
				09-15-59	+	32.90		2.20
				09-20-59	+	31.60	1.30	
				09-25-59	+	31.70		0.10
				10-01-59	+	33.80		2.10
				10-05-59	+	34.70		0.90
				10-10-59	+	37.40		2.70
				10-15-59	+	37.10	0.30	
				10-20-59	+	38.40		1.30
				10-25-59	+	38.70		0.30
				11-01-59	+	37.70	1.00	
				11-05-59	+	38.10		0.40
				11-12-59	+	41.10		3.00
				11-20-59	+	40.50	0.60	
				11-25-59	+	41.40		0.90
				12-01-59	+	37.50	3.90	
				12-05-59	+	37.40	0.10	
				12-10-59	+	40.50		3.10
				12-15-59	+	40.50		
				12-20-59	+	41.60		1.10
				12-25-59	+	41.70		0.10
				01-01-60	+	41.70		
				01-05-60	+	41.80		0.10
				01-10-60	+	42.80		1.00
				01-15-60	+	43.10		0.30
				01-20-60	+	42.20	0.90	
				01-25-60	+	42.10	0.10	
				02-01-60	+	43.30		1.20

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-05-60	+ 43.20	0.10	
				02-10-60	+ 43.20		
				02-15-60	+ 42.30	0.90	
				02-20-60	+ 42.90		0.60
				02-25-60	+ 43.60		0.70
				03-01-60	+ 42.40	1.20	
				03-05-60	+ 42.70		0.30
				03-10-60	+ 43.80		1.10
				03-15-60	+ 44.00		0.20
				03-20-60	+ 43.40	0.60	
				03-25-60	+ 42.00	1.40	
				04-01-60	+ 43.40		1.40
				04-05-60	+ 43.00	0.40	
				04-10-60	+ 41.70	1.30	
				04-15-60	+ 43.50		1.80
				04-20-60	+ 43.10	0.40	
				05-05-60	+ 41.40	1.70	
				05-10-60	+ 41.30	0.10	
				05-15-60	+ 42.50		1.20
				05-19-60	+ 41.40	1.10	
				05-25-60	+ 40.50	0.90	
				06-06-60	+ 35.00	5.50	
				06-10-60	+ 33.80	1.20	
				06-16-60	+ 31.00	2.80	
				06-20-60	+ 29.50	1.50	
				06-25-60	+ 27.00	2.50	
				07-05-60	+ 33.00		6.00
				07-10-60	+ 32.40	0.60	
				07-15-60	+ 31.20	1.20	
				07-20-60	+ 32.00		0.80
				07-25-60	+ 35.00		3.00
				08-01-60	+ 34.20	0.80	
				08-05-60	+ 33.60	0.60	
				08-10-60	+ 32.00	1.60	
				08-15-60	+ 32.30		0.30
				08-20-60	+ 34.50		2.20
				08-25-60	+ 35.00		0.50
				09-01-60	+ 35.10		0.10
				09-06-60	+ 36.00		0.90
				09-10-60	+ 35.00	1.00	
				09-15-60	+ 36.40		1.40
				09-21-60	+ 33.00	3.40	
				09-25-60	+ 32.00	1.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				10-05-60	+ 32.80		0.80
				10-10-60	+ 33.30		0.50
				10-15-60	+ 33.90		0.60
				10-19-60	+ 35.00		1.10
				10-25-60	+ 38.80		3.80
				11-10-60	+ 42.60		3.80
				11-15-60	+ 45.10		2.50
				11-20-60	+ 43.10	2.00	
				11-25-60	+ 43.70		0.60
				12-01-60	+ 43.80		0.10
				12-05-60	+ 44.10		0.30
				12-15-60	+ 45.00		0.90
				12-20-60	+ 45.20		0.20
				12-25-60	+ 45.80		0.60
				01-06-61	+ 46.00		0.20
				01-10-61	+ 46.80		0.80
				01-15-61	+ 46.40	0.40	
				01-19-61	+ 45.60	0.80	
				01-25-61	+ 45.50	0.10	
				02-01-61	+ 46.00		0.50
				02-05-61	+ 45.50	0.50	
				02-10-61	+ 46.90		1.40
				02-15-61	+ 47.00		0.10
				02-20-61	+ 46.90	0.10	
				02-24-61	+ 47.00		0.10
				03-01-61	+ 48.00		1.00
				03-06-61	+ 46.50	1.50	
				03-10-61	+ 45.90	0.60	
				03-15-61	+ 45.90		
				03-19-61	+ 45.20	0.70	
				03-25-61	+ 44.80	0.40	
				04-01-61	+ 44.10	0.70	
				04-05-61	+ 43.50	0.60	
				04-10-61	+ 44.00		0.50
				04-15-61	+ 42.20	1.80	
				04-20-61	+ 42.00	0.20	
				04-25-61	+ 42.00		
				05-01-61	+ 41.00	1.00	
				05-05-61	+ 40.50	0.50	
				05-10-61	+ 40.00	0.50	
				05-15-61	+ 39.00	1.00	
				05-20-61	+ 37.80	1.20	
				05-27-61	+ 36.00	1.80	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-02-61	+ 35.50	0.50	
				06-05-61	+ 35.00	0.50	
				06-10-61	+ 34.10	0.90	
				06-16-61	+ 36.00		1.90
				06-20-61	+ 39.00		3.00
				06-25-61	+ 40.50		1.50
				07-01-61	+ 40.50		
				07-05-61	+ 40.00	0.50	
				07-10-61	+ 38.80	1.20	
				07-14-61	+ 40.80		2.00
				07-20-61	+ 39.50	1.30	
				07-25-61	+ 40.30		0.80
				08-01-61	+ 41.00		0.70
				08-05-61	+ 41.40		0.40
				08-10-61	+ 41.30	0.10	
				08-15-61	+ 41.50		0.20
				08-18-61	+ 40.30	1.20	
				08-25-61	+ 38.30	2.00	
				08-31-61	+ 37.40	0.90	
				09-07-61	+ 36.00	1.40	
				09-10-61	+ 35.80	0.20	
				09-20-61	+ 39.00		3.20
				09-25-61	+ 38.30	0.70	
				10-01-61	+ 39.00		0.70
				10-04-61	+ 38.80	0.20	
				10-10-61	+ 39.60		0.80
				10-15-61	+ 40.00		0.40
				10-20-61	+ 41.50		1.50
				10-24-61	+ 41.80		0.30
				11-10-61	+ 42.30		0.50
				11-15-61	+ 43.00		0.70
				11-25-61	+ 43.30		0.30
				12-01-61	+ 43.30		
				12-04-61	+ 43.70		0.40
				12-16-61	+ 43.30	0.40	
				12-20-61	+ 43.40		0.10
				12-25-61	+ 43.50		0.10
				01-01-62	+ 42.90	0.60	
				01-05-62	+ 42.30	0.60	
				01-15-62	+ 42.20	0.10	
				01-20-62	+ 41.10	1.10	
				01-25-62	+ 41.90		0.80
				02-01-62	+ 42.50		0.60

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-04-62	+ 42.30	0.20	
				02-10-62	+ 41.20	1.10	
				02-15-62	+ 40.50	0.70	
				02-19-62	+ 40.70		0.20
				02-25-62	+ 40.70		
				03-05-62	+ 40.30	0.40	
				03-10-62	+ 41.00		0.70
				03-15-62	+ 39.10	1.90	
				03-20-62	+ 40.30		1.20
				04-01-62	+ 37.20	3.10	
				04-05-62	+ 37.40		0.20
				04-10-62	+ 39.40		2.00
				04-14-62	+ 39.10	0.30	
				04-20-62	+ 37.80	1.30	
				04-25-62	+ 37.90		0.10
				05-05-62	+ 38.50		0.60
				05-10-62	+ 38.60		0.10
				05-15-62	+ 37.20	1.40	
				05-20-62	+ 35.80	1.40	
				05-25-62	+ 33.80	2.00	
				06-01-62	+ 33.40	0.40	
				06-05-62	+ 34.90		1.50
				06-10-62	+ 36.00		1.10
				06-15-62	+ 35.00	1.00	
				06-20-62	+ 33.20	1.80	
				06-25-62	+ 31.60	1.60	
				07-05-62	+ 32.00		0.40
				07-10-62	+ 29.90	2.10	
				07-16-62	+ 27.00	2.90	
				07-20-62	+ 25.50	1.50	
				07-24-62	+ 24.50	1.00	
				08-01-62	+ 22.00	2.50	
				08-05-62	+ 22.80		0.80
				08-09-62	+ 20.30	2.50	
				08-16-62	+ 19.00	1.30	
				08-20-62	+ 19.10		0.10
				08-24-62	+ 18.50	0.60	
				09-05-62	+ 20.80		2.30
				09-10-62	+ 22.90		2.10
				09-13-62	+ 24.50		1.60
				09-20-62	+ 25.30		0.80
				09-25-62	+ 24.00	1.30	
				10-25-62	+ 24.00		

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-01-62	+ 26.00		2.00
				11-20-62	+ 25.00	1.00	
				12-20-62	+ 32.70		7.70
				12-25-62	+ 32.20	0.50	
				01-02-63	+ 33.20		1.00
				01-05-63	+ 33.00	0.20	
				01-10-63	+ 34.00		1.00
				01-15-63	+ 31.70	2.30	
				01-19-63	+ 31.90		0.20
				01-25-63	+ 31.50	0.40	
				02-12-63	+ 29.50	2.00	
				02-15-63	+ 30.80		1.30
				02-20-63	+ 31.70		0.90
				02-25-63	+ 32.40		0.70
				03-01-63	+ 33.30		0.90
				03-05-63	+ 33.10	0.20	
				03-10-63	+ 32.40	0.70	
				03-15-63	+ 31.00	1.40	
				03-19-63	+ 32.00		1.00
				04-15-63	+ 29.50	2.50	
				05-01-63	+ 27.00	2.50	
				05-15-63	+ 26.00	1.00	
				05-20-63	+ 24.10	1.90	
				05-25-63	+ 24.20		0.10
				06-05-63	+ 20.20	4.00	
				06-10-63	+ 18.60	1.60	
				06-15-63	+ 15.50	3.10	
				06-20-63	+ 16.40		0.90
				06-28-63	+ 18.00		1.60
				07-01-63	+ 17.30	0.70	
				07-05-63	+ 18.80		1.50
				07-11-63	+ 16.70	2.10	
				07-26-63	+ 12.50	4.20	
				08-01-63	+ 12.00	0.50	
				08-05-63	+ 9.50	2.50	
				08-10-63	+ 9.20	0.30	
				09-01-63	+ 6.90	2.30	
				09-05-63	+ 7.70		0.80
				09-12-63	+ 7.00	0.70	
				09-15-63	+ 7.80		0.80
				09-17-63	+ 10.00		2.20
				10-05-63	+ 12.30		2.30
				10-10-63	+ 12.00	0.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-10-63	+ 18.00		6.00
				11-15-63	+ 18.80		0.80
				11-20-63	+ 21.00		2.20
				11-25-63	+ 20.40	0.60	
				12-01-63	+ 21.80		1.40
				12-05-63	+ 22.00		0.20
				01-01-64	+ 22.40		0.40
				01-05-64	+ 21.90	0.50	
				01-09-64	+ 19.80	2.10	
				01-09-64	+ 22.20		2.40
				01-15-64	+ 22.30		0.10
				02-07-64	+ 23.70		1.40
				02-10-64	+ 24.00		0.30
				02-15-64	+ 25.00		1.00
				02-20-64	+ 24.30	0.70	
				02-25-64	+ 25.20		0.90
				03-06-64	+ 24.70	0.50	
				03-10-64	+ 24.10	0.60	
				03-14-64	+ 23.90	0.20	
				04-07-64	+ 22.50	1.40	
				04-10-64	+ 22.50		
				04-15-64	+ 21.60	0.90	
				05-20-64	+ 16.20	5.40	
				05-25-64	+ 16.40		0.20
				10-01-64	+ 12.90	3.50	
				10-05-64	+ 14.70		1.80
				10-10-64	+ 16.10		1.40
				10-15-64	+ 13.80	2.30	
				10-20-64	+ 15.40		1.60
				10-24-64	+ 14.40	1.00	
				11-01-64	+ 17.00		2.60
				11-05-64	+ 17.70		0.70
				11-10-64	+ 21.50		3.80
				11-15-64	+ 21.00	0.50	
				11-20-64	+ 21.50		0.50
				11-25-64	+ 22.20		0.70
				12-01-64	+ 23.10		0.90
				12-04-64	+ 22.00	1.10	
				12-12-64	+ 23.30		1.30
				12-15-64	+ 23.20	0.10	
				12-20-64	+ 22.90	0.30	
				12-25-64	+ 22.50	0.40	
				01-25-65	+ 23.20		0.70

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-65	+ 28.70		5.50
				02-25-65	+ 28.80		0.10
				03-01-65	+ 29.20		0.40
				03-05-65	+ 29.30		0.10
				03-10-65	+ 29.30		
				03-15-65	+ 29.50		0.20
				03-20-65	+ 28.70	0.80	
				03-27-65	+ 29.70		1.00
				04-01-65	+ 29.70		
				04-15-65	+ 31.10		1.40
				04-19-65	+ 31.10		
				04-25-65	+ 31.50		0.40
				05-01-65	+ 32.30		0.80
				05-05-65	+ 31.20	1.10	
				05-21-65	+ 36.40		5.20
				05-25-65	+ 39.10		2.70
				06-01-65	+ 40.00		0.90
				06-05-65	+ 38.70	1.30	
				06-10-65	+ 40.40		1.70
				06-15-65	+ 39.10	1.30	
				06-25-65	+ 33.90	5.20	
				07-01-65	+ 31.50	2.40	
				07-05-65	+ 30.50	1.00	
				08-12-65	+ 28.20	2.30	
				08-15-65	+ 28.10	0.10	
				09-01-65	+ 19.20	8.90	
				11-10-65	+ 27.00		7.80
				11-15-65	+ 27.30		0.30
				11-20-65	+ 27.10	0.20	
				11-25-65	+ 26.90	0.20	
				12-01-65	+ 26.70	0.20	
				12-10-65	+ 31.30		4.60
				12-16-65	+ 32.80		1.50
				12-20-65	+ 33.90		1.10
				12-25-65	+ 34.50		0.60
				01-01-66	+ 34.80		0.30
				01-05-66	+ 34.50	0.30	
				01-10-66	+ 34.20	0.30	
				01-15-66	+ 34.30		0.10
				02-07-66	+ 33.50	0.80	
				02-10-66	+ 33.40	0.10	
				02-15-66	+ 33.10	0.30	
				02-20-66	+ 34.40		1.30

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-25-66	+ 33.90	0.50	
				03-01-66	+ 35.00		1.10
				03-11-66	+ 34.20	0.80	
				03-15-66	+ 35.50		1.30
				03-25-66	+ 31.90	3.60	
				04-05-66	+ 31.30	0.60	
				05-15-66	+ 33.60		2.30
				05-20-66	+ 32.80	0.80	
				05-28-66	+ 33.40		0.60
				06-05-66	+ 31.00	2.40	
				06-10-66	+ 28.00	3.00	
				06-15-66	+ 25.60	2.40	
				06-20-66	+ 23.90	1.70	
				06-25-66	+ 25.40		1.50
				07-01-66	+ 25.80		0.40
				07-10-66	+ 23.80	2.00	
				07-14-66	+ 21.90	1.90	
				07-19-66	+ 21.00	0.90	
				07-25-66	+ 17.10	3.90	
				08-10-66	+ 15.10	2.00	
				09-01-66	+ 20.80		5.70
				09-05-66	+ 22.40		1.60
				09-19-66	+ 24.50		2.10
				10-25-66	+ 26.20		1.70
				11-01-66	+ 25.90	0.30	
				11-05-66	+ 26.60		0.70
				11-10-66	+ 25.50	1.10	
				11-15-66	+ 24.70	0.80	
				11-20-66	+ 24.20	0.50	
				11-25-66	+ 24.00	0.20	
				12-01-66	+ 24.40		0.40
				12-05-66	+ 24.40		
				12-10-66	+ 23.50	0.90	
				12-15-66	+ 23.70		0.20
				12-20-66	+ 25.60		1.90
				12-25-66	+ 24.70	0.90	
				01-01-67	+ 25.60		0.90
				01-05-67	+ 26.10		0.50
				01-10-67	+ 24.70	1.40	
				01-15-67	+ 24.10	0.60	
				01-20-67	+ 23.40	0.70	
				01-25-67	+ 24.20		0.80
				02-01-67	+ 22.90	1.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				02-04-67	+	22.60	0.30	
				02-10-67	+	22.50	0.10	
				02-15-67	+	22.80		0.30
				02-20-67	+	20.80	2.00	
				02-25-67	+	19.70	1.10	
				03-01-67	+	20.20		0.50
				03-05-67	+	19.70	0.50	
				03-10-67	+	18.30	1.40	
				03-15-67	+	16.20	2.10	
				03-20-67	+	16.70		0.50
				03-25-67	+	16.80		0.10
				04-01-67	+	16.80		
				04-05-67	+	16.70	0.10	
				04-10-67	+	15.50	1.20	
				04-15-67	+	16.00		0.50
				04-20-67	+	16.90		0.90
				04-25-67	+	16.20	0.70	
				05-01-67	+	14.80	1.40	
				05-05-67	+	13.20	1.60	
				05-10-67	+	12.50	0.70	
				05-15-67	+	8.70	3.80	
				05-20-67	+	6.60	2.10	
				05-25-67	+	7.00		0.40
				06-01-67	+	6.50	0.50	
				06-05-67	+	5.20	1.30	
				06-10-67	+	3.90	1.30	
				06-15-67	+	2.50	1.40	
				06-20-67	+	0.80	1.70	
				06-25-67	+	4.00		3.20
				07-01-67	+	4.50		0.50
				07-05-67	+	7.10		2.60
				09-08-67	+	5.80	1.30	
				09-10-67	+	7.20		1.40
				09-15-67	+	7.90		0.70
				09-20-67	+	8.90		1.00
				10-05-67	+	15.50		6.60
				10-10-67	+	17.50		2.00
				10-15-67	+	17.00	0.50	
				10-19-67	+	17.90		0.90
				10-26-67	+	16.40	1.50	
				11-01-67	+	17.60		1.20
				11-05-67	+	17.50	0.10	
				11-09-67	+	21.60		4.10

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				11-15-67	+	20.50	1.10	
				11-20-67	+	22.40		1.90
				11-25-67	+	24.00		1.60
				12-10-67	+	22.90	1.10	
				12-15-67	+	23.00		0.10
				12-20-67	+	25.00		2.00
				01-01-68	+	23.90	1.10	
				01-05-68	+	23.60	0.30	
				01-10-68	+	23.90		0.30
				01-20-68	+	26.00		2.10
				01-25-68	+	33.50		7.50
				01-31-68	+	37.00		3.50
				02-10-68	+	39.50		2.50
				02-15-68	+	39.00	0.50	
				02-20-68	+	40.00		1.00
				03-05-68	+	40.20		0.20
				03-10-68	+	42.90		2.70
				03-15-68	+	42.40	0.50	
				04-01-68	+	40.00	2.40	
				04-05-68	+	42.10		2.10
				04-10-68	+	41.60	0.50	
				04-15-68	+	42.00		0.40
				04-20-68	+	40.10	1.90	
				04-25-68	+	41.10		1.00
				05-01-68	+	41.50		0.40
				05-05-68	+	41.50		
				05-10-68	+	42.40		0.90
				05-15-68	+	43.00		0.60
				06-12-68	+	39.10	3.90	
				06-15-68	+	37.30	1.80	
				06-20-68	+	35.40	1.90	
				06-25-68	+	36.50		1.10
				07-01-68	+	37.40		0.90
				07-05-68	+	37.00	0.40	
				07-10-68	+	37.00		
				07-15-68	+	36.20	0.80	
				07-20-68	+	36.50		0.30
				07-25-68	+	35.30	1.20	
				08-01-68	+	33.00	2.30	
				08-05-68	+	33.30		0.30
				09-05-68	+	29.00	4.30	
				09-10-68	+	31.20		2.20
				09-15-68	+	33.10		1.90

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				09-20-68	+	34.00		0.90
				09-25-68	+	34.00		
				10-01-68	+	34.50		0.50
				10-07-68	+	33.20	1.30	
				10-10-68	+	33.50		0.30
				10-15-68	+	33.50		
				10-20-68	+	34.50		1.00
				10-25-68	+	32.50	2.00	
				11-01-68	+	33.00		0.50
				11-05-68	+	33.20		0.20
				11-10-68	+	33.90		0.70
				11-15-68	+	34.60		0.70
				11-20-68	+	34.50	0.10	
				11-25-68	+	35.40		0.90
				11-29-68	+	35.00	0.40	
				12-05-68	+	38.00		3.00
				12-10-68	+	37.50	0.50	
				12-15-68	+	37.50		
				01-01-69	+	36.60	0.90	
				01-05-69	+	37.70		1.10
				01-10-69	+	37.10	0.60	
				01-14-69	+	37.50		0.40
				01-21-69	+	37.50		
				01-25-69	+	37.00	0.50	
				02-01-69	+	37.40		0.40
				02-05-69	+	37.50		0.10
				02-10-69	+	38.00		0.50
				02-15-69	+	37.60	0.40	
				02-20-69	+	38.00		0.40
				02-25-69	+	39.60		1.60
				03-01-69	+	39.60		
				03-05-69	+	39.80		0.20
				03-10-69	+	39.00	0.80	
				03-15-69	+	39.80		0.80
				04-01-69	+	39.10	0.70	
				04-05-69	+	38.50	0.60	
				04-15-69	+	38.40	0.10	
				04-28-69	+	39.60		1.20
				05-01-69	+	39.50	0.10	
				05-05-69	+	40.40		0.90
				05-10-69	+	41.60		1.20
				05-15-69	+	42.50		0.90
				05-20-69	+	44.00		1.50

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-25-69	+ 44.80		0.80
				06-01-69	+ 43.00	1.80	
				06-10-69	+ 41.80	1.20	
				06-15-69	+ 38.50	3.30	
				06-20-69	+ 37.10	1.40	
				07-01-69	+ 32.80	4.30	
				07-05-69	+ 31.80	1.00	
				07-10-69	+ 30.00	1.80	
				07-28-69	+ 23.30	6.70	
				08-01-69	+ 22.00	1.30	
				08-05-69	+ 20.90	1.10	
				08-10-69	+ 19.50	1.40	
				08-20-69	+ 15.50	4.00	
				08-25-69	+ 17.10		1.60
				09-02-69	+ 24.50		7.40
				09-05-69	+ 25.80		1.30
				09-10-69	+ 26.90		1.10
				09-22-69	+ 27.30		0.40
				09-25-69	+ 27.40		0.10
				10-01-69	+ 27.60		0.20
				10-05-69	+ 27.00	0.60	
				10-22-69	+ 31.00		4.00
				10-25-69	+ 31.50		0.50
				11-01-69	+ 32.10		0.60
				11-05-69	+ 32.60		0.50
				11-15-69	+ 32.60		
				11-20-69	+ 32.00	0.60	
				11-25-69	+ 32.70		0.70
				11-28-69	+ 33.00		0.30
				12-07-69	+ 36.00		3.00
				12-10-69	+ 37.00		1.00
				12-15-69	+ 38.40		1.40
				12-20-69	+ 39.00		0.60
				01-01-70	+ 38.50	0.50	
				01-05-70	+ 38.60		0.10
				01-10-70	+ 38.50	0.10	
				01-14-70	+ 37.50	1.00	
				01-20-70	+ 39.20		1.70
				01-25-70	+ 39.00	0.20	
				02-01-70	+ 39.80		0.80
				02-06-70	+ 38.50	1.30	
				02-10-70	+ 39.40		0.90
				02-15-70	+ 39.10	0.30	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-70	* 38.20	0.90	
				02-27-70	* 39.50		1.30
				03-01-70	* 41.50		2.00
				03-05-70	* 41.50		
				03-10-70	* 41.90		0.40
				03-20-70	* 42.00		0.10
				03-25-70	* 44.10		2.10
				04-01-70	* 44.50		0.40
				04-07-70	* 43.20	1.30	
				04-10-70	* 42.60	0.60	
				04-15-70	* 42.00	0.60	
				04-20-70	* 44.00		2.00
				05-05-70	* 42.00	2.00	
				05-10-70	* 39.20	2.80	
				05-15-70	* 36.90	2.30	
				05-20-70	* 38.60		1.70
				06-10-70	* 45.70		7.10
				06-15-70	* 45.00	0.70	
				06-20-70	* 41.50	3.50	
				06-24-70	* 39.70	1.80	
				07-01-70	* 36.70	3.00	
				07-05-70	* 35.70	1.00	
				07-10-70	* 32.80	2.90	
				07-15-70	* 28.00	4.80	
				07-20-70	* 32.00		4.00
				07-25-70	* 31.30	0.70	
				08-10-70	* 30.50	0.80	
				08-15-70	* 27.50	3.00	
				08-20-70	* 28.00		0.50
				08-25-70	* 26.50	1.50	
				09-01-70	* 25.90	0.60	
				09-05-70	* 25.50	0.40	
				09-10-70	* 23.80	1.70	
				09-15-70	* 25.00		1.20
				09-25-70	* 26.60		1.60
				10-01-70	* 30.20		3.60
				10-05-70	* 31.30		1.10
				10-10-70	* 32.00		0.70
				10-15-70	* 31.50	0.50	
				10-20-70	* 31.70		0.20
				10-25-70	* 33.90		2.20
				11-01-70	* 34.10		0.20
				11-05-70	* 32.60	1.50	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT		
						DECLINE	RISE	
				11-10-70	+	33.50		0.90
				11-15-70	+	34.00		0.50
				11-19-70	+	33.90	0.10	
				11-27-70	+	32.50	1.40	
				12-01-70	+	32.50		
				12-05-70	+	32.90		0.40
				12-10-70	+	32.20	0.70	
				12-20-70	+	33.00		0.80
				12-25-70	+	32.60	0.40	
				01-05-71	+	31.60	1.00	
				01-10-71	+	33.20		1.60
				01-15-71	+	31.30	1.90	
				01-18-71	+	31.50		0.20
				01-25-71	+	27.80	3.70	
				02-01-71	+	25.30	2.50	
				02-05-71	+	26.50		1.20
				02-10-71	+	25.20	1.30	
				02-15-71	+	25.60		0.40
				02-20-71	+	23.80	1.80	
				03-02-71	+	21.90	1.90	
				03-05-71	+	24.90		3.00
				03-10-71	+	23.30	1.60	
				03-15-71	+	22.20	1.10	
				03-20-71	+	19.60	2.60	
				03-25-71	+	18.20	1.40	
				04-05-71	+	16.50	1.70	
				04-10-71	+	16.80		0.30
				04-15-71	+	14.40	2.40	
				04-19-71	+	14.50		0.10
				04-25-71	+	18.00		3.50
				05-01-71	+	16.20	1.80	
				05-05-71	+	15.30	0.90	
				05-10-71	+	14.00	1.30	
				05-14-71	+	14.50		0.50
				05-25-71	+	8.00	6.50	
				06-25-71	+	6.00	2.00	
				07-01-71	+	9.50		3.50
				07-06-71	+	10.00		0.50
				07-10-71	+	9.40	0.60	
				07-13-71	+	9.00	0.40	
				07-20-71	+	6.50	2.50	
				07-22-71	+	5.50	1.00	
				08-07-71	+	8.00		2.50

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-24-71	+ 20.50		12.50
				09-05-71	+ 21.40		0.90
				09-10-71	+ 22.30		0.90
				09-15-71	+ 22.10	0.20	
				10-05-71	+ 25.90		3.80
				10-10-71	+ 27.50		1.60
				10-15-71	+ 28.50		1.00
				10-18-71	+ 28.50		
				11-03-71	+ 32.50		4.00
				11-05-71	+ 33.40		0.90
				11-10-71	+ 33.50		0.10
				11-15-71	+ 33.80		0.30
				11-20-71	+ 34.40		0.60
				11-25-71	+ 34.60		0.20
				12-01-71	+ 35.00		0.40
				12-10-71	+ 38.30		3.30
				12-15-71	+ 39.90		1.60
				12-20-71	+ 40.50		0.60
				12-25-71	+ 40.00	0.50	
				01-01-72	+ 40.50		0.50
				01-05-72	+ 41.50		1.00
				01-10-72	+ 41.40	0.10	
				01-15-72	+ 39.50	1.90	
				01-20-72	+ 41.00		1.50
				01-25-72	+ 40.30	0.70	
				02-01-72	+ 40.00	0.30	
				02-05-72	+ 40.00		
				02-10-72	+ 40.00		
				02-15-72	+ 40.60		0.60
				02-20-72	+ 40.20	0.40	
				02-25-72	+ 39.90	0.30	
				03-03-72	+ 38.00	1.90	
				03-05-72	+ 36.80	1.20	
				03-10-72	+ 36.00	0.80	
				03-15-72	+ 36.00		
				03-21-72	+ 34.50	1.50	
				03-25-72	+ 34.00	0.50	
				04-01-72	+ 33.50	0.50	
				04-05-72	+ 31.40	2.10	
				04-10-72	+ 29.50	1.90	
				04-15-72	+ 29.10	0.40	
				04-20-72	+ 25.80	3.30	
				04-25-72	+ 24.80	1.00	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-05-72	+ 27.20		2.40
				05-10-72	+ 29.20		2.00
				05-12-72	+ 36.00		6.80
				05-31-72	+ 40.50		4.50
				06-13-72	+ 40.00	0.50	
				06-25-72	+ 39.70	0.30	
				07-01-72	+ 36.00	3.70	
				07-06-72	+ 34.00	2.00	
				07-10-72	+ 31.60	2.40	
				07-20-72	+ 34.60		3.00
				07-22-72	+ 37.10		2.50
				08-10-72	+ 36.80	0.30	
				08-15-72	+ 37.00		0.20
				08-20-72	+ 37.80		0.80
				08-25-72	+ 36.80	1.00	
				09-12-72	+ 34.70	2.10	
				09-15-72	+ 35.50		0.80
				10-04-72	+ 37.00		1.50
				10-10-72	+ 37.50		0.50
				10-15-72	+ 37.40	0.10	
				10-20-72	+ 36.00	1.40	
				10-25-72	+ 37.00		1.00
				10-30-72	+ 38.20		1.20
				11-06-72	+ 39.30		1.10
				11-10-72	+ 41.00		1.70
				11-16-72	+ 41.60		0.60
				11-28-72	+ 41.60		
				12-01-72	+ 42.00		0.40
				12-05-72	+ 42.00		
				12-08-72	+ 41.60	0.40	
				01-05-73	+ 42.60		1.00
				01-10-73	+ 41.30	1.30	
				01-15-73	+ 42.90		1.60
				01-20-73	+ 43.10		0.20
				01-25-73	+ 41.90	1.20	
				01-30-73	+ 42.70		0.80
				02-07-73	+ 42.70		
				02-10-73	+ 43.30		0.60
				02-15-73	+ 43.00	0.30	
				02-20-73	+ 43.50		0.50
				02-25-73	+ 44.60		1.10
				03-05-73	+ 45.90		1.30
				03-10-73	+ 46.70		0.80

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
O MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-15-73	+ 46.10	0.60	
				03-20-73	+ 45.30	0.80	
				03-25-73	+ 45.40		0.10
				04-01-73	+ 45.10	0.30	
				04-10-73	+ 45.80		0.70
				04-15-73	+ 46.00		0.20
				04-20-73	+ 46.50		0.50
				04-25-73	+ 48.70		2.20
				04-29-73	+ 48.50	0.20	
				05-17-73	+ 49.10		0.60
				05-20-73	+ 48.90	0.20	
				05-25-73	+ 45.50	3.40	
				06-05-73	+ 42.50	3.00	
				06-10-73	+ 40.70	1.80	
				06-15-73	+ 42.50		1.80
				06-20-73	+ 44.50		2.00
				06-25-73	+ 44.80		0.30
				07-01-73	+ 49.50		4.70
				07-05-73	+ 50.50		1.00
				07-11-73	+ 51.10		0.60
				07-15-73	+ 52.10		1.00
				07-20-73	+ 53.80		1.70
				07-25-73	+ 53.50	0.30	
				08-01-73	+ 54.00		0.50
				08-05-73	+ 53.20	0.80	
				08-10-73	+ 52.20	1.00	
				08-15-73	+ 51.50	0.70	
				08-20-73	+ 50.20	1.30	
				08-28-73	+ 45.80	4.40	
				09-01-73	+ 46.90		1.10
				09-05-73	+ 46.70	0.20	
				09-10-73	+ 48.00		1.30
				09-15-73	+ 47.70	0.30	
				09-20-73	+ 50.60		2.90
				09-25-73	+ 51.90		1.30
				10-01-73	+ 52.00		0.10
				10-12-73	+ 54.20		2.20
				10-19-73	+ 56.80		2.60
				10-26-73	+ 57.30		0.50
				11-09-73	+ 57.40		0.10
				11-21-73	+ 57.50		0.10
				12-10-73	+ 55.40	2.10	
				02-15-74	+ 50.00	5.40	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-20-74	+ 49.90	0.10	
				02-26-74	+ 52.90		3.00
				03-05-74	+ 52.40	0.50	
				03-15-74	+ 50.20	2.20	
				03-25-74	+ 49.00	1.20	
				04-01-74	+ 50.20		1.20
				04-05-74	+ 48.20	2.00	
				04-10-74	+ 47.20	1.00	
				04-15-74	+ 46.20	1.00	
				04-20-74	+ 45.30	0.90	
				04-25-74	+ 47.70		2.40
				05-01-74	+ 45.00	2.70	
				05-05-74	+ 46.50		1.50
				05-10-74	+ 48.00		1.50
				05-15-74	+ 49.60		1.60
				05-20-74	+ 48.00	1.60	
				05-25-74	+ 47.00	1.00	
				06-10-74	+ 41.50	5.50	
				06-15-74	+ 40.50	1.00	
				06-20-74	+ 40.80		0.30
				06-25-74	+ 39.10	1.70	
				07-05-74	+ 36.50	2.60	
				07-10-74	+ 35.70	0.80	
				07-20-74	+ 36.90		1.20
				07-25-74	+ 36.00	0.90	
				08-02-74	+ 31.70	4.30	
				08-05-74	+ 32.40		0.70
				08-10-74	+ 36.20		3.80
				08-26-74	+ 38.50		2.30
				09-01-74	+ 40.60		2.10
				09-05-74	+ 43.00		2.40
				09-11-74	+ 47.30		4.30
				09-15-74	+ 46.90	0.40	
				09-20-74	+ 47.50		0.60
				09-25-74	+ 48.00		0.50
				10-01-74	+ 48.60		0.60
				10-05-74	+ 48.30	0.30	
				10-10-74	+ 47.40	0.90	
				10-15-74	+ 47.00	0.40	
				11-05-74	+ 48.70		1.70
				11-10-74	+ 50.20		1.50
				11-15-74	+ 49.20	1.00	
				11-20-74	+ 50.20		1.00

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

- * MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-15-74	+ 51.50		1.30
				01-07-75	+ 52.30		0.80
				01-10-75	+ 52.30		
				01-15-75	+ 51.70	0.60	
				01-20-75	+ 51.50	0.20	
				01-23-75	+ 50.60	0.90	
				02-05-75	+ 52.50		1.90
				02-08-75	+ 53.50		1.00
				02-13-75	+ 55.60		2.10
				03-12-75	+ 56.50		0.90
				03-28-75	+ 54.30	2.20	
				04-29-75	+ 53.30	1.00	
				05-01-75	+ 52.90	0.40	
				05-05-75	+ 53.70		0.80
				05-15-75	+ 54.00		0.30
				05-20-75	+ 53.50	0.50	
				05-23-75	+ 54.10		0.60
				06-16-75	+ 54.80		0.70
				06-20-75	+ 51.90	2.90	
				06-25-75	+ 50.90	1.00	
				07-01-75	+ 49.60	1.30	
				07-15-75	+ 50.00		0.40
				07-20-75	+ 51.50		1.50
				07-23-75	+ 51.50		
				08-04-75	+ 48.50	3.00	
				09-16-75	+ 48.60		0.10
				09-20-75	+ 48.60		
				09-25-75	+ 48.40	0.20	
				10-01-75	+ 46.00	2.40	
				10-05-75	+ 46.40		0.40
				10-10-75	+ 45.50	0.90	
				10-15-75	+ 45.10	0.40	
				10-19-75	+ 45.00	0.10	
				10-25-75	+ 45.70		0.70
				11-01-75	+ 47.30		1.60
				11-05-75	+ 48.10		0.80
				11-10-75	+ 48.30		0.20
				11-15-75	+ 49.00		0.70
				11-20-75	+ 48.30	0.70	
				11-23-75	+ 48.50		0.20
				01-01-76	+ 51.50		3.00
				01-05-76	+ 49.70	1.80	
				01-08-76	+ 50.20		0.50

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE(+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)

Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				01-23-76	+ 50.60		0.40
				01-25-76	+ 51.00		0.40
				02-01-76	+ 50.00	1.00	
				02-03-76	+ 50.20		0.20
				03-05-76	+ 46.70	3.50	
				03-10-76	+ 48.30		1.60
				03-15-76	+ 48.90		0.60
				04-15-76	+ 52.30		3.40
				04-20-76	+ 47.00	5.30	
				04-25-76	+ 48.80		1.80
				05-06-76	+ 50.00		1.20
				05-10-76	+ 51.00		1.00
				05-14-76	+ 52.50		1.50
				05-26-76	+ 53.50		1.00
				06-25-76	+ 47.00	6.50	
				07-01-76	+ 46.50	0.50	
				07-04-76	+ 45.80	0.70	
				08-05-76	+ 50.00		4.20
				08-10-76	+ 49.00	1.00	
				08-15-76	+ 45.50	3.50	
				08-20-76	+ 45.50		
				08-23-76	+ 45.70		0.20
				09-21-76	+ 47.00		1.30
				09-25-76	+ 47.70		0.70
				10-01-76	+ 48.60		0.90
				10-29-76	+ 54.00		5.40
				11-29-76	+ 61.10		7.10
68-45-301	KCEB	2172	609.68	03-13-58	+ 23.00		
				01-10-61	+ 36.70		13.70
				12-07-71	+ 17.00Q	19.70	
				06-08-72	+ 9.50Q	7.50	
				02-08-73	+ 18.20		8.70
				02-13-74	+ 23.90		5.70
				07-15-74	+ 23.00	0.90	
				01-20-75	+ 55.20		32.20
68-45-901	KCEB	2920	511.00	10-03-69	+ 121.62		
				04-07-70	+ 123.93		2.31
				04-22-70	+ 123.93		
				03-30-71	+ 123.93		
				06-16-71	+ 119.31	4.62	
				02-01-72	+ 16.80	102.51	

TABLE 3.--WATER LEVELS IN SELECTED WELLS IN BEXAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW OR ABOVE (+) LAND SURFACE - CONTINUED

* MEASUREMENT AFFECTED BY PUMPING (PUMPING LEVEL, WELL PUMPED RECENTLY,
OR WELL(S) PUMPING NEARBY)
Q MEASUREMENT MAY NOT BE VALID STATIC LEVEL

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-08-72	+ 121.50		104.70
				01-30-73	+ 126.10		4.60
				07-26-73	+ 116.80	9.30	
				02-13-74	+ 123.80		7.00
				07-15-74	+ 131.80		8.00
				02-04-75	+ 139.35		7.55
				07-18-75	+ 142.02		2.67
				07-21-76	+ 141.00	1.02	
				02-11-77	+ 144.06		3.06

119 WELLS IN BEXAR COUNTY

Table 4.--Chemical Analyses of Water from Selected Wells in Bexar County

(Analyses are in milligrams per liter, except percent sodium, sodium adsorption ratio, residual sodium carbonate, specific conductance and pH)

Water-bearing unit: Edwards (Balcones Fault Zone) aquifer, KCEB.

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids %	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhmhos at 25°C)	pH
68-26-803	KCEB	1,140	Dec. 12, 1972	--	0.4	72	21	8	--	251	49	14	0.3	2.5	--	418	266	6.13	0.2	0.0	--	7.7
803	KCEB	1,140	Mar. 29, 1974	--	.1	74	20	7	--	246	53	13	.5	5.1	--	419	267	5.39	.1	.0	--	8.0
803	KCEB	1,140	Mar. 4, 1975	--	.0	77	17	7	--	249	50	13	.4	5.8	--	419	264	5.49	.1	.0	--	7.9
803	KCEB	1,140	do	--	.0	84	17	7	--	262	50	15	.4	7.0	--	442	281	5.16	.1	.0	--	7.8
803	KCEB	1,140	Aug. 8, 1976	--	.0	76	18	13	--	253	51	19	.3	5.9	--	436	265	9.68	.3	.0	--	7.8
27-503	KCEB	375	Apr. 30, 1968	--	.2	112	13	6	--	288	17	57	.3	6.5	--	500	333	3.77	.1	.0	--	7.8
503	KCEB	375	Mar. 31, 1971	--	.0	81	17	7	--	289	16	15	.2	6.5	--	432	270	5.30	.1	.0	--	7.6
503	KCEB	375	Jan. 12, 1972	--	.0	79	17	9	--	279	17	17	.2	8.0	--	426	266	6.83	.2	.0	--	7.4
503	KCEB	375	July 28, 1975	11	--	81	15	7	1.0	288	18	13	.2	1.6	--	289	260	5.43	.1	.0	516	7.4
503	KCEB	375	May 20, 1976	11	.0	82	16	7	.9	286	16	13	.2	7.8	--	294	270	5.30	.1	.0	511	7.4
503	KCEB	375	June 20, 1977	11	--	82	15	7	--	292	17	13	.2	6.8	--	295	267	5.40	.1	.0	502	7.7
504	KCEB	508	July 28, 1975	10	--	83	13	9	1.4	287	26	13	.2	.9	--	297	260	6.94	.2	.0	521	7.3
504	KCEB	508	May 20, 1976	10	.0	85	13	8	1.3	280	21	12	.2	5.8	--	293	270	6.11	.2	.0	494	7.4
606	KCEB	523	Mar. 24, 1975	--	.0	84	12	5	--	284	14	11	.3	8.0	--	418	259	4.03	.1	.0	--	7.8
701	KCEB	570	Sept. 23, 1975	20	--	120	10	52	1.2	273	27	44	.2	39.0	--	447	340	24.84	1.2	.0	905	7.2
704	KCEB	700	July 29, 1974	10	--	85	12	9	--	268	32	17	.3	6.0	--	303	263	6.96	.2	.0	507	7.6
704	KCEB	700	July 9, 1975	10	--	85	12	7	1.0	271	26	13	.2	6.0	--	293	262	5.47	.1	.0	500	7.6
704	KCEB	700	July 16, 1976	11	--	86	13	6	--	279	26	13	.1	.5	--	292	267	4.64	.1	.0	491	7.7
704	KCEB	700	June 20, 1977	10	--	83	13	7	--	274	27	11	.1	5.9	--	291	260	5.52	.1	.0	496	7.6
909	KCEB	450	July 2, 1959	--	.1	78	18	7	--	284	17	13	.1	5.8	--	309	268	5.36	.1	.0	515	7.0
909	KCEB	450	Feb. 8, 1973	--	--	80	15	8	--	290	17	13	.2	5.0	--	431	268	6.08	.2	.0	--	7.2
909	KCEB	450	Mar. 4, 1974	--	--	82	16	8	--	294	16	14	.2	8.0	--	437	271	6.04	.2	.0	--	7.4
909	KCEB	450	Feb. 19, 1975	--	.0	83	13	9	--	293	17	15	.3	8.0	--	438	264	6.98	.2	.0	--	7.9
909	KCEB	450	Jan. 19, 1976	--	.1	83	15	9	--	296	17	14	.2	8.0	--	442	269	6.78	.2	.0	--	7.8
28-202	KCEB	457	June 30, 1975	13	--	97	8	6	1.2	297	11	13	.2	.9	--	296	270	4.50	.1	.0	513	7.0
202	KCEB	457	May 24, 1976	11	.0	84	11	6	1.3	298	19	10	.2	3.5	--	292	260	4.84	.1	.0	515	7.3
203	KCEB	435	Aug. 9, 1972	--	.0	86	14	8	--	296	17	14	.2	4.0	--	439	272	6.00	.2	.0	--	7.6
203	KCEB	435	June 30, 1975	13	--	100	8	8	.8	308	7	17	.1	1.0	--	306	280	5.78	.2	.0	553	6.8
203	KCEB	435	May 24, 1976	12	.0	81	13	6	1.1	291	24	10	.3	3.8	--	294	260	4.83	.1	.0	520	7.3
205	KCEB	485	June 30, 1975	14	--	110	9	7	1.1	356	5	15	.1	.4	--	336	310	4.64	.1	.0	598	6.8

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-28-301	KCEB	400	Mar. 28, 1966	--	0.0	89	7	6	--	245	36	11	0.1	3.5	--	398	252	4.94	0.1	0.0	537	7.6
301	KCEB	400	Nov. 18, 1968	--	.0	92	3	5	--	249	26	11	.2	3.5	--	390	243	4.30	.1	.0	--	7.8
301	KCEB	400	Feb. 6, 1970	--	.0	4	2	120	--	272	28	14	.2	5.0	--	445	17	93.48	12.2	4.0	--	7.9
301	KCEB	400	Jan. 22, 1975	--	.0	85	5	5	--	250	17	12	.2	5.9	--	380	235	4.46	.1	.0	--	7.8
501	KCEB	469	May 24, 1976	12	.0	81	12	6	1.2	299	16	12	.2	2.9	--	290	250	4.90	.1	.0	514	7.3
502	KCEB	506	Sept. 4, 1973	--	.4	98	55	8	--	287	221	15	1.4	.6	--	690	670	3.56	.1	.0	--	7.6
502	KCEB	506	June 30, 1975	12	--	87	18	7	1.3	316	22	13	.3	1.0	--	316	290	4.94	.1	.0	540	7.0
502	KCEB	506	May 24, 1976	12	.0	82	17	6	1.5	327	22	11	.3	3.3	--	315	280	4.50	.1	.0	565	7.4
508	KCEB	470	Jan. 21, 1975	11	--	65	14	5	1.5	236	18	10	.2	2.7	--	243	220	4.67	.1	.0	623	7.2
508	KCEB	470	May 24, 1976	11	.0	65	13	6	.7	226	17	10	.2	12.0	--	246	220	5.68	.1	.0	428	7.5
601	KCEB	425	Aug. 22, 1960	--	.1	79	13	16	--	288	20	13	.1	5.1	--	315	250	12.19	.4	.0	525	7.3
601	KCEB	425	June 25, 1961	--	.0	84	11	15	--	293	20	16	.2	5.5	--	324	255	11.35	.4	.0	540	7.2
601	KCEB	425	Mar. 13, 1964	--	.0	88	8	13	--	287	22	14	.3	4.0	--	436	253	10.07	.3	.0	570	7.7
601	KCEB	425	Feb. 15, 1965	--	.1	81	14	8	--	287	19	12	.2	2.0	--	423	259	6.28	.2	.0	543	7.4
601	KCEB	425	Apr. 8, 1966	--	.0	87	9	13	--	279	25	16	.3	4.0	--	423	256	10.01	.3	.0	567	7.3
601	KCEB	425	Dec. 18, 1967	--	.0	75	6	11	--	239	19	15	.2	3.5	--	369	215	10.14	.3	.0	--	7.9
601	KCEB	425	Dec. 4, 1968	--	.1	88	10	13	--	287	24	12	.2	3.5	--	436	262	8.40	.2	.0	--	7.3
601	KCEB	425	Mar. 28, 1971	--	.0	88	10	11	--	289	21	13	.1	3.8	--	416	260	8.40	.2	.0	--	7.4
601	KCEB	425	Jan. 16, 1975	--	.0	90	7	11	--	295	13	17	.2	4.4	--	437	255	8.62	.3	.0	--	7.6
601	KCEB	425	Aug. 12, 1975	13	--	88	8	10	1.3	294	15	12	.1	.9	--	292	250	7.88	.2	.0	519	6.9
606	KCEB	551	Mar. 12, 1973	--	.0	159	8	5	--	323	12	107	.1	6.0	--	620	432	2.46	.1	.0	--	7.1
702	KCEB	450	Jan. 23, 1967	--	.0	92	12	7	--	292	27	12	.2	7.0	--	449	279	5.17	.1	.0	584	7.6
702	KCEB	450	Jan. 23, 1968	--	.0	65	23	8	--	271	23	15	.3	7.0	--	412	260	6.34	.2	.0	--	7.7
702	KCEB	450	Mar. 16, 1973	--	--	59	29	422	--	351	399	357	.6	.4	--	1,620	265	77.50	11.2	.4	--	7.9
706	KCEB	742	Nov. 2, 1972	--	.0	206	19	9	--	346	22	202	.3	6.0	--	810	590	3.20	.1	.0	--	6.9
706	KCEB	742	Dec. 1, 1972	--	.0	186	17	8	--	278	22	201	.3	7.0	--	720	540	3.15	.1	.0	--	7.2
706	KCEB	742	July 6, 1973	--	.1	94	17	8	--	305	20	27	.3	11.0	--	482	304	5.40	.1	.0	--	8.3
706	KCEB	742	Apr. 30, 1974	--	.0	90	14	8	--	300	22	16	.2	4.3	--	454	282	5.80	.2	.0	--	7.4
706	KCEB	742	Apr. 21, 1975	--	.0	93	12	8	--	298	21	16	.3	10.0	--	458	282	5.82	.2	.0	--	7.9
706	KCEB	742	Apr. 8, 1976	--	.0	93	12	7	--	304	21	16	.3	9.0	--	462	281	5.13	.1	.0	--	8.2
708	KCEB	403	Sept. 22, 1967	--	.0	91	12	6	--	309	13	10	.2	5.5	--	447	276	4.50	.1	.0	--	7.4
806	KCEB	860	Aug. 10, 1966	--	.0	81	16	7	--	283	22	12	.2	7.0	--	428	268	5.37	.1	.0	555	7.4
806	KCEB	860	Feb. 8, 1968	--	.0	81	16	7	--	293	21	13	.3	7.0	--	438	270	5.37	.1	.0	576	7.7
806	KCEB	860	Sept. 25, 1968	--	.2	86	15	7	--	290	21	15	.3	7.0	--	441	274	5.22	.1	.0	576	7.5

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Boxar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhmhos at 25°C)	pH
68-28-806	KCEB	860	Aug. 13, 1969	--	0.0	64	28	7	--	292	20	12	0.3	8.0	--	431	273	5.24	0.1	0.0	--	7.7
806	KCEB	860	May 27, 1970	--	.0	82	17	7	--	293	21	12	.2	6.8	--	439	271	5.25	.1	.0	--	7.5
806	KCEB	860	Apr. 27, 1971	--	--	86	15	7	--	293	21	12	.3	6.5	--	441	276	5.22	.1	.0	--	7.3
806	KCEB	860	June 7, 1973	--	.0	83	16	8	--	294	20	14	.2	8.0	--	443	272	5.99	.2	.0	--	7.5
807	KCEB	685	Dec. 14, 1971	--	.0	83	10	8	--	281	12	11	.2	4.5	--	410	251	6.55	.2	.0	--	7.5
807	KCEB	685	Sept. 28, 1972	--	.0	82	13	7	--	284	13	12	.2	5.5	--	417	256	5.57	.1	.0	--	7.7
807	KCEB	685	Aug. 24, 1974	--	.0	87	10	9	--	293	13	13	.2	8.0	--	433	261	7.04	.2	.0	--	7.8
808	KCEB	510	May 1, 1972	--	.0	83	12	10	--	287	13	16	.3	3.1	--	424	256	7.81	.2	.0	--	7.5
808	KCEB	510	Jan. 23, 1975	--	.0	89	9	9	--	290	14	13	.2	7.0	--	431	261	7.02	.2	.0	--	7.7
810	KCEB	654	Oct. 15, 1973	--	--	83	15	8	--	293	21	14	.2	8.0	--	442	269	6.08	.2	.0	--	7.8
810	KCEB	654	May 7, 1974	--	.0	86	15	8	--	294	23	15	.2	4.7	--	446	276	5.92	.2	.0	--	7.5
811	KCEB	600	Apr. 12, 1976	--	.1	90	10	9	--	301	13	13	.2	8.0	--	444	265	6.86	.2	.0	--	7.5
812	KCEB	--	Sept. 17, 1973	--	.0	87	10	9	--	289	12	14	.3	7.0	--	428	258	7.04	.2	.0	--	7.5
812	KCEB	--	Aug. 25, 1975	--	.0	89	10	10	--	290	14	14	.2	8.0	--	435	263	7.63	.2	.0	--	7.9
815	KCEB	550	June 26, 1973	--	.0	86	12	8	--	290	16	12	.3	6.0	--	430	265	6.18	.2	.0	--	7.5
815	KCEB	550	May 30, 1974	--	.1	84	11	7	--	287	15	11	.2	6.0	--	421	258	5.63	.1	.0	--	7.7
901	KCEB	791	June 30, 1967	--	.0	109	18	13	--	305	92	16	.3	11.0	--	560	345	7.55	.3	.0	760	7.3
901	KCEB	791	Aug. 28, 1968	--	.0	108	14	11	--	314	69	15	.3	6.5	--	540	330	6.81	.2	.0	704	7.4
901	KCEB	791	July 23, 1969	--	.0	103	18	11	--	310	61	16	.4	6.5	--	530	332	6.74	.2	.0	--	7.1
901	KCEB	791	Apr. 7, 1971	--	--	107	18	13	--	307	88	17	.3	6.5	--	560	341	7.65	.3	.0	--	7.2
902	KCEB	811	May 7, 1965	--	.0	95	10	7	--	310	12	16	.3	7.0	--	457	280	5.18	.1	.0	588	7.2
902	KCEB	811	Aug. 2, 1966	--	.0	81	18	7	--	310	14	12	.3	6.0	--	448	278	5.22	.1	.0	585	7.3
902	KCEB	811	Mar. 6, 1967	--	.0	88	14	7	--	315	13	13	.2	8.0	--	458	277	5.20	.1	.0	582	7.4
902	KCEB	811	Mar. 29, 1967	--	.0	87	15	8	--	310	12	14	.2	7.0	--	453	279	5.87	.2	.0	596	7.4
902	KCEB	811	Aug. 9, 1968	--	.0	93	13	7	--	320	14	13	.1	.4	--	460	286	5.06	.1	.0	600	7.4
902	KCEB	811	Jan. 20, 1969	--	.0	97	13	7	--	320	15	14	.3	7.2	--	473	296	4.90	.1	.0	--	7.4
902	KCEB	811	May 27, 1970	--	.0	94	13	8	--	328	15	12	.2	4.5	--	475	289	5.69	.2	.0	--	7.3
902	KCEB	811	Mar. 2, 1972	--	.0	94	13	9	--	325	15	12	.2	6.0	--	474	288	6.36	.2	.0	--	7.3
902	KCEB	811	Apr. 8, 1974	--	.0	101	12	9	--	340	18	16	.3	8.0	--	500	301	6.09	.2	.0	--	7.5
902	KCEB	811	Oct. 17, 1975	--	.0	105	10	11	--	342	17	15	.2	8.0	--	510	302	7.31	.2	.0	--	7.9
903	KCEB	762	Apr. 27, 1966	--	.0	128	15	10	--	332	17	71	.2	5.0	--	580	382	5.39	.2	.0	844	7.2
903	KCEB	762	May 9, 1973	--	.0	98	7	11	--	307	18	16	.3	2.9	--	460	275	8.04	.2	.0	--	7.7
903	KCEB	762	July 15, 1975	--	.0	126	11	21	--	410	24	26	.2	7.0	--	630	360	11.27	.4	.0	--	7.6
903	KCEB	762	July 29, 1975	14	--	110	13	17	1.4	378	23	20	.2	1.7	--	386	330	10.08	.4	.0	660	7.1

See footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Doron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-28-903	KCEB	762	May 25, 1976	14	0.0	110	12	18	1.4	382	22	22	0.3	8.0	--	395	320	10.73	0.4	0.0	675	7.3
904	KCEB	640	Aug. 9, 1971	--	.0	82	16	7	--	287	17	18	.2	7.8	--	435	269	5.33	.1	.0	--	7.4
904	KCEB	640	Apr. 19, 1972	--	.0	94	15	7	--	325	16	14	.2	8.0	--	479	297	4.88	.1	.0	--	7.3
904	KCEB	640	July 25, 1975	--	.0	96	13	6	--	327	15	13	.2	6.0	--	476	294	4.26	.1	.0	--	7.8
905	KCEB	856	do	--	.0	97	13	9	--	316	25	16	.2	8.0	--	484	298	6.21	.2	.0	--	7.7
909	KCEB	867	Oct. 5, 1966	--	.0	79	16	7	--	289	18	11	.3	6.0	--	426	264	5.47	.1	.0	546	7.4
909	KCEB	867	Mar. 13, 1972	--	.1	82	17	7	--	289	23	12	.2	8.0	--	438	274	5.25	.1	.0	--	7.3
909	KCEB	867	Mar. 19, 1974	--	.3	85	16	8	--	295	22	14	.3	8.0	--	448	280	5.89	.2	.0	--	7.4
909	KCEB	867	Dec. 16, 1975	--	.0	76	11	7	--	248	23	14	.2	6.0	--	385	236	6.08	.1	.0	--	8.1
911	KCEB	850	June 18, 1968	--	.2	85	13	7	--	293	19	12	.3	7.0	--	436	266	5.42	.1	.0	568	7.4
911	KCEB	850	Aug. 12, 1969	--	.0	84	15	7	--	290	22	12	.4	6.5	--	437	272	5.31	.1	.0	--	7.6
911	KCEB	850	Apr. 20, 1970	--	.0	83	15	7	--	290	20	12	.3	7.0	--	434	271	5.36	.1	.0	--	7.4
911	KCEB	850	June 3, 1971	--	.0	83	16	7	--	290	23	12	.2	7.0	--	438	276	5.28	.1	.0	--	7.5
911	KCEB	850	Aug. 16, 1972	--	.0	79	17	7	--	281	23	14	.2	6.5	--	428	268	5.39	.1	.0	--	7.8
911	KCEB	850	June 7, 1973	--	.0	83	16	8	--	294	23	15	.2	8.0	--	447	272	5.99	.2	.0	--	7.5
911	KCEB	850	Apr. 15, 1975	--	.0	87	14	8	--	293	25	15	.3	9.0	--	451	274	5.95	.2	.0	--	7.8
911	KCEB	850	June 23, 1976	--	.1	87	14	8	--	298	25	14	.2	16.0	--	464	275	5.95	.2	.0	--	7.5
913	KCEB	787	Feb. 29, 1968	--	.0	74	15	7	--	260	25	13	.2	4.0	--	398	249	5.82	.1	.0	--	7.8
913	KCEB	787	July 25, 1975	--	.0	95	13	8	--	307	26	16	.3	8.0	--	473	292	5.65	.2	.0	--	7.8
29-104	KCEB	602	Feb. 25, 1960	--	.4	73	28	4	--	320	25	9	.3	3.5	--	336	300	2.84	.1	.0	560	7.3
104	KCEB	602	Oct. 14, 1963	--	.2	79	25	6	--	336	24	9	.4	4.0	--	484	300	4.16	.1	.0	630	7.4
104	KCEB	602	June 17, 1969	--	.0	91	15	6	--	336	7	11	.4	5.5	--	472	290	4.32	.1	.0	--	7.3
109	KCEB	460	May 21, 1976	13	.0	100	11	7	.7	338	7	14	.2	5.4	--	324	300	4.89	.1	.0	559	7.3
303	KCEB	527	Aug. 13, 1975	12	--	95	11	5	.9	326	10	8	.1	1.6	--	302	280	3.69	.1	.0	544	6.8
303	KCEB	527	May 24, 1976	12	.0	95	9	5	.9	335	9	9	.2	6.5	--	311	280	3.80	.1	.0	548	7.3
405	KCEB	395	Aug. 14, 1975	13	--	100	11	10	1.6	342	15	14	.2	1.5	--	334	300	6.82	.2	.0	590	7.0
405	KCEB	395	May 21, 1976	13	.0	100	11	10	1.4	340	13	15	.2	6.3	--	337	300	6.83	.2	.0	593	7.4
410	KCEB	376	do	13	.0	88	18	6	.7	334	7	11	.2	4.8	--	312	290	4.24	.1	.0	540	7.3
505	KCEB	807	May 29, 1972	--	.0	98	14	13	--	326	28	20	.3	2.0	--	500	302	8.55	.3	.0	--	7.7
505	KCEB	807	Aug. 23, 1973	--	--	108	10	17	--	343	26	27	.3	1.7	--	530	311	10.63	.4	.0	--	7.8
509	KCEB	725	May 29, 1972	--	.2	97	15	13	--	326	27	21	.2	2.0	--	500	305	8.51	.3	.0	--	7.8
509	KCEB	725	Aug. 23, 1973	--	--	105	12	17	--	340	25	27	.4	1.7	--	530	313	10.61	.4	.0	--	7.6
606	KCEB	654	Aug. 1, 1972	--	.0	87	16	8	--	309	23	15	.2	5.5	--	464	282	5.79	.2	.0	--	7.6
701	KCEB	500	Aug. 2, 1966	--	.0	80	18	6	--	304	16	11	.3	6.0	--	441	276	4.55	.1	.0	579	7.4

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Boxar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhm-cm at 25°C)	pH
68-29-702	KCEB	872	Mar. 16, 1965	--	0.0	88	14	6	--	294	24	12	0.5	2.0	--	441	276	4.49	0.1	0.0	573	7.4
702	KCEB	872	Aug. 20, 1965	--	.0	88	14	6	--	300	19	13	.2	8.0	--	448	278	4.49	.1	.0	567	7.4
702	KCEB	872	Aug. 1, 1968	--	.0	92	13	6	--	309	22	13	.3	5.5	--	461	285	4.40	.1	.0	585	7.4
702	KCEB	872	Apr. 23, 1969	--	.0	90	14	7	--	305	21	11	.3	6.5	--	455	282	5.12	.7	.0	--	7.6
702	KCEB	872	Mar. 3, 1970	--	.0	91	14	7	--	307	25	12	.2	4.5	--	461	283	5.07	.1	.0	--	7.4
702	KCEB	872	Apr. 27, 1971	--	--	89	16	7	--	303	24	12	.2	6.0	--	457	288	5.02	.1	.0	--	7.4
702	KCEB	872	Aug. 8, 1973	--	.0	94	12	8	--	312	21	15	.3	7.0	--	469	286	5.77	.2	.0	--	7.7
702	KORR	872	Apr. 11, 1974	--	.0	94	13	7	--	316	23	13	.2	6.0	--	472	288	5.02	.1	.0	--	7.3
702	KCEB	872	Aug. 13, 1975	11	--	94	14	8	1.2	309	23	12	.2	1.4	--	316	290	5.59	.2	.0	559	6.9
703	KCEB	841	Nov. 22, 1967	--	.0	103	16	7	--	307	22	40	.5	6.0	--	500	322	4.50	.1	.0	696	7.4
703	KORR	841	Mar. 29, 1972	--	.0	90	14	7	--	304	25	13	.3	9.0	--	462	285	5.12	.1	.0	--	7.5
707	KCEB	850	Mar. 4, 1975	--	.0	87	13	9	--	294	25	16	.2	7.0	--	451	273	6.74	.2	.0	--	7.7
707	KORR	850	May 28, 1976	--	.0	93	13	8	--	309	22	14	.2	8.0	--	467	284	5.74	.2	.0	--	7.7
805	KCEB	800	Aug. 14, 1975	12	--	82	17	9	1.5	282	29	14	.2	1.9	--	305	280	6.61	.2	.0	543	7.1
811	KCEB	612	Apr. 14, 1966	--	.0	77	15	7	--	259	32	14	.3	6.0	--	410	255	5.65	.1	.0	540	7.5
811	KCSB	612	Apr. 6, 1967	--	.0	69	19	7	--	265	28	14	.3	6.0	--	408	253	5.73	.1	.0	540	7.5
811	KCEB	612	Apr. 25, 1968	--	.0	77	16	7	--	270	29	13	.3	5.5	--	418	260	5.57	.1	.0	552	7.9
811	KCEB	612	June 14, 1969	--	.0	76	17	7	--	271	28	12	.4	2.5	--	414	260	5.54	.1	.0	--	7.5
811	KCEB	612	July 10, 1970	--	.0	77	16	7	--	272	27	12	.3	5.0	--	416	259	5.57	.1	.0	--	7.5
811	KCEB	612	Apr. 2, 1971	--	--	75	17	7	--	270	28	13	.2	6.0	--	416	258	5.59	.1	.0	--	7.4
811	KORR	612	Apr. 19, 1972	--	.3	78	18	8	--	276	31	15	.2	6.0	--	432	268	6.08	.2	.0	--	7.7
811	KCEB	612	May 31, 1973	--	.0	77	18	9	--	276	30	14	.2	7.0	--	431	266	6.85	.2	.0	--	7.6
811	KCEB	612	June 26, 1974	--	.2	80	17	8	--	281	30	14	.2	8.0	--	438	272	6.06	.2	.0	--	7.6
912	KCEB	630	July 7, 1968	--	.2	94	15	8	--	281	17	41	.3	3.5	--	460	298	5.54	.2	.0	--	7.3
913	KCEB	784	Aug. 1, 1968	--	.0	71	15	8	--	257	23	15	.2	5.0	--	394	241	6.79	.2	.0	510	7.7
913	KCEB	784	Apr. 6, 1970	--	.0	71	16	8	--	256	25	9	.3	6.5	--	392	242	6.68	.2	.0	--	7.5
913	KORR	784	Sept. 14, 1971	--	.0	93	2	8	--	254	21	13	.2	5.5	--	397	242	6.75	.2	.0	--	7.5
913	KCEB	784	Oct. 2, 1973	--	.0	71	16	8	--	256	21	15	.4	7.0	--	394	244	6.68	.2	.0	--	7.9
913	KCEB	784	July 11, 1974	--	.0	46	16	8	--	177	24	14	.2	7.0	--	292	181	8.78	.2	.0	--	8.1
914	KCEB	845	July 26, 1966	--	.0	68	16	8	--	254	19	12	.3	7.0	--	384	234	6.88	.2	.0	490	7.6
914	KCEB	845	Aug. 6, 1967	--	.0	69	16	9	--	256	18	14	.3	5.5	--	388	238	7.60	.2	.0	507	7.7
914	KORR	845	Apr. 23, 1969	--	.0	69	15	8	--	254	18	12	.3	5.0	--	381	233	6.92	.2	.0	--	7.6
914	KCEB	845	July 9, 1969	--	.0	68	17	8	--	259	19	13	.4	7.0	--	391	239	6.77	.2	.0	--	7.5
914	KCEB	845	Aug. 19, 1970	--	.0	70	15	8	--	257	16	14	.2	5.0	--	385	236	6.85	.2	.0	--	7.5

See Footnotes at end of Table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhmhos at 25°C)	pH
68-29-914	KCEB	845	Feb. 19, 1971	--	--	70	14	8	--	256	18	13	0.2	5.5	--	385	235	6.97	0.2	0.0	--	7.6
914	KCEB	845	Mar. 21, 1972	--	0.1	70	16	8	--	255	19	14	.2	6.0	--	388	242	6.74	.2	.0	--	7.5
914	KCEB	845	June 15, 1973	--	.0	68	16	9	--	256	19	14	.3	6.0	--	388	238	7.67	.2	.0	--	7.6
914	KCEB	845	Apr. 8, 1974	--	.0	68	14	7	--	251	18	14	.3	7.0	--	370	229	6.27	.2	.0	--	7.6
915	KCEB	824	Jan. 13, 1972	--	.0	70	16	8	--	254	21	13	.2	5.5	--	388	247	6.74	.2	.0	--	7.6
915	KCEB	824	May 23, 1973	--	.0	69	16	8	--	256	22	14	.2	6.0	--	391	238	6.81	.2	.0	--	7.7
915	KCEB	824	Feb. 6, 1974	--	.0	72	15	8	--	257	23	15	.3	7.0	--	397	243	6.72	.2	.0	--	7.6
915	KCEB	824	Oct. 16, 1975	--	.0	81	5	9	--	238	24	15	.2	7.0	--	379	226	8.08	.2	.0	--	8.1
918	KCEB	690	Feb. 8, 1966	--	.0	67	16	8	--	248	18	14	.3	3.0	--	374	233	6.95	.2	.0	489	7.4
919	KCEB	572	Jan. 19, 1968	--	.0	73	17	8	--	264	28	14	.3	4.0	--	408	252	6.45	.2	.0	--	7.7
919	KCEB	572	Jan. 22, 1969	--	.0	81	13	7	--	262	27	13	.3	5.6	--	409	256	5.62	.1	.0	--	7.4
30-102	KCEB	418	July 3, 1974	9	.1	88	6	6	1.0	267	26	11	.2	1.7	0.1	277	245	5.04	.1	.0	460	7.6
102	KCEB	418	July 10, 1975	12	--	85	4	7	--	239	24	13	.3	2.3	--	265	230	6.24	.2	.0	445	7.9
102	KCEB	418	Aug. 13, 1975	11	--	90	7	6	.9	260	22	11	.2	.9	--	276	250	4.87	.1	.0	489	7.0
102	KCEB	418	July 13, 1976	11	--	91	5	6	--	272	20	12	.2	3.3	--	282	251	5.00	.1	.0	480	7.6
109	KCEB	710	Apr. 2, 1974	--	.2	112	2	7	--	327	15	11	.4	4.7	--	479	289	5.02	.1	.0	--	7.8
109	KCEB	710	Jan. 6, 1975	--	--	96	11	7	--	322	13	13	.2	7.0	--	469	287	5.07	.1	.0	--	8.2
109	KCEB	710	Jan. 29, 1976	--	.0	97	12	7	--	327	12	12	.2	6.0	--	473	291	4.96	.1	.0	--	7.7
213	KCEB	655	Jan. 13, 1976	--	.0	83	15	9	--	284	25	15	.2	7.0	--	438	268	6.78	.2	.0	--	8.0
401	KCEB	600	Feb. 20, 1969	--	.0	68	18	21	--	254	34	29	.4	6.5	--	431	244	15.78	.5	.0	--	7.9
401	KCEB	600	Apr. 8, 1970	--	.0	69	17	61	--	259	29	85	.6	5.5	--	530	243	35.40	1.7	.0	--	7.8
401	KCEB	600	Mar. 15, 1971	--	.0	70	17	12	--	246	33	20	.1	5.3	--	403	246	9.64	.3	.0	--	7.5
401	KCEB	600	Feb. 28, 1972	--	1.6	68	18	12	--	244	32	17	.3	4.5	--	396	243	9.67	.3	.0	--	7.7
401	KCEB	600	Sept. 20, 1972	--	.0	67	19	12	--	248	31	20	.4	6.0	--	403	246	9.61	.3	.0	--	7.5
401	KCEB	600	Dec. 4, 1973	--	.0	69	16	12	--	246	29	23	.4	7.0	--	402	240	9.88	.3	.0	--	7.3
401	KCEB	600	Nov. 5, 1974	--	.0	74	14	12	--	246	28	22	.4	8.0	--	404	243	9.72	.3	.0	--	7.7
401	KCEB	600	Nov. 5, 1975	--	.0	72	16	12	--	250	29	21	.3	8.0	--	408	247	9.61	.3	.0	--	7.7
402	KCEB	592	Apr. 6, 1970	--	.0	69	17	72	--	325	28	63	.1	6.5	--	580	242	39.28	2.0	.4	--	8.0
402	KCEB	592	Mar. 15, 1971	--	.0	68	18	12	--	249	31	20	.1	4.7	--	403	243	9.67	.3	.0	--	7.5
402	KCEB	592	Feb. 28, 1972	--	.9	68	17	11	--	245	30	17	.2	5.5	--	394	240	9.08	.3	.0	--	7.4
402	KCEB	592	Sept. 20, 1972	--	.0	70	18	11	--	249	30	21	.4	5.5	--	405	247	8.77	.3	.0	--	7.5
402	KCEB	592	Nov. 5, 1974	--	.0	75	14	12	--	250	28	19	.4	7.0	--	405	245	9.63	.3	.0	--	7.5
402	KCEB	592	Nov. 5, 1975	--	.0	71	16	11	--	253	26	20	.3	7.0	--	404	245	8.96	.3	.0	--	7.9
403	KCEB	650	Jan. 6, 1975	--	--	64	15	8	--	232	23	15	.2	6.0	--	363	222	7.28	.2	.0	--	8.0

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dis-solved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-30-403	KCEB	650	Jan. 29, 1976	--	0.0	74	16	9	--	265	21	15	0.2	6.0	--	406	249	7.25	0.2	0.0	--	7.6
404	KCEB	509	Feb. 17, 1952	12	.1	104	50	47	--	512	50	67	3.2	.4	--	585	465	18.01	.9	.0	--	6.9
405	KCEB	802	Jan. 18, 1973	--	.0	66	17	8	--	237	32	13	.2	5.5	--	379	233	6.90	.2	.0	--	7.7
405	KCEB	802	Sept. 19, 1973	--	.0	75	16	8	--	262	32	14	.3	5.9	--	413	252	6.43	.2	.0	--	7.7
405	KCEB	802	Feb. 18, 1974	--	--	76	16	10	--	260	27	17	.3	7.0	--	413	255	7.84	.2	.0	--	7.6
408	KCEB	360	June 14, 1976	--	.0	72	15	10	--	256	22	17	.3	7.0	--	399	242	8.26	.2	.0	--	7.7
509	KCEB	517	Aug. 8, 1961	--	.0	63	18	21	--	245	31	16	.3	4.1	--	293	233	16.49	.6	.0	--	488 7.4
511	KCEB	630	Mar. 4, 1968	11	--	66	17	12	1.2	242	32	20	.4	.1	--	278	234	9.95	.3	.0	--	482 7.7
512	KCEB	636	Oct. 18, 1973	--	.0	69	16	11	--	251	24	18	.3	7.0	--	396	237	9.13	.3	.0	--	7.7
512	KCEB	636	July 14, 1976	--	.0	71	16	9	--	251	22	17	2.2	7.0	--	395	243	7.45	.2	.0	--	7.7
705	KCEB	745	Nov. 17, 1964	--	.0	68	15	8	--	253	19	13	.3	5.5	--	382	231	6.99	.2	.0	--	484 7.5
709	KCEB	825	Mar. 24, 1975	--	.0	69	17	11	--	239	35	20	.8	5.0	--	397	243	8.99	.3	.0	--	7.7
801	KCEB	700	Aug. 19, 1970	--	.0	68	17	12	--	243	34	21	.3	3.5	--	399	238	9.82	.3	.0	--	7.6
801	KCEB	700	Mar. 1, 1973	--	--	67	18	13	--	242	37	22	.4	5.5	--	405	243	10.49	.3	.0	--	7.7
802	KCEB	750	Jan. 12, 1970	--	--	67	15	12	--	233	31	21	.4	4.9	--	384	231	10.23	.3	.0	--	8.1
802	KCEB	750	Aug. 19, 1970	--	.4	68	17	12	--	240	34	22	.3	4.0	--	397	240	9.82	.3	.0	--	7.9
802	KCEB	750	Oct. 2, 1972	--	.0	66	19	12	--	240	36	23	.4	3.5	--	400	243	9.70	.3	.0	--	8.0
802	KCEB	750	Jan. 16, 1974	--	.0	68	17	13	--	243	33	24	.4	5.1	--	403	240	10.55	.3	.0	--	7.8
802	KCEB	750	Jan. 9, 1975	--	.0	67	17	13	--	241	32	24	.4	5.0	--	401	239	10.65	.3	.0	--	7.8
803	KCEB	638	Oct. 4, 1972	12	--	67	18	14	1.6	244	40	22	.3	2.3	--	297	240	11.12	.3	.0	--	526 7.2
804	KCEB	565	June 2, 1955	9	.1	66	20	17	--	232	47	32	.2	2.7	--	308	247	13.02	.4	.0	--	7.6
804	KCEB	565	Apr. 8, 1965	--	.2	73	18	19	--	243	60	31	.4	3.5	--	448	256	13.89	.5	.0	--	7.6
804	KCEB	565	May 24, 1967	--	.0	67	17	12	--	239	33	23	.4	5.0	--	396	237	9.91	.3	.0	--	7.6
804	KCEB	565	Dec. 5, 1969	--	.2	67	18	14	--	238	37	23	.5	4.5	--	403	243	11.21	.3	.0	--	7.8
805	KCEB	576	Apr. 20, 1966	--	.1	67	19	20	--	231	36	40	.4	2.0	--	415	245	15.06	.5	.0	--	606 7.9
805	KCEB	576	Dec. 25, 1967	--	.0	72	18	22	--	243	38	43	.4	2.0	--	438	252	15.87	.6	.0	--	7.6
805	KCEB	576	Nov. 26, 1968	--	.0	78	14	21	--	240	42	39	.4	2.0	--	436	253	15.33	.5	.0	--	7.6
805	KCEB	576	May 17, 1971	--	.0	68	20	23	--	243	38	38	.3	2.5	--	433	251	16.56	.6	.0	--	7.7
805	KCEB	576	Sept. 15, 1975	--	.0	71	17	19	--	242	36	35	.5	3.8	--	425	246	14.33	.5	.0	--	7.7
807	KCEB	1,202	Sept. 1, 1972	16	--	560	270	1,200	--	312	1,900	2,000	.0	.5	--	6,099	2,500	51.00	10.4	.0	--	8,710 7.5
807	KCEB	1,202	Nov. 21, 1972	10	--	450	210	880	--	270	1,500	1,500	2.0	.3	--	4,685	2,000	49.07	8.5	.0	--	6,950 7.4
34-203	KCEB	1,000	Mar. 29, 1974	--	.0	80	20	7	--	261	52	15	.5	7.0	--	443	282	5.12	.1	.0	--	7.6
203	KCEB	1,000	Aug. 8, 1976	--	.1	82	19	10	--	262	55	17	.3	7.0	--	452	283	7.14	.2	.0	--	7.8
35-101	KCEB	572	June 14, 1973	--	.0	78	22	10	--	264	50	17	.4	8.0	--	449	285	7.08	.2	.0	--	8.1

See footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-39-101	KCEB	572	Dec. 9, 1975	--	0.0	87	15	5	--	275	44	16	0.3	9.0	--	451	280	3.75	0.1	0.0	--	7.7
102	KCEB	796	May 3, 1976	--	.0	82	18	7	--	271	46	15	.2	7.0	--	446	281	5.18	.1	.0	--	8.1
402	KCEB	606	Mar. 4, 1974	--	--	68	16	7	--	246	25	13	.2	3.7	--	379	237	6.07	.1	.0	--	7.6
402	KCEB	606	Jan. 16, 1976	--	1.5	55	15	7	--	209	21	12	.2	4.3	--	323	201	7.11	.2	.0	--	8.0
403	KCEB	606	do	--	.1	71	14	7	--	250	15	13	.2	7.0	--	378	234	6.09	.1	.0	--	8.3
607	KCEB	701	Dec. 3, 1968	--	.0	69	14	6	--	249	16	13	.3	5.0	--	372	230	5.37	.1	.0	--	7.5
609	KCEB	621	Sept. 4, 1963	--	.1	59	17	6	--	245	14	12	.1	2.0	--	355	219	5.67	.1	.0	460	7.5
609	KCEB	621	Sept. 9, 1964	--	.0	63	14	7	--	239	14	13	.2	7.0	--	357	217	6.62	.2	.0	458	7.7
609	KCEB	621	Dec. 3, 1968	--	.0	69	14	6	--	245	15	13	.2	5.5	--	368	229	5.37	.1	.0	--	7.6
611	KCEB	535	Dec. 17, 1968	--	.0	76	16	7	--	256	35	13	.3	2.6	--	406	255	5.62	.1	.0	--	7.5
611	KCEB	535	Nov. 7, 1975	--	.0	76	18	10	--	266	35	17	.3	10.0	--	432	266	7.62	.2	.0	--	7.5
611	KCEB	535	Aug. 8, 1976	--	.0	82	15	11	--	267	36	17	.2	14.0	--	442	269	8.24	.2	.0	--	7.9
808	KCEB	1,050	Mar. 24, 1975	--	.0	68	15	7	--	246	15	15	.3	8.0	--	374	230	6.17	.2	.0	--	8.1
902	KCEB	835	do	--	.0	69	14	7	--	246	13	15	.3	8.0	--	372	229	6.21	.2	.0	--	8.0
903	KCEB	1,020	June 21, 1973	--	.0	66	16	8	--	248	14	15	.2	8.0	--	375	240	7.02	.2	.0	--	7.7
904	KCEB	675	Feb. 22, 1963	--	.0	65	15	7	--	249	14	14	1.1	5.3	--	370	223	6.36	.2	.0	443	7.5
904	KCEB	675	Sept. 9, 1964	--	.9	64	14	7	--	245	14	12	.2	8.0	--	365	220	6.54	.2	.0	462	7.4
904	KCEB	675	May 27, 1965	--	.1	66	15	7	--	244	13	13	.2	8.0	--	366	226	6.30	.2	.0	468	7.6
904	KCEB	675	June 27, 1968	--	.0	71	13	6	--	246	15	15	.2	7.0	--	373	231	5.35	.1	.0	--	7.7
904	KCEB	675	Dec. 12, 1972	--	.0	67	15	7	--	249	17	14	.2	8.0	--	377	230	6.23	.2	.0	--	7.7
905	KCEB	881	Feb. 15, 1974	--	.0	62	18	8	--	249	14	15	.2	8.0	--	374	231	7.07	.2	.0	--	7.7
905	KCEB	881	Mar. 13, 1975	--	.0	66	15	7	--	246	13	15	.3	8.0	--	370	227	6.30	.2	.0	--	8.2
907	KCEB	845	Mar. 24, 1975	--	.0	66	14	7	--	244	11	13	.3	7.0	--	362	225	6.41	.2	.0	--	7.6
908	KCEB	1,066	Jan. 2, 1959	--	.1	62	16	6	--	239	14	13	.2	4.2	--	262	220	5.58	.1	.0	436	7.5
908	KCEB	1,066	Mar. 24, 1975	--	.0	62	15	7	--	231	13	15	.3	8.0	--	351	217	6.57	.2	.0	--	8.0
909	KCEB	1,107	do	--	.0	69	14	8	--	246	13	15	.3	8.0	--	373	229	7.04	.2	.0	--	8.2
910	KCEB	1,050	Oct. 6, 1967	11	--	77	15	9	--	261	15	30	--	--	--	285	254	7.16	.2	.0	512	7.0
910	KCEB	1,050	Apr. 18, 1975	--	.0	70	13	7	--	245	16	14	.3	7.0	--	372	229	6.25	.2	.0	--	7.8
910	KCEB	1,050	Apr. 7, 1976	--	.0	67	14	7	--	246	16	15	.3	7.0	--	372	227	6.34	.2	.0	--	7.9
912	KCEB	1,040	Nov. 16, 1973	--	.0	65	15	8	--	245	16	14	.3	7.0	--	370	225	7.21	.2	.0	--	7.6
912	KCEB	1,040	June 16, 1976	--	.0	67	14	7	--	246	15	14	.2	8.0	--	371	226	6.34	.2	.0	--	7.8
913	KCEB	1,040	Feb. 8, 1974	--	.0	66	15	8	--	244	14	14	.3	7.0	--	368	226	7.13	.2	.0	--	7.8
913	KCEB	1,040	Feb. 18, 1974	--	.2	206	20	7	--	307	14	239	.3	7.0	--	800	600	2.49	.1	.0	--	7.3
913	KCEB	1,040	June 16, 1976	--	.0	69	14	7	--	248	16	15	.2	8.0	--	377	232	6.21	.2	.0	--	7.9

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids*	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-35-914	KCEB	1,109	Mar. 24, 1975	--	0.0	69	13	8	--	246	14	15	0.3	9.0	--	374	229	7.16	0.2	0.0	--	8.2
36-101	KCEB	340	Jan. 16, 1967	--	.0	79	15	7	--	284	19	15	.3	7.0	--	426	261	5.59	.1	.0	534	7.5
101	KCEB	340	Jan. 29, 1968	--	.0	81	16	7	--	285	19	13	.3	5.5	--	427	267	5.37	.1	.0	--	7.4
101	KCEB	340	Apr. 29, 1969	--	.0	97	6	8	--	288	20	13	.3	7.0	--	439	267	6.12	.2	.0	--	7.6
101	KCEB	340	Jan. 4, 1970	--	.0	84	15	10	--	289	20	15	.3	8.5	--	442	270	7.42	.2	.0	--	7.4
101	KCEB	340	Sept. 4, 1973	--	.0	89	11	9	--	289	20	15	.3	9.0	--	442	267	6.82	.2	.0	--	7.5
101	KCEB	340	Apr. 30, 1974	--	.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
101	KCEB	340	May 24, 1976	--	.0	87	13	9	--	294	20	15	.2	9.0	--	447	270	6.74	.2	.0	--	7.5
102	KCEB	786	Aug. 30, 1965	--	.0	82	16	7	--	277	34	16	.3	7.0	--	437	270	5.33	.1	.0	567	7.6
102	KCEB	786	June 22, 1966	--	.0	82	19	2	--	279	30	13	.2	--	--	433	284	1.51	.0	.0	576	7.8
102	KCEB	786	Mar. 16, 1967	--	.0	77	17	8	--	279	28	15	.3	4.5	--	429	264	6.22	.2	.0	567	7.5
102	KCEB	786	Apr. 18, 1968	--	.0	82	16	7	--	283	28	14	.3	8.5	--	439	272	5.33	.1	.0	580	7.9
102	KCEB	786	May 26, 1969	--	.0	82	17	6	--	282	29	14	.2	9.0	--	439	274	4.53	.1	.0	--	7.6
102	KCEB	786	Apr. 20, 1970	--	.0	84	16	7	--	282	27	14	.3	9.0	--	439	275	5.23	.1	.0	--	7.5
102	KCEB	786	Mar. 11, 1971	--	--	84	16	8	--	283	28	14	.2	8.0	--	441	275	5.94	.2	.0	--	7.4
102	KCEB	786	Sept. 21, 1972	--	.0	86	15	8	--	281	30	16	.3	7.0	--	443	278	5.92	.2	.0	--	7.5
102	KCEB	786	June 21, 1973	--	.0	82	17	9	--	279	29	15	.3	10.0	--	441	276	6.65	.2	.0	--	7.9
103	KCEB	824	Oct. 27, 1967	--	.0	80	17	7	--	277	30	14	.3	8.0	--	433	270	5.34	.1	.0	570	7.6
103	KCEB	824	Aug. 28, 1969	--	.0	81	17	8	--	277	29	15	.4	7.0	--	434	273	6.01	.2	.0	--	7.4
103	KCEB	824	June 26, 1974	--	.0	46	16	9	--	165	30	15	.2	11.0	--	292	181	9.78	.2	.0	--	8.1
103	KCEB	824	Jan. 23, 1975	--	.0	89	13	9	--	284	31	16	.3	11.0	--	453	275	6.63	.2	.0	--	7.9
103	KCEB	824	May 3, 1976	--	.2	87	11	9	--	292	14	13	.2	8.0	--	434	262	6.94	.2	.0	--	7.6
104	KCEB	808	June 11, 1968	--	.0	81	16	7	--	278	32	13	.3	7.5	--	435	268	5.37	.1	.0	580	7.5
104	KCEB	808	June 16, 1970	--	.0	82	17	8	--	282	31	12	.2	8.5	--	441	276	5.96	.2	.0	--	7.9
104	KCEB	808	May 24, 1973	--	.0	80	19	8	--	281	32	15	.2	9.0	--	444	277	5.89	.2	.0	--	7.7
105	KCEB	814	July 2, 1968	--	.0	83	14	8	--	273	28	13	.3	8.8	--	428	267	6.16	.2	.0	--	7.8
105	KCEB	814	Sept. 2, 1969	--	.0	79	16	8	--	272	32	16	.3	7.0	--	430	263	6.20	.2	.0	--	7.5
105	KCEB	814	Aug. 24, 1976	--	.0	66	13	9	--	217	32	15	.2	11.0	--	363	222	8.23	.2	.0	--	7.8
107	KCEB	550	June 11, 1974	--	--	85	15	9	--	279	30	16	.2	11.0	--	445	274	6.67	.2	.0	--	7.6
111	KCEB	677	Nov. 16, 1972	--	.0	61	18	9	--	210	39	15	.2	8.0	--	360	225	7.96	.2	.0	--	7.8
113	KCEB	1,100	Mar. 31, 1967	--	.0	71	19	14	--	253	52	17	.3	6.0	--	432	257	10.65	.3	.0	580	7.5
113	KCEB	1,100	Apr. 18, 1968	--	.0	73	17	11	--	255	44	15	.3	4.0	--	419	117	8.66	.3	.0	568	7.7
113	KCEB	1,100	May 19, 1969	--	.0	74	12	12	--	251	32	14	.3	6.2	--	401	235	10.03	.3	.0	--	7.5
113	KCEB	1,100	Feb. 18, 1970	--	.0	71	17	12	--	255	44	16	.4	5.0	--	420	250	9.55	.3	.0	--	7.5

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-36-113	KCEB	1,100	Aug. 24, 1971	--	0.3	71	18	12	--	251	42	17	0.3	5.0	--	416	252	9.41	0.3	0.0	--	7.9
113	KCEB	1,100	June 5, 1972	--	.1	72	19	12	--	256	44	16	.4	4.5	--	424	257	9.19	.3	.0	--	7.5
113	KCEB	1,100	June 21, 1973	--	.1	74	19	74	--	259	48	18	.4	6.0	--	441	265	37.98	1.9	.0	--	7.7
113	KCEB	1,100	Feb. 5, 1974	--	.0	76	17	12	--	259	48	17	.4	7.0	--	436	259	9.13	.3	.0	--	7.5
113	KCEB	1,100	Jan. 23, 1975	--	.1	77	15	13	--	255	39	17	.3	7.0	--	423	255	10.02	.3	.0	--	7.8
113	KCEB	1,100	May 28, 1976	--	.0	77	15	12	--	260	40	17	.3	7.0	--	428	256	9.32	.3	.0	--	7.6
205	KCEB	956	Apr. 14, 1966	--	.0	72	20	7	--	251	39	14	.3	4.5	--	408	262	5.49	.1	.0	--	7.4
205	KCEB	956	Feb. 4, 1969	--	.0	75	18	7	--	255	39	13	.3	5.0	--	412	260	5.50	.1	.0	--	7.5
205	KCEB	956	Feb. 29, 1972	--	.0	73	18	7	--	256	38	13	.2	5.5	--	411	257	5.61	.1	.0	--	7.5
205	KCEB	956	June 7, 1973	--	.0	73	18	8	--	260	37	16	.2	5.7	--	418	259	6.36	.2	.0	--	7.6
206	KCEB	748	June 30, 1966	--	.1	76	16	7	--	256	32	12	.2	.4	--	403	256	5.62	.1	.0	525	7.6
206	KCEB	748	June 7, 1967	--	.0	72	17	7	--	256	32	14	.3	6.5	--	405	250	5.75	.1	.0	537	7.5
206	KCEB	748	Aug. 19, 1968	--	.0	74	17	6	--	256	37	12	.2	4.0	--	406	256	4.87	.1	.0	528	7.5
206	KCEB	748	July 22, 1970	--	.0	74	17	7	--	259	33	13	.3	5.3	--	408	257	5.64	.1	.0	--	7.5
206	KCEB	748	Mar. 15, 1971	--	--	74	17	7	--	257	34	13	.2	4.5	--	407	255	5.64	.1	.0	--	7.6
206	KCEB	748	Apr. 10, 1972	--	.0	76	15	7	--	259	35	14	.2	6.0	--	412	254	5.71	.1	.0	--	7.5
206	KCEB	748	Mar. 19, 1974	--	.1	76	18	8	--	259	36	14	.3	7.0	--	418	263	6.19	.2	.0	--	7.6
207	KCEB	1,030	June 30, 1966	--	.0	74	15	6	--	250	33	12	.2	4.0	--	394	247	5.03	.1	.0	502	7.5
207	KCEB	1,030	June 7, 1967	--	.0	71	19	7	--	256	33	14	.3	6.0	--	406	256	5.62	.1	.0	537	7.5
207	KCEB	1,030	July 10, 1970	--	.0	74	17	7	--	259	34	11	.4	4.5	--	407	253	5.64	.1	.0	--	7.5
207	KCEB	1,030	Mar. 22, 1971	--	--	74	17	7	--	257	35	13	.2	4.4	--	407	256	5.64	.1	.0	--	7.5
207	KCEB	1,030	Mar. 8, 1972	--	.2	72	18	7	--	250	35	12	.2	4.5	--	399	254	5.66	.1	.0	--	7.5
207	KCEB	1,030	May 8, 1973	--	.0	72	17	8	--	256	33	13	.3	5.5	--	405	250	6.51	.2	.0	--	7.7
207	KCEB	1,030	June 18, 1976	--	.0	75	16	8	--	259	36	14	.2	7.0	--	415	256	6.43	.2	.0	--	7.6
208	KCEB	840	Feb. 24, 1966	--	.0	71	19	7	--	251	35	13	.2	4.0	--	400	255	5.02	.1	.0	540	7.6
208	KCEB	840	June 11, 1968	--	.0	74	18	7	--	260	41	12	.3	4.0	--	416	257	5.55	.1	.0	543	7.5
208	KCEB	840	Feb. 16, 1969	--	.0	75	18	7	--	257	37	13	.3	5.0	--	412	260	5.50	.1	.0	--	7.5
208	KCEB	840	Feb. 18, 1970	--	.0	73	18	7	--	260	36	13	.4	5.5	--	413	254	5.61	.1	.0	--	7.4
208	KCEB	840	Feb. 23, 1971	--	--	75	18	7	--	261	35	13	.2	5.0	--	414	261	5.50	.1	.0	--	7.5
208	KCEB	840	Aug. 16, 1972	--	.0	72	19	7	--	254	37	14	.3	5.5	--	409	257	5.97	.1	.0	--	8.0
208	KCEB	840	June 7, 1973	--	.0	73	18	8	--	260	36	15	.2	6.0	--	416	257	6.36	.2	.0	--	7.6
302	KCEB	744	Aug. 9, 1968	--	.0	72	14	6	--	251	24	12	.2	2.5	--	382	240	5.21	.1	.0	510	7.6
302	KCEB	744	Sept. 4, 1970	--	.0	70	16	7	--	253	23	13	.2	5.5	--	388	243	5.95	.1	.0	--	7.5
302	KCEB	744	Apr. 8, 1971	--	--	70	16	7	--	253	24	13	.2	4.3	--	387	239	5.95	.1	.0	--	7.4

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Boxar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-36-302	KCEB	744	Apr. 10, 1972	--	0.0	69	16	7	--	253	23	13	0.1	4.5	--	386	238	6.01	0.1	0.0	--	7.5
304	KCEB	1,094	May 11, 1967	--	.0	74	19	6	--	266	32	15	.3	4.0	--	416	263	4.73	.1	.0	546	7.5
304	KCEB	1,094	July 27, 1971	--	--	78	17	7	--	270	32	11	.3	5.4	--	420	265	5.44	.1	.0	--	7.6
305	KCEB	703	Mar. 16, 1967	--	.0	69	17	7	--	253	32	15	.3	5.0	--	398	241	5.91	.1	.0	519	7.5
305	KCEB	703	May 26, 1969	--	.0	72	17	6	--	256	31	12	.3	5.0	--	399	248	4.96	.1	.0	--	7.6
305	KCEB	703	Aug. 19, 1970	--	.0	73	17	7	--	256	29	13	.2	5.5	--	401	251	5.69	.1	.0	--	7.6
305	KCEB	703	Mar. 30, 1971	--	--	72	17	7	--	256	30	13	.2	5.3	--	400	250	5.75	.1	.0	--	7.5
305	KCEB	703	May 5, 1972	--	.0	70	18	7	--	249	32	13	.2	5.5	--	395	246	5.76	.1	.0	--	7.8
305	KCEB	703	Mar. 19, 1974	--	.1	75	18	8	--	260	36	14	.3	7.0	--	418	261	6.24	.2	.0	--	7.6
502	KCEB	1,224	Nov. 17, 1965	--	.0	66	14	6	--	244	15	11	.3	2.5	--	359	225	5.54	.1	.0	477	7.5
502	KCEB	1,224	Mar. 7, 1969	--	.0	65	16	7	--	249	14	11	.2	4.0	--	366	227	6.26	.2	.0	--	7.6
502	KCEB	1,224	Aug. 28, 1969	--	.0	65	15	6	--	248	13	11	.3	5.0	--	363	225	5.50	.1	.0	--	7.6
502	KCEB	1,224	Apr. 6, 1970	--	.0	66	15	7	--	248	21	9	.2	6.5	--	373	229	6.30	.2	.0	--	7.5
502	KCEB	1,224	June 22, 1972	--	.0	65	16	7	--	248	15	13	.3	4.5	--	369	226	6.26	.2	.0	--	7.6
502	KCEB	1,224	May 14, 1973	--	.0	65	16	8	--	248	16	13	.3	5.9	--	372	229	7.09	.2	.0	--	7.8
503	KCEB	1,247	June 22, 1966	--	.0	64	17	3	--	244	17	15	2.2	.1	--	364	230	2.76	.0	.0	466	7.8
503	KCEB	1,247	Oct. 24, 1967	--	.0	64	17	6	--	249	15	12	.3	5.5	--	369	224	5.37	.1	.0	480	7.6
503	KCEB	1,247	May 13, 1968	--	.0	69	13	6	--	249	16	11	.3	5.0	--	369	226	5.46	.1	.0	--	7.6
503	KCEB	1,247	Sept. 11, 1968	--	.0	66	15	8	--	246	17	14	.2	5.0	--	369	228	5.43	.1	.0	483	7.5
503	KCEB	1,247	June 14, 1973	--	.0	65	16	7	--	249	16	12	.2	6.0	--	371	228	6.26	.2	.0	--	7.7
503	KCEB	1,247	Mar. 13, 1975	--	.0	66	15	7	--	248	16	13	.3	7.0	--	372	226	6.30	.2	.0	--	7.9
504	KCEB	772	Mar. 16, 1967	--	.0	64	16	6	--	249	15	12	.1	6.0	--	368	224	5.47	.1	.0	474	7.5
504	KCEB	772	July 10, 1968	--	.0	68	14	7	--	249	14	11	.3	5.0	--	368	228	6.27	.2	.0	480	7.7
504	KCEB	772	Apr. 10, 1969	--	.0	68	15	7	--	250	17	11	.3	5.0	--	373	233	6.17	.2	.0	--	7.6
504	KCEB	772	June 21, 1970	--	.1	67	15	7	--	251	15	10	.2	6.5	--	372	230	6.23	.2	.0	--	7.5
504	KCEB	772	June 3, 1971	--	.3	68	14	7	--	249	15	12	.2	5.0	--	370	229	6.27	.2	.0	--	7.8
506	KCEB	1,000	May 23, 1955	13	.2	62	15	31	--	250	46	21	.1	.4	--	311	216	23.75	.9	.0	--	7.9
506	KCEB	1,000	Nov. 5, 1958	--	.2	61	17	7	--	245	19	16	.2	3.8	--	255	223	6.41	.2	.0	425	7.3
506	KCEB	1,000	Dec. 5, 1963	--	.0	65	15	7	--	240	14	20	.1	3.5	--	365	225	6.36	.2	.0	472	7.4
506	KCEB	1,000	Oct. 13, 1967	--	.0	65	16	7	--	248	15	12	.3	7.0	--	370	227	6.26	.2	.0	--	7.7
506	KCEB	1,000	Oct. 29, 1968	--	.0	67	15	6	--	248	15	15	.1	4.0	--	370	230	5.39	.1	.0	--	7.4
506	KCEB	1,000	Jan. 5, 1972	--	.0	65	16	7	--	245	15	13	.2	6.0	--	367	228	6.26	.2	.0	--	7.7
506	KCEB	1,000	Dec. 18, 1973	--	.0	65	15	7	--	246	15	15	.2	7.0	--	370	224	6.36	.2	.0	--	7.5
506	KCEB	1,000	Dec. 12, 1974	--	.0	68	14	8	--	248	15	15	.2	7.0	--	375	226	7.11	.2	.0	--	7.8

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids #	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-36-507	KCEB	1,380	June 30, 1951	12	0.0	64	14	17	--	256	18	18	0.1	2.7	--	271	217	14.54	0.5	0.0	--	8.1
507	KCEB	1,380	Apr. 5, 1957	--	2.7	5	1	7	--	32	3	2	.4	.4	--	46	18	47.86	.7	.1	76	6.9
507	KCEB	1,380	June 19, 1958	--	.0	65	16	6	--	245	18	16	.2	4.2	--	256	230	5.41	.1	.0	426	7.4
507	KCEB	1,380	July 26, 1976	--	.1	69	14	7	--	250	16	15	.2	7.0	--	378	231	6.21	.2	.0	--	8.0
508	KCEB	950	June 22, 1971	--	.0	69	13	7	--	248	16	11	.2	4.0	--	368	228	6.32	.2	.0	--	7.6
508	KCEB	950	Oct. 2, 1973	--	.0	64	15	7	--	238	15	13	.3	6.0	--	358	222	6.43	.2	.0	--	8.0
510	KCEB	1,100	Dec. 5, 1963	--	.0	66	15	6	--	242	15	11	.1	3.5	--	359	225	5.45	.1	.0	470	7.5
511	KCEB	1,051	May 11, 1967	--	.0	66	16	6	--	250	16	13	1.0	6.0	--	374	230	5.35	.1	.0	480	7.5
713	KCEB	1,677	Sept. 24, 1968	12	--	64	23	11	--	258	44	12	.9	2.3	--	296	254	8.60	.3	.0	501	7.6
713	KCEB	1,677	Oct. 9, 1969	12	--	64	23	11	--	256	44	13	.8	2.4	--	296	254	8.60	.3	.0	512	7.1
802	KCEB	1,479	Apr. 25, 1961	--	.2	58	23	10	--	244	24	17	.4	2.9	--	285	240	8.33	.2	.0	475	7.6
802	KCEB	1,479	Apr. 19, 1972	--	.0	54	25	9	--	251	30	15	.5	3.0	--	388	239	7.61	.2	.0	--	7.6
803	KCEB	1,409	Apr. 25, 1961	--	.1	66	20	12	--	246	16	15	.2	5.9	--	283	250	9.56	.3	.0	472	7.5
805	KCEB	1,632	Nov. 6, 1968	12	.0	60	20	13	--	252	27	15	.3	4.2	--	275	232	10.86	.3	.0	476	7.6
805	KCEB	1,632	Oct. 9, 1969	12	--	60	20	11	--	247	26	16	.3	4.4	--	271	232	9.39	.3	.0	479	7.0
806	KCEB	1,030	Sept. 25, 1968	12	--	66	15	9	--	250	16	13	.2	6.0	--	260	226	7.95	.2	.0	449	7.6
806	KCEB	1,030	Oct. 9, 1969	12	--	66	15	9	--	247	16	15	.2	6.4	--	261	226	7.95	.2	.0	461	7.0
807	KCEB	1,120	Sept. 24, 1968	12	.0	64	14	11	--	248	16	12	.2	5.6	--	256	217	9.92	.3	.0	443	7.4
807	KCEB	1,120	Oct. 9, 1969	12	--	64	15	9	--	244	16	13	.2	5.6	--	254	221	8.12	.2	.0	451	7.1
808	KCEB	1,609	Sept. 24, 1968	12	.0	64	16	6	--	244	15	12	.3	5.9	--	251	226	5.47	.1	.0	425	7.7
808	KCEB	1,609	Oct. 9, 1969	12	--	64	16	5	--	242	14	13	.2	5.6	--	248	226	4.60	.1	.0	438	7.1
809	KCEB	1,590	Sept. 25, 1968	12	--	64	15	10	--	242	14	17	.5	6.1	--	257	221	8.94	.2	.0	443	7.3
809	KCEB	1,590	Oct. 9, 1969	12	--	64	15	8	--	243	15	13	.2	5.6	--	252	221	7.28	.2	.0	445	7.1
810	KCEB	2,400	Sept. 25, 1968	12	--	62	16	14	--	248	20	16	.2	9.2	--	271	220	12.19	.4	.0	466	7.5
907	KCEB	1,616	Apr. 25, 1961	--	.1	64	17	10	--	233	22	15	.2	5.1	--	287	230	8.65	.2	.0	479	7.4
907	KCEB	1,616	Aug. 29, 1962	--	.1	60	18	9	--	239	23	15	2.4	4.0	--	368	224	8.04	.2	.0	458	7.7
907	KCEB	1,616	Aug. 9, 1971	--	.0	65	17	8	--	245	24	14	.3	.5	--	378	233	6.97	.2	.0	--	7.5
908	KCEB	1,708	Apr. 25, 1961	--	.0	66	19	11	--	234	31	19	.2	3.5	--	300	245	8.97	.3	.0	500	7.3
924	KCEB	--	do	--	.1	64	18	9	--	239	13	15	.2	3.5	--	271	235	7.72	.2	.0	452	7.3
925	KCEB	1,006	Nov. 1, 1955	10	.1	66	13	23	--	250	37	18	.2	4.0	--	294	218	18.65	.6	.0	--	7.5
925	KCEB	1,006	Nov. 27, 1956	--	.0	61	16	7	--	224	13	11	.2	4.7	--	260	218	6.52	.2	.0	433	7.2
925	KCEB	1,006	Oct. 17, 1957	--	.0	60	35	3	--	255	49	15	.2	8.0	--	257	250	2.17	.0	.0	495	7.4
925	KCEB	1,006	Nov. 5, 1958	--	.0	61	17	8	--	244	10	16	.2	4.1	--	259	225	7.26	.2	.0	431	7.3
925	KCEB	1,006	Dec. 5, 1968	--	.0	65	15	8	--	239	17	13	.1	3.5	--	361	226	7.21	.2	.0	482	7.5

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Baxter County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-37-101	KCEB	1,005	May 11, 1967	--	0.1	157	21	8	--	300	30	157	0.3	6.0	--	680	480	3.51	0.1	0.0	1,110	7.5
101	KCEB	1,005	Sept. 4, 1973	--	.0	77	17	8	--	270	32	14	.3	7.0	--	425	263	6.22	.2	.0	--	7.8
101	KCEB	1,005	June 26, 1974	--	.0	76	19	8	--	272	31	13	.2	8.0	--	427	267	6.10	.2	.0	--	8.0
102	KCEB	1,088	Jan. 12, 1970	--	.0	76	17	7	--	265	34	12	.2	5.5	--	317	260	5.54	.1	.0	--	7.5
102	KCEB	1,088	Mar. 24, 1972	--	.0	76	18	7	--	264	33	13	.3	6.0	--	417	265	5.45	.1	.0	--	7.5
102	KCEB	1,088	Aug. 9, 1973	--	.0	77	17	19	--	267	35	15	.3	7.0	--	427	262	13.62	.5	.0	--	8.2
102	KCEB	1,088	Apr. 15, 1975	--	.0	80	16	8	--	270	36	15	.3	8.0	--	433	266	6.15	.2	.0	--	8.1
103	KCEB	1,025	July 11, 1966	--	.0	73	17	6	--	257	31	18	.3	5.0	--	407	253	4.92	.1	.0	534	7.5
103	KCEB	1,025	Aug. 8, 1973	--	.0	76	17	9	--	265	34	15	.3	7.0	--	423	259	7.01	.2	.0	--	7.7
103	KCEB	1,025	Oct. 2, 1973	--	.0	67	17	9	--	243	25	16	.4	5.3	--	382	235	7.62	.2	.0	--	8.0
103	KCEB	1,025	Apr. 30, 1974	--	.0	76	18	8	--	268	32	14	.2	8.0	--	424	264	6.19	.2	.0	--	7.6
103	KCEB	1,025	May 30, 1974	--	.0	77	17	8	--	266	31	14	.3	7.0	--	420	261	6.22	.2	.0	--	7.4
104	KCEB	995	June 18, 1968	--	.0	72	17	7	--	260	29	12	.2	5.0	--	402	250	5.75	.1	.0	531	7.5
104	KCEB	995	Jan. 20, 1969	--	.0	71	19	6	--	255	34	13	.3	5.6	--	404	257	4.86	.1	.0	--	7.5
104	KCEB	995	Sept. 14, 1971	--	.0	73	18	7	--	256	31	12	.2	5.5	--	403	254	5.61	.1	.0	--	7.4
104	KCEB	995	Aug. 8, 1973	--	.0	74	17	8	--	260	33	14	.3	7.0	--	413	255	6.39	.2	.0	--	7.7
105	KCEB	1,050	Oct. 2, 1973	--	.0	67	16	9	--	242	24	16	.4	5.3	--	379	233	7.75	.2	.0	--	7.6
105	KCEB	1,050	Apr. 30, 1974	--	.0	76	17	8	--	264	35	14	.2	7.0	--	421	260	6.28	.2	.0	--	7.6
106	KCEB	986	Aug. 4, 1967	--	.3	73	17	6	--	259	32	13	.3	5.5	--	406	251	4.92	.1	.0	534	7.7
112	KCEB	592	Feb. 8, 1973	--	.0	69	15	8	--	251	19	13	.2	5.5	--	381	236	6.92	.2	.0	--	7.8
116	KCEB	700	July 11, 1966	--	.0	72	18	6	--	257	33	13	.3	5.0	--	404	254	4.89	.1	.0	540	7.5
121	KCEB	603	July 6, 1967	--	.0	68	15	7	--	251	18	12	.2	7.0	--	378	232	6.17	.2	.0	--	7.5
121	KCEB	603	Nov. 19, 1969	--	.0	68	16	7	--	253	20	11	.2	5.5	--	381	236	6.07	.1	.0	486	7.5
121	KCEB	603	Jan. 27, 1971	--	.0	69	14	7	--	253	18	12	.2	5.5	--	379	231	6.21	.2	.0	--	7.8
121	KCEB	603	Feb. 23, 1972	--	.0	68	16	7	--	250	19	12	.1	5.5	--	378	236	6.07	.1	.0	--	7.6
130	KCEB	800	July 18, 1969	--	.0	45	27	7	--	244	15	12	.3	5.0	--	355	227	6.38	.2	.0	--	7.5
208	KCEB	763	July 26, 1966	--	.0	54	23	6	--	246	18	12	.3	5.0	--	364	228	5.38	.1	.0	474	7.5
208	KCEB	763	Apr. 10, 1969	--	.0	70	17	7	--	254	25	11	.3	5.5	--	390	244	5.86	.1	.0	--	7.5
208	KCEB	763	Aug. 5, 1970	--	.0	69	15	7	--	251	21	12	.2	5.0	--	380	235	6.11	.1	.0	--	7.6
208	KCEB	763	Apr. 19, 1972	--	.0	71	18	7	--	256	28	14	.2	5.5	--	400	251	5.71	.1	.0	--	7.6
303	KCEB	725	Feb. 1, 1972	--	.0	62	18	12	--	240	27	18	.3	2.5	--	380	231	10.24	.3	.0	--	8.1
303	KCEB	725	June 3, 1974	--	.0	65	17	9	--	239	23	16	.3	5.3	--	374	231	7.77	.2	.0	--	7.8
303	KCEB	725	Sept. 29, 1975	--	.0	68	14	9	--	243	21	16	.3	7.0	--	378	228	7.93	.2	.0	--	8.0
304	KCEB	685	June 3, 1974	--	.1	61	16	9	--	233	22	15	.4	.4	--	356	219	8.24	.2	.0	--	8.0

See footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-37-304	KCEB	685	Sept. 29, 1975	--	0.1	65	15	9	--	242	23	17	0.3	6.0	--	377	226	8.04	0.2	0.0	--	8.0
404	KCEB	1,326	Feb. 16, 1966	--	.0	62	17	7	--	242	15	13	.3	4.5	--	361	225	6.34	.2	.0	456	7.6
404	KCEB	1,326	Mar. 30, 1969	--	.0	65	15	7	--	248	14	13	.3	5.5	--	368	225	6.36	.2	.0	--	7.6
404	KCEB	1,326	Feb. 4, 1970	--	.0	66	15	8	--	248	15	14	.2	6.5	--	373	228	7.13	.2	.0	--	7.6
404	KCEB	1,326	May 8, 1973	--	.1	65	15	8	--	246	14	15	.3	7.0	--	370	226	7.21	.2	.0	--	7.7
404	KCEB	1,326	Feb. 19, 1974	--	.0	66	15	8	--	245	14	16	.3	8.0	--	372	227	7.13	.2	.0	--	7.8
404	KCEB	1,326	May 30, 1974	--	.2	65	15	8	--	245	13	13	.2	7.0	--	366	226	7.21	.2	.0	--	7.6
404	KCEB	1,326	May 21, 1976	12	.0	68	16	8	1.0	248	15	15	.2	8.5	--	265	240	6.84	.2	.0	454	7.5
404	KCEB	1,326	May 28, 1976	--	.0	67	14	8	--	248	16	15	.2	8.0	--	376	228	7.18	.2	.0	--	7.8
412	KCEB	1,157	Feb. 19, 1946	12	.2	61	19	13	--	250	25	20	.6	2.0	--	275	230	10.93	.3	.0	--	7.7
413	KCEB	1,000	Sept. 21, 1965	--	.0	65	15	7	--	244	14	11	.2	7.0	--	363	223	6.36	.2	.0	454	7.6
414	KCEB	1,160	Sept. 29, 1965	--	.0	64	15	2	--	243	15	11	.2	6.5	--	357	223	1.92	.0	.0	474	7.6
414	KCEB	1,160	Apr. 12, 1967	--	.0	63	15	7	--	246	13	15	.1	6.5	--	366	220	6.50	.2	.0	480	7.6
414	KCEB	1,160	Mar. 29, 1972	--	.2	64	17	7	--	246	16	13	.1	10.0	--	373	230	6.21	.2	.0	--	7.6
415	KCEB	1,000	Aug. 23, 1966	--	.0	64	16	7	--	243	13	11	.3	5.0	--	359	224	6.32	.2	.0	460	7.7
415	KCEB	1,000	Aug. 28, 1968	--	.0	66	14	7	--	246	16	11	.3	5.0	--	365	224	6.41	.2	.0	474	7.6
415	KCEB	1,000	July 9, 1969	--	.0	64	18	7	--	248	14	12	.3	7.0	--	370	231	6.11	.1	.0	--	7.6
415	KCEB	1,000	Aug. 5, 1970	--	.0	67	14	7	--	246	15	12	.1	5.5	--	367	226	6.34	.2	.0	--	7.7
415	KCEB	1,000	July 27, 1971	--	--	65	16	7	--	248	15	11	.2	5.5	--	368	228	6.26	.2	.0	--	7.6
425	KCEB	936	Oct. 5, 1965	--	.0	65	14	7	--	242	14	10	.2	7.0	--	359	221	6.47	.2	.0	460	7.6
425	KCEB	936	Nov. 29, 1967	--	.1	64	16	7	--	246	14	14	.2	6.0	--	367	225	6.32	.2	.0	486	7.6
425	KCEB	936	Mar. 4, 1975	--	.0	65	15	8	--	244	16	15	.3	8.0	--	371	224	7.21	.2	.0	--	7.9
426	KCEB	1,326	Mar. 29, 1968	--	.0	65	15	7	--	246	15	14	.3	5.5	--	368	224	6.36	.2	.0	480	7.8
426	KCEB	1,326	May 15, 1968	--	.0	66	15	7	--	249	15	12	.2	5.5	--	370	226	6.30	.2	.0	474	7.6
426	KCEB	1,326	June 14, 1973	--	.0	64	16	8	--	246	15	14	.3	7.0	--	370	226	7.16	.2	.0	--	7.8
426	KCEB	1,326	Mar. 19, 1974	--	.0	66	16	8	--	246	16	15	.3	7.0	--	374	231	7.02	.2	.0	--	7.8
426	KCEB	1,326	Mar. 13, 1975	--	.0	64	15	8	--	239	15	15	.3	7.0	--	363	219	7.28	.2	.0	--	8.3
427	KCEB	1,140	Oct. 28, 1965	--	.0	65	14	7	--	243	15	8	.2	6.0	--	358	219	6.47	.2	.0	460	7.6
427	KCEB	1,140	June 22, 1971	--	.0	67	15	7	--	245	15	12	.3	5.5	--	367	228	6.23	.2	.0	--	7.6
427	KCEB	1,140	Aug. 24, 1971	--	.0	66	15	7	--	245	14	11	.2	5.5	--	364	227	6.30	.2	.0	--	7.6
427	KCEB	1,140	Feb. 18, 1972	--	.0	66	16	7	--	245	15	12	.2	6.0	--	367	229	6.19	.2	.0	--	7.6
503	KCEB	1,200	Apr. 8, 1965	--	.0	70	17	12	--	238	37	20	.4	4.0	--	398	245	9.64	.3	.0	549	7.5
503	KCEB	1,200	May 28, 1965	--	.1	69	17	12	--	238	32	19	.4	5.0	--	392	243	9.73	.3	.0	540	7.4
503	KCEB	1,200	Dec. 21, 1966	--	.0	67	18	12	--	243	37	22	.3	2.5	--	402	242	9.76	.3	.0	--	7.4

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhmhos at 25°C)	pH
68-37-503	KCEB	1,200	Dec. 22, 1967	--	0.0	73	15	12	--	243	32	23	0.4	2.0	--	400	247	9.66	0.3	0.0	--	7.4
503	KCEB	1,200	Nov. 22, 1968	--	.0	73	15	11	--	237	38	20	.4	3.5	--	398	244	8.93	.3	.0	--	7.4
503	KCEB	1,200	Dec. 5, 1969	--	.0	66	19	12	--	240	37	20	.4	4.5	--	399	243	9.70	.3	.0	--	7.5
503	KCEB	1,200	Jan. 4, 1971	--	.0	70	17	12	--	243	35	21	.4	3.0	--	401	244	9.64	.3	.0	--	7.6
503	KCEB	1,200	Dec. 21, 1971	--	.0	68	18	13	--	242	37	21	.4	3.9	--	402	245	10.39	.3	.0	--	7.8
503	KCEB	1,200	Dec. 28, 1972	--	.1	67	19	12	--	245	36	20	.4	4.0	--	403	246	9.61	.3	.0	--	7.5
503	KCEB	1,200	Feb. 22, 1974	--	.4	69	18	12	--	242	39	21	.4	4.1	--	405	248	9.58	.3	.0	--	7.7
503	KCEB	1,200	Jan. 27, 1975	--	--	65	16	10	--	244	26	18	.4	3.8	--	383	230	8.70	.2	.0	--	7.5
503	KCEB	1,200	Dec. 30, 1975	--	--	71	15	13	--	234	32	22	.4	4.9	--	398	238	10.58	.3	.0	--	8.5
506	KCEB	1,412	May 27, 1966	--	.0	64	17	8	--	238	22	15	.3	4.0	--	368	230	7.04	.2	.0	490	7.7
506	KCEB	1,412	Sept. 12, 1968	--	.0	65	16	8	--	240	23	17	.3	3.5	--	373	228	7.09	.2	.0	498	7.7
506	KCEB	1,412	June 12, 1969	--	.0	66	16	9	--	244	23	15	.3	1.5	--	375	231	7.82	.2	.0	--	7.6
506	KCEB	1,412	Sept. 21, 1972	--	.0	63	17	8	--	239	20	16	.3	4.5	--	368	228	7.11	.2	.0	--	7.7
506	KCEB	1,412	Oct. 5, 1972	13	--	62	16	9	1.2	247	29	14	.2	6.1	--	262	220	8.10	.2	.0	465	7.1
506	KCEB	1,412	Nov. 19, 1973	--	.2	64	16	9	--	242	25	16	.3	5.7	--	378	228	7.98	.2	.0	--	7.7
506	KCEB	1,412	Feb. 5, 1974	--	.2	65	16	9	--	244	22	16	.4	5.1	--	377	230	7.90	.2	.0	--	7.7
507	KCEB	1,108	Apr. 26, 1967	--	.0	54	21	9	--	240	23	18	.4	6.0	--	371	221	8.13	.2	.0	495	7.9
507	KCEB	1,108	Jan. 29, 1974	--	.1	65	16	9	--	244	21	15	.4	4.9	--	375	229	7.90	.2	.0	--	7.7
507	KCEB	1,108	Apr. 23, 1974	--	.0	66	16	8	--	245	22	16	.3	5.9	--	379	232	7.02	.2	.0	--	7.7
507	KCEB	1,108	May 3, 1976	--	.0	62	18	9	--	244	21	16	.3	6.0	--	376	230	7.88	.2	.0	--	7.8
508	KCEB	1,318	May 27, 1966	--	.1	65	16	2	--	239	23	15	.3	4.0	--	370	228	1.87	.0	.0	488	7.7
508	KCEB	1,318	Mar. 28, 1968	--	.0	64	16	8	--	242	25	16	.4	4.0	--	375	228	7.16	.2	.0	498	7.6
508	KCEB	1,318	Sept. 4, 1970	--	.0	66	15	8	--	243	22	16	.3	5.0	--	375	228	7.13	.2	.0	--	7.5
508	KCEB	1,318	Mar. 11, 1971	--	--	66	16	9	--	243	22	15	.2	4.5	--	376	232	7.82	.2	.0	--	7.5
508	KCEB	1,318	Nov. 19, 1973	--	.0	65	16	9	--	242	22	16	.3	5.7	--	376	227	7.90	.2	.0	--	7.6
508	KCEB	1,318	Feb. 5, 1974	--	.1	65	16	8	--	244	22	15	.4	4.5	--	375	228	7.09	.2	.0	--	7.7
518	KCEB	977	Nov. 10, 1965	--	.0	63	17	9	--	238	22	14	.3	4.5	--	368	228	7.93	.2	.0	492	7.6
520	KCEB	1,000	Nov. 8, 1965	--	.0	64	17	8	--	239	21	14	.3	4.5	--	368	232	7.04	.2	.0	492	7.6
520	KCEB	1,000	Nov. 19, 1973	--	.1	65	16	9	--	240	22	15	.3	5.9	--	373	227	7.90	.2	.0	--	7.5
520	KCEB	1,000	Jan. 29, 1974	--	.0	64	16	9	--	243	20	15	.3	1.5	--	369	226	7.98	.2	.0	--	7.8
520	KCEB	1,000	Mar. 4, 1975	--	.2	67	17	11	--	242	35	20	.3	5.4	--	397	239	9.16	.3	.0	--	7.8
601	KCEB	1,150	Sept. 26, 1967	--	.0	68	15	9	--	242	26	15	.4	6.0	--	381	230	7.80	.2	.0	501	7.6
601	KCEB	1,150	Feb. 26, 1969	--	.0	66	17	9	--	243	23	15	.3	4.4	--	377	232	7.70	.2	.0	--	7.7
601	KCEB	1,150	Apr. 23, 1974	--	.0	66	17	9	--	242	25	16	.3	5.5	--	381	232	7.70	.2	.0	--	7.9

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhm/cm at 25°C)	pH
68-37-602	KCEB	1,100	Aug. 19, 1960	--	2.1	129	59	146	--	193	359	265	1.8	0.4	--	1,150	570	36.00	2.6	0.0	--	7.9
603	KCEB	797	Jan. 5, 1970	--	.2	88	24	46	--	246	115	60	.9	.4	--	570	307	23.91	1.1	.0	--	7.6
603	KCEB	797	Mar. 24, 1975	--	.1	80	21	37	--	218	105	54	.9	.4	--	520	286	21.96	.9	.0	--	7.9
603	KCEB	797	June 3, 1976	--	.5	84	21	36	--	242	99	50	.8	.4	--	530	294	20.92	.9	.0	--	7.9
604	KCEB	1,091	Feb. 22, 1966	--	.0	64	17	9	--	237	23	16	.3	3.0	--	369	228	7.85	.2	.0	492	7.6
604	KCEB	1,091	Apr. 24, 1968	--	.3	69	14	9	--	244	25	15	.3	4.0	--	380	231	7.85	.2	.0	495	7.6
604	KCEB	1,091	Jan. 12, 1970	--	.0	65	17	9	--	240	25	14	.4	5.0	--	375	230	7.77	.2	.0	--	7.7
605	KCEB	1,139	June 3, 1974	--	.1	65	16	9	--	240	24	16	.4	5.7	--	376	230	7.90	.2	.0	--	7.9
605	KCEB	1,139	Sept. 29, 1975	--	.0	68	14	9	--	243	22	16	.3	6.0	--	378	227	7.93	.2	.0	--	8.1
607	KCEB	1,054	Apr. 8, 1974	--	.0	65	17	10	--	242	25	17	.4	5.3	--	381	232	8.56	.2	.0	--	7.4
701	KCEB	1,582	Sept. 9, 1965	--	.0	64	17	9	--	239	24	15	.4	5.5	--	374	232	7.85	.2	.0	484	7.6
701	KCEB	1,582	Sept. 4, 1973	--	.0	67	15	9	--	243	24	16	.4	5.1	--	379	230	7.87	.2	.0	--	7.8
701	KCEB	1,582	Oct. 11, 1973	--	.0	60	15	9	--	222	24	16	.3	5.3	--	351	211	8.47	.2	.0	--	8.0
701	KCEB	1,582	Jan. 21, 1974	--	.0	67	17	9	--	243	24	15	.4	5.5	--	381	235	7.62	.2	.0	--	7.8
703	KCEB	1,350	Aug. 15, 1972	14	--	64	22	13	1.7	246	50	21	.8	8.3	--	315	250	10.07	.3	.0	548	7.2
705	KCEB	1,800	Mar. 3, 1966	--	.1	66	18	9	--	237	37	22	.3	2.5	--	390	239	7.57	.2	.0	531	7.6
705	KCEB	1,800	Nov. 28, 1973	--	.0	65	16	9	--	244	25	16	.4	5.3	--	380	230	7.90	.2	.0	--	7.6
705	KCEB	1,800	Jan. 23, 1974	--	.0	66	16	9	--	244	26	16	.4	5.5	--	383	234	7.82	.2	.0	--	7.5
706	KCEB	1,521	Oct. 25, 1965	--	.0	68	19	12	--	231	45	--	.5	2.5	--	403	248	9.52	.3	.0	546	7.6
706	KCEB	1,521	May 19, 1969	--	.0	71	13	12	--	240	33	20	.4	3.5	--	393	230	10.16	.3	.0	--	7.6
706	KCEB	1,521	June 14, 1973	--	.0	71	19	14	--	243	50	25	.5	3.5	--	427	256	10.65	.3	.0	--	7.5
706	KCEB	1,521	Oct. 11, 1973	--	.1	72	19	16	--	243	53	27	.4	3.9	--	434	258	11.89	.4	.0	--	7.7
706	KCEB	1,521	Jan. 23, 1974	--	.0	74	18	14	--	246	51	25	.4	2.7	--	431	258	10.53	.3	.0	--	7.7
708	KCEB	1,400	Oct. 20, 1965	--	.0	63	18	9	--	238	28	12	.4	5.0	--	373	233	7.80	.2	.0	492	7.6
708	KCEB	1,400	Oct. 4, 1967	--	.0	65	18	9	--	243	27	14	.4	5.0	--	381	238	7.65	.2	.0	519	7.5
708	KCEB	1,400	Nov. 28, 1973	--	.0	65	16	9	--	244	25	16	.3	5.3	--	380	230	7.90	.2	.0	--	7.6
708	KCEB	1,400	Jan. 29, 1974	--	.0	67	16	9	--	243	26	16	.3	5.3	--	382	235	7.75	.2	.0	--	7.6
708	KCEB	1,400	Mar. 13, 1975	--	.0	66	17	9	--	244	24	16	.4	5.3	--	381	233	7.70	.2	.0	--	7.7
708	KCEB	1,400	Apr. 15, 1975	--	.0	69	16	9	--	242	27	16	.4	5.7	--	385	237	7.60	.2	.0	--	7.9
708	KCEB	1,400	May 7, 1976	--	.0	68	16	9	--	245	25	16	.3	5.6	--	385	237	7.67	.2	.0	--	7.8
709	KCEB	1,361	Mar. 3, 1966	--	.8	65	18	9	--	237	36	22	.3	.4	--	388	237	7.65	.2	.0	519	7.8
709	KCEB	1,361	Aug. 19, 1968	--	.0	69	15	8	--	243	29	15	.3	3.5	--	383	234	6.92	.2	.0	507	7.5
709	KCEB	1,361	Mar. 3, 1970	--	.0	66	17	9	--	243	28	16	.4	2.5	--	382	237	7.70	.2	.0	--	7.6
709	KCEB	1,361	Nov. 28, 1973	--	.0	65	16	9	--	243	27	16	.4	5.1	--	381	231	7.90	.2	.0	--	7.6

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (micromhos at 25°C)	pH
68-37-709	KCEB	1,361	Jan. 23, 1974	--	0.0	67	16	9	--	244	26	17	0.4	5.3	--	384	233	7.75	0.2	0.0	--	7.5
710	KCEB	1,510	Nov. 2, 1965	--	.0	65	17	9	--	239	25	15	.3	3.0	--	373	232	7.77	.2	.0	480	7.6
710	KCEB	1,510	Feb. 4, 1971	--	--	69	15	9	--	243	26	15	.3	4.5	--	382	235	7.72	.2	.0	--	7.5
710	KCEB	1,510	Feb. 18, 1972	--	.0	65	18	9	--	242	27	17	.2	4.5	--	383	237	7.65	.2	.0	--	7.5
710	KCEB	1,510	Nov. 28, 1973	--	.0	65	16	9	--	243	26	16	.4	5.3	--	380	230	7.90	.2	.0	--	7.6
710	KCEB	1,510	Jan. 23, 1974	--	.0	66	16	9	--	244	26	16	.4	5.5	--	383	232	7.82	.2	.0	--	7.8
711	KCEB	1,500	May 17, 1974	--	.1	63	17	11	--	217	33	23	.4	4.5	--	369	229	9.59	.3	.0	--	7.8
711	KCEB	1,500	Oct. 21, 1974	--	.2	74	22	18	--	243	62	34	.5	3.7	--	458	274	12.45	.4	.0	--	7.9
38-104	KCEB	998	Mar. 24, 1975	--	.0	66	17	10	--	240	25	17	.6	5.9	--	382	234	8.48	.2	.0	--	7.7
107	KCEB	773	Aug. 7, 1970	--	.1	63	17	13	--	234	37	21	.3	3.5	--	389	228	11.07	.3	.0	--	7.8
107	KCEB	773	Mar. 29, 1971	12	--	52	14	35	--	240	33	20	.3	4.6	--	288	190	28.89	1.1	.1	496	7.4
108	KCEB	1,023	Mar. 24, 1975	--	.0	67	18	11	--	238	32	19	.8	4.2	--	390	242	9.02	.3	.0	--	7.9
110	KCEB	1,042	Aug. 15, 1973	--	.2	106	31	17	--	277	63	88	1.5	2.5	--	590	391	8.62	.3	.0	--	7.7
42-902	KCEB	2,326	Sept. 10, 1970	--	.0	54	20	7	--	206	27	19	1.0	.4	--	340	218	6.55	.2	.0	--	8.5
43-104	KCEB	915	Sept. 21, 1973	--	.4	68	14	8	--	248	15	15	.3	8.0	--	376	229	7.11	.2	.0	--	7.7
105	KCEB	932	May 17, 1971	--	.0	67	15	7	--	249	15	14	.1	6.0	--	373	228	6.23	.2	.0	--	7.7
105	KCEB	932	Apr. 4, 1972	--	--	66	15	7	--	249	15	15	.1	8.0	--	375	226	6.30	.2	.0	--	7.6
508	KCEB	1,750	Feb. 26, 1975	--	.4	17	13	10	--	102	16	15	.1	.7	--	174	99	18.49	.4	.0	--	7.3
703	KCEB	2,030	Oct. 29, 1968	17	--	195	54	101	6.4	214	458	208	1.7	.5	0.4	1,147	708	23.45	1.6	.0	1,760	7.0
811	KCEB	2,298	Sept. 10, 1971	--	.1	75	24	11	--	203	97	24	2.1	1.0	--	438	288	7.72	.2	.0	--	8.4
811	KCEB	2,298	Feb. 6, 1976	--	.5	91	27	11	--	246	118	18	2.6	.4	--	510	338	6.60	.2	.0	--	8.1
44-101	KCEB	1,570	July 9, 1973	--	.0	66	18	20	--	248	32	28	.4	7.0	--	419	239	15.41	.5	.0	--	7.7
102	KCEB	--	Feb. 25, 1966	--	.0	63	17	7	--	239	22	13	1.2	5.0	--	367	230	6.28	.2	.0	495	7.8
102	KCEB	--	Nov. 15, 1968	--	.0	62	20	6	--	245	25	12	1.2	2.0	--	373	237	5.22	.1	.0	--	7.6
102	KCEB	--	Jan. 7, 1970	--	.0	63	19	7	--	248	24	12	1.2	3.0	--	377	236	6.07	.1	.0	--	7.7
102	KCEB	--	Jan. 8, 1971	--	.0	63	19	7	--	248	23	12	1.4	3.5	--	377	235	6.07	.1	.0	--	7.6
102	KCEB	--	Apr. 5, 1972	--	.2	61	19	7	--	248	24	13	1.1	3.0	--	376	232	6.20	.2	.0	--	7.6
102	KCEB	--	Oct. 8, 1973	--	.2	63	19	7	--	249	23	13	1.1	3.9	--	379	233	6.07	.1	.0	--	7.7
102	KCEB	--	Nov. 7, 1974	--	.0	64	19	7	--	250	24	16	1.2	3.9	--	385	239	6.01	.1	.0	--	8.0
102	KCEB	--	May 13, 1976	--	.2	66	18	7	--	250	22	14	1.1	4.0	--	382	238	5.99	.1	.0	--	7.8
103	KCEB	1,550	Feb. 25, 1966	--	.0	63	15	6	--	237	16	13	.4	4.0	--	354	221	5.62	.1	.0	460	7.7
103	KCEB	1,550	Nov. 19, 1968	--	.1	69	12	6	--	240	17	12	.4	3.5	--	360	223	5.56	.1	.0	--	7.4
103	KCEB	1,550	Jan. 5, 1970	--	.0	62	17	8	--	243	16	14	.4	5.0	--	365	225	7.19	.2	.0	--	7.7
103	KCEB	1,550	Feb. 14, 1975	--	.0	62	16	7	--	243	16	14	.4	5.4	--	363	220	6.45	.2	.0	--	7.7

See Footnotes at end of table.

Table 4.--Chemical Analyses of Water From Selected Wells in Bexar County--Continued

Well	Aquifer unit	Depth of well	Date of collection	Silica (SiO ₂)	Iron (Fe)	Calcium (ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Boron (B)	Dissolved solids *	Hardness as CaCO ₃	Percent sodium	Sodium adsorption ratio (SAR)	Residual sodium carbonate (RSC)	Specific conductance (microhms at 25°C)	pH
68-44-103	KCEB	1,550	Oct. 15, 1975	--	0.1	64	15	7	--	243	16	13	0.4	4.9	--	363	222	6.43	0.2	0.0	--	7.9
103	KCEB	1,550	June 6, 1976	--	--	63	17	7	--	242	16	14	.3	5.2	--	364	226	6.28	.2	.0	--	7.8
107	KCEB	1,820	Mar. 24, 1975	--	.0	66	14	7	--	243	12	14	.3	7.0	--	363	225	6.41	.2	.0	--	7.8
108	KCEB	1,387	Jan. 6, 1961	--	.1	68	14	14	--	251	19	19	.1	5.4	--	304	228	11.81	.4	.0	507	7.6
109	KCEB	1,228	May 23, 1975	--	.3	70	14	9	--	249	26	16	.3	1.7	--	380	231	7.77	.2	.0	--	8.0
202	KCEB	1,434	Jan. 23, 1975	--	.0	58	16	9	--	224	23	16	.3	5.4	--	351	213	8.50	.2	.0	--	8.0
204	KCEB	1,400	Apr. 25, 1961	--	.1	62	20	10	--	242	27	16	.2	4.5	--	292	240	8.40	.2	.0	487	7.5
204	KCEB	1,400	Jan. 23, 1975	--	.0	59	16	9	--	224	23	17	.4	5.2	--	353	213	8.41	.2	.0	--	7.9
205	KCEB	1,420	Apr. 25, 1961	--	.1	64	19	11	--	242	27	17	.3	4.3	--	292	240	9.14	.3	.0	487	7.6
205	KCEB	1,420	Aug. 29, 1962	--	.1	64	17	10	--	235	26	24	.3	3.1	--	379	231	8.65	.2	.0	487	7.3
206	KCEB	1,420	May 9, 1973	--	.0	64	17	9	--	243	24	15	.3	2.3	--	374	231	7.85	.2	.0	--	7.7
206	KCEB	1,530	Apr. 25, 1961	--	.0	64	20	11	--	242	30	18	.4	3.4	--	300	245	8.99	.3	.0	500	7.5
206	KCEB	1,530	Aug. 29, 1962	--	.1	62	17	9	--	238	25	16	.2	3.1	--	370	227	8.01	.2	.0	463	7.6
210	KCEB	1,672	June 17, 1969	14	--	150	53	105	--	246	356	172	2.0	.0	--	972	592	27.83	1.8	.0	1,480	7.2
218	KCEB	1,326	Apr. 25, 1961	--	.4	64	22	10	--	243	22	15	.2	4.0	--	288	250	7.99	.2	.0	480	7.3
218	KCEB	1,326	Aug. 29, 1962	--	.0	62	17	9	--	237	24	10	.3	4.2	--	363	226	8.01	.2	.0	457	7.6
219	KCEB	1,328	do	--	.0	61	17	9	--	238	23	15	.2	2.9	--	366	224	8.09	.2	.0	456	7.7
301	KCEB	1,373	Jan. 27, 1964	--	.0	67	17	14	--	243	37	21	.5	1.0	--	401	237	11.38	.3	.0	564	7.6
304	KCEB	1,500	Apr. 25, 1961	--	.0	66	20	11	--	238	31	18	.3	3.8	--	299	250	8.83	.3	.0	498	7.7
304	KCEB	1,500	Aug. 29, 1962	--	.1	63	18	11	--	239	34	19	.3	2.2	--	386	233	9.37	.3	.0	504	7.8
305	KCEB	1,644	Apr. 25, 1961	--	.1	66	19	10	--	243	28	17	.2	2.7	--	293	245	8.22	.2	.0	489	7.5
305	KCEB	1,644	Aug. 29, 1962	--	.0	63	18	11	--	239	32	18	.3	2.9	--	384	233	9.37	.3	.0	480	7.6
306	KCEB	1,577	Sept. 12, 1972	--	.0	66	18	8	--	242	27	17	.4	4.5	--	383	237	6.79	.2	.0	--	7.7
307	KCEB	1,423	Apr. 25, 1961	--	.1	66	19	11	--	243	34	16	.4	3.4	--	303	245	8.97	.3	.0	505	7.5
307	KCEB	1,423	Aug. 29, 1962	--	.0	63	18	11	--	239	35	16	.2	2.7	--	385	232	9.37	.3	.0	480	7.7
307	KCEB	1,423	Jan. 23, 1975	--	.0	64	17	10	--	234	33	20	.5	3.9	--	383	229	8.65	.2	.0	--	8.1
308	KCEB	1,340	June 17, 1975	--	.0	73	14	26	--	244	38	36	.3	2.2	--	310	240	19.08	.7	.0	--	7.4
45-102	KCEB	2,103	July 17, 1970	22	--	460	213	596	37.0	103	1,440	1,050	5.0	--	--	3,873	--	38.49	5.7	.0	5,060	6.8
301	KCEB	2,179	Sept. 6, 1956	--	.2	664	223	456	--	271	1,900	950	2.8	.4	--	3,448	2,590	27.81	3.9	.0	--	7.1
302	KCEB	1,715	Aug. 15, 1972	25	--	680	210	460	29.0	294	2,000	990	3.1	.4	--	4,542	2,600	27.80	3.9	.0	5,840	6.7
50-304	KCEB	2,165	July 14, 1969	17	--	114	40	43	--	230	238	68	3.4	.4	--	636	449	17.24	.8	.0	983	7.1

*The bicarbonate reported in this analysis is converted by computation (multiplying by 0.4917) to an equivalent amount of carbonate, and the carbonate figure is used in the computation of this sum.

2609