

00007
R 299
No. 208

TEXAS
WATER
DEVELOPMENT
BOARD

Government Documents
AUG 19 1976
Dallas Public Library



Report 208

*CHEMICAL AND PHYSICAL
CHARACTERISTICS OF WATER
IN ESTUARIES OF TEXAS
OCTOBER 1971-SEPTEMBER 1973*

June 1976

7609206

TEXAS WATER DEVELOPMENT BOARD

REPORT 208

CHEMICAL AND PHYSICAL CHARACTERISTICS
OF WATER IN ESTUARIES OF TEXAS
OCTOBER 1971-SEPTEMBER 1973

By

Karl W. Ratzlaff
United States Geological Survey

This report was prepared by the U.S. Geological Survey
under cooperative agreement with the
Texas Water Development Board

June 1976

TEXAS WATER DEVELOPMENT BOARD

A. L. Black, Chairman
Milton Potts
John H. Garrett

Robert B. Gilmore, Vice Chairman
George W. McCleskey
Glen E. Roney

James M. Rose, Executive Director

Authorization for use or reproduction of any original material contained in this publication, i.e., not obtained from other sources, is freely granted. The Board would appreciate acknowledgement.

Published and distributed
by the
Texas Water Development Board
Post Office Box 13087
Austin, Texas 78711

TABLE OF CONTENTS

	Page
INTRODUCTION	1
Purpose and Scope of the Investigation	1
Status of the Project	1
Previous and Related Reports	3
Change in the Numbering System	3
International System of Units	3
Acknowledgements	3
DATA-COLLECTION METHODS	3
Field Instruments	4
Treatment of Samples	4
QUALITY OF WATER IN THE ESTUARIES	5
Sabine-Neches Estuary	5
Brazos Estuary	21
East Matagorda Estuary	31
Colorado Estuary	41
Lavaca-Tres Palacios Estuary	51
Guadalupe Estuary	123
Mission-Aransas Estuary	205
Nueces Estuary	247
Laguna Madre Estuary	303
SELECTED HYDROLOGIC RECORDS	329
Climatological Records	329
Streamflow and Water-Quality Records	330

TABLE OF CONTENTS (Cont'd.)

	Page
REFERENCES CITED	348
TABLES	
1. Quality of Water in the Sabine-Neches Estuary, Water Years 1972 and 1973	
A. Field Determinations	7
B. Nutrient and Other Environmental Characteristics	12
C. Chemical Analyses	14
D. Selected Ions Analyses	16
2. Quality of Water in the Brazos Estuary, Water Years 1972 and 1973	
A. Field Determinations	23
B. Nutrient and Other Environmental Characteristics	27
C. Chemical Analyses	28
D. Selected Ions Analyses	29
3. Quality of Water in the East Matagorda Estuary, Water Years 1972 and 1973	
A. Field Determinations	33
B. Nutrient and Other Environmental Characteristics	35
C. Chemical Analyses	36
D. Selected Ions Analyses	37
E. Insecticide and Herbicide Analyses	39
4. Quality of Water in the Colorado Estuary, Water Years 1972 and 1973	
A. Field Determinations	43
B. Nutrient and Other Environmental Characteristics	46
C. Chemical Analyses	47
D. Selected Ions Analyses	48
E. Insecticide and Herbicide Analyses	50
5. Quality of Water in the Lavaca-Tres Palacios Estuary, Water Years 1972 and 1973	
A. Field Determinations	53

TABLE OF CONTENTS (Cont'd.)

	Page
B. Nutrient and Other Environmental Characteristics	92
C. Chemical Analyses	103
D. Selected Ions Analyses	114
E. Insecticide and Herbicide Analyses	119
6. Quality of Water in the Guadalupe Estuary, Water Years 1972 and 1973	
A. Field Determinations	125
B. Nutrient and Other Environmental Characteristics	175
C. Chemical Analyses	186
D. Selected Ions Analyses	196
E. Insecticide and Herbicide Analyses	201
7. Quality of Water in the Mission-Aransas Estuary, Water Years 1972 and 1973	
A. Field Determinations	207
B. Nutrient and Other Environmental Characteristics	226
C. Chemical Analyses	233
D. Selected Ions Analyses	240
E. Insecticide and Herbicide Analyses	243
8. Quality of Water in the Nueces Estuary, Water Years 1972 and 1973	
A. Field Determinations	248
B. Nutrient and Other Environmental Characteristics	279
C. Chemical Analyses	288
D. Selected Ions Analyses	297
E. Insecticide and Herbicide Analyses	300
9. Quality of Water in the Laguna Madre Estuary, Water Years 1972 and 1973	
A. Field Determinations	305
B. Nutrient and Other Environmental Characteristics	315
C. Chemical Analyses	318

TABLE OF CONTENTS (Cont'd.)

	Page
D. Selected Ions Analyses	321
E. Insecticide and Herbicide Analyses	324
10. Water-Quality Records for Selected Tributaries, Water Years 1972 and 1973	
A. Nutrient and Other Environmental Characteristics	333
B. Chemical Analyses	339
C. Analyses for Selected Ions	341
D. Insecticide and Herbicide Analyses	345
E. Bacteriological Analyses	347

FIGURES

1. Map Showing Locations of the Estuaries	2
2. Map Showing Data-Collection Sites in the Sabine-Neches Estuary	6
3. Map Showing Data-Collection Sites in the Brazos Estuary	22
4. Map Showing Data-Collection Sites in the East Matagorda Estuary	31
5. Map Showing Data-Collection Sites in the Colorado Estuary	42
6. Map Showing Data-Collection Sites in the Lavaca-Tres Palacios Estuary	51
7. Map Showing Data-Collection Sites in the Guadalupe Estuary	123
8. Map Showing Data-Collection Sites in the Mission-Aransas Estuary	205
9. Map Showing Data-Collection Sites in the Nueces Estuary	247
10. Map Showing Data-Collection Sites in the Laguna Madre Estuary	304
11. Map Showing Locations of Selected Climatological Stations	329
12. Map Showing Locations of Streamflow-Measuring Sites and Daily Water-Quality Data-Collection Sites	330
13. Map Showing Locations of Selected Water-Quality and Streamflow Data-Collection Sites	332

**CHEMICAL AND PHYSICAL CHARACTERISTICS
OF WATER IN ESTUARIES OF TEXAS
OCTOBER 1971-SEPTEMBER 1973**

By

**Karl W. Ratzlaff
United States Geological Survey**

INTRODUCTION

Purpose and Scope of the Investigation

Plans for development and utilization of water resources in Texas include provisions for the use and preservation of water in the estuaries of the State. These provisions require knowledge of the hydrodynamics and of the continuing changes in chemical and physical characteristics of water in the estuaries.

In September 1967, the U.S. Geological Survey and the Texas Water Development Board began a cooperative water-resources investigation of the principal estuaries along the Texas coast (Figure 1) except Galveston Bay, which is being studied by other agencies, and the Rio Grande estuary, which is under the jurisdiction of the International Boundary and Water Commission, United States and Mexico.

The objectives of the investigation are to define: (1) The occurrence, source, and distribution of nutrients; (2) the physical, organic, and inorganic water-quality constituents and their areal distribution and time variations; (3) the chemical and physical characteristics of Gulf water that enters the estuaries; (4) the occurrence, quality, quantity, and dispersion of drainage entering the estuarine systems; and (5) the current patterns, directions, and rates of water movement.

The coastal waters of Texas are not classical estuaries, but are similar to them in ecosystems and mixing phenomena. A description of various types of estuaries is presented in "Estuaries," edited by

George H. Lauff (1967, p. 3-11). The term estuary, as used in this report, refers to concomitant water bodies in which streamflow mixes with seawater.

Status of the Project

The first three objectives of the project are being met by a three phased water-quality data-collection program of: (1) Reconnaissance for establishment of an optimum data-collection network; (2) repetitive surveys throughout this network to determine the general chemical and physical characteristics of the estuarine systems; and (3) continued data collection at a reduced number of sites or at a reduced frequency to maintain definition of the chemical and physical characteristics of each estuarine system and of the relationship between systems. The first two phases have been completed and the third phase began in September 1973.

The fourth objective of the project is being met by data collection at six continuous streamflow-measuring stations and 11 stations at which monthly data on streamflow and water quality are obtained. Changes in locations and numbers of these stations will be based upon the results of a current study of coastal rainfall-runoff relationships. The dispersion of water entering an estuary is being documented under data-collection activities to meet the first three objectives.

The fifth objective of the project is being met by short-duration, intensive studies of inflow. Two such studies will be completed for each estuary. The studies on the Guadalupe estuary were completed in November 1970 and August 1973; the studies on the Lavaca-Tres




Figure 1
Locations of the Estuaries

Base from Official State Highway Map of Texas, 1971

Palacios estuary were completed in March 1971 and October 1972. One study on the Mission-Aransas and Nueces estuaries was completed in November 1971. These studies are providing data on inflow and exchange of water through the passes.

Previous and Related Reports

This report, fifth in an annual series of basic-data reports (Hahl and Ratzlaff, 1970, 1972, 1973, 1975), presents data collected during water years 1972 and 1973 and includes analyses for selected ions in water from the Guadalupe estuary for water year 1971, which have not been previously published. A report by Grozier and others (1968, p. 47-61) includes data collected during flooding caused by Hurricane Beulah. Interpretive reports will be prepared after sufficient data become available to establish the characteristics of an estuary.

Change in the Numbering System

Chemical and physical data for estuarine waters of Texas collected by the U.S. Geological Survey and by other agencies are being stored in the Texas Water Oriented Data Bank by estuarine name, sample line and site number, and depths at which data were collected. To make the Geological Survey data compatible to storage in the data bank, the original data-collection line-numbering system used before October 1970 needed adjustment. Lists of old and new line numbers appear under the appropriate estuary in the section "Quality of Water in the Estuaries." Most site numbers were not changed; the few that were are given on the list of new numbers.

The original data-collection line-numbering system was not suitable for use in offshore and marsh lands; therefore, under the new system, data-collection lines numbered 600 to 699 are reserved for marsh lands and lines numbered 900 to 999 are reserved for offshore areas.

Each opening along the coast was assigned a "site" number. These site numbers are as follows:

LOCATION	SITE NO.	LOCATION	SITE NO.
Sabine Pass	1	Colorado River	45
Freeport Harbor entrance	30	Greens Bayou	47
Brazos River	31	Matagorda Bay entrance channel	49
Brown Cedar Cut	40	Pass Cavallo	50

LOCATION	SITE NO.	LOCATION	SITE NO.
Cedar Bayou	65	Corpus Christi Pass	80
North Pass	69	Yarborough Pass	85
Aransas Pass	70	Port Mansfield entrance channel	90
Fish Pass	74	Brazos Santiago Pass	95

International System of Units

Metric equivalents of English units of measurement are given in parentheses in the text. The English units used in this report may be converted to metric units by the following conversion factors:

FROM UNIT	ABBREVIATION	MULTIPLY BY	TO OBTAIN UNIT	ABBREVIATION
inch	-	2.54	centimeter	-
foot	-	.3048	meter	-
mile	-	1.609	kilometer	-
square mile	-	2.590	square kilometer	-
cubic foot per second	ft ³ /s	.02832	cubic meter per second	m ³ /s

Acknowledgements

The U.S. Army Corps of Engineers at Galveston, the Texas Parks and Wildlife Department, and the Texas Water Development Board provided data and field assistance. Many private citizens and commercial fishermen furnished information on historical changes and existing conditions in the bays.

DATA-COLLECTION METHODS

Approximately 400 data-collection sites were visited yearly during water years 1972 and 1973. About 55 percent of these sites are located adjacent to or between navigation aids, bridge piers, power poles, survey platforms, well structures, or other landmarks and can be reoccupied exactly. About 17 percent of the sites are close to shore features or reefs and are located by onboard radar or by compass heading and distance from the feature and water depth at the site; these sites can be reoccupied within 100 feet (30 meters). About 28 percent of the sites are remote to any reference. They are reached by traveling from a known landmark at a known speed on a predetermined compass course.

Verification of site location is made by checking the alignment of one or more sets of distant landmarks by visual observation or by onboard radar. These sites can be reoccupied within 0.25 mile (0.4 kilometer).

At each data-collection site, field data are collected from several points along a vertical. Samples for laboratory analyses are collected from a predetermined number of data-collection sites and at other sites in the network when significant changes in field data indicate a need for additional samples. Properties or constituents measured in the field are dissolved oxygen, specific conductance, temperature, pH, transparency by Secchi disk, and turbidity. Laboratory analyses include the principal inorganic ions, biochemical oxygen demand (BOD), chemical oxygen demand (COD), coliform and streptococci bacteria, insecticides and herbicides, ammonium, nitrite, nitrate, ortho and total phosphate, and several other selected ions such as aluminum, arsenic, cadmium, chromium, cobalt, copper, iron, lead, lithium, manganese, mercury, nickel, strontium, and zinc.

Field Instruments

The field instruments used in this investigation are as follows, but mention herein of the manufacturers and their instruments does not constitute an endorsement. The information is for identification only.

PARAMETER MEASURED	INSTRUMENT	MODEL	MANUFACTURER
pH	Specific ion meter	401	Orion Research
pH	pH meter	175	Instrumentation Laboratory
Dissolved oxygen	Oxygen meter	54	Yellow Springs Instruments
Specific conductance	Solubridge	RB-3	Industrial Instruments
Temperature	Research thermometer	ET-100 Marine	Allied Research
Turbidity	Colorimeter	DR	Hach Chemical

The instruments used for pH measurements were calibrated daily by using three standards: pH 4.0, 7.0,

and 10.0. The dissolved-oxygen meter was calibrated at least daily by using the oxygen-saturation data compiled by the American Public Health Association and others (1966, p. 409). The conductivity meter was calibrated monthly by using at least two standards in each of the three conductivity ranges on the instrument. The electrical thermometer was calibrated weekly. The colorimeter was calibrated at each site.

Probes of the instruments are set in a manifold through which water to be sampled is drawn. Several tests were conducted to determine the effect of streaming potential on electrodes by monitoring instrument output. Dissolved-oxygen readings of water passing through the manifold deviated from the in situ readings by less than 0.1 mg/l (milligrams per liter), and pH readings differed by less than 0.05 pH units.

Treatment of Samples

All water samples except those for insecticide and herbicide analyses were collected in plastic throwaway bottles. The BOD, COD, and nutrient samples were chilled to about 1°C, stored in a refrigerator or ice chest, and shipped to the laboratory as soon as possible. All other samples were stored at ambient temperature.

Water samples for heavy metals and selected trace constituents (except boron, bromide, fluoride, and iodide) were filtered through 0.45-micrometer membrane filters and collected in bottles prewashed with 10 percent nitric acid. Two milliliters of concentrated nitric acid were added to each liter of filtrate.

Water and bottom-sediment samples to be analyzed for herbicides and insecticides were collected in specially treated glass bottles and shipped to the laboratory as soon as possible. Most herbicide and some insecticide samples were depth-integrated water samples; however, most insecticide and some herbicide samples were taken from bottom sediments. Most sediment samples were collected by coring with a 2-inch (5-centimeter) inside-diameter lucite tube and selectively removing 100 grams of material from the center of the core.

QUALITY OF WATER IN THE ESTUARIES

Sabine-Neches Estuary

The Sabine-Neches estuary covers an area of about 100 square miles (260 square kilometers) and consists of the tidal parts of the Sabine and Neches Rivers and other tributaries, Sabine Lake, the Sabine-Neches Canal, the Port Arthur Canal, parts of the Intracoastal Waterway, and Sabine Pass (Figure 2). Water depth at mlw (mean low water) is greater than 40 feet (12.2 meters) in dredged parts of the rivers, canals, and pass; about 15 feet (4.6 meters) in the Intracoastal Waterway; and generally 10 feet (3.0 meters) in Sabine Lake.

Water-quality data (Table 1) were collected during September 1972 and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 1 and on Figure 2.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Sabine-Neches Estuary Change in Line Numbers			
OLD	NEW	OLD	NEW
1	15	19	190
1a	17	19a	201
2	24	19b	203
3	33	20	205
3a	35	21	214
4	40	22	221
5	55	23	234
6	65	24	244
6a	69	25	254
7	70	26	264
7a	75	27	274
8a	82	28	284
8b	83	29	293
8c	84	30	300
8	87	31	308
9	97	Johnson Bayou	313
10	107	32	323
11	115	33	331
12	125	34	339
13	134	35	353
14	147	35a	361
15	155	36	369
16	161	37	377
17	170	38	382
18	180		
		Gulf of Mexico 39-site 2	903-site 1




TABLE 1A--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK 1CM)
LINE 15										
SEP 11, 72	1350	2	.3	210	28.8	6.9	7.1	91	--	52
			4.6	220	28.9	7.0	7.2	92	--	--
			7.6	290	28.9	7.0	7.2	92	--	--
MAY 07, 73	1500	2	.3	140	20.1	6.1	8.0	87	--	--
			3.0	140	20.1	6.1	8.0	87	--	--
			6.1	140	19.9	6.1	8.0	87	--	--
			9.1	170	19.9	6.0	8.0	87	--	--
			12.2	160	19.9	6.0	8.2	89	--	--
LINE 33										
SEP 11, 72	1445	2	.3	1000	29.1	7.2	7.2	92	--	53
			4.6	2100	29.1	7.2	6.7	87	--	--
			5.2	2300	29.0	7.2	6.9	83	--	--
			6.1	21000	30.1	7.3	.4	6	--	--
			9.1	25000	29.8	7.4	.0	0	--	--
			12.2	25000	29.9	7.4	.0	0	--	--
MAY 07, 73	1558	2	.3	140	20.3	6.1	7.6	83	--	--
			3.0	140	20.3	6.1	7.7	84	--	--
			6.1	140	20.3	6.1	7.6	83	--	--
			9.1	140	20.3	6.1	7.6	83	--	--
			11.3	160	20.3	6.1	7.7	84	--	--
LINE 55										
SEP 11, 72	1515	2	.3	2400	29.5	7.3	8.3	109	--	76
			3.0	7900	29.7	7.2	5.9	79	--	--
			4.6	17000	30.3	7.2	2.1	29	--	--
			6.1	22000	30.7	7.3	.2	3	--	--
			10.1	23000	30.4	7.3	.2	3	--	--
MAY 07, 73	1616	2	.3	140	20.6	6.2	7.7	85	--	--
			1.5	150	20.5	6.2	7.6	84	--	--
			3.0	120	20.4	6.2	7.4	81	--	--
			4.6	150	20.4	6.2	7.4	81	--	--
			6.1	150	20.4	6.2	7.3	80	--	--
			7.3	140	20.3	6.2	7.4	80	--	--
LINE 87										
SEP 11, 72	1540	2	.3	7200	30.0	7.4	7.1	96	--	83
			3.0	13000	30.2	7.3	5.3	73	--	--
			4.6	23000	30.5	7.5	2.8	40	--	--
			8.5	27000	30.3	7.5	1.8	26	--	--
MAY 07, 73	1645	2	.3	190	20.6	6.3	7.5	82	--	--
			1.5	190	20.8	6.3	7.5	83	--	--
			3.0	190	20.8	6.3	7.6	84	--	--
			4.6	220	20.6	6.2	7.5	82	--	--
			6.1	220	20.7	6.2	7.4	81	--	--
			9.1	240	20.6	6.2	7.6	84	--	--
			17.3	240	20.5	6.3	8.2	90	--	--
LINE 107										
SEP 11, 72	1445	2	.3	480	30.5	7.1	7.1	93	--	33
			1.5	1000	30.2	7.0	4.7	62	--	--
			3.0	3300	30.2	6.7	1.7	23	--	--
			4.6	16000	30.1	6.9	.3	4	--	--

TABLE 1A--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 107 CONTINUED										
SEP 11, 72	1445	2	6.1 7.3	17000 16000	30.0 30.0	7.0 7.4	.3 .7	4 10	-- --	-- --
MAY 07, 73	1600	2	.3 7.9	140 120	21.5 21.4	5.7 5.4	7.1 6.6	80 74	-- --	24 --
LINE 147										
SEP 11, 72	1535	2	.3 1.5 3.0 6.1 9.1 12.2	9300 11000 16000 22000 25000 27000	30.8 30.4 30.3 30.5 30.4 30.3	7.4 7.2 7.2 7.2 7.6 8.2	7.0 4.6 1.4 .0 .0 .1	96 62 19 0 0 1	-- -- -- -- -- --	56 -- -- -- -- --
MAY 07, 73	1630	2	.3 6.1 13.7	130 130 130	21.5 21.4 21.3	5.9 5.8 5.7	6.5 6.5 6.6	73 73 74	70 70 60	33 -- --
LINE 180										
SEP 11, 72	1600	2	.3 1.5 3.0 6.1 9.1 12.2	17000 17000 17000 24000 27000 29000	30.9 30.8 30.8 30.6 30.5 30.4	7.2 7.2 7.2 7.5 7.9 8.2	3.8 3.4 2.2 .0 .0 .2	54 48 31 0 0 3	-- -- -- -- -- --	102 -- -- -- -- --
MAY 07, 73	1655	2	.3 6.1 13.7	170 170 180	21.8 21.6 21.4	5.8 5.7 5.6	6.5 6.5 6.6	74 73 74	70 70 70	34 -- --
LINE 214										
SEP 11, 72	1630	2	.3 1.5 3.0 6.1 9.1 12.2	22000 -- -- -- -- 29000	31.7 31.6 31.5 31.0 30.7 30.7	7.5 7.6 7.5 7.5 7.6 7.9	2.0 -- -- -- -- 1.2	29 -- -- -- -- 18	-- -- -- -- -- --	86 -- -- -- -- --
MAY 07, 73	1730	2	.3 6.1 13.7	210 210 200	21.8 21.7 21.7	6.5 6.4 6.1	6.5 6.6 7.1	74 74 80	75 80 70	-- -- --
LINE 244										
SEP 12, 72	1010	1	.3 1.8	17000 17000	28.6 28.6	7.5 7.5	5.0 5.1	68 70	-- --	48 --
MAY 08, 73	1124	1	.3 1.5 2.1	-- -- --	23.5 22.8 22.6	6.9 6.8 6.7	8.6 8.5 8.3	100 98 95	-- -- --	36 -- --
SEP 12, 72	0950	2	.3 1.8	17000 17000	28.4 28.4	7.5 7.5	5.4 5.7	73 77	-- --	-- --
MAY 08, 73	1140	2	.3 1.5 2.4	340 430 650	24.1 23.0 22.7	6.7 6.8 6.8	8.8 8.7 8.5	104 100 98	-- -- --	28 -- --
SEP 12, 72	0940	3	.3 1.8	17000 17000	28.4 28.3	7.5 7.5	5.9 6.1	80 82	-- --	71 --
MAY 08, 73	1150	3	.3	400	24.5	6.9	9.0	106	--	28

TABLE 1A--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK CM)
--------------------	------	------	----------------	-------------------------------------	----------------------	----	-------------------------	--------------------	-----------------	------------------------

LINE 244 CONTINUED

MAY 08, 73	1150	3	1.5 2.4	400 430	22.6 22.6	6.8 6.8	8.6 8.5	99 98	-- --	-- --
SEP 12, 72	0930	4	.3 2.1	15000 15000	28.3 28.3	7.7 7.9	5.8 5.8	77 77	-- --	74 --
MAY 08, 73	1200	4	.3 1.5 3.0	210 200 200	24.4 21.9 21.9	6.2 6.2 6.2	8.2 8.1 7.9	96 92 90	-- -- --	60 -- --
SEP 12, 72	0900	5	.3 1.2	11000 15000	27.9 27.6	7.7 8.1	7.0 5.7	91 75	-- --	46 --
MAY 08, 73	1220	5	.3 1.5	210 230	23.6 22.9	6.0 6.0	6.9 6.8	80 78	-- --	33 --

LINE 274

SEP 12, 72	1035	1	.3 1.8	17000 17000	29.1 29.1	8.5 8.5	6.1 6.1	84 84	-- --	119 --
MAY 08, 73	1031	1	.3 1.5	1100 1100	23.3 22.6	6.5 6.4	5.5 2.4	63 28	-- --	51 --
SEP 12, 72	1046	2	.3 2.4	17000 17000	29.3 29.3	8.0 8.0	5.5 5.3	75 73	-- --	114 --
MAY 08, 73	1044	2	.3 1.5 2.4	340 250 280	23.9 22.4 22.5	6.8 6.8 6.8	9.1 8.8 8.7	107 100 99	-- -- --	52 -- --
SEP 12, 72	1055	3	.3 2.1	15000 15000	29.2 29.1	7.9 7.9	6.0 6.2	81 84	-- --	71 --
MAY 08, 73	1054	3	.3 1.5 2.7	250 500 500	24.4 22.5 22.7	6.8 6.9 6.9	9.2 8.6 8.5	108 98 98	-- -- --	33 -- --
SEP 12, 72	1100	4	.3 2.1	15000 15000	29.3 29.2	7.9 7.9	5.8 5.8	78 78	-- --	66 --
MAY 08, 73	1104	4	.3 1.5 2.4	220 200 180	23.4 22.3 22.4	6.6 6.6 6.6	8.8 8.6 8.5	102 98 97	-- -- --	37 -- --

LINE 300

SEP 12, 72	1125	1	.3 2.4	25000 27000	29.3 29.1	8.2 8.2	5.4 5.4	77 77	-- --	91 --
SEP 12, 72	1156	1	.3 2.4	24000 24000	28.5 28.4	8.2 8.0	7.6 9.3	106 127	-- --	51 --
MAY 08, 73	1000	1	.3 1.8	460 600	22.8 22.8	7.2 7.2	9.2 9.3	106 107	-- --	30 --
SEP 12, 72	1130	2	.3 2.4	26000 26000	29.4 29.4	8.2 8.2	5.2 5.1	73 72	-- --	-- --
SEP 12, 72	1200	2	.3 3.0	26000 27000	28.6 28.6	8.1 8.0	8.3 8.1	117 116	-- --	81 --
MAY 08, 73	0945	2	.3 1.5 3.0	330 330 330	22.7 22.4 22.4	7.1 7.0 7.0	8.9 8.8 8.8	102 100 100	-- -- --	46 -- --
SEP 12, 72	1140	3	.3	20000	29.1	8.3	6.0	83	--	102

TABLE 1A--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 300 CONTINUED										
SEP 12, 72	1140	3	2.1	23000	29.2	8.3	6.0	83	--	--
SEP 12, 72	1210	3	.3 2.1	17000 18000	28.8 28.7	7.6 7.7	8.5 9.0	116 123	-- --	51 --
MAY 08, 73	0925	3	.3 1.5 2.4	420 540 540	22.7 22.4 22.5	7.0 6.9 6.9	9.4 9.1 10.1	108 103 115	-- -- --	36 -- --
LINE 323										
MAY 08, 73	1235	2	.3 3.0 4.6 6.1 9.1 13.7	220 210 220 210 210 210	24.0 22.4 22.5 22.3 22.2 22.2	6.0 6.0 6.0 6.0 6.0 6.0	7.0 6.6 6.7 6.7 6.8 6.9	82 75 76 76 77 78	-- -- -- -- -- --	33 -- -- -- -- --
LINE 339										
SEP 12, 72	1025	2	.3 3.0 12.2	28000 29000 33000	30.0 30.0 30.0	8.0 8.1 8.1	8.1 6.8 7.1	117 99 106	-- -- --	107 -- --
MAY 08, 73	1305	2	.3 1.5 3.0 4.6 6.1 9.1 11.3	250 230 220 250 250 250 230	24.5 22.8 22.5 22.4 22.3 22.2 22.3	6.1 6.1 6.1 6.1 6.1 6.0 6.1	7.3 7.1 7.0 7.0 7.0 7.1 7.5	86 82 80 80 80 81 85	-- -- -- -- -- -- --	20 -- -- -- -- -- --
LINE 353										
SEP 12, 72	1035	2	.3 1.5 3.0 4.6	24000 28000 28000 28000	30.5 30.0 30.5 30.0	7.3 7.8 7.9 7.9	2.0 4.7 5.7 6.5	29 68 84 94	-- -- -- --	48 -- -- --
MAY 08, 73	1321	2	.3 1.5 3.0 5.2	400 370 380 390	24.4 24.1 23.9 23.8	6.1 6.1 6.0 6.0	3.6 3.3 3.6 3.4	42 39 42 40	-- -- -- --	13 -- -- --
LINE 369										
SEP 12, 72	1100	2	.3 1.5 6.1 12.2	37000 37000 38000 38000	30.1 30.0 30.0 30.0	8.2 8.2 8.2 8.2	7.8 8.0 7.2 7.8	118 121 109 118	-- -- -- --	102 -- -- --
MAY 08, 73	1345	2	.3 1.5 3.0 4.6 6.1 9.1 13.7	280 280 300 300 330 330 330	25.9 22.7 22.5 22.4 22.4 22.3 22.1	6.2 6.1 6.1 6.1 6.1 6.1 6.2	7.4 6.6 6.7 6.5 6.5 6.5 6.6	90 76 76 74 74 74 75	-- -- -- -- -- -- --	20 -- -- -- -- -- --
LINE 377										
SEP 12, 72	1245	2	.3 1.5 3.0	33000 33000 34000	29.7 29.7 29.8	-- -- --	5.0 5.0 5.0	75 75 75	-- -- --	99 -- --

TABLE 1A--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	-----------------------------------

LINE 377 CONTINUED

SEP 12, 72	1245	2	6.1	34000	29.8	--	5.1	76	--	--
			9.1	34000	29.8	--	5.2	78	--	--
			12.2	35000	29.7	--	5.8	87	--	--
MAY 08, 73	1350	2	.3	410	24.2	7.2	7.2	85	85	28
			3.0	400	23.3	7.4	6.7	78	90	--
			4.6	1400	23.3	7.3	6.4	75	100	--
			6.1	4600	23.4	7.7	6.7	79	45	--
			7.6	16000	23.5	8.4	6.8	84	30	--
			9.1	26000	23.6	8.4	6.8	86	35	--
			13.7	29000	23.8	8.5	6.8	93	30	--

LINE 903

MAY 08, 73	1310	2	.3	18000	25.6	8.7	8.8	113	20	41
			1.5	18000	25.1	8.8	9.1	114	25	--
			3.0	20000	24.0	8.8	7.3	92	15	--
			6.1	32000	23.8	9.0	6.9	91	20	--
			10.7	34000	23.6	9.2	6.8	89	30	--

LINE 910

MAY 08, 73	1230	2	.3	24000	24.6	8.8	8.9	114	10	109
			1.5	30000	23.8	8.8	9.1	117	10	--
			3.0	36000	23.5	8.7	7.2	95	10	--
			6.1	40000	23.0	8.8	6.8	81	10	--
			9.1	42000	22.9	8.7	5.7	78	30	--

LINE 925

MAY 08, 73	1125	2	1.5	48000	22.5	8.6	6.4	88	0	300
			6.1	50000	22.7	8.6	6.3	89	0	--
			16.8	50000	22.7	8.7	6.7	94	0	--

TABLE 1B--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL	AMMONIA	TOTAL	DIS- SOLVED PHOS- PHORUS	TOTAL	BIO- CHEMICAL	CHEMICAL	TOTAL
				(SI02) (MG/L)	(N) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	PHOS- PHORUS (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	{BOD} (MG/L)	{COD} (MG/L)	{ORGANIC CARBON (MG/L)	
LINE 15													
SEP 11, 72	1350	2	.3	1.7	.0	.20	.02	.00	.06	1.0	14.0	27.0	
MAY 07, 73	1500	2	.3	4.5	.2	.10	.01	.00	.04	1.0	--	16.0	
LINE 87													
SEP 11, 72	1540	2	.3	2.6	.0	.20	.22	.02	.04	2.8	10.0	10.0	
			8.5	3.0	.0	.09	.47	.02	.06	1.6	23.0	14.0	
MAY 07, 73	1645	2	.3	4.8	.2	.08	.01	.00	.04	1.0	21.0	--	
			11.3	4.7	.2	.08	.01	.00	.05	1.1	28.0	43.0	
LINE 107													
SEP 11, 72	1445	2	.3	5.9	.0	.04	.03	.00	.02	.5	15.0	10.0	
MAY 07, 73	1600	2	.3	6.7	.2	.13	.01	.00	.24	1.4	36.0	--	
LINE 214													
SEP 11, 72	1630	2	.3	3.2	.0	.14	.44	.00	.02	2.7	22.0	--	
			12.2	2.5	.0	.10	.50	.00	.02	.7	16.0	--	
MAY 07, 73	1730	2	.3	6.4	.2	.21	.02	.00	.07	.9	38.0	18.0	
			13.7	6.4	.2	.19	.02	.00	.08	1.0	41.0	14.0	
LINE 244													
SEP 12, 72	0950	2	.3	4.3	.0	.06	.23	.00	.02	1.2	27.0	--	
			1.8	4.1	.0	.04	.20	.00	.02	1.1	--	--	
MAY 08, 73	1140	2	.3	3.8	.2	.03	.02	.00	.05	1.0	22.0	31.0	
			2.4	3.6	.2	.13	.02	.00	.04	.8	--	--	
SEP 12, 72	0900	5	.3	3.0	.0	.02	.28	.00	.04	1.4	25.0	--	
			1.2	2.8	.0	.05	.56	.00	.04	1.5	--	--	
MAY 08, 73	1220	5	.3	5.9	.3	.11	.02	.00	.06	1.6	38.0	20.0	
			1.5	6.0	.2	.15	.02	.00	.06	1.6	--	--	
LINE 300													
SEP 12, 72	1130	2	.3	2.5	.0	.07	.19	.00	.03	.9	16.0	10.0	
			2.4	2.5	.0	.02	.20	.00	.02	.9	--	10.0	
SEP 12, 72	1200	2	.3	2.9	.0	.00	.20	.00	.03	.9	21.0	--	
			3.0	2.7	.0	.08	.16	.04	.05	.7	33.0	--	
MAY 08, 73	0945	2	.3	4.7	.3	.14	.02	.00	.05	.9	20.0	13.0	
			3.0	5.3	.3	.10	.02	.00	.05	.9	--	--	
LINE 369													
SEP 12, 72	1100	2	.3	1.0	.0	.04	.05	.02	.03	.8	18.0	--	
			12.2	1.0	.0	.12	.03	.00	.02	1.2	13.0	--	
MAY 08, 73	1345	2	.3	5.9	.3	.15	.02	.00	.08	2.7	29.0	--	
			13.7	6.3	.3	.22	.02	.00	.13	2.2	36.0	--	
LINE 377													
MAY 08, 73	1350	2	.3	5.0	.3	.05	.02	.00	.07	1.2	30.0	14.0	

TABLE 1B--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
--------------------------	------	------	-------------------	---	-----------------------------------	--------------------------------------	-----------------------------------	---	---	---	---	--------------------------------------

LINE 377 CONTINUED

MAY 08, 73	1350	2	13.7	1.0	.2	.08	.01	.00	.04	.6	--	--
------------	------	---	------	-----	----	-----	-----	-----	-----	----	----	----

LINE 903

MAY 08, 73	1310	2	.3 10.7	2.7 1.0	.4 .3	.04 .07	.01 .01	.00 .00	.05 .02	1.3 .7	-- --	-- --
------------	------	---	------------	------------	----------	------------	------------	------------	------------	-----------	----------	----------

LINE 910

MAY 08, 73	1230	2	1.5 9.1	.8 .8	.2 .0	.03 .05	.01 .01	.00 .00	.02 .03	1.5 .7	39.0 --	11.0 --
------------	------	---	------------	----------	----------	------------	------------	------------	------------	-----------	------------	------------

LINE 925

MAY 08, 73	1125	2	1.5 16.8	.2 5.0	.0 .0	.03 .03	.01 .00	.00 .00	.01 .00	.9 1.0	10.0 --	-- --
------------	------	---	-------------	-----------	----------	------------	------------	------------	------------	-----------	------------	----------

TABLE IC--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIAL		DIS-SOLVED	DIS-SOLVED	DIS-SOLVED	DIS-SOLVED	DIS-SOLVED	DIS-SOLVED	DIS-SOLVED
				CONDUCTANCE (MICRO-MHOS)	RESISTANCE (OHMS)							
				LAB	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
LINE 15												
SEP 11, 72	1350	2	.3	223	12.0	2.9	33	45	20	40	132	
MAY 07, 73	1500	2	.3	142	7.5	2.3	16	26	12	20	76	
LINE 87												
SEP 11, 72	1540	2	.3	7210	--	--	--	--	--	--	--	--
			8.5	27200	220.0	700.0	5200	88	1200	9500	16900	
MAY 07, 73	1645	2	.3	193	--	--	--	--	--	--	--	--
			11.3	235	--	--	--	--	--	--	--	--
LINE 107												
SEP 11, 72	1445	2	.3	480	12.0	8.0	64	38	26	100	237	
MAY 07, 73	1600	2	.3	144	5.0	3.5	13	22	13	16	69	
LINE 214												
SEP 11, 72	1630	2	.3	22400	--	--	--	--	--	--	--	--
			12.2	28600	--	--	--	--	--	--	--	--
MAY 07, 73	1730	2	.3	209	--	--	--	--	--	--	--	--
			13.7	203	--	--	--	--	--	--	--	--
LINE 244												
SEP 12, 72	0950	2	.3	16900	--	--	--	--	--	--	--	--
			1.8	17200	--	--	--	--	--	--	--	--
MAY 08, 73	1140	2	.3	335	--	--	--	--	--	--	--	--
			2.4	609	--	--	--	--	--	--	--	--
SEP 12, 72	0900	5	.3	14800	--	--	--	--	--	--	--	--
			1.2	14900	--	--	--	--	--	--	--	--
MAY 08, 73	1220	5	.3	224	--	--	--	--	--	--	--	--
			1.5	222	--	--	--	--	--	--	--	--
LINE 300												
SEP 12, 72	1130	2	.3	26800	230.0	660.0	5600	97	1500	9800	17700	
			2.4	27900	--	--	--	--	--	--	--	--
SEP 12, 72	1200	2	.3	26500	220.0	670.0	5100	94	1200	9200	16500	
			3.0	27300	--	--	--	--	--	--	--	--
MAY 08, 73	0945	2	.3	327	9.2	3.7	43	30	18	62	157	
			3.0	326	--	--	--	--	--	--	--	--
LINE 369												
SEP 12, 72	1100	2	.3	37400	280.0	800.0	7400	121	1800	13000	22400	
			12.2	38300	--	--	--	--	--	--	--	--
MAY 08, 73	1345	2	.3	283	10.0	3.9	36	27	20	54	--	
			13.7	328	--	--	--	--	--	--	--	--
LINE 377												
MAY 08, 73	1350	2	.3	426	9.2	6.3	59	31	22	90	209	

TABLE IC--QUALITY OF WATER IN THE SABINE-NELMES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)
--------------------------	------	------	-------------------	---	---	--	--	--	--	--	---

LINE 377 CONTINUED

MAY 06, 73	1350	2	13.7	31200	--	--	--	--	--	--	--
LINE 903											
MAY 08, 73	1310	2	0.3 10.7	17100 33300	--	--	--	--	--	--	--
LINE 910											
MAY 08, 73	1230	2	1.5 9.1	31500 42700	--	--	--	--	--	--	--
LINE 925											
MAY 08, 73	1125	2	1.5 16.8	47500 49400	370.0 --	1100.0 --	10000 --	-- --	2500 --	18000 --	32000 --

TABLE 10--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM
				SOLVED ALUMI- NUM (AL) (UG/L)	SOLVED ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	DEPOSIT ARSENIC (AS) (UG/GM)	SOLVED CAD- MIUM (CD) (UG/L)	DEPOSIT CADMIUM (CD) (UG/GM)	
LINE 15										
SEP 11, 72	1350	2	.3 7.6	-- --	0 --	-- --	-- 1	0 --	-- --	-- 0
LINE 87										
SEP 11, 72	1540	2	.3 6.5	-- --	0 0	-- --	-- --	0 0	-- --	-- --
LINE 107										
SEP 11, 72	1445	2	.3 7.3	-- --	0 --	-- --	-- 1	1 --	-- --	-- --
LINE 214										
SEP 11, 72	1630	2	.3 12.2	-- --	0 0	-- --	-- --	0 1	-- --	-- --
LINE 244										
SEP 12, 72	0900	5	.3	--	0	--	--	3	--	--
LINE 300										
SEP 12, 72	1120	2	.3	--	0	--	--	0	--	--
LINE 369										
SEP 12, 72	1100	2	.3 12.2	-- --	0 0	-- --	-- --	1 0	-- --	-- --

TABLE 10--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED		DIS- SOLVED		BOTTOM DEPOSIT	DIS- SOLVED		BOTTOM DEPOSIT	
				CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	COBALT (CO) (UG/L)	COBALT (CO) (UG/L)		COBALT (CO) (UG/GM)	COPPER (CU) (UG/L)		COPPER (CU) (UG/L)
LINE 15 -----												
SEP 11, 72	1350	2	.3 7.6	0 --	-- --	-- --	-- --	-- 3	4 --	-- --	-- 2	
LINE 87 -----												
SEP 11, 72	1540	2	.3 8.5	0 0	-- --	-- --	-- --	-- --	6 8	-- --	-- --	
LINE 107 -----												
SEP 11, 72	1445	2	.3 7.3	0 --	-- --	-- --	-- --	-- 3	9 --	-- --	-- 1	
LINE 214 -----												
SEP 11, 72	1630	2	.3 12.2	0 0	-- --	-- --	-- --	-- --	8 8	-- --	-- --	
LINE 244 -----												
SEP 12, 72	0900	5	.3	0	--	--	--	--	7	--	--	
LINE 300 -----												
SEP 12, 72	1120	2	.3	0	--	--	--	--	6	--	--	
LINE 369 -----												
SEP 12, 72	1100	2	.3 12.2	0 0	-- --	-- --	-- --	-- --	13 7	-- --	-- --	

TABLE 10--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-		BOTTOM		DIS-		BOTTOM		DIS-		BOTTOM	
				SOLVED (CN) (MG/L)	DEPOSIT (CN) (UG/GM)	SOLVED (FE) (UG/L)	DEPOSIT (FE) (UG/GM)	SOLVED (PB) (UG/L)	DEPOSIT (PB) (UG/GM)	SOLVED (FE) (UG/L)	DEPOSIT (FE) (UG/GM)	SOLVED (PB) (UG/L)	DEPOSIT (PB) (UG/GM)		
LINE 15															
SEP 11, 72	1350	2	.3 7.6	-- --	-- --	20 --	-- --	-- 8400	-- --	5 --	-- --	-- --	-- --	-- 5	-- --
LINE 87															
SEP 11, 72	1540	2	.3 8.5	-- --	-- --	0 0	-- --	-- --	-- --	0 0	-- --	-- --	-- --	-- --	-- --
LINE 107															
SEP 11, 72	1445	2	.3 7.3	-- --	-- --	670 --	-- --	-- 4400	-- --	0 --	-- --	-- --	-- --	-- 4	-- --
LINE 214															
SEP 11, 72	1630	2	.3 12.2	-- --	-- --	0 0	-- --	-- --	-- --	0 0	-- --	-- --	-- --	-- --	-- --
LINE 294															
SEP 12, 72	0900	5	.3	--	--	0	--	--	--	0	--	--	--	--	--
LINE 300															
SEP 12, 72	1120	2	.3	--	--	0	--	--	--	0	--	--	--	--	--
LINE 369															
SEP 12, 72	1100	2	.3 12.2	-- --	-- --	320 0	-- --	-- --	-- --	0 0	-- --	-- --	-- --	-- --	-- --

TABLE 10--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITHIUM (UG/L)	SOLVED MANGANESE (MG/L)	GANESE (NN) (UG/L)	DEPOSIT GANESE (NN) (UG/GM)	SOLVED MERCURY (UG/L)	TOTAL MERCURY (UG/L)	DEPOSIT MERCURY (UG/GM)	SOLVED NICKLE (NI) (UG/L)	SOLVED STRON- TIUM (SR) (UG/L)
LINE 15												
SEP 11, 72	1350	2	.3 7.6	10 --	0 --	-- --	-- 520	-- --	-- --	-- .0	-- --	190 --
LINE 87												
SEP 11, 72	1540	2	.3 8.5	30 100	80 60	-- --	-- --	-- --	-- --	-- --	-- --	1000 3400
LINE 107												
SEP 11, 72	1445	2	.3 7.3	10 --	100 --	-- --	-- 200	-- --	-- --	-- .0	-- --	430 --
LINE 219												
SEP 11, 72	1630	2	.3 12.2	80 100	80 60	-- --	-- --	-- --	-- --	-- --	-- --	2800 3600
LINE 244												
SEP 12, 72	0900	5	.3	60	0	--	--	--	--	--	--	1800
LINE 300												
SEP 12, 72	1120	2	.3	100	0	--	--	--	--	--	--	3500
LINE 369												
SEP 12, 72	1100	2	.3 12.2	120 110	30 30	-- --	-- --	-- --	-- --	-- --	-- --	4300 4300

TABLE 10--QUALITY OF WATER IN THE SABINE-NECHES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GM)
LINE 15						
SEP 11, 72	1350	2	.3 7.6	57 --	-- --	-- 35
LINE 87						
SEP 11, 72	1540	2	.3 8.5	21 29	-- --	-- --
LINE 107						
SEP 11, 72	1445	2	.3 7.3	140 --	-- --	-- 19
LINE 214						
SEP 11, 72	1630	2	.3 12.2	22 32	-- --	-- --
LINE 244						
SEP 12, 72	0900	5	.3	19	--	--
LINE 300						
SEP 12, 72	1120	2	.3	11	--	--
LINE 369						
SEP 12, 72	1100	2	.3 12.2	18 8	-- --	-- --

Brazos Estuary

The Brazos estuary covers an area of about 3 square miles (8 square kilometers) and consists of the tidal parts of the Brazos River and parts of the Intracoastal Waterway (Figure 3). Although Freeport Harbor is not directly connected with the estuary, wastes from industrial operations around the harbor are discharged into the estuary.

Water-quality data (Table 2) were collected during September 1972 and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 2 and on Figure 3.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Brazos Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	10	11	110
2	20	12	120
3	30	13	138
4	40	14	145
5	50	15	155
6	60	16	165
7	70		
8	80		
9	90		
10	100		




TABLE 2A--QUALITY OF WATER IN THE BRAZOS ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY DISK (CM)
LINE 10 -----										
SEP 13, 72	1115	2	.3	120	29.2	8.0	8.2	105	--	23
			.9	110	29.1	8.0	7.8	100	--	--
MAY 09, 73	1305	2	.3	660	24.4	7.5	7.6	89	--	--
			1.5	630	24.2	7.5	7.5	88	--	--
			3.0	610	24.1	7.4	7.7	91	--	--
			5.2	650	24.0	7.4	7.9	93	--	--
LINE 20 -----										
SEP 13, 72	1210	2	.3	110	29.6	8.1	12.0	156	--	15
			1.5	110	29.6	8.1	16.2	210	--	--
LINE 30 -----										
SEP 13, 72	1235	2	.3	110	29.6	7.9	11.0	143	--	30
			1.5	110	30.0	8.1	13.8	182	--	--
			3.0	110	29.7	8.2	12.6	164	--	--
MAY 09, 73	1350	2	.3	660	24.3	7.5	7.6	89	--	--
			1.5	580	24.2	7.6	7.6	89	--	--
			3.0	650	24.1	7.5	7.6	89	--	--
			4.6	660	24.3	7.5	7.6	89	--	--
			6.7	700	24.5	7.5	7.6	90	--	--
LINE 40 -----										
SEP 13, 72	1300	2	.3	110	29.8	8.1	10.6	138	--	30
			2.1	110	30.4	8.1	14.0	184	--	--
LINE 50 -----										
SEP 13, 72	1325	2	.3	100	31.3	8.1	8.6	115	--	30
			1.5	100	31.0	8.1	10.1	135	--	--
			3.7	110	30.3	8.1	8.6	113	--	--
MAY 09, 73	1430	2	.3	630	24.2	7.6	8.0	94	--	--
			1.5	650	24.1	7.6	7.8	92	--	--
			3.0	640	24.1	7.6	7.8	92	--	--
			4.6	650	24.2	7.6	7.9	93	--	--
			6.1	660	24.3	7.6	7.3	86	--	--
			7.6	650	25.0	7.6	7.4	86	--	--
LINE 60 -----										
SEP 13, 72	1400	2	.3	110	31.1	8.2	12.0	160	--	30
			1.5	110	30.9	8.1	11.5	153	--	--
			3.0	110	30.8	8.1	10.0	133	--	--
LINE 70 -----										
SEP 13, 72	1430	2	.3	1100	30.8	9.2	7.5	100	--	30
			1.5	1200	30.8	9.3	7.0	93	--	--
			3.7	1600	30.8	9.7	6.4	85	--	--
MAY 09, 73	1515	2	.3	640	24.3	7.6	8.4	99	--	--
			1.5	700	24.2	7.6	8.3	98	--	--
			3.0	660	24.2	7.6	8.4	99	--	--
			4.6	620	24.1	7.6	8.3	98	--	--
			6.1	660	24.1	7.6	8.4	99	--	--

TABLE 2A--QUALITY OF WATER IN THE BRAZOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)	
LINE 70 CONTINUED											
MAY 09, 73	1515	2	7.3	670	24.6	7.6	8.0	95	--	--	
LINE 80											
SEP 13, 72	1400	2	.3	8200	31.8	8.7	7.9	110	--	--	
			1.5	8600	31.9	8.7	7.2	100	--	--	
			3.0	41000	34.7	8.1	.0	0	--	--	
			6.1	46000	35.3	8.2	.0	0	--	--	
			9.1	46000	35.2	8.5	.0	0	--	--	
			12.2	46000	35.1	9.0	.0	0	--	--	
MAY 09, 73	1515	2	.3	740	25.2	8.1	7.9	94	--	8	
			1.5	740	25.2	8.1	8.0	95	--	--	
			3.7	740	25.4	8.2	8.4	101	--	--	
LINE 90											
SEP 13, 72	1335	1	.3	12000	31.6	9.1	11.3	157	--	48	
			1.2	12000	31.6	9.5	11.3	159	--	--	
SEP 13, 72	1325	2	.3	12000	31.6	8.6	10.7	151	--	53	
			1.5	13000	31.9	8.4	8.2	115	--	--	
			3.0	46000	34.9	7.7	.0	0	--	--	
			4.6	46000	34.4	7.7	.0	0	--	--	
MAY 09, 73	1540	2	.3	750	24.9	7.9	7.7	92	--	5	
			1.5	740	24.9	8.0	7.8	93	--	--	
			6.1	740	25.0	8.0	8.0	95	--	--	
			11.6	740	25.2	8.0	8.4	100	--	--	
SEP 13, 72	1320	3	.3	12000	31.7	8.8	9.3	131	--	56	
			1.5	14000	32.0	8.8	5.7	80	--	--	
			3.0	46000	35.1	8.1	.0	0	--	--	
			4.6	46000	35.0	8.3	.0	0	--	--	
			5.8	46000	34.8	8.9	.0	0	--	--	
LINE 100											
SEP 13, 72	1305	1	.3	13000	32.1	8.7	9.5	134	--	64	
			1.5	35000	34.8	7.2	4.7	76	--	--	
			3.0	31000	34.6	7.4	5.8	92	--	--	
MAY 09, 73	1605	1	.3	4300	25.5	7.8	7.3	89	700	--	
			1.5	5600	25.7	7.7	7.3	90	650	--	
			3.0	10000	26.4	7.6	7.8	98	--	--	
SEP 13, 72	1240	2	.3	17000	32.2	8.4	8.5	121	--	61	
			1.2	41000	34.4	7.0	4.3	70	--	--	
			2.4	46000	34.4	8.0	.0	0	--	--	
MAY 09, 73	1550	2	.3	3900	24.9	8.0	7.3	88	600	5	
			1.5	5300	25.7	8.2	7.1	88	600	--	
			2.4	7300	25.7	8.0	7.1	88	--	--	
			3.4	12000	26.9	8.4	7.8	100	450	--	
SEP 13, 72	1235	3	.3	18000	32.4	8.7	5.5	79	--	64	
			1.5	46000	34.6	8.5	.0	0	--	--	
MAY 09, 73	1600	3	.3	3100	25.5	8.5	7.6	93	600	--	
			1.5	3900	25.5	8.6	8.3	101	--	--	
			3.4	4300	25.4	8.7	9.1	111	--	--	
LINE 110											
SEP 13, 72	1220	1	.3	29000	33.4	8.2	4.1	62	--	69	

TABLE 2A--QUALITY OF WATER IN THE BRAZOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY DISK (CM)		
LINE 110 CONTINUED											
SEP 13, 72	1220	1	1.2 2.4	46000 46000	34.4 34.2	7.8 7.8	2.5 2.3	42 39	-- --	-- --	
MAY 09, 73	1625	1	.3 1.5 3.0	5000 5000 5000	25.8 25.9 25.9	8.5 8.5 8.6	6.9 6.9 6.5	85 85 80	600 600 --	-- -- --	
SEP 13, 72	1210	2	.3 1.5 3.4	24000 43000 46000	33.0 34.4 34.4	8.3 8.1 7.9	6.0 .9 .9	90 15 15	-- -- --	-- -- --	76
MAY 09, 73	1620	2	.3 1.5 4.6	5300 5100 5100	26.1 26.2 26.2	8.6 8.6 8.6	7.4 7.7 8.2	42 96 102	600 700 --	-- -- --	8
SEP 13, 72	1205	3	.3 1.5	25000 42000	33.0 34.4	8.7 8.6	6.4 .1	96 2	-- --	-- --	74
MAY 09, 73	1630	3	.3 1.5 4.0	5500 5500 5500	26.1 26.0 25.9	8.6 8.6 8.6	7.4 7.8 8.0	92 94 100	-- -- --	-- -- --	
LINE 120											
SEP 13, 72	1150	2	.3 1.5 3.0 4.9	29000 39000 41000 41000	33.2 34.2 34.4 34.3	8.3 8.1 7.9 7.9	4.9 .8 1.1 .9	74 13 18 15	-- -- -- --	-- -- -- --	81
SEP 13, 72	1155	2	.3 1.5 3.0	32000 44000 44000	33.5 34.3 34.2	8.2 7.9 8.2	3.8 1.1 1.2	59 19 20	-- -- --	-- -- --	79
SEP 13, 72	1140	3	.3 1.2 2.4 3.7	29000 39000 43000 43000	32.8 33.8 34.3 34.2	8.4 8.3 8.4 8.7	3.9 1.4 .2 .6	59 23 3 10	-- -- -- --	-- -- -- --	84
LINE 138											
SEP 13, 72	1125	1	.3 1.5 3.0 4.3	40000 46000 46000 46000	33.5 34.1 34.2 34.1	7.7 7.3 7.5 7.5	1.0 .0 .0 .0	16 0 0 0	-- -- -- --	-- -- -- --	91
SEP 13, 72	1105	2	.3 1.5 3.0 5.5	40000 40000 41000 42000	33.0 33.4 34.1 33.9	4.9 5.1 5.1 5.9	1.3 .4 .0 .0	21 0 0 0	-- -- -- --	-- -- -- --	91
MAY 09, 73	1645	2	.3 1.5 6.1	5400 5400 5400	26.2 26.2 26.3	8.4 8.5 8.6	7.0 7.0 7.3	88 88 91	-- -- --	-- -- --	8
SEP 13, 72	1055	3	.3 .9 1.8	40000 41000 41000	32.8 32.7 32.6	6.6 7.2 8.0	.9 .5 .1	15 8 2	-- -- --	-- -- --	94
LINE 145											
MAY 09, 73	1120	2	.3 1.5 3.4	6300 6300 6300	24.9 24.9 24.8	8.8 8.9 9.0	7.9 7.4 7.4	96 90 90	150 -- --	-- -- --	25
LINE 155											
SEP 13, 72	1040	2	.3	42000	31.8	7.6	.6	10	--	--	107

TABLE 2A--QUALITY OF WATER IN THE BRAZOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 155 CONTINUED										
SEP 13, 72	1040	2	1.5	42000	31.8	7.9	6	10	--	--
			3.0	42000	31.7	8.1	6	10	--	--
			4.6	42000	31.5	8.7	6	10	--	--
MAY 09, 73	1130	2	.3	6100	25.1	8.4	7.5	91	600.	8
			1.5	6100	25.1	8.4	7.5	91	--	--
			3.4	6100	25.2	8.6	9.4	115	--	--
LINE 166										
SEP 13, 72	1020	1	.3	40000	32.1	7.2	0	0	--	114
			1.5	41000	32.6	7.3	0	0	--	--
			2.4	41000	32.4	7.5	0	0	--	--
SEP 13, 72	1010	2	.3	39000	32.0	7.2	0	0	--	117
			1.5	42000	32.5	7.1	0	0	--	--
			3.0	42000	32.5	7.2	0	0	--	--
			4.3	42000	32.5	7.4	0	0	--	--
MAY 09, 73	1140	2	.3	6100	25.1	8.3	7.3	89	200.	8
			1.5	6100	25.0	8.4	7.2	88	--	--
			4.6	6100	25.0	8.4	8.1	99	--	--
SEP 13, 72	1005	3	.3	38000	31.8	6.6	0	0	--	91
			.9	39000	31.8	6.3	0	0	--	--
LINE 902										
MAY 09, 73	1045	30	.3	28000	24.2	8.8	10.6	138	15.	148
			3.0	28000	24.1	8.8	10.5	134	15.	--
			4.1	28000	23.6	8.7	7.4	95	15.	--
			9.1	34000	23.7	8.7	7.4	97	25.	--
			13.7	37000	23.6	8.7	6.3	84	25.	--
LINE 910										
MAY 09, 73	0955	30	.3	28000	24.1	8.8	13.0	169	5.	160
			1.5	28000	24.1	8.8	13.0	169	5.	--
			3.0	29000	23.9	8.7	12.0	154	5.	--
			4.1	37000	22.9	8.5	6.7	88	0.	--
			9.1	40000	22.9	8.5	6.5	88	0.	--
			15.2	43000	22.7	8.5	7.0	95	0.	--
21.3	50000	22.6	8.3	6.2	87	0.	--			

TABLE 28--QUALITY OF WATER IN THE BRAZOS ESTUARY.

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SiO ₂) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHOSUS ORTH PHOSUS (P) (MG/L)	PHOS- PHOSUS (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)	
LINE 10													
SEP 13, 72	1115	2	.3 .9	6.3 6.2	.0 .0	.01 .00	.02 .02	.00 .10	.10 .35	5.0 2.1	--	--	--
MAY 09, 73	1305	2	.3 5.2	6.8 6.9	.4 .2	.02 .08	.02 .02	.08 .06	.64 .68	.9 1.2	--	--	--
LINE 50													
SEP 13, 72	1325	2	.3 3.7	6.2 6.3	.0 .0	.00 .01	.00 .00	.02 .02	.08 .09	2.1 2.0	9.0 8.0	--	--
MAY 09, 73	1430	2	.3 7.6	6.2 6.0	.4 .1	.12 .07	.01 .01	.06 .06	.51 .60	.7 .8	--	--	--
LINE 100													
SEP 13, 72	1240	2	.3 2.4	5.0 1.6	.0 .1	.78 5.00	.04 .17	.00 .00	.01 .02	5.9 8.3	--	--	13.0 17.0
MAY 09, 73	1550	2	.3 3.4	5.5 4.3	.4 .4	.66 2.60	.01 .02	.06 .07	.42 .43	2.0 3.9	--	--	-- 26.0
LINE 138													
SEP 13, 72	1105	2	.3 5.5	3.1 2.2	.2 .4	1.60 .86	.16 .48	.00 .00	.00 .01	6.1 7.1	53.0 26.0	12.0 16.0	--
MAY 09, 73	1645	2	.3 6.1	5.4 5.3	.6 .4	.64 .63	.02 .02	.06 .06	.29 .50	2.2 2.1	--	--	-- 24.0
LINE 902													
MAY 09, 73	1045	30	.3 13.7	1.0 .7	.1 .0	.07 .06	.01 .01	.00 .00	.02 .02	1.7 .5	--	--	--
LINE 910													
MAY 09, 73	0955	30	.3 21.3	.1 .9	.0 .0	.08 .06	.00 .01	.00 .00	.02 .01	2.3 .8	--	--	18.0 --

TABLE 2C--QUALITY OF WATER IN THE BRAZOS ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICRO-MHOS) (LAB)	(CALCIUM) (CA) (MG/L)	(MAGNESIUM) (MAGNE-SIUM) (MG) (MG/L)	(DIS-SOLVED SODIUM + POTAS-SIUM) (NA+K) (MG/L)	(DIS-SOLVED BICAR-BONATE) (HCO3) (MG/L)	(DIS-SOLVED SULFATE) (SO4) (MG/L)	(DIS-SOLVED CHLORIDE) (CL) (MG/L)	(DIS-SOLVED SOLIDS) (SUM OF) (MG/L)
LINE 10											
SEP 13, 72	1115	2	.3 4.9	1030 1070	-- 76.0	-- 20.0	-- 120	-- 172	-- 100	-- 200	-- 607
MAY 09, 73	1305	2	.3 5.2	736 769	56.0 --	9.4 --	77 --	123 --	77 --	110 --	903 --
LINE 50											
SEP 13, 72	1325	2	.3 3.7	984 984	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 09, 73	1430	2	.3 7.6	781 781	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 100											
SEP 13, 72	1240	2	.3 2.4	17500 47800	180.0 380.0	430.0 1200.0	3300 9000	179 146	870 2300	6000 16000	10900 29200
MAY 09, 73	1550	2	.3 3.4	4270 12200	78.0 120.0	78.0 220.0	810 2300	129 135	230 530	1400 3900	2630 7120
LINE 158											
SEP 13, 72	1105	2	.3 5.5	41700 48100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 09, 73	1645	2	.3 6.1	5790 5800	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 902											
MAY 09, 73	1045	30	.3 13.7	26200 37400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 910											
MAY 09, 73	0955	30	.3 21.3	26800 51400	220.0 --	650.0 --	5600 --	118 --	1400 --	9800 --	17600 --

TABLE 2D--QUALITY OF WATER IN THE BRAZOS ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ALUMI-NUM (AL) (UG/L)	DIS-SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS-SOLVED CADMIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
--------------------	------	------	----------------	----------------------------------	--------------------------------	---------------------------	-------------------------------------	--------------------------------	---------------------------	-------------------------------------

LINE 10

SEP 13, 72 1115 2 .3 -- 0 -- -- 0 -- --

LINE 100

SEP 13, 72 1240 2 .3 -- 0 -- -- 0 -- --
2.4 -- 0 -- -- 0 -- --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CHROMIUM (CR) (UG/L)	TOTAL CHROMIUM (CR) (UG/L)	DIS-SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS-SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
--------------------	------	------	----------------	---------------------------------	----------------------------	-------------------------------	--------------------------	------------------------------------	-------------------------------	--------------------------	------------------------------------

LINE 10

SEP 13, 72 1115 2 .3 0 -- -- -- -- 6.0 -- --

LINE 100

SEP 13, 72 1240 2 .3 0 -- -- -- -- 7.0 -- --
2.4 0 -- -- -- -- 5.0 -- --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CYANIDE (CN) (MG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS-SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS-SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
--------------------	------	------	----------------	--------------------------------	-------------------------------------	-----------------------------	------------------------	----------------------------------	-----------------------------	------------------------	----------------------------------

LINE 10

SEP 13, 72 1115 2 .3 -- -- 0 -- -- 0 -- --

LINE 100

SEP 13, 72 1240 2 .3 -- -- 0 -- -- 0 -- --
2.4 -- -- 0 -- -- 0 -- --

TABLE 2D--QUALITY OF WATER IN THE BRAZOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITH- IUM (UG/L)	SOLVED MAN- GANESE (UG/L)	MAN- GANESE (UG/L)	DEPOSIT MAN- GANESE (UG/GM)	SOLVED MER- CURY (UG/L)	TOTAL MER- CURY (UG/L)	DEPOSIT MER- CURY (UG/GM)	SOLVED NICKLE (UG/L)	SOLVED STRON- TIUM (UG/L)
LINE 10												
SEP 13, 72	1115	2	.3	10	0	--	--	--	--	--	--	1400
LINE 100												
SEP 13, 72	1240	2	.3	60	20	--	--	--	--	--	--	2300
			2.4	140	80	--	--	--	--	--	--	5100

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	BOTTOM
				SOLVED ZINC (ZN) (UG/L)	ZINC (ZN) (UG/L)	DEPOSIT ZINC (ZN) (UG/GM)
LINE 10						
SEP 13, 72	1115	2	.3	5	--	--
LINE 100						
SEP 13, 72	1240	2	.3	8	--	--
			2.4	13	--	--

East Matagorda Estuary

The East Matagorda estuary covers an area of about 56 square miles (145 square kilometers) and consists of East Matagorda Bay, part of the Intracoastal Waterway, the tidal reaches of Caney Creek and Live Oak Bayou, and the tidal part of small tributaries (Figure 4). The maximum water depth at mlw is 5 feet (1.5 meters) in East Matagorda Bay and about 15 feet (4.6 meters) in the Intracoastal Waterway.

Water-quality data (Table 3) were collected during September 1972 and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 3 and Figure 4.




Figure 4.—Data-Collection Sites in the East Matagorda Estuary

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

**East Matagorda Estuary
Change in Line Numbers**

OLD	NEW	OLD	NEW
1	10	6	65
2	20	7	74
3	30	8	84
4	40	9	94
5	58		

TABLE 3A--QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 10										
SEP 14, 72	1015	2	.3	50000	29.5	8.5	7.4	111	--	51
			1.5	50000	29.5	8.5	4.5	70	--	--
			3.0	50000	29.4	8.5	4.5	70	--	--
			4.6	50000	29.4	8.6	4.4	69	--	--
			5.5	50000	29.1	--	5.4	84	--	--
MAY 10, 73	1115	2	.3	22000	26.1	7.8	7.0	92	--	30
			1.5	22000	25.8	7.9	6.8	89	--	--
			3.0	22000	25.7	7.9	6.8	88	--	--
			4.6	22000	25.6	7.9	6.8	88	--	--
			5.2	22000	25.5	7.9	6.9	90	--	--
LINE 20										
MAY 10, 73	1145	2	.3	8000	26.7	8.4	7.9	100	--	29
			1.5	24000	26.1	8.1	7.2	95	--	--
			5.2	28000	26.2	8.1	6.7	91	--	--
LINE 30										
SEP 14, 72	0940	2	.3	39000	28.4	7.8	6.4	93	--	43
			1.5	39000	28.5	7.6	6.4	87	--	--
			3.0	39000	28.5	7.5	6.0	87	--	--
			4.3	39000	28.3	7.1	6.0	87	--	--
MAY 10, 73	1200	2	.3	19000	26.8	7.8	7.6	100	--	32
			1.5	24000	26.3	7.9	7.2	95	--	--
			4.1	24000	26.3	7.9	7.0	92	--	--
LINE 40										
SEP 14, 72	1445	2	.3	39000	28.5	8.4	6.0	88	--	36
			1.5	39000	28.4	8.5	6.5	94	--	--
			3.0	39000	28.3	8.5	5.7	84	--	--
			4.6	39000	28.2	8.5	6.1	90	--	--
			6.1	39000	28.1	8.6	6.6	93	--	--
MAY 10, 73	1215	2	.3	24000	26.5	7.9	7.5	99	--	34
			1.5	24000	26.1	7.8	7.0	92	--	--
			4.0	24000	26.3	7.8	7.2	95	--	--
LINE 58										
SEP 14, 72	1115	2	.3	50000	28.4	--	6.7	105	--	43
			1.2	50000	28.0	--	6.2	95	--	--
MAY 10, 73	1235	2	.3	28000	26.8	8.7	8.4	115	50	44
			1.2	29000	26.6	8.8	8.0	110	80	--
LINE 74										
SEP 14, 72	1315	1	.3	34000	27.7	--	6.8	75	--	43
			1.2	40000	27.6	--	6.0	88	--	--
MAY 10, 73	1213	1	.3	28000	26.7	8.3	7.8	107	30	81
			1.2	27000	26.6	8.4	6.2	112	40	--
SEP 14, 72	1250	2	.3	45000	27.8	8.4	5.7	86	--	43
			1.5	45000	27.6	8.3	6.2	94	--	--
MAY 10, 73	1200	2	.3	26000	26.8	8.5	8.1	109	40	47

TABLE 3A---QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY DISK (CM)

LINE 74 CONTINUED

MAY 10, 73	1200	2	1.5	25000	26.4	8.7	7.2	96	75	--
SEP 14, 72	1230	3	.3 1.2	38000 40000	27.4 27.2	8.3 8.3	7.3 7.0	106 101	-- --	53 --
MAY 10, 73	1136	3	.3 .9	25000 25000	26.7 26.6	8.5 8.6	9.0 9.3	122 126	60 70	41 --

LINE 94

MAY 10, 73	1055	1	.3 1.2	28000 28000	26.0 25.8	8.3 8.4	7.8 7.5	105 101	-- --	69 --
SEP 14, 72	1355	2	.3 1.5	43000 43000	28.0 28.0	8.5 8.6	6.2 6.4	93 96	-- --	46 --
MAY 10, 73	1107	2	.3 1.5	26000 26000	26.1 26.0	8.3 8.4	8.6 8.1	115 108	90 --	56 --
SEP 14, 72	1345	3	.3 1.5	43000 37000	28.1 28.0	-- --	6.1 6.4	90 93	-- --	53 --
SEP 14, 72	1430	3	.3 1.2	29000 29000	27.9 27.8	8.7 8.6	6.6 7.0	93 99	-- --	33 --
MAY 10, 73	1116	3	.3 .9	25000 25000	26.3 26.2	8.3 8.5	8.6 8.9	115 119	70 80	43 --

TABLE 3B--QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SiO ₂) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE NITRITE (N) (MG/L)	DIS-SOLVED PHOSPHORUS ORTHO PHOSPHORUS (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 10												
SEP 14, 72	1015	2	.3 5.5	1.5 1.1	.0 .0	.46 .38	.10 .09	.00 .00	.01 .02	2.5 2.7	24.0 11.0	7.0 --
MAY 10, 73	1115	2	.3 5.2	6.0 4.8	.2 .1	.19 .16	.02 .02	.06 .04	.10 .10	1.4 1.5	-- --	13.0 13.0
LINE 40												
SEP 14, 72	1445	2	.3 6.1	4.7 4.0	.0 .0	.00 .00	.02 .02	.00 .00	.00 .00	1.1 1.1	42.0 42.0	-- --
MAY 10, 73	1215	2	.3 4.0	5.0 4.8	.0 .0	.08 .08	.01 .01	.01 .01	.04 .06	1.5 1.1	-- --	11.0 12.0
LINE 58												
SEP 14, 72	1115	2	.3 1.2	.7 .5	.0 .0	.00 .09	.02 .03	.00 .00	.02 .00	2.2 2.0	-- 34.0	6.0 --
MAY 10, 73	1235	2	.3 1.2	3.1 2.8	.0 .0	.07 .11	.00 .01	.00 .00	.03 .06	2.3 2.7	-- --	9.0 --
LINE 74												
SEP 14, 72	1250	2	.3 1.5	3.5 3.5	.0 .0	.00 .00	.02 .02	.03 .00	.04 .00	2.1 2.2	18.0 20.0	10.0 10.0
MAY 10, 73	1200	2	.3 1.5	3.8 4.2	.0 .0	.05 .06	.00 .00	.00 .00	.03 .05	1.4 1.6	-- --	10.0 16.0
LINE 94												
MAY 10, 73	1055	1	.3 1.2	4.0 3.7	.0 .0	.23 .10	.00 .00	.00 .00	.02 .03	.8 .7	-- --	8.0 --
SEP 14, 72	1355	2	.3 1.5	3.5 3.5	.0 .0	.00 .00	.02 .02	.00 .00	.02 .00	1.1 1.4	23.0 --	9.0 --

TABLE 3C--QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,
WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF TUENTS) (MG/L)
LINE 10											
SEP 14, 72	1015	2	.3 5.5	49800 50300	--	--	--	--	--	--	--
MAY 10, 73	1115	2	.3 5.2	18000 22000	--	--	--	--	--	--	--
LINE 40											
SEP 14, 72	1445	2	.3 6.1	38900 38000	300.0	850.0	7400	164	1800	13000	23400
MAY 10, 73	1215	2	.3 4.0	23200 22700	190.0	530.0	4500	135	1100	7900	14200
LINE 58											
SEP 14, 72	1115	2	.3 1.2	50000 50100	390.0	1300.0	9600	142	2100	18000	31000
MAY 10, 73	1235	2	.3 1.2	26800 27300	220.0	640.0	5500	135	1300	9600	17400
LINE 74											
MAY 10, 73	1200	2	.3 1.5	24200 24200	--	--	--	--	--	--	--
LINE 94											
MAY 10, 73	1055	1	.3 1.2	26000 26300	--	--	--	--	--	--	--
SEP 14, 72	1355	2	.3 1.5	43200 43300	--	--	--	--	--	--	--

TABLE 3D--QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	
				SOLVED ALUMI- NUM (AL) (UG/L)	SOLVED ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	DEPOSIT ARSENIC (AS) (UG/GM)	SOLVED CAD- MIUM (CD) (UG/L)	ARSENIC (AS) (UG/L)	DEPOSIT CADMIUM (CD) (UG/GM)	
----- LINE 40 -----											
SEP 14, 72	1445	2	.3	--	0	--	--	0	--	--	
----- LINE 58 -----											
SEP 14, 72	1115	2	.3 1.2	-- --	0 --	-- --	-- 3	0 --	-- --	-- 0	
----- LINE 94 -----											
SEP 14, 72	1355	2	.3 1.5	-- --	0 --	-- --	-- 4	0 --	-- --	-- 0	

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM
				SOLVED CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	SOLVED COBALT (CO) (UG/L)	COBALT (CO) (UG/L)	DEPOSIT COBALT (CO) (UG/GM)	SOLVED COPPER (CU) (UG/L)	COBALT (CO) (UG/L)	DEPOSIT COPPER (CU) (UG/GM)
----- LINE 40 -----											
SEP 14, 72	1445	2	.3	0	--	--	--	--	9	--	--
----- LINE 58 -----											
SEP 14, 72	1115	2	.3 1.2	-- 0	-- --	-- --	-- --	-- 1	-- 9	-- --	-- 7
----- LINE 94 -----											
SEP 14, 72	1355	2	.3 1.5	-- 0	-- --	-- --	-- --	-- 2	-- 9	-- --	-- 9

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM
				SOLVED CYANIDE (CN) (MG/L)	DEPOSIT CYANIDE (CN) (UG/GM)	SOLVED IRON (FE) (UG/L)	IRON (FE) (UG/L)	DEPOSIT IRON (FE) (UG/GM)	SOLVED LEAD (PB) (UG/L)	IRON (FE) (UG/L)	DEPOSIT LEAD (PB) (UG/GM)
----- LINE 40 -----											
SEP 14, 72	1445	2	.3	--	--	0	--	--	0	--	--
----- LINE 58 -----											
SEP 14, 72	1115	2	.3 1.2	-- --	-- --	0 --	-- --	-- 21000	0 --	-- --	-- 2
----- LINE 94 -----											
SEP 14, 72	1355	2	.3 1.5	-- --	-- --	0 --	-- --	-- 24000	0 --	-- --	-- 2

TABLE 3D--QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITH- (UM (L)) (UG/L)	SOLVED MAN- GANESE (MN) (UG/L)	GANESE (MN) (UG/L)	DEPOSIT MAN- (MN) (UG/GM)	SOLVED MER- CURY (HG) (UG/L)	DEPOSIT MER- CURY (HG) (UG/GM)	SOLVED NICKLE (NI) (UG/L)	SOLVED STRON- TIUM (SR) (UG/L)	
LINE 40												
SEP 14, 72	1445	2	.3	100	0	--	--	--	--	--	--	4300
LINE 58												
SEP 14, 72	1115	2	.3 1.2	140	--0	--	410	--	--	70	--	5500
LINE 94												
SEP 14, 72	1355	2	.3 1.5	120	70	--	420	--	--	70	--	4800

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	BOTTOM						
				SOLVED ZINC (ZN) (UG/L)	ZINC (ZN) (UG/L)	DEPOSIT ZINC (ZN) (UG/GM)						
LINE 40												
SEP 14, 72	1445	2	.3	12	--	--						
LINE 58												
SEP 14, 72	1115	2	.3 1.2	17	--	54						
LINE 94												
SEP 14, 72	1355	2	.3 1.5	10	--	71						

TABLE 3E--QUALITY OF WATER IN THE EAST MATAGORDA ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL PCB (UG/L)	BOTTOM DEPOSIT PCB (UG/KG)	TOTAL 2,4-D (UG/L)	BOTTOM DEPOSIT 2,4-D (UG/KG)	TOTAL 2,4,5-T (UG/L)	BOTTOM DEPOSIT 2,4,5-T (UG/KG)	TOTAL SILVEX (UG/L)	BOTTOM DEPOSIT SILVEX (UG/KG)
--------------------------	------	------	-------------------	------------------------	-------------------------------------	--------------------------	---------------------------------------	----------------------------	---	---------------------------	--

LINE 74

SEP 14, 72	1250	2	.3	< .1	--	.00	--	.00	--	.00	--
------------	------	---	----	------	----	-----	----	-----	----	-----	----

LINE 94

SEP 14, 72	1355	2	.3	< .1	--	.00	--	.00	--	.00	--
------------	------	---	----	------	----	-----	----	-----	----	-----	----

Colorado Estuary

The Colorado estuary covers an area of about 2 square miles (5 square kilometers) and consists of the tidal part of the Colorado River and part of the Intracoastal Waterway (Figure 5). The minimum depth at mlw is about 6 feet (2.7 meters) in the river channel and about 15 feet (4.6 meters) in the Intracoastal Waterway.

Water-quality data (Table 4) were collected in April and September 1972 and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 4 and on Figure 5.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Colorado Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	18	9	95
2	22	10	105
2b	25	11	115
3	33	12	125
4	44	13	135
5	55	13a	137
New line	59	14	147
6	66	Parkers Cut	152
7	73	8a	164
8	81	Lavaca-Tres Palacios	
		31	175




Figure 5
Data-Collection Sites in the Colorado Estuary

Base by U.S. Geological Survey, 1956

TABLE 4A--QUALITY OF WATER IN THE COLORADO ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 18										
SEP 14, 72	0930	2	.3	1400	29.0	7.9	7.7	99	--	--
			1.5	2100	29.3	7.9	7.7	101	--	--
			3.0	34000	28.9	7.2	.8	11	--	--
			5.8	34000	28.8	7.1	6.5	93	--	--
MAY 10, 73	1345	2	.3	470	27.6	8.0	8.7	109	--	15
			1.5	460	26.9	7.9	8.6	106	--	--
			2.1	580	27.8	8.2	8.5	108	--	--
LINE 22										
SEP 14, 72	1010	2	.3	1600	29.4	8.1	7.7	100	--	71
			1.5	7900	30.0	8.1	7.8	105	--	--
			1.8	32000	29.9	7.7	5.1	74	--	--
			2.1	10000	29.6	7.2	2.4	32	--	--
			3.0	32000	29.3	7.1	3.3	47	--	--
			4.6	32000	29.4	7.1	4.9	70	--	--
LINE 33										
SEP 14, 72	1030	2	.3	1900	29.8	8.1	7.9	105	--	71
			1.5	34000	30.0	8.0	8.5	125	--	--
			2.1	26000	29.9	7.3	.0	0	--	--
			3.0	34000	29.6	7.3	1.4	21	--	--
			4.9	34000	29.5	7.4	1.2	18	--	--
LINE 44										
SEP 14, 72	1045	2	.3	4100	29.6	8.2	11.1	146	--	64
			1.5	34000	30.1	7.9	8.8	129	--	--
			3.0	34000	30.0	7.4	2.0	29	--	--
			4.6	36000	29.9	7.4	1.5	22	--	--
			5.8	34000	29.8	7.4	2.3	34	--	--
LINE 55										
SEP 14, 72	1100	2	.3	12000	30.0	8.0	17.4	235	--	74
			1.5	21000	30.0	7.6	10.0	139	--	--
			2.1	32000	30.0	7.4	1.3	19	--	--
			3.0	36000	29.9	7.4	1.3	19	--	--
			4.3	35000	29.8	7.4	3.7	54	--	--
MAY 10, 73	1410	2	.3	520	26.3	8.0	9.7	118	--	28
			1.5	520	26.3	8.0	9.7	118	--	--
			3.0	520	25.8	7.9	9.1	111	--	--
			7.3	520	25.8	7.8	8.8	107	--	--
LINE 81										
APR 19, 72	1435	2	.3	12000	27.5	8.2	8.3	108	--	72
			.9	13000	27.3	8.2	8.1	105	--	--
			1.2	16000	27.1	8.1	6.6	86	--	--
			1.5	19000	26.5	8.0	5.0	66	--	--
			2.1	30000	26.3	7.9	4.7	64	--	--
			3.0	39000	26.0	7.9	4.5	63	--	--
			4.6	39000	26.0	7.9	4.5	63	--	--
			6.1	39000	26.0	7.9	4.3	61	--	--
			7.0	39000	26.2	7.9	4.0	56	--	--
SEP 14, 72	1200	2	.3	17000	28.4	--	6.3	85	--	--
			1.5	21000	28.6	--	5.9	81	--	--

TABLE 4A--QUALITY OF WATER IN THE COLORADO ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 81 CONTINUED										
SEP 14, 72	1200	2	3.0	38000	29.3	--	2.6	39	--	--
			6.1	44000	29.2	--	1.0	15	--	--
			9.1	44000	29.2	--	1.2	18	--	--
			10.7	45000	29.0	--	2.0	30	--	--
MAY 10, 73	1435	2	.3	560	26.2	8.1	9.9	121	--	36
			1.5	650	25.4	8.1	9.1	110	--	--
			3.0	1000	25.1	8.1	8.4	100	--	--
			4.6	12000	25.0	7.4	7.2	89	--	--
			6.1	14000	25.2	7.7	7.0	88	--	--
			9.1	14000	25.3	7.7	7.1	90	--	--
LINE 95										
SEP 14, 72	1340	2	.3	22000	28.9	--	6.6	92	--	71
			1.5	38000	29.4	--	4.3	64	--	--
			3.0	45000	29.0	--	4.3	65	--	--
			4.9	49000	29.0	--	4.4	69	--	--
MAY 10, 73	1350	2	.3	2000	27.3	8.4	10.1	128	50	38
			1.5	4500	26.7	8.3	8.9	111	--	--
			2.1	14000	26.6	8.1	8.0	102	--	--
			3.0	18000	26.6	8.1	7.5	99	--	--
			4.0	22000	26.5	8.4	7.4	97	70	--
LINE 105										
APR 19, 72	1510	2	.3	31000	27.2	8.0	6.6	92	--	46
			1.5	33000	27.1	8.0	6.2	87	--	--
			3.0	35000	26.7	8.0	5.4	76	--	--
			4.9	37000	26.8	7.9	5.2	73	--	--
LINE 125										
SEP 14, 72	1325	2	.3	38000	28.4	--	6.2	90	--	56
			1.5	47000	28.5	--	4.8	73	--	--
			3.0	47000	28.5	--	5.4	82	--	--
			4.6	47000	28.3	--	6.1	92	--	--
MAY 10, 73	1411	2	.3	4200	27.4	8.4	10.7	135	--	--
			.8	4400	27.4	8.3	10.3	130	--	--
			1.5	9500	26.5	8.2	8.4	105	--	--
			2.1	22000	26.3	8.1	7.2	95	--	--
			3.0	27000	26.4	8.5	7.7	104	--	--
			4.6	32000	26.4	8.8	8.9	122	70	--
LINE 135										
APR 19, 72	1545	2	.3	35000	28.1	8.1	7.9	114	--	53
			.9	41000	27.6	8.2	7.6	112	--	--
			1.5	43000	27.5	8.2	7.4	109	--	--
			3.0	43000	27.5	8.2	7.2	106	--	--
LINE 147										
SEP 14, 72	1300	2	.3	45000	27.2	--	6.8	99	--	--
			1.5	43000	27.2	--	8.2	117	--	--
MAY 10, 73	1445	2	.3	30000	27.3	8.8	10.9	154	70	38
			.8	30000	27.3	8.9	10.9	154	80	--
LINE 152										
DEC 04, 71	1045	2	.3	35000	21.1	7.5	8.7	112	--	94

TABLE 4A--QUALITY OF WATER IN THE COLORADO ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 152 CONTINUED										
DEC 04, 71	1045	2	1.5	42000	21.2	7.7	7.6	100	--	--
			4.0	42000	21.2	8.6	8.0	105	--	--
APR 19, 72	1535	2	.3	39000	27.2	8.1	7.6	107	--	53
			.9	39000	27.2	8.1	7.8	110	--	--
			1.2	36000	27.1	8.1	7.6	107	--	--
			1.5	43000	27.0	8.1	7.1	104	--	--
			3.0	43000	26.9	8.1	6.9	101	--	--
			4.1	43000	26.9	8.1	6.5	96	--	--
SEP 14, 72	1315	2	.3	43000	28.2	--	5.3	78	--	61
			1.5	47000	28.2	--	5.2	78	--	--
			3.0	49000	28.2	--	5.1	77	--	--
			4.3	46000	28.0	--	5.2	78	--	--
MAY 10, 73	1430	2	.3	4400	27.4	8.4	11.1	140	40	53
			1.5	18000	26.8	8.4	9.3	122	--	--
			3.0	29000	26.9	8.6	9.2	126	--	--
			4.0	29000	26.8	8.7	9.2	126	70	--
LINE 164										
SEP 14, 72	1515	2	.3	36000	29.3	--	5.4	81	--	41
			1.5	41000	29.3	--	5.2	78	--	--
			3.0	39000	29.4	--	5.3	79	--	--
			4.6	41000	29.4	--	5.3	79	--	--
			5.5	39000	29.2	--	5.8	85	--	--
MAY 10, 73	1315	2	.3	24000	27.0	8.5	7.6	101	50	43
			1.5	24000	26.9	8.5	7.4	99	--	--
			3.0	24000	26.8	8.6	7.5	100	--	--
			4.9	24000	26.7	8.7	8.2	109	75	--
LINE 175										
SEP 14, 72	1400	2	.3	37000	28.8	--	5.4	79	--	43
			1.5	41000	29.0	--	7.1	104	--	--
			3.0	41000	29.0	--	6.9	101	--	--
			4.6	41000	29.1	--	7.6	112	--	--
			5.5	41000	29.0	--	6.0	88	--	--
MAY 10, 73	1335	2	.3	13000	27.2	8.2	8.0	103	60	33
			1.5	14000	26.8	8.3	7.8	100	--	--
			3.0	14000	26.7	8.4	7.6	99	--	--
			4.6	14000	26.8	8.4	7.6	99	95	--

TABLE 4B--QUALITY OF WATER IN THE COLORADO ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 18												
SEP 14, 72	0930	2	.3 5.8	11.0 8.2	.0 .0	.00 1.10	.00 .02	.02 .27	.08 .29	1.9 2.5	13.0 --	-- --
MAY 10, 73	1345	2	.3 2.1	9.7 9.7	.5 .5	.04 .06	.01 .01	.16 .15	.22 .24	1.8 1.2	-- --	9.5 --
LINE 81												
SEP 14, 72	1200	2	.3 10.7	14.0 3.2	.0 .0	.01 .27	.02 .03	.02 .02	.05 .04	2.0 2.0	23.0 23.0	-- --
MAY 10, 73	1435	2	.3 9.1	10.0 6.9	.6 .2	.05 .12	.01 .01	.14 .07	.17 .09	1.5 .9	-- --	7.5 9.5
LINE 95												
SEP 14, 72	1340	2	.3 4.9	9.6 1.2	.0 .0	.07 .28	.03 .03	.00 .04	.05 .04	2.4 1.2	23.0 21.0	-- --
MAY 10, 73	1350	2	.3 4.0	9.2 5.1	.4 .1	.06 .10	.01 .01	.13 .03	.13 .06	1.5 1.1	-- --	8.0 9.5

TABLE 4C--QUALITY OF WATER IN THE COLORADO ESTUARY,
WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES												
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED (SUM OF CONSTI- TUENTS) (MG/L)	
LINE 18												
SEP 14, 72	0930	2	.3 5.8	1440 33800	65.0 --	41.0 --	200 --	228 --	120 --	320 --	865 --	
MAY 10, 73	1345	2	.3 2.1	473 584	38.0 --	15.0 --	38 --	145 --	37 --	56 --	268 --	
LINE 81												
SEP 14, 72	1200	2	.3 10.7	14200 45300	--	--	--	--	--	--	--	
MAY 10, 73	1435	2	.3 9.1	586 14900	--	--	--	--	--	--	--	
LINE 95												
SEP 14, 72	1340	2	.3 4.9	22600 49200	210.0 --	520.0 --	4300 --	191 --	1300 --	7500 --	14000 --	
MAY 10, 73	1350	2	.3 4.0	2030 20200	67.0 --	49.0 --	330 --	203 --	100 --	570 --	1230 --	

TABLE 40--QUALITY OF WATER IN THE COLORADO ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED	DIS-SOLVED	TOTAL	BOTTOM DEPOSIT	DIS-SOLVED	DIS-SOLVED	BOTTOM DEPOSIT	
				ALUMI- NUM (AL) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	MIUM (CO) (UG/L)	MIUM (CO) (UG/L)	MIUM (CO) (UG/L)	MIUM (CO) (UG/L)
LINE 18											
SEP 14, 72	0930	2	.3	--	0	--	--	0	--	--	
LINE 95											
SEP 14, 72	1340	2	.3	--	0	--	--	0	--	--	

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED	TOTAL	DIS-SOLVED	TOTAL	BOTTOM DEPOSIT	DIS-SOLVED	TOTAL	BOTTOM DEPOSIT
				CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	COBALT (CO) (UG/L)	COBALT (CO) (UG/L)	COBALT (CO) (UG/GM)	COBALT (CO) (UG/L)	COBALT (CO) (UG/L)	COBALT (CO) (UG/L)
LINE 18											
SEP 14, 72	0930	2	.3	0	--	--	--	--	3	--	--
LINE 95											
SEP 14, 72	1340	2	.3	0	--	--	--	--	11	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED	BOTTOM DEPOSIT	DIS-SOLVED	TOTAL	BOTTOM DEPOSIT	DIS-SOLVED	TOTAL	BOTTOM DEPOSIT
				CYANIDE (CN) (MG/L)	CYANIDE (CN) (UG/GM)	IRON (FE) (UG/L)	IRON (FE) (UG/L)	IRON (FE) (UG/GM)	IRON (FE) (UG/L)	IRON (FE) (UG/L)	IRON (FE) (UG/L)
LINE 18											
SEP 14, 72	0930	2	.3	--	--	0	--	--	0	--	--
LINE 95											
SEP 14, 72	1340	2	.3	--	--	0	--	--	0	--	--

TABLE 4D--QUALITY OF WATER IN THE COLORADO ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITH- IUM (LI)	SOLVED MAN- GANESE (MN)	MAN- GANESE (MN)	DEPOSIT MAN- GANESE (MN)	SOLVED MER- CURY (HG)	DEPOSIT MER- CURY (HG)	SOLVED MER- CURY (HG)	SOLVED NICKLE (NI)	SOLVED STRON- TIUM (SR)

LINE 18												
SEP 14, 72	0930	2	.3	0	0	--	--	--	--	--	--	1100

LINE 95												
SEP 14, 72	1340	2	.3	70	40	--	--	--	--	--	--	3000

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	BOTTOM						
				SOLVED ZINC (ZN)	ZINC (ZN)	DEPOSIT ZINC (ZN)						

LINE 18												
SEP 14, 72	0930	2	.3	10	--	--						

LINE 95												
SEP 14, 72	1340	2	.3	15	--	--						

TABLE 4E--QUALITY OF WATER IN THE COLORADO ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLOR-DANE (UG/L)	BOTTOM DEPOSIT CHLOR-DANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
--------------------	------	------	----------------	---------------------	-------------------------------	-------------------------	-----------------------------------	------------------	----------------------------	------------------	----------------------------

LINE 18

SEP 14, 72 0930 2 .3 .00 -- .0 -- .00 -- .00 --

LINE 95

SEP 14, 72 1340 2 .3 .00 -- .0 -- .00 -- .00 --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DDT (UG/KG)	TOTAL DIEL-DRIN (UG/L)	BOTTOM DEPOSIT DIEL-DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA-CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR (UG/KG)
--------------------	------	------	----------------	------------------	----------------------------	------------------------	----------------------------------	---------------------	-------------------------------	--------------------------	------------------------------------

LINE 18

SEP 14, 72 0930 2 .3 .00 -- .00 -- .00 -- .00 --

LINE 95

SEP 14, 72 1340 2 .3 .00 -- .00 -- .00 -- .00 --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL HEPTA-CHLOR EPOXIDE (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR EPOXIDE (UG/KG)	TOTAL LINDANE (UG/L)	BOTTOM DEPOSIT LINDANE (UG/KG)	TOTAL PARA-THION (UG/L)	TOTAL METHYL PARA-THION (UG/L)	TOTAL MALA-THION (UG/L)	TOTAL DIAZ-INGON (UG/L)
--------------------	------	------	----------------	----------------------------------	--	----------------------	--------------------------------	-------------------------	--------------------------------	-------------------------	-------------------------

LINE 18

SEP 14, 72 0930 2 .3 .00 -- .00 -- .00 .00 .00 .00

LINE 95

SEP 14, 72 1340 2 .3 .00 -- .00 -- .00 .00 .00 .00

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL PCB (UG/L)	BOTTOM DEPOSIT PCB (UG/KG)	TOTAL 2,4-D (UG/L)	BOTTOM DEPOSIT 2,4-D (UG/KG)	TOTAL 2,4,5-T (UG/L)	BOTTOM DEPOSIT 2,4,5-T (UG/KG)	TOTAL SILVEX (UG/L)	BOTTOM DEPOSIT SILVEX (UG/KG)
--------------------	------	------	----------------	------------------	----------------------------	--------------------	------------------------------	----------------------	--------------------------------	---------------------	-------------------------------

LINE 18

SEP 14, 72 0930 2 .3 < .1 -- .00 -- .00 -- .00 --

LINE 95

SEP 14, 72 1340 2 .3 < .1 -- .17 -- .00 -- .00 --

Lavaca-Tres Palacios Estuary

The Lavaca-Tres Palacios estuary covers about 350 square miles (910 square kilometers) and consists of the tidal parts of the Lavaca and Navidad Rivers, Tres Palacios Creek and other tributaries, Lavaca Bay, Cox Bay, Keller Bay, Carancahua Bay, Tres Palacios Bay, Matagorda Bay, Matagorda Bay Entrance Channel, Pass Cavallo, and parts of the Intracoastal Waterway (Figure 6). Water depth at mlw is 13 feet (4.0 meters) or less in Matagorda Bay, except in the Matagorda Ship Channel, which is more than 40 feet (12.2 meters) deep.

The rivers generally are less than 15 feet (4.6 meters) deep.

Water-quality data (Table 5) were collected during February, April, May, June, July, August, and October 1972, and January, April, June, and July 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all




Figure 6.—Data-Collection Sites in the Lavaca-Tres Palacios Estuary

agencies are shown below. New line numbers are used in Table 5 and on Figure 6.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Lavaca-Tres Palacios Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	17	22	224
2	22	22a	229
3	35	23	235
4	45	24	249
4a	49	24a	254
5	55	24b	255
6	65	25	258
7	79	26	264
8	85	27	270
9	90	28	284
10	102	29	299
11	110	30	300
12	125	31	310
13	129	32	320
14	140	Colorado-Parkers Cut	330
14a	143	33	333
14b	144	34	340
14c	145	35	350
15	150	36	363
16	169	37	375
17	175	38	382
18	180	39	397
19	190	Guadalupe	
21	210	40	400

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	DIS-SOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK)
LINE 17									
FEB 23, 72	1510	2	.3	830	20.9	8.1	14.8	164	--
			1.5	830	20.7	8.0	13.4	147	--
			3.0	870	20.2	7.9	12.0	130	--
			4.6	870	20.3	7.8	11.1	122	--
APR 18, 72	1100	2	.3	910	26.2	7.9	9.8	120	--
			.9	910	26.1	7.8	8.9	109	--
			1.5	950	25.9	7.8	8.4	102	--
			3.0	970	25.9	7.8	8.1	99	--
			5.0	970	26.2	7.8	8.0	98	--
JUN 13, 72	1015	2	.3	750	27.4	7.7	7.3	91	--
			2.1	810	27.0	7.6	6.7	83	--
			4.0	810	27.0	7.6	6.8	84	--
AUG 22, 72	1150	2	.3	740	29.9	8.3	9.0	118	--
			1.5	760	29.7	8.3	8.6	112	--
			3.0	760	29.3	8.1	5.6	73	--
SEP 22, 72	0925	2	.3	840	29.0	8.0	6.8	87	--
			1.5	920	28.9	8.0	6.6	85	--
			3.4	1200	28.7	7.8	5.4	69	--
OCT 12, 72	1235	2	.3	1800	28.1	8.2	9.0	114	10
			1.5	1800	27.5	8.2	8.4	105	--
			2.1	7400	27.3	7.6	4.2	54	--
			3.4	10000	26.7	7.3	1.4	18	10
JAN 16, 73	1000	2	.3	1500	11.7	7.7	11.8	108	--
			1.5	1600	11.5	7.7	11.9	108	--
			2.1	10000	12.2	7.1	5.2	49	--
			3.4	20000	12.9	7.1	3.9	39	--
APR 09, 73	1340	2	.3	520	16.4	7.5	7.5	76	--
			1.5	520	16.3	7.5	7.8	79	--
			3.7	520	16.2	7.5	6.7	88	--
JUN 04, 73	1330	2	.3	750	28.6	--	9.6	123	--
			1.5	750	28.0	--	8.3	105	--
			3.5	750	27.8	--	7.4	94	--
JUN 22, 73	1330	2	.3	220	25.6	7.1	7.6	92	--
			9.0	220	25.7	7.1	8.1	98	--
JUL 03, 73	1315	2	.3	780	31.2	7.5	10.4	139	--
			.9	780	30.3	7.5	9.8	129	--
			1.8	780	29.5	7.3	7.4	94	--
			3.4	800	29.6	7.2	7.0	91	--
LINE 22									
FEB 23, 72	1450	2	.3	500	20.9	7.7	11.6	129	--
			1.5	500	20.7	7.6	11.0	121	--
			3.4	510	20.1	7.3	9.4	102	--
APR 18, 72	1010	2	.3	850	25.5	7.7	6.8	82	--
			1.5	850	25.5	7.7	6.6	80	--
			3.4	880	25.5	7.6	6.2	75	--
JUN 13, 72	0955	2	.3	630	27.4	7.6	6.4	80	--
			1.5	650	27.4	7.7	6.5	81	--
			3.7	650	27.4	7.7	6.7	84	--
AUG 22, 72	1130	2	.3	530	29.9	7.8	7.3	96	--
			1.5	600	29.4	7.8	5.4	70	--

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)
LINE 22 CONTINUED										
AUG 22, 72	1130	2	2.7	800	29.3	8.1	5.0	65	--	--
SEP 22, 72	0845	2	.3	660	27.6	7.6	5.3	66	--	--
			1.2	680	27.5	7.6	5.2	65	--	--
			2.4	700	27.3	7.6	5.6	70	--	--
OCT 12, 72	1150	2	.3	630	26.8	7.9	9.2	114	35	66
			1.5	700	26.3	7.8	8.2	100	--	--
			2.1	1900	26.2	7.5	6.0	74	--	--
			2.7	5900	26.1	7.3	3.0	38	20	--
JAN 16, 73	0930	2	.3	240	12.4	7.2	11.0	103	--	15
			1.5	240	12.5	7.2	12.0	112	--	--
			2.7	1200	12.4	7.3	12.2	114	--	--
APR 09, 73	1315	2	.3	290	15.7	7.5	8.3	82	--	13
			1.5	290	15.7	7.5	8.6	85	--	--
			3.4	290	15.7	7.5	8.4	83	--	--
JUN 04, 73	1305	2	.3	750	29.0	--	9.1	117	--	58
			1.5	750	28.7	--	8.7	112	--	--
			3.0	800	28.2	--	7.6	96	--	--
JUN 22, 73	1315	2	.3	110	26.0	6.7	7.1	87	--	10
			3.7	120	25.8	6.7	7.3	89	--	--
JUL 03, 73	1215	2	.3	570	31.0	7.0	9.0	120	--	57
			1.5	570	29.8	6.7	7.0	92	--	--
			2.7	570	30.1	6.7	6.6	87	--	--
LINE 35										
APR 18, 72	1025	2	.3	1300	25.4	7.9	8.2	99	--	43
			1.5	1300	25.4	7.9	8.1	98	--	--
			2.7	1300	25.4	7.9	7.9	95	--	--
JUN 13, 72	1007	2	.3	470	27.8	7.3	6.2	78	--	28
			2.1	470	27.6	7.3	6.2	78	--	--
AUG 22, 72	1140	2	.3	480	29.8	8.3	8.5	112	--	51
			2.1	500	29.3	8.2	6.4	83	--	--
JAN 16, 73	0949	2	.3	300	11.2	7.1	11.5	105	--	15
			1.8	900	11.2	7.2	11.6	105	--	--
APR 09, 73	1331	2	.3	290	16.0	7.5	8.4	84	--	18
			1.8	290	15.9	7.5	6.9	89	--	--
JUN 04, 73	1317	2	.3	750	28.3	7.0	8.4	106	--	53
			1.5	750	28.3	7.0	8.3	105	--	--
			2.7	750	28.2	7.2	6.3	105	--	--
LINE 45										
FEB 23, 72	1430	2	.3	700	20.4	7.9	10.8	119	--	20
			1.5	700	20.4	7.8	10.7	118	--	--
			3.0	700	20.4	7.9	10.4	114	--	--
APR 18, 72	1120	2	.3	3700	25.9	8.1	8.3	102	--	48
			1.5	4000	25.8	8.1	7.7	95	--	--
			2.1	5700	25.8	7.9	5.9	74	--	--
			2.4	8700	25.7	7.8	4.4	54	--	--
			3.0	12000	25.8	7.6	2.9	37	--	--
JUN 13, 72	1035	2	.3	580	27.5	7.5	6.4	80	--	23
			3.0	600	27.3	7.5	6.5	81	--	--
AUG 22, 72	1220	2	.3	500	30.0	--	7.6	100	--	51

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (LOGS) (C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK) (CM)	
LINE 45 CONTINUED											
AUG 22, 72	1220	2	1.5	500	30.0	--	7.5	99	--	--	
			2.7	500	30.0	--	8.0	105	--	--	
OCT 12, 72	1305	2	.3	2700	28.3	8.2	9.9	127	25	76	
			.9	7400	27.6	7.8	7.8	100	--	--	
			1.5	11000	27.5	7.5	5.0	64	--	--	
			2.4	12000	27.3	7.4	4.7	61	15	--	
JAN 16, 73	1020	2	.3	900	11.8	7.6	11.2	103	--	18	
			1.5	19000	10.9	7.6	7.9	76	--	--	
			2.4	24000	11.9	7.3	6.2	62	--	--	
APR 09, 73	1352	2	.3	340	16.2	7.5	8.2	83	--	11	
			1.5	320	15.8	7.5	8.2	82	--	--	
			2.7	340	15.6	7.5	8.3	82	--	--	
JUN 04, 73	1345	2	.3	750	28.3	7.2	8.0	101	--	62	
			1.5	750	28.2	7.4	8.0	101	--	--	
			3.4	750	28.3	7.8	7.8	99	--	--	
JUN 22, 73	1240	2	.3	190	25.7	7.0	--	--	--	8	
			1.5	190	25.7	7.0	--	--	--	--	
			4.6	190	25.7	6.9	--	--	--	--	
JUL 03, 73	1155	2	.3	650	30.4	7.1	9.3	122	--	56	
			1.5	650	29.8	7.0	8.4	110	--	--	
			3.0	650	29.8	6.8	7.9	104	--	--	
LINE 55											
FEB 23, 72	1420	2	.3	1000	20.5	7.8	10.2	112	--	18	
			1.5	1000	20.5	7.8	10.2	112	--	--	
			3.4	1000	20.7	7.9	10.0	110	--	--	
APR 18, 72	1135	2	.3	6700	25.9	8.2	8.0	100	--	76	
			1.5	6700	25.8	8.2	8.0	100	--	--	
			2.7	7400	25.6	8.1	7.1	88	--	--	
			3.4	16000	25.7	7.6	3.2	40	--	--	
			4.0	16000	26.0	7.6	4.2	54	--	--	
JUN 13, 72	1045	2	.3	750	28.0	7.7	7.0	89	--	38	
			4.0	1400	27.9	7.6	6.2	78	--	--	
AUG 22, 72	1230	2	.3	1100	30.7	--	7.6	101	--	48	
			1.5	1200	30.2	--	7.1	93	--	--	
			3.4	1800	30.0	--	4.9	64	--	--	
JAN 16, 73	1120	2	.3	1900	12.7	7.7	11.9	112	--	20	
			1.5	14000	12.4	8.1	12.0	117	--	--	
			3.0	28000	11.6	7.7	9.7	99	--	--	
APR 09, 73	1402	2	.3	440	16.0	7.6	8.3	83	--	10	
			1.5	750	15.8	7.7	8.5	85	--	--	
			2.4	800	16.2	8.1	9.3	94	--	--	
			3.4	2000	16.4	8.2	10.0	102	--	--	
JUN 04, 73	1354	2	.3	1000	27.8	7.7	7.4	94	--	53	
			1.5	1000	27.8	8.0	7.6	96	--	--	
			3.7	1000	27.8	8.4	7.5	95	--	--	
JUN 15, 73	1125	2	.3	130	23.8	--	6.6	78	--	--	
			1.5	110	23.8	--	5.4	64	--	--	
			3.0	120	23.8	--	5.3	62	--	--	
			6.1	120	23.8	--	5.2	61	--	--	
JUN 18, 73	1235	2	.3	130	28.7	--	4.6	59	--	28	
			1.5	130	28.6	--	4.7	60	--	--	
			3.0	130	28.6	--	4.8	62	--	--	

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 55 CONTINUED										
JUN 18, 73	1235	2	5.2	130	28.7	--	5.2	67	--	--
LINE 65										
FEB 23, 72	1400	2	.3	950	20.3	7.7	9.8	108	--	8
			1.5	950	20.2	7.7	9.4	102	--	--
			3.7	950	20.3	7.8	9.3	102	--	--
APR 18, 72	1150	2	.3	11000	25.8	8.0	7.7	96	--	64
			1.5	13000	25.8	8.0	7.3	92	--	--
			3.0	16000	25.8	7.9	5.8	74	--	--
			4.0	19000	25.9	7.8	5.7	74	--	--
MAY 17, 72	0915	2	.3	370	24.4	7.0	--	--	--	23
			1.5	370	24.4	7.0	--	--	--	--
			3.0	370	24.4	7.0	--	--	--	--
			4.6	370	24.4	7.0	--	--	--	--
MAY 22, 72	1530	2	.3	540	28.8	7.6	7.7	99	--	--
			4.6	600	28.8	7.5	7.0	90	--	--
JUN 13, 72	1120	2	.3	920	27.7	8.0	8.3	104	--	66
			2.1	920	27.7	7.9	8.0	100	--	--
			4.6	920	27.5	7.9	7.8	98	--	--
AUG 22, 72	1300	2	.3	1900	30.7	--	7.4	100	--	--
			1.5	1800	30.0	--	6.3	83	--	--
			3.0	1900	30.0	--	5.9	79	--	--
SEP 22, 72	1010	2	.3	3000	29.3	8.0	7.2	95	--	--
			1.5	4300	29.3	7.9	5.5	72	--	--
			3.4	14000	29.3	7.6	2.7	36	--	--
OCT 12, 72	1325	2	.3	6700	28.1	8.3	10.0	130	--	91
			1.5	15000	27.6	8.0	7.9	104	--	--
			2.7	20000	27.6	7.9	8.0	108	20	--
JAN 16, 73	1107	2	.3	6400	13.4	7.8	11.7	114	--	23
			1.5	20000	12.5	7.9	11.7	117	--	--
			3.4	27000	12.7	7.9	11.7	122	--	--
APR 09, 73	1435	2	.3	720	16.8	7.7	7.4	81	--	11
			1.5	750	16.2	7.7	8.1	82	--	--
			3.0	960	15.4	7.7	8.0	79	--	--
JUN 04, 73	1425	2	.3	3800	27.9	7.6	7.4	95	--	56
			1.5	3800	27.9	7.6	7.5	96	--	--
			3.0	4200	27.7	7.6	6.7	85	--	--
			4.0	7000	27.5	8.2	6.1	78	--	--
JUN 22, 73	1120	2	.3	240	25.6	7.2	--	--	--	10
			1.5	220	25.2	7.3	3.8	45	--	--
			3.0	220	25.1	7.3	3.8	45	--	--
			4.3	220	25.1	7.3	3.4	40	--	--
JUL 03, 73	1115	2	.3	670	30.5	6.9	7.5	99	--	64
			1.5	670	30.4	6.9	7.1	93	--	--
			3.0	670	30.4	6.9	7.0	92	--	--
LINE 79										
FEB 23, 72	1345	2	.3	16000	20.2	8.2	9.5	109	--	8
			1.5	16000	20.2	8.2	10.1	116	--	--
			3.4	16000	20.3	8.2	9.7	111	--	--
APR 18, 72	1220	2	.3	23000	25.5	8.0	7.6	99	--	41
			1.5	23000	25.5	8.0	7.5	97	--	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY (SECCHI DISK (CM)
--------------------------	------	------	-------------------	--	------------------------------	----	------------------------------------	----------------------------	-------------------------	--

LINE 79 CONTINUED

APR 18, 72	1220	2	3.7	23000	25.7	8.0	7.4	96	--	--
JUN 13, 72	1205	2	.3	3700	29.0	8.0	7.8	101	--	36
			1.8	3600	29.0	8.0	7.7	100	--	--
AUG 22, 72	1338	2	.3	12000	31.0	--	7.7	107	--	43
			1.5	12000	30.0	--	7.1	97	--	--
			3.4	12000	30.0	--	6.3	66	--	--
JAN 16, 73	1242	2	.3	18000	19.5	8.1	11.3	116	--	79
			1.5	21000	19.8	8.1	11.3	119	--	--
			3.4	28000	19.2	8.0	11.2	120	--	--
APR 09, 73	1514	2	.3	2500	17.8	8.0	9.2	98	--	14
			1.5	2600	17.5	7.9	8.9	94	--	--
			3.4	3700	16.1	7.8	9.5	96	--	--
JUN 04, 73	1510	2	.3	13000	28.4	7.9	7.5	99	--	25
			1.5	14000	28.3	8.0	7.4	97	--	--
			3.4	15000	27.8	8.3	7.0	94	--	--

LINE 85

FEB 23, 72	1315	1	.3	12000	20.1	8.1	9.2	105	--	8
			1.8	11000	20.2	8.1	9.5	107	--	--
APR 18, 72	1520	1	.3	30000	26.0	8.0	7.3	100	--	29
			1.5	30000	26.0	8.0	7.7	105	--	--
			2.6	30000	26.1	8.0	7.4	101	--	--
JUN 13, 72	0840	1	.3	1100	--	8.1	--	--	--	38
			1.8	6000	--	8.1	--	--	--	--
AUG 22, 72	1000	1	.3	1100	29.9	--	8.0	105	--	41
			1.5	1200	29.6	--	8.0	104	--	--
			4.0	1400	29.6	--	8.0	104	--	--
SEP 22, 72	1040	1	.3	19000	28.9	8.1	7.4	101	--	61
			1.5	23000	29.0	8.0	6.5	90	--	--
			3.7	27000	29.1	7.9	4.2	60	--	--
JAN 16, 73	1252	1	.3	32000	13.8	8.2	11.8	128	--	137
			1.5	34000	13.8	8.2	11.7	129	--	--
			3.0	28000	13.2	8.1	10.9	115	--	--
APR 09, 73	1520	1	.3	5000	17.3	8.0	9.3	98	--	13
			1.5	6000	16.8	8.0	9.1	95	--	--
			2.7	6900	16.2	7.8	9.0	93	--	--
JUN 15, 73	0940	1	.3	140	23.6	--	5.0	58	--	5
			1.2	140	23.6	--	5.0	58	--	--
			2.7	140	23.6	--	5.0	58	--	--
JUN 18, 73	1030	1	.3	140	28.0	--	5.3	67	--	19
			1.2	140	28.0	--	5.4	68	--	--
			2.4	140	28.0	--	5.7	72	--	--
JUN 22, 73	0920	1	.3	420	25.8	--	4.6	56	--	28
			2.9	420	25.9	--	4.8	59	--	--
JUL 03, 73	0945	1	.3	1500	29.4	7.3	7.1	92	--	15
			1.5	1500	29.3	7.3	7.1	92	--	--
			2.4	1500	29.1	7.2	7.2	92	--	--
JUN 13, 72	0845	2	.3	7600	--	8.0	--	--	--	41
			1.5	8000	--	8.0	--	--	--	--
AUG 22, 72	1010	2	.3	1000	29.7	8.1	7.8	101	--	38

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 85 CONTINUED										
AUG 22, 72	1010	2	1.5	1000	29.6	8.0	7.8	101	--	--
JAN 16, 73	1309	2	.3 1.2	25000 26000	13.3 12.8	8.2 8.3	11.5 13.7	120 144	-- --	127 --
APR 09, 73	1530	2	.3 1.5	5800 7200	16.7 15.8	8.1 7.8	10.0 9.1	104 93	-- --	14 --
JUN 15, 73	0930	2	.3 1.8	180 180	23.6 23.6	-- --	5.1 5.2	59 60	-- --	6 --
JUN 18, 73	1020	2	.3 1.5	190 200	27.9 27.9	-- --	5.8 6.1	73 77	-- --	15 --
FEB 23, 72	1245	3	.3 1.5	11000 11000	20.6 20.5	8.0 8.0	9.7 9.9	110 112	-- --	-- --
APR 18, 72	1535	3	.3 1.8	22000 22000	26.1 26.1	8.1 8.1	7.4 7.5	97 99	-- --	15 --
JUN 13, 72	0855	3	.3 1.5	9800 10000	27.4 27.2	8.0 8.0	7.4 7.3	95 92	-- --	38 --
AUG 22, 72	1025	3	.3 1.5	6600 6400	29.6 29.4	8.2 8.3	7.6 7.3	101 97	-- --	18 --
SEP 22, 72	1055	3	.3 1.5	19000 20000	29.5 29.1	8.2 8.2	7.5 7.6	104 106	-- --	43 --
OCT 12, 72	1055	3	.3 1.2	16000 17000	26.0 26.0	8.2 8.2	9.8 10.3	127 134	20 35	61 --
JAN 16, 73	1322	3	.3 1.2	29000 28000	13.3 13.5	8.2 8.2	13.7 12.5	146 133	-- --	127 --
APR 09, 73	1535	3	.3 1.5	7200 9200	16.8 16.0	8.2 8.0	10.2 9.3	106 96	-- --	-- --
JUN 15, 73	0908	3	.3 1.8	120 180	24.4 24.4	-- --	4.8 5.0	56 59	-- --	13 --
JUN 18, 73	1010	3	.3 1.5	250 250	28.2 28.2	-- --	6.1 6.3	77 80	-- --	16 --
JUN 22, 73	1010	3	.3 1.5	480 500	25.4 25.4	-- --	4.4 4.7	53 57	-- --	10 --
APR 18, 72	1550	4	.3 .9	22000 22000	25.9 26.0	8.0 8.1	7.6 8.4	100 111	-- --	-- --
JUN 13, 72	0905	4	.3 .9	5300 5300	27.5 27.6	8.1 8.1	7.0 7.2	90 92	-- --	30 --
AUG 22, 72	1038	4	.3 .9	580 580	30.0 29.9	8.3 8.4	7.4 7.5	97 99	-- --	28 --
JAN 16, 73	1335	4	.3 .6	22000 22000	14.6 14.4	8.2 8.2	12.3 13.2	129 139	-- --	61 --
APR 09, 73	1550	4	.3 .8	4400 4600	17.2 17.1	7.7 7.7	8.6 9.0	90 94	-- --	25 --
JUN 15, 73	0855	4	.3 1.5	90 90	24.3 24.4	-- --	4.7 4.8	55 56	-- --	16 --
JUN 18, 73	0955	4	.3 1.2	340 380	28.8 28.9	-- --	6.6 6.6	85 85	-- --	20 --
JUL 03, 73	0925	4	.3	1000	29.1	6.7	6.1	78	--	14

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 85 CONTINUED										
JUL 03, 73	0925	4	1.2	990	29.1	6.6	6.0	77	--	--
LINE 90										
JUN 22, 73	0925	1	.3	490	25.5	--	5.1	61	--	28
			1.2	440	25.6	--	5.4	65	--	--
JUL 03, 73	0955	2	.3	1000	29.5	7.0	6.9	90	--	14
			1.5	1100	29.5	7.0	7.0	91	--	--
			2.4	1000	29.4	7.0	7.1	92	--	--
FEB 23, 72	1225	3	.3	13000	20.4	8.2	11.6	133	--	10
			1.5	14000	20.3	8.2	11.4	131	--	--
			2.4	14000	20.5	8.2	11.4	131	--	--
APR 18, 72	1730	3	.5	34000	26.3	8.2	7.2	100	--	28
			1.5	34000	26.2	8.2	7.6	106	--	--
			3.2	34000	26.5	8.2	10.0	139	--	--
JUN 13, 72	0825	3	.3	9200	--	8.0	--	--	--	33
			1.5	9400	--	8.0	--	--	--	--
			3.4	9400	--	8.0	--	--	--	--
AUG 22, 72	0925	3	.3	13000	29.6	8.6	7.1	97	--	46
			1.5	15000	29.6	8.4	6.8	93	--	--
			2.7	15000	29.7	7.7	5.0	68	--	--
SEP 22, 72	1115	3	.3	21000	29.4	8.2	7.2	103	--	53
			1.5	29000	29.5	8.1	5.5	79	--	--
			3.0	29000	29.5	8.1	5.3	76	--	--
OCT 12, 72	1035	3	.3	20000	26.0	8.1	8.3	109	20	86
			1.5	24000	26.0	8.1	9.5	125	--	--
			2.7	31000	26.2	8.1	9.2	126	45	--
JAN 16, 73	1400	3	.3	32000	12.6	8.2	11.4	120	--	152
			1.5	32000	12.4	8.1	11.9	125	--	--
			2.6	32000	12.4	8.2	12.8	135	--	--
APR 09, 73	1610	3	.3	11000	17.1	8.3	10.3	110	--	19
			.9	11000	17.2	8.2	10.2	109	--	--
			1.5	16000	16.5	8.0	8.6	91	--	--
			2.7	20000	16.5	7.8	8.0	87	--	--
JUN 06, 73	0915	3	.3	12000	26.3	8.0	7.6	96	--	18
			1.5	12000	26.3	8.0	8.5	107	--	--
			2.4	13000	26.3	8.1	8.4	106	--	--
JUN 15, 73	0955	3	.3	180	23.7	--	4.8	56	--	5
			1.2	180	23.6	--	4.8	56	--	--
			2.7	180	23.6	--	5.0	58	--	--
JUN 18, 73	1045	3	.3	180	27.7	--	6.4	80	--	16
			1.5	180	27.7	--	6.5	81	--	--
			2.7	190	27.6	--	6.6	82	--	--
JUN 22, 73	0940	3	.3	380	25.4	--	5.2	63	--	25
			3.0	390	25.4	--	5.8	70	--	--
JUN 22, 73	0950	5	.3	390	25.1	--	5.2	62	--	18
			1.2	400	25.1	--	5.8	69	--	--
LINE 102										
FEB 23, 72	1058	2	.3	21000	19.3	8.4	8.9	102	--	36
			1.5	21000	19.3	8.4	8.9	102	--	--
			3.0	21000	19.0	8.4	9.0	101	--	--

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 102 CONTINUED										
FEB 23, 72	1058	2	6.1	21000	18.3	8.4	8.2	92	--	--
			7.6	35000	17.0	8.0	6.2	73	--	--
			9.8	40000	17.1	8.0	6.4	77	--	--
APR 18, 72	1145	2	.3	34000	25.9	8.3	9.3	129	--	81
			1.5	34000	25.7	8.3	8.8	121	--	--
			3.0	34000	25.6	8.2	8.4	115	--	--
			4.6	34000	25.6	8.2	8.0	110	--	--
			6.1	34000	25.6	8.2	7.6	104	--	--
			7.6	37000	26.2	8.2	6.7	93	--	--
			9.1	39000	25.9	8.1	4.7	66	--	--
			9.8	39000	26.1	8.1	5.1	72	--	--
JUN 13, 72	1333	2	.3	20000	26.0	8.2	10.3	141	28	71
			1.5	20000	27.9	8.2	10.1	138	30	--
			3.0	22000	27.6	8.2	9.6	130	30	--
			4.6	28000	27.1	7.8	5.3	73	32	--
			6.1	39000	26.9	7.7	4.2	60	69	--
			10.1	39000	26.9	7.6	5.1	73	28	--
AUG 22, 72	1650	2	.3	19000	32.0	8.3	10.8	154	8	69
			1.5	41000	31.0	8.3	9.1	142	10	--
			3.0	44000	30.0	7.8	3.1	49	0	--
			6.1	46000	30.0	7.8	3.5	56	0	--
			9.1	46000	30.3	7.8	2.7	43	12	--
LINE 106										
MAR 27, 72	1235	2	.3	41000	26.0	8.3	7.0	100	--	109
			1.5	41000	25.3	8.3	6.7	94	--	--
			3.0	41000	25.2	8.3	6.2	86	--	--
			6.1	36000	24.9	8.3	5.4	73	--	--
			7.6	41000	24.9	8.2	5.0	69	--	--
			9.1	46000	24.4	8.0	.8	11	--	--
			12.2	46000	24.8	7.9	.0	0	--	--
LINE 110										
FEB 23, 72	1238	2	.3	20000	20.0	7.4	2.2	26	--	33
			.9	20000	20.1	7.4	2.6	30	--	--
			1.5	20000	20.1	7.4	2.5	29	--	--
			2.1	20000	20.0	7.4	2.7	31	--	--
			3.0	20000	20.0	7.4	1.9	22	--	--
APR 18, 72	1040	2	.3	29000	26.4	7.6	.9	12	--	71
			.9	29000	26.1	7.7	.8	11	--	--
			1.5	29000	26.1	7.7	1.4	19	--	--
			3.0	29000	25.6	7.9	3.4	45	--	--
			3.7	29000	25.8	7.8	2.4	32	--	--
			4.6	31000	25.9	7.8	1.9	26	--	--
			5.2	29000	25.9	7.8	2.6	35	--	--
JUN 13, 72	0853	2	.3	14000	27.6	7.6	6.1	79	50	46
			1.5	15000	27.5	7.7	5.8	76	51	--
			3.0	15000	27.3	7.8	6.7	88	66	--
			3.7	15000	27.4	7.7	6.4	84	60	--
AUG 22, 72	1720	2	.3	23000	31.7	8.3	11.9	175	25	64
			1.5	31000	31.0	8.1	8.1	121	30	--
			3.0	35000	30.4	7.6	2.0	30	32	--
			4.9	35000	29.9	7.5	2.6	39	430	--
JAN 16, 73	0905	2	.3	32000	8.8	8.3	10.8	105	0	81
			1.5	34000	8.2	8.3	10.5	102	2	--
			3.0	35000	5.7	8.1	9.7	90	3	--
			4.0	34000	6.0	8.1	9.8	91	5	--
APR 11, 73	0730	2	.3	11000	15.8	8.0	7.9	81	30	53

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 110 CONTINUED										
APR 11, 73	0730	2	1.5	12000	15.7	8.1	7.8	80	40	--
			3.0	18000	15.8	7.9	6.6	70	40	--
			4.6	14000	16.2	7.9	6.5	68	--	--
JUN 06, 73	0730	2	.3	16000	26.1	7.5	1.9	18	40	43
			1.5	18000	26.6	7.8	2.1	28	48	--
			3.7	20000	26.6	7.9	2.8	37	60	--
LINE 125										
FEB 23, 72	1308	2	.3	23000	20.6	8.0	9.6	114	--	10
			.6	23000	20.7	8.0	9.7	115	--	--
APR 18, 72	1106	2	.3	32000	25.9	8.2	10.6	145	--	53
			1.2	32000	25.9	8.2	10.7	147	--	--
JUN 13, 72	1416	2	.3	15000	28.0	8.2	12.8	171	70	41
			1.5	15000	28.0	8.2	15.0	200	78	--
AUG 23, 72	1000	2	.3	24000	29.4	8.1	6.5	92	--	54
			1.2	25000	29.7	8.1	6.3	90	--	--
JAN 17, 73	1220	2	.3	32000	16.7	8.2	9.1	103	--	53
APR 11, 73	1045	2	.3	12000	16.4	7.7	8.1	85	--	36
			.6	12000	16.4	7.7	8.4	88	--	--
JUN 06, 73	1040	2	.6	18000	26.2	8.1	6.9	90	--	30
LINE 129										
FEB 23, 72	1318	2	.3	25000	19.9	8.2	10.0	119	--	23
			1.5	25000	19.9	8.2	9.9	118	--	--
			2.4	25000	20.4	8.2	9.6	116	--	--
APR 18, 72	1115	2	.3	32000	26.0	8.2	8.9	122	--	58
			1.5	32000	25.9	8.2	8.8	121	--	--
			2.1	32000	26.0	8.2	9.3	127	--	--
JUN 13, 72	1430	2	.3	16000	28.2	8.2	10.4	139	60	36
			1.5	16000	28.2	8.1	11.3	151	62	--
			3.0	16000	28.2	8.1	10.8	144	90	--
AUG 23, 72	0000	2	.3	24000	29.4	8.2	5.5	77	--	58
			1.5	24000	29.4	8.2	5.5	77	--	--
			2.4	24000	29.3	8.1	5.8	82	--	--
JAN 17, 73	1205	2	.3	32000	15.1	8.1	9.6	107	--	97
			1.5	32000	15.0	8.1	9.6	107	--	--
			2.4	35000	14.5	8.1	9.6	108	--	--
APR 11, 73	1030	2	.3	14000	16.2	7.8	8.5	89	--	41
			1.5	14800	16.2	7.8	8.3	87	--	--
			3.0	22000	16.5	7.7	7.2	79	--	--
JUN 06, 73	1010	2	.3	20000	26.1	8.1	6.4	84	--	28
			1.2	20000	25.9	8.0	6.0	79	--	--
			2.1	20000	25.9	8.0	6.2	82	--	--
LINE 140										
APR 11, 73	1007	2	.3	22000	16.5	7.7	7.8	84	--	71
			.9	22000	16.5	7.8	8.0	88	--	--
JUN 06, 73	1230	2	.3	24000	28.4	8.8	7.5	103	--	--
			1.2	24000	27.8	7.9	6.8	93	--	--

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCT- ANCE (MICRO- INHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 143										
FEB 23. 72	1425	1	.5 1.5	24000 24000	20.4 20.4	8.2 8.2	9.5 9.1	113 108	-- --	23 --
APR 19. 72	0945	1	.5 1.8	37000 38000	25.5 25.5	8.0 8.0	8.0 9.0	110 125	-- --	41 --
JUN 13. 72	1149	1	.3 1.8	20000 20000	27.6 27.6	8.1 8.1	11.9 12.4	161 168	52 60	41 --
AUG 22. 72	1550	1	.3 1.5	26000 24000	31.6 31.5	8.3 8.3	13.0 12.0	191 176	2 67	97 --
OCT 12. 72	0935	1	.3 1.2	33000 29000	26.2 26.1	8.2 8.2	8.8 9.0	122 122	15 15	86 --
JAN 17. 73	1120	1	.3 1.2	36000 36000	12.2 12.5	8.0 8.0	10.2 9.5	109 102	-- --	122 --
APR 11. 73	0943	1	.3 1.5	22000 22000	16.2 16.2	7.7 7.7	8.5 8.9	92 97	-- --	70 --
JUN 06. 73	1220	1	.3 1.5	28000 28000	28.2 27.8	8.1 8.0	7.8 7.8	110 110	-- --	56 --
FEB 23. 72	1418	2	.5 1.5	23000 23000	20.6 20.6	8.1 8.1	9.3 10.0	111 119	-- --	6 --
APR 19. 72	0951	2	.5 1.8	37000 37000	25.4 25.4	8.0 8.0	7.6 8.4	104 115	-- --	38 --
JUN 13. 72	1142	2	.5 1.5 2.1	20000 20000 20000	27.4 27.5 27.7	8.1 8.1 8.1	12.3 13.0 13.3	166 176 180	59 59 59	38 -- --
AUG 22. 72	1545	2	.3 1.5	22000 20000	31.0 30.6	8.3 8.3	11.8 12.5	171 179	10 20	74 --
OCT 12. 72	0950	2	.3 2.1	31000 33000	26.4 26.4	8.2 8.2	9.3 8.3	127 115	20 60	76 --
JAN 17. 73	1125	2	.3 1.5	38000 39000	12.2 12.2	8.0 8.0	10.0 10.5	108 113	-- --	165 --
APR 11. 73	0946	2	.3 1.5	23000 23000	16.4 16.4	7.7 7.7	8.2 8.4	90 92	-- --	62 --
JUN 06. 73	1205	2	.3 1.5	28000 28000	28.6 27.7	8.1 8.1	7.9 7.8	113 108	-- --	51 --
FEB 23. 72	1408	3	.5 1.2	22000 22000	20.5 20.5	8.2 8.2	9.5 10.6	113 126	-- --	10 --
APR 18. 72	1651	3	.5 1.5 2.3	37000 37000 37000	26.3 26.2 26.3	8.2 8.2 8.2	7.5 7.6 9.3	104 106 129	-- -- --	30 -- --
APR 19. 72	1000	3	.5 1.8	34000 34000	25.5 25.6	8.0 8.0	7.4 8.8	101 121	-- --	41 --
JUN 13. 72	1130	3	.3 1.8	20000 20000	27.4 27.6	8.1 8.1	12.6 13.3	170 160	69 75	36 --
AUG 22. 72	1535	3	.3 1.5	24000 25000	31.8 31.5	8.3 8.2	11.7 11.8	172 174	20 15	74 --
OCT 12. 72	0955	3	.3	34000	26.4	8.2	8.0	111	15	81

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C) (FIELD)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 143 CONTINUED										
OCT 12, 72	0955	3	1.5	34000	26.4	8.2	8.4	117	30	--
JAN 17, 73	1130	3	.3	38000	12.5	8.0	10.3	112	--	155
			1.5	39000	12.3	8.1	11.2	122	--	--
APR 11, 73	0950	3	.3	22000	16.4	7.8	8.1	89	--	41
			1.5	39000	16.4	7.8	11.2	122	--	--
JUN 06, 73	1200	3	.3	24000	28.0	8.1	7.7	107	--	49
			1.4	14000	27.6	8.0	8.1	105	--	--
FEB 23, 72	1403	4	.5	21000	21.6	8.3	9.6	116	--	10
			1.2	21000	21.6	8.3	10.4	125	--	--
APR 19, 72	1010	4	.5	34000	25.8	8.0	7.6	106	--	18
			1.5	34000	25.8	8.0	8.9	117	--	--
JUN 13, 72	1122	4	.3	20000	27.5	8.1	11.8	159	71	36
			1.2	20000	27.6	8.1	12.8	173	65	--
AUG 22, 72	1525	4	.3	26000	34.4	8.2	10.7	165	25	69
			1.2	27000	33.8	8.2	11.3	174	15	--
OCT 12, 72	1007	4	.3	33000	26.4	8.3	7.8	108	20	74
			.9	33000	26.4	8.3	8.4	117	25	--
JAN 17, 73	1139	4	.3	32000	13.0	8.0	9.9	105	--	140
			1.2	34000	12.8	8.0	10.1	109	--	--
APR 11, 73	0957	4	.3	22000	16.4	7.8	8.1	89	--	46
			1.2	22000	16.5	7.8	8.6	94	--	--
JUN 06, 73	1145	4	.6	24000	31.6	8.0	7.5	110	--	33
LINE 150										
FEB 23, 72	1027	1	.5	24000	19.6	8.4	9.5	112	--	36
			1.2	24000	19.8	8.4	9.9	116	--	--
APR 19, 72	0932	1	.5	38000	25.4	8.0	7.5	104	--	30
			1.7	37000	25.5	8.0	8.6	118	--	--
JUN 13, 72	1156	1	.5	20000	27.6	8.1	11.4	154	62	46
			1.5	20000	27.7	8.1	13.2	178	60	--
AUG 22, 72	1555	1	.3	24000	31.5	8.3	12.4	182	12	97
			1.5	24000	31.5	8.3	12.6	185	22	--
SEP 22, 72	0850	1	.3	36000	27.7	8.1	9.2	131	18	--
			1.5	38000	28.0	8.1	10.3	151	20	--
OCT 12, 72	0930	1	.3	33000	26.1	8.2	9.3	129	50	91
			1.2	33000	26.0	8.2	8.8	122	25	--
JAN 17, 73	1010	1	.3	30000	10.5	8.0	11.7	118	--	99
			1.5	30000	10.8	8.0	11.2	114	--	--
JUN 06, 73	1348	1	.3	27000	29.4	8.0	8.5	121	--	53
			1.8	27000	27.9	8.0	7.2	101	--	--
FEB 23, 72	1032	2	.5	24000	19.5	8.4	9.0	105	--	28
			1.5	24000	19.7	8.4	9.5	110	--	--
APR 19, 72	0928	2	.5	37000	25.4	8.0	7.3	100	--	36
			1.5	37000	25.3	8.0	7.6	104	--	--
			2.3	37000	25.3	8.0	8.0	110	--	--
JUN 13, 72	1202	2	.5	23000	27.5	8.1	11.5	155	79	36

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	(TIME)	(SITE)	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK) (CM)
LINE 150 CONTINUED										
JUN 13, 72	1202	2	1.5 2.4	22000 22000	27.5 27.5	8.1 8.1	12.4 12.0	168 162	81 95	-- --
AUG 22, 72	1605	2	.3 1.8	26000 27000	31.4 30.7	8.3 8.3	12.2 12.9	177 190	-- 55	97 --
SEP 22, 72	0845	2	.3 1.8	36000 36000	27.3 27.1	8.1 8.0	5.1 5.0	73 70	22 35	-- --
OCT 12, 72	0920	2	.3 1.8	33000 33000	25.8 25.8	8.2 8.2	9.0 8.8	125 122	40 --	46 --
JAN 17, 73	0952	2	.3 1.5	37000 38000	10.1 10.2	8.0 8.0	12.4 12.0	128 125	-- --	97 --
APR 11, 73	0831	2	.3 1.5	20000 20000	15.7 15.6	7.7 7.7	9.2 9.4	98 100	-- --	62 --
JUN 06, 73	1355	2	.3 1.4	14000 26000	29.2 28.0	8.1 8.0	9.2 8.5	122 118	-- --	51 --
FEB 23, 72	1036	3	.5 1.8	23000 23000	19.2 19.3	8.4 8.4	9.4 9.2	107 106	-- --	28 --
APR 19, 72	0920	3	.5 1.7	37000 36000	25.5 25.6	8.0 8.0	7.4 8.0	101 110	-- --	41 --
JUN 13, 72	1213	3	.5 1.8	23000 22000	27.7 27.7	8.1 8.1	12.7 12.8	172 173	70 70	-- --
AUG 22, 72	1612	3	.3 1.8	27000 27000	31.0 30.8	8.3 8.2	13.5 10.5	199 154	18 30	84 --
SEP 22, 72	0840	3	.3 1.8	35000 36000	26.9 27.3	8.1 8.0	5.4 4.5	76 65	20 120	-- --
OCT 12, 72	0915	3	.3 1.2	29000 28000	25.6 25.4	8.2 8.1	9.7 9.0	129 120	40 30	61 --
JAN 17, 73	0945	3	.3 1.5	37000 38000	10.1 10.3	8.0 8.0	12.4 13.0	128 135	-- --	91 --
APR 11, 73	0825	3	.3 1.2	18000 19000	15.8 15.9	7.7 7.6	9.5 9.4	101 100	-- --	65 --
JUN 06, 73	1406	3	.3 .9 1.8	23000 24000 24000	29.4 28.6 27.6	8.1 8.1 8.0	9.8 9.7 7.7	138 135 104	-- -- --	53 -- --
FEB 23, 72	1338	4	.5 1.5 3.0 6.1 10.1	23000 26000 27000 37000 37000	19.3 19.3 19.1 18.2 17.9	8.2 8.3 8.2 8.1 8.0	9.1 9.3 8.7 8.1 9.1	106 109 102 97 110	-- -- -- -- --	20 -- -- -- --
APR 18, 72	1625	4	.5 1.5 3.0 6.1 9.1 11.3	39000 39000 39000 39000 39000 39000	26.0 26.0 26.0 25.7 25.5 25.7	8.2 8.2 8.2 8.2 8.2 8.1	6.3 6.3 6.3 6.2 6.3 6.3	89 89 89 86 88 88	-- -- -- -- -- --	33 -- -- -- -- --
APR 19, 72	0906	4	.5 1.5 3.0 6.1 9.1 10.7	34000 34000 34000 34000 34000 34000	25.5 25.4 25.4 25.4 25.4 25.4	8.0 8.0 8.0 8.0 8.0 7.9	6.4 6.4 6.8 6.8 6.9 7.6	88 88 93 93 95 104	-- -- -- -- -- --	61 -- -- -- -- --
JUN 13, 72	1220	4	.5	24000	27.8	8.1	9.4	129	55	36

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK CM)
LINE 150 CONTINUED										
JUN 13, 72	1220	4	1.5	25000	27.5	8.1	9.7	133	50	--
			3.0	27000	27.3	8.1	9.0	125	52	--
			4.6	34000	27.2	8.1	8.0	111	55	--
			6.1	42000	27.1	8.0	7.1	109	55	--
			7.6	45000	27.2	8.0	6.8	101	66	--
			9.1	46000	27.2	8.0	7.1	106	80	--
			10.7	45000	27.1	8.0	9.2	137	105	--
AUG 22, 72	1625	4	.3	26000	31.4	8.3	12.0	179	15	86
			1.5	38000	30.6	8.2	11.0	169	10	--
			3.0	44000	30.4	8.2	8.3	132	2	--
			6.1	52000	30.3	8.1	7.4	121	0	--
			9.1	52000	30.4	8.1	5.3	87	0	--
			11.0	52000	30.7	8.1	6.0	100	2	--
SEP 22, 72	0810	4	.3	35000	27.0	8.0	4.3	61	17	--
			3.0	44000	27.0	8.0	4.0	60	95	--
			6.1	48000	27.3	8.0	3.1	46	32	--
			9.1	48000	27.6	8.0	3.1	47	70	--
			10.7	49000	27.6	8.0	3.0	46	145	--
SEP 22, 72	0915	4	.3	35000	26.8	8.1	10.1	142	15	--
			10.7	48000	27.1	8.0	6.8	101	50	--
OCT 12, 72	0900	4	.3	31000	22.6	8.3	7.1	91	20	89
			1.5	32000	22.7	8.3	6.5	83	30	--
			3.0	33000	22.8	8.3	6.4	83	40	--
			6.1	37000	22.9	8.2	5.0	66	50	--
			9.1	37000	23.0	8.2	4.9	64	30	--
			12.2	39000	22.8	8.2	6.9	92	45	--
JAN 16, 73	0935	4	.3	38000	7.1	8.3	12.4	119	0	147
			1.5	38000	6.7	8.2	12.3	117	0	--
			3.0	38000	6.6	8.2	12.0	114	8	--
			4.6	38000	6.5	8.2	11.9	113	8	--
			6.1	38000	6.3	8.2	10.5	108	15	--
			9.1	38000	6.2	8.2	10.6	104	30	--
			11.3	40000	6.3	8.1	10.4	104	40	--
JUN 06, 73	1425	4	.3	20000	29.3	8.0	8.5	118	--	46
			1.5	24000	27.5	7.9	6.7	91	--	--
			3.0	30000	27.5	7.9	6.1	86	--	--
			4.6	35000	27.6	7.9	5.4	77	--	--
			6.1	42000	27.9	7.8	4.8	72	--	--
			9.1	43000	27.9	7.8	4.3	64	--	--
			11.0	43000	27.9	7.8	4.3	64	--	--
LINE 169										
JAN 17, 73	1100	2	.3	32000	14.4	7.9	9.3	102	--	61
			.6	36000	14.2	7.9	9.1	101	--	--
APR 11, 73	0924	2	.3	25000	16.1	7.6	8.0	88	--	58
			.6	25000	16.1	7.6	6.2	90	--	--
JUN 06, 73	1334	2	.3	22000	29.1	8.1	8.0	111	--	56
			.9	22000	28.4	8.1	8.2	112	--	--
LINE 175										
FEB 23, 72	1450	1	.3	27000	20.7	8.2	10.4	127	--	58
			1.2	27000	20.7	8.2	10.8	132	--	--
FEB 23, 72	1512	1	.3	27000	20.6	8.2	11.5	140	--	51
			1.5	27000	20.7	8.2	13.0	159	--	--
APR 19, 72	1050	1	.3	37000	25.8	8.1	8.5	118	--	94

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 175 CONTINUED

APR 19, 72	1050	1	1.8	37000	25.9	8.2	9.6	133	--	--
JUN 13, 72	1028	1	.3 1.5	21000 21000	27.9 28.1	8.2	10.6 12.2	145 167	40 48	38 --
AUG 22, 72	1445	1	.3 1.2	30000 30000	31.2 31.4	8.4 8.4	10.8 11.0	161 164	2 10	97 --
JAN 17, 73	1035	1	.3 1.2	38000 37000	11.5 11.5	7.9 7.9	10.4 10.2	111 107	-- --	122 --
APR 11, 73	0903	1	.3 1.2	26000 26000	16.0 16.0	7.7 7.7	8.5 8.7	93 96	-- --	94 --
JUN 06, 73	1312	1	.3 1.2	22000 24000	28.7 27.6	8.1 8.1	8.2 8.1	114 109	-- --	56 --
FEB 23, 72	1502	2	.3 1.2	27000 28000	20.6 20.8	8.2 8.2	12.0 11.5	146 142	-- --	46 --
APR 19, 72	1056	2	.3 1.8	37000 37000	25.7 25.7	8.1 8.1	8.2 9.0	112 123	-- --	61 --
APR 19, 72	1105	2	.3 1.8	37000 37000	25.7 25.7	8.0 8.1	8.0 9.1	110 125	-- --	58 --
JUN 13, 72	1038	2	.3 1.5	22000 21000	26.8 26.7	8.2 8.2	10.8 10.9	144 145	42 41	46 --
AUG 22, 72	1450	2	.3 1.5	30000 30000	30.8 30.7	8.3 8.3	10.4 9.6	155 143	10 10	104 --
JAN 17, 73	1043	2	.3 1.2	38000 38000	12.2 12.0	7.9 7.9	10.1 9.8	109 105	-- --	122 --
APR 11, 73	0909	2	.3 1.5	26000 26000	16.1 16.1	7.7 7.7	8.6 8.9	95 98	-- --	86 --
JUN 06, 73	1319	2	.3 1.2	22000 24000	29.0 27.5	8.1 8.1	8.6 7.5	119 101	-- --	53 --
JUN 13, 72	1045	3	.3 1.5	21000 21000	26.8 26.8	8.2 8.2	11.2 11.6	149 155	-- 41	56 --
AUG 22, 72	1455	3	.3 1.5	28000 30000	30.5 31.0	8.4 8.3	10.4 9.8	153 146	5 18	71 --
JAN 17, 73	1050	3	.3 1.2	32000 32000	12.8 12.7	7.9 7.9	9.9 12.2	105 128	-- --	122 --
APR 11, 73	0915	3	.3 1.2	26000 26000	16.1 16.1	7.7 7.7	8.2 8.4	90 92	-- --	42 --
JUN 06, 73	1326	3	.3 1.2	21000 22000	28.7 28.0	8.1 8.1	8.0 8.1	111 111	-- --	58 --

LINE 180

FEB 23, 72	1440	2	.5 1.5	27000 26000	20.6 20.6	8.2 8.2	10.3 11.4	126 137	-- --	36 --
APR 19, 72	1032	2	.3 1.8	37000 37000	25.6 25.6	8.1 8.1	8.0 9.3	110 127	-- --	69 --
JUN 13, 72	1054	2	.3 1.5	22000 22000	27.0 27.0	8.2 8.2	11.0 12.5	147 167	70 55	46 --
AUG 22, 72	1430	2	.3	31000	30.9	8.3	10.6	158	5	97

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK 100 CM)	
LINE 180 CONTINUED										
AUG 22, 72	1430	2	1.5 33000	30.5	8.4	11.2	170	12	--	
JAN 17, 73	1021	2	.3 38000 1.2 38000	11.9 11.1	7.9 8.0	11.0 10.9	117 114	--	127 --	
APR 11, 73	0850	2	.3 26000 1.5 26000	16.1 16.0	7.7 7.7	8.5 8.6	93 95	--	72 --	
JUN 06, 73	1255	2	.3 27000 1.5 28000	28.8 28.2	8.1 8.1	7.9 8.1	113 114	--	48 --	
LINE 190										
JAN 15, 73	1635	2	.3 37000 .9 38000 1.5 37000 3.0 37000 4.6 37000 6.1 38000 9.1 38000 11.9 38000	7.8 7.4 7.8 7.7 7.6 7.4 7.4 7.3	8.4 8.3 8.4 8.4 8.3 8.3 8.3 8.3	11.5 10.4 11.5 11.3 11.1 10.8 10.4 10.2	112 101 112 110 108 105 101 99	30 39 30 30 35 35 95 130	-- -- -- -- -- -- -- --	
JUN 05, 73	1840	2	.3 27000 1.5 28000	28.9 28.8	8.5 8.5	8.2 7.6	117 107	40 60	46 --	
FEB 23, 72	1000	4	.5 28000 1.5 28000 3.0 28000 6.1 32000 10.7 40000	18.8 18.7 18.6 18.1 17.7	8.3 8.3 8.3 8.2 8.1	8.0 9.3 9.5 6.1 7.4	94 109 112 95 90	-- -- -- -- --	36 -- -- -- --	
APR 19, 72	1129	4	.5 38000 1.5 38000 3.0 39000 4.6 39000 6.1 39000 7.6 39000 9.1 39000 10.7 43000 11.6 43000	25.8 25.7 25.6 25.6 25.6 25.7 25.6 25.6 25.6	8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0	5.9 5.7 5.9 6.3 6.9 6.7 6.9 6.9 7.3	83 79 82 88 96 93 96 99 104	-- -- -- -- -- -- -- -- --	30 -- -- -- -- -- -- -- --	
JUN 12, 72	1730	4	.5 26000 1.5 26000 3.0 34000 4.6 40000 6.1 47000 10.4 44000	28.0 27.9 27.4 27.3 27.4 27.6	8.2 8.3 8.2 8.2 8.2 8.2	9.1 9.9 8.8 8.2 10.3 13.4	126 138 126 119 154 203	35 32 32 39 -- 27	69 -- -- -- -- --	
JUN 13, 72	0934	4	.5 26000 1.5 26000 3.0 26000 4.6 26000 6.1 24000 9.8 39000	27.1 27.0 27.0 27.0 27.0 27.1	8.0 8.0 8.0 8.0 8.0 7.9	11.3 9.8 10.2 9.3 9.3 7.2	153 132 138 126 126 103	70 68 70 60 55 70	20 -- -- -- -- --	
JUN 14, 72	0853	4	.3 25000 1.5 25000 3.0 26000 6.1 28000 9.1 35000 12.2 42000	26.9 26.9 26.9 26.9 27.0 26.8	8.0 8.0 8.0 8.0 7.9 7.8	6.7 6.0 6.0 6.0 5.4 5.5	90 81 81 82 76 81	75 71 71 -- 61 91	41 -- -- -- -- --	
AUG 21, 72	1605	4	.3 35000 1.5 49000 3.0 52000 6.1 50000 9.1 50000 12.2 50000	30.5 30.3 29.7 29.7 29.8 30.0	8.4 8.4 8.3 8.3 8.2 8.2	12.7 11.6 10.5 10.2 10.6 10.8	192 187 169 165 171 174	-- 0 5 10 130 90	97 -- -- -- -- --	

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 190 CONTINUED										
AUG 22, 72	0845	4	.3	33000	29.5	8.2	6.0	88	20	69
			1.5	35000	29.8	8.2	5.5	83	15	--
			3.0	35000	29.8	8.2	5.1	77	25	--
			6.1	49000	29.8	8.1	4.2	68	20	--
			9.1	46000	29.6	8.1	4.5	71	20	--
			11.6	45000	29.5	8.0	5.6	88	95	--
AUG 22, 72	1405	4	.3	34000	31.0	8.3	10.8	169	10	109
			1.5	34000	30.7	8.3	9.1	138	15	--
			3.0	41000	30.5	8.2	7.2	112	18	--
			6.1	50000	30.5	8.2	6.6	106	48	--
			9.1	50000	30.6	8.2	7.0	115	25	--
			11.9	50000	30.9	8.2	7.3	120	33	--
SEP 22, 72	0930	4	.3	39000	28.3	8.1	9.9	146	20	--
			3.0	44000	28.4	8.1	8.6	132	30	--
			6.1	49000	28.5	8.1	8.3	130	50	--
			9.1	49000	28.4	8.0	8.0	125	50	--
			11.0	49000	28.1	8.0	8.2	114	50	--
OCT 11, 72	1650	4	.3	38000	24.8	8.3	12.1	166	15	71
			1.5	38000	24.8	8.3	11.3	155	15	--
			3.0	38000	24.7	8.2	10.1	138	15	--
			6.1	44000	24.7	8.2	8.6	123	25	--
			9.1	44000	24.8	8.2	8.2	117	40	--
			10.7	44000	24.8	8.2	11.0	157	75	--
OCT 12, 72	0930	4	.3	39000	23.3	8.3	6.9	92	15	86
			1.5	39000	23.3	8.3	6.2	83	15	--
			3.0	40000	23.3	8.3	5.9	80	15	--
			6.1	43000	23.6	8.3	5.3	74	25	--
			9.1	44000	23.7	8.2	5.7	79	25	--
			11.6	44000	23.7	8.2	7.1	99	40	--
JAN 16, 73	0955	4	.3	38000	7.2	8.3	12.4	120	9	66
			1.5	38000	7.0	8.3	12.0	115	9	--
			3.0	38000	6.9	8.2	12.2	117	10	--
			4.6	38000	6.9	8.3	12.2	117	7	--
			6.1	38000	6.9	8.3	12.0	115	7	--
			9.1	38000	6.9	8.3	12.0	115	9	--
			11.6	40000	6.9	8.2	11.1	109	20	--
APR 10, 73	1430	4	.3	23000	15.8	8.1	10.1	110	45	76
			1.5	24000	15.2	8.1	9.8	105	50	--
			3.0	25000	15.3	8.1	9.9	108	50	--
			6.1	26000	15.4	8.0	9.8	107	50	--
			9.1	36000	15.9	8.0	8.4	97	70	--
			12.2	39000	16.1	8.0	8.3	97	170	--
APR 11, 73	0810	4	.3	20000	15.8	8.1	9.1	98	20	84
			1.5	22000	15.9	8.1	9.1	98	20	--
			3.0	23000	16.1	8.1	8.4	91	25	--
			6.1	28000	16.6	8.1	7.3	82	25	--
			9.1	36000	16.8	8.1	6.6	78	20	--
			12.2	37000	16.7	8.1	6.8	79	25	--
JUN 05, 73	1815	4	.3	28000	29.0	8.5	8.2	117	30	56
			1.5	28000	28.9	8.5	8.3	119	30	--
			3.0	34000	28.4	8.4	8.1	117	40	--
			5.5	42000	28.5	8.4	5.5	83	30	--
			8.5	42000	28.5	8.4	5.4	82	35	--
			11.6	26000	28.5	8.3	5.9	82	40	--
LINE 200										
FEB 24, 72	1110	2	.5	40000	19.2	8.1	8.5	106	--	104
			1.5	40000	19.1	8.1	9.3	116	--	--
			3.0	40000	19.1	8.1	9.6	120	--	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
--------------------	------	------	----------------	--------------------------------------	----------------------	----	-------------------------	--------------------	-----------------	----------------------------

LINE 200 CONTINUED

FEB 24, 72	1110	2	6.1	41000	18.8	8.1	10.0	125	--	--
			9.1	46000	17.8	8.1	11.8	148	--	--
			10.7	44000	17.9	8.1	13.5	169	--	--
JUN 19, 72	1038	2	0.5	40000	27.5	8.2	8.0	114	20	89
			1.5	40000	27.5	8.2	7.8	111	20	--
			3.0	42000	27.5	8.2	7.0	100	25	--
			6.1	48000	27.5	8.2	6.6	97	25	--
			9.1	49000	27.4	8.2	6.7	98	55	--
			12.2	47000	27.4	8.1	6.6	96	500	--
AUG 22, 72	1320	2	0.3	34000	31.0	8.3	10.7	162	13	104
			1.5	50000	30.7	8.3	9.4	154	20	--
			3.0	50000	30.4	8.2	7.2	116	32	--
			6.1	50000	30.3	8.2	8.8	142	18	--
			9.1	50000	30.5	8.2	8.9	144	35	--
			11.9	50000	30.8	8.2	8.2	134	95	--
OCT 12, 72	0945	2	0.3	42000	24.2	8.3	6.8	94	15	86
			1.5	42000	24.2	8.3	6.0	83	20	--
			3.0	42000	24.3	8.3	5.5	76	30	--
			6.1	44000	24.5	8.3	6.0	84	15	--
			9.1	44000	24.6	8.3	6.8	97	20	--
			11.6	44000	24.5	8.3	8.2	116	30	--
JAN 16, 73	1055	2	0.3	38000	8.0	8.2	11.7	116	5	81
			1.5	38000	7.7	8.2	11.5	113	10	--
			3.0	38000	7.5	8.1	11.4	112	20	--
			4.6	38000	7.5	8.1	11.7	115	23	--
			6.1	38000	7.2	8.1	11.6	113	30	--
			9.1	38000	6.9	8.1	11.4	110	31	--
APR 11, 73	0915	2	0.6	30000	16.0	8.1	9.7	109	10	122
			1.5	30000	16.4	8.1	9.1	103	10	--
			3.0	36000	16.8	8.1	8.6	101	15	--
			6.1	40000	17.1	8.1	8.8	106	10	--
			9.1	40000	17.2	8.1	8.1	98	10	--
			12.2	40000	17.2	8.1	7.8	94	15	--
JUN 06, 73	1510	2	0.3	30000	29.0	8.1	8.5	123	--	66
			1.5	35000	28.6	8.0	7.4	109	--	--
			3.0	40000	27.8	8.0	6.6	97	--	--
			4.6	42000	27.6	7.9	5.8	87	--	--
			6.1	42000	27.6	7.9	5.7	85	--	--
			9.1	46000	27.8	7.9	5.5	83	--	--
FEB 24, 72	1100	5	0.6	38000	20.1	8.3	10.9	138	--	61
			1.5	43000	27.5	8.2	7.0	103	18	89
			2.1	43000	27.5	8.2	7.0	103	20	--
			2.1	42000	27.6	8.2	7.1	106	30	--
			2.1	42000	27.6	8.2	7.1	106	30	--
			2.1	42000	27.6	8.2	7.1	106	30	--
AUG 22, 72	1335	5	0.3	35000	31.4	8.3	9.1	140	5	--
			1.5	44000	29.9	8.2	8.5	135	12	--
			2.1	44000	31.1	8.1	6.7	108	29	--
OCT 12, 72	1000	5	0.3	41000	24.3	8.3	8.2	112	20	91
			1.5	41000	24.3	8.3	8.5	116	20	--
			3.0	41000	24.4	8.3	9.1	125	30	--
JAN 16, 73	1110	5	0.3	38000	8.3	8.2	12.4	123	6	97
			1.5	37000	8.0	8.2	12.8	125	8	--
			2.1	36000	7.9	8.2	12.1	119	5	--
APR 11, 73	0935	5	0.6	29000	16.1	8.1	8.9	99	15	122
			1.2	29000	16.1	8.1	9.0	100	10	--
			2.4	30000	16.1	8.1	9.3	104	15	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 200 CONTINUED										
JUN 06, 73	1524	5	.3	30000	29.8	8.1	8.7	128	--	76
			1.5	34000	27.5	8.0	6.3	128	--	--
			2.7	42000	28.0	7.8	4.4	66	--	--
LINE 210										
FEB 24, 72	1130	2	.5	36000	19.2	8.1	9.4	115	--	140
			1.5	36000	19.1	8.1	10.0	122	--	--
			3.0	36000	19.1	8.1	10.5	128	--	--
			6.1	42000	18.8	8.1	11.4	142	--	--
			10.1	44000	18.3	8.1	13.3	166	--	--
JUN 14, 72	1107	2	.5	50000	27.5	8.2	8.6	130	50	74
			1.5	50000	27.4	8.2	9.0	136	40	--
			3.0	50000	27.4	8.2	9.0	136	50	--
			6.1	50000	27.5	8.2	9.0	136	50	--
			9.1	49000	27.7	8.2	8.5	131	70	--
AUG 22, 72	1250	2	.3	45000	31.0	8.3	10.3	166	20	119
			1.5	48000	30.6	8.3	11.1	182	28	--
			3.0	53000	30.4	8.3	11.0	180	30	--
			6.1	53000	30.4	8.2	10.9	179	5	--
			9.1	53000	30.5	8.2	10.1	168	21	--
			11.6	50000	31.0	8.2	10.3	169	22	--
OCT 12, 72	1015	2	.3	46000	24.7	8.4	8.2	117	15	104
			1.5	46000	24.7	8.4	7.6	108	10	--
			3.0	46000	24.6	8.4	8.0	114	10	--
			6.1	46000	24.6	8.4	8.2	117	10	--
			9.1	46000	24.5	8.4	8.4	118	10	--
			11.6	46000	24.5	8.4	11.2	158	20	--
JAN 16, 73	1135	2	.3	39000	8.0	8.1	11.9	118	8	89
			1.5	39000	7.6	8.1	11.8	116	10	--
			3.0	39000	7.3	8.1	11.9	116	12	--
			4.6	39000	7.2	8.1	12.4	120	15	--
			6.1	38000	7.1	8.1	12.0	115	15	--
			9.1	38000	7.0	8.1	11.8	113	15	--
			11.3	40000	7.2	8.1	11.9	117	44	--
APR 11, 73	0950	2	.6	36000	16.8	8.2	9.6	113	10	135
			1.5	36000	16.8	8.2	9.6	113	15	--
			3.0	36000	17.0	8.2	9.4	111	15	--
			6.1	40000	17.4	8.1	8.9	107	10	--
			9.1	40000	17.5	8.1	9.0	110	15	--
			11.3	40000	17.6	8.1	8.6	105	20	--
JUN 06, 73	1540	2	.3	43000	29.5	8.0	6.9	108	--	86
			1.5	44000	28.1	8.0	6.7	102	--	--
			3.0	46000	28.0	8.0	6.7	102	--	--
			4.6	46000	27.8	8.0	6.4	97	--	--
			6.1	48000	27.7	7.9	6.1	92	--	--
			9.1	48000	27.6	7.9	6.0	91	--	--
			11.6	48000	27.6	7.9	6.4	97	--	--
LINE 224										
FEB 23, 72	0830	2	.6	6500	19.3	8.4	8.8	97	--	30
JUN 13, 72	1400	2	.3	4300	29.0	8.2	7.8	101	--	36
			1.2	4300	29.0	8.2	7.8	101	--	--
AUG 23, 72	0930	2	.3	410	28.3	8.2	7.0	89	--	33
			.9	410	27.7	8.3	7.4	92	--	--
OCT 11, 72	1600	2	.3	11000	27.6	8.5	9.1	117	45	41
			.9	11000	27.6	8.5	9.2	118	110	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 229 CONTINUED										
JUN 05, 73	1445	2	.3	5400	29.9	8.7	8.1	109	--	29
			.9	5200	29.8	8.8	8.3	112	--	--
JUN 15, 73	1410	2	.3	180	27.9	--	5.4	68	--	14
			1.2	180	28.1	--	5.4	68	--	--
LINE 235										
FEB 23, 72	0920	2	.3	26000	19.7	8.2	8.6	101	--	36
			1.2	26000	19.7	8.2	8.4	99	--	--
JUN 13, 72	1420	2	.3	16000	28.7	8.0	7.2	97	--	38
			.9	16000	28.7	7.9	7.4	100	--	--
AUG 23, 72	1000	2	.3	18000	28.4	8.2	8.1	109	--	53
			1.5	17000	28.1	8.5	8.5	115	--	--
JUN 05, 73	1510	2	.3	15000	29.2	8.3	7.2	97	--	24
			1.5	16000	29.1	8.7	7.6	103	--	--
JUN 15, 73	1440	2	.3	300	27.5	--	8.4	105	--	10
			1.8	300	27.4	--	8.4	105	--	--
LINE 249										
FEB 23, 72	0906	2	.3	34000	19.4	8.1	8.7	106	--	89
			1.5	34000	19.6	8.0	9.1	111	--	--
JUN 12, 72	1640	2	.5	31000	28.6	8.4	13.3	193	31	71
			1.5	32000	28.4	8.4	14.2	203	20	--
			2.4	32000	28.4	8.4	14.3	204	38	--
AUG 21, 72	1520	2	.3	33000	30.5	8.4	11.6	176	0	107
			1.5	34000	30.4	8.4	12.5	187	15	--
			2.1	33000	30.3	8.4	12.5	187	5	--
OCT 11, 72	1400	2	.3	41000	24.7	8.3	10.4	144	30	56
			1.8	40000	24.7	8.3	11.2	156	40	--
JAN 15, 73	1555	2	.3	38000	9.4	8.4	10.9	111	10	97
			1.5	42000	9.4	8.4	10.5	109	12	--
APR 10, 73	1345	2	.3	32000	16.2	8.0	9.7	109	70	36
			1.5	32000	16.4	8.0	9.4	107	75	--
JUN 05, 73	1705	2	.6	26000	30.4	8.6	7.9	113	30	56
			1.8	26000	30.4	8.6	7.4	106	35	--
LINE 254										
FEB 22, 72	1645	2	.3	3400	20.7	8.2	9.6	107	--	23
			1.5	3600	20.5	8.2	9.3	103	--	--
			3.4	4000	20.6	8.2	8.3	92	--	--
APR 17, 72	1830	2	.3	6100	24.5	8.6	8.7	106	--	51
			1.5	8000	24.4	8.4	8.4	77	--	--
			3.4	11000	24.0	8.1	3.4	41	--	--
JUN 12, 72	1215	2	.3	350	28.5	7.3	5.4	69	--	13
			1.5	350	27.7	7.2	4.8	60	--	--
			3.4	340	27.6	7.1	4.8	60	--	--
AUG 23, 72	1700	2	.3	930	31.4	7.8	8.6	115	--	41
			1.5	930	30.7	8.0	7.8	104	--	--
			3.0	930	30.5	8.1	6.2	82	--	--
OCT 11, 72	1600	2	.3	10000	28.2	8.1	11.2	145	--	76

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTIVITY (MICRO- MHMS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY (CM)	SECCHI DISK

LINE 254 CONTINUED

OCT 11, 72	1600	2	.9	11000	28.1	8.0	10.8	140	--	--
			1.8	15000	27.8	7.5	4.8	64	32	--
JAN 16, 73	1552	2	.3	3500	15.5	7.8	9.5	95	--	30
			1.5	14000	14.6	7.9	9.5	96	--	--
			3.4	15000	14.7	7.9	9.4	96	--	--
APR 10, 73	1607	2	.3	480	17.7	7.6	7.9	82	--	15
			1.5	500	17.0	7.6	7.8	80	--	--
			3.0	530	17.0	7.7	7.8	80	--	--
JUN 05, 73	1215	2	.3	2200	28.8	7.8	7.6	99	--	--
			1.5	2400	28.2	7.7	6.7	86	--	--
			3.4	2500	28.4	7.9	6.1	78	--	--
JUN 15, 73	1555	2	.3	160	26.5	--	6.4	78	--	10
			1.5	160	26.5	--	6.5	79	--	--
			3.7	160	26.6	--	6.6	81	--	--
JUN 18, 73	1540	2	.3	190	30.9	--	4.6	61	--	36
			1.5	190	30.4	--	4.2	55	--	--
			3.7	190	30.3	--	4.0	53	--	--
JUN 22, 73	1755	2	.3	160	25.8	7.3	5.0	61	--	5
			1.5	170	25.5	7.3	5.0	60	--	--
			3.7	170	25.6	7.3	5.6	67	--	--

LINE 255

JUN 12, 72	1235	2	.3	1100	28.5	7.9	8.4	108	--	28
			1.5	1200	28.3	7.9	7.8	99	--	--
			2.4	1300	28.2	7.7	6.5	82	--	--
AUG 23, 72	1715	2	.3	1800	28.7	7.9	8.6	110	--	33
			2.1	3700	30.0	8.1	6.4	85	--	--
JAN 16, 73	1607	2	.3	10000	17.1	8.5	12.4	132	--	46
			1.5	15000	17.0	8.5	11.6	125	--	--
			2.6	20000	16.5	8.2	10.7	116	--	--
APR 10, 73	1620	2	.3	2000	20.4	7.6	8.6	96	--	9
			1.5	2300	19.6	7.6	8.9	97	--	--
			2.4	2400	19.3	7.6	9.3	101	--	--
JUN 05, 73	1232	2	.3	7000	28.6	8.0	7.0	92	--	28
			1.2	7500	28.4	8.1	6.9	90	--	--
			2.1	7500	28.3	8.3	6.6	86	--	--
JUN 22, 73	1735	2	.3	190	26.5	7.5	5.2	63	--	8
			2.7	190	26.2	7.6	6.8	83	--	--

LINE 258

FEB 22, 72	1710	2	.3	23000	21.5	8.5	8.9	109	--	10
			.6	27000	21.6	8.4	8.3	104	--	--
APR 17, 72	1825	2	.3	24000	25.2	8.5	6.9	89	--	23
			.9	27000	25.1	8.5	6.5	86	--	--
APR 17, 72	1345	2	.3	28000	26.9	8.2	--	--	--	22
			.9	28000	26.9	8.2	--	--	--	--
JUN 12, 72	1245	2	.3	9000	29.2	8.6	8.9	117	--	43
			.9	9000	29.2	8.6	8.8	115	--	--
AUG 23, 72	1730	2	.3	13000	30.9	8.0	8.7	121	--	31
			.9	13000	30.9	8.2	8.9	124	--	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 258 CONTINUED										
JAN 16, 73	1619	2	.3	22000	16.9	8.4	11.7	130	--	48
			.6	22000	17.0	8.4	12.3	137	--	--
APR 10, 73	1630	2	.3	19000	18.2	8.0	11.1	123	--	28
			.6	19000	18.2	8.0	11.1	123	--	--
JUN 05, 73	1243	2	.3	19000	28.6	8.2	7.1	95	--	14
			.9	19000	28.5	8.3	6.9	91	--	--
JUN 15, 73	1620	2	.3	180	27.2	7.3	7.6	94	--	13
			1.2	190	27.2	7.1	8.0	99	--	--
JUN 18, 73	1600	2	.3	380	30.4	7.4	6.7	88	--	22
			.9	380	30.4	7.4	6.8	89	--	--
JUN 22, 73	1730	2	.3	500	28.7	7.9	6.2	79	--	19
			.9	520	28.7	7.9	6.6	85	--	--
LINE 264										
APR 17, 72	1815	2	.3	30000	25.2	8.4	6.8	91	--	23
			1.5	31000	25.1	8.4	6.7	89	--	--
JUN 12, 72	1300	2	.3	24000	29.2	8.2	7.8	108	--	50
			1.5	24000	29.2	8.1	8.0	111	--	--
AUG 23, 72	1740	2	.3	29000	29.2	8.1	8.5	120	--	33
			1.2	29000	29.2	8.4	8.7	123	--	--
OCT 11, 72	1635	2	.3	34000	27.5	8.2	8.2	117	--	--
			.9	34000	27.5	8.2	9.3	133	--	--
JAN 16, 73	1630	2	.3	32000	15.2	8.2	11.7	131	--	89
			1.1	34000	15.4	8.2	12.6	142	--	--
APR 10, 73	1637	2	.3	22000	17.1	8.0	11.0	122	--	42
			.6	22000	17.1	8.0	10.8	120	--	--
			1.2	25000	16.1	7.7	9.5	104	--	--
JUN 05, 73	1255	2	.3	18000	28.7	8.0	6.5	89	--	20
			1.5	18000	28.4	8.2	6.5	88	--	--
JUN 15, 73	1635	2	.3	530	28.0	7.5	8.4	106	--	8
			1.2	590	28.0	7.4	8.6	109	--	--
JUN 18, 73	1610	2	.3	450	30.1	7.6	7.0	92	--	13
			1.2	450	30.1	7.6	7.2	95	--	--
JUN 22, 73	1715	2	.3	1600	27.5	8.4	6.8	85	--	15
			1.4	8500	26.6	7.9	5.3	67	--	--
LINE 270										
FEB 22, 72	1118	2	.3	30000	18.8	8.3	7.9	93	--	99
			1.5	30000	19.4	8.3	8.3	99	--	--
			3.0	27000	19.4	8.1	8.9	106	--	--
APR 17, 72	1605	2	.3	34000	26.1	8.2	7.4	103	--	65
			1.5	34000	26.5	8.3	8.0	111	--	--
			3.0	35000	26.1	8.4	7.0	97	--	--
			3.7	35000	25.8	8.0	5.6	78	--	--
			4.6	36000	26.1	7.8	3.0	42	--	--
JUN 12, 72	1135	2	.3	24000	27.1	7.9	7.2	96	--	89
			1.5	26000	27.0	7.8	5.3	72	--	--
			3.0	26000	27.0	7.8	4.8	65	--	--
			4.0	30000	27.2	7.8	5.0	69	--	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 270 CONTINUED										
AUG 21, 72	1015	2	.3	35000	30.2	8.3	7.0	106	10	64
			1.5	37000	30.0	8.2	5.2	79	--	--
			3.0	38000	30.6	8.0	1.0	15	--	--
JAN 15, 73	1140	2	.3	32000	9.0	8.4	11.5	112	15	81
			1.5	33000	7.0	8.4	10.9	103	--	--
			3.4	35000	6.8	8.4	9.8	93	15	--
APR 10, 73	0820	2	.3	30000	13.8	7.8	7.3	79	15	71
			.6	30000	14.1	7.7	7.3	79	--	--
			.9	30000	14.2	7.7	7.4	80	--	--
			1.5	30000	14.2	7.7	7.3	79	--	--
			3.0	30000	14.2	7.7	7.3	79	--	--
JUN 05, 73	0650	2	.3	18000	27.7	8.0	5.0	67	30	48
			1.5	18000	27.5	8.1	5.7	76	20	--
			2.4	18000	27.6	8.1	5.5	73	30	--
			3.7	18000	27.4	8.0	4.7	63	65	--
LINE 284										
FEB 22, 72	1140	1	.3	32000	19.9	8.4	8.5	104	--	69
			1.2	32000	20.0	8.4	9.2	112	--	--
APR 17, 72	1755	1	.3	36000	25.5	8.4	7.1	97	--	39
			1.5	36000	25.5	8.5	7.0	96	--	--
JUN 12, 72	1157	1	.3	27000	27.1	8.2	8.4	115	35	56
			1.5	28000	27.1	8.2	8.2	112	60	--
AUG 21, 72	1108	1	.3	41000	30.1	8.3	10.7	165	75	56
			1.2	41000	30.3	8.3	12.1	186	90	--
JAN 15, 73	1202	1	.3	36000	9.3	8.4	13.0	131	9	117
			.8	40000	9.7	8.5	11.6	120	9	--
APR 10, 73	0850	1	.6	31000	13.6	7.8	9.9	106	125	25
			1.2	31000	13.5	7.9	9.5	102	--	--
JUN 05, 73	1345	1	.3	23000	29.7	8.5	8.3	117	55	53
			1.5	23000	29.6	8.4	8.4	118	80	--
			2.7	23000	29.8	8.3	7.4	106	82	--
JUN 22, 73	1655	1	.3	8000	27.4	8.3	6.8	87	--	33
			1.5	8500	27.3	8.3	7.1	91	--	--
FEB 22, 72	1153	2	.3	34000	19.7	8.4	9.1	111	--	94
			1.5	35000	19.4	8.4	9.0	111	--	--
			3.0	35000	19.4	8.4	9.1	112	--	--
			4.0	34000	19.5	8.4	9.4	115	--	--
JUN 12, 72	1235	2	.3	26000	27.7	8.2	9.3	127	35	71
			1.5	27000	27.8	8.2	9.5	134	32	--
			2.1	27000	28.2	8.2	10.6	149	35	--
AUG 21, 72	1055	2	.3	39000	29.5	8.3	13.8	206	35	56
			2.1	37000	30.9	8.2	9.4	145	35	--
JAN 15, 73	1215	2	.3	38000	8.4	8.5	12.1	121	12	173
			1.5	38000	7.2	8.5	11.8	115	30	--
			3.4	40000	7.5	8.6	11.7	116	11	--
APR 10, 73	0900	2	.6	31000	13.6	7.9	9.7	104	70	38
			1.5	31000	13.6	7.9	9.6	103	--	--
			3.0	30000	13.6	7.9	9.3	100	--	--
JUN 05, 73	1355	2	.3	23000	29.5	8.4	9.2	130	30	48
			1.8	26000	29.1	8.3	8.1	114	45	--

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)	
LINE 284 CONTINUED											
JUN 05, 73	1355	2	3.7	26000	29.3	8.2	6.3	89	90	--	
JUN 22, 73	1645	2	.3	9500	27.0	8.3	6.7	85	--	25	
			1.5	10000	26.6	8.3	6.6	84	--	--	
			3.7	11000	26.8	8.4	7.6	96	--	--	
FEB 22, 72	1206	3	.3	32000	19.9	8.4	9.0	110	--	96	
			1.8	32000	19.5	8.3	9.2	111	--	--	
APR 17, 72	1630	3	.3	36000	26.1	8.2	7.0	97	--	18	
			1.5	36000	26.0	8.2	6.9	96	--	--	
			2.4	36000	25.8	8.4	6.8	94	--	--	
JUN 12, 72	1247	3	.3	26000	27.7	8.2	9.5	130	20	89	
			2.1	26000	27.8	8.2	9.9	138	30	--	
AUG 21, 72	1043	3	.3	39000	30.4	8.3	7.2	109	18	53	
			1.8	37000	30.3	8.2	6.5	97	12	--	
JAN 15, 73	1225	3	.3	37000	8.2	8.5	12.5	123	5	168	
			1.5	40000	8.2	8.5	12.1	121	30	--	
APR 10, 73	0915	3	.3	32000	13.9	8.1	9.4	102	40	64	
			1.5	32000	13.9	8.1	9.5	103	--	--	
JUN 05, 73	1405	3	.3	22000	29.4	8.5	8.8	124	40	48	
			1.8	23000	29.4	8.4	7.8	110	45	--	
JUN 22, 73	1630	3	.3	12000	27.5	8.6	7.7	100	--	33	
			2.1	12000	27.3	8.4	7.9	103	--	--	
LINE 299											
FEB 22, 72	1232	2	.3	35000	20.7	8.4	8.4	106	--	66	
			.9	33000	21.0	8.4	9.3	118	--	--	
APR 17, 72	1650	2	.3	35000	25.9	8.2	6.9	96	--	18	
			1.8	35000	25.9	8.2	7.0	97	--	--	
JUN 01, 72	1110	2	.3	43000	27.4	8.2	6.1	90	--	48	
			1.8	43000	27.3	8.2	5.6	82	--	--	
JUN 12, 72	1307	2	.3	26000	28.4	8.3	10.7	149	22	66	
			.9	27000	28.7	8.2	11.6	166	38	--	
AUG 21, 72	1145	2	.3	37000	30.7	8.3	11.2	172	8	69	
			1.1	39000	30.9	8.3	9.4	145	12	--	
JAN 15, 73	1245	2	.3	36000	9.0	8.5	11.4	114	10	112	
			.9	36000	9.2	8.4	11.1	112	15	--	
APR 10, 73	0925	2	.6	31000	14.2	8.1	9.3	101	40	53	
			1.5	32000	14.3	8.1	9.2	101	--	--	
JUN 05, 73	1420	2	.6	22000	30.3	8.5	8.2	117	40	51	
			1.2	22000	30.3	8.5	8.6	123	85	--	
LINE 300											
FEB 22, 72	1303	1	.3	35000	19.5	8.5	9.4	116	--	124	
			1.7	33000	19.7	8.5	10.2	124	--	--	
APR 17, 72	1740	1	.3	37000	25.6	8.3	6.8	93	--	36	
			1.5	37000	25.6	8.3	6.7	92	--	--	
			3.0	37000	25.6	8.3	6.6	90	--	--	
JUN 12, 72	1345	1	.3	34000	27.7	8.4	13.6	194	35	69	

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 300 CONTINUED										
JUN 12, 72	1345	1	1.5	34000	27.6	8.4	13.6	194	45	--
			2.1	30000	27.5	8.3	12.3	176	90	--
AUG 21, 72	1210	1	.3	42000	30.5	8.3	9.8	153	0	76
			2.1	41000	30.4	8.3	9.1	140	15	--
OCT 11, 72	1125	1	.3	42000	24.5	8.3	9.1	126	10	104
			1.5	42000	24.5	8.3	9.5	132	10	--
			2.4	42000	24.7	8.3	11.5	162	15	--
JAN 15, 73	1325	1	.3	34000	9.5	8.4	12.4	124	3	175
			1.5	36000	8.1	8.4	12.3	121	6	--
			2.1	37000	8.4	8.7	14.9	148	7	--
APR 10, 73	1005	1	.6	32000	13.9	8.1	10.3	112	125	30
			1.8	32000	14.0	8.1	10.3	112	--	--
JUN 05, 73	1450	1	.6	26000	29.6	8.5	8.1	116	75	38
			1.8	26000	29.2	8.4	8.2	117	75	--
FEB 22, 72	1250	2	.3	36000	18.8	8.4	9.3	113	--	102
			1.5	37000	18.7	8.4	9.6	117	--	--
			3.4	34000	18.2	8.4	8.8	105	--	--
APR 17, 72	1730	2	.3	36000	25.3	8.2	6.4	88	--	25
			1.5	36000	25.3	8.2	6.4	88	--	--
			3.0	36000	25.3	8.2	6.3	86	--	--
			4.6	36000	25.4	8.2	6.4	88	--	--
JUN 12, 72	1330	2	.5	34000	27.6	8.4	10.6	151	14	99
			1.5	34000	27.5	8.4	10.0	143	20	--
			3.0	34000	27.4	8.4	11.1	159	30	--
			4.6	34000	27.4	8.3	10.0	143	--	--
AUG 21, 72	1200	2	.3	41000	30.5	8.3	10.1	155	3	86
			1.5	41000	30.2	8.3	9.5	146	5	--
			3.0	38000	30.8	8.2	9.4	145	25	--
OCT 11, 72	1115	2	.3	44000	24.3	8.3	9.4	132	5	124
			1.5	44000	24.3	8.3	8.8	124	10	--
			3.0	44000	24.3	8.3	9.4	132	10	--
			4.0	44000	24.3	8.3	10.6	149	15	--
JAN 15, 73	1315	2	.3	34000	8.8	8.5	12.5	123	9	152
			1.5	38000	7.9	8.5	11.1	110	10	--
			3.0	39000	7.5	8.5	10.4	102	5	--
			3.7	40000	7.7	8.3	9.6	95	35	--
APR 10, 73	0945	2	.6	32000	14.3	8.1	9.6	106	45	56
			1.8	32000	14.3	8.1	9.7	107	--	--
			3.7	32000	14.3	8.1	9.7	107	--	--
JUN 05, 73	1440	2	.6	28000	29.4	8.5	8.0	114	40	51
			1.5	28000	29.5	8.5	8.3	119	40	--
			2.7	28000	29.5	8.4	8.7	124	50	--
FEB 22, 72	1242	3	.3	33000	19.5	8.5	9.5	116	--	86
			1.5	33000	20.1	8.5	9.7	120	--	--
APR 17, 72	1700	3	.3	36000	26.0	8.2	6.6	92	--	20
			2.1	36000	26.0	8.2	6.6	92	--	--
JUN 12, 72	1318	3	.5	28000	27.8	8.3	10.2	144	35	71
			1.5	28000	27.8	8.3	10.6	149	32	--
			2.1	28000	27.9	8.3	11.2	168	40	--
JUN 18, 72	1640	3	.3	27000	29.6	8.3	6.6	96	--	63
			1.5	27000	28.3	8.3	6.6	93	--	--
AUG 21, 72	1130	3	.3	39000	30.7	8.3	10.2	157	40	44

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 300 CONTINUED										
AUG 21, 72	1130	3	1.8	41000	31.1	8.2	9.9	155	10	--
OCT 11, 72	1105	3	.3	44000	24.2	8.3	9.0	127	15	9
			.9	44000	24.1	8.3	8.4	118	15	--
			1.8	46000	24.7	8.2	8.9	127	15	--
JAN 15, 73	1300	3	.3	37000	8.5	8.5	11.6	115	10	152
			1.5	37000	8.2	8.5	11.2	110	19	--
APR 10, 73	0935	3	.6	32000	14.1	8.1	9.4	102	40	61
			1.2	32000	14.3	8.1	9.4	102	--	--
JUN 05, 73	1430	3	.6	28000	29.6	8.5	8.4	122	50	58
			1.5	28000	29.8	8.4	8.1	117	40	--
LINE 310										
FEB 22, 72	1210	2	.3	19000	20.3	8.1	10.4	121	--	36
			1.5	19000	20.2	8.1	10.4	120	--	--
			3.0	19000	20.6	8.2	9.6	112	--	--
			4.9	19000	21.7	8.0	10.9	130	--	--
APR 19, 72	1340	2	.3	32000	26.4	8.0	6.7	92	--	23
			1.5	32000	26.4	7.9	6.4	88	--	--
			3.0	32000	26.3	7.9	6.3	86	--	--
			5.2	33000	26.2	8.0	6.2	86	--	--
JUN 12, 72	1430	2	.3	31000	29.9	8.0	6.8	100	--	39
			1.5	31000	29.6	8.0	5.9	87	--	--
			3.0	31000	29.2	7.9	5.2	75	--	--
			5.2	31000	29.8	7.9	4.8	71	--	--
AUG 23, 72	1230	2	.3	35000	28.6	7.7	7.0	103	--	38
			1.5	26000	28.1	7.9	7.2	100	--	--
			3.0	24000	27.8	8.0	7.0	96	--	--
			4.9	33000	27.9	8.2	6.4	93	--	--
JAN 15, 73	1625	2	.3	19000	10.7	--	10.1	96	--	43
			1.5	22000	10.5	--	9.8	96	--	--
			3.0	22000	10.5	--	10.2	100	--	--
			4.9	22000	10.3	--	9.9	96	--	--
APR 10, 73	0935	2	.3	4600	15.7	7.8	9.3	93	--	10
			1.5	5200	15.7	7.8	9.2	93	--	--
			3.7	5200	15.5	7.7	9.4	95	--	--
JUN 05, 73	1050	2	.3	20000	28.6	--	6.1	65	--	29
			1.5	20000	28.5	--	6.0	83	--	--
			2.7	20000	28.4	--	6.2	85	--	--
			3.7	20000	28.4	--	6.0	82	--	--
LINE 320										
FEB 22, 72	1245	2	.3	25000	21.1	8.3	10.7	130	--	30
			1.5	25000	20.6	8.2	10.6	128	--	--
			4.0	24000	21.3	8.2	11.5	139	--	--
JUN 12, 72	1800	2	.3	33000	28.9	8.2	6.7	99	--	28
			1.5	35000	28.7	8.2	6.7	99	--	--
			3.0	35000	28.6	8.2	6.4	94	--	--
			5.2	35000	28.6	8.2	6.0	88	--	--
AUG 23, 72	1315	2	.3	34000	29.8	7.8	7.7	115	--	--
			1.5	34000	29.3	8.0	7.3	107	--	--
			3.0	36000	29.5	8.1	7.3	109	--	--
			4.9	35000	29.2	8.3	7.7	113	--	--
JAN 15, 73	1555	2	.3	30000	10.3	--	10.5	106	--	4

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC (CONDUCT- ANCE (MICRO- MMOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 320 CONTINUED										
JAN 15, 73	1555	2	1.5	32000	10.1	--	9.8	98	--	--
			3.0	34000	10.0	--	9.6	97	--	--
			4.9	32000	10.0	--	10.6	106	--	--
APR 10, 73	1220	2	.3	14000	16.3	7.8	8.9	94	--	15
			1.5	15000	15.8	7.8	8.8	93	--	--
			3.7	16000	15.6	7.8	9.0	94	--	--
JUN 05, 73	1015	2	.3	20000	28.0	--	6.2	85	--	15
			1.5	20000	27.9	--	6.0	82	--	--
			3.4	24000	27.8	--	5.6	77	--	--
LINE 330										
AUG 23, 72	1530	2	.3	43000	31.7	7.5	8.8	142	--	38
			1.5	49000	31.7	8.0	10.6	177	--	--
			2.1	47000	30.1	7.6	6.0	97	--	--
			3.0	53000	29.9	8.1	3.4	56	--	--
OCT 11, 72	1240	2	.3	20000	28.3	8.1	7.5	103	25	102
			1.5	32000	28.3	8.1	6.5	93	--	--
			3.4	44000	28.1	8.2	5.1	80	30	--
JAN 15, 73	1345	2	.3	5500	15.2	--	11.5	115	--	38
			1.5	26000	13.8	--	10.7	113	--	--
			3.4	32000	14.7	--	10.0	110	--	--
APR 10, 73	0835	2	.3	3000	15.0	7.8	9.2	91	--	44
			1.5	3400	14.9	7.8	8.9	88	--	--
			3.0	9800	15.4	7.7	8.5	87	--	--
JUN 05, 73	0815	2	.3	18000	27.7	8.5	6.7	89	--	51
			1.5	28000	27.6	8.6	6.6	92	--	--
			3.4	43000	27.4	8.7	7.2	106	--	--
LINE 332										
FEB 22, 72	1430	2	.3	31000	20.6	8.6	9.7	120	--	76
			1.5	30000	21.0	8.6	9.8	123	--	--
LINE 333										
FEB 22, 72	1405	1	.3	28000	21.3	8.5	10.2	126	--	66
			1.2	27000	21.0	8.6	10.5	130	--	--
APR 19, 72	1130	1	.3	40000	26.0	8.2	7.3	104	--	46
			1.7	40000	25.9	8.2	7.4	106	--	--
JUN 12, 72	1550	1	.3	39000	29.1	8.3	7.1	108	--	20
			1.4	39000	29.1	8.3	7.5	112	--	--
AUG 23, 72	1410	1	.3	45000	30.9	7.3	9.4	152	--	--
			1.2	46000	30.5	7.3	6.0	97	--	--
			1.4	46000	30.1	7.3	2.9	46	--	--
			1.5	46000	30.1	7.4	2.6	41	--	--
OCT 11, 72	1305	1	.3	37000	27.5	8.2	6.8	97	60	23
			1.5	38000	27.6	8.2	6.3	91	70	--
JAN 15, 73	1425	1	.3	34000	10.6	--	12.4	126	--	140
			1.2	36000	10.2	--	12.1	125	--	--
APR 10, 73	1320	1	.3	19000	16.3	7.9	9.7	104	--	36
			1.2	19000	16.0	7.8	9.6	102	--	--
JUN 05, 73	0845	1	.3	32000	27.9	8.5	5.9	84	--	37

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 333 CONTINUED										
JUN 05, 73	0845	1	1.5	32000	27.8	8.6	6.0	86	--	--
FEB 22, 72	1530	2	.3	10000	20.6	8.3	9.7	110	--	56
			.9	47000	19.8	8.3	8.8	116	--	--
			1.5	47000	19.8	8.3	8.6	113	--	--
			3.4	47000	20.0	8.3	8.8	116	--	--
APR 19, 72	1310	2	.3	40000	26.7	8.1	7.0	101	--	22
			1.8	40000	26.6	8.1	6.8	99	--	--
JUN 12, 72	1600	2	.3	40000	29.0	8.3	7.0	106	--	20
			1.5	40000	29.0	8.3	7.0	106	--	--
AUG 23, 72	1430	2	.3	35000	30.6	7.7	8.1	125	--	33
			1.8	35000	30.6	7.9	8.1	125	--	--
OCT 11, 72	1355	2	.3	40000	27.5	8.2	8.9	131	40	23
			1.5	38000	27.7	8.2	8.4	122	40	--
JAN 15, 73	1437	2	.3	30000	11.2	--	11.6	118	--	155
			1.5	36000	9.6	--	12.2	124	--	--
APR 10, 73	1335	2	.3	20000	16.1	7.9	9.5	102	--	25
			1.5	19000	16.2	7.9	10.3	118	--	--
JUN 05, 73	0858	2	.3	29000	27.8	--	6.5	92	--	18
			1.5	29000	27.9	--	6.6	93	--	--
FEB 22, 72	1435	3	.3	17000	20.9	8.6	11.1	131	--	28
			.9	17000	20.9	8.6	11.1	131	--	--
APR 19, 72	1320	3	.3	32000	27.0	8.0	7.3	101	--	25
			1.2	32000	27.0	8.0	7.3	101	--	--
JUN 12, 72	1605	3	.3	34000	29.5	8.1	7.6	112	--	18
			.9	34000	29.4	8.1	7.5	110	--	--
AUG 23, 72	1445	3	.3	31000	30.7	7.4	8.5	127	--	28
			1.5	35000	30.8	7.3	8.9	137	--	--
OCT 11, 72	1400	3	.3	40000	27.4	8.2	8.0	116	115	15
			1.2	34000	27.4	8.2	8.2	117	115	--
JAN 15, 73	1446	3	.3	30000	11.1	--	11.1	113	--	147
			1.4	32000	10.2	--	12.2	122	--	--
APR 10, 73	1340	3	.3	20000	16.5	8.0	10.1	110	--	38
			1.2	20000	16.4	8.0	10.3	112	--	--
JUN 05, 73	0903	3	.3	24000	27.9	--	6.7	92	--	18
			1.5	29000	27.8	--	6.6	93	--	--
LINE 340										
FEB 22, 72	1355	1	.3	32000	20.9	8.5	10.7	134	--	95
			1.5	32000	21.4	8.5	10.7	134	--	--
APR 19, 72	1115	1	.3	40000	26.1	8.1	7.4	106	--	53
			2.1	40000	26.0	8.1	7.0	100	--	--
JUN 12, 72	1535	1	.3	41000	29.1	8.3	7.2	109	--	55
			1.8	41000	29.1	8.3	6.8	103	--	--
APR 10, 73	1305	1	.3	20000	16.2	7.9	10.6	114	--	25
			.6	20000	16.2	7.9	10.8	116	--	--
FEB 22, 72	1340	2	.3	26000	21.1	8.6	10.8	132	--	94
			1.8	28000	21.2	8.6	11.0	136	--	--

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PA- RENCY DISK (CM)
LINE 340 CONTINUED										
APR 19, 72	1100	2	.3 2.1	40000 40000	26.1 26.1	8.0 8.0	7.0 7.2	100 103	-- --	22 --
JUN 12, 72	1525	2	.3 1.8	41000 41000	28.9 29.0	8.2 8.2	6.7 6.8	102 103	-- --	38 --
APR 10, 73	1256	2	.3 1.8	20000 20000	15.9 15.6	8.0 8.0	9.7 10.1	104 107	-- --	46 --
FEB 22, 72	1325	3	.3 .9	19000 19000	21.1 21.2	8.7 8.7	11.3 11.6	133 136	-- --	30 --
APR 19, 72	1050	3	.3 1.1	33000 32000	26.0 26.1	7.9 7.9	7.2 7.3	100 100	-- --	13 --
JUN 12, 72	1515	3	.3 1.2	33000 34000	29.3 29.5	8.1 8.2	7.5 7.5	110 110	-- --	15 --
APR 10, 73	1250	3	.3 .8	18000 19000	16.5 16.0	7.9 7.9	9.8 9.9	105 105	-- --	14 --
LINE 343										
AUG 23, 72	1400	1	.3 .9	45000 45000	30.5 30.5	8.0 8.3	5.7 6.2	92 100	-- --	71 --
JAN 15, 73	1500	1	.3 1.8	32000 38000	11.0 10.0	-- --	11.7 11.1	120 116	-- --	189 --
JUN 05, 73	0925	1	.3 1.5	40000 38000	27.7 27.6	-- --	5.8 6.0	65 87	-- --	38 --
AUG 23, 72	1350	2	.3 1.8	43000 41000	30.3 30.2	8.3 8.4	7.5 7.3	117 112	-- --	30 --
JAN 15, 73	1512	2	.3 2.1	30000 37000	11.1 9.6	-- --	11.3 10.5	115 107	-- --	168 --
JUN 05, 73	0935	2	.3 1.5 2.4	38000 38000 38000	27.9 27.9 27.9	-- -- --	5.7 5.8 5.7	84 85 84	-- -- --	34 -- --
AUG 23, 72	1340	3	.3 1.2	42000 42000	27.6 27.5	8.2 8.5	7.4 7.5	110 110	-- --	20 --
JAN 15, 73	1520	3	.3 .6 1.2	25000 32000 34000	11.8 10.8 10.2	-- -- --	11.1 11.1 13.6	112 113 137	-- -- --	112 -- --
JUN 05, 73	0948	3	.3 1.2	20000 20000	27.6 27.6	-- --	6.9 6.8	95 93	-- --	18 --
LINE 350										
FEB 22, 72	1356	1	.6 1.5 2.1	33000 35000 35000	19.3 19.0 19.1	8.5 8.5 8.5	9.4 9.8 10.4	115 120 127	-- -- --	150 -- --
JUN 12, 72	1438	1	.3 1.5	45000 45000	28.0 28.0	8.2 8.2	9.6 11.9	145 180	30 30	71 --
AUG 21, 72	1317	1	.3 1.5	44000 45000	30.7 31.2	8.3 8.3	10.8 10.7	174 173	11 9	145 --
OCT 11, 72	1205	1	.3 1.5 3.0	42000 43000 42000	24.7 24.7 24.8	8.3 8.3 8.3	10.3 6.7 10.9	145 123 154	10 10 20	99 -- --

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY SECCHI DISK (CM)
LINE 350 CONTINUED										
JAN 15, 73	1415	1	.3	37000	8.4	8.5	11.4	113	10	160
			1.8	40000	8.1	8.4	10.5	105	10	--
APR 10, 73	1100	1	.6	30000	15.0	8.1	8.3	92	65	53
			1.5	30000	15.0	8.1	8.9	99	65	--
			3.0	31000	15.1	8.1	11.5	128	75	--
JUN 05, 73	1530	1	.6	40000	29.3	8.5	10.9	165	15	109
			2.1	37000	29.1	8.5	10.2	150	20	--
FEB 22, 72	1415	2	.5	37000	18.3	8.4	9.2	111	--	119
			1.5	37000	18.2	8.9	10.0	120	--	--
			3.0	37000	18.2	8.4	10.2	123	--	--
			4.0	36000	18.5	8.4	10.0	122	--	--
JUN 12, 72	1422	2	.5	42000	27.7	8.1	8.2	121	--	69
			1.5	42000	27.5	8.1	8.6	126	41	--
			3.0	42000	27.4	8.1	8.0	118	62	--
			4.6	44000	27.2	8.1	8.0	119	71	--
			5.8	42000	27.4	8.1	11.3	166	72	--
AUG 21, 72	1305	2	.3	46000	31.3	8.2	9.3	150	2	71
			1.5	49000	30.7	8.2	9.0	148	0	--
			3.0	49000	30.0	8.1	4.6	74	8	--
			6.1	44000	30.4	8.1	3.5	56	35	--
OCT 11, 72	1150	2	.3	42000	25.0	8.3	10.1	142	20	66
			1.5	42000	25.0	8.3	8.4	118	15	--
			3.0	42000	25.0	8.3	8.5	120	20	--
			4.6	42000	25.2	8.2	9.3	131	25	--
			5.2	42000	25.2	8.3	10.1	142	20	--
JAN 15, 73	1400	2	.3	34000	9.2	8.4	12.0	119	2	147
			1.5	38000	7.3	8.4	11.0	107	15	--
			3.0	40000	7.1	8.4	10.0	98	20	--
			4.9	40000	7.4	8.4	9.2	91	30	--
APR 10, 73	1040	2	.6	30000	15.0	8.1	11.3	126	50	58
			1.5	30000	14.9	8.1	11.5	128	55	--
			3.4	30000	14.9	8.1	11.9	132	80	--
JUN 05, 73	1515	2	.6	34000	29.4	8.5	9.9	146	30	69
			1.5	49000	29.2	8.4	8.5	135	35	--
			2.4	34000	29.3	8.4	8.9	131	35	--
			3.4	49000	28.8	8.2	5.3	84	70	--
FEB 22, 72	1430	3	.3	39000	18.5	8.4	9.4	115	--	122
			1.5	38000	18.7	8.4	10.0	123	--	--
JUN 12, 72	1407	3	.3	39000	28.2	8.2	11.1	163	48	71
			1.5	40000	28.1	8.2	12.6	185	38	--
			2.6	40000	28.2	8.2	12.5	184	72	--
AUG 21, 72	1255	3	.3	40000	31.0	8.2	9.8	153	5	84
			1.5	40000	30.5	8.2	7.5	117	11	--
			2.4	46000	30.9	8.1	5.6	90	21	--
OCT 11, 72	1145	3	.3	41000	25.2	8.2	9.4	130	40	--
			1.5	41000	25.2	8.2	9.0	125	40	--
			2.1	41000	25.3	8.3	11.2	158	40	--
JAN 15, 73	1345	3	.3	31000	10.1	8.4	12.7	127	5	155
			1.5	36000	7.2	8.5	11.2	108	10	--
			2.1	40000	7.5	8.5	10.7	106	9	--
APR 10, 73	1025	3	.6	28000	14.4	8.1	9.6	104	75	38
			1.8	28000	14.4	8.1	10.2	111	80	--
JUN 05, 73	1505	3	.6	31000	29.8	8.5	9.8	144	30	48

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 350 CONTINUED

JUN 05. 73	1505	3	1.8	31000	29.8	8.5	10.0	147	30	--
LINE 363										
FEB 22. 72	1453	1	.3	39000	18.6	8.5	9.5	117	--	213
			1.5	44000	17.9	8.4	9.8	122	--	--
			2.1	42000	18.0	8.4	10.2	126	--	--
JUN 12. 72	1504	1	.3	47000	28.1	8.2	10.9	165	32	71
			1.2	47000	28.3	8.2	12.6	191	32	--
AUG 21. 72	1345	1	.3	40000	31.2	8.3	11.1	173	5	135
			1.5	49000	30.5	8.3	10.7	173	5	--
			2.7	48000	30.2	8.3	10.3	166	30	--
OCT 11. 72	1230	1	.3	44000	24.6	8.3	10.8	154	10	102
			1.5	44000	24.6	8.3	10.6	151	10	--
			2.4	45000	24.7	8.3	12.0	171	15	--
JAN 15. 73	1435	1	.3	38000	8.8	8.5	12.3	124	13	142
			1.4	40000	8.7	8.5	11.2	113	10	--
APR 10. 73	1125	1	.6	32000	15.0	8.0	8.9	99	70	51
			1.2	32000	15.0	8.0	8.9	99	70	--
			2.7	32000	15.1	8.0	9.3	103	90	--
JUN 05. 73	1550	1	.3	49000	30.1	8.5	10.4	168	15	152
			2.1	49000	30.2	8.5	10.6	171	15	--
FEB 22. 72	1522	2	.3	40000	18.5	8.5	8.9	110	--	170
			1.5	40000	18.5	8.5	9.5	117	--	--
			3.0	44000	18.0	8.5	9.0	112	--	--
			3.7	44000	18.3	8.4	9.1	114	--	--
JUN 12. 72	1523	2	.3	46000	28.1	8.3	12.5	189	20	127
			1.5	47000	27.9	8.3	14.3	217	15	--
			3.0	47000	27.9	8.2	13.5	205	30	--
			4.3	47000	27.8	8.2	14.5	220	78	--
AUG 21. 72	1400	2	.3	49000	31.5	8.3	10.0	167	3	117
			1.5	50000	30.5	8.3	10.4	168	3	--
			3.0	44000	30.5	8.4	10.8	174	3	--
			4.0	42000	30.7	8.3	8.3	132	25	--
OCT 11. 72	1245	2	.3	44000	24.8	8.3	9.0	129	25	99
			1.5	44000	24.9	8.3	8.6	123	15	--
			3.0	44000	24.8	8.3	8.6	123	15	--
			4.0	44000	24.7	8.3	9.0	129	20	--
JAN 15. 73	1450	2	.3	38000	9.5	8.5	13.3	137	0	56
			1.5	38000	7.4	8.5	11.2	109	8	--
			3.0	38000	7.3	8.5	10.8	105	10	--
			3.7	40000	7.7	8.5	10.5	104	20	--
APR 10. 73	1150	2	.6	33000	15.4	8.1	8.9	100	45	71
			1.8	33000	15.5	8.1	7.8	89	40	--
			3.7	39000	15.9	8.1	6.7	78	175	--
JUN 05. 73	1600	2	.3	34000	30.2	8.6	9.1	136	15	101
			1.5	42000	29.1	8.4	10.6	163	20	--
			3.4	37000	29.2	8.4	9.9	146	25	--
FEB 22. 72	1535	3	.3	37000	18.2	8.5	8.9	107	--	--
			1.5	37000	18.1	8.5	9.8	118	--	--
			2.7	37000	18.6	8.5	9.7	118	--	--
JUN 12. 72	1535	3	.5	35000	28.0	8.3	9.9	143	20	109
			1.5	35000	27.8	8.3	9.9	143	30	--

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY SECCHI DISK (CM)	
LINE 363 CONTINUED											
JUN 12, 72	1535	3	3.4	43000	27.5	8.1	10.4	153	92	--	
AUG 21, 72	1415	3	.3	43000	31.9	8.4	11.3	182	0	185	
			1.5	50000	30.7	8.3	11.0	180	0	--	
			3.0	49000	29.9	8.1	8.3	102	20	--	
OCT 11, 72	1300	3	.3	42000	23.6	8.3	8.3	115	10	104	
			1.5	42000	23.5	8.3	9.1	126	10	--	
			3.4	42000	23.8	8.3	14.1	196	10	--	
JAN 15, 73	1500	3	.3	37000	9.8	8.4	13.2	135	8	147	
			1.5	37000	7.7	8.4	11.2	107	5	--	
			3.0	40000	7.8	8.5	10.8	108	10	--	
APR 10, 73	1205	3	.6	34000	15.6	8.1	10.0	114	60	51	
			1.5	34000	15.5	8.1	9.8	111	65	--	
			3.0	34000	15.3	8.1	9.9	111	90	--	
JUN 05, 73	1610	3	.6	30000	29.6	8.5	8.2	121	40	43	
			1.5	37000	29.5	8.5	10.0	149	40	--	
			3.0	36000	29.6	8.3	6.9	103	45	--	
FEB 22, 72	1552	4	.5	37000	18.3	8.4	9.0	108	--	109	
			1.5	37000	18.3	8.5	9.4	113	--	--	
			3.4	36000	18.4	8.4	9.8	118	--	--	
JUN 12, 72	1553	4	.5	40000	28.0	8.3	11.2	166	20	109	
			1.5	40000	27.9	8.3	12.3	181	23	--	
			3.0	40000	27.8	8.3	13.3	196	25	--	
			4.0	40000	27.6	8.2	12.7	187	28	--	
AUG 21, 72	1430	4	.3	44000	31.9	8.4	11.1	182	3	150	
			1.5	46000	30.6	8.4	10.5	169	10	--	
			3.0	48000	30.5	8.3	9.2	148	30	--	
			4.3	44000	30.5	8.3	5.6	90	80	--	
OCT 11, 72	1315	4	.3	44000	24.2	8.3	10.8	152	5	117	
			1.5	44000	24.2	8.3	10.6	149	5	--	
			3.0	44000	24.2	8.3	10.6	149	10	--	
			3.7	44000	24.0	8.3	12.2	172	10	--	
JAN 15, 73	1515	4	.3	37000	10.1	8.4	12.0	124	0	157	
			1.5	37000	7.9	8.4	11.1	109	15	--	
			3.4	40000	8.0	8.4	10.5	105	12	--	
APR 10, 73	1220	4	.6	34000	15.7	8.1	9.8	111	60	53	
			1.8	34000	15.5	8.1	9.8	111	70	--	
			3.7	34000	15.5	8.1	10.0	114	90	--	
JUN 05, 73	1625	4	.6	30000	29.7	8.5	12.2	179	35	44	
			1.5	30000	29.7	8.5	11.9	175	50	--	
			3.7	30000	29.8	8.5	12.0	176	60	--	
FEB 22, 72	1603	5	.5	35000	18.5	8.5	9.0	110	--	168	
			1.5	35000	18.4	8.5	9.0	108	--	--	
			2.7	35000	18.5	8.5	9.3	113	--	--	
JUN 12, 72	1607	5	.5	40000	28.1	8.3	10.6	156	15	86	
			1.5	41000	28.0	8.3	10.0	149	20	--	
			3.0	42000	27.8	8.3	11.6	173	--	--	
			4.0	42000	27.8	8.3	12.8	191	20	--	
AUG 21, 72	1445	5	.3	41000	31.9	8.4	11.1	176	0	124	
			1.5	41000	30.5	8.4	10.7	167	20	--	
			3.4	42000	30.8	8.4	11.2	178	20	--	
OCT 11, 72	1330	5	.3	42000	24.7	8.3	11.1	156	10	99	
			1.5	42000	24.7	8.3	10.7	151	10	--	
			3.4	42000	24.7	8.3	10.7	151	20	--	

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 363 CONTINUED

JAN 15, 73	1530	5	.3	38000	10.2	8.4	11.8	123	10	168
			1.5	39000	8.1	8.5	11.0	109	15	--
			3.4	42000	8.3	8.5	10.7	109	15	--
APR 10, 73	1235	5	.6	33000	15.8	8.1	9.9	112	65	58
			1.8	33000	15.6	8.1	9.8	111	75	--
			3.4	33000	15.6	8.1	10.0	114	90	--
JUN 05, 73	1640	5	.6	30000	29.6	8.5	13.5	199	35	56
			1.5	30000	29.7	8.5	13.5	199	35	--
			2.7	30000	29.7	8.5	12.1	178	35	--
FEB 22, 72	1628	6	.5	35000	19.3	8.4	9.4	118	--	130
			1.5	35000	19.5	8.4	9.7	120	--	--
			2.4	35000	19.6	8.4	10.1	125	--	--
JUN 12, 72	1628	6	.5	34000	28.0	8.4	11.9	172	10	112
			1.5	34000	28.0	8.4	14.6	212	20	--
			3.0	34000	28.0	8.4	14.5	210	26	--
AUG 21, 72	1500	6	.3	38000	32.0	8.3	14.4	225	10	130
			1.5	40000	31.7	8.3	12.2	194	5	--
			3.0	40000	30.8	8.3	11.0	172	20	--
OCT 11, 72	1345	6	.3	44000	22.9	8.3	14.6	200	25	97
			1.5	44000	22.8	8.3	11.4	156	25	--
			3.4	44000	23.0	8.3	14.2	195	35	--
JAN 15, 73	1540	6	.3	38000	10.4	8.4	12.1	126	10	152
			1.5	38000	8.4	8.4	11.0	110	15	--
			3.0	42000	7.7	8.5	11.0	110	19	--
APR 10, 73	1255	6	.3	32000	15.6	8.1	9.9	111	55	56
			1.5	32000	15.4	8.1	9.6	107	55	--
			3.0	32000	15.2	8.1	9.5	106	90	--
JUN 05, 73	1655	6	.6	26000	30.1	8.6	11.8	169	25	63
			1.8	30000	30.1	8.6	10.6	156	35	--

LINE 375

FEB 24, 72	0950	1	.3	39000	18.5	8.2	8.7	106	--	183
			1.5	42000	18.2	8.2	9.1	112	--	--
			3.0	44000	17.9	8.2	9.3	116	--	--
			3.7	45000	18.2	8.2	12.5	156	--	--
JUN 14, 72	1145	1	.3	48000	28.0	8.2	8.6	130	--	41
			1.5	49000	27.8	8.2	8.2	126	80	--
			3.0	49000	27.8	8.2	7.8	120	100	--
			4.3	49000	28.0	8.2	8.4	129	110	--
AUG 22, 72	1005	1	.3	47000	29.9	8.2	6.8	110	0	142
			1.5	48000	29.8	8.2	7.1	115	5	--
			3.7	52000	29.5	8.2	6.9	111	30	--
SEP 22, 72	1035	1	.3	47000	28.2	8.1	12.3	186	12	--
			1.5	47000	28.1	8.1	11.9	180	25	--
			3.7	49000	28.0	8.0	11.8	182	30	--
OCT 11, 72	1525	1	.3	44000	24.2	8.3	10.4	146	15	117
			1.5	44000	24.2	8.3	9.2	130	20	--
			3.4	45000	24.5	8.3	13.0	183	20	--
JAN 16, 73	1210	1	.3	38000	8.1	8.2	12.3	122	3	112
			1.5	38000	7.5	8.2	12.8	125	5	--
			3.4	38000	7.6	8.2	11.6	114	4	--
APR 11, 73	1030	1	.6	34000	16.7	8.1	8.3	95	25	102

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY DISK (CM)
LINE 375 CONTINUED										
APR 11, 73	1030	1	1.2	34000	16.7	8.1	8.5	98	20	--
			2.4	35000	17.2	8.1	8.6	101	20	--
			4.0	38000	17.4	8.1	8.7	105	30	--
JUN 06, 73	1800	1	.3	34000	29.1	8.2	8.0	118	--	94
			1.8	36000	27.7	8.1	7.1	101	--	--
			3.7	48000	27.7	7.9	5.7	86	--	--
FEB 24, 72	1007	2	.3	36000	18.7	8.2	9.5	114	--	127
			1.5	35000	18.7	8.2	10.6	128	--	--
			3.0	35000	18.7	8.2	11.0	133	--	--
JUN 14, 72	1126	2	.5	47000	27.9	8.2	8.5	129	55	69
			1.5	47000	27.8	8.2	8.5	129	50	--
			3.0	47000	27.7	8.2	8.6	130	90	--
			4.0	47000	27.7	8.2	8.8	133	70	--
AUG 22, 72	0950	2	.3	49000	29.8	8.2	6.7	108	28	142
			1.5	49000	29.8	8.2	6.7	108	30	--
			3.4	42000	29.0	8.2	7.7	118	40	--
SEP 22, 72	1023	2	.3	48000	28.2	8.1	12.1	183	15	--
			3.4	48000	28.2	8.1	9.1	137	15	--
OCT 11, 72	1505	2	.3	44000	24.3	8.3	11.4	161	10	117
			1.5	44000	24.3	8.3	--	--	10	--
			3.4	44000	24.4	8.3	12.4	175	15	--
JAN 16, 73	1155	2	.3	39000	8.4	8.2	12.4	124	1	150
			1.5	38000	7.9	8.2	12.7	126	1	--
			3.4	38000	7.5	8.2	12.5	123	4	--
APR 11, 73	1010	2	.6	34000	16.7	8.1	9.0	103	15	142
			1.8	34000	16.8	8.1	9.2	107	15	--
			3.4	36000	16.9	8.1	8.8	104	15	--
JUN 06, 73	1817	2	.3	34000	28.6	8.1	8.0	118	--	79
			1.8	38000	27.6	8.0	5.8	84	--	--
			3.7	38000	27.7	8.0	5.9	86	--	--
FEB 24, 72	1025	3	.5	34000	19.4	8.2	8.7	106	--	74
			1.5	34000	19.3	8.2	9.4	115	--	--
			2.4	34000	19.5	8.2	11.3	138	--	--
JUN 14, 72	0950	3	.5	34000	27.2	8.2	8.4	118	--	64
			1.5	34000	27.2	8.2	7.9	111	25	--
			3.0	35000	27.3	8.1	7.4	106	32	--
			4.0	41000	27.2	8.0	6.0	87	40	--
AUG 22, 72	0925	3	.3	38000	29.9	8.3	6.5	98	22	140
			1.5	39000	29.8	8.2	6.2	94	30	--
			3.4	43000	29.2	8.2	7.1	109	40	--
SEP 22, 72	1005	3	.3	45000	28.5	8.2	10.2	157	9	--
			3.7	48000	28.6	8.1	8.3	128	52	--
OCT 11, 72	1445	3	.3	41000	24.7	8.3	11.2	153	15	104
			1.5	41000	24.6	8.3	12.8	178	15	--
			3.4	41000	24.7	8.4	11.0	153	20	--
JAN 16, 73	1030	3	.3	38000	7.5	8.2	12.2	120	2	152
			1.5	39000	7.4	8.2	12.6	122	5	--
			3.4	38000	6.8	8.2	12.0	115	35	--
APR 11, 73	0900	3	.6	30000	16.3	8.1	8.7	99	20	91
			1.8	30000	16.4	8.1	8.8	100	20	--
			3.4	33000	16.8	8.1	8.3	97	50	--
JUN 06, 73	1835	3	.3	31000	29.0	8.1	8.7	126	--	79

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME (SITE)	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)	SECCHI DISK
LINE 375 CONTINUED										
JUN 06, 73	1835	3	1.8 34000 3.7 39000	26.0 27.6	8.1 8.0	7.3 5.8	106 78	-- --	-- --	-- --
FEB 24, 72	1045	4	.5 36000 1.5 36000 2.1 35000	19.3 19.2 19.4	8.2 8.2 8.2	9.8 10.7 12.0	121 130 148	-- -- --	61 -- --	-- -- --
JUN 14, 72	0933	4	.5 27000 1.5 27000 2.7 27000	27.1 27.1 27.0	8.1 8.1 8.1	8.2 8.8 11.3	112 121 155	50 50 145	41 -- --	-- -- --
AUG 22, 72	0905	4	.3 37000 1.5 35000 2.1 33000	29.8 29.8 29.3	8.3 8.2 8.2	6.4 6.8 7.8	97 103 115	42 20 42	69 -- --	-- -- --
SEP 22, 72	0950	4	.3 41000 2.4 40000	28.7 28.4	8.1 8.1	10.6 10.3	158 154	20 30	-- --	-- --
OCT 11, 72	1430	4	.3 41000 1.5 41000 2.4 41000	25.0 25.2 25.4	8.2 8.3 8.3	11.2 11.0 10.8	156 153 152	25 25 30	89 -- --	-- -- --
JAN 16, 73	1015	4	.3 38000 1.5 38000 2.1 38000	9.5 9.2 9.3	8.2 8.2 8.2	12.4 12.7 12.6	128 130 129	0 0 0	145 -- --	-- -- --
APR 11, 73	0840	4	.6 28000 1.2 28000 2.4 28000	16.5 16.5 16.5	8.1 8.1 8.1	8.6 8.7 9.0	97 98 101	30 30 35	58 -- --	-- -- --
LINE 382										
JUN 14, 72	1258	1	.3 50000 1.8 50000	28.3 28.4	8.2 8.2	11.2 10.3	175 161	70 90	61 --	-- --
AUG 22, 72	1120	1	.3 52000 1.2 52000	30.3 30.5	8.3 8.3	10.0 11.4	164 190	11 8	122 --	-- --
OCT 12, 72	1115	1	.3 47000 1.5 47000	25.2 25.8	8.4 8.4	9.7 11.0	140 162	5 5	152 --	-- --
JAN 16, 73	1310	1	.3 39000 1.8 38000	12.4 12.4	8.3 8.3	11.9 12.5	129 136	10 6	94 --	-- --
APR 11, 73	1115	1	.3 40000 1.5 40000	17.5 17.6	8.2 8.1	8.0 8.6	98 105	15 20	124 --	-- --
JUN 06, 73	1715	1	.3 44000 1.5 46000 2.4 46000	28.9 28.2 28.2	8.0 8.0 8.0	7.8 7.2 7.5	122 109 114	-- -- --	76 -- --	-- -- --
FEB 24, 72	1025	2	.3 46000 1.5 46000 4.3 46000	19.4 19.4 19.3	8.2 8.2 8.2	10.0 9.8 10.7	128 126 137	-- -- --	165 -- --	-- -- --
OCT 12, 72	1130	2	.3 47000 1.5 47000 3.0 47000 4.6 47000	25.0 25.0 25.0 25.6	8.4 8.4 8.4 8.4	8.3 8.9 9.1 11.4	120 129 132 168	10 10 10 15	163 -- -- --	-- -- -- --
JAN 16, 73	1330	2	.3 40000 1.5 39000 3.0 39000 4.6 38000 6.1 38000 7.0 38000	11.2 10.9 11.0 10.9 10.9 11.0	8.3 8.3 8.3 8.3 8.3 8.2	11.9 12.3 12.1 11.7 12.0 11.9	127 129 127 123 126 125	10 12 15 15 15 15	71 -- -- -- -- --	-- -- -- -- -- --
JAN 16, 73	1350	2	.3 40000	11.2	8.3	11.2	119	12	74	--

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 382 CONTINUED										
JAN 16, 73	1350	2	1.5 3.0	39000 39000	11.2 11.5	8.3 8.3	11.3 11.3	119 120	12 15	-- --
APR 11, 73	1125	2	.3 2.4	39000 39000	17.6 17.6	8.1 8.1	9.1 9.1	110 110	30 30	99 --
JUN 06, 73	1649	2	.3 1.5 4.6 7.0	47000 47000 47000 46000	28.7 28.6 28.1 28.1	8.0 8.0 8.0 8.0	6.5 6.9 6.3 6.7	100 106 105 101	-- -- -- --	119 -- -- --
JUN 14, 72	1326	3	.3 1.5 3.0	50000 50000 50000	28.3 28.2 28.4	8.2 8.2 8.2	10.4 10.5 11.8	162 164 184	105 90 90	48 -- --
AUG 22, 72	1220	3	.3 1.5 3.0	50000 53000 53000	30.8 30.5 30.8	8.3 8.3 8.3	11.3 11.1 11.4	185 185 190	-- 10 10	178 -- --
OCT 12, 72	1140	3	.3 1.5 3.0	47000 41000 41000	24.9 25.0 25.5	8.4 8.3 8.3	9.7 9.8 10.8	140 136 152	15 20 15	107 -- --
JAN 16, 73	1355	3	.3 1.5 3.4	40000 40000 39000	10.5 10.5 10.5	8.3 8.3 8.3	11.7 12.3 12.1	123 129 126	12 12 16	74 -- --
APR 11, 73	1140	3	.3 1.2	38000 38000	17.5 17.5	8.1 8.1	8.7 9.1	105 110	30 30	91 --
JUN 06, 73	1639	3	.3 1.5 2.4	43000 46000 46000	29.7 28.7 28.1	8.0 8.0 8.0	7.4 7.4 7.4	115 114 112	-- -- --	127 -- --
APR 11, 72	1150	4	.3 1.8 3.7	33000 33000 33000	17.1 17.1 17.1	8.0 8.0 8.0	8.5 8.7 8.9	99 101 103	20 25 40	89 -- --
JUN 14, 72	1335	4	.3 1.5 3.0 3.7	49000 49000 49000 49000	28.2 28.1 28.1 28.2	8.2 8.2 8.2 8.2	10.9 11.4 11.2 11.5	168 175 172 177	75 85 85 80	61 -- -- --
AUG 22, 72	1235	4	.3 1.5 3.0 4.0	41000 51000 51000 51000	30.7 30.5 30.5 30.6	8.3 8.3 8.3 8.3	10.3 11.4 11.3 11.2	161 184 182 184	5 8 15 30	129 -- -- --
OCT 12, 72	1150	4	.3 1.5 3.0 3.7	47000 47000 47000 47000	24.7 24.7 24.8 25.2	8.3 8.3 8.3 8.3	8.9 8.5 10.3 11.7	129 123 148 170	20 10 10 0	97 -- -- --
JAN 16, 73	1410	4	.3 1.5 3.0	40000 40000 39000	10.8 10.7 10.5	8.2 8.2 8.2	11.9 11.9 12.0	127 125 125	10 12 12	91 -- --
APR 11, 73	1150	4	.3 1.8 3.7	33000 33000 33000	17.1 17.1 17.1	8.0 8.0 8.0	8.5 8.7 8.9	99 101 103	20 25 40	89 -- --
JUN 06, 73	1630	4	.3 1.5 3.2	36000 43000 43000	28.9 28.3 28.2	8.2 8.1 8.0	7.7 6.8 6.8	113 103 101	-- -- --	66 -- --
LINE 397										
FEB 24, 72	0920	2	.5	40000	18.2	8.2	8.6	104	--	173

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 397 CONTINUED										
FEB 24, 72	0920	2	1.5	40000	18.2	8.1	8.7	105	--	--
			3.0	40000	18.1	8.1	8.8	106	--	--
			6.1	41000	18.0	8.1	9.3	112	--	--
			9.1	42000	17.9	8.1	9.4	116	--	--
			12.2	42000	17.8	8.1	10.2	126	--	--
			15.2	42000	17.8	8.1	12.6	156	--	--
JUN 14, 72	1215	2	.3	49000	27.5	8.2	8.6	130	100	28
			1.5	49000	27.4	8.2	9.1	138	100	--
			3.0	49000	27.4	8.2	9.8	148	110	--
			6.1	49000	27.4	8.2	9.1	138	100	--
			9.1	49000	27.4	8.2	9.0	136	95	--
			11.6	49000	27.4	8.2	9.4	142	105	--
AUG 22, 72	1035	2	.3	52000	30.1	8.2	9.2	151	0	234
			1.5	52000	30.0	8.2	10.3	169	0	--
			3.0	52000	30.0	8.2	9.8	161	0	--
			6.1	52000	30.0	8.2	9.6	157	0	--
			9.1	52000	30.0	8.2	10.0	164	0	--
			13.1	52000	29.6	8.2	9.7	156	0	--
SEP 21, 72	1815	2	.3	52000	29.0	8.2	8.9	141	0	--
			3.0	52000	28.9	8.2	8.5	135	0	--
			6.1	52000	28.6	8.2	8.0	127	0	--
			9.1	52000	28.7	8.2	7.7	122	0	--
			13.1	52000	28.6	8.2	7.9	125	0	--
OCT 12, 72	1050	2	1.5	47000	24.5	8.4	7.2	101	10	--
			3.0	47000	24.5	8.4	7.6	107	10	--
			6.1	47000	24.4	8.4	8.8	129	10	--
			12.2	47000	24.5	8.2	10.0	141	15	--
JAN 16, 73	1245	2	.3	40000	11.1	8.3	10.5	112	8	81
			1.5	40000	11.1	8.3	11.6	123	5	--
			3.0	40000	11.1	8.3	11.8	126	5	--
			4.6	40000	11.1	8.3	11.5	122	8	--
			6.1	40000	11.0	8.3	13.5	144	5	--
			9.1	40000	11.0	8.3	13.5	144	5	--
			12.5	40000	11.2	8.3	11.9	127	2	--
APR 11, 73	1055	2	.3	40000	17.6	8.1	9.0	110	20	145
			1.5	40000	17.6	8.1	9.0	110	20	--
			3.0	40000	17.6	8.1	8.6	105	20	--
			6.1	40000	17.6	8.1	8.6	105	20	--
			9.1	40000	17.7	8.1	8.2	100	20	--
			11.6	40000	17.7	8.1	8.4	102	20	--
JUN 06, 73	1735	2	.3	44000	28.6	8.0	7.2	111	--	99
			1.5	45000	28.4	8.0	6.9	106	--	--
			3.0	46000	27.8	8.0	6.5	98	--	--
			4.6	48000	27.7	8.0	5.9	89	--	--
			6.1	50000	27.7	8.0	5.9	91	--	--
			9.1	50000	27.5	8.0	6.1	92	--	--
			12.2	50000	27.5	8.0	6.2	94	--	--
			14.3	50000	27.5	8.0	6.5	98	--	--
LINE 400										
FEB 24, 72	1010	3	.3	46000	20.0	8.0	8.6	112	--	104
			3.0	46000	20.0	8.0	8.6	112	--	--
			5.8	46000	20.0	8.0	8.5	110	--	--
JUN 06, 73	1700	3	.3	46000	28.7	8.0	6.8	105	--	89
			1.5	45000	28.5	8.0	6.9	106	--	--
			3.0	46000	28.1	8.0	6.5	98	--	--
			4.6	46000	27.9	8.0	6.2	94	--	--
			5.9	46000	27.8	8.0	6.3	96	--	--
LINE 600										
APR 18, 72	1450	2	.3	15000	26.1	8.0	7.7	99	--	30

TABLE SA--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 600 CONTINUED										
APR 18, 72	1450	2	1.2	14000	26.2	7.9	7.7	97	--	--
MAY 17, 72	1030	2	.3 1.2	1000 1400	26.1 25.9	6.8	--	--	--	41
MAY 22, 72	1555	2	.3 1.2	3000 2800	28.2 28.2	8.0	8.2 8.6	105 110	--	--
JUN 13, 72	1145	2	.3 .9	3300 3300	28.4 28.4	7.9	7.1 7.0	91 90	--	51
JUL 19, 72	1150	2	.3 1.2	--	29.9 30.0	8.1	--	--	--	57
AUG 22, 72	1323	2	.3 .9	3200 3200	30.8 30.7	--	7.4 7.1	100 96	--	56
JAN 16, 73	1051	2	.3 .6	10000 10000	13.8 13.9	8.0	11.5 11.5	114 114	--	64
APR 09, 73	1451	2	.3 .9	4100 4100	16.7 16.8	7.7	8.7 8.9	90 92	--	13
JUN 04, 73	1446	2	.3 1.5	14000 14000	28.0 27.8	8.1	7.5 7.4	99 97	--	38
JUN 15, 73	1020	2	.3 1.2	120 120	24.2 24.2	8.3	5.4 5.6	64 66	--	--
JUN 18, 73	1110	2	.3 1.5	150 160	28.2 28.1	--	5.8 5.9	73 75	--	30
JUN 22, 73	1105	2	.8	320	25.8	7.2	3.0	37	--	18
JUL 03, 73	1015	2	.3 1.2	920 1100	29.7 29.7	7.0	7.0 7.0	91 91	--	34
LINE 606										
APR 18, 72	1320	2	.3 .9	22000 23000	26.1 26.4	7.9	7.3 8.0	96 105	--	39
MAY 17, 72	1020	2	.3 .9 1.8	1600 1800 3400	25.0 24.9 24.9	7.0	--	--	--	23
MAY 22, 72	1605	2	.3 .9	980 1300	28.2 28.2	7.9	8.3 8.6	105 109	--	--
JUN 13, 72	1137	2	.3 1.2	2900 3200	28.0 28.0	7.9	7.0 7.0	90 90	--	28
JUL 19, 72	1130	2	.3 .9	--	30.0 29.9	8.3	--	--	--	25
AUG 22, 72	1315	2	.3 1.5	750 800	31.0 29.8	--	7.8 6.5	104 86	--	36
JAN 16, 73	1043	2	.3 2.0	10000 12000	13.3 13.7	8.0	12.7 13.8	124 137	--	170
APR 09, 73	1459	2	.3 .6	6800 6800	18.2 18.1	8.0	9.3 9.4	100 101	--	33
JUN 04, 73	1455	2	.3 1.2	7000 8000	28.7 28.5	7.8	7.0 7.0	92 92	--	63
JUN 15, 73	1035	2	.3	120	24.7	8.0	5.1	61	--	11

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH.	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK CM)
LINE 606 CONTINUED										
JUN 15, 73	1035	2	1.2	120	24.7	7.9	5.2	62	--	--
JUN 18, 73	1120	2	.3 1.5	130 130	28.4 28.4	--	5.0 5.2	63 66	--	32 --
JUN 22, 73	1055	2	.3 .9	950 450	25.5 25.5	7.3 7.2	3.7 3.9	45 47	--	30 --
JUL 03, 73	1030	2	.3 .9	1100 1200	29.7 29.8	7.0 7.1	6.2 6.6	81 87	--	53 --
LINE 610										
APR 18, 72	1350	2	.6	8100	26.7	8.2	8.6	109	--	48
MAY 17, 72	0955	2	.3 1.2	370 370	25.1 24.8	6.6 6.5	--	--	--	36 --
MAY 22, 72	1500	2	.3 1.2	1300 1300	28.2 28.1	7.4 7.5	7.5 7.2	95 91	--	--
JUN 13, 72	1100	2	.3 .9	1500 1500	28.2 28.2	7.9 7.9	7.1 7.5	90 95	--	--
JUL 19, 72	1220	2	.3 .9	-- --	30.3 30.1	8.2 8.1	--	--	--	76 --
AUG 22, 72	1247	2	.3 .9	1400 1400	30.8 30.6	--	7.2 6.8	96 91	--	56 --
JAN 16, 73	1225	2	.3 .6	16000 16000	16.1 16.2	8.1 8.1	13.3 14.2	140 149	--	71 --
APR 09, 73	1415	2	.3 .6	2300 2300	16.3 16.3	7.7 7.7	8.6 9.1	88 93	--	13 --
JUN 04, 73	1406	2	.3 1.5	2100 2000	28.2 28.0	8.2 8.6	7.5 7.7	96 99	--	53 --
JUN 18, 73	1150	2	.3 2.1	120 120	28.5 28.4	--	5.2 5.4	67 68	--	41 --
JUN 22, 73	1145	2	.3 1.1	340 340	26.2 26.2	7.0 7.0	3.9 3.9	48 48	--	43 --
JUL 03, 73	1125	2	.3 1.2	650 650	30.5 30.5	6.8 6.9	7.0 7.1	92 93	--	56 --
LINE 617										
APR 18, 72	1425	2	.3 .9	12000 12000	26.4 26.5	8.0 8.0	7.5 7.2	95 92	--	56 --
MAY 17, 72	0940	2	.3 1.2 2.1	680 630 700	25.3 24.9 24.7	6.9 6.7 6.6	--	--	--	38 -- --
MAY 22, 72	1515	2	.3 .9	1000 1100	28.6 28.5	7.4 7.5	7.5 7.5	96 96	--	--
JUN 13, 72	1055	2	.3 2.1	860 860	27.9 27.9	7.8 7.8	7.4 7.4	94 94	--	48 --
JUL 19, 72	1210	2	.3 1.5	-- --	30.0 29.8	8.0 8.1	--	--	--	38 --
AUG 22, 72	1240	2	.3	1500	30.5	--	6.4	84	--	43

TABLE 5A--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHQS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 617 CONTINUED

AUG 22, 72	1240	2	1.2	1500	30.5	--	6.6	87	--	--
JAN 16, 73	1147	2	.3	22000	15.5	8.1	14.2	153	--	74
			1.2	24000	15.6	8.1	14.2	153	--	--
APR 09, 73	1424	2	.3	4100	17.9	8.0	10.0	106	--	43
			.6	3900	17.9	8.0	10.1	107	--	--
JUN 04, 73	1411	2	.3	1800	28.1	7.8	7.2	91	--	43
			1.2	1700	28.0	8.0	7.2	91	--	--
JUN 18, 73	1155	2	.3	120	28.6	--	4.7	60	--	41
			1.8	120	28.6	--	5.0	64	--	--
JUN 22, 73	1135	2	.3	240	26.4	7.0	3.6	44	--	46
			1.1	240	26.3	7.0	3.6	44	--	--
JUL 03, 73	1135	2	.3	600	30.4	6.7	6.2	82	--	47
			.9	600	30.4	6.7	6.2	82	--	--

LINE 902

SEP 21, 72	1800	49	.3	50000	29.3	8.2	8.8	140	0	--
			3.0	51000	29.1	8.2	8.1	128	0	--
			6.1	51000	28.9	8.2	8.1	128	0	--
			9.1	51000	28.9	8.2	8.3	131	0	--
			12.2	51000	29.0	8.1	7.5	119	10	--

LINE 910

SEP 21, 72	1725	49	.3	50000	29.0	8.2	8.3	132	10	--
			3.0	51000	28.8	8.2	8.7	138	10	--
			6.1	52000	28.8	8.2	8.3	132	10	--
			9.1	52000	28.8	8.2	7.8	124	10	--
			12.2	52000	28.7	8.2	7.7	122	10	--
			15.2	52000	28.8	8.1	8.5	103	10	--
			19.8	52000	28.8	8.1	8.7	106	10	--

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (MG/L)	DIS-SOLVED NITRATE (MG/L)	TOTAL AMMONIA NITROGEN (MG/L)	TOTAL NITRITE NITROGEN (MG/L)	DIS-SOLVED PHOSPHORUS ORTHO (MG/L)	DIS-SOLVED PHOSPHORUS (MG/L)	TOTAL PHOSPHORUS (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 17													
FEB 23, 72	1510	2	.3 4.6	18.0 19.0	.1 .2	.00 .02	.00 .00	.00 .00	.14 .08	8.3 3.0	--	--	--
APR 18, 72	1100	2	.3 5.0	20.0 20.0	.1 .1	.03 .11	.03 .04	.02 .03	.08 .10	4.7 3.3	--	--	--
JUN 13, 72	1015	2	.3 4.0	25.0 26.0	.3 .4	.00 .07	.01 .02	.04 .12	.09 .20	2.2 4.5	--	--	--
AUG 22, 72	1150	2	.3 3.0	23.0 25.0	.0 .0	.01 .02	.00 .00	.03 .07	.07 .11	.2 .2	--	--	--
SEP 22, 72	0925	2	.3 3.4	27.0 28.0	.0 .0	.00 .00	.00 .00	.17 .10	.17 .14	2.2 2.2	3.0	9.0	--
OCT 12, 72	1235	2	.3 3.4	23.0 20.0	.0 .0	.00 .39	.00 .00	.00 .11	.07 .11	2.3 1.6	20.0	--	--
JAN 16, 73	1000	2	.3 3.4	15.0 8.4	1.1 .1	.17 .64	.01 .03	.14 .12	.16 .13	1.4 3.9	--	--	--
APR 09, 73	1340	2	.3 3.7	13.0 13.0	.2 .5	.13 .14	.03 .03	.10 .10	.16 .18	2.3 2.7	--	--	--
JUN 04, 73	1330	2	.3 3.5	22.0 22.0	.0 .0	.04 .09	.00 .00	.04 .05	.07 .08	3.0 1.0	3.0	8.0	--
JUN 22, 73	1330	2	4.0	9.4	.2	.06	.00	.05	.20	1.6	--	--	--
JUL 03, 73	1315	2	.3	23.0	.0	.01	.00	.01	.06	2.5	--	--	--
LINE 22													
FEB 23, 72	1450	2	.3 3.4	12.0 13.0	.1 .1	.00 .02	.00 .00	.00 .00	.11 .07	6.6 2.9	--	--	--
APR 18, 72	1010	2	.3 3.4	18.0 19.0	.3 .3	.09 .12	.05 .05	.13 .19	.15 .19	3.1 2.8	--	--	--
JUN 13, 72	0955	2	.3 3.7	18.0 20.0	.4 .5	.14 .19	.08 .11	.14 .18	.17 .25	2.9 3.4	--	--	--
AUG 22, 72	1130	2	.3 2.7	22.0 22.0	.1 .1	.04 .19	.02 .02	.18 .18	.21 .20	.1 .4	--	--	--
SEP 22, 72	0845	2	.3 2.4	44.0 44.0	.1 .1	.12 .09	.00 .00	.14 .15	.17 .15	2.1 1.9	23.0	10.0	--
OCT 12, 72	1150	2	.3 2.7	30.0 28.0	.0 .0	.00 .37	.00 .01	.09 .13	.11 .13	2.2 1.6	33.0	--	--
JAN 16, 73	0930	2	.3 2.7	13.0 13.0	1.5 1.5	.14 .16	.01 .01	.12 .12	.18 .18	2.8 1.5	--	--	--
APR 09, 73	1315	2	.3 3.4	12.0 11.0	.8 .8	.20 .20	.03 .04	.10 .10	.23 .24	3.9 4.3	--	--	--
JUN 09, 73	1305	2	.3 3.0	21.0 20.0	.0 .0	.05 .06	.00 .01	.07 .07	.12 .16	2.0 2.1	3.0	14.0	--
JUN 22, 73	1315	2	3.7	7.5	.2	.10	.01	.05	.20	1.1	--	--	--
JUL 03, 73	1215	2	.3	19.0	.1	.12	.01	.03	.06	2.7	--	--	--
LINE 55													
JUN 15, 73	1125	2	.3	5.1	.2	.04	.03	.06	.10	1.3	--	--	--

TABLE 56--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (MG/L)	TOTAL NITRATE (MG/L)	AMMONIA NITROGEN (MG/L)	TOTAL NITRITE NITROGEN (MG/L)	ORTHO PHOSPHORUS (MG/L)	TOTAL PHOSPHORUS (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 55 CONTINUED												
JUN 18, 73	1235	2	.3	7.8	.2	.04	.02	.07	.08	.9	--	--
LINE 65												
FEB 23, 72	1400	2	.3 3.7	9.5 9.4	.4 .1	.14 .14	.00 .06	.00 .00	.09 .10	4.1 3.6	-- --	-- --
APR 18, 72	1150	2	.3 4.0	11.0 5.2	.0 .1	.02 --	.00 --	.02 --	.05 --	2.7 2.3	30.0 36.0	-- --
MAY 08, 72	1415	2	.3	5.2	.4	--	--	--	--	--	--	--
MAY 08, 72	1500	2	.3	5.1	.5	--	--	--	--	--	--	--
MAY 17, 72	0915	2	.3	11.0	.4	.13	.01	.14	.14	2.6	--	--
MAY 22, 72	1530	2	.3	15.0	.1	.06	.00	.06	.13	2.5	--	--
JUN 13, 72	1120	2	.3 4.6	3.4 23.0	.0 .0	.04 .03	.00 .00	.09 .05	.16 .10	2.9 2.6	17.0 18.0	-- --
AUG 22, 72	1300	2	.3 3.0	20.0 20.0	.0 .0	.00 .00	.00 .00	.06 .07	.09 .09	1.0 .2	23.0 22.0	-- --
SEP 22, 72	1010	2	.3 3.4	35.0 21.0	.0 .0	.00 .17	.00 .00	.10 .10	.10 .10	2.7 2.0	18.0 11.0	-- --
OCT 12, 72	1325	2	.3 2.7	23.0 13.0	.0 .0	.00 .00	.00 .00	.00 .00	.00 .06	2.1 2.1	38.0 33.0	-- --
JAN 16, 73	1107	2	.3 3.4	11.0 4.2	.8 .1	.17 .12	.01 .00	.13 .00	.14 .06	2.3 2.7	-- --	-- --
APR 09, 73	1435	2	.3 3.0	11.0 12.0	.4 .3	.12 .11	.05 .05	.10 .10	.13 .13	2.2 2.0	-- --	-- --
JUN 04, 73	1425	2	.3 4.0	13.0 12.0	.0 .0	.05 .04	.00 .00	.05 .06	.07 .06	1.0 1.0	6.0 4.0	12.0 15.0
JUL 03, 73	1115	2	.3	17.0	.0	.07	.01	.04	.06	1.9	--	--
LINE 85												
JUN 15, 73	0940	1	.3	5.1	.5	.11	.01	.02	.20	1.3	--	--
JUN 18, 73	1030	1	.3	6.2	.2	.10	.02	.06	.06	1.4	--	--
JUL 03, 73	0945	1	.3	13.0	.1	.04	.01	.07	.11	2.3	--	--
FEB 23, 72	1245	3	.3 1.5	6.0 7.6	.4 .5	.06 .10	.00 .00	.00 .00	.13 .17	4.2 4.4	-- --	-- --
APR 18, 72	1535	3	.3 1.8	5.0 5.3	.0 .0	.09 .04	.00 .00	.02 .02	.08 .10	2.6 3.2	-- 45.0	-- --
JUN 13, 72	0855	3	.3 1.5	10.0 10.0	.1 .1	.00 .06	.00 .00	.08 .07	.10 .12	2.3 2.2	-- --	-- --
AUG 22, 72	1025	3	.3 1.5	15.0 15.0	.0 .0	.03 .03	.00 .00	.09 .10	.10 .11	1.2 1.0	-- --	-- --
SEP 22, 72	1055	3	.3 1.5	14.0 14.0	.0 .0	.00 .00	.00 .00	.06 .06	.06 .06	2.7 2.8	-- --	-- --
OCT 12, 72	1055	3	.3 1.2	13.0 14.0	.0 .0	.00 .00	.00 .00	.07 .00	.07 .00	1.8 2.5	-- --	-- --
JAN 16, 73	1322	3	.3	3.5	.0	.00	.00	.00	.02	2.4	--	--

TABLE 58--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	DEPTH (METERS)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)	
LINE 85 CONTINUED												
JAN 16, 73	1322	3	1.2	3.1	.0	.02	.00	.00	.03	2.1	--	--
APR 09, 73	1535	3	.3 1.5	8.4 7.1	.2 .1	.00 .02	.03 .02	.00 .00	.07 .11	1.7 1.1	--	--
JUN 15, 73	0855	4	.3	5.4	.2	.06	.02	.01	.06	1.5	--	--
JUN 18, 73	0955	4	.3	7.8	.2	.09	.02	.07	.10	1.9	--	--
JUL 03, 73	0925	4	.3	14.0	.1	.08	.00	.09	.15	1.4	--	--
LINE 90												
FEB 23, 72	1225	3	.3 2.4	4.2 4.5	.3 .3	.03 .09	.00 .00	.00 .00	.09 .09	4.6 4.8	43.0 41.0	-- --
APR 18, 72	1730	3	.5 3.2	1.2 1.2	.0 .0	.21 .19	.00 .00	.03 .02	.05 .05	2.3 2.2	32.0 43.0	-- --
JUN 13, 72	0825	3	.3 3.4	11.0 11.0	.0 .1	.00 .02	.00 .00	.09 .09	.11 .11	2.7 2.2	30.0 30.0	-- --
AUG 22, 72	0925	3	.3 2.7	12.0 12.0	.0 .1	.03 .00	.00 .00	.06 .08	.07 .10	.5 .2	34.0 37.0	-- --
JAN 16, 73	1400	3	.3 2.6	2.6 2.1	.0 .0	.06 .00	.00 .00	.00 .00	.02 .04	2.6 1.6	-- --	-- --
APR 09, 73	1610	3	.3 2.7	7.6 4.7	.0 .1	.00 .03	.03 .01	.00 .00	.04 .08	2.3 1.9	-- --	-- --
JUN 22, 73	0940	3	.3 3.0	12.0 12.0	.1 .2	.13 .08	.01 .01	.10 .10	.11 .25	.8 1.2	-- --	-- --
LINE 108												
MAR 27, 72	1235	2	.3 12.2	3.1 2.3	.0 .0	.17 .46	.01 .01	.19 .12	.19 .12	2.7 2.0	-- --	-- --
LINE 129												
FEB 23, 72	1315	2	.3 2.4	.7 .9	.1 .1	.07 .00	.00 .00	.00 .00	.05 .05	4.0 3.9	-- --	-- --
APR 18, 72	1115	2	.3 2.1	2.0 1.9	.0 .0	.25 .26	.00 .00	.01 .02	.01 .03	2.9 2.5	-- --	-- --
JUN 13, 72	1430	2	.3 3.0	8.2 9.6	.3 .1	.02 .06	.00 .00	.06 .08	.08 .09	2.6 2.4	-- --	-- --
AUG 23, 72	0000	2	.3 2.4	8.2 7.6	.0 .0	.00 .00	.00 .00	.04 .03	.05 .05	.5 1.5	-- --	-- --
JAN 17, 73	1205	2	.3 2.4	1.2 1.2	.0 .0	.03 .04	.00 .00	.00 .00	.02 .02	1.1 1.7	-- --	-- --
APR 11, 73	1030	2	.3 3.0	7.8 6.8	.4 .0	.02 .06	.03 .02	.00 .00	.06 .06	2.8 2.3	-- --	-- --
LINE 143												
OCT 12, 72	0935	1	.3	4.5	.0	.00	.00	.00	.00	1.8	--	--
JUN 06, 73	1220	1	.3	1.2	.0	.02	.00	.00	.01	1.4	--	--
FEB 23, 72	1408	3	.5	2.8	.1	.02	.00	.00	.21	4.4	45.0	--

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHOS- ORTHO (P) (MG/L)	PHOS- PHOS- PHOS- (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)	
LINE 143 CONTINUED													
FEB 23, 72	1408	3	1.2	2.8	.1	.00	.00	.00	.23	5.3	54.0	--	--
APR 18, 72	1651	3	.5 2.3	.9 1.1	.0 .0	.19 .17	.00 .00	.01 .02	.04 .15	2.3 3.7	30.0 40.0	--	--
APR 19, 72	1000	3	.5 1.8	1.9 1.5	.0 .0	.22 .16	.00 .00	.01 .01	.03 .04	2.1 2.2	-- --	--	--
JUN 13, 72	1130	3	.3 1.8	7.1 6.8	.1 .1	.00 .02	.00 .00	.06 .06	.09 .08	2.9 2.8	28.0 26.0	--	--
AUG 22, 72	1535	3	.3 1.5	7.7 7.5	.0 .0	.00 .03	.00 .00	.02 .03	.04 .04	1.2 1.3	22.0 23.0	--	--
OCT 12, 72	0955	3	.3	4.8	.0	.00	.00	.00	.00	1.7	--	--	--
JAN 17, 73	1130	3	.3 1.5	.1 .1	.0 .0	.00 .00	.00 .00	.00 .00	.01 .01	.8 1.1	-- --	--	--
APR 11, 73	0950	3	.3 1.5	5.6 5.7	.0 .0	.00 .00	.01 .01	.00 .00	.04 .03	2.3 2.1	-- --	--	--
JUN 06, 73	1200	3	.3	1.2	.0	.01	.00	.00	.02	2.7	--	--	--
LINE 150													
FEB 23, 72	1338	4	.5 10.1	.8 1.1	.1 .1	.00 .03	.00 .00	.00 .00	.05 .10	4.4 3.9	37.0 69.0	--	--
APR 18, 72	1625	4	.5 11.3	.8 1.0	.0 .0	.14 .20	.00 .00	.01 .02	.03 .02	2.4 1.7	32.0 29.0	--	--
JUN 13, 72	1220	4	.5 10.7	6.0 2.5	.1 .1	.06 .06	.00 .02	.04 .05	.06 .06	2.3 1.6	18.0 20.0	--	--
AUG 22, 72	1625	4	.3 11.0	7.6 1.2	.0 .0	.00 .03	.00 .00	.02 .03	.05 .04	1.8 3.0	22.0 25.0	--	--
SEP 22, 72	0810	4	.3 10.7	2.1 .0	.0 .0	.07 .15	.00 .00	.00 .00	.04 .07	3.0 2.4	16.0 13.0	14.0 8.0	--
JAN 16, 73	0935	4	.3 11.3	2.7 1.9	.0 .0	.01 .00	.00 .00	.00 .00	.02 .04	1.5 1.6	-- --	--	--
JUN 06, 73	1425	4	.3 11.0	2.0 .7	.0 .0	.02 .06	.01 .01	.01 .00	.04 .13	1.6 1.3	21.0 --	12.0 7.5	--
LINE 175													
FEB 23, 72	1502	2	.3 1.2	.4 .8	.0 .0	.00 .00	.00 .00	.00 .00	.03 .03	2.9 2.8	-- --	--	--
LINE 180													
APR 19, 72	1032	2	.3 1.8	1.4 1.2	.0 .0	.16 .20	.00 .00	.01 .01	.02 .05	1.8 1.6	-- --	--	--
JUN 13, 72	1054	2	.3 1.5	6.2 6.4	.1 .1	.29 .33	.00 .00	.04 .06	.07 .06	3.2 3.2	-- --	--	--
AUG 22, 72	1430	2	.3 1.5	6.5 6.0	.0 .0	.01 .00	.00 .00	.02 .03	.03 .04	1.6 2.8	-- --	--	--
JAN 17, 73	1021	2	.3 1.2	.2 .3	.0 .0	.01 .00	.00 .00	.00 .00	.01 .01	1.4 1.8	-- --	--	--
APR 11, 73	0850	2	.3	3.5	.0	.04	.00	.00	.02	1.3	--	--	--

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SiO ₂) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	SOLVED PHOS- PHORUS (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	OXYGEN DEMAND (BOD) (MG/L)	OXYGEN DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)	
LINE 180 CONTINUED													
APR 11, 73	0850	2	1.5	4.5	.0	.03	.01	.00	.04	1.2	--	--	
LINE 200													
FEB 24, 72	1100	5	.6	.2	.0	.00	.00	.00	.02	2.3	30.0	--	
JUN 14, 72	1028	5	.3	2.5	.1	.01	.00	.02	.03	2.2	--	--	
AUG 22, 72	1335	5	.3	4.4	.0	.00	.00	.01	.03	1.1	--	--	
JAN 16, 73	1110	5	.3 2.1	.5 .3	.0 .0	.00 .00	.00 .00	.00 .00	.02 .02	2.1 1.9	--	--	
APR 11, 73	0935	5	.6	3.5	.0	.00	.00	.00	.01	1.1	--	--	
LINE 210													
OCT 12, 72	1015	2	.3 11.6	.0 .0	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	1.9 2.1	--	--	
JUN 06, 73	1540	2	.3 11.6	.9 .7	.0 .0	.01 .04	.00 .01	.00 .00	.00 .07	.8 .8	--	--	
LINE 224													
FEB 23, 72	0830	2	.6	4.1	.2	.00	.00	.00	.08	4.7	35.0	--	
JUN 13, 72	1400	2	.3	13.0	.1	.06	.00	.08	.09	3.3	28.0	--	
AUG 23, 72	0930	2	.3	15.0	.0	.00	.00	.06	.07	2.1	24.0	--	
OCT 11, 72	1800	2	.3	19.0	.0	.00	.00	.00	.00	3.8	52.0	--	
JUN 05, 73	1445	2	.3	6.9	.1	.01	.00	.01	.07	2.5	15.0	12.0	
LINE 235													
JUN 15, 73	1440	2	.3	8.1	.5	.11	.03	.09	.18	1.9	--	--	
LINE 249													
FEB 23, 72	0906	2	.3 1.5	.2 .1	.0 .0	.04 .03	.00 .00	.00 .00	.02 .02	2.1 2.0	--	37.0	--
JUN 12, 72	1640	2	.5 2.9	5.1 4.7	.0 .0	.13 .21	.00 .00	.03 .03	.06 .05	3.2 2.8	--	--	--
AUG 21, 72	1520	2	.3 2.1	4.9 4.4	.1 .0	.00 .00	.00 .00	.01 .01	.03 .02	.3 .2	--	--	--
OCT 11, 72	1400	2	.3 1.8	2.8 3.4	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	2.2 2.0	--	--	--
JAN 15, 73	1555	2	.3 1.5	1.1 1.2	.0 .0	.00 .00	.00 .00	.00 .00	.01 .01	1.8 1.6	--	--	--
APR 10, 73	1345	2	.3 1.5	3.8 3.3	.0 .0	.05 .00	.00 .00	.00 .00	.04 .03	1.5 1.3	--	--	--
JUN 05, 73	1705	2	.6 1.8	1.3 .3	.0 .0	.00 .00	.00 .00	.00 .00	.03 .03	1.3 1.2	--	--	--
LINE 254													
OCT 11, 72	1600	2	.3	21.0	.0	.02	.01	.08	.11	3.3	44.0	--	

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME(SITE)	DEPTH (METERS)	DIS- SOLVED SILICA (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL AMMONIA (N) (MG/L)	TOTAL NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 254 CONTINUED												
OCT 11. 72	1600	2	1.8	18.0	.0	.23	.01	.00	.07	2.1	49.0	--
JUN 05. 73	1215	2	.3 3.4	9.0 9.1	.3 .2	.05 .07	.02 .01	.02 .02	.10 .11	2.0 .5	11.0 10.0	14.0 14.0
JUN 15. 73	1655	2	.3	8.2	.5	.08	.04	.10	.15	1.5	--	--
JUN 18. 73	1540	2	.3	13.0	.2	.08	.03	.10	.15	1.4	--	--
JUN 22. 73	1755	2	.3 3.7	7.5 7.6	.4 .5	.17 .14	.01 .01	.11 .11	.16 .24	1.3 1.9	-- --	-- --
LINE 258												
FEB 22. 72	1710	2	.6	1.8	.2	.00	.00	.00	.08	3.3	41.0	--
APR 17. 72	1825	2	.9	4.3	.0	.03	.00	.03	.03	3.6	38.0	--
JUN 12. 72	1245	2	.3	12.0	.1	.03	.00	.06	.10	4.0	40.0	--
AUG 23. 72	1730	2	.3	14.0	.0	.01	.00	.09	.11	3.4	32.0	--
JAN 16. 73	1619	2	.3	4.9	.3	.18	.01	.04	.10	3.0	--	--
APR 10. 73	1630	2	.3	6.7	.0	.00	.02	.00	.06	4.3	--	--
JUN 15. 73	1620	2	.3	8.4	.9	.11	.03	.10	.15	1.7	--	--
JUN 18. 73	1600	2	.3	12.0	.3	.06	.03	.14	.15	1.5	--	--
LINE 264												
OCT 11. 72	1635	2	.3 .9	6.3 6.6	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	2.7 2.0	30.0 --	-- --
JUN 05. 73	1255	2	.3 1.5	2.1 2.8	.1 .2	.11 .11	.02 .02	.02 .01	.08 .09	.9 1.3	13.0 --	26.0 --
JUN 15. 73	1635	2	.3	8.1	1.0	.14	.01	.08	.18	1.9	--	--
JUN 18. 73	1610	2	.3	9.2	.4	.08	.01	.12	.13	1.7	--	--
JUN 22. 73	1715	2	.3 1.4	11.0 5.7	.3 .3	.05 .26	.00 .02	.17 .07	.19 .11	1.2 .7	-- --	-- --
LINE 284												
FEB 22. 72	1140	1	.3 1.2	1.2 2.5	.0 .0	.09 .06	.00 .00	.00 .00	.03 .03	2.5 2.5	-- --	-- --
APR 17. 72	1755	1	.3 1.5	1.8 2.0	.0 .0	.03 .07	.00 .00	.01 .01	.04 .05	2.9 3.0	-- --	-- --
JUN 12. 72	1157	1	.3 1.5	6.8 7.7	.0 .0	.28 .28	.00 .00	.04 .05	.06 .06	2.6 2.2	-- --	-- --
AUG 21. 72	1108	1	.3 1.2	4.7 4.5	.0 .0	.01 .00	.00 .00	.05 .05	.06 .07	1.6 2.9	-- --	-- --
JAN 15. 73	1202	1	.3 .8	2.0 .7	.0 .0	.06 .02	.00 .00	.00 .00	.02 .02	1.0 1.0	-- --	-- --
APR 10. 73	0850	1	.6 1.2	4.1 3.2	.0 .0	.06 .03	.00 .00	.00 .00	.07 .06	.9 1.1	-- --	-- --
FEB 22. 72	1206	3	.3	.2	.0	.04	.00	.00	.03	1.8	--	--

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHORUS (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	CHEMICAL OXYGEN (BOD) (MG/L)	CHEMICAL OXYGEN (COD) (MG/L)	ORGANIC CARBON (MG/L)
LINE 284 CONTINUED												
FEB 22, 72	1206	3	1.8	.7	.0	.01	.00	.00	.04	2.0	--	--
APR 17, 72	1630	3	.3 2.4	1.4 1.6	.0	.10 .04	.00	.02 .02	.06 .07	2.3 2.4	--	--
JUN 12, 72	1247	3	.3 2.1	5.8 6.5	.1 .1	.26 .21	.00 .00	.04 .04	.06 .06	2.6 2.5	--	--
AUG 21, 72	1043	3	.3 1.8	4.1 4.0	.0 .0	.03 .15	.00 .00	.03 .03	.04 .04	1.2 1.4	--	--
JAN 15, 73	1225	3	.3 1.5	1.5 1.1	.0 .0	.04 .00	.00 .00	.00 .00	.02 .01	1.1 .6	--	--
APR 10, 73	0915	3	.3 1.5	2.4 3.4	.0 .0	.03 .06	.00 .00	.00 .00	.04 .04	1.4 1.5	--	--
LINE 300												
JUN 18, 72	1640	3	.3 1.5	3.7 3.7	.0 .0	.00 .00	.00 .00	.02 .02	.05 .05	2.9 2.6	--	--
LINE 333												
FEB 22, 72	1405	1	.3 1.2	.1 .1	.0 .0	.00 .00	.00 .00	.00 .00	.04 .03	3.4 3.4	--	--
APR 19, 72	1130	1	.3 1.7	1.2 1.5	.0 .0	.10 .08	.00 .00	.02 .02	.04 .09	2.6 3.2	--	--
JUN 12, 72	1650	1	.3 1.4	3.6 3.6	.0 .0	.04 .00	.00 .00	.05 .05	.09 .09	2.8 3.2	--	--
AUG 23, 72	1410	1	.3 1.5	5.1 5.9	.0 .0	.04 .04	.00 .00	.08 .33	.12 .44	8.6 9.0	--	--
OCT 11, 72	1305	1	.3 1.5	4.0 6.4	.0 .0	.00 .15	.00 .00	.00 .00	.06 .07	1.9 1.7	27.0 26.0	14.0 16.0
JAN 15, 73	1425	1	.3 1.2	1.1 1.1	.0 .0	.04 .00	.00 .00	.00 .00	.03 .03	1.4 1.2	--	--
APR 10, 73	1320	1	.3 1.2	7.7 7.5	.1 .3	.00 .02	.02 .02	.02 .04	.12 .14	2.1 2.4	--	--
JUN 05, 73	0845	1	.3 1.5	1.6 1.7	.0 .1	.07 .06	.00 .00	.00 .05	.06 .07	1.2 .7	--	7.5 7.5
LINE 350												
JUN 12, 72	1438	1	.3 1.5	3.8 3.8	.0 .0	.12 .20	.01 .00	.03 .07	.05 .07	2.2 3.2	--	--
AUG 21, 72	1317	1	.3 1.5	3.8 3.5	.0 .0	.04 .00	.00 .00	.01 .03	.04 .05	2.6 8.2	--	--
JAN 15, 73	1415	1	.3 1.8	.7 .8	.0 .0	.00 .00	.00 .00	.00 .00	.02 .01	1.2 1.0	--	--
APR 10, 73	1100	1	.6 3.0	4.1 4.4	.0 .0	.06 .02	.00 .00	.00 .00	.04 .05	1.1 1.4	--	--
FEB 22, 72	1430	3	.3 1.5	.4 .5	.0 .0	.02 .03	.00 .00	.00 .00	.03 .03	2.5 2.3	--	--
JUN 12, 72	1407	3	.3	3.6	.0	.17	.00	.04	.06	2.1	--	--

TABLE 58--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DISELVED		AMMONIA		TOTAL		PHOSPHORUS		BIOCHEMICAL		CHEMICAL	
				SILICA (SiO ₂) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	ORTHO (P) (MG/L)	TOTAL (P) (MG/L)	OXYGEN DEMAND (BOD) (MG/L)	OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)			

LINE 350 CONTINUED

JUN 12, 72	1407	3	2.6	3.5	.0	.25	.00	.05	.06	2.4	--	--
AUG 21, 72	1255	3	.3 2.4	4.1 4.5	.0	.01 .02	.00	.02 .04	.04 .05	1.4 .6	--	--
JAN 15, 73	1345	3	.3 2.1	2.2 1.2	.0	.07 .13	.00	.03 .00	.04 .02	1.4 1.1	--	--
APR 10, 73	1025	3	.6 1.8	4.0 2.8	.0	.06 .07	.00	.00 .00	.05 .06	.9 .8	--	--

LINE 363

FEB 22, 72	1453	1	.3 2.1	.1 .0	.0	.05 .05	.00	.00 .00	.02 .02	1.3 2.3	--	--
JUN 12, 72	1504	1	.3 1.2	2.2 2.2	.0	.21 .25	.01	.02 .01	.04 .03	2.1 2.3	--	--
AUG 21, 72	1345	1	.3 2.7	3.4 2.1	.0	.01 .00	.00	.01 .04	.02 .05	.3 .6	--	--
OCT 11, 72	1230	1	.3 2.4	.0 .0	.0	.00 .00	.00	.00 .00	.00 .00	1.8 1.8	--	--
JAN 15, 73	1435	1	.3 1.4	1.2 .8	.0	.00 .00	.00	.00 .00	.01 .02	1.1 1.1	--	--
APR 10, 73	1125	1	.4 2.7	2.5 4.9	.0	.00 .05	.00	.00 .00	.04 .05	1.7 1.1	--	--
JUN 05, 73	1550	1	.3 2.1	.3 .6	.0	.01 .05	.00	.00 .00	.02 .02	.8 .5	--	--
FEB 22, 72	1535	3	.3 2.7	.1 .0	.0	.05 .00	.00	.00 .00	.02 .03	1.0 1.6	--	--
JUN 12, 72	1535	3	.5 3.4	3.6 3.1	.0	.19 .23	.01	.02 .07	.04 .08	2.5 1.9	--	--
AUG 21, 72	1415	3	.3 3.0	2.6 1.4	.0	.00 .00	.00	.00 .03	.02 .04	.1 1.1	--	--
OCT 11, 72	1300	3	.3 3.4	1.8 1.5	.0	.00 .00	.00	.00 .00	.00 .00	1.6 1.2	--	--
JAN 15, 73	1500	3	.3 3.0	1.4 .9	.0	.08 .00	.00	.00 .00	.02 .02	1.2 2.0	--	--
APR 10, 73	1205	3	.6 3.0	1.9 1.8	.0	.04 .04	.00	.00 .00	.03 .05	1.1 1.0	--	--
JUN 05, 73	1610	3	.6 3.0	1.0 1.2	.0	.01 .03	.00	.00 .01	.04 .04	.9 .5	--	--
FEB 22, 72	1603	5	.5 2.7	.4 .1	.0	.05 .00	.00	.00 .00	.02 .02	2.4 2.5	--	--
JUN 12, 72	1607	5	.5 4.0	3.2 2.9	.0	.29 .16	.00	.02 .04	.03 .04	2.2 1.8	18.0	--
AUG 21, 72	1445	5	.3 3.4	3.5 3.0	.0	.00 .02	.00	.01 .02	.02 .03	.6 .4	17.0	--
OCT 11, 72	1330	5	.3 3.4	1.6 2.0	.0	.00 .00	.00	.00 .00	.00 .00	1.6 1.4	21.0	--
JAN 15, 73	1530	5	.3	.9	.0	.00	.00	.00	.01	.8	--	--

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL NITRATE	AMMONIA NITROGEN	TOTAL NITRITE	ORTH- PHOS- (P)	TOTAL PHOS- (P)	BIO- CHEMICAL DEMAND (BOD)	CHEMICAL DEMAND (COD)	TOTAL ORGANIC CARBON
				(MG/L)	(MG/L)	(N)	(N)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
LINE 363 CONTINUED													
JAN 15, 73	1530	5	3.4	.3	.0	.02	.00	.00	.02	2.1	--	--	
APR 10, 73	1235	5	.6 3.4	2.4 2.5	.0	.03 .05	.00	.00	.03 .04	1.1 1.1	--	--	
JUN 05, 73	1640	5	.6 2.7	.7 .9	.0	.08 .05	.00	.00	.04 .04	1.0 .8	7.0	7.0	7.0
LINE 375													
FEB 24, 72	0950	1	.3 3.7	.2 .2	.0	.00	.00	.00	.01 .02	1.7 2.2	--	--	
JUN 14, 72	1145	1	.3 4.3	.8 1.0	.1	.20 .07	.01	.02	.03 .05	1.2 1.2	--	--	
AUG 22, 72	1005	1	.3 3.7	.8 .5	.0	.00	.00	.01	.02	.2	--	--	
OCT 11, 72	1525	1	.3 3.4	.3 .8	.0	.00	.00	.00	.00	2.1 2.1	17.0	19.0	--
JAN 16, 73	1210	1	.3 3.4	.3 .4	.0	.00	.00	.00	.02	2.0	--	--	
APR 11, 73	1030	1	.6 4.0	2.2 1.9	.0	.00	.00	.00	.01 .02	.8 1.0	--	--	
JUN 06, 73	1800	1	.3 3.7	.7 .6	.0	.00	.01	.01	.02 .04	.9 .5	--	31.0	8.0 13.0
FEB 24, 72	1025	3	.5 2.4	.2 .4	.0	.00	.00	.00	.02	2.0 2.1	--	--	
JUN 14, 72	0950	3	.5 4.0	4.4 3.2	.0	.00	.04	.01	.04 .05	1.9 1.6	--	--	
AUG 22, 72	0925	3	.3 3.4	3.3 2.4	.0	.00	.00	.01	.03 .02	1.1	--	--	
OCT 11, 72	1445	3	.3 3.4	2.1 1.5	.0	.00	.00	.00	.00	1.9 1.6	--	--	
JAN 16, 73	1030	3	.3 3.4	.4 .9	.0	.00	.00	.00	.01 .02	1.1 1.2	--	--	
APR 11, 73	0900	3	.6 3.4	3.1 2.1	.0	.00	.00	.00	.02 .01	.9 1.1	--	--	
JUN 06, 73	1835	3	.3 3.7	.5 .8	.0	.05 .01	.00	.00	.02 .04	.7 .6	--	--	
LINE 382													
JUN 14, 72	1258	1	.3 1.8	.6 .6	.0	.01 .07	.01	.02	.03 .04	1.3 1.3	14.0	14.0	--
AUG 22, 72	1120	1	.3 1.2	.0 .1	.0	.00	.00	.00	.01 .01	.6 .9	18.0	12.0	--
JAN 16, 73	1310	1	.3 1.8	1.0 .7	.0	.00	.00	.00	.02	1.1	--	--	
FEB 24, 72	1025	2	4.3	.1	.0	.00	.00	.00	.02	1.7	35.0	--	
JUN 14, 72	1335	4	.3 3.7	.6 .6	.0	.02 .11	.01	.02	.04 .04	1.4 1.1	13.0	18.0	--

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DISELVED		TOTAL AMMONIA		TOTAL NITROGEN		DISELVED PHOSPHORUS		BIOCHEMICAL		CHEMICAL	
				SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)	OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)			
LINE 382 CONTINUED															
AUG 22, 72	1235	4	.3	2.5	.0	.00	.00	.02	.03	1.4	22.0	--	--		
			4.0	.6	.0	.00	.00	.01	.02	.7	18.0	--	--		
JAN 16, 73	1410	4	.3	.2	.0	.00	.00	.00	.02	1.4	--	--			
			3.0	1.0	.0	.00	.00	.00	.02	1.5	--	--			
LINE 397															
FEB 24, 72	0920	2	.5	.0	.0	.05	.00	.00	.01	2.0	47.0	--	--		
			15.2	.0	.0	.01	.00	.00	.01	1.9	40.0	--	--		
JUN 14, 72	1215	2	.3	1.0	.1	.18	.02	.02	.05	1.1	19.0	--	--		
			11.6	.9	.1	.22	.01	.02	.04	1.1	11.0	--	--		
AUG 22, 72	1035	2	.3	.2	.0	.00	.00	.00	.01	.2	--	--			
			13.1	.2	.0	.00	.00	.00	.01	.2	--	--			
JAN 16, 73	1245	2	.3	1.0	.0	.04	.00	.00	.02	1.2	--	--			
			12.5	1.0	.1	.01	.00	.00	.02	.7	--	--			
APR 11, 73	1055	2	.3	1.1	.0	.00	.00	.00	.01	2.1	--	--			
			11.6	1.6	.0	.00	.00	.00	.01	1.6	--	--			
LINE 600															
APR 18, 72	1450	2	1.2	9.2	.0	.10	.00	.01	.11	2.8	--	--			
MAY 08, 72	1520	2	.3	6.2	.2	--	--	--	--	--	--	--			
MAY 17, 72	1030	2	.3	10.0	.2	.19	.01	.07	.07	3.5	--	--			
MAY 22, 72	1555	2	1.2	10.0	.2	.05	.00	.05	.10	2.1	--	--			
JUN 15, 73	1020	2	.3	4.8	.0	.07	.03	.06	.10	1.2	--	--			
JUN 18, 73	1110	2	.3	5.2	.2	.07	.02	.07	.07	.8	--	--			
JUN 22, 73	1105	2	.8	13.0	.3	.10	.00	.08	.13	.9	--	--			
JUL 03, 73	1015	2	.3	16.0	.1	.04	.00	.05	.08	2.0	--	--			
LINE 606															
MAY 08, 72	1515	2	.3	6.0	.5	--	--	--	--	--	--	--			
MAY 17, 72	1020	2	.3	11.0	.3	.18	.02	.10	.10	3.6	--	--			
MAY 22, 72	1605	2	.9	13.0	.2	.04	.00	.08	.16	2.8	--	--			
JUN 22, 73	1055	2	.3	7.6	.1	.17	.00	.10	.10	1.0	--	--			
LINE 610															
APR 18, 72	1350	2	.6	11.0	.0	.06	.00	.02	.05	2.3	--	--			
MAY 08, 72	1440	2	.3	4.7	.2	--	--	--	--	--	--	--			
MAY 17, 72	0955	2	.3	9.0	.2	.14	.01	.10	.10	3.1	--	--			
MAY 22, 72	1500	2	1.2	12.0	.2	.25	.00	.09	.19	1.9	--	--			
JUN 18, 73	1150	2	.3	5.9	.1	.08	.02	.07	.08	.8	--	--			
JUN 22, 73	1145	2	.3	9.8	.1	.37	.01	.13	.13	.7	--	--			
JUL 03, 73	1125	2	.3	17.0	.0	.06	.01	.04	.07	1.3	--	--			

TABLE 5B--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	PHOS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHOSUS (P) (MG/L)	PHOS- PHOSUS (P) (MG/L)	OXYGEN (BOD) (MG/L)	OXYGEN (COD) (MG/L)	ORGANIC CARBON (MG/L)	

LINE 610 CONTINUED

MAY 08, 72	1430	2	.3	7.8	.0	--	--	--	--	--	--	--	--
LINE 617													
MAY 17, 72	0940	2	.3	10.0	.2	.16	.01	.10	.10	2.8	--	--	--
MAY 22, 72	1515	2	.9	13.0	.2	.16	.00	.08	.11	1.7	--	--	--
JUN 22, 73	1135	2	.3	8.6	.1	.20	.01	.11	.11	.8	--	--	--
LINE 902													
SEP 21, 72	1800	49	.3	.0	.0	.06	.00	.00	.01	1.0	--	--	--
			12.2	.0	.0	.19	.00	.00	.03	2.2	--	--	--
LINE 910													
SEP 21, 72	1725	49	.3	.0	.0	.04	.00	.00	.00	2.1	--	--	7.0
			19.8	.0	.0	.13	.01	.00	.02	1.9	4.0	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRÉS PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	CHEMICAL ANALYSES								
				SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (MCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTIT- UENTS) (MG/L)	
LINE 17												
FEB 23, 72	1510	2	.3	830	--	--	--	--	--	--	--	--
			1.5	830	--	--	--	--	--	--	--	--
			3.0	870	--	--	--	--	--	--	--	--
			4.6	870	110.0	8.8	61	328	25	100	487	
APR 18, 72	1100	2	.3	938	--	--	--	--	--	--	--	--
			5.0	1020	--	--	--	--	--	--	--	--
JUN 13, 72	1015	2	.3	750	97.0	7.0	56	330	21	72	444	
			4.0	760	--	--	--	--	--	--	--	--
AUG 22, 72	1150	2	.3	740	97.0	7.3	52	316	19	74	428	
			1.5	760	--	--	--	--	--	--	--	--
			3.0	760	--	--	--	--	--	--	--	--
SEP 22, 72	0925	2	.3	903	98.0	12.0	84	360	20	110	531	
			3.4	1180	--	--	--	--	--	--	--	--
OCT 12, 72	1235	2	.3	1800	--	--	--	--	--	--	--	--
			1.5	1800	--	--	--	--	--	--	--	--
			2.1	7400	--	--	--	--	--	--	--	--
			3.4	10000	--	--	--	--	--	--	--	--
JAN 16, 73	1000	2	.3	1540	78.0	23.0	200	210	58	350	833	
			3.4	18700	--	--	--	--	--	--	--	--
APR 09, 73	1340	2	.3	520	53.0	3.6	48	157	25	67	288	
			1.5	520	--	--	--	--	--	--	--	--
			3.7	520	--	--	--	--	--	--	--	--
JUN 04, 73	1330	2	.3	813	98.0	5.0	64	322	27	79	454	
			3.5	825	--	--	--	--	--	--	--	--
JUN 22, 73	1330	2	.3	220	--	--	--	--	--	--	--	--
			4.0	220	--	--	--	--	--	--	--	--
JUL 03, 73	1315	2	.3	780	--	--	--	--	--	--	--	--
			.9	780	--	--	--	--	--	--	--	--
			1.8	780	--	--	--	--	--	--	--	--
			3.4	800	--	--	--	--	--	--	--	--
LINE 22												
FEB 23, 72	1450	2	.3	505	--	--	--	--	--	--	--	--
			3.4	513	58.0	6.2	37	188	15	56	278	
APR 18, 72	1010	2	.3	942	--	--	--	--	--	--	--	--
			3.4	903	--	--	--	--	--	--	--	--
JUN 13, 72	0955	2	.3	585	68.0	6.9	48	226	20	66	341	
			3.7	600	--	--	--	--	--	--	--	--
AUG 22, 72	1130	2	.3	531	56.0	6.0	53	184	31	66	325	
			2.7	802	--	--	--	--	--	--	--	--
SEP 22, 72	0845	2	.3	639	--	--	--	--	--	--	--	--
			2.4	641	--	--	--	--	--	--	--	--
OCT 12, 72	1150	2	.3	633	--	--	--	--	--	--	--	--
			2.7	5910	--	--	--	--	--	--	--	--
JAN 16, 73	0930	2	.3	301	26.0	3.7	25	69	16	40	165	
			2.7	1230	--	--	--	--	--	--	--	--
APR 09, 73	1315	2	.3	293	35.0	3.6	21	107	14	30	173	

TABLE SC--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES																						
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	CON-	DUCTANCE	SOLVED	MAGNE-	SUM	DIS-	SOLVED	DIS-	SOLVED	DIS-	SOLVED	DIS-	SOLVED	DIS-	SOLVED	DIS-	SOLVED	
				(MICRO-	ALCALIUM	SUM	(MG)	(NA+K)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
LINE 22 CONTINUED																						
APR 09, 73	1315	2	3.4	291	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN 04, 73	1305	2	.3 3.0	828 828	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN 22, 73	1315	2	3.7	130	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUL 03, 73	1215	2	.3	573	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
LINE 55																						
JUN 15, 73	1125	2	.3	126	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN 18, 73	1235	2	.3	130	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
LINE 65																						
FEB 23, 72	1400	2	.3 3.7	1010 995	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
APR 18, 72	1150	2	.3 4.0	11100 17700	130.0 170.0	240.0 410.0	1800 3200	214 174	460 790	3300 5700	6100 10300	--	--	--	--	--	--	--	--	--	--	--
MAY 08, 72	1415	2	.3	728	24.0	11.0	110	70	21	190	396	--	--	--	--	--	--	--	--	--	--	--
MAY 08, 72	1500	2	.3	792	27.0	10.0	120	70	23	200	413	--	--	--	--	--	--	--	--	--	--	--
MAY 17, 72	0915	2	.3	368	18.0	6.1	95	62	12	73	198	--	--	--	--	--	--	--	--	--	--	--
MAY 22, 72	1530	2	.3	543	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN 13, 72	1120	2	4.6	902	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AUG 22, 72	1300	2	.3 3.0	1890 1890	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
SEP 22, 72	1010	2	.3 3.4	3070 13500	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
OCT 12, 72	1325	2	.3 2.7	6740 19900	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JAN 16, 73	1107	2	.3 3.4	6400 27000	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
APR 09, 73	1435	2	.3 3.0	718 963	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN 04, 73	1425	2	.3 4.0	3820 7260	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUL 03, 73	1115	2	.3	674	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
LINE 85																						
JUN 15, 73	0940	1	.3	141	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN 18, 73	1030	1	.3	140	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
JUL 03, 73	0945	1	.3	1470	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FEB 23, 72	1245	3	.3 1.5	10800 10600	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
APR 18, 72	1535	3	.3 1.8	23100 23000	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHDS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DISSOLVED SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF TUENTS) (MG/L)
--------------------	------	------	----------------	--	-------------------------------	----------------------------	--	---------------------------	--------------------------------	--------------------------------	---

LINE 85 CONTINUED

JUN 13, 72	0855	3	.3	9020	--	--	--	--	--	--	--
			1.5	9400	--	--	--	--	--	--	--
AUG 22, 72	1025	3	.3	6410	--	--	--	--	--	--	--
			1.5	6590	--	--	--	--	--	--	--
SEP 22, 72	1055	3	.3	18500	--	--	--	--	--	--	--
			1.5	19000	--	--	--	--	--	--	--
OCT 12, 72	1055	3	.3	16300	--	--	--	--	--	--	--
			1.2	16700	--	--	--	--	--	--	--
JAN 16, 73	1322	3	.3	27700	--	--	--	--	--	--	--
			1.2	27700	--	--	--	--	--	--	--
APR 09, 73	1535	3	.3	7210	--	--	--	--	--	--	--
			1.5	9180	--	--	--	--	--	--	--
JUN 15, 73	0855	4	.3	92	--	--	--	--	--	--	--
JUN 18, 73	0955	4	.3	343	--	--	--	--	--	--	--
JUL 03, 73	0925	4	.3	1020	--	--	--	--	--	--	--

LINE 90

FEB 23, 72	1225	3	.3	13200	--	--	--	--	--	--	--
			2.4	13100	110.0	350.0	2300	104	600	4300	7740
APR 18, 72	1730	3	.5	34400	--	--	--	--	--	--	--
			3.2	34500	--	--	--	--	--	--	--
JUN 13, 72	0825	3	.3	8550	90.0	120.0	1600	162	350	2600	4840
			3.4	8670	--	--	--	--	--	--	--
AUG 22, 72	0925	3	.3	13200	120.0	280.0	2700	139	570	4700	8460
			2.7	15100	--	--	--	--	--	--	--
JAN 16, 73	1400	3	.3	32300	260.0	780.0	6400	148	1500	11000	20500
			2.6	34100	--	--	--	--	--	--	--
APR 09, 73	1610	3	.3	10700	94.0	220.0	2000	101	470	3400	6220
			2.7	20600	--	--	--	--	--	--	--
JUN 22, 73	0940	3	.3	385	--	--	--	--	--	--	--
			3.0	392	--	--	--	--	--	--	--

LINE 108

MAR 27, 72	1235	2	.3	38900	--	--	--	--	--	--	--
			12.2	42300	--	--	--	--	--	--	--

LINE 129

FEB 23, 72	1315	2	.3	25100	--	--	--	--	--	--	--
			2.4	25100	--	--	--	--	--	--	--
APR 18, 72	1115	2	.3	31700	--	--	--	--	--	--	--
			2.1	32300	--	--	--	--	--	--	--
JUN 13, 72	1430	2	.3	15900	--	--	--	--	--	--	--
			3.0	16200	--	--	--	--	--	--	--
AUG 23, 72	0000	2	.3	25100	--	--	--	--	--	--	--
			2.4	25200	--	--	--	--	--	--	--
JAN 17, 73	1205	2	.3	33900	--	--	--	--	--	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
				CON- DUCTANCE (MICRO- MHDS) (LAB)	SOLVED CALCIUM (CA) (MG/L)	SOLVED MAGNE- SIUM (MG)	SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	SOLVED SULFATE (SO4) (MG/L)	SOLVED CHLORIDE (CL) (MG/L)	SOLVED SOLIDS (SUM OF CONSTIT- UENTS) (MG/L)

LINE 129 CONTINUED

APR 11, 73	1030	2	.3	14200	--	--	--	--	--	--	--
			3.0	22200	--	--	--	--	--	--	--

LINE 143

OCT 12, 72	0935	1	.3	33300	--	--	--	--	--	--	--
JUN 06, 73	1220	1	.3	27300	--	--	--	--	--	--	--
FEB 23, 72	1408	3	.5	23700	190.0	530.0	4900	118	1100	8600	15400
			1.2	23700	--	--	--	--	--	--	--
APR 18, 72	1651	3	.5	37000	--	--	--	--	--	--	--
			2.3	37200	290.0	900.0	7300	133	1700	13000	23200
APR 19, 72	1000	3	.5	35700	--	--	--	--	--	--	--
			1.8	35700	--	--	--	--	--	--	--
JUN 13, 72	1130	3	.3	20700	160.0	460.0	4000	126	940	7000	12600
			1.8	20500	--	--	--	--	--	--	--
AUG 22, 72	1535	3	.3	23900	220.0	560.0	5400	144	1200	9400	16800
			1.5	24500	--	--	--	--	--	--	--
OCT 12, 72	0955	3	.3	33500	--	--	--	--	--	--	--
JAN 17, 73	1130	3	.3	39000	300.0	880.0	7900	144	2000	14000	25000
			1.5	37100	--	--	--	--	--	--	--
APR 11, 73	0950	3	.3	23400	190.0	540.0	4700	120	1200	8200	14800
			1.5	23400	--	--	--	--	--	--	--
JUN 06, 73	1200	3	.3	25100	--	--	--	--	--	--	--

LINE 150

FEB 23, 72	1338	4	.5	24600	200.0	560.0	5000	114	1100	8800	15800
			10.1	36800	--	--	--	--	--	--	--
APR 18, 72	1625	4	.5	39500	--	--	--	--	--	--	--
			11.3	40200	300.0	900.0	8000	135	2000	14000	25300
JUN 13, 72	1220	4	.5	24400	180.0	550.0	4900	128	1100	8500	15300
			10.7	45200	--	--	--	--	--	--	--
AUG 22, 72	1625	4	.3	25800	220.0	620.0	5700	142	1200	10000	17900
			11.0	49300	--	--	--	--	--	--	--
SEP 22, 72	0810	4	.3	34600	--	--	--	--	--	--	--
			10.7	48600	--	--	--	--	--	--	--
JAN 16, 73	0935	4	.3	37900	300.0	910.0	7400	146	1700	13000	23600
			11.3	39800	--	--	--	--	--	--	--
JUN 06, 73	1425	4	.3	18900	--	--	--	--	--	--	--
			11.0	44700	--	--	--	--	--	--	--

LINE 175

FEB 23, 72	1502	2	.3	28100	--	--	--	--	--	--	--
			1.2	28400	--	--	--	--	--	--	--

LINE 180

APR 19, 72	1032	2	.3	38200	--	--	--	--	--	--	--
------------	------	---	----	-------	----	----	----	----	----	----	----

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS SUM OF (CONSTI- TUENTS) (MG/L)

LINE 180 CONTINUED

APR 19, 72	1032	2	1.8	38200	--	--	--	--	--	--	--
JUN 13, 72	1054	2	.3 1.5	22900 22800	--	--	--	--	--	--	--
AUG 22, 72	1430	2	.3 1.5	30900 32600	--	--	--	--	--	--	--
JAN 17, 73	1021	2	.3 1.2	37900 38300	--	--	--	--	--	--	--
APR 11, 73	0850	2	.3 1.5	27700 28100	--	--	--	--	--	--	--

LINE 200

FEB 24, 72	1100	5	.6	37700	300.0	1000.0	7600	135	1800	14000	24700
JUN 14, 72	1028	5	.3	42700	--	--	--	--	--	--	--
AUG 22, 72	1335	5	.3	37700	--	--	--	--	--	--	--
JAN 16, 73	1110	5	.3 2.1	39800 40100	--	--	--	--	--	--	--
APR 11, 73	0935	5	.6	27800	--	--	--	--	--	--	--

LINE 210

OCT 12, 72	1015	2	.3 11.6	46000 45900	--	--	--	--	--	--	--
JUN 06, 73	1540	2	.3 11.6	44400 49800	--	--	--	--	--	--	--

LINE 224

FEB 23, 72	0830	2	.6	6490	63.0	140.0	1100	103	260	1900	3500
JUN 13, 72	1400	2	.3	4190	--	--	--	--	--	--	--
AUG 23, 72	0930	2	.3	411	--	--	--	--	--	--	--
OCT 11, 72	1800	2	.3	11000	110.0	220.0	1900	216	440	3400	6170
JUN 05, 73	1445	2	.3	5710	--	--	--	--	--	--	--

LINE 235

JUN 15, 73	1440	2	.3	293	--	--	--	--	--	--	--
------------	------	---	----	-----	----	----	----	----	----	----	----

LINE 249

FEB 23, 72	0906	2	.3 1.5	34200 34200	--	--	--	--	--	--	--
JUN 12, 72	1640	2	.5 2.4	31200 32300	--	--	--	--	--	--	--
AUG 21, 72	1520	2	.3 2.1	33800 37100	--	--	--	--	--	--	--
OCT 11, 72	1400	2	.3 1.8	40500 40600	--	--	--	--	--	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES													
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	
				CON-	SOLVED	SOLVED	SODIUM +	SOLVED	SOLVED	SOLVED	SOLIDS		
				DUCTANCE)	MAGNE-	POTAS-	BICAR-	SULFATE	CHLORIDE	CONSTI-			
				(MICRO-	CALCIUM	SIUM	SIUM	BONATE	(S04)	(CL)	(VENTS)		
				(MHOS)	(CA)	(MG)	(NA+K)	(HC03)	(S04)	(CL)	(VENTS)		
				(LAB)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)		
LINE 249 CONTINUED													
JAN 15, 73	1555	2	.3	40900	--	--	--	--	--	--	--	--	
			1.5	41700	--	--	--	--	--	--	--	--	
APR 10, 73	1345	2	.3	33700	--	--	--	--	--	--	--	--	
			1.5	33900	--	--	--	--	--	--	--	--	
JUN 05, 73	1705	2	.6	26000	--	--	--	--	--	--	--	--	
			1.8	26600	--	--	--	--	--	--	--	--	
LINE 254													
OCT 11, 72	1600	2	.3	9950	110.0	240.0	1600	168	370	3000	5510		
			1.8	15400	--	--	--	--	--	--	--	--	
JUN 05, 73	1215	2	.3	2340	50.0	40.0	370	145	95	620	1260		
			3.4	2600	--	--	--	--	--	--	--	--	
JUN 15, 73	1555	2	.3	155	--	--	--	--	--	--	--	--	
JUN 18, 73	1540	2	.3	189	--	--	--	--	--	--	--	--	
JUN 22, 73	1755	2	.3	162	--	--	--	--	--	--	--	--	
			3.7	168	--	--	--	--	--	--	--	--	
LINE 258													
FEB 22, 72	1710	2	.6	25800	200.0	620.0	5200	124	1200	9200	16500		
APR 17, 72	1825	2	.9	26000	230.0	580.0	5200	167	1200	9100	16300		
JUN 12, 72	1245	2	.3	8380	--	--	--	--	--	--	--	--	
AUG 23, 72	1730	2	.3	12800	--	--	--	--	--	--	--	--	
JAN 16, 73	1614	2	.3	22100	--	--	--	--	--	--	--	--	
APR 10, 73	1630	2	.3	20000	--	--	--	--	--	--	--	--	
JUN 15, 73	1620	2	.3	183	--	--	--	--	--	--	--	--	
JUN 18, 73	1600	2	.3	386	--	--	--	--	--	--	--	--	
LINE 264													
OCT 11, 72	1635	2	.3	34000	--	--	--	--	--	--	--	--	
			.9	34100	--	--	--	--	--	--	--	--	
JUN 05, 73	1255	2	.3	16700	--	--	--	--	--	--	--	--	
			1.5	16900	--	--	--	--	--	--	--	--	
JUN 15, 73	1635	2	.3	528	--	--	--	--	--	--	--	--	
JUN 18, 73	1610	2	.3	448	--	--	--	--	--	--	--	--	
JUN 22, 73	1715	2	.3	1690	--	--	--	--	--	--	--	--	
			1.4	8350	--	--	--	--	--	--	--	--	
LINE 284													
FEB 22, 72	1140	1	.3	32100	--	--	--	--	--	--	--	--	
			1.2	31900	--	--	--	--	--	--	--	--	
APR 17, 72	1755	1	.3	37000	--	--	--	--	--	--	--	--	
			1.5	37900	--	--	--	--	--	--	--	--	
JUN 12, 72	1157	1	.3	27500	--	--	--	--	--	--	--	--	

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHO5) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)

LINE 284 CONTINUED

JUN 12, 72	1157	1	1.5	28300	--	--	--	--	--	--	--
AUG 21, 72	1108	1	.3 1.2	40600 41100	--	--	--	--	--	--	--
JAN 15, 73	1202	1	.3 .6	35600 39200	--	--	--	--	--	--	--
APR 10, 73	0850	1	.6 1.2	32400 32300	--	--	--	--	--	--	--
FEB 22, 72	1206	3	.3 1.8	31500 32200	--	--	--	--	--	--	--
APR 17, 72	1630	3	.3 2.4	37700 37700	--	--	--	--	--	--	--
JUN 12, 72	1247	3	.3 2.1	27000 27000	--	--	--	--	--	--	--
AUG 21, 72	1043	3	.3 1.8	37200 39200	--	--	--	--	--	--	--
JAN 15, 73	1225	3	.3 1.5	38600 40500	--	--	--	--	--	--	--
APR 10, 73	0915	3	.3 1.5	32400 32400	--	--	--	--	--	--	--

LINE 333

FEB 22, 72	1405	1	.3 1.2	27500 27300	--	--	--	--	--	--	--
APR 19, 72	1130	1	.3 1.7	40200 40000	320.0	950.0	7600	155	1700	14000	24800
JUN 12, 72	1550	1	.3 1.4	41100 41000	--	--	--	--	--	--	--
AUG 23, 72	1410	1	.3 1.5	44800 46100	--	--	--	--	--	--	--
OCT 11, 72	1305	1	.3 1.5	36600 38400	--	--	--	--	--	--	--
JAN 15, 73	1425	1	.3 1.2	33300 36400	--	--	--	--	--	--	--
APR 10, 73	1320	1	.3 1.2	19300 19200	--	--	--	--	--	--	--
JUN 05, 73	0845	1	.3 1.5	33600 33500	--	--	--	--	--	--	--

LINE 350

JUN 12, 72	1438	1	.3 1.5	44900 44600	--	--	--	--	--	--	--
AUG 21, 72	1317	1	.3 1.5	44500 45200	--	--	--	--	--	--	--
JAN 15, 73	1415	1	.3 1.8	37800 40100	--	--	--	--	--	--	--
APR 10, 73	1100	1	.6	31500	--	--	--	--	--	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF (SUSPEN- SIONS) (MG/L)

LINE 350 CONTINUED

APR 10, 73	1100	1	3.0	31400	--	--	--	--	--	--	--
FEB 22, 72	1430	3	.3 1.5	38600 38400	--	--	--	--	--	--	--
JUN 12, 72	1407	3	.3 2.6	39400 39600	--	--	--	--	--	--	--
AUG 21, 72	1255	3	.3 2.4	43200 45600	--	--	--	--	--	--	--
JAN 15, 73	1345	3	.3 2.1	31900 39600	--	--	--	--	--	--	--
APR 10, 73	1025	3	.6 1.8	27400 27600	--	--	--	--	--	--	--

LINE 363

FEB 22, 72	1453	1	.3 2.1	39200 42500	--	--	--	--	--	--	--
JUN 12, 72	1504	1	.3 1.2	46900 46900	--	--	--	--	--	--	--
AUG 21, 72	1345	1	.3 2.7	41800 47700	--	--	--	--	--	--	--
OCT 11, 72	1230	1	.3 2.4	44400 44900	350.0	1200.0	8900	156	2100	16000	28500
JAN 15, 73	1435	1	.3 1.4	39300 40400	--	--	--	--	--	--	--
APR 10, 73	1125	1	.6 2.7	33300 33300	--	--	--	--	--	--	--
JUN 05, 73	1550	1	.3 2.1	41100 41700	330.0	990.0	8000	142	2100	14000	25700
FEB 22, 72	1535	3	.3 2.7	36800 37100	--	--	--	--	--	--	--
JUN 12, 72	1535	3	.6 3.4	38100 42700	--	--	--	--	--	--	--
AUG 21, 72	1415	3	.3 3.0	42200 49400	--	--	--	--	--	--	--
OCT 11, 72	1300	3	.3 3.4	42500 42900	--	--	--	--	--	--	--
JAN 15, 73	1500	3	.3 3.0	39000 40800	--	--	--	--	--	--	--
APR 10, 73	1205	3	.6 3.0	34900 35300	--	--	--	--	--	--	--
JUN 05, 73	1610	3	.6 3.0	30400 42200	--	--	--	--	--	--	--
FEB 22, 72	1603	5	.5 2.7	34900 34900	--	--	--	--	--	--	--
JUN 12, 72	1607	5	.5 4.0	39700 42200	280.0	860.0	7400	137	1800	13000	23400
AUG 21, 72	1445	5	.3	40700	--	--	--	--	--	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CAI) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)
LINE 363 CONTINUED											
AUG 21, 72	1445	5	3.4	41800	--	--	--	--	--	--	--
OCT 11, 72	1330	5	.3 3.4	41900 41900	--	--	--	--	--	--	--
JAN 15, 73	1530	5	.3 3.4	39300 42300	300.0	910.0	7800	149	1400	14000	24700
APR 10, 73	1235	5	.6 3.4	34200 34400	260.0	780.0	7200	141	1800	12000	22700
JUN 05, 73	1640	5	.6 2.7	32300 32500	--	--	--	--	--	--	--
LINE 375											
FEB 24, 72	0950	1	.3 3.7	39300 45400	--	--	--	--	--	--	--
JUN 14, 72	1145	1	.3 4.3	48500 48800	--	--	--	--	--	--	--
AUG 22, 72	1005	1	.3 3.7	50700 52000	--	--	--	--	--	--	--
OCT 11, 72	1525	1	.3 3.4	44300 44600	--	--	--	--	--	--	--
JAN 16, 73	1210	1	.3 3.4	41100 41300	--	--	--	--	--	--	--
APR 11, 73	1030	1	.6 4.0	36800 41400	--	--	--	--	--	--	--
JUN 06, 73	1800	1	.3 3.7	34300 49800	--	--	--	--	--	--	--
FEB 24, 72	1025	3	.5 2.4	34000 34300	--	--	--	--	--	--	--
JUN 14, 72	0950	3	.5 4.0	33900 41000	--	--	--	--	--	--	--
AUG 22, 72	0925	3	.3 3.4	41000 43200	--	--	--	--	--	--	--
OCT 11, 72	1445	3	.3 3.4	40900 40800	--	--	--	--	--	--	--
JAN 16, 73	1030	3	.3 3.4	40700 41600	--	--	--	--	--	--	--
APR 11, 73	0900	3	.6 3.4	31700 35000	--	--	--	--	--	--	--
JUN 06, 73	1835	3	.3 3.7	30000 39400	--	--	--	--	--	--	--
LINE 382											
JUN 14, 72	1258	1	.3 1.8	49600 49800	320.0	1100.0	9500	142	2200	17000	30100
AUG 22, 72	1120	1	.3 1.2	51600 51700	400.0	1300.0	12000	142	2500	21000	37000
JAN 16, 73	1310	1	.3	41500	320.0	950.0	8300	142	2000	15000	26200

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	CHEMICAL ANALYSES										
				(SPECIFIC CON- DUCTANCE) (MICRO- MHOS) (LAB)	(DIS- SOLVED CALCIUM (CA) (MG/L)	(DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	(DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	(BICAR- BONATE (HCO3) (MG/L)	(DIS- SOLVED SULFATE (SO4) (MG/L)	(DIS- SOLVED CHLORIDE (CL) (MG/L)	(DIS- SOLVED SUM OF CONSTI- TUENTS) (MG/L)			
LINE 382 CONTINUED														
JAN 16, 73	1310	1	1.8	41500	--	--	--	--	--	--	--	--	--	--
FEB 24, 72	1025	2	4.3	42800	--	--	--	--	--	--	--	--	--	--
JUN 14, 72	1335	4	.3 3.7	49200 49300	--	--	--	--	--	--	--	--	--	--
AUG 22, 72	1235	4	.3 4.0	41200 50500	--	--	--	--	--	--	--	--	--	--
JAN 16, 73	1410	4	.3 3.0	42300 42200	--	--	--	--	--	--	--	--	--	--
LINE 397														
FEB 24, 72	0920	2	.5 15.2	39900 41600	300.0	980.0	7900	136	1800	14000	25300	--	--	--
JUN 14, 72	1215	2	.3 11.6	49100 48700	350.0	1100.0	9500	144	2200	17000	29800	--	--	--
AUG 22, 72	1035	2	.3 13.1	52000 52300	400.0	1200.0	12000	146	2600	21000	37200	--	--	--
JAN 16, 73	1245	2	.3 12.5	40400 40500	310.0	980.0	7800	140	1900	14000	25100	--	--	--
APR 11, 73	1055	2	.3 11.6	43300 43600	330.0	1100.0	9100	136	2200	16000	28900	--	--	--
LINE 600														
APR 18, 72	1450	2	1.2	14200	--	--	--	--	--	--	--	--	--	--
MAY 08, 72	1520	2	.3	12800	120.0	320.0	2200	111	590	4000	7270	--	--	--
MAY 17, 72	1030	2	.3	1000	22.0	27.0	140	71	32	260	523	--	--	--
MAY 22, 72	1555	2	1.2	2890	--	--	--	--	--	--	--	--	--	--
JUN 15, 73	1020	2	.3	116	--	--	--	--	--	--	--	--	--	--
JUN 18, 73	1110	2	.3	151	--	--	--	--	--	--	--	--	--	--
JUN 22, 73	1105	2	.8	325	--	--	--	--	--	--	--	--	--	--
JUL 03, 73	1015	2	.3	923	--	--	--	--	--	--	--	--	--	--
LINE 606														
MAY 08, 72	1515	2	.3	2610	40.0	49.0	460	76	98	800	1490	--	--	--
MAY 17, 72	1020	2	.3	1620	31.0	33.0	260	79	57	460	894	--	--	--
MAY 22, 72	1605	2	.9	1330	--	--	--	--	--	--	--	--	--	--
JUN 22, 73	1055	2	.3	452	--	--	--	--	--	--	--	--	--	--
LINE 610														
APR 18, 72	1350	2	.6	7770	--	--	--	--	--	--	--	--	--	--
MAY 08, 72	1440	2	.3	6950	75.0	140.0	1200	119	300	2100	3810	--	--	--
MAY 17, 72	0955	2	.3	368	--	--	--	--	--	--	--	--	--	--

TABLE 5C--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES												
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BUNATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)	

LINE 610 CONTINUED

MAY 22, 72	1500	2	1.2	1400	--	--	--	--	--	--	--
JUN 18, 73	1150	2	.3	118	--	--	--	--	--	--	--
JUN 22, 73	1145	2	.3	341	--	--	--	--	--	--	--
JUL 03, 73	1125	2	.3	650	--	--	--	--	--	--	--

LINE 617

MAY 08, 72	1430	2	.3	7440	82.0	150.0	1200	122	280	2200	4010
MAY 17, 72	0940	2	.3	728	22.0	12.0	110	62	24	180	391
MAY 22, 72	1515	2	.9	1080	--	--	--	--	--	--	--
JUN 22, 73	1135	2	.3	241	--	--	--	--	--	--	--

LINE 902

SEP 21, 72	1800	49	.3	49800	--	--	--	--	--	--	--
			12.2	51200	--	--	--	--	--	--	--

LINE 910

SEP 21, 72	1725	49	.3	50000	380.0	1200.0	10000	142	2500	18000	32600
			19.8	52200	--	--	--	--	--	--	--

TABLE 5D--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ALUMI- NUM (AL) (UG/L)	DIS- SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS- SOLVED CAD- MIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
LINE 17										
SEP 22, 72	0925	2	.3 3.4	-- --	10 --	-- --	-- 1	0 --	-- --	-- 0
OCT 12, 72	1235	2	.3 3.4	-- --	0 --	-- --	-- 2	0 --	-- --	-- 0
LINE 22										
SEP 22, 72	0845	2	.3 2.4	-- --	10 --	-- --	-- 0	0 --	-- --	-- 0
OCT 12, 72	1150	2	.3 2.7	-- --	0 --	-- --	-- 0	0 --	-- --	-- 0
LINE 85										
APR 18, 72	1550	4	.3 .9	-- --	0 --	10 --	-- 0	0 --	0 --	-- 0
LINE 224										
OCT 11, 72	1800	2	.3 .9	-- --	0 --	-- --	-- 1	0 --	-- --	-- 0
LINE 258										
APR 17, 72	1345	2	.3 .9	-- --	0 --	0 --	-- 2	1 --	0 --	-- 0
LINE 264										
OCT 11, 72	1635	2	.3 .9	-- --	0 --	-- --	-- 3	1 --	-- --	-- 0
LINE 910										
SEP 21, 72	1725	49	.3	--	0	--	--	0	--	--

TABLE 5D--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED CHRO- MIUM (CR) (UG/L)	TOTAL CHRO- MIUM (CR) (UG/L)	DIS- SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS- SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
LINE 17 -----											
SEP 22, 72	0925	2	.3 3.4	0 --	-- --	-- --	-- --	-- 3	7 --	-- --	-- 3
OCT 12, 72	1235	2	.3 3.4	0 --	-- --	-- --	-- --	-- 3	5 --	-- --	-- 5
LINE 22 -----											
SEP 22, 72	0845	2	.3 2.4	0 --	-- --	-- --	-- --	-- 3	5 --	-- --	-- 3
OCT 12, 72	1150	2	.3 2.7	0 --	-- --	-- --	-- --	-- 3	6 --	-- --	-- 3
LINE 85 -----											
APR 18, 72	1550	4	.3 .9	-- --	-- --	0 --	1 --	-- 1	6 --	4 --	-- 1
LINE 224 -----											
OCT 11, 72	1800	2	.3 .9	0 --	-- --	-- --	-- --	-- 2	8 --	-- --	-- 5
LINE 258 -----											
APR 17, 72	1345	2	.3 .9	-- --	-- --	1 --	0 --	-- 1	10 --	4 --	-- 6
LINE 264 -----											
OCT 11, 72	1635	2	.3 .9	0 --	-- --	-- --	-- --	-- 2	9 --	-- --	-- 8
LINE 910 -----											
SEP 21, 72	1725	49	.3	0	--	--	--	--	6	--	--

TABLE 5D--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED CYANIDE (CN) (MG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS- SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS- SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
LINE 17											
SEP 22, 72	0925	2	.3 3.4	-- --	-- --	190 --	-- --	-- 6600	1 --	-- --	-- 3
OCT 12, 72	1235	2	.3 3.4	-- --	-- --	0 --	-- --	-- 11000	0 --	-- --	-- 2
LINE 22											
SEP 22, 72	0845	2	.3 2.4	-- --	-- --	230 --	-- --	-- 6500	0 --	-- --	-- 3
OCT 12, 72	1150	2	.3 2.7	-- --	-- --	10 --	-- --	-- 7100	0 --	-- --	-- 3
LINE 85											
APR 18, 72	1550	4	.3 .9	-- --	-- --	160 --	5600 --	-- 2600	0 --	-- 2	-- 2
LINE 224											
OCT 11, 72	1800	2	.3 .9	-- --	-- --	0 --	-- --	-- 12000	2 --	-- --	-- 2
LINE 258											
APR 17, 72	1345	2	.3 .9	-- --	-- --	180 --	4200 --	-- 12000	3 --	-- --	-- 2
LINE 264											
OCT 11, 72	1635	2	.3 .9	-- --	-- --	0 --	-- --	-- 25000	3 --	-- --	-- 3
LINE 910											
SEP 21, 72	1725	49	.3	--	--	0	--	--	--	--	--

TABLE 50--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITH- IUM (LI) (UG/L)	SOLVED MAN- GANESE (MN) (UG/L)	MAN- GANESE (MN) (UG/L)	DEPOSIT MAN- GANESE (MN) (UG/GM)	SOLVED MER- CURY (HG) (UG/L)	TOTAL MER- CURY (HG) (UG/L)	DEPOSIT MER- CURY (HG) (UG/GM)	SOLVED NICKLE (NI) (UG/L)	SOLVED STRON- TIUM (SR) (UG/L)
LINE 17												
SEP 22, 72	0925	2	.3 3.4	0 --	0 --	-- --	-- 210	-- --	-- --	-- .0	-- --	830 --
OCT 12, 72	1235	2	.3 3.4	10 --	0 --	-- --	-- 260	-- --	-- --	-- .0	-- --	520 --
LINE 22												
SEP 22, 72	0845	2	.3 2.4	0 --	0 --	-- --	-- 170	-- --	-- --	-- .0	-- --	680 --
OCT 12, 72	1150	2	.3 2.7	10 --	0 --	-- --	-- 160	-- --	-- --	-- .0	-- --	320 --
LINE 85												
APR 18, 72	1550	4	.3 .9	80 --	70 --	240 --	-- 50	.2 --	.4 --	-- .0	2 --	2800 --
LINE 224												
OCT 11, 72	1800	2	.3 .9	40 --	0 --	-- --	-- 140	-- --	-- --	-- .0	-- --	1500 --
LINE 258												
APR 17, 72	1345	2	.3 .9	90 --	50 --	150 --	-- 140	.2 < --	.2 --	-- .0	11 --	3300 --
LINE 264												
OCT 11, 72	1635	2	.3 .9	110 --	30 --	-- --	-- 170	-- --	-- --	-- .0	-- --	4500 --
LINE 910												
SEP 21, 72	1725	49	.3	140	40	--	--	--	--	--	--	--

TABLE 5D--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GM)
LINE 17 -----						
SEP 22, 72	0925	2	.3 3.4	21 --	-- --	-- 20
OCT 12, 72	1235	2	.3 3.4	20 --	-- --	-- 28
LINE 22 -----						
SEP 22, 72	0845	2	.3 2.4	0 --	-- --	-- 15
OCT 12, 72	1150	2	.3 2.7	6 --	-- --	-- 20
LINE 85 -----						
APR 18, 72	1550	4	.3 .9	0 --	20 --	-- 6
LINE 224 -----						
OCT 11, 72	1800	2	.3 .9	10 --	-- --	-- 30
LINE 258 -----						
APR 17, 72	1345	2	.3 .9	20 --	-- --	-- 18
LINE 264 -----						
OCT 11, 72	1635	2	.3 .9	16 --	-- --	-- 55

TABLE 5E--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLOR- DANE (UG/L)	BOTTOM DEPOSIT CHLOR- DANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
LINE 17											
SEP 22, 72	0925	2	.3 3.4	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- 4.4	.00 --	-- 13.0
OCT 12, 72	1235	2	.3 3.4	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- .8	.00 --	-- 2.3
LINE 22											
SEP 22, 72	0845	2	.3 2.4	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- .6	.00 --	-- 1.3
OCT 12, 72	1150	2	.3 2.7	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- 1.3	.00 --	-- 3.0
LINE 85											
FEB 23, 72	1245	3	1.5	--	< .2	--	< 1.0	--	< .2	--	3.5
APR 18, 72	1550	4	.3 .9	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- < .2	.00 --	-- .6
LINE 200											
FEB 24, 72	1100	5	.6	--	< .2	--	< 1.0	--	< .2	--	< .2
LINE 224											
FEB 23, 72	0830	2	.6	--	< .2	--	< 1.0	--	< .2	--	3.7
OCT 11, 72	1800	2	.9	--	< .2	--	< 1.0	--	< .2	--	< .2
LINE 258											
FEB 22, 72	1710	2	.6	--	< .2	--	< 1.0	--	2.9	--	13.0
APR 17, 72	1345	2	.3 .9	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- 4.0	.00 --	-- 26.0
LINE 264											
OCT 11, 72	1635	2	.3 .9	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- < .2	.00 --	-- 2.8
LINE 333											
FEB 22, 72	1405	1	1.2	--	< .2	--	< 1.0	--	< .2	--	< .2
OCT 11, 72	1305	1	1.5	--	< .2	--	< 1.0	--	1.7	--	3.7
LINE 363											
FEB 22, 72	1453	1	2.1	--	< .2	--	< 1.0	--	< .2	--	< .9
OCT 11, 72	1300	3	.3	.00	--	.0	--	.00	--	.00	--
FEB 22, 72	1603	5	2.7	--	< .2	--	< 1.0	--	< .2	--	< .2
OCT 11, 72	1330	5	.3	.00	--	.0	--	.00	--	.00	--

TABLE SE--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DDT (UG/KG)	TOTAL DIEL-DRIN (UG/L)	BOTTOM DEPOSIT DIEL-DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA-CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA-CHLOR (UG/KG)
LINE 17											
SEP 22, 72	0925	2	.3 3.4	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
OCT 12, 72	1235	2	.3 3.4	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 22											
SEP 22, 72	0845	2	.3 2.4	.00 --	-- < .2	.01 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
OCT 12, 72	1150	2	.3 2.7	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 85											
FEB 23, 72	1245	3	1.5	--	< .2	--	< .2	--	< .2	--	< .2
APR 18, 72	1550	4	.3 .9	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 200											
FEB 24, 72	1100	5	.6	--	< .2	--	< .2	--	< .2	--	< .2
LINE 224											
FEB 23, 72	0830	2	.6	--	< .2	--	< .2	--	< .2	--	< .2
OCT 11, 72	1600	2	.9	--	< .2	--	9.8	--	< .2	--	< .2
LINE 258											
FEB 22, 72	1710	2	.6	--	1.7	--	< .2	--	< .2	--	< .2
APR 17, 72	1345	2	.3 .9	.00 --	-- 1.5	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 264											
OCT 11, 72	1635	2	.3 .9	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 333											
FEB 22, 72	1405	1	1.2	--	< .2	--	< .2	--	< .2	--	< .2
OCT 11, 72	1305	1	1.5	--	< .2	--	< .2	--	< .2	--	< .2
LINE 363											
FEB 22, 72	1453	1	2.1	--	< .2	--	< .2	--	< .2	--	< .2
OCT 11, 72	1300	3	.3	.00	--	.00	--	.00	--	.00	--
FEB 22, 72	1603	5	2.7	--	< .2	--	< .2	--	< .2	--	< .2
OCT 11, 72	1330	5	.3	.00	--	.00	--	.00	--	.00	--

TABLE 5E--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		TOTAL		TOTAL	
				HEPTA- CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)	HEPTA- CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)	PARA- THION (UG/L)	PARA- THION (UG/L)	MALA- THION (UG/L)	DIAZ- INON (UG/L)		
LINE 17 -----													
SEP 22, 72	0925	2	.3 3.4	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.00 --
OCT 12, 72	1235	2	.3 3.4	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.00 --
LINE 22 -----													
SEP 22, 72	0845	2	.3 2.4	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.02 --
OCT 12, 72	1150	2	.3 2.7	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.00 --
LINE 85 -----													
FEB 23, 72	1245	3	1.5	--	<	.2	--	--	--	--	--	--	--
APR 18, 72	1550	4	.3 .9	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.00 --
LINE 200 -----													
FEB 24, 72	1100	5	.6	--	<	.2	--	--	--	--	--	--	--
LINE 224 -----													
FEB 23, 72	0830	2	.6	--	<	.2	--	--	--	--	--	--	--
OCT 11, 72	1800	2	.9	--	<	.2	--	<	.2	--	--	--	--
LINE 258 -----													
FEB 22, 72	1710	2	.6	--	<	.2	--	--	--	--	--	--	--
APR 17, 72	1345	2	.3 .9	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.00 --
LINE 264 -----													
OCT 11, 72	1635	2	.3 .9	.00 --	-- <	.2 +2	.00 --	-- <	.2 +2	.00 --	.00 --	.00 --	.00 --
LINE 333 -----													
FEB 22, 72	1405	1	1.2	--	<	.2	--	--	--	--	--	--	--
OCT 11, 72	1305	1	1.5	--	<	.2	--	<	.2	--	--	--	--
LINE 363 -----													
FEB 22, 72	1453	1	2.1	--	<	.2	--	<	.2	--	--	--	--
OCT 11, 72	1300	3	.3	.00	--		.00	--		.00	.00	.00	.00
FEB 22, 72	1603	5	2.7	--	<	.2	--	<	.2	--	--	--	--
OCT 11, 72	1330	5	.3	.00	--		.00	--		.00	.00	.00	.00

TABLE SE--QUALITY OF WATER IN THE LAVACA-TRES PALACIOS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT	
				PCB (UG/L)	PCB (UG/KG)	PCB (UG/L)	PCB (UG/KG)	2,4-D (UG/L)	2,4-D (UG/KG)	2,4,5-T (UG/L)	2,4,5-T (UG/KG)	SILVEX (UG/L)	SILVEX (UG/KG)	SILVEX (UG/L)	SILVEX (UG/KG)
LINE 17 -----															
SEP 22, 72	0925	2	.3	< .1	--	.00	--	.00	--	.00	--	.00	--	.00	--
OCT 12, 72	1235	2	.3	< .1	--	.00	--	.00	--	.00	--	.00	--	.00	--
LINE 22 -----															
SEP 22, 72	0845	2	.3	< .1	--	.09	--	.00	--	.00	--	.00	--	.00	--
OCT 12, 72	1150	2	.3	< .1	--	.00	--	.00	--	.00	--	.00	--	.00	--
LINE 85 -----															
APR 18, 72	1550	4	.3	< .5	--	.00	--	.00	--	.00	--	.00	--	.00	--
			.9	-- < 10.0	--	--	< .9	--	< .3	--	< .3	--	< .3	--	< .3
LINE 200 -----															
FEB 24, 72	1100	5	.6	--	--	.00	--	.00	--	.00	--	.00	--	.00	--
LINE 224 -----															
FEB 23, 72	0830	2	.6	--	--	.00	--	.00	--	.00	--	.00	--	.00	--
OCT 11, 72	1800	2	.3	-- < 2.0	--	.02	--	.02	--	.00	--	.00	--	.00	--
LINE 258 -----															
FEB 22, 72	1710	2	.3	--	--	.00	--	.00	--	.00	--	.00	--	.00	--
APR 17, 72	1345	2	.3	< .5	--	.04	--	.02	--	.00	--	.00	--	.00	--
			.9	-- < 10.0	--	--	< 1.2	--	< .4	--	< .4	--	< .4	--	< .4
LINE 264 -----															
OCT 11, 72	1635	2	.3	< .1	--	.00	--	.00	--	.00	--	.00	--	.00	--
			.9	-- < 2.0	--	--	--	--	--	--	--	--	--	--	--
LINE 333 -----															
FEB 22, 72	1405	1	.3	< .5	--	.00	--	.00	--	.00	--	.00	--	.00	--
OCT 11, 72	1305	1	.3	--	--	.00	--	.00	--	.00	--	.00	--	.00	--
			1.5	-- < 2.0	--	--	--	--	--	--	--	--	--	--	--
LINE 363 -----															
FEB 22, 72	1453	1	.3	< .5	--	.00	--	.00	--	.00	--	.00	--	.00	--
OCT 11, 72	1300	3	.3	< .1	--	.00	--	.00	--	.00	--	.00	--	.00	--
FEB 22, 72	1603	5	.5	< .5	--	.00	--	.00	--	.00	--	.00	--	.00	--
OCT 11, 72	1330	5	.3	< .1	--	.00	--	.00	--	.00	--	.00	--	.00	--

Guadalupe Estuary

The Guadalupe estuary covers an area of almost 210 square miles (540 square kilometers) and consists of the tidal parts of the Guadalupe River, Mission Lake, Guadalupe Bay, Hynes Bay, San Antonio Bay, Espiritu Santo Bay, Mesquite Bay, Victoria Channel, and parts of the Intracoastal Waterway (Figure 7). At mlw the Guadalupe River is about 10 feet (3.0 meters) deep; Mission Lake, Guadalupe Bay, and Hynes Bay are less than 3 feet (1.0 meter) deep; San Antonio Bay is less

than 6 feet (1.8 meters) deep; Espiritu Santo Bay is about 8 feet (2.4 meters) deep; Mesquite Bay is about 4 feet (1.2 meters) deep; Victoria Channel is more than 8 feet (2.4 meters) deep; and the Intracoastal Waterway is about 15 feet (4.6 meters) deep.

Water-quality data (Table 6) were collected during March, April, May, June, July, September, and December 1972, and March, May, and August 1973.




Figure 7.—Data-Collection Sites in the Guadalupe Estuary

Analyses for selected ions for water year 1971 are also shown in Table 6.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 6 and on Figure 7.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

**Guadalupe Estuary Change
in Line Numbers**

OLD	NEW	OLD	NEW
1	10	23	236
2	20	24	243
3	30	25	254
4	40	26	264
5	50	27	274
5a	52	28	287
6	60	29	294
6a	79	30	307
7	71	31	291
8	80	32	302
9	90	33	311
10	100	34	314
11	116	35	317
12	124	36	320
13	130	37	330
13a	144	37a	333
14	145	38	342
15	153	39	354
16	160	40	360
17	170	Lavaca-Tres Palacios 38-site 4	370
18	191		
19	197		
20	200		
21	214		
22	225		

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 10										
DEC 06, 71	1555	2	.3	1000	15.2	7.6	9.4	92	--	36
			1.5	980	15.2	7.5	9.4	92	--	--
			4.0	980	15.2	7.5	8.8	86	--	--
MAR 14, 72	1650	2	.3	1000	20.9	7.7	10.0	111	--	30
			1.5	1000	20.9	7.6	9.2	101	--	--
			4.6	790	20.3	7.6	8.2	90	--	--
APR 26, 72	1045	2	.3	950	25.7	7.4	9.0	108	--	30
			1.5	950	25.6	7.4	8.6	104	--	--
			3.0	960	25.6	7.4	7.8	94	--	--
			4.3	960	25.7	7.4	7.2	87	--	--
MAY 15, 72	1525	2	.3	920	27.4	7.8	11.1	139	--	55
			1.5	920	26.6	7.7	10.4	127	--	--
			3.0	950	26.0	7.4	7.6	93	--	--
			4.3	950	25.9	7.2	2.6	32	--	--
JUL 17, 72	1705	2	.3	970	30.0	7.6	9.7	128	--	41
			2.1	970	29.6	7.4	8.0	104	--	--
			4.3	900	29.7	7.2	7.1	92	--	--
DEC 11, 72	1300	2	.3	900	10.2	7.8	11.8	104	--	--
			1.5	900	10.2	7.8	11.5	102	--	--
			3.0	1200	10.3	7.8	12.2	108	--	--
			4.0	1200	9.9	7.8	12.8	113	--	--
MAR 19, 73	1220	2	.3	900	19.8	7.6	9.6	104	--	25
			1.5	930	19.6	7.5	9.6	103	--	--
			3.0	930	19.5	7.5	9.3	100	--	--
			3.7	930	19.4	7.5	9.5	102	--	--
AUG 02, 73	1005	2	.3	870	29.7	6.9	12.0	156	--	--
			1.5	900	29.6	6.8	11.2	145	--	--
			3.7	930	29.3	6.9	9.0	115	--	--
AUG 10, 73	1150	2	.3	--	30.3	7.5	6.4	84	--	--
			1.5	--	29.6	7.4	6.1	79	--	--
			4.0	--	29.5	7.4	4.0	52	--	--
LINE 20										
DEC 06, 71	1537	2	.3	1000	15.0	7.6	10.0	98	--	41
			1.5	1000	15.1	7.6	10.0	98	--	--
			4.0	1000	15.1	7.7	10.2	100	--	--
MAR 14, 72	1710	2	.3	1300	21.1	7.7	9.8	109	--	27
			1.5	1300	21.1	7.7	9.8	109	--	--
			3.0	1300	21.1	7.6	9.8	109	--	--
			3.7	1300	21.2	7.6	11.7	130	--	--
MAY 15, 72	1550	2	.3	930	28.2	8.1	14.8	187	--	51
			.9	940	27.5	7.8	12.4	155	--	--
			1.5	940	27.0	7.7	9.8	121	--	--
			3.0	1000	27.0	7.5	8.0	99	--	--
			4.0	1200	27.3	7.1	5.7	71	--	--
JUL 17, 72	1725	2	.3	1200	29.8	7.5	9.4	124	--	28
			1.5	1200	29.8	7.5	9.1	120	--	--
			3.4	1100	29.9	7.4	9.2	121	--	--
DEC 11, 72	1410	2	.3	1200	9.8	7.9	12.4	109	--	--
			1.5	1200	9.9	7.9	12.0	106	--	--
			3.0	1200	9.9	7.9	12.8	113	--	--
			4.3	1200	9.6	7.9	13.2	116	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK CM)
LINE 20 CONTINUED										
MAR 19, 73	1300	2	.3	1000	19.0	7.5	9.8	104	--	18
			1.5	1000	18.9	7.5	9.5	101	--	--
			3.0	990	18.9	7.5	9.0	96	--	--
			3.7	1000	18.9	7.5	8.9	95	--	--
AUG 02, 73	1025	2	.3	800	29.8	7.3	11.2	144	--	--
			1.5	800	29.8	7.3	11.6	149	--	--
			3.7	800	29.6	7.2	10.8	140	--	--
AUG 10, 73	1135	2	.3	--	30.5	7.6	6.3	83	--	--
			1.5	--	29.5	7.5	6.1	79	--	--
			4.0	--	29.0	7.2	6.0	77	--	--
LINE 30										
DEC 06, 71	1515	2	.3	1200	14.7	7.8	10.0	97	--	30
			1.5	1200	14.7	7.8	10.1	98	--	--
			4.0	1200	14.8	7.7	10.5	103	--	--
MAR 14, 72	1725	2	.3	1700	21.3	7.9	9.9	111	--	18
			1.5	1700	21.3	7.9	9.9	111	--	--
			4.0	1700	21.4	7.9	10.0	112	--	--
APR 26, 72	1006	2	.3	1600	25.4	7.9	8.8	106	--	23
			1.5	1600	25.4	7.9	8.7	105	--	--
			3.0	1600	25.4	7.9	8.6	104	--	--
			4.0	1600	25.7	7.9	8.4	101	--	--
MAY 15, 72	1610	2	.3	1200	27.2	8.2	10.2	126	--	41
			1.5	1200	26.1	8.1	9.6	117	--	--
			3.0	1200	25.8	7.9	7.9	96	--	--
			4.3	1300	26.1	7.9	7.4	90	--	--
JUL 17, 72	1745	2	.3	1400	29.6	7.8	9.2	119	--	25
			1.8	1400	29.7	7.7	9.0	117	--	--
			3.7	1400	29.7	7.7	9.4	122	--	--
DEC 11, 72	1440	2	.3	1600	8.2	8.1	13.5	114	--	--
			1.5	1600	8.5	8.1	13.4	114	--	--
			3.4	1600	8.4	8.1	13.3	113	--	--
MAR 19, 73	1319	2	.3	1800	18.5	7.7	9.7	103	--	15
			1.5	1800	18.5	7.7	9.3	99	--	--
			3.0	1800	18.5	7.7	9.0	96	--	--
AUG 02, 73	1040	2	.3	800	30.2	7.5	11.8	155	--	--
			1.5	800	30.2	7.5	10.5	138	--	--
			3.7	800	30.2	7.5	12.0	158	--	--
AUG 10, 73	1125	2	.3	--	30.3	7.8	6.4	84	--	--
			1.5	--	29.6	7.7	6.6	86	--	--
			3.4	--	29.6	7.7	6.2	81	--	--
LINE 40										
DEC 06, 71	1500	2	.3	1200	14.8	8.0	9.9	96	--	30
			1.5	1300	14.7	8.0	10.2	99	--	--
			3.0	1300	14.6	8.0	10.8	105	--	--
MAR 14, 72	1735	2	.3	1500	22.1	7.6	8.9	101	150	18
			1.5	1500	22.1	7.6	8.9	101	160	--
			3.2	1500	22.5	7.6	10.1	111	200	--
APR 26, 72	0950	2	.3	2000	25.2	8.1	8.5	102	--	33
			1.5	2000	25.3	8.2	8.3	101	--	--
			3.4	2200	25.4	8.2	8.2	100	--	--
MAY 15, 72	1630	2	.3	610	26.3	7.4	4.8	59	--	23

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY DISK (CM)
LINE 40 CONTINUED										
MAY 15, 72	1630	2	1.5	650	25.9	7.4	4.6	56	--	--
			3.0	660	25.8	7.4	4.6	56	--	--
			4.0	620	26.1	7.4	4.8	59	--	--
JUL 17, 72	1800	2	.3	1500	29.8	8.1	10.0	132	--	23
			1.8	1500	29.5	8.0	9.1	118	--	--
			3.7	1400	29.6	8.0	8.8	114	--	--
DEC 11, 72	1510	2	.3	3600	8.8	8.3	12.3	106	--	--
			1.5	3600	9.0	8.3	12.4	109	--	--
			3.0	5500	8.8	8.2	12.7	111	--	--
MAR 19, 73	1333	2	.3	2300	19.0	8.1	9.4	101	--	25
			1.5	2300	18.9	8.1	8.7	94	--	--
			3.0	2300	18.9	8.1	8.4	90	--	--
AUG 02, 73	1055	2	.3	800	29.8	7.8	11.8	155	--	--
			1.5	800	29.8	7.8	10.8	142	--	--
			3.7	800	29.7	7.8	11.1	144	--	--
AUG 10, 73	1215	2	1.5	--	29.6	8.1	--	--	--	--
			3.7	--	29.8	8.0	--	--	--	--
LINE 50										
DEC 06, 71	1430	2	.3	1200	14.7	8.1	9.6	93	--	30
			1.5	1200	14.7	8.2	9.7	94	--	--
			4.0	4900	14.7	7.9	10.1	99	--	--
MAR 14, 72	1715	2	.3	2000	22.0	7.9	9.5	109	90	23
			1.5	2000	22.3	7.9	9.9	114	105	--
			3.4	3400	22.8	7.9	10.7	124	90	--
APR 26, 72	0928	2	.3	7500	25.7	8.1	6.3	78	--	25
			1.5	7500	25.7	8.1	6.1	75	--	--
			3.4	7800	25.8	8.1	6.1	76	--	--
MAY 15, 72	1650	2	.3	630	27.0	7.5	5.8	72	--	20
			1.5	600	24.1	7.4	5.0	61	--	--
			2.7	600	25.1	7.4	4.6	55	--	--
			3.7	560	25.6	7.4	4.8	58	--	--
JUL 17, 72	1820	2	.3	1500	29.9	8.0	9.2	121	--	30
			2.1	1500	29.9	8.0	9.6	126	--	--
			4.3	1500	29.9	8.0	9.4	124	--	--
DEC 11, 72	1535	2	.3	12000	8.8	8.2	11.8	105	--	--
			1.8	12000	9.1	8.2	11.4	103	--	--
			3.0	15000	8.9	8.1	12.5	114	--	--
MAR 19, 73	1350	2	.3	4300	19.0	8.3	10.3	111	--	32
			1.5	4400	18.9	8.3	9.7	105	--	--
			3.0	4600	18.9	8.2	9.3	101	--	--
			3.7	4600	18.9	8.2	9.1	99	--	--
AUG 02, 73	1110	2	.3	1300	29.8	7.9	12.2	161	--	--
			1.5	1300	29.8	7.9	11.0	145	--	--
			3.7	1300	29.7	7.9	10.8	140	--	--
AUG 10, 73	1100	2	.3	--	30.1	8.2	6.6	87	--	--
			3.0	--	29.6	8.1	7.5	97	--	--
			4.0	--	29.6	8.1	7.8	101	--	--
LINE 52										
MAY 15, 72	1700	2	.8	2000	28.6	8.5	11.3	145	--	--
LINE 60										
DEC 04, 71	1420	2	.3	2500	14.7	8.1	8.9	87	--	43

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 60 CONTINUED										
DEC 06, 71	1420	2	1.5 3.7	3000 13000	14.6 14.7	8.1 7.7	8.7 7.1	85 72	-- --	-- --
MAR 14, 72	1700	2	.3 1.5 3.4	6000 6000 6200	22.4 22.4 22.4	8.1 8.0 8.0	10.4 9.6 11.0	121 112 128	80 115 75	28 -- --
MAY 15, 72	1720	2	.3 1.5 2.4 3.0	1100 1200 1200 4100	26.9 25.9 25.9 25.5	7.8 7.6 7.6 7.5	6.0 4.6 4.6 3.2	79 56 56 39	-- -- -- --	27 -- -- --
JUL 17, 72	1840	2	.3 1.7 3.4	1800 1800 1700	29.8 29.5 29.5	8.1 8.0 8.0	9.4 8.2 7.8	124 106 101	-- -- --	22 -- --
DEC 12, 72	0900	2	.3 1.5 2.4	14000 15000 22000	8.6 8.6 8.7	7.8 7.8 7.8	10.2 9.8 10.0	92 88 93	-- -- --	-- -- --
MAR 19, 73	1402	2	.3 .9 1.5 3.4	5000 5000 5200 7000	19.5 19.3 19.1 19.0	8.1 8.1 8.0 8.1	10.1 9.5 8.4 8.8	110 103 91 96	-- -- -- --	46 -- -- --
AUG 02, 73	1120	2	.3 1.5 3.4	1400 1400 1400	30.1 30.1 30.0	7.9 7.9 7.9	11.2 9.8 10.2	147 129 134	-- -- --	-- -- --
AUG 10, 73	1050	2	.3 1.5 3.4	-- -- --	30.4 30.2 30.1	8.2 8.1 8.1	6.4 6.6 6.8	84 87 89	-- -- --	-- -- --
LINE 71										
DEC 06, 71	1410	2	.3 1.5 4.0	5600 5800 13000	15.2 15.4 16.1	8.0 8.0 7.7	8.7 8.6 5.9	87 87 60	-- -- --	33 -- --
MAR 14, 72	1655	2	.3 1.5 4.0	6500 7000 8000	22.2 21.9 21.9	8.2 8.1 8.0	11.3 9.8 10.0	131 114 116	50 60 55	33 -- --
MAY 15, 72	1730	2	.3 1.5 3.0 4.3	1900 2300 2300 3800	26.2 25.3 25.3 25.5	7.7 7.5 7.5 7.5	5.7 2.8 2.3 2.1	71 34 28 26	-- -- -- --	33 -- -- --
JUL 17, 72	1830	2	.3 1.8 3.8	1800 1800 1800	30.0 29.5 29.2	8.1 7.9 7.8	9.0 7.6 7.0	118 99 90	-- -- --	23 -- --
DEC 12, 72	0910	2	.3 .9 1.5 3.4	17000 20000 18000 20000	8.5 8.5 9.0 9.1	7.8 7.8 7.8 7.7	10.6 10.3 11.9 10.4	96 94 109 96	-- -- -- --	-- -- -- --
MAR 19, 73	1412	2	.3 1.5 3.0 3.7	6500 6500 6500 6500	19.1 19.1 19.0 19.0	8.2 8.2 8.2 8.2	10.4 9.9 9.7 9.5	113 108 105 103	-- -- -- --	46 -- -- --
AUG 02, 73	1135	2	.3 1.5 3.7	1400 1400 1400	30.6 30.6 30.6	7.9 7.8 7.8	9.0 11.6 8.6	120 155 115	-- -- --	-- -- --
AUG 10, 73	1045	2	.3 1.5	-- --	30.4 30.1	8.3 8.2	7.3 7.8	96 103	-- --	-- --

TABLE 8A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH {METERS}	SPECIFIC CONDUCT- ANCE {MICRO- MHOS} {FIELD}	TEMPER- ATURE {DEG. C}	PH	DIS- SOLVED OXYGEN {MG/L}	PERCENT SATUR- ATION	TUR- BIDITY {JTU}	TRAN- SPARENCY SECCHI DISK {CNI}
LINE 71 CONTINUED										
AUG 10, 73	1045	2	3.4	--	30.0	8.2	7.8	103	--	--
LINE 79										
AUG 02, 73	1125	2	.3	1400	30.0	7.9	10.0	132	--	--
			1.5	1400	30.0	7.9	9.4	124	--	--
			3.4	1400	29.9	7.9	8.8	116	--	--
AUG 10, 73	1040	2	.3	--	30.1	8.3	9.4	124	--	--
			1.5	--	29.8	8.2	9.2	121	--	--
			3.7	--	29.7	8.0	8.8	114	--	--
LINE 80										
DEC 06, 71	1345	2	.3	6900	16.0	8.1	9.1	91	--	15
			1.5	7400	15.0	8.1	9.2	92	--	--
			4.0	10000	14.5	8.0	9.5	98	--	--
MAR 14, 72	1630	2	.3	11000	22.6	8.2	10.0	118	85	18
			1.5	11000	22.6	8.2	10.6	125	95	--
			4.0	11000	22.9	8.2	11.4	134	95	--
APR 26, 72	0902	2	.3	19000	25.1	8.2	7.2	91	--	41
			1.5	19000	25.0	8.2	7.0	89	--	--
			3.4	19000	25.0	8.2	7.1	90	--	--
MAY 15, 72	1745	2	.3	1500	26.3	7.8	5.7	69	--	20
			1.5	1800	25.0	7.6	5.2	62	--	--
			2.4	1500	24.8	8.0	4.3	54	--	--
			3.0	17000	24.9	8.0	3.9	49	--	--
			4.0	21000	25.4	7.9	3.8	49	--	--
JUL 17, 72	1850	2	.3	3200	29.5	8.2	9.9	130	--	18
			1.8	3100	29.6	8.2	9.5	125	--	--
			3.7	3000	29.4	8.2	9.1	120	--	--
SEP 20, 72	1430	2	.3	2800	31.0	8.3	7.3	99	--	20
			1.5	2600	30.9	8.2	7.0	95	--	--
			4.0	2600	30.5	8.2	6.3	85	--	--
DEC 12, 72	0925	2	.3	17000	7.8	7.9	10.8	96	--	--
			1.5	29000	7.7	7.9	10.3	96	--	--
			3.4	34000	7.4	7.9	11.2	107	--	--
MAR 19, 73	1425	2	.3	9200	19.0	8.1	9.3	102	--	30
			1.5	9400	18.9	8.1	9.1	100	--	--
			3.4	9500	18.9	8.0	8.7	96	--	--
MAY 15, 73	1315	2	.3	3000	23.9	8.5	8.3	99	--	15
			1.5	7000	23.3	8.4	6.9	82	--	--
			3.0	13000	23.0	8.5	6.6	79	--	--
			3.7	13000	23.0	8.6	6.9	82	--	--
AUG 02, 73	1145	2	.3	1400	30.1	7.9	10.8	142	--	--
			1.5	1400	30.0	7.9	10.0	132	--	--
			3.4	1400	29.8	7.9	9.0	118	--	--
AUG 10, 73	1025	2	.3	--	29.6	8.3	7.1	92	--	--
			1.5	--	29.4	8.3	7.0	91	--	--
			4.0	--	29.4	8.1	10.0	130	--	--
LINE 145										
DEC 07, 71	1330	2	.3	610	15.8	7.6	8.2	82	--	13
			1.5	610	15.8	7.6	8.2	82	--	--
			3.4	610	15.8	7.6	8.2	82	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSPARENCY DISK SECCHI (CM)
--------------------------	------	------	-------------------	--	------------------------------	----	------------------------------------	----------------------------	-------------------------	--

LINE 145. CONTINUED

MAR 14. 72	0945	2	.3	790	21.4	7.9	8.1	91	--	28
			1.5	790	21.4	7.9	8.1	91	--	--
			2.7	720	21.4	7.9	8.2	92	--	--
APR 24. 72	1320	2	.3	760	29.1	7.8	7.6	97	--	20
			.9	760	29.1	7.8	7.6	97	--	--
			2.1	830	29.3	8.0	7.5	97	--	--
JUL 17. 72	1230	2	.3	750	29.3	7.7	7.2	94	--	15
			1.5	750	29.3	7.8	7.2	94	--	--
			2.7	750	29.4	7.8	7.1	92	--	--
SEP 20. 72	1605	2	.3	740	30.9	8.0	6.3	84	--	20
			1.8	760	30.9	8.0	6.6	88	--	--
DEC 13. 72	1015	2	.3	750	9.3	--	11.6	101	--	--
			1.5	750	9.5	--	11.8	104	--	--
MAR 19. 73	1620	2	.3	750	19.9	8.0	7.6	83	--	15
			1.5	820	19.9	8.0	7.4	80	--	--
			2.4	750	19.8	8.0	7.4	80	--	--
MAY 15. 73	1855	2	.3	470	23.2	8.1	9.0	103	--	--
			1.5	670	23.2	8.1	9.2	106	--	--
			3.0	690	23.2	8.1	8.9	102	--	--
AUG 02. 73	1340	2	.3	610	29.2	7.6	11.1	142	--	--
			1.5	620	29.2	7.6	12.0	154	--	--
			4.6	640	29.2	7.6	12.6	162	--	--
AUG 10. 73	1400	2	.3	--	29.0	7.9	--	--	--	--
			3.0	--	29.0	7.9	--	--	--	--
			5.2	--	29.0	7.8	--	--	--	--

LINE 153

DEC 07. 71	1310	2	.3	610	15.6	7.6	8.4	83	--	13
			1.5	610	15.6	7.6	8.4	83	--	--
			3.0	610	15.6	7.6	8.2	81	--	--
			6.1	610	15.8	7.6	8.2	82	--	--
APR 24. 72	1350	2	.3	900	30.2	7.6	7.0	92	--	20
			1.5	900	30.3	7.6	7.0	92	--	--
			3.0	830	30.1	7.6	7.8	103	--	--
			4.6	900	30.9	7.8	6.4	85	--	--
JUL 17. 72	1300	2	.3	750	29.5	7.7	7.2	94	--	18
			4.9	750	29.5	7.7	8.2	106	--	--
DEC 13. 72	1000	2	.3	740	9.8	--	12.4	109	--	--
			1.5	740	9.9	--	12.3	109	--	--
			3.7	740	9.8	--	12.5	110	--	--
MAR 19. 73	1645	2	.3	800	19.8	7.9	7.5	82	--	--
			1.5	790	19.8	7.9	7.0	76	--	--
			3.0	790	19.8	8.0	7.0	76	--	--
			3.7	790	19.7	8.0	7.0	75	--	--
AUG 02. 73	1400	2	.3	--	29.2	7.6	12.8	164	--	--
			1.5	--	29.2	7.6	11.4	146	--	--
			4.6	--	29.3	7.6	10.2	132	--	--

LINE 160

DEC 07. 71	1245	2	.3	610	15.8	7.6	8.0	80	--	10
			1.5	610	15.8	7.6	8.0	80	--	--
			3.0	610	15.8	7.6	8.0	80	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 160 CONTINUED

MAR 14. 72	1045	2	.3	730	22.2	7.9	8.5	97	--	19
			1.5	730	22.4	7.9	8.5	97	--	--
			4.3	730	22.7	8.0	8.6	99	--	--
APR 24. 72	1415	2	.3	840	29.8	7.8	6.7	88	--	22
			1.5	830	30.2	7.8	6.6	87	--	--
			3.7	850	30.5	7.8	6.5	87	--	--
JUL 17. 72	1315	2	.3	750	29.7	7.7	8.7	113	--	18
			4.6	750	29.9	7.7	9.0	118	--	--
DEC 13. 72	0935	2	.3	750	10.1	--	12.2	108	--	--
			1.5	750	10.0	--	12.4	110	--	--
			3.4	750	10.0	--	12.2	108	--	--
MAR 19. 73	1705	2	.3	800	19.7	8.0	7.2	77	--	--
			1.5	800	19.7	8.0	7.0	75	--	--
			3.4	800	19.5	8.0	6.9	74	--	--
AUG 02. 73	1420	2	.3	--	29.1	7.6	10.6	136	--	--
			1.5	--	29.1	7.6	10.6	136	--	--
			4.6	--	29.1	7.6	12.0	154	--	--

LINE 170

DEC 07. 71	1220	2	.3	660	15.7	7.6	8.0	79	--	10
			1.5	660	15.7	7.6	8.0	79	--	--
			3.4	660	15.8	7.6	8.0	80	--	--
MAR 14. 72	1110	2	.3	730	23.6	7.9	8.6	100	--	15
			1.6	730	23.7	7.9	8.7	101	--	--
APR 24. 72	1435	2	.3	810	30.4	7.8	7.2	95	--	23
			2.7	810	30.7	7.8	6.6	88	--	--
MAY 15. 72	1340	2	.3	300	25.4	7.3	4.4	53	--	--
			1.5	300	24.9	7.3	4.4	52	--	--
			3.7	240	25.0	7.3	4.6	55	--	9
JUN 14. 72	0930	2	.3	700	27.7	7.6	7.4	92	--	13
			3.4	700	27.6	7.6	7.0	88	--	--
JUL 17. 72	1425	2	.3	750	--	7.7	--	--	--	17
			2.7	730	30.0	7.7	7.2	95	--	--
SEP 20. 72	1705	2	.3	700	31.1	8.0	5.8	77	--	25
			1.5	710	31.1	8.0	5.8	77	--	--
			2.7	700	31.3	8.0	6.2	83	--	--
DEC 13. 72	0900	2	.3	780	8.8	--	9.8	84	--	--
			1.5	780	8.7	--	9.8	84	--	--
			2.4	850	8.2	--	10.2	86	--	--
MAR 19. 73	1725	2	.3	780	19.7	8.0	7.2	77	--	--
			1.5	780	19.7	8.0	7.2	77	--	--
			2.7	790	19.6	8.0	6.8	73	--	--
MAY 15. 73	1630	2	.3	710	23.6	8.1	8.8	102	--	15
			1.5	710	23.6	8.1	8.4	98	--	--
			3.0	710	23.5	8.2	8.7	101	--	--
AUG 02. 73	1430	2	.3	--	29.2	7.6	10.0	128	--	--
			1.5	--	29.1	7.6	11.2	144	--	--
			3.0	--	29.1	7.6	11.2	144	--	--
AUG 10. 73	1325	2	.3	--	29.5	7.9	--	--	--	--
			1.5	--	29.4	7.9	--	--	--	--
			3.0	--	29.5	7.9	--	--	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCT- ANCE (MICRO- MHQS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DISS- OLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)	
LINE 191 -----											
DEC 07, 71	1125	2	.3 .6	660 660	15.1 15.1	7.6 7.1	7.8 7.1	76 70	-- --	30 --	
APR 24, 72	1455	2	.3 .8	900 890	29.3 29.3	8.2 8.2	10.0 9.9	130 129	-- --	43 --	
MAY 15, 72	1305	2	.3 1.2	230 230	24.9 24.8	7.3 7.3	5.0 5.2	59 62	-- --	-- 13	
JUL 17, 72	1407	2	.3 .8	680 650	30.0 29.4	7.9 8.1	9.4 10.1	124 131	-- --	36 --	
AUG 02, 73	1245	2	.6	1200	29.2	7.5	11.0	141	--	--	
LINE 197 -----											
DEC 07, 71	1145	1	.3 .6	660 610	15.5 15.4	7.5 7.5	7.9 8.2	78 81	-- --	30 --	
APR 24, 72	1505	1	.3 .8	890 890	30.0 30.0	9.4 8.1	8.1 9.5	124 125	-- --	20 --	
MAY 15, 72	1315	1	.3 1.2	280 280	25.0 24.6	7.2 7.1	3.6 2.6	43 31	-- --	-- 17	
JUL 17, 72	1355	1	.3 .8	730 710	30.8 31.1	7.7 7.7	7.6 8.2	101 109	-- --	27 --	
DEC 07, 71	1150	2	.3 .6	660 660	15.6 15.5	7.6 7.6	8.4 8.8	63 87	-- --	30 --	
APR 24, 72	1508	2	.3 .6	840 840	29.8 29.7	8.2 8.2	10.0 10.1	132 131	-- --	19 --	
APR 24, 72	1505	2	.3 .8	750 750	30.0 30.0	8.1 8.1	9.4 9.5	124 125	-- --	20 --	
MAY 15, 72	1320	2	.3 1.2	310 310	24.6 24.6	7.2 7.2	2.6 2.8	31 33	-- --	-- 13	
JUL 17, 72	1400	2	.3 .8	730 730	31.0 30.7	7.8 7.8	9.2 9.8	123 131	-- --	25 --	
AUG 02, 73	1250	2	.6	1200	29.1	7.6	12.0	154	--	--	
LINE 200 -----											
DEC 07, 71	1120	2	.3 .9	610 660	15.1 15.0	7.6 7.6	8.0 8.4	78 82	-- --	53 --	
MAR 14, 72	1130	2	.3 .9	780 780	23.0 23.2	8.2 8.2	9.3 9.4	107 108	-- --	53 --	
APR 24, 72	1445	2	.3 .9	780 780	29.4 29.6	8.6 8.6	12.5 12.0	162 156	-- --	36 --	
MAY 15, 72	1300	2	.3 1.5	240 240	24.5 24.8	7.5 7.5	4.8 6.3	57 75	-- --	-- 13	
JUL 17, 72	1412	2	.3 1.1	700 690	30.0 29.3	7.9 7.9	9.8 9.4	129 122	-- --	38 38	
SEP 20, 72	1728	2	.3 .9	680 700	30.7 30.8	8.6 8.6	10.9 11.2	145 149	-- --	43 --	

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE (MICRO-MOS) (FIELD)	TEMPERATURE (DEG. C)	PH	(DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM)
LINE 200 CONTINUED										
DEC 12, 72	1100	2	.3	800	6.1	8.0	13.7	110	--	--
			.9	800	6.2	8.1	13.8	111	--	--
DEC 13, 72	0845	2	.3	800	6.2	--	11.2	90	--	--
			.6	850	6.1	--	11.4	91	--	--
MAR 19, 73	1520	2	.3	760	18.6	8.2	8.4	89	--	15
			1.1	800	18.6	8.2	8.1	86	--	--
MAY 15, 73	1610	2	.3	590	22.8	8.3	10.6	122	--	25
			.9	730	22.3	8.4	10.2	116	--	--
AUG 02, 73	1240	2	.3	550	29.0	7.4	9.1	117	--	--
			.9	1200	28.9	7.4	9.0	115	--	--
AUG 10, 73	1310	2	.3	--	31.0	8.0	--	--	--	--
			1.2	--	30.9	8.0	--	--	--	--
LINE 214										
DEC 07, 71	1105	1	.3	610	14.9	7.7	8.3	81	--	41
			.6	610	14.8	7.7	8.7	85	--	--
MAR 14, 72	1200	1	.3	730	22.9	8.2	9.8	114	--	56
			1.2	730	22.9	8.2	10.1	116	--	--
APR 24, 72	1520	1	.3	890	28.9	8.4	13.0	167	--	51
			1.1	840	29.1	8.4	12.6	162	--	--
MAY 15, 72	1220	1	.3	240	24.5	7.4	5.2	62	--	--
			1.2	240	24.6	7.4	5.6	67	--	15
JUL 17, 72	1440	1	.3	710	30.5	7.9	10.2	134	--	33
			.9	680	29.9	8.0	11.0	145	--	--
DEC 12, 72	1010	1	.3	5000	6.4	8.1	13.3	108	--	--
			.9	5400	6.4	8.1	13.1	108	--	--
MAR 19, 73	1507	1	.3	1000	18.6	8.2	8.5	90	--	15
			.9	1000	18.6	8.2	8.6	91	--	--
AUG 02, 73	1230	1	.3	1200	28.7	7.4	8.8	113	--	--
			.9	1200	28.7	7.4	8.6	110	--	--
DEC 07, 71	1100	2	.3	560	14.8	7.8	8.5	83	--	43
			.9	560	14.8	7.9	9.0	88	--	--
MAR 14, 72	1155	2	.3	730	23.7	8.5	11.7	136	--	52
			.9	730	23.7	8.5	12.2	142	--	--
MAR 16, 72	0805	2	.3	680	20.9	8.2	11.8	131	--	--
			.6	780	20.8	8.2	11.0	122	--	--
			.9	780	20.4	8.1	12.0	132	--	--
APR 24, 72	1515	2	.3	830	29.5	8.6	13.6	177	--	30
			.9	830	29.7	8.6	13.7	178	--	--
MAY 15, 72	1215	2	.3	330	24.6	7.4	2.9	34	--	--
			1.2	330	24.7	7.4	3.2	38	--	13
JUL 17, 72	1445	2	.3	700	30.0	7.9	9.6	126	--	34
			.9	680	29.6	7.9	10.2	132	--	--
DEC 12, 72	1015	2	.3	750	6.8	8.2	13.1	106	--	--
			.6	5400	8.1	8.1	12.2	105	--	--
MAR 19, 73	1512	2	.3	820	20.1	8.0	8.0	87	--	--
			.9	960	19.9	8.0	7.8	85	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCT- ANCE (MICRO- MHO/CM))	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 214 CONTINUED										
AUG 02, 73	1225	2	.6	1200	28.7	7.6	11.8	151	--	--
LINE 225										
DEC 07, 71	1055	1	.3	510	14.8	7.8	8.8	86	--	38
			.9	560	14.7	7.9	8.9	86	--	--
MAR 14, 72	1210	1	.3	830	22.0	8.4	10.1	115	--	47
			.9	830	22.0	8.4	10.4	118	--	--
APR 24, 72	1540	1	.3	3900	29.1	8.7	13.9	180	--	36
			.6	4200	29.2	8.8	13.9	180	--	--
			.9	9600	28.5	8.4	8.2	108	--	--
MAY 15, 72	1205	1	.3	290	24.6	7.5	6.0	71	--	--
			1.1	290	24.9	7.5	6.2	74	--	13
MAY 22, 72	1330	1	.3	150	26.9	7.5	6.6	81	--	13
			.9	150	26.9	7.5	6.4	79	--	--
MAY 22, 72	1340	1	.3	150	26.9	7.5	6.6	81	--	13
			.9	150	26.9	7.5	6.4	79	--	--
			.3	150	26.9	7.5	6.6	81	--	13
			.9	150	26.9	7.5	6.5	79	--	--
JUN 14, 72	1000	1	.3	610	28.2	7.9	8.4	106	--	36
			.9	610	28.0	7.9	7.6	96	--	--
JUL 17, 72	1450	1	.3	780	30.1	8.1	11.3	149	--	41
			.9	1100	29.1	8.2	11.1	142	--	--
SEP 20, 72	1800	1	.3	750	30.5	8.8	9.0	118	--	23
			.9	710	30.3	8.8	9.3	122	--	--
DEC 12, 72	1000	1	.3	9800	6.5	8.1	13.0	108	--	--
			.8	9800	6.5	8.1	12.8	107	--	--
MAR 19, 73	1458	1	.3	1400	18.5	8.3	9.1	97	--	13
			.8	1700	18.5	8.2	8.7	93	--	--
MAY 15, 73	1600	1	.3	620	22.3	8.5	11.0	125	--	20
			.9	580	22.2	8.5	11.1	126	--	--
AUG 02, 73	1220	1	.3	1200	28.9	7.4	7.2	92	--	--
			.9	1200	28.8	7.4	7.6	97	--	--
DEC 07, 71	1045	2	.3	610	14.7	7.8	8.6	83	--	38
			.9	610	14.6	7.8	8.8	85	--	--
MAR 14, 72	1230	2	.3	1200	22.4	8.4	10.3	117	--	46
			.9	1500	22.3	8.4	10.5	119	--	--
APR 24, 72	1530	2	.3	2100	28.8	9.0	16.3	209	--	38
			1.2	2100	28.8	9.0	16.3	209	--	--
MAY 15, 72	1150	2	.3	340	24.9	6.9	4.2	50	--	--
			1.5	340	24.9	7.4	3.3	39	--	8
MAY 22, 72	1340	2	.3	220	27.0	7.4	5.6	69	--	13
			1.2	220	27.0	7.4	5.6	69	--	--
JUN 14, 72	1005	2	.3	700	27.7	7.8	7.9	99	--	30
			1.2	700	27.7	7.9	8.2	102	--	--
JUL 17, 72	1455	2	.3	750	30.1	8.0	11.2	147	--	36
			1.2	690	29.3	8.1	11.0	143	--	--
SEP 20, 72	1802	2	.3	1200	30.4	8.6	8.1	107	--	28

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK CM)
LINE 225 CONTINUED										
SEP 20, 72	1802	2	1.2	1100	30.3	8.6	8.4	111	--	--
DEC 12, 72	0950	2	.3 .9	14000 14000	6.6 6.6	8.0 8.0	12.9 13.0	109 110	-- --	-- --
MAR 19, 73	1450	2	.3 1.2	1300 1300	18.8 18.7	8.2 8.3	9.0 8.8	96 94	-- --	13 --
MAY 15, 73	1555	2	.3 1.2	880 880	21.4 21.4	8.5 8.5	10.4 10.7	117 120	-- --	13 --
AUG 02, 73	1215	2	.3 .9	1200 1200	28.6 28.4	7.7 7.7	9.2 9.5	118 120	-- --	-- --
LINE 236										
DEC 07, 71	1020	1	.3 .6	4000 4900	14.3 14.2	8.1 8.3	9.3 10.8	91 105	-- --	61 --
MAR 14, 72	1515	1	.3 .8	5600 5600	23.1 23.1	8.6 8.6	10.9 11.0	128 129	-- --	13 --
APR 24, 72	1241	1	.3 .9	14000 14000	28.1 28.0	8.4 8.4	9.7 8.7	128 114	-- --	51 --
MAY 15, 72	1245	1	.3 1.2	5100 5100	24.6 24.8	8.1 8.1	9.6 9.6	117 117	-- --	61 --
MAY 17, 72	0848	1	.3 .6 1.2	3400 3400 3300	24.0 24.0 24.0	8.3 8.3 8.2	8.7 8.6 9.1	104 102 108	-- -- --	30 -- --
JUL 17, 72	1345	1	.3 .9	980 1700	28.3 27.0	8.7 8.5	13.6 8.8	172 109	-- --	-- --
SEP 20, 72	1820	1	.3 .9	3400 3600	30.3 30.2	8.7 8.6	8.2 8.9	108 119	-- --	10 --
MAY 15, 73	1535	1	.3 .9	1200 1100	21.5 21.5	8.6 8.7	11.2 11.4	126 128	-- --	25 --
AUG 02, 73	0907	1	.3 .6	600 620	27.9 27.8	7.9 7.9	6.2 6.2	78 78	-- --	23 --
AUG 10, 73	1624	1	.3 .8	700 700	22.9 22.8	8.2 8.1	6.7 7.1	77 82	-- --	13 --
DEC 07, 71	1015	2	.3 .9	4000 5900	14.2 14.2	8.3 8.3	10.0 10.1	97 99	-- --	36 --
MAR 14, 72	1500	2	.3 1.1	5900 5900	23.2 23.2	8.7 8.7	11.5 11.3	135 133	-- --	14 --
MAR 16, 72	0925	2	.3 .6 .9	5700 5700 4900	21.4 21.2 21.2	8.5 8.5 8.4	10.8 10.6 10.9	124 120 122	-- -- --	28 -- --
APR 24, 72	1303	2	.3 .9	13000 13000	27.7 28.0	8.4 8.4	10.0 9.9	130 130	-- --	25 --
MAY 15, 72	1307	2	.3 1.4	5400 5400	24.6 24.2	8.3 8.2	9.3 7.8	113 94	-- --	51 --
MAY 17, 72	0854	2	.3 1.4	4100 4000	24.4 24.4	8.6 8.5	9.3 9.1	111 108	-- --	25 --
MAY 22, 72	1310	2	.3 1.2	630 650	26.6 26.6	8.0 8.0	8.0 8.0	99 99	-- --	10 --

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	--	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 236 CONTINUED

JUN 14, 72	1110	2	.3 1.2	2000 2200	28.4 28.4	8.1 8.1	8.3 8.1	106 104	-- --	15 --
JUL 17, 72	1335	2	.3 .9	2000 2000	28.4 27.7	8.7 8.5	12.2 11.0	154 138	-- --	25 --
SEP 20, 72	1825	2	.3 .9	5700 5700	30.2 30.2	8.6 8.6	7.8 8.0	105 108	-- --	10 --
DEC 12, 72	1220	2	.3 .9	19000 20000	6.9 7.4	8.2 8.2	11.2 9.1	98 81	200 200	25 --
MAR 19, 73	1545	2	.3 .9	8200 8200	20.0 19.9	8.3 8.3	10.2 10.2	115 115	80 80	43 --
MAY 15, 73	1525	2	.3 .9	1900 2000	21.4 21.4	8.5 8.5	10.6 10.9	120 124	-- --	13 --
AUG 02, 73	0913	2	.3 .6	630 630	27.9 27.8	8.0 8.0	6.9 6.9	87 87	-- --	33 --
AUG 10, 73	1630	2	.3 .9	920 920	23.1 23.1	8.3 8.2	7.1 7.2	82 83	-- --	13 --
DEC 07, 71	1010	3	.3 .9	4500 6400	14.2 14.2	8.4 8.2	10.4 10.1	101 99	-- --	30 --
MAR 14, 72	1450	3	.3 1.2	6100 6100	23.2 23.2	8.7 8.7	11.4 11.2	134 132	-- --	16 --
APR 24, 72	1311	3	.3 .8	13000 13000	27.8 27.0	8.4 8.4	10.2 9.7	134 124	-- --	30 --
MAY 15, 72	1316	3	.3 1.4	6500 6200	24.2 25.0	8.4 8.1	10.8 7.6	130 93	-- --	58 --
MAY 17, 72	0901	3	.3 1.4	4000 3900	24.5 24.5	8.5 8.5	8.7 8.7	104 104	-- --	23 --
JUL 17, 72	1325	3	.3 1.1	1900 2200	27.6 27.3	8.6 8.5	11.7 9.9	148 125	-- --	30 --
SEP 20, 72	1830	3	.3 .9	2500 2500	30.0 30.0	8.6 8.6	8.5 8.8	113 117	-- --	10 --
MAR 19, 73	1535	3	.3 .9	8200 8200	20.0 19.9	8.3 8.3	-- --	-- --	160 150	-- 26
MAY 15, 73	1520	3	.3 .9	1200 1200	21.1 21.2	8.5 8.5	11.0 11.1	122 123	-- --	13 --
AUG 02, 73	0919	3	.3 .6	750 750	27.9 27.5	8.0 8.0	7.1 7.2	90 90	-- --	28 --
AUG 10, 73	1635	3	.3 .9	700 700	23.1 23.0	8.3 8.3	7.1 7.3	82 83	-- --	10 --

LINE 243

DEC 07, 71	0845	1	.3 .6	3500 5900	13.4 13.4	-- --	8.8 8.7	85 84	-- --	43 --
SEP 21, 72	1240	1	.3 .6	3900 4500	31.6 30.8	8.6 8.5	7.4 5.3	101 72	-- --	33 --
MAY 15, 73	1335	1	.3 .6	9000 15000	23.0 22.9	8.6 8.5	10.0 12.0	118 146	-- --	18 --
AUG 02, 73	1050	1	.5	820	28.1	8.1	8.6	109	--	22

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME (SITE)	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 243 CONTINUED									
DEC 06, 71	1325	2	.3 8800	13.9	8.1	9.4	93	--	15
			1.5 21000	13.9	8.1	8.9	92	--	--
			3.4 26000	14.0	8.0	8.9	94	--	--
DEC 07, 71	0855	2	.3 3000	13.6	--	8.5	82	--	36
			1.5 13000	13.6	--	8.4	83	--	--
			3.0 15000	13.4	--	8.4	84	--	--
MAR 14, 72	1615	2	.3 15000	23.2	8.1	9.6	116	65	41
			1.5 15000	23.2	8.1	10.1	122	80	--
			3.5 15000	23.2	8.1	11.5	138	85	--
APR 25, 72	0917	2	.3 19000	25.1	8.3	9.1	115	--	46
			1.5 19000	25.1	8.2	7.7	97	--	--
			3.4 20000	25.2	8.2	7.8	100	--	--
APR 26, 72	0845	2	.5 22000	24.0	8.1	7.0	89	--	10
			1.5 22000	23.9	8.1	7.0	89	--	--
			3.0 22000	24.0	8.1	7.0	89	--	--
			3.7 22000	24.1	8.0	7.0	89	--	--
MAY 15, 72	1520	2	.3 2200	25.7	7.7	7.7	94	--	15
			1.5 4200	25.0	7.6	6.0	72	--	--
			2.4 16000	24.4	7.7	5.1	63	--	--
			3.4 14000	24.8	7.9	6.0	74	--	--
JUL 17, 72	1150	2	.3 5500	26.7	8.5	8.4	106	--	34
			1.5 6400	26.3	8.5	8.0	100	--	--
			3.4 6300	26.3	8.5	8.0	100	--	--
SEP 21, 72	1235	2	.3 4600	31.0	8.6	8.4	114	--	46
			1.5 6000	30.0	8.5	6.8	92	--	--
			3.0 7600	30.0	8.4	6.5	88	--	--
DEC 13, 72	0810	2	.3 32000	6.4	--	9.4	86	--	--
			1.5 32000	6.3	--	9.2	84	--	--
			3.0 34000	6.3	--	9.3	86	--	--
MAY 15, 73	1345	2	.3 9500	22.5	8.6	9.7	113	--	18
			1.5 11000	21.8	8.5	10.2	119	--	--
			3.0 20000	22.8	8.3	9.4	116	--	--
AUG 02, 73	0900	2	.3 850	28.7	7.8	8.4	108	--	--
			1.5 850	28.5	7.8	11.4	146	--	--
			4.9 800	28.6	7.7	12.0	154	--	--
AUG 10, 73	1010	2	.3 --	29.3	8.3	5.8	75	--	--
			1.5 --	29.1	8.4	6.2	79	--	--
			3.4 --	29.2	8.2	6.2	79	--	--
DEC 07, 71	0905	3	.3 1000	13.6	--	8.9	85	--	30
			.6 4500	13.7	--	8.5	82	--	--
SEP 21, 72	1225	3	.3 2800	30.8	8.7	8.3	112	--	38
			.9 3600	30.2	8.5	7.3	97	--	--
MAY 15, 73	1400	3	.3 3500	22.1	8.6	9.5	109	--	20
			.9 4400	22.0	8.7	9.2	106	--	--
AUG 02, 73	1006	3	.3 420	28.1	8.0	8.4	106	--	55
			.6 440	28.0	8.0	8.7	110	--	--
AUG 10, 73	1552	3	.3 300	23.4	8.3	8.0	93	--	25
			.8 1300	23.7	8.3	8.2	95	--	--
DEC 07, 71	0910	4	.3 910	13.9	8.1	9.3	89	--	43
			.6 1000	13.9	8.0	9.3	89	--	--
			1.2 9800	13.9	7.9	10.1	100	--	--
MAR 14, 72	1330	4	.3 14000	22.7	8.4	11.1	132	--	57

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	--	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 243 CONTINUED

MAR 14, 72	1330	4	.9	14000	22.6	8.4	11.2	133	--	--
APR 24, 72	1455	4	.3	17000	27.8	8.4	11.2	151	--	64
			.6	17000	27.6	8.4	11.2	149	--	--
			.9	17000	27.5	8.4	11.5	153	--	--
			1.2	18000	27.0	8.2	10.9	143	--	--
MAY 15, 72	1512	4	.3	240	25.0	7.2	5.6	67	--	19
			1.5	260	25.1	7.2	5.3	63	--	--
MAY 22, 72	1240	4	.3	170	26.1	7.4	6.2	76	--	8
			.9	170	26.3	7.4	6.2	76	--	--
JUN 14, 72	1130	4	.3	590	28.6	7.9	8.4	108	--	28
			.9	590	28.6	7.9	8.6	110	--	--
JUL 17, 72	1200	4	.3	720	26.6	8.5	9.2	114	--	23
			1.2	1400	26.5	8.6	8.8	107	--	--
SEP 21, 72	1220	4	.3	2300	30.4	8.7	7.6	101	--	36
			.9	2000	30.5	8.5	6.6	89	--	--
DEC 12, 72	1310	4	.3	21000	7.4	8.2	10.0	89	155	20
			.9	21000	7.5	8.2	10.7	95	130	--
MAY 15, 73	1410	4	.3	700	22.1	8.6	10.2	116	--	23
			.9	780	22.0	8.5	10.2	116	--	--
DEC 06, 71	1550	5	.3	1900	13.6	7.8	10.5	101	--	18
			.6	2500	13.6	7.9	10.5	101	--	--
			.9	2700	13.7	7.8	10.5	101	--	--
			1.2	9000	13.4	7.8	10.3	101	--	--
DEC 06, 71	1630	5	.3	1700	13.9	7.8	10.8	104	--	18
			.6	1800	14.0	7.8	10.8	104	--	--
			.9	2300	14.0	7.8	10.7	104	--	--
			1.2	9500	14.0	7.7	10.6	105	--	--
DEC 07, 71	0915	5	.3	910	14.1	7.9	6.7	84	--	38
			.6	1700	14.0	8.1	8.8	85	--	--
			1.2	11000	13.9	8.0	9.3	92	--	--
DEC 07, 71	1355	5	.3	660	14.2	8.1	10.2	98	50	58
			.6	710	14.1	8.1	10.3	99	50	--
			1.2	12000	14.0	8.1	10.2	102	55	--
MAR 14, 72	1335	5	.3	14000	23.5	8.5	10.6	128	--	25
			1.2	14000	23.1	8.4	10.2	121	--	--
APR 24, 72	1443	5	.3	8900	28.0	8.7	16.2	210	--	46
			.9	9900	27.6	8.7	15.5	199	--	--
			1.2	12000	26.7	8.4	11.4	146	--	--
APR 25, 72	0943	5	.3	8600	24.8	8.7	8.2	100	--	15
			.9	8600	24.9	8.7	8.2	100	--	--
			1.2	8800	25.0	8.7	9.7	116	--	--
MAY 15, 72	1503	5	.3	270	25.2	7.1	5.2	62	--	23
			1.5	270	25.2	7.1	5.1	61	--	--
MAY 17, 72	0825	5	.3	220	23.0	7.2	5.8	67	--	18
			1.5	250	23.0	7.2	6.4	74	--	--
MAY 22, 72	1250	5	.3	200	26.2	7.4	6.4	78	--	13
			.9	180	26.7	7.4	6.7	83	--	--
JUN 14, 72	1125	5	.3	630	28.5	7.9	8.6	110	--	28
			1.2	630	28.5	7.9	7.8	100	--	--
JUL 17, 72	1205	5	.3	540	26.9	8.5	9.9	122	--	34

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 243 CONTINUED										
JUL 17, 72	1205	5	1.2	710	26.8	8.5	10.0	123	--	--
AUG 12, 72	1020	5	.3 1.2	380 410	28.6 28.4	8.1 8.1	7.2 7.2	92 91	--	8 --
SEP 21, 72	1205	5	.3 .9	2200 4800	30.5 30.0	8.7 8.5	8.2 7.7	114 103	--	38 --
DEC 12, 72	1250	5	.3 1.2	17000 25000	7.8 7.8	7.4 7.4	13.6 11.8	121 109	--	--
DEC 13, 72	0825	5	.3 .9	20000 20000	6.2 6.1	-- --	10.6 10.8	92 94	--	--
MAR 19, 73	1620	5	.3 1.2	10000 10000	20.0 20.0	8.3 8.3	9.9 9.9	112 112	55 60	58 --
MAY 15, 73	1430	5	.3 1.2	1800 2200	21.5 21.6	8.6 8.8	9.1 9.2	103 105	--	25 --
AUG 02, 73	0955	5	.3 .9	490 500	28.4 28.1	7.8 7.8	6.2 6.2	78 78	--	52 --
DEC 07, 71	0930	6	.3 .6 1.2	910 5900 13000	14.3 14.2 14.3	8.1 8.1 7.9	8.8 9.1 9.2	85 89 93	--	43 -- --
MAR 14, 72	1350	6	.3 .9	6700 7000	23.7 23.6	8.6 8.6	11.0 11.0	131 131	--	67 --
APR 24, 72	1432	6	.3 .9 1.2	9000 9100 12000	28.2 28.0 27.0	8.6 8.6 8.3	14.2 14.6 10.2	189 190 131	--	43 -- --
MAY 15, 72	1436	6	.3 1.5	290 290	25.1 25.2	7.0 7.0	4.0 3.9	48 46	--	15 --
JUL 17, 72	1215	6	.3 1.2	660 660	26.9 26.9	8.5 8.5	10.0 9.6	123 119	--	34 --
SEP 20, 72	1905	6	.3 1.2	8600 9100	30.0 30.0	8.5 8.4	7.2 7.2	97 97	--	10 --
DEC 12, 72	1300	6	.3 .9	22000 22000	7.6 7.5	8.2 8.2	10.0 11.0	91 99	150 150	20 --
MAY 15, 73	1440	6	.3 1.2	700 700	21.5 21.5	8.7 8.7	10.4 10.4	117 117	--	18 --
DEC 07, 71	0940	7	.3 .6 1.2	960 6900 13000	14.2 14.2 14.3	8.2 8.2 8.0	9.0 9.1 9.1	87 90 92	--	38 -- --
DEC 07, 71	1405	7	.3 .6 .9 1.2	1100 2400 6400 11000	14.9 14.2 13.0 13.8	8.0 8.1 8.2 8.0	10.2 10.6 11.6 11.5	100 103 112 112	40 55 75 60	61 -- -- --
MAR 14, 72	1400	7	.3 .6 1.2	6500 6500 10000	23.3 23.3 23.1	8.6 8.6 8.4	11.4 11.4 9.7	136 136 114	--	69 -- --
APR 24, 72	1406	7	.3 .9 1.2	11000 11000 13000	27.8 27.4 26.2	8.6 8.6 8.5	13.2 13.2 10.5	171 169 133	--	48 -- --
APR 24, 72	1507	7	1.2	11000	28.0	8.6	12.4	161	--	--
MAY 15, 72	1400	7	.3	320	24.9	7.1	4.4	52	--	15

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHO/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 243 CONTINUED										
MAY 15, 72	1400	7	1.5	1100	24.3	7.4	5.1	60	--	--
MAY 17, 72	0835	7	.3	260	23.6	7.1	5.0	58	--	23
			1.7	250	23.5	7.1	5.8	67	--	--
MAY 22, 72	1300	7	.3	240	26.0	7.6	7.2	68	--	11
			1.2	220	26.0	7.6	7.2	68	--	--
JUN 14, 72	1120	7	.3	760	28.4	8.1	8.6	109	--	25
			1.2	760	28.4	8.1	8.5	108	--	--
JUL 17, 72	1220	7	.3	720	27.1	8.6	10.4	128	--	34
			1.2	720	26.7	8.5	8.4	104	--	--
SEP 20, 72	1900	7	.3	6500	30.0	8.6	7.9	107	--	10
			1.2	6500	30.0	8.6	8.1	109	--	--
DEC 12, 72	1255	7	.3	25000	7.5	8.2	9.9	92	100	30
			.9	25000	7.5	8.2	10.2	94	110	--
MAR 19, 73	1605	7	.3	5000	20.0	8.3	10.7	118	60	46
			1.2	7400	20.0	8.3	10.6	118	70	--
MAY 15, 73	1445	7	.3	760	21.3	8.5	9.4	106	--	20
			1.2	810	21.3	8.5	9.9	111	--	--
AUG 02, 73	0945	7	.3	600	28.0	8.0	9.3	118	--	38
			.9	650	27.9	7.9	9.3	118	--	--
AUG 10, 73	1600	7	.3	620	30.0	7.1	6.9	91	130	25
			.9	620	30.0	7.0	6.9	91	120	--
DEC 07, 71	0945	8	.3	4900	14.0	8.3	9.8	95	--	38
			.6	5900	14.2	8.2	9.6	94	--	--
			1.2	13000	14.2	8.0	8.9	89	--	--
MAR 14, 72	1425	8	.3	7100	23.4	8.6	11.6	138	--	56
			1.2	7100	23.4	8.6	11.7	139	--	--
APR 24, 72	1355	8	.3	13000	27.7	8.5	11.9	154	--	48
			.9	13000	27.5	8.5	12.3	160	--	--
			1.4	13000	26.8	8.4	11.2	144	--	--
MAY 15, 72	1345	8	.3	1700	25.1	7.6	6.8	81	--	24
			1.7	4500	24.2	7.9	7.3	87	--	--
JUL 17, 72	1300	8	.3	1900	28.2	8.6	12.8	164	--	34
			1.2	2100	27.6	8.5	9.0	114	--	--
SEP 20, 72	1850	8	.3	4300	30.0	8.6	8.0	107	--	10
			1.2	4500	30.0	8.6	8.3	111	--	--
DEC 12, 72	1245	8	.3	23000	7.5	8.2	10.2	92	120	33
			1.2	22000	7.8	8.2	11.4	120	120	--
MAY 15, 73	1455	8	.3	4300	21.6	8.5	10.7	122	--	18
			1.2	4300	21.6	8.5	10.3	117	--	--
DEC 07, 71	0955	9	.3	4500	14.0	8.4	10.1	98	--	41
			.6	6900	14.0	8.2	9.7	95	--	--
			1.2	13000	14.1	8.0	8.6	86	--	--
MAR 14, 72	1430	9	.3	5700	23.3	8.6	12.0	143	--	47
			1.2	5700	23.4	8.6	12.0	143	--	--
APR 24, 72	1345	9	.3	13000	27.6	8.4	12.7	165	--	41
			.6	13000	27.9	8.4	11.9	157	--	--
			.9	13000	27.9	8.4	11.5	151	--	--
			1.2	13000	27.5	8.4	9.9	129	--	--

TABLE 6A--QUALITY OF WATER IN THE GUAJALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)	
LINE 243 CONTINUED											
APR 29, 72	1345	9	1.4	13000	26.2	8.3	7.9	100	--	--	
MAY 15, 72	1335	9	.3 1.7	3000 4700	25.1 24.3	7.9 8.0	8.1 7.0	98 83	--	--	36
JUL 17, 72	1310	9	.3 1.4	1200 1600	28.4 27.9	8.7 8.6	13.0 9.0	165 114	--	--	25
SEP 20, 72	1845	9	.3 1.2	3900 3900	30.0 30.0	8.7 8.7	8.1 8.4	108 112	--	--	10
DEC 12, 72	1240	9	.3 .9	22000 22000	7.3 7.4	8.2 8.2	10.2 10.7	92 96	150 150	--	28
MAR 19, 73	1555	9	.3 1.2	11000 13000	20.0 20.0	8.4 8.4	10.0 9.4	112 107	60 65	--	56
MAY 15, 73	1500	9	.3 1.2	2400 2400	21.3 21.4	8.7 8.8	11.4 11.5	130 131	--	--	10
AUG 02, 73	0930	9	.3 .8	500 600	27.7 27.4	8.0 8.0	8.6 8.6	108 110	--	--	25
AUG 10, 73	1550	9	.3 .9	2300 2400	30.0 30.0	7.2 7.2	6.7 6.7	89 89	90 105	--	30
DEC 07, 71	1000	10	.3 .9	4000 8600	14.1 14.1	8.4 8.1	10.3 10.1	100 100	--	--	38
MAR 14, 72	1440	10	.3 .9	7000 7000	23.2 23.2	8.7 8.7	11.7 11.5	138 135	--	--	25
APR 24, 72	1322	10	.3 1.2	14000 14000	27.9 27.5	8.4 8.4	11.9 10.9	157 142	--	--	30
MAY 15, 72	1330	10	.3 1.5	5600 6600	25.1 24.2	8.3 8.2	9.9 7.8	121 94	--	--	51
JUL 17, 72	1315	10	.3 1.1	1600 3200	28.2 27.4	8.6 8.5	12.0 9.7	152 123	--	--	25
SEP 20, 72	1840	10	.3 .9	3900 3800	30.0 30.0	8.6 8.6	7.7 8.1	103 108	--	--	10
DEC 12, 72	1235	10	.3 1.2	21000 21000	7.4 7.6	8.2 8.2	10.1 10.3	90 93	195 225	--	25
MAY 15, 73	1510	10	.3 .9	930 930	21.2 21.2	8.5 8.5	10.6 10.6	118 118	--	--	13
LINE 254											
DEC 07, 71	1325	2	.3 1.5 3.4	7200 14000 29000	14.7 14.0 14.2	8.0 8.0 7.8	10.0 9.4 5.9	99 94 63	--	--	61
MAR 14, 72	1455	2	.3 1.4	18000 18000	22.8 23.9	8.1 8.1	8.8 10.5	107 131	88 105	--	38
APR 25, 72	0848	2	.3 .9 1.5	24000 24000 24000	24.5 24.2 24.6	8.3 8.2 8.2	8.3 7.8 8.0	106 99 103	--	--	38
APR 28, 72	1752	2	.3 1.5 2.1	38000 38000 38000	26.2 26.2 26.1	-- -- --	4.7 3.9 3.9	66 55 55	--	--	36
MAY 16, 72	0840	2	.3	1800	24.2	7.6	6.1	72	--	--	20

TABLE 6A--QUALITY OF WATER IN THE GUAJALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 254 CONTINUED										
MAY 16, 72	0840	2	.9	3200	24.2	7.6	6.3	75	--	--
			1.8	1200	24.8	7.8	6.7	83	--	--
JUL 17, 72	1750	2	.3	8900	28.2	8.6	11.8	153	--	36
			1.5	9100	28.2	8.5	11.4	148	--	--
DEC 12, 72	0830	2	.3	30000	6.0	8.2	10.8	98	110	33
			.9	30000	5.9	8.2	11.1	101	100	--
MAR 19, 73	1045	2	.3	19000	20.0	8.3	12.0	140	60	33
			1.2	20000	20.1	8.3	11.8	137	500	--
AUG 02, 73	1110	2	.3	2600	27.9	8.5	9.5	120	--	28
			1.2	2600	27.5	8.4	9.5	120	--	--
AUG 10, 73	1625	2	.3	1600	29.9	7.6	6.5	86	200	18
			1.2	1600	29.9	7.7	5.9	78	190	--
LINE 264										
DEC 07, 71	1340	1	.3	5400	14.2	8.1	10.2	100	--	64
			.9	11000	13.8	8.0	10.0	99	--	--
			1.5	14000	13.6	8.0	10.2	101	--	--
			2.1	23000	13.5	7.9	9.6	99	--	--
			3.4	31000	14.0	7.8	9.1	99	--	--
MAR 14, 72	0910	1	.3	17000	21.3	8.1	7.4	88	25	69
			1.5	18000	21.4	8.1	7.4	88	50	--
			3.5	23000	21.4	8.0	7.9	94	115	--
APR 25, 72	0904	1	.3	22000	25.2	8.3	8.6	110	--	36
			1.5	22000	25.1	8.3	7.6	97	--	--
			3.0	22000	25.1	8.3	7.8	100	--	--
			3.7	23000	25.2	8.3	8.0	103	--	--
APR 25, 72	1657	1	.3	22000	25.7	8.2	7.6	99	--	20
			1.5	22000	25.7	8.2	7.8	101	--	--
			3.0	22000	25.7	8.2	7.7	100	--	--
			3.7	23000	25.7	8.2	7.1	92	--	--
MAY 16, 72	0855	1	.3	660	24.3	7.5	5.3	62	--	22
			1.5	10000	24.5	7.6	5.0	61	--	--
			3.0	14000	24.6	7.7	4.7	58	--	--
JUL 17, 72	1135	1	.3	5700	26.9	8.6	9.5	120	--	32
			1.5	8400	26.6	8.4	8.0	101	--	--
			3.4	9700	26.5	8.4	8.6	108	--	--
JUL 17, 72	1740	1	.3	8400	28.4	8.6	12.4	161	--	36
			1.5	10000	28.2	8.6	12.0	156	--	--
			3.4	9400	27.8	8.5	10.2	132	--	--
SEP 21, 72	1250	1	.3	9700	30.1	8.5	8.3	112	--	33
			1.5	14000	29.8	8.4	6.7	92	--	--
			3.4	15000	30.0	8.2	5.7	78	--	--
DEC 12, 72	1330	1	.3	30000	7.7	8.2	9.0	85	130	30
			1.5	31000	7.8	8.2	8.6	81	225	--
			3.0	34000	8.0	8.1	6.6	83	--	--
MAR 19, 73	1630	1	.3	17000	20.0	8.2	--	--	400	58
			1.5	17000	20.0	8.2	--	--	500	--
			3.0	17000	20.0	8.2	--	--	100	--
MAY 15, 73	1255	1	.3	11000	21.5	8.6	8.4	98	--	10
			1.5	11000	21.5	8.7	8.5	99	--	--
			2.1	16000	22.0	8.5	7.6	90	--	--
			3.0	22000	22.5	8.5	7.0	85	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK CM)
--------------------	------	------	----------------	-------------------------------------	----------------------	----	-------------------------	--------------------	-----------------	------------------------

LINE 264 CONTINUED

AUG 02, 73	1120	1	.3	700	28.1	8.3	8.4	106	--	18
			1.5	750	28.1	8.3	8.5	108	--	--
			3.0	900	28.0	8.3	8.4	106	--	--
AUG 10, 73	1540	1	.3	1400	23.0	8.4	6.8	78	--	20
			1.5	1400	23.1	8.4	7.0	80	--	--
			3.0	1500	24.0	8.4	7.4	87	--	--
DEC 07, 71	1505	2	.3	9000	14.1	8.2	11.1	110	--	44
			.6	9000	14.2	8.2	10.9	108	--	--
			1.2	9500	14.3	8.2	11.2	112	--	--
MAR 19, 72	1515	2	.5	15000	23.1	8.2	11.6	140	55	36
			1.4	15000	23.1	8.1	11.6	140	80	--
APR 25, 72	1035	2	.3	20000	24.9	8.3	7.4	95	--	30
			1.5	20000	25.0	8.3	9.8	126	--	--
MAY 16, 72	0910	2	.3	280	24.3	7.4	6.1	72	--	22
			.9	370	24.1	7.4	5.6	66	--	--
			1.5	290	24.1	7.3	5.8	68	--	--
			1.8	7000	24.0	7.4	3.1	37	--	--
MAY 22, 72	1355	2	.3	200	27.1	7.7	7.4	91	--	13
			1.5	180	27.1	7.7	7.4	91	--	--
JUN 14, 72	1145	2	.3	9000	28.4	8.3	8.2	106	--	18
			1.8	9000	28.4	8.3	7.4	96	--	--
JUL 17, 72	1435	2	.3	5800	28.7	8.7	12.6	166	--	38
			1.5	6300	28.4	8.5	9.8	127	--	--
SEP 21, 72	1255	2	.3	11000	30.3	8.5	8.5	115	--	46
			1.2	13000	29.6	8.4	7.6	103	--	--
DEC 12, 72	1130	2	.3	29000	7.1	8.2	9.7	89	180	25
			1.2	29000	7.1	8.3	10.3	94	210	--
MAR 19, 73	1440	2	.3	12000	20.0	8.3	--	--	50	58
			1.2	25000	19.9	8.1	--	--	60	--
MAY 15, 73	1240	2	.3	9000	21.6	8.7	8.5	99	--	8
			1.2	9000	21.5	8.7	8.5	99	--	--
AUG 02, 73	1130	2	.3	500	28.1	8.0	8.9	113	--	52
			1.2	560	27.9	8.0	8.8	111	--	--
AUG 10, 73	1500	2	.3	1400	30.0	7.3	6.4	84	115	30
			1.2	1400	30.0	7.3	6.3	83	125	--
DEC 07, 71	1455	3	.3	8700	13.8	8.2	11.6	115	--	58
			.6	9200	13.8	8.2	11.7	116	--	--
			1.2	13000	13.7	8.2	11.6	115	--	--
MAR 14, 72	1525	3	.5	13000	23.0	8.4	11.3	134	30	58
			1.5	13000	22.8	8.4	13.4	160	50	--
APR 25, 72	1023	3	.3	18000	25.2	8.4	7.9	100	--	46
			1.5	18000	25.1	8.4	8.5	108	--	--
			2.1	18000	25.1	8.4	9.5	120	--	--
MAY 16, 72	0925	3	.3	370	24.1	7.4	6.2	73	--	19
			1.8	910	23.9	7.4	5.4	64	--	--
JUL 17, 72	1425	3	.3	7900	29.2	8.6	11.8	155	--	47
			1.4	8900	28.2	8.4	9.2	119	--	--
SEP 21, 72	1320	3	.3	10000	30.6	8.6	8.4	115	--	43
			1.2	12000	29.9	8.5	7.9	108	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
DEC 12, 72	1145	3	.3	27000	7.2	8.2	9.9	82	115	25
			1.2	28000	7.7	8.2	10.3	96	120	--
MAR 19, 73	1450	3	.3	12000	19.9	8.3	9.9	112	60	48
			1.5	25000	19.9	8.1	7.0	83	80	--
MAY 15, 73	1225	3	.3	7800	21.5	8.7	8.5	98	--	10
			1.2	8200	21.4	8.7	8.8	101	--	--
AUG 02, 73	1140	3	.3	500	28.1	8.1	8.5	108	--	53
			1.2	530	28.1	8.1	8.6	109	--	--
AUG 10, 73	1515	3	.3	1200	30.2	7.4	6.5	86	100	30
			1.2	1200	30.2	7.4	5.6	74	110	--
DEC 06, 71	1430	4	.3	9500	12.9	8.1	10.9	106	--	15
			.6	9500	12.9	8.1	10.7	104	--	--
			1.2	10000	12.9	8.1	10.1	98	--	--
			1.8	13000	12.9	8.1	10.4	102	--	--
			2.4	13000	13.2	8.1	9.8	96	--	--
DEC 06, 71	1525	4	.3	9800	13.1	7.9	11.0	107	--	18
			.6	9800	13.1	7.9	10.9	106	--	--
			1.2	10000	13.0	7.9	10.8	105	--	--
			1.8	14000	13.0	7.9	10.2	100	--	--
			2.4	13000	13.3	7.9	9.8	97	--	--
DEC 07, 71	1445	4	.3	8700	14.1	8.2	11.5	114	35	64
			.6	8800	14.0	8.2	11.7	116	35	--
			.9	9000	13.9	8.2	11.9	118	45	--
			1.2	12000	13.9	8.2	11.8	118	20	--
MAR 14, 72	1535	4	.5	11000	22.9	8.4	10.8	127	100	23
			1.2	11000	22.9	8.4	11.8	139	105	--
APR 25, 72	1013	4	.3	19000	25.2	8.4	8.3	105	--	30
			1.8	19000	25.2	8.4	9.3	118	--	--
MAY 16, 72	0935	4	.3	590	24.3	7.4	5.9	69	--	19
			1.8	2000	24.0	7.5	5.3	63	--	--
MAY 17, 72	0920	4	.3	300	24.1	7.4	6.9	81	--	16
			1.5	300	24.1	7.4	7.1	84	--	--
			2.3	320	24.1	7.6	7.4	87	--	--
MAY 22, 72	1145	4	.3	1900	26.2	8.2	7.5	93	--	21
			.9	1900	26.1	8.2	7.5	93	--	--
			2.0	2100	26.0	8.1	7.4	91	--	--
JUN 14, 72	1153	4	.3	7600	28.8	8.2	8.7	114	--	28
			1.5	7600	28.7	8.2	8.2	108	--	--
JUL 17, 72	1415	4	.3	9300	29.0	8.6	11.4	150	--	51
			1.8	12000	27.6	8.3	9.7	126	--	--
SEP 21, 72	1325	4	.3	9200	30.3	8.6	8.0	108	--	43
			1.8	13000	29.8	8.4	7.1	97	--	--
DEC 12, 72	1155	4	.3	26000	7.4	8.2	9.7	89	120	25
			.9	26000	7.5	8.2	10.1	94	120	--
MAR 19, 73	1505	4	.3	11000	20.0	8.3	--	--	55	58
			1.5	25000	20.0	8.0	--	--	55	--
MAY 15, 73	1210	4	.3	6300	21.3	8.7	8.4	97	--	8
			1.5	6300	21.2	8.7	9.0	102	--	--
AUG 02, 73	1150	4	.3	560	28.2	8.1	8.8	111	--	43
			1.5	560	28.0	8.0	9.0	114	--	--

LINE 264 CONTINUED

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
--------------------	------	------	----------------	--------------------------------------	----------------------	----	-------------------------	--------------------	-----------------	----------------------------

LINE 264 CONTINUED

AUG 10, 73	1520	4	.3	570	30.0	7.3	7.0	92	120	25
			1.2	580	30.0	7.3	6.9	91	100	--
DEC 07, 71	1435	5	.3	6600	13.7	8.2	11.2	109	--	64
			.6	6500	13.7	8.2	11.1	108	--	--
			.9	6900	13.8	8.2	10.8	106	--	--
			1.2	11000	14.1	8.1	8.9	88	--	--
MAR 14, 72	1550	5	.3	9400	23.1	8.4	9.9	116	195	15
			.9	9600	22.9	8.4	12.5	147	195	--
APR 25, 72	1004	5	.3	20000	25.1	8.3	7.8	100	--	15
			1.2	20000	25.1	8.2	8.2	105	--	--
MAY 16, 72	0950	5	.3	1800	24.9	7.7	7.6	90	--	30
			1.5	2800	25.0	8.0	8.0	96	--	--
JUL 17, 72	1405	5	.3	12000	28.3	8.5	12.1	159	--	44
			1.2	14000	27.4	8.3	11.1	144	--	--
SEP 21, 72	1335	5	.3	9700	30.0	8.6	8.5	115	--	41
			1.2	9400	30.0	8.4	8.4	114	--	--
DEC 12, 72	1205	5	.3	26000	7.5	8.2	9.7	89	170	20
			1.2	26000	7.6	8.2	10.0	93	170	--
MAR 19, 73	1515	5	.3	22000	20.0	8.3	--	--	60	56
			1.5	24000	20.0	8.2	--	--	70	--
MAY 15, 73	1200	5	.3	2700	21.0	8.7	8.7	98	--	8
			1.2	2400	20.9	8.7	8.9	100	--	--
AUG 02, 73	1200	5	.3	580	27.7	8.1	6.7	84	--	--
			.9	580	27.9	8.1	6.7	85	--	--
AUG 10, 73	1540	5	.3	3200	30.0	7.4	6.7	89	100	28
			.9	3200	30.0	7.4	6.7	89	110	--

LINE 274

DEC 07, 71	0850	1	.3	14000	10.8	8.1	10.0	93	--	61
			.9	15000	11.0	8.1	10.0	95	--	--
			1.5	23000	10.9	8.0	9.5	93	--	--
			2.1	33000	10.9	7.9	8.9	92	--	--
			3.0	38000	10.7	7.8	8.4	88	--	--
			4.0	38000	10.6	7.8	8.4	88	--	--
MAR 14, 72	0925	1	.3	20000	21.3	8.2	8.5	101	45	66
			1.5	24000	21.5	8.2	8.3	101	75	--
			3.2	24000	21.5	8.1	11.3	138	190	--
APR 25, 72	1644	1	.3	24000	26.0	8.2	7.6	100	--	--
			1.5	24000	26.0	8.2	7.6	100	--	--
			3.0	24000	26.0	8.2	7.0	92	--	--
			4.3	26000	26.1	8.2	6.9	91	--	--
MAY 16, 72	1135	1	.3	8000	25.4	8.0	8.2	101	--	47
			1.5	10000	25.0	7.8	6.3	77	--	--
			3.0	15000	24.6	7.7	4.8	60	--	--
			3.7	14000	24.8	7.6	4.9	60	--	--
JUL 17, 72	1730	1	.3	11000	28.3	8.5	11.0	143	--	30
			1.5	11000	28.2	8.5	10.4	135	--	--
			3.5	13000	28.2	8.5	9.9	130	--	--
SEP 21, 72	1445	1	.3	19000	30.1	8.4	7.8	108	--	38
			1.5	19000	29.6	8.3	7.0	97	--	--
			3.0	19000	29.5	8.3	6.8	94	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 274 CONTINUED										
DEC 11, 72	1200	1	.3	42000	7.3	8.0	9.8	81	--	91
			1.5	42000	7.5	7.9	9.9	99	--	--
			3.4	44000	7.7	7.8	10.4	106	--	--
DEC 12, 72	0850	1	.3	38000	6.7	8.2	10.2	97	55	53
			1.5	38000	6.8	8.4	9.8	94	60	--
			3.0	38000	6.8	8.4	10.1	97	80	--
MAR 19, 73	1115	1	.3	19000	20.0	8.2	9.6	110	40	61
			1.5	23000	20.0	8.2	9.4	111	--	--
			3.0	26000	19.9	8.1	9.5	113	--	--
MAY 15, 73	1040	1	.3	19000	21.6	8.5	7.6	90	--	33
			1.5	22000	21.6	8.5	7.2	88	--	--
			3.0	24000	22.0	8.5	8.5	104	--	--
DEC 07, 71	1130	2	.3	11000	13.8	8.1	10.9	108	20	71
			.6	14000	13.6	8.2	10.8	107	110	--
			1.2	16000	13.7	8.2	9.7	97	80	--
MAR 14, 72	1240	2	.3	16000	22.8	8.2	10.7	129	130	61
			.9	17000	23.0	8.2	12.6	154	100	--
MAR 15, 72	1720	2	.3	21000	24.3	8.4	7.3	92	--	56
			.9	21000	24.3	8.4	7.3	92	--	--
APR 25, 72	1110	2	.3	23000	25.4	8.3	7.4	96	--	30
			1.1	23000	25.7	8.3	9.4	129	--	--
MAY 16, 72	1045	2	.3	1000	24.9	7.6	7.4	88	--	23
			1.2	7800	24.9	7.5	5.4	66	--	--
JUL 17, 72	1450	2	.3	9800	30.4	8.5	11.8	159	--	50
			1.2	11000	28.1	8.4	11.0	143	--	--
SEP 21, 72	1438	2	.3	17000	30.2	8.4	7.9	110	--	51
			.9	17000	30.1	8.3	8.1	112	--	--
DEC 12, 72	1115	2	.3	31000	7.4	8.2	9.6	90	210	30
			1.5	32000	7.4	8.2	10.4	97	150	--
MAR 19, 73	1425	2	.3	15000	20.0	8.3	8.3	95	45	71
			1.2	23000	20.0	8.3	--	--	--	--
			2.1	26000	19.9	8.0	7.7	92	50	--
MAY 15, 73	1050	2	.3	13000	20.9	8.5	8.0	93	--	18
			.9	13000	20.9	8.5	8.1	94	--	--
MAR 14, 72	1225	3	.5	15000	22.7	8.3	11.8	142	20	91
			1.7	14000	22.8	8.2	13.1	156	45	--
APR 25, 72	1121	3	.5	23000	25.0	8.2	7.3	94	--	36
			1.5	23000	25.1	8.2	8.1	104	--	--
			2.1	23000	25.2	8.2	8.6	110	--	--
MAY 16, 72	1030	3	.3	1000	24.5	7.6	7.0	83	--	25
			1.5	1000	24.2	7.6	8.6	78	--	--
			2.1	8000	24.3	7.4	4.4	53	--	--
JUL 17, 72	1500	3	.3	10000	29.2	8.6	12.8	168	--	43
			2.0	10000	28.2	8.4	10.2	132	--	--
SEP 21, 72	1430	3	.3	13000	30.0	8.5	8.1	111	--	51
			1.5	15000	29.5	8.3	5.2	70	--	--
DEC 12, 72	1105	3	.3	35000	7.5	8.2	9.5	92	--	25
			1.5	35000	7.4	8.2	10.3	99	--	--
MAR 19, 73	1410	3	.3	15000	19.9	8.3	--	--	50	56

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 274 CONTINUED										
MAR 19, 73	1410	3	1.5	23000	20.0	8.1	--	--	60	--
MAY 15, 73	1110	3	.3 1.5	12000 9900	20.2 20.3	8.5	8.0 8.1	91 91	--	13 --
DEC 07, 71	1100	4	.3 .9 1.8	9400 15000 20000	12.7 13.0 13.6	8.3	11.0 10.1 9.7	106 100 99	--	79 -- --
DEC 07, 71	1115	4	.3 .9 1.8	13000 14000 24000	13.5 13.4 13.6	8.2	11.0 10.9 9.9	109 108 102	--	76 -- --
MAR 14, 72	1210	4	.5 1.5	13000 13000	22.6 22.7	8.4	11.7 12.8	139 152	20 80	74 --
APR 25, 72	1137	4	.5 1.8	23000 23000	25.2 25.2	8.3	6.6 6.8	85 87	--	15 --
MAY 16, 72	1015	4	.3 2.3	1000 4000	24.8 24.5	7.6	7.5 4.6	89 55	--	23 --
JUL 17, 72	1515	4	.3 1.5 2.1	8900 8900 8900	28.0 27.5 27.7	8.6	12.2 10.8 9.8	158 138 126	--	46 -- --
SEP 21, 72	1425	4	.3 1.2	12000 13000	30.0 29.6	8.5	7.7 7.3	105 99	--	41 --
MAR 19, 73	1355	4	.3 1.5	16000 25000	20.0 20.0	8.3	--	--	70 80	41 --
MAY 15, 73	1115	4	.3 1.5	7900 8000	21.0 21.0	8.6	8.2 8.6	93 98	--	10 --
DEC 07, 71	1040	5	.3 .9 1.5	9100 15000 20000	12.7 13.0 13.3	8.3	11.0 10.0 8.5	106 99 87	40 41 58	64 -- --
MAR 14, 72	1155	5	.3 1.4	13000 13000	22.8 22.6	8.4	9.9 12.7	118 151	13 --	74 --
APR 25, 72	1145	5	.5 1.8	23000 23000	25.3 25.5	8.3	7.2 7.4	93 96	--	25 --
MAY 16, 72	1000	5	.3 1.5 2.7	2100 2200 7300	24.7 24.5 24.2	7.8	8.6 8.0 4.4	104 95 53	--	28 -- --
MAY 17, 72	0938	5	.3 1.5	1200 1200	24.7 24.7	7.6	7.8 8.2	93 98	--	13 --
MAY 22, 72	1205	5	.3 1.5	1200 1200	26.1 26.1	8.0	7.4 7.3	90 89	--	15 --
JUN 14, 72	1210	5	.3 1.2 2.4	19000 19000 19000	28.8 28.7 28.6	8.3	8.6 7.9 7.5	118 108 103	--	23 -- --
JUL 17, 72	1525	5	.3 2.0	9000 11000	28.7 27.7	8.6	11.2 10.0	147 128	--	46 --
SEP 21, 72	1420	5	.3 1.8	13000 13000	30.0 29.8	8.5	7.6 8.0	103 82	--	25 --
DEC 12, 72	1045	5	.3 1.5 2.4	28000 29000 32000	7.6 7.3 7.6	8.3	10.0 9.7 10.1	93 90 95	60 70 250	51 -- --
MAR 19, 73	1340	5	.3	16000	20.0	8.2	9.3	107	175	43

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)	
LINE 274 CONTINUED											
MAR 19, 73	1340	5	1.5	16000	20.0	8.2	8.5	98	150	--	
MAY 15, 73	1125	5	.3	8000	21.0	8.6	8.2	93	--	8	
			1.5	8000	21.1	8.6	8.2	93	--	--	
SEP 21, 72	1415	6	.3	14000	30.4	8.5	8.3	114	--	56	
			1.2	15000	30.4	8.5	8.5	116	--	--	
MAY 15, 73	1135	6	.3	6100	20.8	8.5	8.2	93	--	8	
			1.5	6100	20.7	8.6	8.4	94	--	--	
LINE 287											
DEC 07, 71	0905	1	.3	15000	11.2	8.1	10.0	95	--	56	
			.9	23000	11.5	8.1	9.8	97	--	--	
			1.5	36000	11.2	7.9	8.8	92	--	--	
			2.1	40000	11.2	7.9	8.5	90	--	--	
			3.0	40000	11.2	7.9	8.5	90	--	--	
			3.7	39000	11.2	7.9	8.6	91	--	--	
MAR 14, 72	0940	1	.3	27000	21.9	8.1	7.7	97	--	74	
			1.5	29000	21.9	8.1	8.2	104	45	--	
			3.5	29000	22.0	8.1	11.2	140	40	--	
APR 25, 72	1631	1	.3	29000	26.3	8.4	8.4	113	--	46	
			1.5	29000	26.2	8.4	8.3	112	--	--	
			3.4	32000	25.6	8.3	6.7	90	--	--	
MAY 16, 72	1138	1	.3	3500	25.2	7.9	9.0	108	--	30	
			1.5	18000	24.9	7.7	6.9	87	--	--	
			3.4	26000	25.4	7.9	7.7	101	--	--	
JUL 17, 72	1720	1	.3	13000	28.6	8.6	11.0	147	--	38	
			1.5	13000	28.1	8.5	10.9	143	--	--	
			3.0	13000	28.2	8.5	9.9	130	--	--	
SEP 21, 72	1455	1	.3	17000	30.0	8.4	7.5	104	--	48	
			1.5	17000	29.4	8.3	6.4	88	--	--	
			2.7	17000	29.6	8.3	7.0	97	--	--	
DEC 12, 72	0900	1	.3	38000	7.2	8.2	9.6	93	50	58	
			1.5	38000	7.2	8.2	9.6	93	55	--	
			3.4	38000	7.1	8.2	10.2	98	65	--	
MAR 19, 73	1130	1	.3	26000	20.0	8.2	--	--	40	74	
			1.5	26000	20.1	8.2	--	--	50	--	
			3.0	26000	20.2	8.3	--	--	175	--	
MAY 15, 73	1215	1	.3	26000	22.1	8.4	10.1	125	40	64	
			1.5	31000	22.2	8.4	9.7	123	60	--	
			3.4	30000	22.4	8.3	9.3	118	70	--	
AUG 02, 73	0930	1	.3	2800	29.1	--	7.8	101	500	30	
			1.5	2800	29.0	--	7.3	95	500	--	
			3.0	2800	29.0	--	7.1	92	500	--	
			3.7	2400	29.1	--	6.5	84	500	--	
AUG 10, 73	1515	1	.3	2200	23.2	8.6	7.0	81	--	24	
			1.5	2200	23.2	8.6	7.0	81	--	--	
			3.4	2200	23.3	8.6	7.3	85	--	--	
MAR 14, 72	0950	2	.3	20000	21.9	8.2	9.1	111	10	122	
			1.2	20000	21.9	8.2	9.4	115	35	--	
APR 25, 72	1602	2	.5	31000	26.1	8.4	7.7	105	--	33	
			1.5	29000	25.9	8.3	7.5	101	--	--	
MAY 16, 72	1230	2	.3	1900	25.6	7.7	7.0	85	--	23	

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)
MAY 16, 72	1230	2	1.7	16000	25.5	7.6	4.8	61	--	--
MAY 22, 72	1445	2	.3 1.4	1100 1000	26.3 26.2	7.8 7.8	7.4 7.3	90 89	-- --	15 --
JUN 14, 72	1625	2	.3 1.5	24000 24000	29.9 29.9	8.1 8.1	9.8 9.3	140 133	-- --	46 --
JUL 17, 72	1650	2	1.2 3.0	13000 12000	28.0 28.8	8.5 8.6	11.5 12.7	151 169	-- --	-- 46
SEP 21, 72	1500	2	.3 1.2	15000 17000	30.6 30.5	8.3 8.4	8.1 8.2	112 114	-- --	46 --
DEC 12, 72	0915	2	.3 .9	38000 38000	6.9 6.9	7.9 7.9	9.8 9.6	94 92	35 35	122 --
MAR 19, 73	1145	2	.3 .9	26000 29000	20.0 20.0	8.2 8.1	8.3 7.9	99 95	45 55	56 --
MAY 15, 73	1225	2	.3 1.2	16000 21000	22.3 22.3	8.5 8.3	11.6 10.2	138 124	85 80	30 --
AUG 02, 73	0945	2	.3 .9	2800 2800	29.4 29.2	-- --	-- --	-- --	400 300	30 --
AUG 10, 73	1445	2	.3 1.2	1600 2400	28.9 29.0	8.6 8.6	7.5 8.2	96 106	-- --	18 --
MAR 14, 72	0955	3	.3 1.4	19000 20000	21.8 21.9	8.3 8.2	9.3 9.0	112 110	12 30	122 --
APR 25, 72	1608	3	.5 1.5	32000 32000	26.3 26.0	8.3 8.3	7.4 7.1	101 97	-- --	25 --
MAY 16, 72	1237	3	.3 1.7	1600 12000	25.6 25.0	7.8 7.6	7.8 4.9	94 60	-- --	25 --
JUL 17, 72	1655	3	.3 1.4	9900 10000	28.3 28.2	8.6 8.5	11.9 9.8	155 127	-- --	41 --
SEP 21, 72	1510	3	.3 1.2	16000 16000	30.2 30.1	8.4 8.4	7.9 8.3	108 114	-- --	38 --
DEC 12, 72	0925	3	.3 .9	38000 39000	6.9 6.8	8.2 8.2	9.8 10.2	94 98	30 30	147 --
MAR 19, 73	1200	3	.3 1.2	28000 28000	20.1 20.1	8.1 8.0	-- --	-- --	40 70	56 --
MAY 15, 73	1235	3	.3 1.2	18000 24000	22.4 22.6	8.3 8.3	12.1 12.2	146 151	65 60	38 --
AUG 02, 73	1000	3	.3 1.2	2200 2200	29.4 29.4	-- --	-- --	-- --	75 90	30 --
AUG 10, 73	1450	3	.3 1.2	1400 1500	26.3 27.5	8.6 8.6	7.5 8.1	91 101	-- --	23 --
DEC 07, 71	0930	4	.3 .9 1.8	16000 16000 17000	10.3 10.8 10.9	8.3 8.2 8.0	10.6 10.4 9.1	99 99 88	24 -- --	64 -- --
MAR 14, 72	1025	4	.3 1.8	16000 29000	21.9 21.9	8.4 8.0	9.8 9.1	117 115	85 85	109 --
APR 25, 72	1545	4	.5 1.8	27000 27000	26.0 25.8	8.4 8.4	7.5 7.3	101 99	-- --	30 --
MAY 16, 72	1300	4	.3	1900	25.8	7.8	7.7	95	--	30

LINE 287 CONTINUED

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
MAY 16, 72	1300	4	2.1	17000	25.0	7.7	9.3	54	--	--
MAY 17, 72	1036	4	.3 2.0	2000 2300	24.6 24.7	7.7 7.6	8.1 8.2	98 99	-- --	22 --
MAY 22, 72	1415	4	.3 1.7	370 400	26.5 26.4	7.8 7.8	7.1 7.2	87 88	-- --	15 --
JUN 14, 72	1800	4	.5 1.5 2.1	13000 13000 15000	28.6 28.5 28.5	8.2 8.2 8.2	11.1 12.4 14.4	148 163 192	-- -- --	25 -- --
JUN 14, 72	1638	4	.3 1.8	15000 16000	29.9 29.8	8.1 8.1	9.1 9.2	125 126	-- --	30 --
JUL 17, 72	1635	4	.3 2.0	10000 10000	28.2 27.8	8.6 8.5	11.7 11.6	152 151	-- --	41 --
SEP 21, 72	1520	4	.3 1.5	13000 14000	29.9 29.8	8.4 8.4	6.7 7.5	92 103	-- --	43 --
DEC 12, 72	0945	4	.3 1.2	30000 30000	7.0 6.4	8.2 8.2	9.8 11.0	91 101	40 40	91 --
MAR 19, 73	1215	4	.3 1.5	21000 25000	20.0 20.0	8.2 8.1	-- --	-- --	80 50	56 --
APR 25, 73	1500	4	.3 1.5	10000 10000	21.6 21.6	8.3 8.2	9.1 9.6	106 112	-- --	46 --
MAY 15, 73	1250	4	.3 1.5	24000 22000	22.7 22.7	8.3 8.3	11.2 11.6	138 143	60 70	46 --
AUG 02, 73	1130	4	.3 1.2	3500 3600	29.7 29.6	-- --	-- --	-- --	75 90	38 --
DEC 07, 71	0945	5	.3 .9 1.5 2.1 3.0	15000 25000 25000 33000 36000	10.4 10.9 10.8 10.9 11.1	8.3 8.2 6.1 8.0 8.0	10.6 10.2 9.8 8.8 8.2	100 101 97 91 85	-- -- -- -- --	74 -- -- -- --
MAR 14, 72	1040	5	.3 1.1	14000 14000	22.0 22.1	8.4 8.4	9.9 10.1	116 119	10 170	76 --
APR 25, 72	1449	5	.5 1.4	24000 24000	26.0 25.8	8.3 8.3	7.2 7.0	95 92	-- --	23 --
MAY 16, 72	1315	5	.3 1.5	3200 8700	25.6 25.1	8.0 8.0	9.2 8.1	112 99	-- --	46 --
JUL 17, 72	1620	5	.3 1.2	10000 10000	28.3 27.9	8.6 8.5	11.6 10.4	151 135	-- --	46 --
SEP 21, 72	1530	5	.3 1.5 2.4	15000 16000 15000	29.7 29.5 29.4	8.4 8.3 8.3	6.7 6.0 5.7	91 81 77	-- -- --	43 -- --
DEC 12, 72	0955	5	.3 1.2	30000 31000	6.9 6.8	8.2 8.2	10.0 12.6	93 115	260 120	46 --
MAR 19, 73	1235	5	.3 1.2 2.1	23000 24000 26000	20.0 20.0 20.0	8.1 8.1 8.1	-- -- --	-- -- --	50 70 110	43 -- --
MAY 15, 73	1340	5	.3 .9	19000 19000	22.9 22.9	8.4 8.3	11.5 11.1	140 135	100 90	46 --
AUG 02, 73	1140	5	.3	2000	29.7	8.6	--	--	50	61

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCT- ANCE (MICRO- MHOS) FIELD)	TEMPER- ATURE (DEG. C)	PH	(DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 287 CONTINUED										
AUG 02, 73	1140	5	1.5	4200	29.6	8.7	--	--	50	--
			2.4	4400	29.5	8.7	--	--	50	--
AUG 10, 73	1205	5	.3	6700	31.1	--	7.1	97	200	36
			1.5	6200	30.4	--	6.1	82	500	--
SEP 21, 72	1540	6	.3	16000	30.2	8.4	8.6	118	--	46
			1.2	16000	30.1	8.4	9.1	125	--	--
DEC 07, 71	1025	7	.3	13000	12.7	8.2	11.2	109	--	64
			.8	16000	13.4	8.2	11.1	111	--	--
MAR 13, 72	1335	7	.3	14000	22.7	8.5	8.3	99	--	36
			.6	14000	22.7	8.5	8.1	96	--	--
			.9	14000	22.8	8.5	8.1	96	--	--
			1.2	14000	22.7	8.5	8.0	95	--	--
			1.5	15000	22.8	8.4	8.5	102	--	--
MAR 14, 72	1145	7	.3	23000	22.7	8.3	8.8	109	25	91
			1.4	23000	23.1	8.1	9.3	115	70	--
APR 25, 72	1205	7	.5	23000	25.5	8.3	6.6	86	--	18
			1.7	24000	25.5	8.3	6.7	87	--	--
MAY 16, 72	1335	7	.3	4600	25.8	8.1	10.1	125	--	64
			1.2	4600	25.8	8.1	9.7	120	--	--
JUL 17, 72	1545	7	.3	10000	28.5	8.6	11.4	150	--	41
			.9	7900	28.6	8.5	10.2	134	--	--
SEP 21, 72	1545	7	.3	15000	30.0	8.4	7.8	107	--	43
			1.5	15000	29.9	8.4	7.6	104	--	--
DEC 12, 72	1030	7	.3	30000	7.0	8.2	9.7	90	600	5
			1.5	30000	6.9	8.2	10.2	94	500	--
MAR 19, 73	1325	7	.3	35000	19.9	8.0	--	--	50	61
			1.5	35000	20.0	7.9	--	--	250	--
MAY 15, 73	1505	7	.3	5000	22.4	8.5	11.1	128	500	13
			1.5	5000	22.5	8.5	10.2	119	500	--
			2.1	5000	22.5	8.4	9.0	105	500	--
AUG 02, 73	1335	7	.3	5000	30.0	--	--	--	50	51
			1.2	11000	30.1	--	--	--	200	--
AUG 10, 73	1050	7	.3	1300	30.0	--	7.3	96	70	30
			1.2	1400	29.6	--	6.5	84	75	--
DEC 06, 71	1400	8	.3	23000	13.3	8.0	10.4	107	--	36
			.6	24000	13.6	7.9	10.3	106	--	--
			1.2	31000	13.4	7.9	9.6	103	--	--
			1.8	31000	13.2	7.8	9.4	100	--	--
DEC 06, 71	1500	8	.3	21000	13.4	7.9	10.1	103	--	36
			.6	21000	13.4	7.9	10.5	107	--	--
			1.2	22000	13.3	7.9	10.3	106	--	--
			1.8	30000	12.8	7.8	9.4	100	--	--
DEC 07, 71	1010	8	.3	15000	12.8	8.3	10.9	108	28	66
			.9	26000	12.9	8.2	10.5	108	--	--
			1.8	31000	12.7	8.0	9.4	99	--	--
MAR 14, 72	1115	8	.3	18000	22.3	8.3	9.7	117	10	96
			1.7	23000	22.4	8.2	10.2	124	10	--
MAR 15, 72	0845	8	.3	19000	22.2	8.2	8.8	106	110	15
			1.7	19000	22.2	8.2	9.2	111	70	--
APR 25, 72	1210	8	.5	24000	25.4	8.3	7.1	92	--	20

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)
APR 25, 72	1210	8	1.5 2.4	24000 24000	25.4 25.5	8.3 8.3	7.0 6.7	91 87	-- --	-- --
MAY 15, 72	1613	8	.3 1.5 2.7	8300 11000 22000	25.7 25.6 24.6	8.4 8.4 8.0	12.1 11.6 5.5	149 143 71	-- -- --	86 -- --
MAY 16, 72	1340	8	.3 1.7	9000 11000	26.0 25.9	8.3 8.3	12.9 11.6	161 145	-- --	102 --
MAY 17, 72	0957	8	.3 2.1	8000 10000	25.0 25.1	8.3 8.2	8.6 7.3	105 89	-- --	33 --
MAY 22, 72	1225	8	.3 1.8	1400 1400	26.1 26.3	8.0 8.0	7.1 6.9	87 84	-- --	18 --
JUN 14, 72	1652	8	.3 1.8	5800 5800	30.0 29.8	8.3 8.2	8.9 8.1	120 109	-- --	18 --
JUN 14, 72	1740	8	.5 1.5 2.1	3400 3400 3800	28.6 28.6 28.5	8.4 8.4 8.4	11.5 11.4 12.1	149 148 155	-- -- --	23 -- --
JUL 17, 72	1555	8	.3 1.7	11000 14000	28.8 27.7	8.6 8.3	11.8 8.5	155 110	-- --	38 --
JUL 18, 72	1220	8	.3 1.5	12000 12000	28.8 28.4	8.5 8.4	10.5 11.3	140 149	-- --	38 --
SEP 21, 72	1550	8	.3 1.7	17000 17000	30.0 29.9	8.4 8.4	7.5 7.0	104 97	-- --	46 --
DEC 12, 72	1020	8	.3 1.8	30000 30000	7.0 6.9	8.2 8.2	9.8 11.2	91 104	90 145	41 --
DEC 13, 72	0825	8	.3 1.2	28000 28000	5.9 5.6	8.2 8.0	10.6 10.6	95 95	115 700	-- --
MAR 19, 73	1305	8	.3 1.2 2.4	35000 34000 37000	20.0 19.9 20.0	8.0 8.0 7.9	8.1 -- 7.7	101 -- 96	150 300 120	56 -- --
MAR 20, 73	0845	8	.6 1.8	39000 39000	18.7 18.5	8.0 8.0	7.3 7.6	90 93	100 80	43 --
MAY 15, 73	1515	8	.3 1.5	4700 5400	22.3 22.4	8.5 8.5	10.9 11.0	125 128	199 290	13 --
AUG 02, 73	1345	8	.3 1.5	4800 18000	30.2 30.6	7.7 7.5	10.5 7.6	140 109	-- 110	38 --
AUG 10, 73	1040	8	.3 1.5	1400 1600	30.6 30.0	-- --	7.2 6.5	96 86	100 250	48 --
DEC 07, 71	1005	9	.3 .9 1.8	12000 21000 31000	12.1 12.4 11.4	8.4 8.2 8.0	11.2 10.9 9.3	108 109 96	-- -- --	71 -- --
MAR 14, 72	1110	9	.3 1.7	17000 16000	22.3 22.6	8.3 8.3	10.3 11.3	124 136	10 25	94 --
APR 25, 72	1221	9	.6 1.8	24000 24000	25.6 25.6	8.3 8.3	7.5 7.2	97 93	-- --	20 --
MAY 16, 72	1350	9	.3 2.0	12000 13000	26.3 26.4	8.3 8.3	11.5 9.2	146 116	-- --	91 --
JUL 17, 72	1600	9	.3 1.7	12000 16000	28.7 28.2	8.6 8.4	12.5 10.2	167 136	-- --	61 --

LINE 287 CONTINUED

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	DIS-SOLVED OXYGEN (MG/L) PH	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	---	----------------------	-----------------------------	--------------------	-----------------	---------------------------------

LINE 287 CONTINUED

SEP 21, 72	1615	9	.3 1.5	19000 20000	30.0 29.9	8.4 8.4	7.6 7.3	106 103	-- --	48 --
DEC 12, 72	1015	9	.3 1.5	30000 30000	7.2 6.7	8.2 8.2	9.8 10.2	92 94	85 90	51 --
MAR 19, 73	1250	9	.3 1.5	37000 38000	20.0 20.0	8.0 8.0	-- --	-- --	50 60	56 --
MAY 15, 73	1520	9	.3 1.5	3900 3900	22.3 22.4	8.5 8.4	10.5 10.7	121 123	190 200	25 --
AUG 02, 73	1355	9	.3 1.5	6600 7400	30.2 30.2	7.2 7.3	10.4 9.9	141 134	45 50	66 --
AUG 10, 73	1030	9	.3 1.5	3500 5900	30.2 29.7	-- --	6.9 6.4	92 85	55 60	41 --

LINE 291

DEC 08, 71	1505	1	.3 1.2	34000 34000	16.6 16.7	8.1 8.1	12.4 12.8	143 147	-- --	137 --
MAR 15, 72	1600	1	.3 1.8	34000 34000	23.9 23.9	8.4 8.4	7.6 7.6	101 101	-- --	126 --
APR 25, 72	1410	1	.5 1.8	32000 32000	25.9 25.8	8.2 8.2	7.2 6.7	99 92	-- --	61 --
MAY 16, 72	1700	1	.5 2.1	24000 28000	26.1 25.8	8.2 8.0	10.6 9.4	139 127	-- --	119 --
JUL 18, 72	1120	1	.3 1.2	18000 18000	28.6 29.0	8.4 8.3	11.5 9.9	158 136	-- --	66 --
SEP 21, 72	1130	1	.3 2.0	24000 25000	28.8 28.8	8.4 8.4	7.7 7.3	107 103	20 55	-- --
DEC 13, 72	1105	1	.3 1.5	39000 39000	7.4 7.2	8.1 8.1	9.5 10.2	92 99	75 125	51 --
MAR 20, 73	1125	1	.9 1.8	38000 38000	18.8 19.0	8.1 8.1	7.5 7.5	93 93	120 120	-- --
MAY 15, 73	1420	1	.3 1.8	26000 26000	23.0 23.2	8.3 8.3	11.1 11.3	139 141	60 70	46 --
AUG 02, 73	1240	1	.3 1.8	13000 13000	30.1 30.0	8.4 8.6	-- --	-- --	65 50	56 --
AUG 10, 73	1130	1	.3 1.5	6900 13000	30.6 30.1	-- --	6.7 6.0	92 82	50 65	48 --
DEC 08, 71	1520	2	.3 1.8	30000 32000	16.1 16.2	8.2 8.1	12.4 11.8	139 133	-- --	112 --
MAR 15, 72	1555	2	.3 1.8	26000 29000	23.8 23.8	8.2 8.2	8.1 9.0	104 117	10 30	-- --
APR 25, 72	1417	2	.5 1.5 2.1	32000 32000 32000	25.8 25.7 25.7	8.3 8.3 8.3	7.9 7.9 7.4	108 107 100	-- -- --	30 -- --
MAY 16, 72	1707	2	.5 1.5 2.4	16000 17000 29000	26.2 26.0 25.3	8.3 8.3 7.8	12.5 12.1 7.1	160 157 95	-- -- --	109 -- --
JUL 18, 72	1130	2	.3	18000	28.8	8.4	10.6	144	--	97

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))	
LINE 291 CONTINUED											
JUL 18, 72	1130	2	1.5	19000	28.3	8.4	10.7	145	--	--	
			2.1	19000	28.2	8.3	10.1	136	--	--	
SEP 21, 72	1135	2	.3	21000	29.2	8.4	7.6	106	15	--	
			2.0	24000	29.2	8.3	5.5	76	15	--	
DEC 13, 72	1110	2	.3	37000	7.2	8.1	9.5	91	100	38	
			1.5	37000	7.1	8.1	9.7	92	110	--	
MAR 20, 73	1135	2	.9	38000	17.5	8.1	7.4	89	160	--	
			1.8	38000	17.5	8.1	7.4	89	160	--	
MAY 15, 73	1410	2	.3	22000	23.0	8.3	11.8	146	80	46	
			1.8	22000	23.1	8.3	10.8	133	155	--	
AUG 02, 73	1225	2	.3	10000	29.8	--	--	--	40	61	
			1.8	14000	30.0	--	--	--	70	--	
AUG 10, 73	1135	2	.3	3800	30.7	--	7.3	99	60	30	
			1.8	12000	30.0	--	5.6	77	85	--	
MAR 15, 72	1550	3	.3	27000	24.0	8.5	7.9	103	--	102	
			1.8	27000	24.0	8.5	8.1	105	--	--	
APR 25, 72	1424	3	.5	32000	25.7	8.3	7.9	107	--	30	
			1.5	32000	25.6	8.3	7.9	107	--	--	
			2.1	32000	25.6	8.3	7.9	107	--	--	
MAY 16, 72	1715	3	.5	13000	26.0	8.3	12.3	156	--	112	
			2.4	23000	25.5	8.2	6.6	86	--	--	
JUL 18, 72	1110	3	.3	17000	27.8	8.3	10.5	142	--	67	
			1.5	17000	27.9	8.3	10.5	142	--	--	
			2.1	17000	28.9	8.3	9.0	122	--	--	
SEP 21, 72	1145	3	.3	24000	29.2	8.4	8.0	111	25	--	
			2.0	22000	29.7	8.4	7.3	103	50	--	
DEC 13, 72	1120	3	.3	36000	7.5	8.1	9.5	91	100	45	
			1.5	36000	7.3	8.1	9.7	93	100	--	
MAR 20, 73	1150	3	.9	34000	18.9	8.2	7.7	93	140	--	
			1.8	34000	18.9	8.2	7.7	93	170	--	
MAY 15, 73	1400	3	.3	22000	22.9	8.4	10.2	126	150	38	
			1.8	19000	22.9	8.3	10.7	131	190	--	
AUG 02, 73	1210	3	.3	6500	29.9	--	--	--	50	76	
			1.5	10000	29.8	--	--	--	40	--	
AUG 10, 73	1145	3	.3	3400	31.3	--	8.7	118	60	41	
			1.5	8000	30.2	--	6.4	86	110	--	
MAR 15, 72	1530	4	.3	25000	24.2	8.5	7.7	99	--	62	
			1.8	25000	24.2	8.5	7.5	96	--	--	
APR 25, 72	1431	4	.5	27000	25.7	8.3	7.8	104	--	25	
			1.5	27000	25.6	8.3	7.9	105	--	--	
			2.1	27000	25.6	8.4	7.8	104	--	--	
MAY 16, 72	1722	4	.5	10000	25.9	8.3	11.5	144	--	79	
			2.4	17000	25.3	7.8	4.9	63	--	--	
JUL 18, 72	1100	4	.3	15000	28.2	8.3	11.7	156	--	61	
			1.5	16000	27.9	8.3	12.8	171	--	--	
			2.1	15000	27.9	8.2	11.6	155	--	--	
SEP 21, 72	1150	4	.3	20000	29.7	8.4	8.1	114	25	--	
			2.0	22000	29.6	8.3	6.6	93	50	--	

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	-----------------------------------

LINE 291 CONTINUED

DEC 13, 72	1125	4	.3 1.5	33000 33000	7.0 7.0	8.1 8.1	9.8 10.1	92 95	85 150	51 --
MAR 20, 73	1200	4	.9 1.8	34000 34000	19.0 19.0	8.1 8.1	7.6 7.6	92 92	120 135	-- --
MAY 15, 73	1350	4	.3 1.5 2.1	14000 14000 14000	22.5 22.6 22.6	8.3 8.3 8.3	10.5 11.3 11.1	125 135 132	150 350 300	38 -- --
AUG 02, 73	1200	4	.3 1.5	5300 18000	29.9 30.5	-- --	-- --	-- --	30 75	51 --
AUG 10, 73	1155	4	.3 1.5	1400 1500	30.7 30.1	-- --	9.2 6.7	123 88	70 70	38 --

LINE 294

DEC 08, 71	1445	1	.3 1.8	30000 30000	16.3 16.3	8.2 8.2	13.5 13.5	153 153	-- --	114 --
MAR 15, 72	1540	1	.3 2.0	29000 29000	23.8 23.8	8.2 8.2	8.6 9.0	112 117	26 40	56 --
APR 25, 72	1354	1	.5 1.5 2.1	29000 29000 29000	25.8 25.8 25.8	8.2 8.2 8.3	7.8 7.8 7.4	105 105 100	-- -- --	28 -- --
MAY 16, 72	1645	1	.5 2.3	21000 21000	26.3 26.4	8.2 8.2	10.3 9.9	136 130	-- --	147 --
JUL 18, 72	1150	1	.3 1.5 2.1	19000 20000 22000	28.4 28.6 29.0	8.4 8.4 8.3	11.3 10.6 9.8	153 147 136	-- -- --	97 -- --
SEP 21, 72	1115	1	.3 2.1	24000 25000	29.1 28.9	8.4 8.4	7.8 7.3	108 103	5 18	-- --
DEC 13, 72	1050	1	.3 1.5	35000 35000	7.1 7.1	8.1 8.1	9.5 9.5	90 90	70 65	38 --
MAR 20, 73	1115	1	.9 2.1	40000 40000	19.1 19.1	8.1 8.1	7.2 7.2	90 90	140 200	-- --
MAY 15, 73	1430	1	.3 1.8	21000 21000	23.2 23.1	8.3 8.3	10.9 11.2	135 138	65 15	46 --
AUG 02, 73	1245	1	.3 1.8	11000 13000	29.9 29.8	7.9 7.9	-- --	-- --	40 50	51 --
AUG 10, 73	1120	1	.3 1.5	11000 14000	30.4 29.7	-- --	6.7 6.1	91 82	50 45	41 --
DEC 08, 71	1435	2	.3 1.8	27000 27000	16.1 16.2	8.2 8.2	14.2 14.2	158 160	-- --	97 --
MAR 15, 72	1530	2	.3 1.8	27000 27000	24.0 23.8	8.2 8.2	7.2 8.4	94 109	20 50	84 --
APR 25, 72	1344	2	.5 1.5 2.1	29000 29000 29000	25.8 25.8 25.8	8.2 8.2 8.2	7.8 7.8 7.4	105 105 100	-- -- --	30 -- --
MAY 15, 72	1635	2	.5 1.5 2.1	21000 21000 21000	25.7 25.6 25.8	8.4 8.3 8.3	10.7 10.4 9.7	139 135 128	-- -- --	102 -- --
MAY 16, 72	1635	2	.3	15000	26.4	8.3	10.8	138	--	112

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
MAY 16, 72	1635	2	1.8	15000	26.3	8.3	10.5	135	--	--
MAY 17, 72	1012	2	.3 2.3	14000 19000	25.1 25.3	8.3 8.1	9.8 7.9	121 101	-- --	104 --
MAY 22, 72	1320	2	.3 2.0	3800 3800	27.0 26.7	8.6 8.6	8.8 8.5	110 106	-- --	46 --
JUN 14, 72	1711	2	.3 1.5 2.1	2700 2700 2900	28.6 28.6 28.5	8.3 8.3 8.3	10.9 13.4 15.0	142 174 192	-- -- --	28 -- --
JUL 18, 72	1200	2	.3 1.5 2.1	19000 18000 18000	28.4 28.2 28.8	8.4 8.4 8.4	11.5 10.5 10.1	155 142 138	-- -- --	64 -- --
SEP 21, 72	1105	2	.3 2.1	21000 21000	29.0 29.2	8.4 8.4	8.1 7.4	112 103	10 50	-- --
DEC 13, 72	1040	2	.3 1.8	32000 32000	7.2 7.2	8.1 8.2	9.6 9.8	90 92	110 110	38 --
MAR 20, 73	1100	2	.9 1.8	40000 40000	18.9 18.5	8.1 8.1	7.2 7.3	90 90	180 180	-- --
MAY 15, 73	1440	2	.3 1.8	12000 22000	23.0 23.0	8.5 8.3	10.9 11.0	130 136	180 120	25 --
AUG 02, 73	1250	2	.3 1.5	9200 12000	29.9 29.8	7.9 7.8	-- --	-- --	40 50	66 --
AUG 10, 73	1110	2	.3 1.5	8000 8000	30.3 29.7	-- --	5.8 5.9	78 79	55 60	41 --
DEC 08, 71	1420	3	.3 1.8	18000 20000	16.0 16.1	8.4 8.3	14.0 13.5	149 145	-- --	81 --
MAR 15, 72	1520	3	.3 1.1	27000 27000	24.4 24.6	8.2 8.2	8.0 8.7	104 114	37 58	53 --
APR 25, 72	1335	3	.5 1.5	27000 27000	26.0 26.0	8.2 8.2	7.9 7.9	107 107	-- --	25 --
MAY 16, 72	1625	3	.5 1.7	13000 13000	26.2 26.1	8.4 8.4	13.1 13.5	166 171	-- --	97 --
JUL 18, 72	1210	3	.3 1.8	14000 14000	28.7 29.0	8.5 8.4	11.7 11.1	156 148	-- --	51 --
SEP 21, 72	1045	3	.3 1.1	24000 26000	28.8 28.9	8.4 8.4	8.2 8.1	114 114	12 12	-- --
DEC 13, 72	1035	3	.3 1.5	28000 28000	6.7 6.9	8.1 8.2	9.7 9.8	88 90	150 170	30 --
MAR 20, 73	1050	3	.9 1.8	40000 40000	18.6 18.6	8.1 8.1	7.5 7.5	93 93	180 180	-- --
MAY 15, 73	1450	3	.3 1.8	2000 2400	22.9 22.9	8.5 8.3	10.9 11.3	127 131	250 240	25 --
AUG 02, 73	1320	3	.3 1.5	9000 21000	30.4 30.8	8.1 8.7	-- --	-- --	60 50	51 --
AUG 10, 73	1100	3	.3 1.2	8500 8500	29.9 29.8	-- --	6.1 5.8	82 78	65 70	38 --
DEC 08, 71	1405	4	.3 1.5	14000 20000	16.3 16.0	8.4 8.2	12.7 10.9	134 117	-- --	23 --

LINE 294 CONTINUED

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 294 CONTINUED										
DEC 08. 71	1405	4	3.0	31000	15.7	8.0	9.0	101	--	--
			4.3	35000	16.1	7.9	8.0	92	--	--
MAR 15. 72	1140	4	.5	23000	23.5	8.2	8.3	104	40	51
			1.5	23000	23.5	8.2	8.8	110	30	--
			3.0	24000	23.3	8.2	8.7	109	30	--
			4.0	23000	23.4	8.2	8.8	110	40	--
APR 25. 72	1323	4	.3	27000	26.4	8.2	7.7	104	--	30
			1.5	27000	26.2	8.2	7.6	103	--	--
			3.0	27000	26.1	8.2	7.4	100	--	--
			4.7	27000	25.9	8.1	6.8	92	--	--
MAY 16. 72	1405	4	.3	14000	26.4	8.3	11.7	148	--	109
			1.5	15000	26.1	8.2	11.0	141	--	--
			3.5	16000	25.8	8.1	9.7	124	--	--
MAY 22. 72	1305	4	.3	3900	27.0	8.6	7.5	94	--	33
			1.5	3900	26.9	8.6	7.5	94	--	--
			3.0	4000	26.7	8.5	7.1	89	--	--
			4.3	4100	26.8	8.4	6.4	80	--	--
JUN 14. 72	1720	4	.3	3300	29.4	8.4	11.5	151	--	28
			1.5	3400	29.1	8.4	12.6	164	--	--
			3.0	3700	28.2	8.3	12.7	163	--	--
			3.7	3600	28.0	8.2	12.1	155	--	--
JUL 18. 72	1235	4	.3	20000	28.8	8.4	10.2	142	--	53
			1.5	20000	28.3	8.3	10.5	144	--	--
			3.0	20000	28.3	8.2	9.8	134	--	--
			4.0	19000	28.5	8.2	9.1	123	--	--
SEP 21. 72	1055	4	.3	26000	28.8	8.4	7.2	103	20	--
			1.5	28000	28.5	8.3	6.8	97	30	--
			3.0	28000	28.6	8.2	6.7	96	30	--
			4.0	28000	29.1	8.2	6.8	97	55	--
DEC 13. 72	0840	4	.3	26000	6.3	8.1	9.7	87	160	25
			1.5	26000	6.2	8.2	9.5	86	190	--
			3.0	26000	6.3	8.2	9.6	86	170	--
			4.0	26000	6.3	8.1	9.8	88	165	--
MAR 20. 73	0855	4	.3	39000	18.1	8.0	7.3	89	60	41
			1.5	39000	18.1	8.0	7.2	87	50	--
			3.0	39000	18.1	8.0	7.1	88	115	--
			4.3	39000	18.1	8.0	7.3	89	400	--
MAY 15. 73	1530	4	.3	6500	22.0	8.5	12.2	142	240	25
			1.5	7800	22.0	8.4	10.8	126	240	--
			3.0	9000	21.8	8.3	10.4	121	350	--
AUG 02. 73	1405	4	.3	10000	30.5	7.5	9.2	131	55	43
			1.5	14000	30.4	7.4	8.1	114	--	--
			3.0	18000	30.5	7.2	7.0	100	--	--
			4.9	21000	30.6	7.1	6.8	97	--	--
AUG 10. 73	1020	4	.3	11000	29.5	--	6.0	80	60	41
			1.5	12000	29.5	--	5.8	78	65	--
			3.0	12000	29.8	--	5.7	78	85	--
			4.9	14000	30.1	--	5.7	78	90	--
LINE 302										
DEC 09. 71	0950	1	.5	33000	17.1	8.1	8.9	103	--	152
			.9	33000	17.1	8.1	8.9	103	--	--
			2.1	36000	16.9	8.1	8.8	104	--	--
MAR 15. 72	1620	1	.3	39000	24.6	8.3	7.4	101	--	152

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHO/CM)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
MAR 15, 72	1620	1	1.5	39000	24.6	8.3	7.5	103	--	--
APR 25, 72	1523	1	.5 1.8	32000 32000	25.9 25.7	8.3 8.3	7.5 7.2	103 97	-- --	41 --
MAY 16, 72	0935	1	.3 1.2 1.8	18000 20000 26000	25.1 25.2 25.0	8.2 8.2 8.1	9.1 9.2 7.8	115 118 101	-- -- --	109 -- --
JUL 18, 72	1155	1	.3 2.1	18000 18000	29.2 29.2	8.4 8.3	8.5 8.4	116 115	-- --	53 --
SEP 21, 72	1220	1	.3 1.8	25000 26000	29.6 29.6	8.4 8.4	9.5 9.5	136 136	10 30	-- --
DEC 13, 72	1205	1	.3 .9 1.5	41000 41000 41000	7.5 7.6 7.8	8.0 8.0 8.0	9.7 9.5 9.6	96 94 96	80 -- 120	64 -- --
MAR 20, 73	1240	1	.9 1.8	37000 37000	19.9 19.9	8.1 8.1	7.6 7.6	95 95	280 290	-- --
MAY 15, 73	1310	1	.3 1.8	27000 31000	23.0 23.2	8.3 8.2	10.8 9.9	137 127	70 135	46 --
AUG 02, 73	1045	1	.3 1.5	-- --	29.6 29.7	-- --	-- --	-- --	55 60	53 --
AUG 10, 73	1250	1	.3 1.5	4500 7800	31.5 30.3	7.4 7.3	6.7 6.1	91 82	50 70	46 --
DEC 09, 71	0940	2	.5 .9 2.0	29000 29000 36000	16.3 16.3 16.1	8.2 8.2 8.0	9.6 9.6 8.9	108 108 102	-- -- --	119 -- --
MAR 15, 72	1615	2	.3 1.8	37000 37000	24.1 24.2	8.2 8.2	8.6 9.0	115 120	20 20	193 --
APR 25, 72	1515	2	.5 2.0	34000 34000	25.9 25.8	8.3 8.3	7.2 6.8	100 94	-- --	38 --
MAY 16, 72	0925	2	.3 .9 1.5 1.8 2.1	11000 11000 14000 26000 28000	24.9 24.9 24.8 24.9 24.7	8.1 8.1 8.1 7.9 7.9	8.8 8.8 8.7 5.5 5.3	107 107 107 71 70	-- -- -- -- --	91 -- -- -- --
JUL 18, 72	1142	2	.3 2.1	15000 15000	29.1 28.9	8.4 8.3	8.3 8.3	114 114	-- --	37 --
SEP 21, 72	1215	2	.3 2.0	24000 26000	29.6 29.3	8.4 8.4	9.6 8.6	135 121	25 25	-- --
DEC 13, 72	1155	2	.3 1.5	36000 36000	7.4 7.4	8.1 8.1	9.7 9.7	93 93	70 85	66 --
MAR 20, 73	1230	2	.9 1.8	36000 38000	19.9 19.8	8.1 8.1	7.5 7.4	94 92	275 300	-- --
MAY 15, 73	1315	2	.3 1.8	22000 22000	22.7 22.7	8.3 8.3	11.2 11.8	138 146	80 130	46 --
AUG 02, 73	1055	2	.3 1.5	6100 6400	29.6 29.6	-- --	-- --	-- --	55 70	51 --
AUG 10, 73	1240	2	.3 1.5	1300 8500	31.0 30.5	7.4 7.2	6.9 5.9	92 80	75 75	36 --
DEC 09, 71	0930	3	.5	30000	16.4	8.1	9.2	105	--	142

LINE 302 CONTINUED

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY DISK (CM)
LINE 302 CONTINUED										
DEC 09, 71	0930	3	.9 2.0	31000 37000	16.4 16.2	8.1 8.0	9.0 7.8	102 90	-- --	-- --
MAR 15, 72	1625	3	.3 1.8	36000 36000	24.1 24.2	8.4 8.3	7.3 7.3	97 97	-- --	127 --
APR 25, 72	1508	3	.5 1.8	29000 27000	25.8 25.8	8.4 8.3	7.2 6.9	97 93	-- --	33 --
MAY 16, 72	0915	3	.3 .9 1.5 2.1	3100 3900 10000 26000	24.7 24.7 24.9 24.7	7.9 7.9 8.1 7.9	7.7 7.6 8.1 4.8	93 92 99 62	-- -- -- --	32 -- -- --
JUL 18, 72	1130	3	.3 1.8	16000 16000	28.8 28.9	8.3 8.3	8.3 8.4	112 114	-- --	36 --
SEP 21, 72	1207	3	.3 1.5	25000 26000	29.8 29.7	8.4 8.4	10.5 10.0	150 143	20 25	-- --
DEC 13, 72	1150	3	.3 1.5	35000 34000	7.4 7.5	8.1 8.1	9.5 10.0	91 95	100 100	38 --
MAR 20, 73	1220	3	.9 1.8	32000 32000	19.3 19.2	8.1 8.1	7.7 7.7	93 92	300 450	-- --
MAY 15, 73	1325	3	.3 1.8	19000 19000	22.7 22.7	8.3 8.3	10.9 11.3	133 138	90 100	46 --
AUG 02, 73	1105	3	.3 1.5	-- --	29.5 29.7	-- --	-- --	-- --	50 70	51 --
AUG 10, 73	1230	3	.3 1.2	1100 3200	31.9 30.1	7.2 7.0	7.4 5.9	100 79	65 70	30 --
DEC 09, 71	0920	4	.5 .9 1.5 2.1	27000 27000 27000 28000	16.3 16.3 16.3 16.2	8.1 8.1 8.1 8.0	9.2 9.2 9.3 8.7	103 103 104 97	-- -- -- --	97 -- -- --
MAR 15, 72	1635	4	.3 1.8	28000 31000	23.9 23.8	8.4 8.4	7.6 7.7	100 101	-- --	109 --
APR 25, 72	1502	4	.5 2.0	27000 27000	25.8 25.7	8.3 8.3	7.1 6.7	96 89	-- --	19 --
MAY 16, 72	0900	4	.3 .9 1.5 1.8 2.1	3400 3500 3900 5900 29000	24.7 24.5 24.6 24.7 24.5	7.9 7.9 7.9 7.9 7.8	7.6 7.7 7.2 6.2 2.5	92 92 87 76 33	-- -- -- -- --	36 -- -- -- --
JUL 18, 72	1120	4	.3 1.8	11000 13000	28.7 28.6	8.4 8.3	7.9 7.9	104 105	-- --	25 --
SEP 21, 72	1200	4	.3 2.0	20000 24000	29.7 29.6	8.4 8.3	9.1 7.6	128 107	40 40	-- --
DEC 13, 72	1140	4	.3 1.5	33000 33000	7.3 7.3	8.1 8.1	9.8 9.6	93 91	80 90	-- --
MAR 20, 73	1210	4	.9 1.8	32000 32000	19.6 19.5	8.1 8.1	7.6 7.6	92 92	-- 200	-- --
MAY 15, 73	1330	4	.3 1.8	19000 19000	22.8 22.7	8.3 8.3	11.1 10.9	135 133	90 115	46 --
AUG 02, 73	1115	4	.3 1.5	-- --	29.5 29.8	-- --	-- --	-- --	75 80	38 --

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 302 CONTINUED

AUG 10, 73	1215	4	.3	700	31.2	--	7.4	99	70	36
			1.5	3700	30.4	--	5.8	77	70	--

LINE 307

DEC 09, 71	1005	1	.5	38000	17.6	8.1	8.7	105	--	183
			.9	38000	17.5	8.1	9.3	112	--	--
			1.8	38000	16.9	8.1	9.9	118	--	--
MAR 15, 72	1640	1	.3	40000	25.1	8.1	8.8	122	23	132
			1.1	40000	25.2	8.1	9.0	125	20	--
APR 25, 72	0945	1	.3	32000	24.3	8.1	7.3	96	--	48
			1.5	32000	24.1	8.1	7.4	97	--	--
MAY 16, 72	0950	1	.3	14000	24.9	8.2	8.2	101	--	109
			1.5	22000	25.1	8.2	9.3	119	--	--
JUL 18, 72	1210	1	.3	18000	29.1	8.4	8.2	112	--	41
			1.2	17000	29.0	8.3	6.9	95	--	--
DEC 13, 72	1220	1	.3	43000	7.5	8.0	9.3	93	40	185
			1.5	43000	7.6	8.1	9.3	93	40	--
MAR 20, 73	1250	1	.9	38000	19.6	8.1	7.5	94	140	--
			1.5	38000	19.7	8.1	7.4	92	180	--
AUG 02, 73	1035	1	.3	--	29.6	--	--	--	50	56
			1.5	--	29.6	--	--	--	50	--
AUG 10, 73	1245	1	.3	5700	25.0	8.6	7.9	96	--	52
			1.5	6700	25.1	8.5	5.8	71	--	--
MAY 16, 72	0955	2	.3	7800	25.0	8.2	8.1	99	--	79
			.9	19000	25.1	8.2	8.0	101	--	--
			2.1	34000	25.0	7.9	4.5	61	--	--
JUL 18, 72	1212	2	.3	17000	29.5	8.4	9.0	125	--	48
			2.4	17000	28.9	8.4	9.5	130	--	--
DEC 09, 71	1015	3	.5	33000	17.2	8.1	9.0	105	--	147
			.9	34000	17.0	8.1	9.5	110	--	--
			2.3	38000	16.4	8.0	9.4	111	--	--
MAR 15, 72	1645	3	.3	35000	24.0	8.1	8.5	113	28	--
			1.8	37000	23.9	8.0	8.8	117	40	--
APR 25, 72	0935	3	.3	33000	24.3	8.0	7.0	93	--	28
			1.8	33000	24.1	8.0	7.0	93	--	--
MAY 16, 72	1000	3	.3	8100	25.5	8.1	8.9	110	--	51
			.9	15000	25.2	8.2	8.7	109	--	--
			2.1	34000	25.0	7.9	5.1	69	--	--
MAY 16, 72	1600	3	.3	21000	26.9	8.4	--	--	--	137
			.9	20000	27.0	8.4	--	--	--	--
			2.1	37000	26.3	8.1	--	--	--	--
MAY 17, 72	1056	3	.3	17000	25.0	8.1	8.7	110	--	88
			.9	17000	24.9	8.1	8.5	108	--	--
			1.5	17000	24.8	8.1	8.2	104	--	--
			2.3	29000	24.9	7.7	4.0	53	--	--
MAY 22, 72	1425	3	.3	4000	26.9	8.5	9.4	118	--	43
			2.1	4200	26.9	8.5	8.7	109	--	--
JUN 14, 72	1605	3	.3	31000	29.5	7.9	7.9	116	--	55
			2.1	31000	29.6	7.9	7.7	113	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 307 CONTINUED										
JUL 18, 72	1220	3	.3	15000	29.1	8.4	8.8	119	--	48
			2.0	15000	29.2	8.4	8.4	114	--	--
SEP 21, 72	1235	3	.3	24000	29.7	8.4	9.5	134	--	--
			1.8	27000	29.9	8.3	8.9	129	20.	--
DEC 13, 72	1225	3	.3	46000	7.8	8.1	9.4	96	40.	168
			1.5	46000	7.8	8.1	9.4	96	40.	--
MAR 20, 73	1300	3	.9	38000	19.3	8.0	7.0	88	140.	--
			1.5	39000	19.3	8.0	7.1	89	160.	--
MAY 15, 73	1155	3	.3	33000	22.1	8.2	9.2	118	60.	46
			1.8	33000	22.0	8.2	9.4	121	80.	--
AUG 02, 73	1025	3	.3	3800	29.7	--	--	--	50.	76
			1.8	9700	30.0	--	--	--	400.	--
AUG 10, 73	1235	3	.3	4500	25.5	8.6	8.2	100	--	64
			1.5	7000	25.1	8.4	6.1	74	--	--
			1.8	7000	27.2	8.4	6.3	60	--	--
MAY 16, 72	1010	4	.3	5600	25.2	8.1	8.0	98	--	58
			.6	5700	25.2	8.1	7.9	96	--	--
			.9	8200	25.1	7.9	6.5	79	--	--
			1.2	20000	25.4	8.1	6.3	108	--	--
			2.1	26000	25.1	7.9	5.8	75	--	--
JUL 18, 72	1226	4	.3	15000	29.1	8.4	9.0	122	--	41
			2.4	15000	29.3	8.4	6.8	119	--	--
DEC 09, 71	1100	5	.5	31000	17.6	8.2	9.1	106	--	76
			.9	31000	17.5	8.2	9.4	109	--	--
			2.0	31000	17.6	8.1	9.2	107	--	--
MAR 15, 72	1705	5	.3	35000	24.1	8.1	8.8	117	30.	96
			1.8	38000	24.0	8.0	8.8	119	40.	--
APR 25, 72	0925	5	.3	36000	24.4	8.0	7.2	96	--	20
			.9	36000	24.4	8.0	7.2	96	--	--
			1.8	36000	24.4	8.0	7.4	99	--	--
MAY 16, 72	1020	5	.3	3900	25.1	8.0	7.6	92	--	39
			1.2	16000	25.3	7.9	5.5	70	--	--
			2.1	34000	25.2	7.9	5.3	72	--	--
MAY 16, 72	1610	5	.3	16000	27.2	8.4	--	--	--	97
			.9	17000	27.1	8.4	--	--	--	--
			2.1	34000	26.6	8.1	--	--	--	--
JUL 18, 72	1235	5	.3	15000	29.4	8.4	8.5	115	--	43
			1.8	15000	29.8	8.4	8.8	121	--	--
DEC 13, 72	1245	5	.3	42000	7.6	8.1	9.6	96	40.	203
			1.5	42000	7.8	8.1	9.4	94	40.	--
MAR 20, 73	1315	5	.9	36000	18.9	8.1	7.6	93	160.	--
			1.5	36000	18.9	8.1	7.6	93	170.	--
AUG 02, 73	1015	5	.3	--	29.5	--	--	--	50.	41
			1.5	--	30.0	--	--	--	80.	--
AUG 10, 73	1255	5	.3	2500	25.2	8.7	7.6	92	--	48
			.9	3200	24.3	8.7	6.3	99	--	--
			1.5	5700	25.1	8.6	7.6	93	--	--
MAY 16, 72	1025	6	.3	2400	25.0	7.8	7.0	84	--	25
			.9	9700	25.0	7.9	6.5	79	--	--
			1.8	34000	25.3	7.9	6.1	84	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 307 CONTINUED										
JUL 18, 72	1240	6	.3	16000	29.7	8.4	8.5	116	--	39
			2.1	16000	29.8	8.4	8.4	115	--	--
DEC 08, 71	1255	7	.3	27000	17.2	8.1	9.3	106	--	69
			.9	29000	16.6	8.1	9.2	103	--	--
			1.5	31000	15.9	8.0	8.9	100	--	--
			3.0	33000	15.6	8.0	8.5	97	--	--
MAR 15, 72	1720	7	.3	26000	24.3	8.2	9.8	126	--	51
			1.5	27000	24.2	8.2	9.2	119	--	--
			3.0	32000	23.4	8.1	9.3	121	--	--
			4.1	32000	23.2	8.0	10.6	136	--	--
APR 25, 72	1623	7	.3	32000	25.8	8.4	7.7	105	--	64
			1.5	33000	26.0	8.4	7.5	104	--	--
			3.0	33000	26.0	8.3	7.6	106	--	--
			4.0	34000	26.0	8.2	7.4	103	--	--
APR 25, 72	0910	7	.3	28000	24.4	8.2	7.5	96	--	74
			1.5	28000	24.4	8.2	7.5	96	--	--
			3.0	29000	24.2	8.1	7.3	94	--	--
			4.6	29000	24.1	8.1	7.2	92	--	--
MAY 16, 72	1040	7	.3	6100	25.7	8.1	7.8	95	--	--
			1.5	19000	25.8	8.0	6.0	78	--	--
			3.0	26000	26.0	8.0	5.6	75	--	--
			4.6	29000	26.0	7.9	5.5	74	--	--
MAY 22, 72	1440	7	.3	1800	27.1	8.1	7.8	96	--	11
			1.8	1800	27.1	8.1	7.9	98	--	--
			3.4	1800	27.4	8.1	8.0	100	--	--
JUN 14, 72	1615	7	.3	24000	29.3	8.2	7.8	110	--	66
			1.5	24000	29.4	8.2	8.2	115	--	--
			3.0	26000	29.6	8.1	8.3	119	--	--
			4.6	26000	29.9	8.1	8.8	126	--	--
JUL 17, 72	1710	7	.3	14000	28.7	8.5	11.1	148	--	43
			1.5	15000	28.0	8.5	10.8	144	--	--
			3.0	15000	28.0	8.5	10.4	139	--	--
			4.3	14000	28.2	8.4	9.9	130	--	--
JUL 18, 72	1245	7	.3	15000	29.5	8.4	8.7	119	--	39
			1.5	16000	28.9	8.4	7.7	104	--	--
			3.0	16000	29.0	8.4	7.7	104	--	--
			4.7	16000	.3	8.4	8.6	116	--	--
MAR 20, 73	0805	7	.3	26000	17.8	8.2	11.1	128	--	66
			1.5	27000	17.9	8.1	10.9	127	--	--
			3.0	30000	18.0	8.1	10.3	121	--	--
			3.7	32000	17.9	8.0	9.6	113	--	--
AUG 02, 73	1230	7	.3	1700	28.1	8.6	10.4	132	--	28
			1.5	1700	28.1	8.6	11.0	139	--	--
			3.0	2300	27.9	8.4	10.7	137	--	--
AUG 10, 73	1505	7	.3	2200	23.5	8.6	6.9	81	--	30
			1.8	2200	24.5	8.6	6.8	81	--	--
			3.4	2200	24.2	8.5	7.0	83	--	--

LINE 311

DEC 08, 71	1250	1	.3	26000	17.1	8.1	11.4	128	--	69
			1.2	25000	17.1	8.1	11.3	127	--	--
MAY 16, 72	1600	1	.3	22000	26.3	8.2	10.5	138	--	71
			1.5	22000	26.2	8.2	10.6	139	--	--
MAY 22, 72	1345	1	.3	14000	27.0	8.4	8.1	104	--	55

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 311 CONTINUED										
MAY 22, 72	1345	1	1.2	15000	26.9	8.4	7.9	103	--	--
			2.1	15000	27.1	8.3	7.4	96	--	--
JUN 14, 72	1647	1	.3	6800	29.1	8.6	11.4	150	--	38
			1.5	6700	29.1	8.6	12.4	163	--	--
			2.4	6800	29.2	8.6	13.2	174	--	--
JUL 18, 72	1420	1	.3	35000	29.3	8.1	8.6	128	--	46
			1.7	34000	29.6	8.1	8.2	122	--	--
SEP 21, 72	0930	1	.3	40000	27.7	8.3	8.7	128	35	--
			2.0	41000	27.7	8.2	8.4	124	30	--
DEC 13, 72	1010	1	.3	28000	6.9	8.2	10.3	94	75	51
			1.2	28000	6.7	8.2	10.3	94	80	--
MAR 20, 73	1035	1	.6	40000	18.4	8.2	7.4	91	160	--
			1.2	40000	18.4	8.2	7.4	91	160	--
MAY 15, 73	1615	1	.8	19000	22.5	8.3	10.6	129	110	46
AUG 02, 73	1455	1	.3	26000	30.2	7.6	10.2	146	65	38
			1.5	26000	30.2	7.6	10.0	143	65	--
AUG 10, 73	0930	1	.3	27000	29.3	--	5.3	76	50	48
			1.8	28000	29.4	--	5.4	77	45	--
DEC 08, 71	1255	2	.3	29000	16.8	8.1	10.8	123	--	48
			1.5	29000	16.9	8.1	10.8	123	--	--
MAR 15, 72	0930	2	.3	18000	22.6	8.1	9.3	113	130	36
			1.2	18000	22.9	8.1	9.9	121	110	--
JUL 18, 72	1425	2	.3	32000	29.3	8.3	10.8	157	--	43
			1.4	32000	29.1	8.2	11.5	167	--	--
SEP 21, 72	0935	2	.3	39000	28.0	8.3	7.9	116	30	--
			1.4	39000	27.9	8.3	7.3	107	60	--
DEC 13, 72	1005	2	.3	28000	6.6	8.2	10.5	95	35	18
			.6	30000	6.6	8.2	9.8	90	40	--
MAR 20, 73	1015	2	.6	40000	18.8	8.1	7.2	91	160	--
			1.2	40000	18.8	8.1	7.2	91	175	--
AUG 02, 73	1505	2	.3	25000	30.4	7.8	7.6	109	40	38
			.7	25000	30.4	7.8	8.2	117	40	--
AUG 10, 73	0935	2	.3	28000	29.6	--	5.3	77	40	53
			.9	28000	29.6	--	5.3	77	60	--
DEC 08, 71	1300	3	.3	27000	16.5	8.0	10.7	120	--	48
			1.5	28000	16.7	8.0	10.8	121	--	--
MAY 15, 73	1610	3	.3	16000	22.3	8.3	10.2	121	90	46
			1.2	16000	22.4	8.3	10.0	119	90	--
DEC 08, 71	1305	4	.3	27000	16.4	8.0	10.8	121	--	97
			1.5	27000	16.5	8.1	11.1	125	--	--
MAR 15, 72	0945	4	.3	27000	22.8	8.2	8.5	107	100	30
			1.2	28000	22.9	8.1	9.4	119	100	--
MAY 16, 72	1450	4	.3	20000	26.5	8.2	9.2	121	--	79
			1.7	19000	26.7	8.2	8.8	116	--	--
JUL 18, 72	1430	4	.3	30000	29.1	8.2	10.3	149	--	56
			1.4	30000	29.3	8.2	10.1	146	--	--
SEP 21, 72	0945	4	.3	36000	28.0	8.3	8.9	131	18	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 311 CONTINUED										
SEP 21, 72	0945	4	1.2	39000	28.2	8.3	7.5	110	90	--
DEC 13, 72	0915	4	.3 .9	30000 28000	6.7 6.6	8.2	10.3 10.0	94 91	40 25	142 --
MAR 20, 73	0925	4	.6 1.2	39000 39000	18.8 18.7	8.1	7.4 7.3	91 93	120 100	30 --
MAY 15, 73	1600	4	.3 1.2	14000 13000	23.0 23.1	8.4	11.9 10.9	142 130	110 110	46 --
AUG 02, 73	1605	4	.3 .9	26000 26000	30.6 30.6	7.8	9.5 8.7	138 126	40 50	48 --
AUG 10, 73	0845	4	.3 1.2	24000 26000	29.4 29.6	--	5.6 5.1	79 73	40 50	48 --
NOV 05, 71	1020	5	.3 1.5 3.0	14000 14000 14000	23.0 23.0 23.0	8.1	7.2 7.2 7.2	86 86 86	-- -- --	43 -- --
NOV 11, 71	1415	5	.6 1.5	9100 9800	26.5 27.0	8.6 8.5	7.8 7.7	98 97	-- --	-- --
DEC 08, 71	1315	5	.3 1.8	25000 26000	16.4 16.3	8.1	10.9 10.9	121 121	-- --	114 --
MAR 15, 72	1000	5	.3 1.8	18000 18000	22.8 22.9	8.1	8.5 9.1	104 111	47 140	76 --
MAY 16, 72	1458	5	.3 1.5 2.9	20000 20000 20000	26.6 26.5 26.5	8.2	9.6 9.7 9.8	128 128 129	-- -- --	66 -- --
JUL 18, 72	1440	5	.3 1.5 2.7	29000 29000 30000	29.2 29.0 29.3	8.2	11.0 11.0 8.8	157 157 128	-- -- --	48 -- --
SEP 21, 72	0955	5	.3 2.7	35000 35000	28.0 28.0	8.2	9.0 9.2	130 133	-- 20	-- --
DEC 13, 72	0925	5	.3 1.8	32000 32000	6.7 6.5	8.2	10.2 10.9	94 100	30 30	147 --
MAR 20, 73	0935	5	.6 1.5	39000 39000	18.7 18.6	8.1	7.4 7.1	91 88	90 130	33 --
MAY 15, 73	1655	5	.3 1.5	15000 15000	23.0 23.0	8.4	11.4 11.4	137 137	90 90	-- --
AUG 02, 73	1615	5	.3 .9	24000 25000	30.7 30.6	7.7	8.4 8.9	122 129	60 60	53 --
AUG 10, 73	0835	5	.3 1.5	22000 23000	29.4 29.5	--	5.2 5.3	73 75	-- --	-- --
LINE 314										
DEC 08, 71	1240	1	.3 .9	30000 31000	16.8 16.8	8.1	11.4 11.4	130 130	-- --	91 --
MAR 15, 72	1035	1	.3 1.1	36000 37000	23.1 23.1	8.2	8.2 9.0	108 118	20 38	91 --
JUL 18, 72	1520	1	.3 1.2	39000 41000	29.3 29.4	8.3	9.8 10.3	146 156	-- --	-- --
DEC 13, 72	0950	1	.3	30000	6.8	8.2	10.1	94	40	91

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 314 CONTINUED										
DEC 13, 72	0950	1	.9	30000	6.8	8.2	10.3	95	40	--
MAR 20, 73	1000	1	.6 1.2	40000 40000	18.8 18.8	8.2 8.1	7.2 7.3	90 91	110 170	33 --
MAY 15, 73	1620	1	.3 1.2	16000 19000	22.4 22.5	8.3 8.3	10.2 10.0	121 122	90 90	46 --
AUG 02, 73	1530	1	.3 .9	28000 28000	30.8 30.9	7.9 8.3	7.7 --	113 --	65 60	41 --
AUG 10, 73	0920	1	.3 .9	30000 31000	29.4 28.5	-- --	5.4 4.9	78 72	40 40	76 --
DEC 08, 71	1230	2	.3 1.5	29000 29000	16.5 16.7	8.1 8.1	11.5 11.1	129 125	-- --	137 --
MAR 15, 72	1025	2	.3 1.2	38000 38000	22.7 22.7	8.2 8.2	8.5 8.9	112 117	36 38	102 --
MAY 16, 72	1545	2	.5 1.7	26000 27000	26.7 26.6	8.1 8.1	9.3 8.8	126 121	-- --	102 --
JUL 18, 72	1505	2	.3 1.4	41000 39000	29.4 29.6	8.3 8.2	10.9 10.5	165 159	-- --	99 --
DEC 13, 72	0945	2	.3 .9	32000 32000	6.7 6.7	8.2 8.2	10.6 10.4	97 95	40 50	86 --
MAR 20, 73	0950	2	.6 1.2	40000 40000	18.9 18.8	8.2 8.2	7.2 7.2	90 90	100 80	38 --
MAY 15, 73	1630	2	.3 1.2	15000 14000	22.4 22.3	8.3 8.3	11.6 10.3	138 121	90 90	46 --
AUG 02, 73	1535	2	.3 .9	28000 28000	31.2 31.2	7.9 7.9	8.0 8.2	118 121	50 60	43 --
AUG 10, 73	0915	2	.3 .9	26000 39000	29.4 29.5	-- --	5.5 5.1	79 77	40 30	61 --
DEC 08, 71	1225	3	.3 1.5	31000 31000	16.9 17.0	8.1 8.1	10.5 11.2	121 129	-- --	137 --
MAR 15, 72	1015	3	.3 1.1	32000 32000	22.9 22.9	8.2 8.2	8.9 10.2	108 131	10 24	109 --
MAY 16, 72	1515	3	.3 1.7	26000 27000	26.8 26.6	8.1 8.1	9.0 8.3	122 114	-- --	-- --
JUL 18, 72	1500	3	.3 1.4	36000 36000	29.2 29.5	8.3 8.3	9.4 9.3	138 139	-- --	58 --
SEP 21, 72	1005	3	.3 1.2	38000 38000	27.8 27.9	8.3 8.3	6.1 6.5	90 96	20 85	-- --
DEC 13, 72	0940	3	.3 .9	32000 32000	6.7 6.7	8.2 8.2	10.2 10.2	94 94	80 80	58 --
MAR 20, 73	0945	3	.6 1.2	40000 40000	18.8 18.7	8.2 8.2	7.2 7.3	90 90	115 125	41 --
MAY 15, 73	1635	3	.3 1.2	15000 15000	22.8 22.8	8.3 8.3	9.6 10.8	116 130	90 120	51 --
AUG 02, 73	1550	3	.3 .9	26000 26000	31.4 31.4	7.8 7.8	8.4 9.6	122 140	55 55	56 --
AUG 10, 73	0905	3	.3	22000	29.4	--	5.6	79	70	51

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 314 CONTINUED										
AUG 10, 73	0905	3	1.2	29000	29.5	--	5.3	76	60	--
DEC 08, 71	1210	4	.3	29000	17.1	8.2	11.7	133	--	134
			1.4	29000	17.3	8.2	11.4	131	--	--
MAR 15, 72	1010	4	.3	32000	22.8	8.2	8.9	114	10	132
			1.1	32000	22.9	8.2	10.3	132	10	--
MAY 16, 72	1510	4	.3	24000	26.8	8.1	8.2	109	--	94
			1.7	26000	27.0	8.1	8.1	109	--	--
JUL 18, 72	1455	4	.3	32000	29.6	8.3	9.8	144	--	74
			1.2	32000	29.8	8.3	9.2	135	--	--
DEC 13, 72	0935	4	.3	34000	6.9	8.2	9.8	92	80	51
			1.2	34000	6.9	8.2	9.8	92	80	--
MAR 20, 73	0940	4	.6	40000	19.3	8.2	7.9	99	100	41
			1.2	40000	19.3	8.2	7.9	99	100	--
MAY 15, 73	1645	4	.3	19000	22.7	8.3	10.7	130	90	--
			1.2	19000	22.7	8.3	10.3	126	110	--
AUG 02, 73	1555	4	.3	26000	31.4	7.8	8.9	129	50	58
			.9	26000	31.4	7.8	8.8	128	55	--
AUG 10, 73	0855	4	.3	24000	29.5	--	5.5	77	80	56
			.9	26000	29.7	--	5.5	79	500	--
LINE 317										
DEC 08, 71	1130	2	.3	33000	17.6	8.0	10.1	119	--	104
			1.5	46000	17.3	8.0	9.3	115	--	--
			3.0	47000	17.4	7.9	8.9	111	--	--
MAR 15, 72	1055	2	.3	40000	22.7	8.2	8.0	107	35	71
			1.5	40000	22.4	8.2	8.1	108	40	--
			2.7	37000	22.3	8.1	8.4	110	67	--
MAY 16, 72	1530	2	.3	30000	26.9	8.1	11.0	153	--	--
			1.5	37000	26.1	8.0	10.3	143	--	--
			3.0	39000	25.7	8.0	9.0	125	--	--
			4.4	38000	26.0	8.0	8.8	124	--	--
LINE 320										
DEC 08, 71	1330	2	.3	16000	16.3	8.3	11.7	124	--	61
			1.5	18000	16.0	8.3	11.6	123	--	--
			3.0	20000	15.3	8.1	10.5	112	--	--
			4.6	25000	15.0	8.0	10.7	115	--	--
			5.2	25000	14.7	8.0	9.5	101	--	--
MAR 15, 72	0915	2	.3	18000	22.8	8.1	8.7	106	28	81
			1.5	18000	22.7	8.1	8.9	108	17	--
			3.0	18000	22.7	8.1	8.7	106	30	--
			5.0	17000	22.8	8.1	9.4	115	40	--
MAY 16, 72	1430	2	.3	18000	26.1	8.2	8.9	116	--	76
			1.5	18000	25.8	8.1	8.9	109	--	--
			3.0	18000	25.9	8.1	8.3	108	--	--
			4.6	18000	26.0	8.1	7.7	100	--	--
JUL 18, 72	1550	2	.3	47000	29.9	8.2	10.9	176	--	74
			1.5	47000	29.8	8.2	10.5	169	--	--
			3.0	47000	29.6	8.2	10.1	160	--	--
			3.8	47000	29.5	8.1	8.6	137	--	--
JUL 18, 72	1400	2	.3	26000	29.2	8.2	10.5	148	--	89

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME (SITE)	DEPTH (METERS)	SPECIFIC CONDUCTANCE	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
--------------------	-------------	----------------	----------------------	----------------------	----	-------------------------	--------------------	-----------------	----------------------------

LINE 320 CONTINUED

JUL 18, 72	1400	2	1.5	26000	28.7	8.2	10.3	145	--	--
			3.0	26000	28.6	8.2	10.0	141	--	--
			4.3	26000	28.6	8.2	9.2	130	--	--
DEC 13, 72	0905	2	.3	28000	6.4	8.2	10.6	96	55	69
			1.5	28000	6.4	8.2	10.0	91	50	--
			3.0	28000	6.4	8.2	10.0	91	50	--
			4.3	28000	6.1	8.2	10.1	91	60	--
MAR 20, 73	0910	2	.3	39000	18.9	8.1	7.1	88	65	56
			1.5	39000	18.9	8.1	7.1	88	70	--
			3.0	39000	18.9	8.1	7.0	86	70	--
			4.6	39000	18.8	8.1	6.7	83	115	--
AUG 02, 73	1430	2	.3	23000	30.1	7.4	7.6	109	55	36
			1.5	23000	30.1	7.3	7.5	107	65	--
			3.0	23000	30.0	7.3	--	--	85	--
			4.3	23000	30.0	7.2	6.6	94	155	--
AUG 10, 73	0950	2	.3	16000	29.9	--	5.9	81	60	36
			1.5	16000	29.9	--	5.8	79	60	--
			3.0	18000	29.7	--	5.6	78	80	--
			4.3	20000	29.4	--	5.5	76	75	--

LINE 333

DEC 07, 71	1030	1	.5	39000	16.9	8.1	9.2	110	--	226
			.9	40000	17.1	8.1	8.2	99	--	--
			2.3	40000	17.7	8.1	7.9	96	--	--
MAR 15, 72	0930	1	.3	43000	22.1	8.0	7.0	93	--	91
			2.1	43000	22.0	8.0	6.9	92	--	--
APR 25, 72	1025	1	.3	42000	24.9	8.0	6.2	87	--	51
			2.1	42000	25.0	8.0	6.5	92	--	--
MAY 16, 72	1110	1	.3	23000	25.4	8.1	8.5	110	--	122
			1.2	28000	25.3	8.0	8.5	113	--	--
JUL 18, 72	1335	1	.3	29000	29.8	8.3	8.7	126	--	84
			.9	28000	29.9	8.3	9.5	136	--	--
SEP 21, 72	1310	1	.3	34000	30.0	8.3	10.6	156	0	--
			2.1	42000	30.3	8.2	8.7	136	--	--
DEC 13, 72	1525	1	.3	47000	7.7	--	9.3	96	--	--
			1.5	47000	7.7	--	9.7	100	--	--
			2.4	47000	7.7	--	9.7	100	--	--
MAR 20, 73	1140	1	.5	34000	17.7	8.2	9.0	106	--	38
			1.8	32000	17.7	8.2	8.9	103	--	--
MAY 15, 73	1140	1	.3	35000	22.3	8.3	9.7	126	50	51
			1.8	35000	22.3	8.3	10.3	134	60	--
AUG 02, 73	1330	1	.3	3100	28.9	8.6	10.8	140	--	33
			.8	3400	28.9	8.6	11.0	143	--	--
AUG 10, 73	1220	1	.3	5600	25.9	8.6	8.1	100	--	61
			1.5	16000	25.0	8.6	6.3	79	--	--
			2.0	20000	25.1	8.2	2.4	31	--	--
DEC 09, 71	1035	2	.5	36000	17.2	8.1	9.4	111	--	213
			.9	36000	17.1	8.1	9.6	113	--	--
			2.3	38000	16.6	8.2	10.4	122	--	--
MAR 15, 72	0940	2	.3	43000	22.2	8.1	6.8	91	--	124
			2.4	43000	22.1	8.1	7.1	95	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
APR 25, 72	1035	2	.3 2.1	41000 41000	24.9 24.8	7.9 7.9	5.8 5.8	81 81	-- --	32 --
MAY 16, 72	1115	2	.3 1.2 2.4	23000 29000 41000	25.4 25.3 25.3	8.2 8.0 7.8	8.4 7.4 5.5	109 99 77	-- -- --	130 -- --
JUL 18, 72	1340	2	.3 2.4	-- 31000	29.2 29.1	8.0 8.0	-- 2.3	-- 33	-- --	94 --
JUL 18, 72	1405	2	.3 2.4	23000 25000	29.7 29.4	8.4 8.4	8.7 6.4	123 90	-- --	71 --
SEP 21, 72	1305	2	.3 2.4	35000 42000	30.1 30.4	8.3 8.2	10.1 8.5	153 131	0 5	-- --
DEC 13, 72	1515	2	.3 1.5 2.1	47000 47000 47000	8.1 8.1 8.1	-- -- --	9.7 9.8 9.8	101 102 102	-- -- --	-- -- --
MAR 20, 73	1200	2	.5 1.5 2.1	37000 37000 37000	17.9 18.0 17.9	8.2 8.2 8.2	8.9 8.9 9.1	107 107 110	-- -- --	28 -- --
MAY 15, 73	1130	2	.3 1.5 2.1	35000 35000 35000	22.3 22.3 22.0	8.3 8.3 8.3	10.1 9.9 10.6	131 129 136	70 70 70	46 -- --
AUG 02, 73	1340	2	.3 1.2 1.8	3200 3400 6500	28.8 28.8 28.5	8.6 8.5 8.4	7.7 7.3 6.4	100 95 84	-- -- --	41 -- --
AUG 10, 73	1210	2	.3 1.8 2.1	6100 26000 27000	28.5 28.1 29.1	8.6 8.3 7.8	6.4 4.7 .6	84 65 9	-- -- --	56 -- --
DEC 09, 71	1045	3	.5 .9 2.1	34000 33000 33000	17.2 17.2 17.2	8.1 8.1 8.2	9.3 9.7 9.7	108 113 113	-- -- --	173 -- --
MAR 15, 72	1000	3	.3 2.1	43000 43000	22.5 22.5	8.2 8.2	7.1 7.4	96 100	-- --	74 --
APR 25, 72	1045	3	.3 1.8	36000 36000	24.7 24.7	8.0 8.0	6.5 6.7	88 90	-- --	33 --
MAY 16, 72	1125	3	.3 2.1	18000 38000	25.6 25.6	8.1 8.0	8.2 6.8	105 94	-- --	107 --
JUL 18, 72	1415	3	.3 2.0	20000 21000	30.0 29.9	8.5 8.5	9.0 9.1	127 128	-- --	70 --
SEP 21, 72	1255	3	.3 2.1	33000 38000	30.1 30.2	8.3 8.2	10.4 7.6	155 115	0 5	-- --
DEC 13, 72	1510	3	.3 1.8	47000 47000	8.0 8.0	-- --	9.9 10.0	103 104	-- --	-- --
MAR 20, 73	1219	3	.5 1.5	38000 38000	17.9 17.9	8.1 8.1	8.1 7.9	99 96	-- --	30 --
MAY 15, 73	1120	3	.3 1.5 2.1	35000 35000 35000	22.2 22.2 22.1	8.3 8.3 8.3	11.4 12.2 10.4	146 156 133	65 75 70	38 -- --
AUG 02, 73	1350	3	.3 .9 1.5 1.8	4400 4600 10000 12000	28.9 28.9 29.1 28.9	8.5 8.5 8.2 8.1	7.8 7.6 4.3 2.9	101 99 57 39	-- -- -- --	47 -- -- --

LINE 333 CONTINUED

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) FIELD	TEMPERATURE (DEG. C)	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)	
LINE 333 CONTINUED										
AUG 10, 73	1145	3	.3	8300	28.1	8.6	7.8	101	--	--
			1.5	22000	27.9	8.2	--	--	--	--
			2.0	22000	28.2	7.8	2.9	40	--	--
LINE 342										
DEC 08, 71	1155	1	.3	41000	15.4	8.1	9.4	109	--	165
			1.5	42000	15.3	8.1	8.8	104	--	--
			2.7	40000	15.3	8.1	8.9	103	--	--
MAR 15, 72	1040	1	.3	44000	22.1	8.2	7.0	95	--	96
			2.1	44000	22.1	8.2	7.0	95	--	--
APR 25, 72	1120	1	.3	44000	24.5	8.0	6.1	87	--	58
			2.1	44000	24.5	8.0	6.3	90	--	--
MAY 16, 72	1150	1	.3	41000	25.6	8.1	7.6	107	--	122
			1.2	41000	25.7	8.1	8.0	113	--	--
JUN 14, 72	1547	1	.3	45000	30.0	8.0	8.9	141	--	66
			1.2	45000	30.0	8.0	8.1	129	--	--
JUL 18, 72	1450	1	.3	34000	30.0	8.4	10.7	160	--	67
			.9	33000	30.3	8.4	10.9	163	--	--
SEP 21, 72	1340	1	.3	40000	30.0	8.3	9.9	152	0	--
			2.3	45000	30.3	8.3	10.3	163	0	--
DEC 13, 72	1435	1	.3	47000	8.1	--	9.7	101	--	--
			1.5	47000	8.1	--	10.0	104	--	--
			2.7	47000	8.0	--	9.7	101	--	--
MAR 20, 73	1125	1	.5	37000	17.8	8.2	8.7	105	--	64
			1.7	37000	17.8	8.2	8.5	102	--	--
MAY 15, 73	1045	1	.3	36000	21.7	8.4	10.7	137	60	56
			1.5	35000	21.5	8.4	10.5	135	50	--
			2.4	36000	21.1	8.4	11.0	141	65	--
AUG 02, 73	1430	1	.3	6200	29.4	8.6	8.4	112	--	38
			.6	6300	29.2	8.6	8.5	112	--	--
AUG 10, 73	1115	1	.3	8800	29.7	8.6	9.6	128	--	69
			1.8	19000	29.5	8.6	8.9	124	--	--
DEC 08, 71	1200	2	.3	36000	15.6	8.1	9.4	109	--	178
			1.8	38000	15.7	8.1	9.7	113	--	--
MAR 15, 72	1025	2	.3	43000	22.3	8.2	7.0	95	--	95
			2.4	43000	22.3	8.2	7.0	95	--	--
APR 25, 72	1105	2	.3	41000	24.8	8.0	6.3	88	--	37
			2.4	41000	24.7	8.0	6.7	90	--	--
MAY 16, 72	1145	2	.3	29000	25.8	8.1	7.7	104	--	147
			1.2	33000	25.6	8.1	7.7	105	--	--
			2.4	41000	25.5	8.0	7.6	107	--	--
JUN 14, 72	1540	2	.3	43000	29.9	8.0	7.7	120	--	76
			2.4	43000	29.9	7.9	7.6	119	--	--
JUL 18, 72	1437	2	.3	28000	29.7	8.4	8.5	123	--	97
			2.4	28000	29.9	8.4	9.3	135	--	--
SEP 21, 72	1330	2	.3	36000	30.2	8.3	12.6	191	0	--
			2.4	42000	30.2	8.3	9.8	153	0	--
DEC 13, 72	1445	2	.3	47000	8.1	--	10.1	105	--	--

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 342 CONTINUED										
DEC 13, 72	1445	2	1.5	47000	8.1	--	10.1	105	--	--
			2.4	47000	8.1	--	10.2	106	--	--
MAR 20, 73	1109	2	.5	38000	17.8	8.2	8.8	107	--	43
			1.5	38000	17.9	8.2	8.8	107	--	--
			2.1	38000	17.8	8.2	8.5	104	--	--
MAY 15, 73	1100	2	.3	33000	21.8	8.4	10.8	138	50	56
			1.5	33000	21.7	8.4	11.1	142	50	--
			2.1	33000	21.4	8.4	11.8	149	50	--
AUG 02, 73	1415	2	.3	4400	29.1	8.6	8.6	112	--	51
			1.2	4400	29.1	8.6	8.5	110	--	--
			1.7	4400	29.1	8.6	8.4	109	--	--
			2.0	4600	29.1	8.6	8.0	104	--	--
			2.1	10000	29.1	8.3	5.2	68	--	--
AUG 10, 73	1120	2	.3	7700	29.0	8.6	10.0	132	--	64
			1.1	8800	28.8	8.6	9.6	126	--	--
			1.8	21000	28.0	8.4	8.3	114	--	--
			2.1	31000	28.5	7.9	1.8	26	--	--
DEC 08, 71	1205	3	.3	38000	15.7	8.1	9.5	110	--	168
			1.8	37000	15.8	8.1	9.9	114	--	--
MAR 15, 72	1010	3	.3	45000	22.7	8.2	7.1	97	--	89
			1.8	45000	22.6	8.2	7.0	96	--	--
APR 25, 72	1100	3	.3	41000	24.6	8.0	6.4	89	--	36
			1.8	41000	24.7	8.0	6.8	94	--	--
MAY 16, 72	1135	3	.3	28000	25.7	8.1	8.1	108	--	173
			.9	30000	25.6	8.2	7.9	107	--	--
			2.1	41000	25.7	8.1	7.9	108	--	--
MAY 22, 72	1515	3	.3	3700	26.6	8.3	8.6	108	--	--
			2.1	3700	26.6	8.3	9.1	114	--	--
JUN 14, 72	1530	3	.3	44000	30.0	7.9	7.6	121	--	80
			2.1	41000	30.3	7.8	7.1	109	--	--
JUL 18, 72	1425	3	.3	23000	29.8	8.4	10.4	149	--	84
			2.1	27000	29.7	8.4	10.3	149	--	--
SEP 21, 72	1320	3	.3	35000	30.1	8.3	9.6	145	0	--
			2.1	35000	30.1	8.2	8.8	133	5	--
DEC 13, 72	1500	3	.3	47000	8.1	--	9.9	103	--	--
			1.5	47000	8.1	--	9.9	103	--	--
			2.1	47000	8.1	--	10.1	105	--	--
MAR 20, 73	1100	3	.5	38000	17.8	8.2	8.9	109	--	76
			1.5	38000	17.8	8.2	8.6	105	--	--
			2.1	40000	17.7	8.2	8.2	100	--	--
MAY 15, 73	1110	3	.3	33000	22.0	8.4	11.0	141	40	74
			1.8	35000	21.8	8.4	10.8	138	40	--
AUG 02, 73	1405	3	.3	9800	29.1	8.4	5.9	78	--	84
			1.2	9500	29.0	8.3	5.4	71	--	--
			1.8	12000	29.0	8.2	3.7	49	--	--
AUG 10, 73	1135	3	.3	11000	29.7	8.7	9.3	124	--	48
			1.5	24000	28.1	8.4	8.2	112	--	--
			1.8	22000	28.8	8.0	2.8	39	--	--
LINE 354										
DEC 08, 71	1135	1	.3	42000	15.4	8.1	9.0	106	--	152

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME (EST)	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY DISK (CM)	
LINE 354 CONTINUED										
DEC 06, 71	1135	1	2.1	40000	15.5	8.1	9.1	106	--	--
MAR 15, 72	1055	1	.3 2.4	45000 45000	22.2 22.4	8.3 8.3	7.0 6.9	95 93	-- --	71 --
APR 25, 72	1140	1	.3 2.1	46000 46000	24.7 24.6	8.0 8.0	6.5 6.7	93 96	-- --	81 --
MAY 16, 72	1205	1	.3 1.5 2.7	41000 41000 41000	25.7 25.6 25.8	8.1 8.1 8.1	7.5 7.4 7.5	106 104 107	-- -- --	117 -- --
JUL 18, 72	1505	1	.3 1.5	41000 41000	29.9 29.6	8.3 8.2	7.7 6.9	118 98	-- --	114 --
SEP 21, 72	1355	1	.3 2.6	49000 47000	29.9 29.7	8.3 8.2	10.0 7.4	161 117	20 65	-- --
DEC 13, 72	1415	1	.3 1.5 2.1	47000 47000 47000	8.1 8.1 8.0	-- -- --	9.8 10.3 10.1	102 107 105	-- -- --	-- -- --
MAR 20, 73	1019	1	.5 1.5 2.7	40000 40000 40000	17.8 17.9 17.9	8.2 8.2 8.2	8.8 8.8 8.5	107 107 109	-- -- --	74 -- --
MAY 15, 73	1030	1	.3 1.5 2.1	36000 36000 36000	21.4 21.4 21.7	8.4 8.4 8.5	-- -- --	-- -- --	50 60 50	66 -- --
AUG 02, 73	1445	1	.3 1.2 2.1	13000 13000 13000	29.6 29.5 29.2	8.6 8.6 8.6	8.8 9.0 9.1	119 122 121	-- -- --	84 -- --
AUG 10, 73	1055	1	.3 1.1 1.8 2.1	16000 17000 26000 30000	29.1 28.9 28.7 28.9	8.6 8.5 8.3 8.0	9.1 9.0 6.8 4.6	123 123 96 67	-- -- -- --	117 -- -- --
DEC 06, 71	1130	2	.5 1.8	42000 40000	16.2 16.4	8.1 8.1	9.0 9.4	107 112	-- --	155 --
MAR 15, 72	1100	2	.3 2.1	45000 45000	22.2 22.3	8.3 8.3	7.2 7.1	97 96	-- --	95 --
MAY 16, 72	1210	2	.3 .9 2.1	39000 39000 32000	25.8 25.7 25.7	8.2 8.2 8.1	8.2 8.2 8.0	115 114 108	-- -- --	155 -- --
JUL 18, 72	1510	2	.3 2.1	38000 38000	29.7 29.8	8.3 8.3	8.3 8.2	126 129	-- --	178 --
SEP 21, 72	1400	2	.3 2.3	47000 48000	29.7 29.9	8.3 8.3	9.0 9.3	142 150	10 15	-- --
DEC 13, 72	1410	2	.3 1.8	47000 47000	8.4 8.4	-- --	10.1 9.9	106 104	-- --	-- --
MAR 20, 73	1007	2	.5 1.8	38000 38000	17.8 17.7	8.2 8.2	9.0 8.7	110 105	-- --	91 --
MAY 15, 73	1020	2	.3 1.5 2.1	36000 36000 36000	21.7 21.7 21.8	8.5 8.5 8.5	-- -- --	-- -- --	45 45 50	56 -- --
AUG 02, 73	1455	2	.3 1.2 1.8	9000 10000 16000	29.5 29.3 29.7	8.7 8.6 8.6	8.7 8.9 8.3	116 119 114	-- -- --	84 -- --
AUG 10, 73	1045	2	.3	13000	29.4	8.6	9.6	130	--	91

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK 1CM)
AUG 10, 73	1045	2	1.2	19000	29.9	8.4	7.5	104	--	--
			1.5	32000	29.1	8.1	4.7	68	--	--
DEC 08, 71	1120	3	.3	42000	16.2	8.1	8.8	105	--	152
			1.8	41000	16.3	8.1	9.0	107	--	--
APR 25, 72	1150	3	.3	49000	24.8	8.4	8.1	119	--	91
			.6	48000	24.7	8.3	8.0	114	--	--
			.9	49000	24.8	8.6	9.2	135	--	--
MAY 16, 72	1220	3	.3	41000	26.7	8.3	--	--	--	152
			1.5	41000	25.7	8.2	--	--	--	--
JUL 18, 72	1517	3	.3	41000	30.0	8.4	11.2	172	--	122
			1.2	41000	30.0	8.4	11.3	174	--	--
SEP 21, 72	1410	3	.3	47000	29.8	8.3	9.2	148	5	--
			1.1	47000	30.0	8.4	13.5	218	15	--
DEC 13, 72	1405	3	.3	46000	8.8	--	10.5	109	--	--
			1.5	46000	8.7	--	10.7	111	--	--
MAR 20, 73	1000	3	.5	38000	17.2	8.2	8.5	101	--	15
			.9	38000	17.2	8.2	8.4	100	--	--
MAY 15, 73	1010	3	.3	36000	21.8	8.5	7.6	97	40	56
			1.8	36000	21.8	8.5	7.6	97	50	--
AUG 02, 73	1500	3	.3	6300	29.3	8.7	8.7	116	--	60
			.9	7500	29.3	8.7	9.0	120	--	--
AUG 10, 73	1035	3	.3	12000	29.8	8.5	9.3	127	--	97
			1.2	13000	29.5	8.5	9.2	124	--	--
			1.5	17000	29.6	8.1	5.1	71	--	--
DEC 08, 71	1110	4	.3	42000	15.6	8.0	8.9	106	0	142
			1.8	40000	15.7	8.0	8.7	102	10	--
MAR 15, 72	1140	4	.3	45000	22.3	8.3	6.9	93	--	112
			2.1	45000	22.3	8.3	7.1	96	--	--
APR 25, 72	1200	4	.3	45000	24.8	8.1	6.1	87	--	46
			1.5	46000	24.8	8.1	6.1	87	--	--
			2.1	46000	24.8	8.1	6.2	69	--	--
MAY 16, 72	1255	4	.3	41000	26.3	8.2	--	--	--	152
			2.4	42000	26.1	8.1	--	--	--	--
JUL 18, 72	1521	4	.3	39000	29.9	8.3	7.6	115	--	157
			2.4	41000	29.9	8.3	7.2	111	--	--
SEP 21, 72	1415	4	.3	47000	29.6	8.3	8.9	141	0	--
			2.4	52000	29.4	8.3	8.1	131	0	--
DEC 13, 72	1355	4	.3	47000	8.6	--	10.7	113	--	--
			1.8	47000	8.5	--	10.8	114	--	--
MAR 20, 73	0950	4	.5	38000	17.8	8.2	9.1	111	--	84
			1.5	38000	17.7	8.2	9.2	111	--	--
			2.1	37000	17.7	8.2	8.9	106	--	--
MAY 15, 73	1000	4	.3	37000	21.7	8.5	9.7	124	35	59
			1.8	37000	21.6	8.5	9.5	122	45	--
AUG 02, 73	1510	4	.3	6000	29.7	8.7	8.5	113	--	--
			1.2	6000	29.1	8.7	8.9	117	--	--
			1.8	17000	30.0	8.5	7.3	101	--	--
AUG 10, 73	1025	4	.3	13000	29.8	8.5	9.1	125	--	108

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	(TIME)	(SITE)	(METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)	
LINE 354 CONTINUED											
AUG 10, 73	1025	4	1.2	17000	29.3	8.5	9.1	125	--	--	
			1.8	36000	29.0	8.1	5.7	89	--	--	
DEC 08, 71	1100	5	.5	40000	16.0	8.0	9.1	107	--	152	
			1.5	40000	15.9	8.0	9.2	108	--	--	
			3.0	38000	15.9	7.9	9.1	106	--	--	
MAR 15, 72	1150	5	.3	45000	22.4	8.3	6.7	91	--	89	
			1.8	45000	22.6	8.3	6.5	89	--	--	
APR 25, 72	1215	5	.6	45000	24.8	8.5	6.1	87	--	51	
			2.1	45000	24.8	8.5	6.1	87	--	--	
MAY 16, 72	1305	5	.3	41000	26.4	8.2	--	--	--	155	
			2.1	41000	26.2	8.2	--	--	--	--	
JUL 18, 72	1530	5	.3	29000	30.0	8.4	8.3	120	--	109	
			2.1	36000	29.8	8.4	7.5	119	--	--	
SEP 21, 72	1430	5	.3	45000	29.8	8.3	9.8	156	0	--	
			2.1	47000	29.9	8.3	10.2	165	25	--	
DEC 13, 72	1350	5	.3	47000	8.7	--	11.0	117	--	--	
			1.5	47000	8.3	--	10.9	115	--	--	
MAR 20, 73	0940	5	.5	37000	17.5	8.2	8.8	105	--	99	
			1.5	37000	17.3	8.2	8.6	102	--	--	
			2.1	37000	17.2	8.2	8.3	98	--	--	
MAY 15, 73	0950	5	.3	36000	21.6	8.4	9.7	124	35	56	
			1.5	36000	21.4	8.4	10.0	128	35	--	
			3.0	33000	21.4	8.4	10.0	127	50	--	
AUG 02, 73	1525	5	.3	14000	29.9	8.6	7.4	101	--	--	
			1.8	14000	30.0	8.4	6.1	84	--	--	
AUG 10, 73	1015	5	.3	14000	30.1	8.5	6.6	118	--	47	
			.9	16000	29.9	8.5	8.9	122	--	--	
			1.8	23000	29.8	8.0	5.2	74	--	--	
LINE 360											
MAR 15, 72	1210	3	.3	43000	21.5	8.4	7.5	99	--	88	
			1.5	43000	21.4	8.4	7.4	97	--	--	
			7.3	42000	21.5	8.4	7.2	95	--	--	
APR 25, 72	1330	3	.3	44000	25.3	8.1	6.6	96	--	128	
			1.5	44000	25.3	8.1	6.6	96	--	--	
			3.0	45000	25.3	8.1	6.7	97	--	--	
			4.6	45000	25.4	8.1	6.7	97	--	--	
			6.4	45000	25.5	8.1	6.9	100	--	--	
MAY 16, 72	1410	3	.3	37000	26.3	8.3	--	--	--	109	
			1.5	37000	25.9	8.2	--	--	--	--	
			3.0	37000	25.8	8.2	--	--	--	--	
			4.6	37000	25.7	8.2	--	--	--	--	
			6.1	37000	25.8	8.2	--	--	--	--	
			7.6	37000	25.9	8.2	--	--	--	--	
JUL 18, 72	1555	3	.3	54000	30.0	8.3	7.8	130	--	79	
			1.5	54000	30.1	8.3	7.8	130	--	--	
			3.0	39000	30.0	8.2	8.0	121	--	--	
			3.0	54000	30.0	8.3	7.4	123	--	--	
			4.6	54000	30.1	8.3	7.8	130	--	--	
			6.7	44000	30.0	8.3	8.2	130	--	--	
			6.7	54000	30.1	8.3	7.4	123	--	--	
DEC 13, 72	1325	3	.3	44000	9.0	--	10.8	112	--	--	

TABLE 6A--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 360 CONTINUED										
DEC 13, 72	1325	3	1.5	44000	9.1	--	11.2	117	--	--
			3.0	44000	9.1	--	11.4	119	--	--
			4.6	44000	9.2	--	11.2	117	--	--
			6.1	44000	9.1	--	11.0	115	--	--
MAR 20, 73	0915	3	.3	40000	16.3	8.3	9.3	111	--	94
			1.5	40000	16.3	8.3	9.3	111	--	--
			3.0	40000	16.4	8.3	9.3	111	--	--
			4.6	40000	16.5	8.3	9.5	113	--	--
			6.1	40000	16.4	8.3	8.9	106	--	--
AUG 02, 73	1540	3	.3	9000	29.4	8.7	7.6	101	--	60
			1.5	9000	29.3	8.7	7.5	100	--	--
			3.0	9500	29.2	8.7	7.3	96	--	--
			4.6	26000	29.1	8.7	6.8	96	--	--
			6.1	26000	29.1	8.7	6.8	96	--	--
AUG 10, 73	0955	3	.3	39000	28.6	8.1	8.0	121	--	--
			1.5	42000	28.3	8.0	8.1	123	--	--
			3.0	42000	28.2	8.0	8.1	121	--	--
			4.6	42000	28.4	8.0	7.6	115	--	--
			6.1	42000	28.7	7.9	7.5	114	--	--
LINE 601										
MAY 22, 72	1150	2	.5	690	27.5	7.9	8.7	109	--	--
JUN 14, 72	1025	2	.6	1000	27.8	8.1	8.5	108	--	25
JUL 17, 72	1545	2	.3	1200	31.2	8.3	11.8	157	--	22
LINE 603										
MAY 15, 72	1415	2	.8	810	28.9	8.2	7.5	96	--	--
MAY 22, 72	1205	2	.6	600	27.4	8.2	9.2	115	--	--
JUN 14, 72	1035	2	.6	1000	--	--	--	--	--	30
JUL 17, 72	1530	2	.3	1500	31.5	8.0	11.1	150	--	25
LINE 605										
MAY 15, 72	1430	2	.7	2300	29.9	8.2	13.6	177	--	--
MAY 22, 72	1220	2	.5	870	27.2	8.2	10.4	128	--	--
JUN 14, 72	1050	2	.5	880	28.0	7.8	8.0	101	--	30
JUL 17, 72	1515	2	.3	1200	30.8	8.1	11.1	148	--	28
LINE 606										
MAY 15, 72	1500	2	.7	830	29.1	7.6	7.8	100	--	--
MAY 22, 72	1230	2	.5	550	27.4	8.2	9.9	124	--	--
JUN 14, 72	1020	2	.5	1000	27.8	8.2	9.2	116	--	23
JUL 17, 72	1500	2	.5	970	30.6	8.2	12.4	165	--	29

TABLE 66--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	PHOS-	TOTAL	CHLORINE	CHLORINE	TOTAL
				SOLVED SILICA (SiO ₂) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	PHOS- ORTHO (P) (MG/L)	PHOS- (P) (MG/L)	(O ₂) (MG/L)	(O ₂) (MG/L)	ORGANIC CARBON (MG/L)		
LINE 10														
DEC 06, 71	1555	2	.3 4.0	20.0 20.0	.0 .0	.00 .00	.00 .01	.00 .05	.00 .06	1.7 1.6	1.0 3.0	--	--	--
MAR 14, 72	1650	2	.3 4.6	25.0 26.0	.0 .0	.04 .08	.00 .00	.02 .02	.02 .02	.5 2.3	-- 5.0	--	--	--
APR 26, 72	1045	2	.3 4.3	22.0 22.0	.0 .0	.13 .35	.00 .00	.00 .00	.05 .07	1.6 1.0	6.0 7.0	--	--	--
MAY 15, 72	1525	2	.3 4.3	21.0 23.0	.1 .1	.08 .13	.01 .01	.04 .04	.04 .06	2.9 2.0	4.0 4.0	--	--	--
JUL 17, 72	1705	2	.3 4.3	23.0 23.0	.0 .0	.00 .00	.00 .01	.01 .02	.03 .07	1.3 .5	14.0 5.0	--	--	--
DEC 11, 72	1300	2	.3 4.0	18.0 18.0	.0 .0	.01 .04	.00 .00	.01 .01	.01 .01	2.2 1.5	-- --	--	--	--
MAR 19, 73	1220	2	.3 3.7	21.0 21.0	.0 .0	.00 .00	.00 .00	.00 .00	.04 .07	.2 .2	-- --	--	--	--
AUG 02, 73	1005	2	.3 3.7	22.0 21.0	.0 .0	.00 .00	.00 .01	.03 .02	.03 .04	.8 .9	-- --	--	--	--
LINE 50														
MAY 15, 72	1820	2	.3	13.0	1.0	.24	.01	.39	.39	2.4	--	--	--	--
AUG 02, 73	1110	2	.3 3.7	15.0 14.0	.0 .0	.00 .00	.00 .00	.03 .03	.04 .04	1.3 1.3	-- --	--	--	--
AUG 10, 73	1100	2	.3 4.0	14.0 14.0	.2 .3	.02 .01	.00 .00	.05 .06	.05 .06	.3 1.0	-- --	--	--	--
LINE 52														
MAY 15, 72	1700	2	.8	9.7	.1	--	--	--	--	--	--	--	--	--
LINE 80														
DEC 06, 71	1345	2	.3 4.0	11.0 6.0	.6 .2	.18 .10	.02 .01	.08 .06	.09 .07	2.2 2.6	26.0 31.0	--	--	--
MAR 14, 72	1630	2	.3 4.0	7.0 7.3	.0 .0	.09 .08	.00 .00	.00 .05	.10 .05	.7 1.3	43.0 40.0	--	--	--
APR 26, 72	0902	2	.3 3.4	5.6 6.1	.0 .0	.26 .25	.00 .00	.00 .00	.14 .15	2.0 2.0	32.0 34.0	--	--	--
MAY 15, 72	1745	2	.3 4.0	12.0 5.3	.4 .1	.40 .23	.01 .02	.17 .03	.17 .11	2.6 1.9	20.0 20.0	--	--	--
JUL 17, 72	1850	2	.3 3.7	13.0 12.0	.0 .0	.00 .00	.01 .01	.05 .05	.10 .11	1.9 2.2	23.0 23.0	--	--	--
SEP 20, 72	1430	2	.3 4.0	15.0 15.0	.0 .0	.00 .00	.00 .00	.07 .07	.07 .07	4.4 4.7	16.0 23.0	--	--	--
DEC 12, 72	0925	2	.3 3.4	9.2 2.9	.1 .1	.14 .06	.01 .00	.03 .04	.03 .04	3.4 3.1	-- --	--	--	--
MAR 19, 73	1425	2	.3 3.4	4.7 4.4	.1 .1	.06 .06	.02 .02	.00 .00	.10 .09	2.7 2.0	-- --	--	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME (HOURS)	DEPTH (METERS)	DIS-SOLVED SILICA (MG/L)	TOTAL NITRATE (MG/L)	AMMONIA NITROGEN (MG/L)	TOTAL NITRITE (MG/L)	DIS-SOLVED PHOS-ORPHO (MG/L)	TOTAL PHOS-ORPHO (MG/L)	DIOXID-ORPHO (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 80 CONTINUED												
MAY 15, 73	1315	2	.3 3.7	12.0 9.4	.1 .0	.03 .13	.02 .00	.15 .15	.21 .67	2.5 2.2	-- --	18.0 34.0
AUG 02, 73	1145	2	.3 3.4	15.0 15.0	.0 .0	.00 .00	.05 .05	.08 .12	1.3 1.6	-- --	-- --	-- --
AUG 10, 73	1025	2	.3 4.0	13.0 13.0	.3 .2	.02 .03	.00 .00	.06 .06	.08 .16	2.6 2.9	-- --	-- --
LINE 145												
DEC 07, 71	1330	2	.3 3.4	12.0 12.0	5.0 5.2	.00 .06	.07 .06	.62 .61	.62 .62	2.2 2.3	19.0 --	-- --
MAR 14, 72	0945	2	.3 2.7	13.0 13.0	1.9 1.6	.10 .08	.03 .04	.60 .60	.60 .60	.9 1.5	-- 7.0	-- --
APR 24, 72	1320	2	.3 2.1	13.0 13.0	1.8 1.6	.06 .06	.03 .04	.42 .60	1.10 .80	1.5 1.9	14.0 14.0	-- --
JUL 17, 72	1230	2	.3 2.7	15.0 16.0	.7 .6	.00 .00	.02 .01	.30 .30	.40 .41	3.0 1.1	23.0 13.0	-- --
SEP 20, 72	1605	2	.3 1.8	15.0 15.0	.8 .7	.00 .00	.00 .00	.60 .60	.68 .68	2.2 2.9	3.0 --	-- --
DEC 13, 72	1015	2	.3 1.5	14.0 15.0	3.3 3.4	.04 .03	.01 .01	.50 .62	.58 .62	2.9 2.0	-- --	-- --
MAR 19, 73	1620	2	.3 2.4	14.0 13.0	2.7 2.6	.03 .02	.02 .02	.63 .63	.75 .73	.5 .4	-- --	-- --
MAY 15, 73	1055	2	.3 3.0	15.0 14.0	1.6 1.7	.04 .11	.01 .00	.45 .44	.62 .65	1.2 1.3	-- --	-- --
AUG 02, 73	1340	2	.3 4.6	14.0 14.0	1.1 .9	.00 .00	.01 .01	.15 .15	.35 .37	1.1 1.2	-- --	-- --
AUG 10, 73	1400	2	.3 5.2	14.0 13.0	1.7 1.7	.00 .00	.01 .01	.21 .21	.38 .38	.7 .5	-- --	-- --
LINE 170												
SEP 20, 72	1705	2	.3 2.7	14.0 14.0	1.2 1.3	.00 .00	.01 .01	.61 .60	.61 .60	2.5 2.5	-- --	-- --
MAY 15, 73	1630	2	.3 3.0	15.0 15.0	1.5 1.4	.09 .08	.00 .00	.41 .42	.53 .71	.9 1.0	-- --	-- --
AUG 02, 73	1430	2	.3 3.0	14.0 14.0	1.1 1.1	.00 .00	.01 .01	.14 .14	.39 .39	1.2 1.2	-- --	-- --
AUG 10, 73	1325	2	.3 3.0	13.0 13.0	1.6 1.6	.00 .02	.01 .01	.20 .20	.35 .35	.7 .7	-- --	-- --
LINE 200												
DEC 07, 71	1120	2	.9	12.0	2.5	.05	.02	.25	.25	1.3	17.0	--
MAR 14, 72	1130	2	.9	13.0	1.2	.11	.02	.02	.57	2.5	3.0	--
APR 24, 72	1445	2	.3	12.0	.4	.10	.02	.60	.70	3.8	--	--
MAY 15, 72	1300	2	.3	9.3	.7	.10	.02	.07	.17	1.9	--	--
JUL 17, 72	1412	2	.3	15.0	.6	.02	.01	.26	.30	1.2	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL NITRATE (N)		AMMONIA NITROGEN (N)		TOTAL NITRITE (N)		DIS- SOLVED PHOS- PHORUS (P)		BIO- CHEMICAL OXYGEN DEMAND (BOD)		CHEMICAL OXYGEN DEMAND (COD)		TOTAL ORGANIC CARBON	
				(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 200 CONTINUED

SEP 20, 72	1728	2	.3	14.0	.6	.00	.00	.45	.45	1.6	--	--
DEC 12, 72	1100	2	.3	13.0	2.9	.05	.01	.72	.72	2.5	--	--
MAR 19, 73	1520	2	.3	14.0	.1	.04	.02	.49	.53	1.0	--	--
MAY 15, 73	1610	2	.3	12.0	.5	.12	.00	.15	.30	2.2	--	--
AUG 02, 73	1240	2	.3	13.0	.3	.00	.01	.09	.14	1.5	--	--
AUG 10, 73	1310	2	.3	13.0	.8	.02	.02	.12	.15	.5	--	--

LINE 225

DEC 07, 71	1055	1	.9	10.0	.6	.02	.03	.11	.12	1.4	--	--
MAR 14, 72	1210	1	.9	12.0	.8	.08	.04	.55	.55	.4	--	--
APR 24, 72	1540	1	.3 .9	10.0 8.6	.0 .2	.07 --	.01 --	.50 --	.58 --	1.1 --	--	--
MAY 15, 72	1205	1	.3	8.5	.6	.13	.02	.01	.17	1.8	--	--
JUL 17, 72	1450	1	.3	14.0	.9	.00	.01	.22	.24	1.9	--	--
DEC 12, 72	1000	1	.3	11.0	.6	.08	.01	.50	.75	3.0	--	--
MAR 19, 73	1458	1	.3	12.0	.8	.10	.02	.41	.45	.7	--	--
DEC 07, 71	1045	2	.9	12.0	3.2	.02	.03	.24	.25	1.1	--	--
MAR 14, 72	1230	2	.9	12.0	1.1	.11	.04	.58	.58	.5	--	--
APR 24, 72	1530	2	.3	9.8	.0	.08	.00	.48	.60	8.5	--	--
DEC 12, 72	0950	2	.3	10.0	1.3	.06	.01	.55	.55	2.3	--	--
MAR 19, 73	1450	2	.3	13.0	2.0	.05	.02	.55	.56	.9	--	--

LINE 236

DEC 07, 71	1015	2	.9	8.9	.6	.02	.01	.15	.15	2.0	--	--
MAR 14, 72	1500	2	1.1	8.4	.5	.11	.00	.27	.32	2.4	31.0	--
APR 24, 72	1303	2	.3	4.3	.0	.17	.02	.20	.23	4.0	--	--
MAY 15, 72	1307	2	.3	6.0	.3	.15	.02	.24	.24	2.1	--	--
JUL 17, 72	1335	2	.3	10.0	.0	.08	.01	.14	.22	3.3	--	--
DEC 12, 72	1220	2	.3	6.8	.7	.03	.01	.17	.24	3.2	--	--
MAR 19, 73	1535	3	.9	6.5	.2	.00	.03	.20	.27	1.8	--	--

LINE 243

DEC 12, 72	1310	4	.3 .9	6.1 6.4	.8 .6	.06 .06	.01 .01	.16 .19	.22 .20	3.6 3.8	--	--
DEC 07, 71	0915	5	.3 1.2	12.0 8.2	3.3 .9	.04 .00	.04 .03	.20 .09	.23 .10	1.0 1.4	--	--
MAR 14, 72	1335	5	.3 1.2	3.4 3.5	.1 .0	.14 .13	.00 .00	.15 .10	.19 .60	2.0 2.5	--	--
APR 24, 72	1443	5	.3	9.0	.0	.20	.00	.36	.38	5.9	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DISELVED		TOTAL AMMONIA		TOTAL PHOS-		BIO-		CHEMICAL	
				SILICA (SI O ₂) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	ORTHO (P) (MG/L)	TOTAL PHOS- (P) (MG/L)	CHEMICAL OXYGEN (BOD) (MG/L)	CHEMICAL OXYGEN (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)	

LINE 243 CONTINUED

APR 24, 72	1493	5	1.2	7.1	.0	.14	.00	.29	.31	4.3	--	--
MAY 15, 72	1503	5	.3 1.5	11.0 9.5	.5 .4	.20 .16	.02 .02	.16 .16	.16 .16	2.0 1.8	-- --	-- --
JUL 17, 72	1205	5	.3 1.2	14.0 12.0	.8 .9	.12 .21	.01 .01	.27 .27	.33 .37	1.7 1.9	-- --	-- --
SEP 21, 72	1205	5	.3 .9	14.0 12.0	.0 .0	.13 .00	.00 .00	.21 .19	.22 .19	2.8 3.5	5.0 8.0	-- --
DEC 12, 72	1250	5	.3 1.2	9.2 6.0	1.1 .8	.06 .08	.01 .01	.32 .11	.32 .11	2.7 3.1	-- --	-- --
MAR 19, 73	1420	5	.3 1.2	8.2 7.9	.8 .9	.04 .03	.02 .02	.23 .22	.28 .28	1.5 1.9	-- --	-- --
MAY 15, 73	1430	5	.3 1.2	15.0 15.0	1.0 .9	.08 .03	.00 .00	.42 .38	.47 .42	.7 1.6	-- --	16.0 13.0
AUG 02, 73	0955	5	.3 .9	12.0 12.0	.0 .0	.00 .00	.01 .01	.05 .05	.06 .06	1.0 .6	-- --	-- --
DEC 07, 71	0940	7	.3 1.2	12.0 7.5	.8 .4	.00 .00	.02 .02	.20 .10	.21 .10	.9 1.6	-- --	-- --
MAR 14, 72	1400	7	.3 1.2	8.8 7.7	.6 .4	.07 .06	.00 .00	.34 .14	.34 .64	.9 1.4	-- --	-- --
APR 24, 72	1406	7	.3 1.2	7.4 --	.0 --	.17 --	.00 --	.27 --	.27 --	4.5 3.6	-- --	-- --
APR 24, 72	1507	7	1.2	7.3	.0	.17	.00	.28	.28	4.1	--	--
MAY 15, 72	1400	7	.3 1.5	9.1 8.4	.7 .5	.12 .12	.01 .03	.25 .30	.25 .30	2.1 1.9	-- --	-- --
JUL 17, 72	1220	7	.3 1.2	15.0 15.0	.5 .6	.00 .00	.01 .02	.21 .21	.26 .27	1.7 2.1	-- --	-- --
DEC 12, 72	1255	7	.3 .9	5.1 4.9	.5 .4	.06 .06	.01 .01	.09 .09	.09 .09	3.9 3.6	-- --	-- --
MAR 19, 73	1605	7	.3 1.2	12.0 10.0	.9 .6	.02 .06	.01 .01	.36 .32	.40 .50	1.1 1.7	-- --	-- --
AUG 02, 73	0945	7	.3 .9	14.0 14.0	.6 .4	.00 .00	.01 .01	.12 .12	.20 .20	.7 .6	-- --	-- --
AUG 10, 73	1600	7	.3 .9	14.0 12.0	.9 .8	.03 .01	.01 .01	.20 .20	.22 .22	1.5 1.3	-- --	-- --

LINE 254

DEC 07, 71	1325	2	.3 3.4	6.9 3.7	.3 .0	.03 .08	.04 .02	.09 .03	.10 .04	1.7 1.6	-- --	-- --
MAR 14, 72	1455	2	.3 1.4	1.5 2.5	.0 .0	.02 .04	.00 .00	.00 .00	.05 .06	2.4 3.0	-- --	-- --
APR 25, 72	0848	2	.3 1.5	5.2 4.7	.0 .0	.28 .20	.00 .00	.07 .06	.11 .10	1.9 1.8	-- --	-- --
MAY 16, 72	0840	2	.3 1.8	8.8 7.9	.5 .3	.16 .17	.03 .02	.16 .12	.16 .17	2.1 2.4	-- --	-- --
JUL 17, 72	1750	2	.3 1.5	7.8 7.9	.0 .0	.05 .01	.00 .01	.11 .11	.13 .22	1.4 1.3	-- --	-- --

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972) AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	OXYGEN	OXYGEN	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	SOLVED PHOS- PHOS- ORTHO (P) (MG/L)	PHOS- PHOS- (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)		
LINE 254 CONTINUED														
DEC 12, 72	0830	2	.3	3.9	.1	.05	.00	.05	.05	3.9	--	--	--	--
			.9	4.3	.1	.06	.00	.05	.05	5.4	--	--	--	--
MAR 19, 73	1045	2	.3	4.1	.1	.04	.01	.09	.16	1.2	--	--	--	--
			1.2	3.5	.0	.05	.00	.06	.29	.9	--	--	--	--
AUG 02, 73	1110	2	.3	14.0	.0	.00	.00	.08	.14	.5	--	--	--	--
			1.2	13.0	.0	.00	.00	.09	.16	1.0	--	--	--	--
LINE 264														
SEP 21, 72	1255	2	.3	11.0	.0	.00	.00	.14	.14	2.4	3.0	--	--	--
MAY 15, 73	1240	2	.3	9.4	.0	.10	.00	.16	.28	1.9	--	--	20.0	--
AUG 02, 73	1130	2	.3	13.0	.0	.00	.00	.05	.07	.7	--	--	--	--
AUG 10, 73	1500	2	.3	12.0	.2	.02	.00	.11	.11	1.6	--	--	--	--
DEC 07, 71	1445	4	.3	8.6	.3	.00	.02	.09	.11	1.6	--	--	--	--
			1.2	9.1	.3	.00	.01	.09	.09	1.9	--	--	--	--
MAR 14, 72	1535	4	.5	1.3	.0	.03	.00	.00	.12	2.0	38.0	--	--	--
			1.2	1.4	.0	.03	.00	.00	.10	1.5	--	--	--	--
APR 25, 72	1013	4	.3	5.0	.0	.07	.00	.08	.18	.9	48.0	--	--	--
			1.8	5.2	.0	.50	.00	.10	.15	.2	--	--	--	--
MAY 16, 72	0935	4	.3	14.0	.6	.18	.01	.23	.23	2.0	11.0	--	--	--
			1.8	9.7	.6	.29	.02	.22	.22	2.0	--	--	--	--
JUL 17, 72	1415	4	.3	7.5	.0	.06	.00	.09	.11	1.8	26.0	--	--	--
			1.8	6.5	.0	.00	.00	.08	.11	1.5	--	--	--	--
SEP 21, 72	1325	4	.3	12.0	.0	.00	.00	.14	.15	2.5	--	--	--	--
			1.8	11.0	.0	.00	.00	.13	.13	2.2	--	--	--	--
DEC 12, 72	1155	4	.3	4.8	.6	.05	.01	.09	.09	2.4	--	--	--	--
			.9	4.7	.7	.05	.01	.09	.09	2.8	--	--	--	--
MAR 19, 73	1505	4	.3	7.6	.3	.06	.02	.23	.27	1.1	--	--	--	--
			1.5	3.7	.0	.10	.01	.08	.12	.6	--	--	--	--
MAY 15, 73	1210	4	.3	10.0	.0	.04	.00	.20	.34	1.9	--	--	--	--
			1.5	10.0	.0	.00	.00	.20	.34	1.9	--	--	--	--
AUG 02, 73	1150	4	.3	14.0	.1	.01	.01	.09	.14	.6	--	--	--	--
			1.5	14.0	.1	.00	.01	.09	.14	.5	--	--	--	--
AUG 10, 73	1520	4	.3	11.0	.3	.03	.01	.10	.15	1.5	--	--	--	--
			1.2	12.0	.3	.07	.02	.12	.12	1.7	--	--	--	--
LINE 274														
DEC 07, 71	1130	2	.3	6.9	.4	.04	.02	.09	.10	1.4	--	--	--	--
			1.2	5.5	.1	.03	.01	.05	.05	1.4	--	--	--	--
MAR 14, 72	1240	2	.3	1.4	.0	.04	.00	.00	.06	1.9	--	--	--	--
			.9	1.0	.0	.06	.00	.00	.05	.5	--	--	--	--
APR 25, 72	1110	2	.3	4.4	.0	.20	.00	.04	.11	1.5	--	--	--	--
			1.1	4.4	.0	.26	.00	.04	.11	1.4	--	--	--	--
MAY 16, 72	1045	2	.3	8.2	.6	.13	.02	.14	.15	1.4	--	--	--	--
			1.2	7.5	.3	.46	.04	.12	.12	.8	--	--	--	--
JUL 17, 72	1450	2	.3	6.7	.0	.00	.00	.07	.11	1.0	--	--	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL	AMMONIA	TOTAL	ORTHO	PHOS- PHORUS	CHEMICAL OXYGEN DEMAND	CHEMICAL OXYGEN DEMAND	TOTAL
				(SI02) (MG/L)	(NH) (MG/L)	(N) (MG/L)	(N) (MG/L)	(P) (MG/L)	(P) (MG/L)	(BOD) (MG/L)	(COD) (MG/L)	CARBON (MG/L)	
LINE 274 CONTINUED													
JUL 17, 72	1450	2	1.2	6.5	.0	.07	.01	.09	.12	1.4	--	--	
DEC 12, 72	1115	2	.3 1.5	3.4 3.1	.1 .1	.02 .02	.00 .00	.05 .04	.05 .05	2.8 2.9	--	--	
MAR 19, 73	1425	2	.3 2.1	5.8 2.8	.4 .0	.08 .13	.01 .00	.14 .05	.20 .09	1.7 .5	--	--	
DEC 07, 71	1040	5	.3 1.5	8.0 5.7	.3 .0	.04 .13	.01 .01	.11 .05	.12 .06	1.3 1.5	--	--	
MAR 14, 72	1155	5	.3 1.4	1.0 .4	.0 .0	.03 .06	.00 .00	.00 .00	.08 .08	1.0 1.1	--	--	
APR 25, 72	1145	5	.5 1.8	3.9 4.0	.0 .0	.13 .10	.00 .00	.03 .04	.13 .17	1.3 1.5	--	--	
MAY 16, 72	1000	5	.3 2.7	8.6 8.6	.5 .3	.17 .52	.03 .03	.18 .20	.18 .20	1.8 1.8	--	--	
JUL 17, 72	1525	5	.3 2.0	7.6 7.4	.0 .0	.00 .00	.00 .00	.09 .09	.11 .13	1.3 1.5	--	--	
DEC 12, 72	1045	5	.3 2.4	4.3 4.1	.2 .3	.06 .04	.01 .00	.07 .06	.07 .09	3.6 2.8	--	--	
MAR 19, 73	1340	5	.3 1.5	4.8 4.0	.1 .1	.06 .08	.01 .01	.10 .10	.15 .17	1.8 1.2	--	--	
LINE 287													
AUG 02, 73	0930	1	.3 3.7	13.0 14.0	.0 .0	.00 .00	.01 .01	.07 .07	.34 .18	1.7 1.1	--	--	
MAR 14, 72	0955	3	.3 1.4	.4 1.5	.0 .0	.07 .06	.00 .00	.00 .05	.05 .06	.5 1.9	--	35.0	--
APR 25, 72	1608	3	.5 1.5	3.3 3.4	.0 .0	.25 .15	.00 .00	.00 .00	.09 .12	1.4 1.6	--	32.0	--
MAY 16, 72	1237	3	.3 1.7	9.6 6.5	.5 .2	.20 .27	.01 .02	.15 .11	.15 .11	1.4 1.6	--	7.0	--
JUL 17, 72	1655	3	.3 1.4	7.6 8.5	.0 .0	.00 .04	.00 .01	.09 .10	.11 .15	1.6 1.1	--	32.0	--
SEP 21, 72	1510	3	.3 1.2	11.0 11.0	.0 .0	.00 .01	.00 .00	.12 .12	.12 .12	2.0 1.9	--	4.0 6.0	--
DEC 12, 72	0925	3	.3 .9	1.1 1.2	.0 .0	.03 .01	.00 .00	.02 .02	.02 .02	5.3 5.4	--	--	--
MAR 19, 73	1200	3	.3 1.2	2.3 1.9	.0 .0	.06 .01	.01 .00	.05 .04	.10 .07	1.0 .9	--	--	--
MAY 15, 73	1235	3	.3 1.2	6.8 5.7	.0 .0	.00 .02	.00 .00	.08 .07	.12 .10	1.8 1.5	--	--	16.0 83.0
AUG 02, 73	1000	3	.3 1.2	14.0 14.0	.0 .0	.00 .00	.01 .01	.08 .07	.14 .14	1.3 1.4	--	--	--
AUG 10, 73	1450	3	.3 1.2	12.0 12.0	.2 .2	.02 .02	.00 .00	.10 .12	.11 .12	1.2 1.5	--	--	--
DEC 07, 71	0930	4	.3 1.8	6.0 2.0	.1 .0	.10 .04	.02 .01	.07 .02	.07 .02	1.4 1.3	--	23.0 42.0	--
DEC 07, 71	1010	8	.3	6.0	.1	.00	.01	.07	.07	1.4	--	29.0	--

TABLE 68--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED		TOTAL AMMONIA NITROGEN		TOTAL NITRITE		DIS- SOLVED PHOS- PHORUS		BIO- CHEMICAL OXYGEN DEMAND		CHEMICAL OXYGEN DEMAND		TOTAL ORGANIC CARBON
				SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	ORTH0 (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	(BOD) (MG/L)	(COD) (MG/L)	(MG/L)	(MG/L)			
LINE 287 CONTINUED																
DEC 07, 71	1010	8	1.8	3.2	.0	.00	.01	.03	.03	1.3	39.0	--	--			
MAR 14, 72	1115	8	.3 1.7	.4 .4	.0	.08	.00	.07	.06	.07	.5	35.0	--	--		
APR 25, 72	1210	8	.5 2.4	4.3 4.1	.0	.09	.00	.06	.19	1.8	44.0	--	--			
MAY 16, 72	1340	8	.3 1.7	7.1 6.8	.1	.22	.01	.12	.12	2.9	16.0	--	--			
JUL 17, 72	1555	8	.3 1.7	8.6 6.5	.0	.00	.00	.09	.11	2.0	--	--				
SEP 21, 72	1550	8	.3 1.7	10.0 10.0	.0	.00	.00	.10	.10	3.6	7.0	--	--			
DEC 12, 72	1020	8	.3 1.8	4.6 4.5	.4	.06	.00	.07	.07	3.0	--	--				
MAR 19, 73	1305	8	.3 2.4	1.6 2.4	.0	.03	.00	.02	.04	1.2	--	--				
MAY 15, 73	1515	8	.3 1.5	11.0 10.0	.1	.08	.00	.22	.37	1.9	--	16.0				
AUG 02, 73	1345	8	.3 1.5	13.0 10.0	.0	.00	.01	.09	.14	1.7	--	--				
AUG 10, 73	1040	8	.3 1.5	12.0 12.0	.2	.05	.02	.12	.12	2.5	--	--				
LINE 291																
MAR 15, 72	1555	2	.3	.0	.0	.04	.00	.00	.03	.5	--	--				
MAY 16, 72	1707	2	.5	5.1	.1	.21	.00	.03	.08	3.2	--	--				
AUG 02, 73	1225	2	.3 1.8	13.0 11.0	.0	.00	.00	.07	.10	1.4	--	--				
AUG 10, 73	1135	2	.3 1.8	12.0 11.0	.2	.02	.00	.11	.11	2.0	--	--				
LINE 294																
DEC 08, 71	1435	2	1.8	3.9	.0	.00	.00	.04	.04	1.8	--	--				
MAR 15, 72	1530	2	.3	.0	.0	.07	.00	.00	.03	1.5	--	--				
APR 25, 72	1344	2	.5	3.3	.0	.10	.00	.00	.09	1.2	--	--				
MAY 16, 72	1635	2	.3	5.4	.0	.13	.00	.07	.08	2.1	--	--				
JUL 18, 72	1200	2	.3	6.5	.0	.12	.00	.05	.07	2.3	--	--				
SEP 21, 72	1105	2	.3 2.1	5.3 5.3	.0	.10	.00	.00	.08	1.4	--	--				
DEC 13, 72	1040	2	.3	3.2	.1	.03	.00	.04	.04	4.1	--	--				
MAR 20, 73	1100	2	1.8	1.6	.0	.00	.00	.00	.13	.8	--	--				
MAY 15, 73	1440	2	.3 1.8	8.6 6.4	.0	.08	.00	.10	.24	1.8	--	--				
AUG 02, 73	1250	2	.3	12.0	.0	.00	.00	.07	.10	1.4	--	--				

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SI02) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- (CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 294 CONTINUED												
AUG 02, 73	1250	2	1.5	11.0	.0	.00	.01	.06	.10	1.8	--	--
AUG 10, 73	1110	2	.3 1.5	12.0 11.0	.2	.01	.00	.11 .12	.11 .12	1.4 1.3	--	--
DEC 08, 71	1405	4	4.3	3.2	.0	.02	.01	.02	.03	1.4	--	--
LINE 302												
MAR 15, 72	1615	2	.3	.0	.0	.08	.00	.00	.03	1.6	--	--
APR 25, 72	1515	2	.5	3.2	.0	.16	.00	.00	.08	1.2	--	--
JUL 18, 72	1142	2	.3	7.2	.0	.00	.00	.06	.08	1.2	--	--
DEC 13, 72	1155	2	.3	2.0	.0	.02	.00	.02	.02	3.5	--	--
MAR 20, 73	1230	2	1.8	1.6	.0	.00	.00	.00	.19	1.2	--	--
AUG 02, 73	1055	2	.3 1.5	13.0 13.0	.0	.00	.01 .00	.08 .08	.12 .12	1.8 1.4	--	--
AUG 10, 73	1240	2	.3 1.5	12.0 12.0	.2	.02	.00	.09 .12	.09 .12	1.0 1.2	--	--
DEC 09, 71	0930	3	.5	3.7	.0	.01	.00	.02	.02	1.8	--	--
LINE 307												
DEC 09, 71	1015	3	.5	2.8	.0	.00	.00	.00	.01	1.8	--	--
MAR 15, 72	1645	3	.3	.0	.0	.06	.00	.00	.03	1.3	--	--
APR 25, 72	0935	3	.3	2.9	.0	.07	.00	.00	.07	5.8	--	--
MAY 16, 72	1000	3	.3	7.2	.2	.06	.02	.03	.10	2.3	--	--
JUL 18, 72	1220	3	.3	7.1	.0	.03	.01	.06	.09	1.8	--	--
SEP 21, 72	1235	3	.3 1.8	2.8 2.6	.0	.04 .08	.00 .00	.00 .00	.07 .09	1.8 1.6	--	--
DEC 13, 72	1225	3	.3	.4	.0	.01	.00	.00	.00	3.4	--	--
MAR 20, 73	1300	3	1.5	1.7	.0	.00	.00	.00	.10	1.0	--	--
MAY 15, 73	1155	3	.3 1.8	2.5 2.5	.0	.07 .06	.00 .00	.03 .02	.06 .07	.8 .8	--	--
AUG 02, 73	1025	3	.3 1.8	13.0 13.0	.0	.00 .00	.01 .01	.08 .07	.12 .16	1.4 .7	--	--
AUG 10, 73	1235	3	.3 1.8	12.0 12.0	.2	.00	.00	.11 .11	.11 .13	.7 1.0	--	--
MAR 15, 72	1705	5	.3	.0	.0	.04	.00	.00	.02	2.9	--	--
LINE 311												
DEC 08, 71	1305	4	1.5	4.2	.0	.00	.04	.06	.08	1.4	--	--
MAR 15, 72	0945	4	.3	.0	.0	.07	.00	.01	.07	1.5	--	--
MAY 16, 72	1450	4	.3	4.5	.1	.20	.00	.09	.09	2.2	--	--
JUL 18, 72	1430	4	.3	4.2	.0	.11	.00	.03	.06	1.8	--	--

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED	SILICA	NITRATE	NITROGEN	NITRITE	PHOS-	PHOS-	OXYGEN	OXYGEN	ORGANIC
				(SI02)	(N)	(N)	(N)	(P)	(P)	(BOD)	(COD)	(COD)	CARBON
				(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
LINE 311 CONTINUED													
DEC 13, 72	0915	4	.3	3.2	.0	.02	.00	.09	.04	5.0	--	--	
MAR 20, 73	0925	4	1.2	1.5	.0	.00	.00	.00	.11	.7	--	--	
NOV 05, 71	1020	5	.3	7.7	.1	.13	.00	.08	.09	1.3	--	--	
NOV 08, 71	1400	5	.3	9.0	.1	.08	.00	.20	.20	--	--	--	
NOV 09, 71	0700	5	.3	8.5	.1	.01	.00	.12	.12	--	--	--	
NOV 09, 71	0900	5	.3	8.2	.1	.00	.00	.12	.12	--	--	--	
NOV 09, 71	1800	5	.3	8.2	.0	.00	.00	.11	.11	--	--	--	
NOV 09, 71	2400	5	.3	8.1	.1	.00	.00	.10	.10	--	--	--	
NOV 10, 71	0730	5	.3	7.9	.0	.00	.00	.09	.09	--	--	--	
NOV 10, 71	1615	5	.3	8.2	.1	.00	.00	.09	.09	--	--	--	
NOV 11, 71	1415	5	1.5	8.1	.1	.05	.00	.10	.10	1.5	--	--	
LINE 314													
DEC 08, 71	1230	2	1.5	3.3	.0	.04	.00	.02	.03	1.8	36.0	--	
MAR 15, 72	1025	2	.3	.0	.0	.04	.00	.00	.02	2.4	34.0	--	
MAY 16, 72	1545	2	.5	4.5	.0	.18	.00	.09	.09	2.2	18.0	--	
JUL 18, 72	1505	2	.3	8.9	.0	.02	.00	.02	.03	1.9	29.0	--	
DEC 13, 72	0945	2	.3	3.2	.0	.03	.00	.03	.03	3.1	--	--	
MAR 20, 73	0950	2	1.2	1.1	.0	.00	.00	.00	.08	1.4	--	--	
AUG 02, 73	1535	2	.3	9.0	.0	.00	.01	.04	.06	1.1	--	--	
			.9	10.0	.0	.00	.01	.04	.06	2.2	--	--	
SEP 21, 72	1005	3	.3	.0	.0	.11	.00	.00	.06	1.8	--	--	
			1.2	.0	.0	.09	.00	.00	.06	1.9	9.0	--	
MAY 15, 73	1635	3	.3	7.8	.0	.03	.00	.08	.15	1.4	--	26.0	
			1.2	7.9	.0	.09	.00	.09	.16	1.8	--	--	
AUG 10, 73	0905	3	.3	8.7	.2	.02	.00	.07	.07	1.9	--	--	
			1.2	7.3	.2	.05	.00	.07	.08	2.3	--	--	
LINE 317													
DEC 08, 71	1130	2	3.0	1.2	.0	.00	.01	.01	.02	1.1	--	--	
MAR 15, 72	1055	2	.3	.0	.0	.10	.00	.00	.02	2.3	--	--	
MAY 16, 72	1530	2	.3	2.4	.0	.16	.00	.04	.04	2.3	--	--	
LINE 320													
DEC 08, 71	1330	2	5.2	4.4	.1	.00	.01	.04	.05	1.5	--	--	
MAY 16, 72	1430	2	.3	5.2	.1	.19	.00	.09	.10	2.2	--	--	
JUL 18, 72	1400	2	.3	4.7	.0	.04	.00	.03	.05	1.9	--	--	
JUL 18, 72	1550	2	.3	.0	.0	.00	.00	.01	.03	2.2	--	--	
DEC 13, 72	0905	2	.3	4.4	.2	.02	.00	.05	.05	4.5	--	--	

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	PHOS- PHOS- PHORUS (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)		

LINE 320 CONTINUED

DEC 13, 72 0905 2 4.3 4.3 .2 .02 .00 .06 .06 4.2 -- --

LINE 333

DEC 09, 71 1035 2 .5 2.0 .0 .00 .00 .01 .01 1.6 41.0 --
 MAR 15, 72 0940 2 2.4 1.4 .0 .07 .00 .01 .01 .5 40.0 --
 APR 25, 72 1035 2 .3 1.9 .0 .05 .00 .00 .07 1.0 29.0 --
 MAY 16, 72 1115 2 .3 3.7 .0 .11 .00 .04 .05 2.5 20.0 --
 JUL 18, 72 1405 2 .3 4.4 .0 .05 .00 .04 .05 1.9 27.0 --
 2.4 4.5 .0 .00 .00 .04 .06 1.2 -- --
 DEC 13, 72 1515 2 .3 .2 .0 .00 .00 .01 .01 2.4 -- --
 MAR 20, 73 1200 2 .5 1.7 .0 .02 .00 .00 .12 .3 -- --
 AUG 02, 73 1340 2 .3 13.0 .0 .00 .00 .06 .10 1.9 -- --
 1.8 13.0 .0 .00 .01 .08 .10 .8 -- --
 AUG 10, 73 1210 2 .3 12.0 .2 .03 .00 .11 .11 1.3 -- --
 2.1 10.0 .2 .07 .00 .13 .13 1.3 -- --

LINE 354

DEC 08, 71 1110 4 .3 1.7 .0 .00 .00 .00 .00 1.3 42.0 --
 MAR 15, 72 1140 4 2.1 .0 .0 .04 .00 .01 .01 .5 -- --
 APR 25, 72 1200 4 .3 .6 .0 .08 .00 .00 .04 1.0 29.0 --
 MAY 16, 72 1255 4 .3 .2 .0 .07 .00 .00 .01 2.1 18.0 --
 JUL 18, 72 1521 4 .3 .1 .0 .02 .00 .01 .03 .7 25.0 --
 SEP 21, 72 1415 4 .3 .0 .0 .11 .00 .00 .02 2.4 6.0 --
 2.4 .0 .0 .05 .00 .00 .03 2.3 -- --
 DEC 13, 72 1355 4 .3 .4 .0 .00 .00 .01 .01 2.0 -- --
 MAR 20, 73 0950 4 .5 .9 .0 .05 .00 .00 -- .5 -- --
 MAY 15, 73 1000 4 .3 .5 .0 .04 .00 .03 .05 1.1 -- 11.0
 1.8 1.3 .0 .03 .00 .02 .04 1.1 -- 28.0
 AUG 02, 73 1510 4 .3 12.0 .0 .00 .00 .07 .10 1.0 -- --
 1.8 11.0 .0 .00 .01 .07 .13 1.3 -- --
 AUG 10, 73 1025 4 .3 10.0 .2 .00 .00 .09 .09 .9 -- --
 1.8 9.7 .2 .01 .00 .08 .08 1.2 -- --

LINE 360

MAR 15, 72 1210 3 7.3 .0 .0 .09 .00 .02 .02 .5 41.0 --
 APR 25, 72 1330 3 .3 .2 .0 .12 .00 .00 .02 .6 -- --
 MAY 16, 72 1410 3 .3 1.7 .0 .08 .02 .01 .02 2.0 -- --
 JUL 18, 72 1555 3 .3 .0 .0 .02 .00 .01 .02 .3 -- --
 DEC 13, 72 1325 3 .3 1.2 .0 .00 .00 .01 .01 2.5 -- --
 MAR 20, 73 0915 3 .3 .5 .1 .11 .00 .00 .03 .5 -- --

TABLE 6B--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	PHOS- PHORUS (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
--------------------------	------	------	-------------------	---	-----------------------------------	--------------------------------------	-----------------------------------	----------------------------------	---	---	---	--------------------------------------

LINE 360 CONTINUED

MAY 22, 72	1150	2	.5	10.0	.3	.12	.00	.31	.37	3.2	--	--
------------	------	---	----	------	----	-----	-----	-----	-----	-----	----	----

LINE 605

MAY 19, 72	1430	2	.7	12.0	.1	.10	.00	.30	.30	4.5	--	--
------------	------	---	----	------	----	-----	-----	-----	-----	-----	----	----

MAY 22, 72	1220	2	.5	14.0	.2	.23	.00	.33	.41	3.2	--	--
------------	------	---	----	------	----	-----	-----	-----	-----	-----	----	----

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	(TIME)	SITE	DEPTH (METERS)	(SPECIFIC)	(CON-	(DUCTANCE)	(MICRO-	(CALCIUM)	(MAGNE-	(SILUM)	(SODIUM +)	(POTAS-	(BICAR-	(SULFATE)	(CHLORIDE)	(CONSTI-
				(LAB)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 10

DEC 06, 71	1555	2	.3 4.0	995 981	-- 92.0	-- 22.0	-- 69	-- 293	-- 42	-- 130	-- 521
MAR 19, 72	1650	2	.3 4.6	995 986	-- 96.0	-- 14.0	-- 86	-- 289	-- 36	-- 150	-- 548
APR 26, 72	1045	2	.3 4.3	958 953	79.0 --	12.0 --	98 --	236 --	48 --	150 --	529 --
MAY 15, 72	1525	2	.3 4.3	916 951	83.0 --	13.0 --	80 --	250 --	44 --	130 --	495 --
JUL 17, 72	1705	2	.3 4.3	943 956	80.0 --	9.6 --	100 --	234 --	37 --	160 --	525 --
DEC 11, 72	1300	2	.3 4.0	897 1250	90.0 --	11.0 --	85 --	299 --	42 --	120 --	511 --
MAR 19, 73	1220	2	.3 3.7	901 931	76.0 --	14.0 --	93 --	244 --	49 --	140 --	513 --
AUG 02, 73	1005	2	.3 3.7	872 934	-- --	-- --	-- --	-- --	-- --	-- --	-- --

LINE 50

MAY 15, 72	1820	2	.3	296	38.0	4.7	12	122	18	12	164
AUG 02, 73	1110	2	.3 3.7	1320 1320	-- --	-- --	-- --	-- --	-- --	-- --	-- --
AUG 10, 73	1100	2	.3 4.0	1360 1400	-- --	-- --	-- --	-- --	-- --	-- --	-- --

LINE 52

MAY 15, 72	1700	2	.8	2200	36.0	19.0	400	343	49	500	1190
------------	------	---	----	------	------	------	-----	-----	----	-----	------

LINE 80

DEC 06, 71	1345	2	.3 4.0	6290 17900	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 14, 72	1630	2	.3 4.0	10500 10800	-- --	-- --	-- --	-- --	-- --	-- --	-- --
APR 26, 72	0902	2	.3 3.4	19400 19500	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 15, 72	1745	2	.3 4.0	1510 21000	-- --	-- --	-- --	-- --	-- --	-- --	-- --
JUL 17, 72	1850	2	.3 3.7	3320 2910	-- --	-- --	-- --	-- --	-- --	-- --	-- --
SEP 20, 72	1430	2	.3 4.0	2790 2630	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 12, 72	0925	2	.3 3.4	17300 34300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 19, 73	1425	2	.3 3.4	9210 9460	-- --	-- --	-- --	-- --	-- --	-- --	-- --

TABLE 8C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED (SUM OF CONSTIT- UENTS) (MG/L)	
LINE 80 CONTINUED												
MAY 15, 73	1315	2	.3 3.7	3820 12600	--	--	--	--	--	--	--	
AUG 02, 73	1145	2	.3 3.4	1500 1500	--	--	--	--	--	--	--	
AUG 10, 73	1025	2	.3 4.0	1510 1520	--	--	--	--	--	--	--	
LINE 145												
DEC 07, 71	1330	2	.3 3.4	623 626	--	--	22	230	46	47	361	
MAR 14, 72	0945	2	.3 2.7	789 745	--	--	47	285	43	76	433	
APR 24, 72	1320	2	.3 2.1	820 826	--	--	59	284	48	89	463	
JUL 17, 72	1230	2	.3 2.7	727 719	83.0	18.0	53	266	49	86	440	
SEP 20, 72	1605	2	.3 1.8	738 757	78.0	22.0	46	275	48	--	422	
DEC 13, 72	1015	2	.3 1.5	797 795	88.0	20.0	54	298	52	76	468	
MAR 19, 73	1620	2	.3 2.4	753 750	84.0	19.0	50	282	51	70	441	
MAY 15, 73	1655	2	.3 3.0	466 687	37.0	14.0	45	111	--	60	291	
AUG 02, 73	1340	2	.3 4.6	614 635	79.0	16.0	26	250	52	40	356	
AUG 10, 73	1400	2	.3 5.2	649 649	81.0	17.0	30	262	49	46	374	
LINE 170												
SEP 20, 72	1705	2	.3 2.7	743 745	--	--	--	--	--	--	--	
MAY 15, 73	1630	2	.3 3.0	714 712	--	--	--	--	--	--	--	
AUG 02, 73	1430	2	.3 3.0	614 612	--	--	--	--	--	--	--	
AUG 10, 73	1325	2	.3 3.0	643 643	--	--	--	--	--	--	--	
LINE 200												
DEC 07, 71	1120	2	.9	646	--	--	--	--	--	--	--	
MAR 14, 72	1130	2	.9	781	--	--	--	--	--	--	--	
APR 24, 72	1445	2	.3	806	--	--	--	--	--	--	--	
MAY 15, 72	1300	2	.3	241	--	--	--	--	--	--	--	
JUL 17, 72	1412	2	.3	691	--	--	--	--	--	--	--	

TABLE 8C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME(SITE)	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED (SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS)

LINE 200 CONTINUED

SEP 20, 72	1728	2	.3	732	--	--	--	--	--	--
DEC 12, 72	1100	2	.3	794	--	--	--	--	--	--
MAR 19, 73	1520	2	.3	756	--	--	--	--	--	--
MAY 15, 73	1610	2	.3	594	--	--	--	--	--	--
AUG 02, 73	1240	2	.3	547	--	--	--	--	--	--
AUG 10, 73	1310	2	.3	584	--	--	--	--	--	--

LINE 225

MAR 14, 72	1210	1	.9	831	--	--	--	--	--	--	
APR 24, 72	1540	1	.3 .9	3930 10400	140.0	240.0	1800	254	510	3200	5940
MAY 15, 72	1205	1	.3	276	--	--	--	--	--	--	--
JUL 17, 72	1450	1	.3	760	--	--	--	--	--	--	--
DEC 12, 72	1000	1	.3	9810	--	--	--	--	--	--	--
MAR 19, 73	1458	1	.3	1630	--	--	--	--	--	--	--
DEC 07, 71	1045	2	.9	647	--	--	--	--	--	--	--
MAR 14, 72	1230	2	.9	1500	--	--	--	--	--	--	--
APR 24, 72	1530	2	.3	2080	--	--	--	--	--	--	--
DEC 12, 72	0950	2	.3	13500	--	--	--	--	--	--	--
MAR 19, 73	1450	2	.3	1160	--	--	--	--	--	--	--

LINE 236

DEC 07, 71	1015	2	.9	5560	--	--	--	--	--	--	--
MAR 14, 72	1500	2	1.1	5860	--	--	--	--	--	--	--
APR 24, 72	1300	2	.3	12900	--	--	--	--	--	--	--
MAY 15, 72	1307	2	.3	5420	--	--	--	--	--	--	--
JUL 17, 72	1335	2	.3	2000	--	--	--	--	--	--	--
DEC 12, 72	1220	2	.3	19300	--	--	--	--	--	--	--
MAR 19, 73	1535	3	.9	8250	--	--	--	--	--	--	--

LINE 243

DEC 12, 72	1310	4	.3 .9	21500 22300	200.0	520.0	3800	205	1100	6800	12400
DEC 07, 71	0915	5	.3 1.2	936 10700	120.0	230.0	1900	184	480	3300	6070
MAR 14, 72	1335	5	.3 1.2	13100 14300	150.0	310.0	2400	202	470	4500	7960
APR 24, 72	1443	5	.3 1.2	8800 12500	150.0	290.0	2100	238	610	3800	7130

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
				CON- DUCTANCE (MICRO- MHO) (LAB)	SOLVED CALCIUM (CA) (MG/L)	SOLVED MAGNE- SIUM (MG)	SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	SULFATE (SO4) (MG/L)	CHLORIDE (CL) (MG/L)	SOLIDS (SUM OF CONSTITUENTS) (MG/L)

LINE 243 CONTINUED

MAY 15, 72	1503	5	.3 1.5	270 272	33.0 --	4.3 --	16 --	113 --	8 --	22 --	154 --
JUL 17, 72	1205	5	.3 1.2	542 708	26.0 --	15.0 --	69 --	112 --	46 --	94 --	324 --
SEP 21, 72	1205	5	.3 .9	2150 4790	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 12, 72	1250	5	.3 1.2	17100 23200	180.0 --	430.0 --	2900 --	231 --	800 --	5300 --	9700 --
MAR 19, 73	1620	5	.3 1.2	10100 10400	-- 130.0	-- 230.0	-- 1900	-- 236	-- 490	-- 3300	-- 6240
MAY 15, 73	1430	5	.3 1.2	1850 2150	-- --	-- --	-- --	-- --	-- --	-- --	-- --
AUG 02, 73	0954	5	.3 .9	488 496	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 07, 71	0940	7	.3 1.2	927 12200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 14, 72	1400	7	.3 1.2	6490 9220	-- 120.0	-- 200.0	-- 1600	-- 230	-- 320	-- 2800	-- 5190
APR 24, 72	1406	7	.3 1.2	10800 13400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 15, 72	1400	7	.3 1.5	317 1110	-- --	-- --	-- --	-- --	-- --	-- --	-- --
JUL 17, 72	1220	7	.3 1.2	771 775	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 12, 72	1255	7	.3 .9	25400 25400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 19, 73	1605	7	.3 1.2	4990 7400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
AUG 02, 73	0945	7	.3 .9	595 647	-- --	-- --	-- --	-- --	-- --	-- --	-- --
AUG 10, 73	1600	7	.3 .9	622 622	-- --	-- --	-- --	-- --	-- --	-- --	-- --

LINE 254

DEC 07, 71	1325	2	.3 3.4	7340 28400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 14, 72	1455	2	.3 1.4	19600 19500	-- --	-- --	-- --	-- --	-- --	-- --	-- --
APR 25, 72	0848	2	.3 1.5	23500 25000	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 16, 72	0840	2	.3 1.8	1820 11500	-- --	-- --	-- --	-- --	-- --	-- --	-- --
JUL 17, 72	1750	2	.3 1.5	8530 9100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 12, 72	0830	2	.3 .9	29900 30300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 19, 73	1045	2	.3	18900	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)

LINE 254 CONTINUED

MAR 19, 73	1045	2	1.2	20300	--	--	--	--	--	--	--
AUG 02, 73	1110	2	.3 1.2	2410 2570	--	--	--	--	--	--	--
AUG 10, 73	1625	2	.3 1.2	1630 1620	--	--	--	--	--	--	--

LINE 264

SEP 21, 72	1255	2	.3	11700	120.0	300.0	2200	212	580	3800	7120
MAY 15, 73	1240	2	.3	8960	98.0	180.0	1500	168	410	2700	5010
AUG 02, 73	1130	2	.3	501	--	--	--	--	--	--	--
AUG 10, 73	1500	2	.3	1420	52.0	26.0	190	210	63	290	741
DEC 07, 71	1445	4	.3 1.2	9050 11300	-- 120.0	-- 280.0	-- 2000	-- 184	-- 520	-- 3700	-- 6800
MAR 14, 72	1535	4	.5 1.2	10700 10800	120.0	280.0	1800	212	360	3400	5980
APR 25, 72	1013	4	.3 1.8	19100 19100	180.0	440.0	3500	202	860	6200	11200
MAY 16, 72	0935	4	.3 1.8	641 2510	40.0	10.0	69	124	24	110	336
JUL 17, 72	1415	4	.3 1.8	9290 11800	--	--	--	--	--	--	--
SEP 21, 72	1325	4	.3 1.8	8960 13800	100.0	280.0	1400	216	380	2800	5120
DEC 12, 72	1155	4	.3 .9	25000 25000	--	--	--	--	--	--	--
MAR 19, 73	1505	4	.3 1.5	11000 24700	--	--	--	--	--	--	--
MAY 15, 73	1210	4	.3 1.5	6280 8440	83.0	130.0	1100	177	310	1900	3580
AUG 02, 73	1150	4	.3 1.5	561 561	67.0	14.0	29	219	46	42	321
AUG 10, 73	1520	4	.3 1.2	571 581	61.0	16.0	34	226	31	51	317

LINE 274

DEC 07, 71	1130	2	.3 1.2	11400 17300	--	--	--	--	--	--	--
MAR 14, 72	1240	2	.3 .9	17000 17100	180.0	410.0	3000	182	560	5600	9740
APR 25, 72	1110	2	.3 1.1	22700 23100	210.0	520.0	4300	186	1100	7700	13900
MAY 16, 72	1045	2	.3 1.2	1000 7830	--	--	--	--	--	--	--
JUL 17, 72	1450	2	.3 1.2	9850 10200	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
				CON- DUCTANCE (MICRO- MHO/S (LAB)	SOLVED CALCIUM (CA) (MG/L)	SOLVED MAGNE- SIUM (MG) (MG/L)	SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	SOLVED SULFATE (SO4) (MG/L)	SOLVED CHLORIDE (CL) (MG/L)	SOLVED SUM OF CONSTITUENTS (MG/L)

LINE 274 CONTINUED

DEC 12, 72	1115	2	.3 1.5	32300 32600	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 19, 73	1425	2	.3 2.1	14700 25400	-- 220.0	-- 610.0	-- 5300	-- 172	-- 1300	-- 9200	-- 16700
DEC 07, 71	1040	5	.3 1.5	9390 18200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 14, 72	1155	5	.3 1.4	13000 13000	140.0 --	330.0 --	2200 --	200 --	450 --	4100 --	7290 --
APR 25, 72	1145	5	.5 1.8	23500 23300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 16, 72	1000	5	.3 2.7	2110 7280	-- --	-- --	-- --	-- --	-- --	-- --	-- --
JUL 17, 72	1525	5	.3 2.0	8990 10700	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 12, 72	1045	5	.3 2.4	27100 30100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 19, 73	1340	5	.3 1.5	15700 16100	-- --	-- --	-- --	-- --	-- --	-- --	-- --

LINE 287

AUG 02, 73	0930	1	.3 3.7	2670 2410	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 14, 72	0955	3	.3 1.4	19300 21000	-- 200.0	-- 460.0	-- 3900	-- 175	-- 760	-- 7100	-- 12500
APR 25, 72	1608	3	.5 1.5	31600 31700	260.0 --	690.0 --	5900 --	172 --	1200 --	11000 --	18800 --
MAY 16, 72	1237	3	.3 1.7	1630 12500	42.0 --	32.0 --	250 --	114 --	62 --	440 --	904 --
JUL 17, 72	1655	3	.3 2.4	9900 10300	110.0 --	210.0 --	1700 --	182 --	500 --	3000 --	5650 --
SEP 21, 72	1510	3	.3 1.2	15800 15800	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 12, 72	0925	3	.3 .9	38500 38900	310.0 300.0	1000.0 960.0	6900 7300	150 149	2000 2000	13000 13000	22900 23600
MAR 19, 73	1200	3	.3 1.2	28200 27800	240.0 --	700.0 --	6000 --	166 --	1500 --	10000 --	19000 --
MAY 15, 73	1235	3	.3 1.2	18000 24000	-- --	-- --	-- --	-- --	-- --	-- --	-- --
AUG 02, 73	1000	3	.3 1.2	2190 2170	-- --	-- --	-- --	-- --	-- --	-- --	-- --
AUG 10, 73	1450	3	.3 1.2	1450 1470	-- --	-- --	-- --	-- --	-- --	-- --	-- --
DEC 07, 71	0930	4	.3 1.8	17000 16700	-- 160.0	-- 390.0	-- 3100	-- 167	-- 800	-- 5500	-- 10000
DEC 07, 71	1010	8	.3 1.8	15300 33200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAR 14, 72	1115	8	.3	18400	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME(S)	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-
				CON-	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
				DUCTANCE	MAGNE-	POTAS-	BICAR-	SULFATE	CHLORIDE	CONSTI-	
				(MICRO-	SUM	SUM	SUM	SUM	SUM	SUM	
				MHOS)	(CA)	(MG)	(NA+K)	(HCO3)	(SO4)	(CL)	(VENTS)
				(LAB)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 267 CONTINUED

MAR 14, 72	1115	8	1.7	23400	--	--	--	--	--	--	--
APR 25, 72	1210	8	.5 2.4	24000 23700	--	--	--	--	--	--	--
MAY 16, 72	1340	8	.3 1.7	8390 10300	--	--	--	--	--	--	--
JUL 17, 72	1555	8	.3 1.7	10100 14700	--	--	--	--	--	--	--
SEP 21, 72	1550	8	.3 1.7	16500 18200	--	--	--	--	--	--	--
DEC 12, 72	1020	8	.3 1.8	28300 28300	--	--	--	--	--	--	--
MAR 19, 73	1305	8	.3 2.4	35000 36700	--	--	--	--	--	--	--
MAY 15, 73	1515	8	.3 1.5	4660 5620	--	--	--	--	--	--	--
AUG 02, 73	1345	8	.3 1.5	4810 17700	--	--	--	--	--	--	--
AUG 10, 73	1040	8	.3 1.5	9120 18400	--	--	--	--	--	--	--

LINE 291

MAR 15, 72	1555	2	.3	28100	--	--	--	--	--	--	--
MAY 16, 72	1707	2	.5	16300	--	--	--	--	--	--	--
AUG 02, 73	1225	2	.3 1.8	10000 14400	--	--	--	--	--	--	--
AUG 10, 73	1135	2	.3 1.8	3810 12500	--	--	--	--	--	--	--

LINE 294

DEC 08, 71	1435	2	1.8	28200	--	--	--	--	--	--	--
MAR 15, 72	1530	2	.3	27200	--	--	--	--	--	--	--
APR 25, 72	1344	2	.5	29300	--	--	--	--	--	--	--
MAY 16, 72	1635	2	.3	15000	--	--	--	--	--	--	--
JUL 18, 72	1200	2	.3	18700	--	--	--	--	--	--	--
SEP 21, 72	1105	2	.3 2.1	20800 21100	--	--	--	--	--	--	--
DEC 13, 72	1040	2	.3	33700	--	--	--	--	--	--	--
MAR 20, 73	1100	2	1.8	40300	--	--	--	--	--	--	--
MAY 15, 73	1440	2	.3 1.8	12100 21700	--	--	--	--	--	--	--
AUG 02, 73	1250	2	.3 1.5	9190 12000	--	--	--	--	--	--	--
AUG 10, 73	1110	2	.3	6080	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED (SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO ₃) (MG/L)	DIS- SOLVED (SO ₄) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED (SUM OF CONSTITUENTS) (MG/L)

LINE 294 CONTINUED

AUG 10, 73	1110	2	1.5	9080	--	--	--	--	--	--	--
DEC 08, 71	1405	4	4.3	34000	--	--	--	--	--	--	--

LINE 302

MAR 15, 72	1615	2	.3	36900	--	--	--	--	--	--	--
APR 25, 72	1515	2	.5	34400	260.0	720.0	6000	174	1400	11000	19100
JUL 18, 72	1142	2	.3	15100	150.0	360.0	3000	176	710	5200	9530
DEC 13, 72	1155	2	.3	38300	300.0	960.0	6800	174	1600	13000	22300
MAR 20, 73	1230	2	1.8	37500	320.0	900.0	7800	168	1900	14000	24900
AUG 02, 73	1055	2	.3	6100	--	--	--	--	--	--	--
			1.5	6380	--	--	--	--	--	--	--
AUG 10, 73	1240	2	.3	1320	--	--	--	--	--	--	--
			1.5	8510	--	--	--	--	--	--	--
DEC 09, 71	0930	3	.5	30800	250.0	710.0	6000	145	1400	11000	19200

LINE 307

DEC 09, 71	1015	3	.5	34700	--	--	--	--	--	--	--
MAR 15, 72	1645	3	.3	35200	--	--	--	--	--	--	--
APR 25, 72	0935	3	.3	33000	--	--	--	--	--	--	--
MAY 16, 72	1000	3	.3	8080	--	--	--	--	--	--	--
JUL 18, 72	1220	3	.3	14300	--	--	--	--	--	--	--
SEP 21, 72	1235	3	.3	25900	--	--	--	--	--	--	--
			1.8	27100	--	--	--	--	--	--	--
DEC 13, 72	1225	3	.3	45700	--	--	--	--	--	--	--
MAR 20, 73	1300	3	1.5	39300	--	--	--	--	--	--	--
MAY 15, 73	1155	3	.3	33300	--	--	--	--	--	--	--
			1.8	33300	--	--	--	--	--	--	--
AUG 02, 73	1025	3	.3	3700	--	--	--	--	--	--	--
			1.8	9720	--	--	--	--	--	--	--
AUG 10, 73	1235	3	.3	4490	--	--	--	--	--	--	--
			1.8	6970	--	--	--	--	--	--	--
MAR 15, 72	1705	5	.3	35200	--	--	--	--	--	--	--

LINE 311

DEC 08, 71	1305	4	1.5	26900	220.0	650.0	5200	139	1300	9200	16700
MAR 15, 72	0945	4	.3	26900	--	--	--	--	--	--	--
MAY 16, 72	1450	4	.3	19800	--	--	--	--	--	--	--
JUL 18, 72	1430	4	.3	31900	--	--	--	--	--	--	--
DEC 13, 72	0915	4	.3	31700	--	--	--	--	--	--	--
MAR 20, 73	0925	4	1.2	38800	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CON- DUCTANCE) (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (SO4) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)
LINE 311 CONTINUED											
NOV 05, 71	1020	5	.3	12900	--	--	--	--	--	--	--
NOV 08, 71	1400	5	.3	6830	--	--	--	--	--	--	--
NOV 09, 71	0700	5	.3	7000	--	--	--	--	--	--	--
NOV 09, 71	0900	5	.3	10600	--	--	--	--	--	--	--
NOV 09, 71	1800	5	.3	8850	--	--	--	--	--	--	--
NOV 09, 71	2400	5	.3	11000	--	--	--	--	--	--	--
NOV 10, 71	0730	5	.3	11300	100.0	270.0	1900	154	480	3500	6370
NOV 10, 71	1615	5	.3	11800	100.0	240.0	2100	154	510	3700	6770
NOV 11, 71	1415	5	1.5	10000	--	--	--	--	--	--	--
LINE 314											
DEC 08, 71	1230	2	1.6	28700	--	--	--	--	--	--	--
MAR 15, 72	1025	2	.3	37800	300.0	920.0	7500	154	1300	14000	23800
MAY 16, 72	1545	2	.5	26500	220.0	690.0	5000	158	1300	9200	16500
JUL 18, 72	1505	2	.3	44600	350.0	1000.0	8700	140	2100	15400	27600
DEC 13, 72	0945	2	.3	34000	230.0	960.0	5900	185	1600	11000	19800
MAR 20, 73	0950	2	1.2	40300	320.0	1000.0	8400	144	2100	15000	26700
AUG 02, 73	1535	2	.3 .9	28300 28300	240.0 --	730.0 --	5000 --	152 --	60 --	10000 --	16400 --
SEP 21, 72	1005	3	.3 1.2	38200 38200	200.0 --	920.0 --	7400 --	170 --	1800 --	13000 --	23700 --
MAY 15, 73	1635	3	.3	15100	140.0	320.0	2800	157	740	4900	9040
AUG 10, 73	0905	3	.3 1.2	21700 28900	190.0 --	520.0 --	3800 --	160 --	43 --	7500 --	12100 --
LINE 317											
DEC 08, 71	1130	2	3.0	46700	--	--	--	--	--	--	--
MAR 15, 72	1055	2	.3	40000	--	--	--	--	--	--	--
MAY 16, 72	1530	2	.3	31600	--	--	--	--	--	--	--
LINE 320											
DEC 08, 71	1330	2	5.2	25400	--	--	--	--	--	--	--
MAY 16, 72	1430	2	.3	18200	--	--	--	--	--	--	--
JUL 18, 72	1550	2	.3	49800	--	--	--	--	--	--	--
JUL 18, 72	1400	2	.3	2660	--	--	--	--	--	--	--
DEC 13, 72	0905	2	.3 4.3	27400 27400	--	--	--	--	--	--	--
LINE 333											
DEC 09, 71	1035	2	.5	36500	--	--	--	--	--	--	--

TABLE 6C--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DISSOLVED CALCIUM (CA) (MG/L)	DISSOLVED MAGNESIUM (MAG) (MG/L)	DISSOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	SULFATE (SO4) (MG/L)	DISSOLVED CHLORIDE (CL) (MG/L)	DISSOLVED SOLIDS (SUM OF IONS) (MG/L)
--------------------	------	------	----------------	--	-------------------------------	----------------------------------	--	---------------------------	----------------------	--------------------------------	---------------------------------------

LINE 333 CONTINUED

MAR 16, 72	0940	2	2.4	43300	340.0	1000.0	8400	136	1500	15000	26800
APR 25, 72	1035	2	.3	40600	--	--	--	--	--	--	--
MAY 16, 72	1115	2	.3	23400	--	--	--	--	--	--	--
JUL 18, 72	1405	2	.3	22800	--	--	--	--	--	--	--
			2.4	23200	--	--	--	--	--	--	--
DEC 13, 72	1515	2	.3	46500	--	--	--	--	--	--	--
MAR 20, 73	1200	2	.5	40000	--	--	--	--	--	--	--
AUG 02, 73	1340	2	.3	3250	--	--	--	--	--	--	--
			1.8	6890	--	--	--	--	--	--	--
AUG 10, 73	1210	2	.3	6120	--	--	--	--	--	--	--
			2.1	26900	--	--	--	--	--	--	--

LINE 354

DEC 08, 71	1110	4	.3	43100	--	--	--	--	--	--	--
MAR 15, 72	1140	4	2.1	44600	--	--	--	--	--	--	--
APR 25, 72	1200	4	.3	45300	--	--	--	--	--	--	--
MAY 16, 72	1255	4	.3	40900	--	--	--	--	--	--	--
JUL 18, 72	1521	4	.3	40400	--	--	--	--	--	--	--
SEP 21, 72	1415	4	.3	47300	360.0	1100.0	9500	162	2200	17000	30100
			2.4	51500	--	--	--	--	--	--	--
DEC 13, 72	1355	4	.3	46600	--	--	--	--	--	--	--
MAR 20, 73	0950	4	.5	41000	--	--	--	--	--	--	--
MAY 15, 73	1000	4	.3	36700	--	--	--	--	--	--	--
			1.8	36900	280.0	840.0	7300	122	2000	13000	23200
AUG 02, 73	1510	4	.3	6140	82.0	120.0	1000	193	26	2000	3400
			1.8	17000	--	--	--	--	--	--	--
AUG 10, 73	1025	4	.3	14100	140.0	320.0	2400	180	65	4800	7840
			1.8	35700	--	--	--	--	--	--	--

LINE 360

MAR 15, 72	1210	3	7.3	42200	--	--	--	--	--	--	--
APR 25, 72	1330	3	.3	43800	--	--	--	--	--	--	--
MAY 16, 72	1410	3	.3	36700	--	--	--	--	--	--	--
JUL 18, 72	1555	3	.3	50500	--	--	--	--	--	--	--
DEC 13, 72	1325	3	.3	44200	--	--	--	--	--	--	--
MAR 20, 73	0915	3	.3	39600	--	--	--	--	--	--	--

LINE 601

MAY 22, 72	1150	2	.5	692	48.0	12.0	77	182	24	110	377
------------	------	---	----	-----	------	------	----	-----	----	-----	-----

LINE 605

MAY 15, 72	1430	2	.7	2230	54.0	46.0	360	186	76	620	1250
MAY 22, 72	1220	2	.5	873	--	--	--	--	--	--	--

TABLE 40--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM
				SOLVED ALUMI- NUM (AL) (UG/L)	SOLVED ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/GM)	SOLVED CAD- MIUM (CD) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/GM)
LINE 145 -----										
SEP 20, 72	1405	2	.3	--	0	--	--	0	--	--
LINE 200 -----										
SEP 20, 72	1726	2	.3 .9	-- --	0 --	-- --	-- 2	0 --	-- --	-- 0
LINE 214 -----										
MAR 16, 72	0805	2	.3 .9	0 --	0 --	0 --	-- 2	0 --	0 --	-- 1
LINE 236 -----										
MAR 16, 72	0925	2	.3 .9	0 --	0 --	0 --	-- 2	0 --	0 --	-- 0
LINE 264 -----										
SEP 21, 72	1255	2	.3 1.2	-- --	0 --	-- --	-- 2	0 --	-- --	-- 0
LINE 274 -----										
MAR 15, 72	1720	2	.3 .9	0 --	0 --	0 --	-- 2	0 --	0 --	-- 1
LINE 287 -----										
MAR 13, 72	1335	7	.3 1.5	490 --	0 --	0 --	-- 3	0 --	0 --	-- 2
SEP 21, 72	1550	8	.3 1.7	-- --	0 --	-- --	-- 2	0 --	-- --	-- 0
LINE 314 -----										
SEP 21, 72	1005	3	.3 1.2	-- --	0 --	-- --	-- 1	0 --	-- --	-- 0
LINE 354 -----										
SEP 21, 72	1415	4	.3	--	0	--	--	0	--	--

TABLE 6D--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED CHRO- MIUM (CR) (UG/L)	TOTAL CHRO- MIUM (CR) (UG/L)	DIS- SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GH)	DIS- SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GH)
LINE 145 -----											
SEP 20, 72	1605	2	.3	0	--	--	--	--	5	--	--
LINE 200 -----											
SEP 20, 72	1728	2	.3 .9	0 --	-- --	-- --	-- --	-- 2	5 --	-- --	-- 6
LINE 214 -----											
MAR 16, 72	0805	2	.3 .9	0 --	1 --	0 --	0 --	-- 16	4 --	4 --	-- 3
LINE 236 -----											
MAR 16, 72	0925	2	.3 .9	1 --	1 --	0 --	1 --	-- 18	4 --	7 --	-- 3
LINE 264 -----											
SEP 21, 72	1255	2	.3 1.2	0 --	-- --	-- --	-- --	-- 3	6 --	-- 4	-- --
LINE 274 -----											
MAR 15, 72	1720	2	.3 .9	0 --	-- --	0 --	0 --	-- 19	12 --	62 --	-- 4
LINE 287 -----											
MAR 13, 72	1335	7	.3 1.5	0 --	-- --	0 --	0 --	-- 33	4 --	4 --	-- 4
SEP 21, 72	1550	8	.3 1.7	0 --	-- --	-- --	-- --	-- 2	6 --	-- --	-- 4
LINE 314 -----											
SEP 21, 72	1005	3	.3 1.2	0 --	-- --	-- --	-- --	-- 3	5 --	-- --	-- 4
LINE 354 -----											
SEP 21, 72	1415	4	.3	0	--	--	--	--	5	--	--

TABLE 6D--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-		DIS-		BOTTOM		DIS-		BOTTOM	
				SOLVED CYANIDE (CN) (MG/L)	DEPOSIT CYANIDE (CN) (UG/GM)	SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	DEPOSIT IRON (FE) (UG/GM)	SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	DEPOSIT LEAD (PB) (UG/GM)		
LINE 195													
SEP 20, 72	1605	2	.3	--	--	0	--	--	--	0	--	--	--
LINE 200													
SEP 20, 72	1728	2	.3	--	--	0	--	--	--	0	--	--	--
			.9	--	--	--	--	16000	--	--	--	--	2
LINE 214													
MAR 16, 72	0805	2	.3	--	--	0	910	--	--	0	4	--	--
			.9	--	--	--	--	8900	--	--	--	12	--
LINE 236													
MAR 16, 72	0925	2	.3	--	--	0	1700	--	--	0	6	--	--
			.9	--	--	--	--	6700	--	--	--	9	--
LINE 264													
SEP 21, 72	1255	2	.3	--	--	0	--	--	--	0	--	--	--
			1.2	--	--	--	--	8200	--	--	--	4	--
LINE 279													
MAR 15, 72	1720	2	.3	--	--	210	2900	--	--	5	5	--	--
			.9	--	--	--	--	13000	--	--	--	14	--
LINE 287													
MAR 13, 72	1335	7	.3	--	--	410	1700	--	--	4	4	--	--
			1.5	--	--	--	--	13000	--	--	--	18	--
SEP 21, 72	1550	8	.3	--	--	0	--	--	--	0	--	--	--
			1.7	--	--	--	--	16000	--	--	--	2	--
LINE 314													
SEP 21, 72	1005	3	.3	--	--	0	--	--	--	0	--	--	--
			1.2	--	--	--	--	11000	--	--	--	3	--
LINE 354													
SEP 21, 72	1415	4	.3	--	--	0	--	--	--	0	--	--	--

TABLE 6D--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITH- (LI) (UG/L)	SOLVED MAN- (MN) (UG/L)	MAN- GANESE (MN) (UG/L)	DEPOSIT MAN- (MN) (UG/GM)	SOLVED MER- (HG) (UG/L)	DEPOSIT MER- (HG) (UG/GM)	SOLVED NICKLE (NI) (UG/L)	SOLVED STRON- TIUM (SR) (UG/L)	
LINE 145 -----												
SEP 20, 72	1605	2	.3	10	0	--	--	--	--	--	--	700
LINE 200 -----												
SEP 20, 72	1728	2	.3 .9	10	0	-- --	-- 290	-- --	-- --	-- .0	-- --	680 --
LINE 214 -----												
MAR 16, 72	0805	2	.3 .9	20	0	0 --	-- < 200	.2 --	.0 --	-- .0	0 --	650 --
LINE 236 -----												
MAR 16, 72	0925	2	.3 .9	30	0	0 --	-- < 140	.2 --	.0 --	-- .0	0 --	1000 --
LINE 264 -----												
SEP 21, 72	1255	2	.3 1.2	40	0	-- --	-- 180	-- --	-- --	-- .0	-- --	1800 --
LINE 274 -----												
MAR 15, 72	1720	2	.3 .9	70	0	60 --	-- < 150	.2 --	.0 --	-- .1	0 --	2700 --
LINE 287 -----												
MAR 13, 72	1335	7	.3 1.5	50	0	0 --	-- < 190	.2 --	.0 --	-- .0	8 --	1800 --
SEP 21, 72	1550	8	.3 1.7	50	0	-- --	-- 260	-- --	-- --	-- .0	-- --	2200 --
LINE 314 -----												
SEP 21, 72	1005	3	.3 1.2	110	0	-- --	-- 210	-- --	-- --	-- .0	-- --	4500 --
LINE 354 -----												
SEP 21, 72	1415	4	.3	130	50	--	--	--	--	--	--	5200

TABLE 6D--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ZINC (ZN) (UG/L)	TOTAL ZINC (ZN) (UG/L)	BOTTOM DEPOSIT ZINC (ZN) (UG/GH)
LINE 195						
SEP 20, 72	1605	2	.3	--	2	--
LINE 200						
SEP 20, 72	1728	2	.3 .9	0 --	-- --	-- 51
LINE 214						
MAR 16, 72	0805	2	.3 .9	60 --	60 --	-- 27
LINE 236						
MAR 16, 72	0925	2	.3 .9	80 --	100 --	-- 19
LINE 269						
SEP 21, 72	1255	2	.3 1.2	5 --	-- --	-- 29
LINE 279						
MAR 15, 72	1720	2	.3 .9	140 --	160 --	-- 34
LINE 287						
MAR 13, 72	1335	7	.3 1.5	160 --	160 --	-- 42
SEP 21, 72	1550	8	.3 1.7	2 --	-- --	-- 47
LINE 314						
SEP 21, 72	1005	3	.3 1.2	5 --	-- --	-- 32
LINE 354						
SEP 21, 72	1415	4	.3	6	--	--

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		
				ALDRIN (UG/L)	ALDRIN (UG/KG)	CHLOR- DANE (UG/L)	CHLOR- DANE (UG/KG)	DDD (UG/L)	DDD (UG/KG)	DDE (UG/L)	DDE (UG/KG)	
LINE 195 -----												
SEP 20, 72	1605	2	.3	.00	--	.0	--	.00	--	.00	--	
LINE 200 -----												
SEP 20, 72	1728	2	.3	.00	--	.0	--	.00	--	.00	--	
LINE 214 -----												
MAR 16, 72	0805	2	.3 .9	.00 <	-- .2	.0 --	-- 2.3	.00 --	-- 1.3	.00 --	-- 1.8	
LINE 236 -----												
MAR 16, 72	0925	2	.3 .9	.00 <	-- .2	.0 --	-- 1.0	.00 --	-- .2	.00 --	-- .4	
LINE 243 -----												
SEP 21, 72	1205	5	.9	--	< .2	--	< 1.0	--	< .2	--	1.1	
LINE 264 -----												
SEP 21, 72	1255	2	.3 1.2	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- 1.0	.00 --	-- .7	
LINE 274 -----												
MAR 15, 72	1720	2	.3 .9	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- 1.8	.00 --	-- < .2	
LINE 287 -----												
MAR 13, 72	1335	7	.3 1.5	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- < .2	.00 --	-- < .2	
SEP 21, 72	1550	8	.3 1.7	.00 --	-- < .2	.0 --	-- < 1.0	.00 --	-- < .2	.00 --	-- < .2	

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DOT (UG/KG)	TOTAL DIEL- DRIN (UG/L)	BOTTOM DEPOSIT DIEL- DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA- CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA- CHLOR (UG/KG)
LINE 145											
SEP 20, 72	1605	2	.3	.00	--	.01	--	.00	--	.00	--
LINE 200											
SEP 20, 72	1726	2	.3	.00	--	.00	--	.00	--	.00	--
LINE 214											
MAR 16, 72	0805	2	.3 .9	.00 --	-- 2.1	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 236											
MAR 16, 72	0925	2	.3 .9	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 243											
SEP 21, 72	1205	5	.9	--	< .2	--	< .2	--	< .2	--	< .2
LINE 264											
SEP 21, 72	1255	2	.3 1.2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 274											
MAR 15, 72	1720	2	.3 .9	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
LINE 287											
MAR 13, 72	1335	7	.3 1.5	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2
SEP 21, 72	1550	8	.3 1.7	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2	.00 --	-- < .2

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL LINDANE	BOTTOM LINDANE	TOTAL PARA-	TOTAL METHYL PARA-	TOTAL MALA-	TOTAL DIAZ-
				HEPTA- CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)	HEPTA- CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)						
LINE 195 -----													
SEP 20, 72	1605	2	.3	.00	--	.00	--	.00	--	.00	.00	.00	.02
LINE 200 -----													
SEP 20, 72	1728	2	.3	.00	--	.00	--	.00	--	.00	.00	.00	.00
LINE 214 -----													
MAR 16, 72	0805	2	.3 .9	.00 --	-- <	.00 .2	-- <	.00 .2	-- <	.00 --	.00 --	.00 --	.02 --
LINE 236 -----													
MAR 16, 72	0925	2	.3 .9	.00 --	-- <	.00 .2	-- <	.00 .2	-- <	.00 --	.00 --	.00 --	.02 --
LINE 243 -----													
SEP 21, 72	1205	5	.9	--	<	.2	--	.2	--	--	--	--	--
LINE 264 -----													
SEP 21, 72	1255	2	.3 1.2	.00 --	-- <	.00 .2	-- <	.00 .2	-- <	.00 --	.00 --	.00 --	.01 --
LINE 274 -----													
MAR 15, 72	1720	2	.3 .9	.00 --	-- <	.00 .2	-- <	.00 .2	-- <	.00 --	.00 --	.00 --	.01 --
LINE 287 -----													
MAR 13, 72	1335	7	.3 1.5	.00 --	-- <	.00 .2	-- <	.00 .2	-- <	.00 --	.00 --	.00 --	.01 --
SEP 21, 72	1550	8	.3 1.7	.00 --	-- <	.00 .2	-- <	.00 .2	-- <	.00 --	.00 --	.00 --	.00 --

TABLE 6E--QUALITY OF WATER IN THE GUADALUPE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM		TOTAL		BOTTOM		TOTAL		BOTTOM		
				PCB (UG/L)	DEPOSIT (UG/KG)	PCB (UG/L)	DEPOSIT (UG/KG)	2,4-D (UG/L)	DEPOSIT (UG/KG)	2,4,5-T (UG/L)	DEPOSIT (UG/KG)	2,4,5-T (UG/L)	DEPOSIT (UG/KG)	SILVEX (UG/L)	SILVEX (UG/KG)	
LINE 195																
SEP 20, 72	1605	2	.3	<	.1	--		.00	--	.00	--	.00	--			
LINE 200																
SEP 20, 72	1728	2	.3	<	.1	--		.00	--	.00	--	.00	--			
LINE 214																
MAR 16, 72	0805	2	.3	--	--	--		.00	--	.00	--	.00	--			
			.9	--	--	--	<	.9	--	<	.3	--	<	.3		
LINE 236																
MAR 16, 72	0925	2	.3	--	--	--		.00	--	.00	--	.00	--			
			.9	<	10.0	--		--	<	1.8	--	<	.7	--	<	.7
LINE 243																
SEP 21, 72	1205	5	.3	--	--	--		.50	--	.00	--	.00	--			
LINE 264																
SEP 21, 72	1255	2	.3	<	.1	--		.00	--	.00	--	.00	--			
LINE 274																
MAR 15, 72	1720	2	.3	--	--	--		.00	--	.00	--	.00	--			
			.9	--	--	--		--	<	1.8	--	<	.7	--	<	.7
LINE 287																
MAR 13, 72	1335	7	.3	--	--	--		.03	--	.00	--	.00	--			
			1.5	--	--	--		--	<	3.4	--	<	1.1	--	<	1.2
SEP 21, 72	1550	8	.3	<	.1	--		.00	--	.00	--	.00	--			
LINE 314																
SEP 21, 72	1005	3	.3	<	.1	--		.00	--	.00	--	.00	--			
			1.2	--	--	--		--	<	1.2	--	<	.4	--	<	.4
LINE 354																
SEP 21, 72	1415	4	.3	<	.1	--		.00	--	.00	--	.00	--			
			2.9	--	--	--		--	<	.9	--	<	.3	--	<	.3

Mission-Aransas Estuary

The Mission-Aransas estuary covers an area of about 160 square miles (410 square kilometers) and consists of the tidal parts of Mission River, Aransas River, Copano Creek and other tributaries, Mission Bay, Copano Bay, Aransas Bay, St. Charles Bay, Carlos Bay, part of Redfish Bay, parts of the Intracoastal Waterway,

Lydia Ann Channel, and Aransas Pass (Figure 8). Water depth at mlw is less than 2 feet (0.6 meter) in Mission Bay, less than 8 feet (2.4 meters) in Copano Bay, less than 13 feet (4.0 meters) in Aransas Bay, less than 5 feet (1.5 meters) in St. Charles Bay, 4 feet (1.2 meters) or less in Carlos and Redfish Bays, about 15 feet




Figure 8.—Data-Collection Sites in the Mission-Aransas Estuary

(4.6 meters) in the Intracoastal Waterway, about 20 feet (6.1 meters) in the Lydia Ann Channel, and more than 40 feet (12.2 meters) in Aransas Pass.

Water-quality data (Table 7) were collected during January, March, May, June, July, September, and November 1972, and February, April, and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 7 and on Figure 8.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

**Mission-Aransas Estuary
Change in Line Numbers**

OLD	NEW	OLD	NEW
1	15	Carlos Bay	115
4	44	12	120
5	54	13	133
6	65	14	141
7	77	14-site 4	172-site 10
8	89	15	170
9	96	16	165
10	100		
New line	104		
11	110		

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 15										
NOV 05, 71	0825	2	.6 1.7	5900 5800	25.0 23.5	8.2 8.1	7.1 7.7	84 89	--	--
NOV 11, 71	1105	2	.6 1.5	7000 8600	24.0 24.0	8.5 8.4	7.8 7.8	92 92	--	--
MAR 30, 72	1450	2	.3 1.2	18000 18000	18.8 18.6	8.1 8.1	8.3 9.7	93 109	--	13
MAY 30, 72	1545	2	.3 1.2	6000 6000	28.6 28.8	8.4 8.4	7.7 7.3	103 95	--	46
JUL 24, 72	1610	2	.3 1.2	13000 13000	30.5 30.4	8.5 8.6	11.7 13.3	162 162	--	66
SEP 18, 72	1603	2	.3 1.5	19000 19000	30.1 30.1	8.2 8.2	8.1 8.3	112 115	--	48
NOV 15, 72	1135	2	.3 1.5	17000 17000	15.8 15.8	8.1 8.2	7.3 7.3	78 78	--	71
FEB 20, 73	1600	2	.3 1.5	30000 27000	12.7 12.5	8.0 8.1	9.4 11.2	99 117	--	163
APR 19, 73	1240	2	.3 1.5	28000 28000	22.1 22.1	-- --	7.8 7.4	98 92	--	67
MAY 16, 73	1240	2	.3 1.2	26000 26000	22.3 22.2	8.5 8.5	9.1 9.1	112 112	--	96
LINE 44										
NOV 11, 71	0945	1	.9	9900	20.0	8.6	8.8	96	--	--
MAR 30, 72	1635	1	.3 1.5	18000 18000	19.1 18.9	8.0 8.0	8.6 9.6	97 108	--	13
MAY 30, 72	1230	1	.3 1.2 2.1	3400 3400 3400	28.4 28.1 28.1	8.3 8.2 8.2	7.7 7.3 6.9	99 94 88	--	43
JUL 24, 72	1340	1	.3 1.5 2.7	9400 9500 9800	29.6 29.5 29.2	8.6 8.6 8.4	11.9 11.4 9.5	152 152 125	--	55
SEP 18, 72	1425	1	.3 2.1	14000 14000	30.1 30.2	8.4 8.4	7.8 6.4	107 115	--	56
NOV 15, 72	0940	1	.3 2.1	17000 17000	14.5 14.3	8.0 8.0	7.8 7.8	80 80	--	23
FEB 20, 73	1350	1	.3 1.5 2.1	22000 23000 22000	12.5 12.2 12.4	8.0 8.0 8.0	10.7 10.6 11.0	108 106 111	--	145
APR 19, 73	1025	1	.3 1.5	25000 25000	21.6 21.7	-- --	8.5 8.6	105 106	--	72
MAY 16, 73	1035	1	.3 1.2	28000 24000	21.1 20.9	8.4 8.5	7.9 8.1	98 98	--	74
NOV 05, 71	1030	2	.6 1.8 4.6 1.5	3700 3700 4500 4500	24.0 23.5 24.0 24.0	6.2 8.2 8.4 8.4	6.1 8.2 7.9 7.9	95 95 93 93	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MMS)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 49 CONTINUED										
NOV 05, 71	1030	2	2.6	4500	24.0	8.4	8.0	94	--	--
			.6	4700	20.0	8.0	8.3	90	--	--
			1.5	4800	20.0	8.1	8.4	91	--	--
MAR 30, 72	1620	2	.3	18000	15.4	8.2	8.1	65	--	13
			1.8	18000	15.8	8.2	9.8	104	--	--
MAY 30, 72	1130	2	.3	2200	28.4	8.6	6.8	87	--	30
			.9	2200	28.2	8.6	6.0	77	--	--
JUL 24, 72	1305	2	.3	11000	30.1	8.7	8.5	115	--	48
			1.2	21000	30.0	8.4	6.6	93	--	--
SEP 18, 72	1335	2	.3	15000	30.1	8.5	8.3	114	--	30
			.9	15000	30.2	8.5	8.4	115	--	--
NOV 15, 72	0915	2	.3	17000	12.5	8.3	9.0	89	--	20
			.9	17000	12.5	8.3	9.0	89	--	--
FEB 20, 73	1330	2	.3	25000	14.3	8.1	11.3	119	--	46
			.9	25000	14.6	8.1	10.8	115	--	--
APR 19, 73	1045	2	.3	25000	22.0	--	8.5	105	--	33
			1.2	25000	22.0	--	8.4	104	--	--
MAY 16, 73	1055	2	.3	28000	21.1	8.6	7.8	96	--	46
			.9	28000	20.5	8.6	7.3	89	--	--
LINE 54										
NOV 05, 71	1000	1	.6	3600	24.0	8.2	8.0	94	--	--
			1.8	3600	24.0	8.1	8.2	96	--	--
NOV 11, 71	0955	1	.6	6800	20.5	8.5	8.6	94	--	--
			1.5	6800	20.0	8.5	8.6	93	--	--
			2.4	6800	20.0	8.5	8.3	90	--	--
MAR 30, 72	1525	1	.3	20000	19.2	8.0	7.6	86	--	10
			1.8	22000	19.1	8.0	9.4	108	--	--
MAY 30, 72	1300	1	.3	3700	28.8	8.2	7.6	99	--	43
			2.1	4000	28.8	8.0	6.3	82	--	--
JUL 24, 72	1415	1	.3	9000	30.0	8.6	11.9	161	--	56
			1.2	9000	29.9	8.6	11.5	155	--	--
			2.4	9500	29.2	8.2	6.2	82	--	--
SEP 18, 72	1440	1	.3	16000	30.0	8.2	8.4	112	--	74
			2.1	21000	30.0	7.6	3.1	44	--	--
NOV 15, 72	1005	1	.3	20000	14.9	8.0	7.8	82	--	28
			1.8	20000	15.2	8.0	7.7	81	--	--
FEB 20, 73	1410	1	.3	26000	12.4	8.0	10.6	108	--	124
			1.5	26000	12.1	8.0	10.6	107	--	--
			2.1	27000	12.3	8.0	10.7	110	--	--
APR 19, 73	1110	1	.3	28000	21.7	--	8.8	110	--	75
			1.5	28000	21.6	--	8.8	110	--	--
			2.1	28000	21.7	--	8.9	111	--	--
MAY 16, 73	1120	1	.3	25000	22.6	8.5	8.9	111	--	61
			1.5	25000	21.5	8.5	8.5	104	--	--
			2.1	25000	21.5	8.6	7.9	96	--	--
NOV 05, 71	0950	2	.6	4000	24.0	8.1	8.0	94	--	--
			1.5	4000	24.0	8.1	8.0	94	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JUI)	TRANSP- ARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	---	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 54 CONTINUED

NOV 05, 71	0950	2	2.4	4000	24.0	8.1	8.2	96	--	--
NOV 11, 71	1015	2	.6	4700	21.5	8.5	8.3	93	--	--
			1.5	4700	21.5	8.5	8.3	93	--	--
			2.4	4700	21.0	8.5	8.5	94	--	--
MAR 30, 72	1540	2	.3	17000	19.3	8.1	8.1	92	--	15
			2.1	18000	19.1	8.1	9.4	106	--	--
MAY 30, 72	1330	2	.3	3700	29.6	8.3	7.9	104	--	46
			2.1	4000	29.2	8.2	7.3	95	--	--
JUL 24, 72	1435	2	.3	8900	29.8	8.7	11.5	155	--	48
			2.1	8900	29.8	8.7	12.3	166	--	--
SEP 18, 72	1715	2	.3	17000	30.0	8.2	8.0	111	--	86
			2.1	19000	30.0	8.2	7.9	110	--	--
NOV 15, 72	1025	2	.3	17000	15.0	8.1	7.8	81	--	30
			1.8	17000	14.7	8.2	7.7	79	--	--
FEB 20, 73	1427	2	.5	25000	12.2	8.0	10.9	110	--	119
			1.5	25000	12.0	8.0	11.2	113	--	--
			2.1	27000	11.7	8.1	11.5	119	--	--
APR 19, 73	1120	2	.3	28000	21.7	--	8.1	101	--	36
			1.5	28000	21.6	--	8.0	100	--	--
			2.1	28000	21.6	--	8.2	102	--	--
MAY 16, 73	1135	2	.3	27000	22.6	8.4	8.6	109	--	74
			1.5	27000	21.7	8.5	8.7	109	--	--
			2.1	27000	21.8	8.5	8.8	110	--	--
NOV 05, 71	0920	3	.3	4700	24.0	8.1	8.2	96	--	--
			1.5	4700	24.0	8.1	8.0	94	--	--
			2.4	4800	23.5	8.1	7.7	89	--	--
NOV 11, 71	1025	3	.6	4100	22.5	8.6	8.3	94	--	--
			1.8	4100	22.5	8.6	7.9	90	--	--
MAR 30, 72	1545	3	.3	16000	18.8	8.1	7.2	81	--	13
			1.5	16000	18.9	8.1	9.0	101	--	--
MAY 30, 72	1400	3	.3	2900	30.2	8.2	7.7	103	--	38
			1.8	3100	29.3	8.1	7.8	103	--	--
JUL 24, 72	1445	3	.3	9900	30.0	8.6	12.4	168	--	43
			1.5	9900	30.0	8.6	13.0	176	--	--
SEP 18, 72	1725	3	.3	16000	30.2	8.2	7.6	107	--	56
			.9	16000	30.1	8.2	8.1	111	--	--
NOV 15, 72	1030	3	.3	17000	15.2	8.2	7.7	80	--	38
			1.5	17000	15.1	8.2	7.5	78	--	--
FEB 20, 73	1450	3	.3	25000	12.2	8.0	10.8	109	--	109
			1.5	25000	12.2	8.0	10.3	104	--	--
APR 19, 73	1135	3	.3	26000	22.1	--	8.1	100	--	28
			1.5	26000	22.0	--	8.2	101	--	--
MAY 16, 73	1150	3	.3	25000	22.2	8.4	9.4	116	--	--
			.9	26000	21.2	8.4	9.1	111	--	--

LINE 65

NOV 05, 71	1130	1	.6	6500	24.5	8.2	8.3	98	--	--
			1.5	6500	24.0	8.2	8.3	98	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 65 CONTINUED										
NOV 05, 71	1130	1	2.1	6500	24.0	8.2	8.4	99	--	--
NOV 11, 71	1200	1	.6 1.8	7000 7400	22.0 22.0	8.7 8.7	8.6 8.8	98 100	-- --	-- --
MAR 30, 72	1415	1	.3 1.8	-- 25000	19.3 19.4	8.1 8.1	-- 8.7	-- 102	-- --	20 --
MAY 30, 72	1445	1	.3 2.1	5300 5100	29.6 29.4	8.2 8.1	7.8 6.8	104 91	-- --	56 --
JUL 24, 72	1525	1	.3 .9 1.5 1.8 2.1	10000 10000 10000 11000 17000	30.0 30.0 30.0 29.9 29.6	8.6 8.6 8.6 8.6 7.9	11.7 12.2 12.4 11.8 5.6	158 165 165 159 78	-- -- -- -- --	61 -- -- -- --
SEP 18, 72	1515	1	.3 2.1	18000 17000	30.0 30.0	8.1 8.1	8.0 8.2	111 114	-- --	61 --
NOV 15, 72	1050	1	.3 1.5	19000 19000	15.5 15.3	8.0 8.0	7.5 7.5	79 79	-- --	41 --
FEB 20, 73	1515	1	.3 1.8	31000 31000	12.2 12.2	8.0 8.0	9.9 10.3	103 107	-- --	140 --
APR 19, 73	1200	1	.3 1.8	30000 28000	21.7 21.7	-- --	8.1 8.1	103 101	-- --	104 --
MAY 16, 73	1210	1	.3 1.8	25000 25000	22.9 21.7	8.4 8.5	9.0 8.8	112 109	-- --	81 --
NOV 05, 71	0745	2	.6 1.5 2.4	7100 8400 9500	22.0 22.0 22.0	6.7 6.7 6.6	7.9 7.9 8.2	90 90 93	-- -- --	-- -- --
NOV 05, 71	1140	2	.6 1.5 2.1	7400 7400 8800	24.5 24.0 24.0	8.2 8.2 8.2	8.5 8.4 7.9	101 99 93	-- -- --	-- -- --
NOV 11, 71	1145	2	.6 1.5 2.4	6300 6300 6500	22.0 22.0 22.0	8.7 8.7 8.7	8.9 8.9 8.9	101 101 101	-- -- --	-- -- --
MAR 30, 72	1420	2	.3 2.1	24000 24000	19.8 19.6	8.1 8.1	8.5 9.5	100 110	-- --	18 --
MAY 30, 72	1500	2	.3 1.8	5600 4400	29.5 29.4	8.3 8.0	7.8 6.3	104 83	-- --	66 --
JUL 24, 72	1540	2	.3 1.8	14000 15000	30.0 30.0	8.6 8.6	11.6 11.5	159 158	-- --	81 --
SEP 18, 72	1525	2	.3 1.5	19000 19000	30.0 29.8	8.1 8.1	8.1 7.7	112 107	-- --	81 --
NOV 15, 72	1105	2	.3 1.2	17000 17000	15.5 15.4	8.0 8.0	7.5 7.5	79 79	-- --	41 --
FEB 20, 73	1523	2	.3 1.5	25000 25000	12.3 12.3	8.0 8.0	10.1 10.3	103 105	-- --	142 --
APR 19, 73	1206	2	.3 1.5 2.1	33000 33000 33000	21.7 21.7 21.7	-- -- --	7.9 7.8 8.0	101 100 103	-- -- --	76 -- --
MAY 16, 73	1215	2	.3 1.5	25000 25000	22.6 22.0	8.5 8.5	9.3 9.3	116 115	-- --	89 --
NOV 05, 71	0755	3	.6	6400	23.0	7.1	8.1	93	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECKEL DISK) (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 65 CONTINUED

NOV 05, 71	0755	3	1.5 2.4	6500 6500	23.0 22.5	7.0 6.9	8.0 8.0	92 91	-- --	-- --
NOV 11, 71	1135	3	.6 1.5 2.4	5500 5500 6000	22.5 22.5 22.5	8.7 8.7 8.7	8.8 8.8 8.7	100 100 99	-- -- --	-- -- --
MAR 30, 72	1430	3	.3 2.1	21000 21000	19.5 19.1	8.1 8.1	7.8 8.9	90 101	-- --	18 --
MAY 30, 72	1515	3	.3 2.1	4400 4500	29.7 29.4	8.2 8.2	7.9 8.9	104 91	-- --	56 --
JUL 24, 72	1545	3	.3 2.1	13000 13000	29.9 29.8	8.6 8.6	11.8 13.2	162 181	-- --	74 --
SEP 18, 72	1655	3	.3 1.8	20000 20000	30.0 30.0	8.2 8.2	8.1 8.4	119 118	-- --	91 --
NOV 15, 72	1115	3	.3 1.8	17000 17000	15.7 15.6	8.1 8.1	7.5 7.4	79 78	-- --	46 --
FEB 20, 73	1532	3	.3 1.5 2.1	24000 22000 22000	12.3 12.2 12.2	8.0 8.0 8.1	9.9 10.0 10.8	100 99 107	-- -- --	124 -- --
APR 19, 73	1215	3	.3 1.5 2.1	33000 33000 33000	21.8 21.8 21.8	-- -- --	7.7 7.8 7.9	99 100 101	-- -- --	112 -- --
MAY 16, 73	1225	3	.3 1.8	21000 26000	22.7 21.7	8.4 8.5	8.8 8.7	109 107	-- --	79 --
NOV 05, 71	0805	4	.6 1.5 2.3	4600 4600 4800	24.0 23.5 23.5	7.9 7.3 7.3	8.0 8.0 8.0	93 93 93	-- -- --	-- -- --
NOV 11, 71	1120	4	.6 2.0	4000 5100	23.5 23.5	8.6 8.5	8.4 8.5	98 99	-- --	-- --
MAR 30, 72	1440	4	.3 1.8	18000 21000	19.1 18.8	8.1 8.1	8.2 9.7	92 110	-- --	15 --
MAY 30, 72	1530	4	.3 1.2	4400 4500	30.2 30.1	8.3 8.2	7.8 8.9	104 92	-- --	51 --
JUL 24, 72	1555	4	.3 1.5	11000 11000	30.2 30.0	8.6 8.6	12.0 12.6	182 170	-- --	69 --
SEP 18, 72	1640	4	.3 1.8	21000 21000	30.2 30.1	8.4 8.3	10.4 10.1	146 142	-- --	76 --
NOV 15, 72	1120	4	.3 1.8	17000 17000	15.7 15.7	8.2 8.2	7.4 7.3	78 77	-- --	53 --
FEB 20, 73	1542	4	.3 1.8	24000 24000	12.3 12.3	8.0 8.0	9.8 10.1	99 102	-- --	127 --
APR 19, 73	1225	4	.3 1.5	30000 28000	22.1 22.0	-- --	7.9 8.1	100 101	-- --	37 --
MAY 16, 73	1230	4	.3 1.8	27000 26000	23.2 21.8	8.3 8.3	8.9 8.5	113 105	-- --	94 --

LINE 77

NOV 05, 71	1210	1	.6 1.8	11000 11000	24.0 29.0	8.1 8.1	8.4 8.6	99 101	-- --	-- --
------------	------	---	-----------	----------------	--------------	------------	------------	-----------	----------	----------

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME (HRS)	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 77 CONTINUED									
NOV 11, 71	1230	1	.6 7700	23.0	8.6	8.6	99	--	--
			1.2 9800	22.5	8.6	8.5	97	--	--
			1.5 11000	22.5	8.6	8.5	96	--	--
			1.8 12000	22.5	8.6	8.6	98	--	--
JAN 27, 72	1400	1	.3 18000	20.0	8.1	11.8	130	--	104
			1.2 18000	19.9	8.0	12.1	133	--	--
			2.4 18000	19.6	8.0	12.2	133	--	--
NOV 05, 71	1150	2	1.1 10000	24.0	8.1	8.5	100	--	--
NOV 05, 71	1200	2	.6 9500	24.0	8.1	8.6	101	--	--
			1.5 10000	24.0	8.1	8.4	99	--	--
			3.4 12400	24.0	8.1	8.2	96	--	--
NOV 11, 71	1215	2	.6 7500	23.0	8.5	8.4	96	--	--
			1.5 8800	23.0	8.5	8.3	95	--	--
			2.1 11000	23.0	8.6	8.5	98	--	--
			2.4 13000	23.0	8.6	8.4	96	--	--
			3.2 15000	23.5	8.5	8.4	98	--	--
MAR 30, 72	1400	2	.3 24000	20.2	8.0	7.0	82	--	25
			1.5 24000	20.3	8.0	7.0	83	--	--
			2.7 24000	20.8	8.0	8.1	98	--	--
MAY 30, 72	1400	2	.3 10000	29.4	8.3	7.4	99	--	--
			1.5 11000	29.0	8.2	6.3	83	--	--
			3.0 11000	29.6	8.1	6.3	84	--	--
JUL 24, 72	1640	2	.3 19000	29.9	8.4	12.0	167	--	102
			1.5 19000	29.8	8.4	11.6	161	--	--
			3.4 21000	29.5	8.3	9.8	136	--	--
SEP 18, 72	1545	2	.3 21000	30.7	8.2	7.9	113	--	102
			1.5 22000	30.4	8.2	7.7	110	--	--
			3.0 22000	30.2	8.1	7.2	103	--	--
NOV 15, 72	1230	2	.3 19000	15.9	8.0	7.4	79	--	67
			1.5 19000	15.7	8.0	7.2	76	--	--
			3.4 21000	16.4	8.1	7.2	79	--	--
FEB 20, 73	1620	2	.3 31000	12.8	8.0	10.9	116	--	170
			1.5 31000	12.6	8.0	10.5	111	--	--
			3.0 33000	12.6	8.0	10.7	114	--	--
APR 19, 73	1305	2	.3 29000	21.8	--	8.0	100	--	72
			1.5 30000	21.7	--	8.0	100	--	--
			3.0 33000	21.6	--	7.5	95	--	--
MAY 16, 73	1305	2	.3 21000	22.8	8.5	8.8	109	--	81
			1.5 25000	22.5	8.5	8.6	108	--	--
			3.0 25000	21.9	8.5	8.7	107	--	--
NOV 11, 71	1210	4	.9 8900	23.5	8.6	8.5	99	--	--
			1.2 8900	23.5	8.6	8.5	99	--	--
LINE 89									
NOV 05, 71	0835	2	.3 3400	21.9	8.0	7.3	84	--	30
			.9 4000	21.7	8.0	7.3	83	--	--
			1.5 4200	21.7	8.0	8.0	91	--	--
NOV 11, 71	1530	2	.6 4700	24.0	8.7	8.4	99	--	--
			1.5 5100	24.5	8.7	7.9	94	--	--
JAN 27, 72	1440	2	.3 9500	20.7	8.2	12.4	138	--	--
			.6 9000	20.7	8.2	12.4	138	--	--
			1.2 16000	21.4	8.2	14.4	165	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS											
DATE OF COLLECTION	TIME	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY DISK (CM)		
LINE 89 CONTINUED											
MAR 30, 72	1155	2	.3 17000 .9 18000	16.6 15.8	8.2 8.3	7.6 10.6	82 113	-- --	10 --		
MAY 30, 72	1630	2	.3 1.5 2600 2600	30.5 29.2	8.4 8.1	8.2 6.1	111 79	-- --	33 --		
JUL 24, 72	1735	2	.3 1.5 4200 4300	30.0 30.0	8.8 8.8	10.7 10.9	143 145	-- --	61 --		
SEP 18, 72	1805	2	.3 1.2 14000 16000	29.7 29.7	8.6 8.6	10.4 10.6	142 145	30. 60.	-- --		
NOV 15, 72	1355	2	.3 1.2 11000 12000	14.8 14.9	8.3 8.3	8.4 8.2	86 84	-- --	38 --		
FEB 20, 73	1720	2	.3 1.2 23000 23000	13.3 13.5	8.2 8.2	9.5 9.8	98 101	-- --	96 --		
APR 19, 73	1400	2	.3 1.5 25000 25000	22.1 22.0	-- --	8.6 9.4	106 116	-- --	67 --		
MAY 16, 73	1515	2	.3 1.2 23000 23000	22.3 22.3	8.4 8.4	8.7 8.8	106 107	-- --	69 --		
LINE 96											
NOV 05, 71	0900	2	.3 .9 12000 12000 1.5 12000	22.8 22.8 22.6	8.0 8.0 8.0	7.6 7.7 7.8	90 92 93	-- -- --	86 -- --		
NOV 11, 71	1545	2	.6 1.7 8500 8700	23.5 23.5	8.7 8.7	8.7 8.7	101 101	-- --	-- --		
JAN 27, 72	1500	2	.3 1.2 16000 16000	20.6 20.4	8.1 8.1	12.7 13.2	142 147	-- --	122 --		
MAR 30, 72	1215	2	.3 1.2 20000 20000	16.3 16.4	8.2 8.2	8.1 9.1	88 99	-- --	10 --		
MAY 30, 72	1705	2	.3 1.5 -- 4200	29.6 30.0	8.3 8.2	-- 6.5	-- 87	-- --	46 --		
JUL 24, 72	1755	2	.3 1.5 10000 11000	30.4 30.3	8.7 8.7	11.2 10.9	151 147	-- --	91 --		
NOV 15, 72	1420	2	.3 1.2 15000 21000	15.1 15.3	8.2 8.2	8.1 8.1	84 86	-- --	48 --		
FEB 20, 73	1735	2	.3 1.5 29000 29000	12.5 12.5	8.1 8.1	10.6 10.9	110 114	-- --	112 --		
APR 19, 73	1350	2	.3 1.8 30000 28000	21.9 21.9	-- --	8.9 9.3	111 116	-- --	94 --		
LINE 100											
NOV 05, 71	0920	2	.3 .9 12000 12000 1.5 12000	22.1 22.1 22.0	8.2 8.2 8.2	7.1 7.5 7.9	84 88 93	-- -- --	46 -- --		
NOV 11, 71	1600	2	.6 1.5 11000 11000 3.4 11000	24.0 24.0 24.0	8.7 8.7 8.7	8.8 8.8 8.7	104 104 102	-- -- --	-- -- --		
JAN 27, 72	1515	2	.3 1.2 23000 23000	18.8 18.7	8.0 8.0	15.6 12.7	170 138	-- --	58 --		
MAR 30, 72	1240	2	.3 31000	16.4	8.0	9.3	106	--	8		

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 100 CONTINUED

MAR 30, 72	1240	2	.9	31000	16.6	8.0	10.3	117	--	--
MAY 30, 72	1720	2	.3	12000	29.7	8.5	8.7	118	--	48
			1.2	12000	29.5	8.5	8.5	115	--	--
JUL 24, 72	1810	2	.3	16000	30.0	8.6	10.7	147	--	53
			1.2	16000	30.0	8.5	10.7	147	--	--
SEP 18, 72	1840	2	.3	30000	30.0	8.4	11.2	165	45.	--
			.8	28000	30.0	8.4	11.3	164	60.	--
NOV 15, 72	1435	2	.3	23000	15.5	8.2	8.4	90	--	74
			1.1	24000	15.5	8.2	8.8	95	--	--
FEB 20, 73	1745	2	.3	30000	12.7	8.2	10.7	113	--	132
			1.5	30000	12.7	8.2	10.6	112	--	--
			2.1	30000	12.7	8.2	10.9	115	--	--
APR 19, 73	1340	2	.3	23000	21.9	--	8.9	109	--	51
			1.2	23000	21.9	--	9.5	116	--	--
MAY 16, 73	1455	2	.3	17000	24.5	8.6	10.4	130	--	91
			1.2	23000	23.2	8.5	10.0	123	--	--

LINE 104

NOV 05, 71	0940	2	.3	13000	23.2	8.2	7.3	87	--	36
			1.5	8500	23.0	8.2	7.2	85	--	--
			2.7	12000	22.9	8.1	6.9	82	--	--
			4.9	14000	23.0	8.1	6.9	82	--	--
NOV 11, 71	1940	2	.6	13000	24.5	8.5	8.2	98	--	--
			1.7	25000	24.5	8.5	8.1	96	--	--
MAR 30, 72	1130	2	.3	34000	17.2	8.1	7.0	82	--	8
			1.2	36000	17.0	8.1	10.8	127	--	--
MAY 30, 72	1830	2	.3	17000	28.8	8.4	8.0	110	--	51
			1.2	17000	28.7	8.4	7.8	107	--	--
JUN 01, 72	0810	2	.3	12000	23.8	8.0	5.8	71	--	--
			1.5	12000	23.8	8.0	4.7	57	--	--
JUL 24, 72	1640	2	.5	21000	30.6	8.4	8.5	121	20.	25
			1.7	41000	29.9	8.2	6.2	95	60.	--
SEP 18, 72	1700	2	.3	40000	30.0	8.4	10.6	163	20.	--
			.9	40000	30.0	8.4	10.7	165	20.	--
NOV 15, 72	1235	2	.3	29000	14.5	8.2	10.1	110	50.	66
			1.2	29000	14.5	8.2	10.9	118	270.	--
FEB 20, 73	1540	2	.3	34000	12.1	8.3	8.9	94	30.	112
			1.5	34000	12.3	8.3	9.0	96	35.	--
MAY 16, 73	1415	2	.3	16000	24.1	8.3	8.8	109	--	46
			.9	17000	22.3	8.2	7.7	93	--	--
			1.2	25000	22.0	8.2	7.0	86	--	--
MAR 30, 72	1120	4	.3	28000	17.5	8.2	8.1	93	--	5
			1.5	28000	17.3	8.3	9.3	107	--	--
MAY 30, 72	1410	4	.3	14000	29.7	8.3	7.7	104	--	65
			1.5	16000	29.0	8.2	6.8	92	--	--
JUL 29, 72	1656	4	.5	21000	30.5	8.4	7.8	111	19.	62
			1.5	29000	29.4	8.2	6.9	98	75.	--
SEP 18, 72	1730	4	.3	36000	29.8	8.4	10.6	161	50.	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 104 CONTINUED										
SEP 18, 72	1730	4	1.8	36000	29.8	8.4	10.3	156	85.	--
NOV 15, 72	1340	9	.3	27000	15.1	8.2	9.9	109	60.	53
			1.7	27000	15.3	8.2	10.1	111	35.	--
FEB 20, 73	1615	4	.3	34000	12.0	8.3	8.9	94	35.	127
			1.5	33000	12.2	8.2	9.0	95	40.	--
MAY 16, 73	1410	4	.3	13000	24.4	8.5	10.5	128	--	36
			1.8	17000	21.9	8.3	7.6	92	--	--
MAR 30, 72	1125	6	.3	32000	16.2	8.2	7.1	80	--	10
			1.5	32000	16.0	8.2	9.6	107	--	--
MAY 30, 72	1420	6	.3	13000	29.1	8.4	7.9	105	--	66
			1.5	14000	29.1	8.3	7.3	97	--	--
JUL 24, 72	1706	6	.5	20000	30.2	8.4	8.1	114	8.	--
			1.8	21000	30.4	8.4	7.8	110	10.	--
SEP 18, 72	1740	6	.3	36000	29.9	8.4	10.6	161	--	--
			1.8	36000	29.9	8.4	10.6	161	30.	--
NOV 15, 72	1255	6	.3	19000	15.6	8.1	7.8	82	--	119
			1.8	22000	15.0	8.2	8.2	87	--	--
FEB 20, 73	1620	6	.3	32000	11.9	8.2	8.6	90	30.	155
			1.8	32000	12.2	8.2	8.6	90	35.	--
APR 19, 73	1330	6	.3	33000	21.7	--	8.1	103	--	52
			1.5	33000	21.7	--	8.5	108	--	--
			2.1	33000	21.7	--	8.0	101	--	--
MAY 16, 73	1400	6	.3	15000	23.0	8.5	9.6	116	--	36
			1.5	21000	21.7	8.3	7.9	95	--	--
MAR 30, 72	1245	8	.3	26000	19.2	8.2	7.8	91	--	23
			1.8	31000	19.1	8.2	8.9	106	--	--
MAY 30, 72	1435	6	.3	12000	28.9	8.4	8.1	108	--	66
			1.8	14000	29.0	8.3	7.1	95	--	--
JUL 24, 72	1732	8	.5	20000	29.8	8.4	8.0	113	10.	79
			1.5	20000	29.7	8.4	6.7	94	11.	--
			2.1	22000	29.7	8.2	7.1	100	50.	--
SEP 18, 72	1850	8	.3	31000	29.8	8.4	9.6	141	10.	--
			2.1	31000	29.8	8.4	10.2	150	10.	--
NOV 15, 72	1245	8	.3	21000	16.5	8.1	7.4	60	--	86
			1.8	21000	16.4	8.1	7.3	79	--	--
FEB 20, 73	1630	8	.3	33000	11.5	8.2	8.4	88	35.	183
			1.8	33000	11.7	8.2	8.5	89	30.	--
APR 19, 73	1323	8	.3	28000	21.8	--	8.2	102	--	69
			1.5	28000	21.7	--	7.5	94	--	--
			2.1	28000	21.6	--	6.9	86	--	--
MAY 16, 73	1355	8	.3	16000	23.7	8.5	10.1	123	--	51
			.9	24000	22.6	8.4	9.2	114	--	--
			1.8	25000	22.3	8.4	8.7	107	--	--
MAR 30, 72	1250	10	.3	22000	19.3	8.1	7.4	85	--	18
			.9	23000	19.2	8.1	7.7	88	--	--
			2.1	25000	19.1	8.1	8.3	96	--	--
MAY 30, 72	1445	10	.3	10000	29.0	8.3	7.8	103	--	66
			2.1	12000	29.1	8.2	6.7	89	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 104 CONTINUED										
JUL 24, 72	1725	10	.5	20000	29.8	8.4	8.3	117	17.	88
			1.5	21000	29.6	8.4	8.0	113	7.	--
			2.1	22000	29.2	8.2	6.9	96	26.	--
SEP 18, 72	1855	10	.3	23000	29.7	8.4	8.9	125	15.	--
			.9	26000	29.5	8.4	10.1	144	15.	--
			2.1	27000	29.2	8.3	8.0	114	15.	--
NOV 15, 72	1240	10	.3	22000	16.5	8.1	7.4	81	--	84
			2.1	22000	16.3	8.1	7.2	79	--	--
FEB 20, 73	1633	10	.3	33000	12.7	8.0	10.0	106	--	163
			1.5	33000	12.6	8.0	9.9	105	--	--
			2.7	33000	12.5	8.0	10.3	110	--	--
APR 19, 73	1315	10	.3	28000	21.9	--	6.5	81	--	76
			1.5	28000	21.8	--	7.1	89	--	--
			2.4	28000	21.8	--	7.2	90	--	--
MAY 16, 73	1345	10	.3	24000	23.9	8.6	9.2	116	--	--
			2.1	25000	22.7	8.5	8.7	109	--	--
LINE 110										
NOV 11, 71	1455	2	.6	7000	25.0	8.6	7.2	85	--	--
			1.5	7800	25.0	8.6	7.2	85	--	--
			3.0	12000	25.0	8.5	6.0	70	--	--
			4.6	18000	24.0	8.5	7.4	86	--	--
JAN 27, 72	1535	2	.3	24000	20.9	8.1	11.9	135	--	43
			1.2	24000	20.7	8.1	12.1	136	--	--
			2.4	24000	20.9	8.1	12.3	140	--	--
			4.3	23000	20.7	8.0	13.2	149	--	--
MAR 30, 72	1055	2	.3	24000	17.4	8.2	7.3	82	--	10
			1.5	24000	17.4	8.2	7.5	84	--	--
			9.3	25000	16.8	8.2	9.5	107	--	--
MAY 30, 72	1745	2	.3	12000	28.6	8.5	8.5	113	--	44
			1.5	16000	28.4	8.4	7.3	97	--	--
			9.3	16000	28.2	8.4	6.6	88	--	--
JUL 24, 72	1835	2	.3	12000	30.1	8.6	10.6	145	--	41
			2.1	19000	29.4	8.4	8.2	112	--	--
			4.3	30000	29.1	8.4	6.7	97	--	--
SEP 18, 72	1715	2	.3	39000	29.8	8.4	10.8	164	10.	--
			1.5	40000	28.9	8.4	9.5	144	10.	--
			3.0	40000	28.8	8.4	8.4	127	15.	--
			4.3	40000	28.9	8.3	7.6	115	20.	--
NOV 15, 72	1400	2	.3	26000	13.8	8.2	10.5	111	75.	33
			1.5	26000	13.8	8.2	10.3	108	85.	--
			3.0	26000	13.8	8.2	9.3	98	95.	--
			4.9	26000	13.8	8.2	9.6	101	95.	--
FEB 20, 73	1400	2	.3	29000	11.6	8.5	9.3	95	90.	97
			1.5	29000	11.6	8.5	9.4	96	45.	--
			3.0	29000	11.7	8.5	9.3	95	45.	--
			4.3	29000	12.0	8.5	9.3	96	45.	--
MAY 16, 73	1435	2	.3	11000	23.7	8.5	10.3	123	--	23
			1.5	11000	21.7	8.4	8.7	101	--	--
			3.0	11000	21.5	8.4	8.5	99	--	--
			4.0	11000	21.5	8.4	8.5	99	--	--
LINE 115										
NOV 05, 71	1120	3	.3	13000	23.2	8.1	7.9	94	--	66

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	(DISSOLVED OXYGEN) (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
NOV 05, 71	1120	3	1.2	13000	23.2	8.1	8.1	96	--	--
JUN 01, 72	0825	3	.3	14000	23.8	8.2	6.5	79	--	47
			.9	14000	23.6	8.1	6.5	78	--	--
SEP 18, 72	1550	3	.3	40000	30.0	8.4	9.3	143	35.	--
			1.1	39000	30.2	8.4	9.4	142	35.	--
NOV 05, 71	1113	4	.3	12000	23.2	8.1	7.1	85	--	61
			.6	12000	23.2	8.1	7.1	85	--	--
			1.2	13000	23.2	8.1	6.8	82	--	--
MAR 30, 72	1000	4	.3	35000	17.0	8.0	7.0	82	--	8
			1.2	35000	16.3	7.9	8.2	95	--	--
JUN 01, 72	0835	4	.3	14000	24.5	8.2	6.6	80	--	46
			.9	14000	24.4	8.2	6.6	80	--	--
JUL 24, 72	1817	4	.3	16000	30.4	8.4	8.5	116	45.	25
			.9	16000	30.4	8.4	7.9	108	95.	--
NOV 15, 72	1200	4	.3	29000	14.2	8.2	9.9	106	65.	41
			.9	29000	14.2	8.2	10.9	117	65.	--
FEB 20, 73	1525	4	.3	30000	12.2	8.4	9.0	94	40.	112
			.9	32000	12.3	8.4	9.4	99	50.	--
MAY 15, 73	1700	4	.3	16000	22.9	8.4	9.4	113	90.	46
			.9	16000	22.8	8.3	11.4	137	200.	--
NOV 05, 71	1110	5	.3	14000	23.2	8.1	7.6	90	--	71
			1.2	14000	23.2	8.1	7.7	92	--	--
NOV 11, 71	1425	5	.6	12000	25.5	8.7	8.5	102	--	--
			1.5	13000	26.0	8.6	8.2	100	--	--
MAR 30, 72	1005	5	.3	36000	17.1	8.0	7.0	82	--	8
			1.2	36000	17.0	8.0	8.7	102	--	--
JUN 01, 72	0840	5	.3	14000	24.6	8.2	5.9	73	--	46
			1.2	14000	24.5	8.2	5.9	72	--	--
JUL 24, 72	1800	5	.3	17000	30.3	8.5	8.0	111	61.	41
			1.4	17000	30.3	8.5	8.3	115	38.	--
SEP 18, 72	1600	5	.3	43000	29.7	8.4	7.9	123	35.	--
			1.2	42000	29.8	8.4	8.4	131	35.	--
NOV 15, 72	1210	5	.3	30000	14.2	8.2	9.9	108	60.	56
			1.1	30000	14.1	8.2	9.8	107	120.	--
FEB 20, 73	1530	5	.3	33000	12.1	8.3	9.1	96	40.	99
			1.2	33000	12.2	8.3	9.1	96	40.	--
MAY 15, 73	1710	5	.3	17000	22.8	8.4	10.1	123	70.	46
			.9	18000	22.8	8.4	10.3	126	90.	--
NOV 05, 71	1105	6	.3	19000	23.2	8.1	7.4	90	--	74
			1.2	19000	23.1	8.1	7.5	91	--	--
MAR 30, 72	1015	6	.3	--	17.1	8.0	--	--	--	8
			1.2	36000	16.9	8.1	8.8	104	--	--
JUN 01, 72	0845	6	.3	13000	24.6	8.2	6.7	83	--	43
			1.2	13000	24.5	8.2	6.8	83	--	--
JUL 24, 72	1811	6	.3	18000	30.4	8.4	7.6	106	20.	62
			1.2	18000	30.4	8.4	7.3	101	25.	--
NOV 15, 72	1220	6	.3	27000	14.0	8.2	9.2	99	55.	51

LINE 115 CONTINUED

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (DISK 1 CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	--------------------------

LINE 115 CONTINUED

NOV 15, 72	1220	6	.9	27000	19.0	8.2	9.2	99	60.	--
MAY 15, 73	1715	6	.3	20000	22.8	8.4	10.0	123	75.	--
			.9	19000	22.8	8.4	11.3	137	75.	--
NOV 05, 71	1040	7	.3	17000	22.9	8.1	7.7	94	--	76
			.9	17000	22.9	8.1	7.7	94	--	--
JAN 27, 72	1605	7	.3	27000	22.4	8.0	13.1	154	--	66
			.9	27000	22.4	8.1	13.5	159	--	--
JUN 01, 72	0850	7	.3	10000	24.2	8.1	6.3	76	--	46
			.9	11000	24.4	8.1	6.2	75	--	--
JAN 27, 72	1620	9	.3	24000	21.4	8.1	13.5	155	--	58
			1.2	24000	21.6	8.1	13.8	160	--	--

LINE 120

NOV 05, 71	1225	1	.3	17000	23.5	8.0	7.8	96	--	61
			1.5	17000	23.4	8.0	7.7	95	--	--
			3.0	19000	23.2	8.0	7.3	89	--	--
			4.3	19000	23.2	7.9	7.3	89	--	--
NOV 11, 71	1435	1	.3	14000	23.3	8.6	10.8	130	--	74
			.9	14000	23.2	8.6	10.7	127	--	--
			1.8	22000	23.1	8.5	8.9	110	--	--
			2.4	25000	23.1	8.4	8.5	106	--	--
			4.0	28000	23.1	8.4	6.4	81	--	--
JAN 27, 72	1645	1	.3	24000	19.8	8.2	12.2	135	--	102
			1.2	24000	19.8	8.2	12.9	144	--	--
			2.4	24000	19.9	8.2	13.2	147	--	--
			4.0	24000	19.9	8.2	13.4	149	--	--
MAY 30, 72	1305	1	.3	15000	28.6	8.2	7.5	101	--	64
			1.5	14000	28.4	8.2	7.0	92	--	--
			2.7	14000	28.3	8.2	6.7	88	--	--
			4.0	14000	28.3	8.2	6.7	88	--	--
JUL 24, 72	1603	1	.5	33000	29.8	8.4	8.6	128	5.	102
			1.5	39000	29.4	8.4	8.0	119	8.	--
			3.0	39000	29.2	8.4	7.9	118	11.	--
			4.9	39000	29.2	8.4	7.1	106	11.	--
SEP 18, 72	1525	1	.3	37000	29.7	8.4	8.5	127	15.	--
			1.5	39000	29.4	8.4	9.5	142	30.	--
			3.0	39000	29.4	8.4	9.8	146	30.	--
			5.2	39000	29.6	8.4	9.4	142	50.	--
NOV 15, 72	1125	1	.6	27000	14.3	8.2	9.7	102	65.	36
			1.5	26000	14.4	8.2	9.3	99	70.	--
			3.0	26000	14.3	8.2	9.3	98	100.	--
			4.6	26000	14.5	8.2	9.3	99	90.	--
			5.2	26000	14.5	8.2	9.9	105	140.	--
FEB 20, 73	1450	1	.3	35000	11.1	8.3	8.2	85	30.	183
			1.5	35000	10.9	8.2	8.3	86	30.	--
			3.0	40000	10.4	8.2	7.5	79	30.	--
			5.2	40000	10.5	8.2	7.3	77	80.	--
MAY 16, 73	1145	1	.3	20000	23.4	8.2	8.8	110	20.	56
			1.5	23000	23.0	8.1	7.7	95	25.	--
			3.0	25000	23.1	8.1	6.9	86	50.	--
			4.9	26000	23.4	8.0	6.2	78	80.	--
NOV 05, 71	1245	2	.3	14000	23.7	8.1	7.9	96	--	61
			1.5	15000	23.6	8.1	7.9	96	--	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME(S)	TE- (METERS)	DEPTH (METERS)	SPECIFIC (CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY (SECCHI DISK (CM)
LINE 12D CONTINUED										
NOV 05, 71	1245	2	2.7	15000	23.5	8.1	7.8	95	--	--
NOV 11, 71	1420	2	.3	12000	23.5	8.5	10.1	122	--	64
			.9	12000	23.4	8.5	10.4	125	--	--
			1.8	12000	23.2	8.5	10.5	125	--	--
JAN 27, 72	1700	2	.3	25000	19.8	8.2	13.0	145	--	163
			1.2	25000	19.8	8.2	13.7	154	--	--
			2.1	25000	19.9	8.2	13.8	155	--	--
MAY 30, 72	1300	2	.3	13000	28.6	8.3	7.3	97	--	70
			1.2	15000	28.4	8.2	6.6	88	--	--
			2.4	15000	28.7	8.0	5.1	69	--	--
JUL 24, 72	1550	2	.5	28000	29.9	8.4	9.7	139	1.	91
			1.5	29000	29.7	8.4	9.4	135	0.	--
			2.7	35000	29.5	8.4	8.0	118	38.	--
SEP 18, 72	1515	2	.3	34000	29.7	8.4	9.0	134	8.	--
			2.1	34000	29.9	8.3	9.4	140	30.	--
NOV 15, 72	1115	2	.3	22000	14.7	8.1	9.2	97	45.	66
			1.5	22000	14.7	8.1	9.1	96	50.	--
			2.4	22000	14.7	8.1	9.4	99	70.	--
FEB 20, 73	1440	2	.3	34000	10.9	8.2	8.4	87	30.	168
			1.5	34000	10.9	8.2	8.4	87	30.	--
			2.4	34000	11.0	8.2	8.6	89	30.	--
MAY 16, 73	1200	2	.3	22000	23.4	8.1	8.3	104	15.	76
			1.5	29000	23.0	8.1	7.8	96	20.	--
			2.4	23000	23.8	8.0	6.3	80	40.	--
NOV 05, 71	1300	3	.3	13000	23.9	8.0	7.7	94	--	61
			1.2	13000	23.7	8.0	7.9	95	--	--
			2.4	13000	23.7	8.0	8.0	96	--	--
NOV 11, 71	1410	3	.3	12000	23.4	8.5	10.3	124	--	74
			1.5	14000	23.1	8.5	10.7	128	--	--
			3.0	13000	23.2	8.4	7.7	92	--	--
JAN 27, 72	1250	3	.3	21000	19.7	8.1	11.4	124	--	104
			1.2	23000	19.5	8.1	11.9	130	--	--
			2.1	23000	19.2	8.0	12.8	139	--	--
MAR 30, 72	1720	3	.3	28000	18.9	8.0	6.1	72	--	18
			1.2	28000	18.9	8.0	6.9	75	--	--
			2.4	27000	18.9	8.0	8.3	98	--	--
MAY 30, 72	1235	3	.3	12000	28.6	8.3	7.7	103	--	61
			1.2	12000	28.2	8.3	7.5	99	--	--
			1.5	12000	28.2	8.2	6.7	88	--	--
			1.8	11000	28.2	8.2	6.6	86	--	--
			2.1	11000	28.2	8.2	6.6	86	--	--
			2.4	11000	28.3	8.2	6.1	83	--	--
JUL 24, 72	1534	3	.5	22000	29.8	8.4	9.4	134	2.	142
			1.5	23000	29.6	8.4	9.6	135	5.	--
			3.0	34000	29.2	8.3	7.4	109	37.	--
SEP 18, 72	1455	3	.3	30000	29.9	8.4	9.5	140	0.	--
			1.5	31000	29.8	8.4	10.2	150	2.	--
			2.7	35000	29.5	8.3	9.4	140	40.	--
NOV 15, 72	1105	3	.6	22000	13.6	8.1	9.4	97	40.	64
			1.5	22000	14.7	8.1	9.9	98	50.	--
			2.4	24000	14.8	8.2	10.0	106	55.	--
FEB 20, 73	1435	3	.3	34000	10.7	8.2	8.5	87	25.	152

TABLE 7A--QUALITY OF WATER IN THE MISSION-KANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	----------------------------

LINE 120 CONTINUED

FEB 20, 73	1435	3	1.5	34000	10.7	8.2	8.5	87	30.	--
			2.7	35000	10.8	8.2	8.4	88	25.	--
MAY 16, 73	1215	3	.3	23000	22.8	8.1	8.4	104	10.	91
			1.5	23000	22.9	8.1	8.1	100	15.	--
			2.4	22000	23.2	8.1	7.7	95	15.	--
NOV 05, 71	1315	4	.3	12000	23.9	8.1	8.1	99	--	69
			1.2	12000	23.9	8.1	8.1	99	--	--
			2.1	12000	23.8	8.1	8.1	99	--	--
NOV 11, 71	1345	4	.3	10000	23.6	8.4	11.1	132	--	81
			1.2	11000	23.3	8.4	11.1	132	--	--
JUL 24, 72	1525	4	.3	20000	29.7	8.4	10.8	152	2.	127
			1.5	20000	29.4	8.4	9.8	136	3.	--
			2.7	24000	28.9	8.1	5.8	83	16.	--
SEP 16, 72	1445	4	.3	31000	29.9	8.4	9.8	144	0.	--
			1.5	31000	30.0	8.4	10.6	156	5.	--
			2.4	32000	30.1	8.4	11.2	165	5.	--
NOV 15, 72	1055	4	.3	25000	15.0	8.2	9.5	103	40.	89
			1.5	25000	14.9	8.2	9.8	105	35.	--
			2.7	25000	14.7	8.2	10.1	107	50.	--
FEB 20, 73	1425	4	.3	34000	10.8	8.2	8.6	89	25.	155
			1.8	35000	11.0	8.2	9.1	93	25.	--
MAY 16, 73	1225	4	.3	24000	23.5	8.2	10.0	125	0.	107
			1.5	24000	23.5	8.2	9.8	122	5.	--
			2.4	23000	23.3	8.2	9.4	118	5.	--

LINE 133

NOV 05, 71	1410	1	.3	19000	23.8	8.1	8.2	104	--	71
			.9	20000	23.7	8.1	8.4	105	--	--
			1.5	19000	23.6	8.1	6.4	105	--	--
NOV 11, 71	1515	1	.3	18000	23.4	8.6	10.9	135	--	94
			1.5	18000	23.4	8.6	10.8	133	--	--
			2.4	22000	23.3	8.5	9.4	118	--	--
			3.0	31000	23.5	8.4	6.7	87	--	--
JAN 27, 72	1215	1	.3	33000	19.2	8.1	11.9	130	--	188
			1.5	34000	19.1	8.1	11.9	130	--	--
			3.0	33000	18.9	8.1	12.4	136	--	--
MAY 30, 72	1150	1	.3	18000	27.9	8.4	7.5	101	--	95
			1.5	20000	27.6	8.4	7.2	97	--	--
			2.1	22000	27.3	8.4	6.2	84	--	--
			2.4	26000	27.4	8.1	3.7	51	--	--
			3.0	29000	27.6	8.0	2.5	35	--	--
JUL 24, 72	1446	1	.3	34000	29.3	8.4	9.1	134	0.	126
			1.5	35000	29.1	8.4	9.7	143	0.	--
			2.1	35000	29.3	8.4	8.6	128	0.	--
NOV 15, 72	1015	1	.3	29000	14.9	8.1	8.7	96	80.	28
			1.5	29000	14.8	8.2	8.9	98	90.	--
			2.7	29000	14.5	8.2	9.2	100	100.	--
FEB 20, 73	1345	1	.3	38000	11.1	8.2	9.4	99	30.	185
			1.8	36000	11.7	8.2	9.6	101	35.	--
APR 19, 73	1120	1	.3	36000	22.0	7.6	8.1	104	20.	102
			2.4	36000	22.0	7.6	8.9	114	30.	--
NOV 05, 71	1400	2	.3	17000	23.7	8.0	7.7	94	--	61

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 133 CONTINUED										
NOV 05, 71	1400	2	1.8	17000	23.7	8.0	7.8	95	--	--
			3.7	18000	23.7	7.9	7.1	88	--	--
NOV 11, 71	1500	2	.3	15000	23.7	8.6	11.2	137	--	79
			1.2	15000	23.6	8.6	10.9	133	--	--
			2.4	16000	23.3	8.6	10.3	127	--	--
			3.0	34000	23.8	8.4	6.3	84	--	--
			3.7	37000	23.2	8.3	4.7	62	--	--
JAN 27, 72	1225	2	.3	27000	19.3	8.1	11.7	129	--	127
			1.5	29000	18.8	8.1	12.0	131	--	--
			3.0	29000	18.7	8.1	11.7	127	--	--
MAY 30, 72	1200	2	.3	18000	28.4	8.5	7.3	99	--	88
			1.5	22000	27.9	8.4	6.6	90	--	--
			2.7	28000	27.7	8.1	3.6	50	--	--
			3.0	29000	27.7	8.0	3.0	42	--	--
			3.4	30000	27.8	8.0	2.5	36	--	--
			3.7	30000	26.2	8.0	1.7	24	--	--
JUL 24, 72	1457	2	.3	30000	29.8	8.4	9.6	141	22.	142
			1.5	32000	29.5	8.4	9.9	146	15.	--
			3.0	41000	29.0	8.4	8.6	130	40.	--
			4.6	41000	29.1	8.3	6.0	91	13.	--
			5.2	40000	29.4	8.2	4.7	71	22.	--
NOV 15, 72	1025	2	.6	27000	14.9	8.2	8.9	98	80.	38
			1.5	27000	15.0	8.2	9.0	99	85.	--
			3.0	27000	15.0	8.2	8.7	96	80.	--
			4.0	29000	14.6	8.2	9.5	103	100.	--
FEB 20, 73	1400	2	.3	38000	10.6	8.2	8.9	94	25.	168
			1.5	38000	10.6	8.2	9.0	95	25.	--
			3.0	40000	10.6	8.2	8.7	92	30.	--
			5.2	40000	10.8	8.2	6.7	93	30.	--
APR 19, 73	1140	2	.6	32000	21.9	7.6	10.9	138	15.	86
			2.1	32000	21.8	7.6	10.7	135	20.	--
			4.6	32000	22.0	7.5	10.7	135	20.	--
NOV 05, 71	1340	3	.3	16000	23.9	8.1	8.6	106	--	51
			1.2	16000	23.9	8.1	8.6	106	--	--
NOV 11, 71	1445	3	.3	14000	23.2	8.6	11.3	135	--	76
			.6	14000	23.1	8.6	11.2	133	--	--
			1.2	14000	22.9	8.6	11.3	135	--	--
JAN 27, 72	1235	3	.3	21000	19.7	8.1	12.8	140	--	94
			1.2	22000	19.8	8.1	13.2	147	--	--
MAR 30, 72	1745	3	.3	31000	19.5	8.1	7.4	89	--	46
			1.5	31000	18.7	8.1	8.2	98	--	--
MAY 30, 72	1215	3	.3	15000	28.6	8.4	7.3	99	--	76
			1.2	18000	28.9	8.4	7.2	99	--	--
JUL 24, 72	1507	3	.3	28000	29.9	8.4	9.4	136	0.	109
			1.5	28000	30.0	8.4	8.9	129	0.	--
NOV 15, 72	1035	3	.6	25000	15.1	8.2	8.8	95	110.	25
			1.5	25000	14.8	8.2	9.1	99	115.	--
FEB 20, 73	1405	3	.3	34000	10.6	8.2	8.4	86	25.	150
			1.5	34000	10.7	8.2	8.4	86	25.	--
APR 19, 73	1150	3	.6	32000	22.4	7.6	11.0	139	35.	56
			1.5	32000	22.5	7.6	10.6	136	35.	--
LINE 141										
NOV 05, 71	1435	1	.3	22000	24.0	8.2	7.8	99	--	61

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 141 CONTINUED										
NOV 05, 71	1435	1	1.2	25000	23.9	8.1	7.3	94	--	--
			1.8	29000	23.9	8.0	6.4	83	--	--
			2.4	31000	23.9	8.0	5.8	76	--	--
NOV 11, 71	1530	1	.3	18000	23.2	8.6	10.7	130	--	79
			1.5	22000	22.9	8.6	11.0	136	--	--
			2.7	22000	22.7	8.6	10.7	132	--	--
JAN 27, 72	1200	1	.3	36000	18.0	8.1	11.3	122	--	213
			1.5	39000	17.9	8.1	11.5	124	--	--
			2.7	44000	17.4	8.0	12.5	136	--	--
MAY 30, 72	1125	1	.3	20000	26.9	8.4	7.4	99	--	102
			1.8	20000	26.8	8.4	7.2	96	--	--
			2.1	22000	27.0	8.4	6.8	91	--	--
			2.4	25000	27.5	8.2	5.5	75	--	--
JUL 24, 72	1422	1	.3	34000	29.6	8.4	9.9	148	3.	196
			1.5	35000	29.5	8.4	9.8	146	3.	--
			3.0	39000	29.1	8.3	7.9	110	75.	--
SEP 18, 72	1345	1	.3	45000	28.0	8.5	7.7	117	32.	--
			1.5	45000	27.8	8.5	7.4	112	28.	--
			2.9	45000	27.7	8.5	7.5	114	30.	--
NOV 15, 72	0953	1	.3	28000	14.8	8.2	7.9	87	120.	28
			1.5	29000	14.7	8.2	8.4	91	130.	--
			2.4	29000	14.4	8.2	9.5	103	110.	--
FEB 20, 73	1330	1	.3	38000	11.2	8.2	9.5	100	--	152
			1.5	38000	11.4	8.2	9.6	102	25.	--
			2.7	38000	11.5	8.2	9.6	102	25.	--
APR 19, 73	1100	1	.3	36000	21.7	7.6	12.1	155	20.	97
			1.5	36000	21.7	7.6	11.9	153	20.	--
			3.4	37000	22.2	7.6	11.4	146	20.	--
MAY 16, 73	1105	1	.3	28000	22.4	8.2	8.2	102	15.	71
			1.5	28000	21.8	8.2	8.0	100	20.	--
			2.7	28000	21.3	8.2	8.4	104	40.	--
NOV 05, 71	1450	2	.3	20000	24.1	8.2	7.6	96	--	69
			1.5	20000	24.1	8.2	7.6	96	--	--
			2.4	23000	24.0	8.1	7.0	89	--	--
			3.0	35000	24.2	8.0	6.0	80	--	--
NOV 11, 71	1540	2	.3	18000	23.2	8.6	10.6	129	--	79
			1.5	20000	23.0	8.6	10.6	131	--	--
			2.7	22000	22.9	8.5	10.2	126	--	--
JAN 27, 72	1140	2	.3	30000	19.3	8.1	11.5	127	--	213
			1.5	34000	18.6	8.1	11.7	128	--	--
			2.7	43000	18.5	8.1	11.9	131	--	--
MAY 30, 72	1110	2	.3	23000	27.4	8.5	7.4	100	--	123
			1.5	24000	27.5	8.4	7.2	97	--	--
			2.7	29000	28.3	8.3	7.2	101	--	--
JUL 24, 72	1410	2	.3	33000	29.5	8.4	10.3	151	5.	117
			1.5	36000	29.2	8.4	10.0	145	7.	--
			2.7	37000	29.3	8.4	9.4	147	20.	--
SEP 18, 72	1405	2	.3	44000	28.7	8.5	7.8	120	30.	--
			1.5	46000	28.7	8.5	7.9	122	28.	--
			2.7	47000	28.9	8.5	7.2	116	35.	--
NOV 15, 72	0940	2	.3	27000	14.8	8.2	8.8	97	90.	36
			1.5	27000	14.8	8.2	8.9	98	90.	--
			3.0	29000	14.5	8.2	9.3	101	90.	--

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 141 CONTINUED										
FEB 20, 73	1320	2	.3	38000	11.6	8.2	7.9	84	30.	163
			1.5	38000	11.6	8.2	7.9	84	25.	--
			3.0	37000	11.9	8.2	7.8	83	25.	--
APR 19, 73	1045	2	.3	36000	22.0	7.6	8.8	113	20.	91
			1.5	36000	21.8	7.6	9.6	123	20.	--
			3.4	36000	21.8	7.6	9.8	126	20.	--
MAY 16, 73	1050	2	.3	27000	22.2	8.2	8.2	102	10.	122
			1.5	28000	22.2	8.2	8.1	101	20.	--
			3.0	28000	22.3	8.2	7.4	92	35.	--
NOV 05, 71	1605	3	.3	20000	24.0	8.2	7.9	100	--	74
			1.2	23000	23.9	8.1	7.9	100	--	--
			2.4	23000	23.9	8.1	7.8	99	--	--
NOV 11, 71	1550	3	.3	17000	23.2	8.6	11.3	138	--	81
			1.2	17000	22.9	8.6	11.4	139	--	--
			2.4	18000	22.8	8.6	10.9	133	--	--
			3.4	19000	22.7	8.5	10.7	130	--	--
JAN 27, 72	1055	3	.3	26000	18.9	8.1	10.0	107	--	183
			1.5	33000	18.9	8.1	10.1	108	--	--
			4.0	44000	18.5	7.9	10.5	114	--	--
MAY 30, 72	1000	3	.3	22000	27.3	8.5	7.4	100	--	131
			1.5	25000	27.4	8.5	7.1	97	--	--
			3.4	41000	27.5	8.2	6.1	88	--	--
JUL 24, 72	1252	5	.3	30000	28.2	8.4	10.1	144	--	127
			1.5	33000	27.8	8.4	10.0	145	6.	--
			3.0	34000	27.7	8.2	7.4	106	23.	--
			4.0	35000	27.9	8.1	5.0	72	70.	--
SEP 18, 72	1415	3	.3	43000	27.8	8.5	7.8	116	5.	--
			1.5	44000	27.8	8.5	8.2	124	5.	--
			3.4	46000	27.6	8.5	7.0	106	18.	--
NOV 15, 72	0827	3	.6	32000	14.8	8.2	9.4	104	75.	41
			1.5	32000	14.8	8.2	9.4	104	75.	--
			3.4	32000	15.2	8.2	10.2	113	105.	--
FEB 20, 73	1210	3	.3	38000	11.0	8.2	7.8	82	20.	157
			1.5	38000	11.0	8.2	7.8	82	20.	--
			3.7	38000	11.6	8.2	7.6	81	40.	--
APR 19, 73	0940	3	.3	34000	21.6	7.5	8.3	106	15.	99
			1.8	35000	21.6	7.5	8.6	110	15.	--
			4.0	36000	21.5	7.5	9.0	115	20.	--
MAY 16, 73	1040	3	.3	28000	22.7	8.2	7.5	95	10.	64
			1.5	28000	22.7	8.2	7.5	95	10.	--
			3.0	28000	22.7	8.2	7.4	94	5.	--
NOV 05, 71	1630	4	.3	20000	24.1	8.5	9.4	119	--	61
			1.5	20000	24.0	8.5	9.4	119	--	--
			2.4	21000	23.8	8.4	8.0	101	--	--
			3.0	23000	23.6	8.3	7.3	91	--	--
			4.9	24000	23.5	8.3	6.4	80	--	--
NOV 11, 71	1605	4	.3	22000	23.3	8.8	11.2	140	--	71
			1.2	21000	23.4	8.8	11.1	139	--	--
			2.4	20000	23.3	8.8	10.6	132	--	--
			4.9	24000	23.0	8.7	10.0	123	--	--

LINE 165

NOV 05, 71	1715	2	.3	27000	24.0	8.3	7.6	99	--	--
------------	------	---	----	-------	------	-----	-----	----	----	----

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICRO-MHOS) (FIELD)	(TEMPERATURE) (DEG. C)	PH	(DISSOLVED OXYGEN) (MG/L)	(PERCENT SATURATION)	(TURBIDITY) (JTU)	(TRANSPARENCY) (SECCHI DISK) (CM)
LINE 165 CONTINUED										
NOV 05, 71	1715	2	1.5	29000	24.0	8.2	7.3	96	--	--
			3.0	31000	23.9	8.1	7.1	93	--	--
			4.6	32000	23.9	8.1	7.1	93	--	--
			6.1	32000	23.9	8.1	7.2	95	--	--
NOV 11, 71	1645	2	.3	19000	23.1	8.7	11.9	143	--	79
			.9	22000	22.7	8.7	11.9	149	--	--
			1.8	24000	22.8	8.6	12.0	148	--	--
			3.7	33000	22.8	8.6	10.6	138	--	--
JAN 27, 72	1120	2	.3	34000	18.9	8.1	10.5	113	--	178
			1.5	34000	18.9	8.1	10.6	114	--	--
			3.0	34000	18.8	8.1	11.1	120	--	--
			5.2	36000	18.9	8.1	12.4	137	--	--
MAY 30, 72	1050	2	.3	54000	26.4	8.1	6.0	91	--	178
			1.8	54000	26.4	8.3	6.2	94	--	--
			3.7	54000	26.5	8.1	6.8	103	--	--
JUL 24, 72	1337	2	.3	50000	29.8	8.2	9.0	145	25.	99
			1.5	50000	29.6	8.2	9.6	155	6.	--
			3.0	50000	29.6	8.2	9.0	145	9.	--
			4.6	50000	29.4	8.2	9.0	143	9.	--
			6.2	53000	29.6	8.2	8.5	137	68.	--
SEP 18, 72	1310	2	.3	54000	29.8	8.4	6.0	100	20.	--
			1.5	55000	29.8	8.4	5.4	90	10.	--
			3.0	55000	29.7	8.4	6.4	105	10.	--
			5.2	55000	29.9	8.4	7.4	123	10.	--
NOV 15, 72	0910	2	.3	31000	14.5	8.2	9.2	101	50.	59
			1.5	31000	14.3	8.2	9.2	100	50.	--
			3.0	32000	13.8	8.2	9.3	101	45.	--
			4.6	32000	13.3	8.2	9.2	98	50.	--
			5.5	32000	12.8	8.2	10.4	111	55.	--
FEB 20, 73	1250	2	.3	38000	10.8	8.2	8.6	91	35.	119
			1.5	38000	10.9	8.2	8.8	93	30.	--
			3.0	38000	11.4	8.2	8.6	91	40.	--
			5.2	38000	12.4	8.2	7.4	80	55.	--
APR 19, 73	1020	2	.3	40000	20.3	7.6	10.7	137	30.	56
			1.5	40000	20.3	7.6	10.4	133	35.	--
			3.0	40000	20.3	7.6	10.3	132	40.	--
			7.3	40000	20.3	7.6	10.3	132	55.	--
MAY 16, 73	1005	2	.3	36000	23.1	8.2	6.8	89	10.	155
			1.5	36000	23.1	8.2	6.9	91	10.	--
			3.0	36000	23.1	8.2	6.7	88	10.	--
			5.5	36000	23.1	8.2	6.7	88	15.	--
LINE 170										
MAY 30, 72	1035	2	.3	25000	27.5	8.4	8.8	93	--	102
			1.8	27000	27.6	8.3	6.3	88	--	--
			3.7	28000	27.8	8.3	6.3	89	--	--
JUL 24, 72	1316	4	.3	33000	29.8	8.4	8.3	124	10.	140
			1.5	43000	29.7	8.4	8.9	139	10.	--
			3.0	49000	29.6	8.3	8.5	137	10.	--
			4.6	49000	29.7	8.2	8.5	137	25.	--
NOV 15, 72	0850	4	.3	32000	13.9	8.2	9.1	99	80.	43
			1.5	32000	14.2	8.2	9.2	100	80.	--
			3.0	32000	14.7	8.2	9.1	100	80.	--
			4.3	32000	14.6	8.2	9.5	104	90.	--
FEB 20, 73	1235	4	.3	38000	11.6	8.2	7.7	82	20.	152

TABLE 7A--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DISS- OLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 170 CONTINUED										
FEB 20, 73	1235	4	1.5	38000	11.6	8.2	7.6	81	20.	--
			3.0	38000	11.7	8.2	7.7	82	20.	--
			4.6	38000	12.5	8.2	7.5	82	20.	--
APR 19, 73	1000	4	.3	38000	21.7	7.5	6.5	110	10.	109
			.9	38000	21.8	7.5	7.7	100	10.	--
			1.5	38000	21.6	7.4	9.9	129	5.	--
			3.0	38000	21.5	7.4	10.0	130	10.	--
			5.2	38000	21.5	7.4	10.2	131	15.	--
LINE 172										
JAN 27, 72	1030	10	.3	34000	19.7	8.0	8.3	88	--	81
			1.5	36000	19.5	8.0	8.7	93	--	--
			3.0	36000	19.2	8.0	9.1	96	--	--
			4.6	38000	19.4	8.0	10.9	120	--	--
MAY 30, 72	0920	10	.3	20000	27.6	8.5	7.0	95	--	127
			1.5	21000	27.6	8.6	6.8	92	--	--
			3.0	24000	27.7	8.8	7.2	97	--	--
			5.2	38000	27.4	8.7	6.5	94	--	--
JUL 24, 72	1228	10	.3	29000	29.9	8.4	9.1	132	--	104
			1.5	30000	29.5	8.4	8.1	119	--	--
			3.0	33000	29.1	8.3	6.2	91	--	--
			4.1	33000	29.0	8.1	3.6	53	--	--
NOV 15, 72	0800	10	.3	32000	14.8	8.3	8.4	93	50.	86
			1.5	33000	14.8	8.2	6.7	98	50.	--
			3.0	33000	14.8	8.2	8.7	98	55.	--
			4.6	33000	14.7	8.2	9.1	101	45.	--
			5.2	33000	14.2	8.2	10.3	113	70.	--
FEB 20, 73	1155	10	.3	36000	10.6	8.1	7.8	81	30.	94
			1.5	36000	11.7	8.1	8.0	84	30.	--
			3.0	36000	11.7	8.1	8.0	84	35.	--
			4.9	37000	12.3	8.1	8.4	90	40.	--
APR 19, 73	0925	10	.3	36000	21.8	7.3	7.0	90	20.	112
			2.1	36000	21.8	7.3	7.0	90	20.	--
			4.6	36000	21.8	7.3	7.0	90	20.	--

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED		TOTAL		AMMONIA		TOTAL		PHOS-		PHOS-		BIO-		CHEMICAL		CHEMICAL		TOTAL ORGANIC CARBON
				SILICA (SiO ₂) (MG/L)	INITRATE (N) (MG/L)	INITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	ORTHOPHOS- (P) (MG/L)	PHOS- (P) (MG/L)	PHOS- (P) (MG/L)	PHOS- (P) (MG/L)	DEMAND (BOD) (MG/L)	OXYGEN (COD) (MG/L)	DEMAND (BOD) (MG/L)	OXYGEN (COD) (MG/L)						
LINE 15																						
NOV 05, 71	0825	2	.6	12.0	.1	.08	.00	.06	.06	.06	.06	2.0	29.0	--								
NOV 11, 71	1109	2	1.5	11.0	.1	.00	.00	.05	.05	.05	.05	1.3	29.0	--								
MAR 30, 72	1450	2	.3	11.0	.0	.16	.01	.05	.10	.05	.10	1.6	37.0	--								
MAY 30, 72	1545	2	.3	14.0	.1	.09	.01	.04	.08	.04	.08	1.9	32.0	--								
JUL 24, 72	1610	2	.3	12.0	.0	.01	.00	.03	.05	.03	.05	2.0	35.0	--								
SEP 18, 72	1603	2	.3	13.0	.0	.00	.00	.03	.09	.03	.09	2.4	13.0	--								
NOV 15, 72	1135	2	.3	11.0	.0	.03	.00	.00	.03	.00	.03	2.4	--	--								
FEB 20, 73	1600	2	.3	3.5	.0	.00	.00	.00	.00	.00	.02	1.9	--	--								
APR 19, 73	1240	2	.3	6.6	.0	.00	.00	.00	.00	.00	.04	1.8	--	--								
MAY 16, 73	1240	2	.3	7.3	.0	.01	.00	.02	.06	.02	.06	1.2	--	--								14.0
LINE 44																						
NOV 05, 71	1030	2	1.8	12.0	.1	.08	.00	.08	.09	.08	.09	2.0	23.0	--								
NOV 11, 71	0925	2	1.5	12.0	.2	.00	.00	.05	.07	.05	.07	2.3	26.0	--								
MAR 30, 72	1620	2	.3	11.0	.0	.01	.01	.04	.09	.04	.09	2.2	38.0	--								
MAY 30, 72	1130	2	.3	17.0	.0	.07	.00	.16	.18	.16	.18	4.5	31.0	--								
JUL 24, 72	1305	2	.3	12.0	.0	.12	.00	.04	.04	.04	.04	3.0	36.0	--								
SEP 18, 72	1335	2	.3	14.0	.0	.12	.00	.00	.06	.00	.06	4.0	25.0	19.0								
NOV 15, 72	0915	2	.3	13.0	.0	.14	.00	.00	.07	.00	.07	2.9	--	--								
FEB 20, 73	1330	2	.3	4.2	.0	.00	.00	.00	.03	.00	.03	3.9	--	--								
APR 19, 73	1045	2	.3	8.7	.0	.00	.00	.01	.05	.01	.05	2.4	--	--								
MAY 16, 73	1055	2	.3	8.3	.0	.15	.00	.04	.06	.04	.06	1.6	--	--								16.0
LINE 54																						
NOV 05, 71	1000	1	1.8	12.0	.1	.08	.00	.08	.08	.08	.08	1.8	46.0	--								
NOV 11, 71	0955	1	2.4	11.0	.2	.00	.00	.05	.06	.05	.06	1.6	24.0	--								
MAR 30, 72	1525	1	.3	9.2	.0	.29	.01	.06	.10	.06	.10	.8	--	--								
			1.8	9.4	.0	.42	.01	.05	.11	.05	.11	1.2	--	--								
MAY 30, 72	1300	1	.3	11.0	.0	.06	.01	.03	.07	.03	.07	2.3	22.0	--								
			2.1	11.0	.1	.06	.00	.03	.11	.03	.11	2.2	--	--								
JUL 24, 72	1415	1	.3	12.0	.0	.06	.00	.05	.05	.05	.05	2.2	17.0	--								
			2.4	12.0	.1	.23	.01	.06	.07	.06	.07	1.9	17.0	--								
SEP 18, 72	1440	1	.3	12.0	.0	.12	.00	.00	.04	.00	.04	2.3	11.0	14.0								
			2.1	11.0	.0	.05	.00	.00	.00	.00	.00	2.5	14.0	17.0								
NOV 15, 72	1005	1	.3	9.0	.0	.06	.00	.00	.06	.00	.06	1.7	--	--								
			1.8	9.8	.0	.00	.00	.00	.07	.00	.07	2.0	--	--								
FEB 20, 73	1410	1	.3	4.0	.0	.00	.00	.01	.02	.01	.02	1.5	--	--								

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	(TIME)	(SITE)	(DEPTH (METERS))	(DIS- SOLVED SILICA (SiO2) (MG/L))	(TOTAL NITRATE (N) (MG/L))	(TOTAL AMMONIA NITROGEN (N) (MG/L))	(TOTAL NITRITE (N) (MG/L))	(DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L))	(TOTAL PHOS- PHORUS (P) (MG/L))	(BIOL- OGICAL OXYGEN DEMAND (BOD) (MG/L))	(CHEMICAL OXYGEN DEMAND (COD) (MG/L))	(TOTAL ORGANIC CARBON (MG/L))
--------------------------	--------	--------	---------------------	--	-------------------------------------	---	-------------------------------------	---	---	--	---	--

LINE 54 CONTINUED

FEB 20, 73	1910	1	2.1	4.1	.0	.00	.00	.01	.02	1.5	--	--
APR 19, 73	1110	1	.3 2.1	7.5 6.4	.0 .0	.00 .00	.00 .00	.01 .01	.04 .05	1.6 1.2	--	--
MAY 16, 73	1120	1	.3 2.1	6.1 6.0	.0 .0	.04 .04	.00 .00	.03 .03	.05 .05	.7 .9	--	14.0 11.0
NOV 05, 71	0920	3	2.4	12.0	.1	.08	.06	.06	.08	1.6	19.0	--
NOV 11, 71	1025	3	1.8	12.0	.1	.00	.00	.06	.06	1.8	--	--
MAR 30, 72	1545	3	1.5	12.0	.0	.31	.01	.07	.11	1.5	53.0	--
MAY 30, 72	1400	3	.3	13.0	.0	.06	.00	.06	.08	2.3	26.0	--
JUL 29, 72	1445	3	.3	12.0	.0	.01	.00	.04	.04	1.8	32.0	--
NOV 15, 72	1030	3	.3	9.9	.0	.00	.00	.00	.04	1.8	--	--
FEB 20, 73	1450	3	.3	5.0	.0	.00	.00	.01	.02	1.9	--	--
APR 19, 73	1135	3	.3	7.7	.0	.00	.00	.03	.07	1.8	--	--

LINE 77

JAN 27, 72	1400	1	2.4	6.3	.0	.06	.00	.02	.04	--	--	--
NOV 08, 71	0800	2	4.0	9.4	.0	.00	.00	.05	.05	--	--	--
NOV 08, 71	1100	2	4.0	9.2	.0	.00	.00	.05	.05	--	--	--
NOV 08, 71	1700	2	3.8	11.0	.0	.00	.00	.05	.05	--	--	--
NOV 08, 71	2000	2	4.0	9.8	.0	.00	.00	.05	.05	--	--	--
NOV 09, 71	0500	2	4.0	9.5	.0	.00	.00	.05	.05	--	--	--
NOV 09, 71	1100	2	4.0	9.9	.0	.00	.00	.05	.05	--	--	--
NOV 09, 71	1700	2	4.0	10.0	.0	.04	.00	.06	.06	--	--	--
NOV 09, 71	2100	2	4.0	8.2	.0	.11	.00	.06	.06	--	--	--
NOV 10, 71	0500	2	4.0	8.9	.0	.06	.00	.06	.06	--	--	--
NOV 10, 71	1100	2	4.0	10.0	.0	.05	.00	.07	.07	--	--	--
NOV 10, 71	1600	2	4.0	11.0	.0	.03	.00	.06	.06	--	--	--
MAR 30, 72	1400	2	.3 2.7	6.3 5.0	.0 .0	.38 .29	.01 .00	.05 .05	.06 .07	.9 1.0	--	--
MAY 30, 72	1600	2	.3 3.0	9.6 9.6	.0 .0	.10 .19	.00 .01	.04 .00	.08 .02	2.3 1.9	--	--
JUL 29, 72	1640	2	.3 3.4	10.0 10.0	.0 .0	.00 .06	.00 .00	.02 .06	.06 .07	2.0 1.8	--	--
NOV 15, 72	1230	2	.3 3.4	9.4 7.5	.0 .0	.03 .00	.00 .00	.00 .00	.05 .05	2.1 2.4	--	--
FEB 20, 73	1620	2	.3 3.0	3.6 3.2	.0 .0	.00 .00	.00 .06	.00 .00	.02 .02	1.7 1.5	--	--
APR 19, 73	1305	2	.3 3.0	4.4 4.3	.0 .0	.00 .00	.00 .00	.02 .02	.05 .05	1.8 1.2	--	--

LINE 89

NOV 05, 71	0835	2	.3	10.0	.2	.13	.00	.01	.07	1.3	34.0	--
------------	------	---	----	------	----	-----	-----	-----	-----	-----	------	----

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL NITRATE	TOTAL AMMONIA NITROGEN	TOTAL NITRITE NITRATE	DIS- SOLVED PHOS- PHORUS	TOTAL PHOS- PHORUS	BIO- CHEMICAL OXYGEN DEMAND	CHEMICAL OXYGEN DEMAND	TOTAL ORGANIC CARBON
				(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(P)	(P)	(MG/L)	(MG/L)	(MG/L)
LINE 89 CONTINUED													
NOV 11, 71	1530	2	.6 1.5	15.0 16.0	.1 .4	.03 1.30	.00 .00	.06 .02	.06 .05	1.0 1.6	-- --	-- --	
JAN 27, 72	1440	2	1.2	10.0	.0	.06	.00	.03	.04	1.5	34.0	--	
MAR 30, 72	1155	2	.9	9.0	.0	.02	.00	.01	.13	1.8	51.0	--	
MAY 30, 72	1630	2	.3	20.0	.1	.06	.00	.04	.07	2.5	34.0	--	
JUL 24, 72	1735	2	.3	16.0	.0	.00	.00	.02	.03	1.8	31.0	--	
SEP 18, 72	1805	2	.3	13.0	.0	.06	.00	.00	.02	1.8	23.0	--	
NOV 15, 72	1355	2	.3	12.0	.0	.01	.00	.00	.02	2.4	--	--	
FEB 20, 73	1720	2	.3	4.8	.0	.07	.00	.00	.04	2.2	--	--	
APR 19, 73	1400	2	.3	9.5	.0	.00	.00	.01	.04	1.9	--	--	
MAY 16, 73	1515	2	.3	9.2	.0	.05	.00	.01	.04	1.7	--	20.0	
LINE 104													
NOV 05, 71	0940	2	.3 4.9	9.2 7.8	.1 .1	.14 .12	.00 .00	.10 .08	.13 .12	1.3 1.4	16.0 --	-- --	
MAR 30, 72	1030	2	1.2	3.8	.0	.01	.01	.05	.21	1.7	--	--	
MAY 30, 72	1830	2	.3	8.6	.0	.00	.00	.04	.09	2.5	--	--	
JUL 24, 72	1640	2	.5	10.0	.0	.17	.00	.06	.07	3.0	--	--	
NOV 15, 72	1235	2	.3	3.3	.0	.04	.00	.06	.06	1.7	--	--	
FEB 20, 73	1540	2	.3	1.3	.0	.00	.00	.01	.02	1.1	--	--	
MAR 30, 72	1125	6	1.5	4.5	.0	.47	.00	.04	.15	1.6	--	--	
MAY 30, 72	1420	6	.3	9.1	.0	.06	.00	.40	.42	2.8	--	--	
JUL 24, 72	1706	6	.5	9.0	.0	.17	.00	.05	.06	1.8	--	--	
NOV 15, 72	1255	6	.3	9.8	.0	.03	.00	.00	.03	2.1	--	--	
FEB 20, 73	1620	6	.3	1.7	.0	.02	.00	.01	.02	1.2	--	--	
APR 19, 73	1330	6	.3	4.5	.0	.00	.00	.02	.06	1.9	--	--	
LINE 110													
NOV 11, 71	1455	2	.6 4.6	8.8 7.8	.2 .1	.13 .47	.00 .00	.12 .12	.12 .13	2.3 1.8	-- --	-- --	
JAN 27, 72	1535	2	.3 4.3	4.0 3.9	.0 .0	.08 .09	.00 .00	.06 .06	.07 .07	1.6 1.7	-- 29.0	-- --	
MAR 30, 72	1055	2	.3 4.3	4.4 4.8	.0 .0	.00 .64	.01 .01	.04 .05	.23 .24	1.3 1.3	-- 36.0	-- --	
MAY 30, 72	1745	2	.3 4.3	3.8 8.9	.0 .1	.04 .10	.00 .00	.10 .08	.15 .26	2.0 3.4	-- --	-- --	
JUL 24, 72	1835	2	.3 4.3	8.5 5.0	.0 .0	.04 .05	.00 .00	.09 .05	.09 .07	2.0 1.7	16.0 --	-- --	
NOV 15, 72	1400	2	.3 4.4	3.8 4.0	.0 .0	.02 .00	.00 .00	.06 .06	.08 .09	2.8 1.2	-- --	-- --	

TABLE 78--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SiO ₂)		TOTAL AMMONIA (N)		TOTAL NITROGEN (N)		TOTAL NITRATE (N)		DIS- SOLVED PHOS- PHORUS (P)		TOTAL PHOS- PHORUS (P)		DIO- CHEMICAL OXYGEN DEMAND (COD)		CHEMICAL OXYGEN DEMAND (COD)		TOTAL ORGANIC CARBON (MG/L)		
				(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
LINE 110 CONTINUED																						
FEB 20, 73	1600	2	.3 4.3	.8 .9	.0 .0	.00 .00	.00 .00	.01 .01	.05 .06	2.8 2.6	-- --	-- --										
LINE 115																						
NOV 11, 71	1425	5	1.5	7.4	.0	.08	.00	.08	.08	1.5	--	--										
MAR 30, 72	1005	5	1.2	4.2	.0	.01	.01	.05	.27	.8	--	--										
JUN 01, 72	0840	5	.3	9.0	.0	.08	.00	.11	.12	2.6	--	--										
JUL 24, 72	1800	5	.3	10.0	.0	.20	.00	.08	.08	1.8	--	--										
SEP 18, 72	1600	5	.3 1.2	.0 .0	.0 .0	.11 .10	.01 .02	.00 .00	.04 .05	1.7 1.5	3.0 8.0	-- --										
NOV 15, 72	1210	5	.3	3.0	.0	.00	.00	.05	.06	2.5	--	--										
FEB 20, 73	1530	5	.3	.9	.0	.00	.00	.01	.04	1.2	--	--										
MAY 15, 73	1710	5	.3 .9	7.0 6.8	.0 .0	.00 .05	.00 .00	.08 .07	.11 .12	1.8 2.2	-- --	14.0 18.0										
JAN 27, 72	1605	7	.9	3.2	.0	.08	.00	.03	.05	1.6	30.0	--										
LINE 120																						
NOV 05, 71	1225	1	.3 4.3	7.6 7.0	.0 .1	.08 .03	.06 .00	.05 .06	.06 .09	1.4 1.3	-- --	-- --										
NOV 11, 71	1435	1	.3 9.0	7.3 5.7	.0 .2	.00 .08	.00 .00	.07 .06	.08 .06	1.6 1.4	-- --	-- --										
JAN 27, 72	1645	1	.3 9.0	3.9 3.8	.0 .0	.09 .07	.00 .00	.01 .02	.04 .04	1.7 1.7	-- 30.0	-- --										
MAY 30, 72	1305	1	.3 4.0	8.6 8.2	.0 .0	.06 .12	.01 .01	.03 .02	.08 .02	2.5 3.0	28.0 --	-- --										
JUL 24, 72	1603	1	.5 4.9	7.0 6.0	.0 .0	.12 .11	.00 .00	.02 .02	.04 .03	2.3 1.7	-- 20.0	-- --										
SEP 18, 72	1525	1	.3 5.2	.3 .0	.0 .0	.05 .12	.00 .01	.00 .00	.03 .05	1.2 1.5	-- --	-- --										
NOV 15, 72	1125	1	.6 5.2	4.1 3.6	.0 .0	.01 .00	.00 .00	.05 .06	.06 .09	1.4 2.5	-- --	-- --										
FEB 20, 73	1450	1	.3 5.2	.6 2.2	.0 .0	.02 .02	.00 .00	.01 .01	.02 .13	1.1 1.3	-- --	-- --										
MAY 16, 73	1145	1	.3 4.9	6.4 5.6	.0 .0	.07 .08	.00 .00	.07 .06	.08 .12	1.3 1.7	-- --	-- --										
NOV 05, 71	1300	3	.3 2.4	9.1 9.0	.0 .1	.06 .06	.06 .00	.05 .05	.06 .06	1.4 1.4	18.0 --	-- --										
NOV 11, 71	1410	3	.3 3.0	9.3 8.6	.0 .0	.00 .00	.00 .00	.04 .05	.05 .06	1.7 1.4	-- --	-- --										
JAN 27, 72	1250	3	.3 2.1	5.3 4.3	.0 .0	.06 .03	.00 .00	.01 .01	.04 .04	1.3 1.3	34.0 --	-- --										
MAR 30, 72	1720	3	.3 2.4	5.7 5.8	.0 .0	.35 .44	.01 .01	.04 .05	.06 .07	1.0 1.0	25.0 --	-- --										
MAY 30, 72	1235	3	.3	--	--	--	--	--	--	--	32.0	--										

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHOS- ORTH0 (P) (MG/L)	PHOS- PHURUS (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)	
LINE 120 CONTINUED													
MAY 30, 72	1235	3	2.4	9.3	.0	.05	.01	.07	.10	1.9	--	--	
JUL 24, 72	1534	3	.5 3.0	9.1 5.5	.0 .0	.14 .09	.00 .00	.03 .05	.04 .15	1.6 2.7	26.0	--	--
SEP 18, 72	1455	3	.3 2.7	3.5 2.45	.0 .0	.04 .12	.00 .01	.00 .00	.04 .06	2.1 2.3	--	--	
NOV 15, 72	1105	3	.6 2.4	7.5 4.7	.0 .0	.07 .04	.00 .00	.00 .00	.04 .05	1.8 2.0	--	--	
FEB 20, 73	1435	3	.3 2.7	1.5 1.7	.0 .0	.00 .00	.00 .00	.01 .01	.02 .04	1.0 .8	--	--	
MAY 16, 73	1215	3	.3 2.4	5.5 5.2	.0 .0	.07 .02	.00 .00	.04 .04	.05 .06	1.1 1.0	--	--	
LINE 141													
NOV 05, 71	1435	1	.3 2.4	6.9 3.9	.1 .1	.06 .02	.00 .00	.04 .03	.06 .05	1.7 1.3	12.0	--	--
NOV 11, 71	1530	1	.3 2.7	7.3 6.6	.0 .0	.00 .00	.00 .00	.04 .04	.05 .05	1.4 1.4	--	--	
JAN 27, 72	1200	1	.3 2.7	2.6 1.5	.0 .0	.05 .04	.00 .00	.00 .01	.03 .04	1.6 1.6	--	--	46.0
MAY 30, 72	1125	1	.3 2.4	7.9 6.4	.0 .0	.20 .05	.00 .01	.06 .04	.07 .09	2.3 3.0	23.0	--	--
JUL 24, 72	1422	1	.3 3.0	5.5 6.1	.0 .0	.01 .02	.00 .00	.01 .07	.04 .14	5.3 1.7	29.0	--	--
SEP 18, 72	1345	1	.3 2.4	.0 .0	.0 .0	.11 .17	.00 .00	.00 .00	.02 .02	2.1 1.6	--	--	
NOV 15, 72	0953	1	.3 2.4	3.5 3.1	.0 .0	.06 .05	.00 .00	.00 .00	.10 .08	6.0 2.6	--	--	
FEB 20, 73	1330	1	.3 2.7	1.1 2.0	.0 .0	.00 .13	.00 .00	.00 .00	.02 .02	1.8 .9	--	--	
APR 19, 73	1100	1	.3 3.4	3.1 4.9	.0 .0	.00 .00	.00 .00	.00 .01	.03 .03	1.5 1.2	--	--	
MAY 16, 73	1105	1	.3 2.7	4.3 4.6	.0 .0	.00 .00	.00 .00	.03 .02	.05 .04	1.8 1.7	--	--	
NOV 05, 71	1605	3	.3 2.4	7.2 6.3	.0 .0	.08 .01	.00 .00	.04 .04	.05 .04	1.3 1.5	--	--	
NOV 11, 71	1550	3	.3 3.4	8.0 7.3	.0 .0	.00 .16	.00 .00	.05 .05	.06 .06	1.6 1.4	--	--	
JAN 27, 72	1055	3	.3 4.0	3.4 2.2	.0 .0	.09 .07	.00 .00	.00 .01	.04 .04	1.2 1.7	--	--	
MAY 30, 72	1000	3	.3 3.4	6.9 4.4	.0 .0	.00 .02	.00 .00	.02 .08	.05 .08	1.8 1.5	--	--	
JUL 24, 72	1252	3	.3 4.0	7.0 7.0	.0 .0	.04 .07	.00 .00	.02 .09	.05 .09	2.0 2.7	--	--	
SEP 18, 72	1415	3	.3 3.4	.0 .0	.0 .0	.03 .05	.00 .00	.00 .00	.02 .02	1.5 1.4	3.0 5.0	--	--
NOV 15, 72	0827	3	.6	3.3	.0	.03	.00	.00	.04	2.1	--	--	

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA (N) (MG/L)	TOTAL NITROGEN (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO PHOS (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 141 CONTINUED												
NOV 15, 72	0827	3	3.4	.0	.0	.06	.00	.00	.07	2.7	--	--
FEB 20, 73	1210	3	.3 3.7	1.4 1.5	.0	.03	.00	.00	.02	1.0	--	--
APR 19, 73	0940	3	.3 4.0	3.5 4.8	.0	.00	.00	.01	.04	.9	--	--
MAY 16, 73	1040	3	.3 3.0	4.3 4.3	.0	.01	.00	.03	.04	.9	--	14.0
NOV 05, 71	1630	4	.3 4.9	8.0 6.8	.0	.12	.00	.03	.05	2.6	24.0	--
NOV 11, 71	1605	4	.3 4.9	6.5 6.6	.0	.06	.00	.03	.06	2.5	--	--
LINE 165												
NOV 05, 71	1715	2	.3 6.1	6.7 3.7	.0	.03	.00	.01	.06	1.5	29.0	--
NOV 08, 71	0840	2	.3	1.4	.0	.06	.03	.01	.02	--	--	--
NOV 08, 71	0904	2	.3	1.4	.0	.07	.03	.01	.03	--	--	--
NOV 08, 71	1500	2	.3	5.6	.0	.00	.00	.02	.06	--	--	--
NOV 08, 71	2105	2	.3 .3	2.5 2.5	.0	.03	.02	.02	.05	--	--	--
NOV 09, 71	0210	2	.3	1.6	.0	.03	.03	.01	.03	--	--	--
NOV 09, 71	0935	2	.3	4.1	.0	.00	.01	.02	.02	--	--	--
NOV 09, 71	1515	2	.3	6.2	.0	.09	.01	.03	.04	--	--	--
NOV 10, 71	0400	2	.3	4.0	.0	.09	.01	.02	.03	--	--	--
NOV 10, 71	1000	2	.3	6.8	.0	.02	.01	.03	.04	--	--	--
NOV 10, 71	1635	2	.3	7.6	.0	.03	.01	.03	.04	--	--	--
NOV 11, 71	1645	2	.3 3.7	7.1 3.9	.0	.04	.00	.04	.05	2.0	--	--
JAN 27, 72	1120	2	.3 5.2	2.6 2.5	.0	.04	.00	.00	.03	1.7	--	--
MAY 30, 72	1050	2	.3 3.7	1.1 .9	.0	.12	.00	.02	.02	1.3	--	--
JUL 24, 72	1337	2	.3 6.2	.0 1.5	.0	.02	.00	.00	.03	.8	36.0	--
NOV 15, 72	0910	2	.3 5.5	3.2 2.7	.0	.02	.00	.00	.03	1.9	--	--
FEB 20, 73	1250	2	.3 5.2	1.3 1.2	.0	.00	.00	.00	.01	.9	--	--
APR 19, 73	1020	2	.3 7.3	2.1 2.8	.0	.00	.00	.01	.05	1.0	--	--
LINE 172												
JAN 27, 72	1030	10	.3	3.2	.0	.08	.00	.00	.03	1.9	--	--

TABLE 7B--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-		TOTAL		PHOS-		BIO-		CHEMICAL	
				SOLVED SILICA (MG/L)	AMMONIA NITRATE (MG/L)	TOTAL AMMONIA (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	ORTH PHOS (P) (MG/L)	TOTAL PHOS- (P) (MG/L)	OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)	

LINE 172 CONTINUED

JAN 27, 72	1030	10	4.6	2.9	.0	.05	.00	.00	.03	1.7	44.0	--	--
MAY 30, 72	0920	10	.3	6.4	.0	.05	.00	.02	.08	1.8	24.0	--	--
			5.2	9.1	.0	.12	.00	.03	.04	1.3	--	--	--
JUL 24, 72	1228	10	.3	6.7	.0	.01	.00	.01	.03	1.9	31.0	--	--
			4.1	5.0	.0	.07	.00	.01	.01	2.6	--	--	--
NOV 15, 72	0800	10	.3	3.0	.0	.01	.00	.00	.02	1.6	--	--	--
			5.2	2.8	.0	.06	.00	.00	.02	.9	--	--	--
FEB 20, 73	1155	10	.3	1.1	.0	.03	.00	.00	.02	1.1	--	--	--
			4.9	1.7	.0	.00	.00	.00	.02	1.1	--	--	--
APR 19, 73	0925	10	.3	6.2	.0	.00	.00	.00	.03	1.1	--	--	--
			4.6	3.2	.0	.00	.00	.00	.03	.8	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON-	DUCTANCE (MICRO-	DIS- SOLVED CALCIUM (CA)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED (SUM OF CONSTIT- UENTS) (MG/L)

LINE 15

NOV 05, 71	0825	2	.6	6020	67.0	100.0	1000	120	200	1700	3180
NOV 11, 71	1105	2	1.5	8760	88.0	170.0	1400	122	390	2600	4670
MAR 30, 72	1450	2	.3	18500	180.0	380.0	3400	164	700	6100	10900
MAY 30, 72	1545	2	.3	6020	59.0	100.0	1000	112	220	1800	3300
JUL 24, 72	1610	2	.3	12900	120.0	270.0	2400	134	540	4200	7600
SEP 18, 72	1603	2	.3	19800	170.0	440.0	3900	138	880	6800	12300
NOV 15, 72	1135	2	.3	17200	150.0	360.0	3300	132	550	5900	10300
FEB 20, 73	1600	2	.3	30700	250.0	680.0	6200	145	2000	10000	19500
APR 19, 73	1240	2	.3	28200	240.0	700.0	5800	148	1400	10000	16400
MAY 16, 73	1240	2	.3	27200	240.0	650.0	5400	151	1300	9600	17200

LINE 44

NOV 05, 71	1030	2	1.8	3680	64.0	61.0	590	122	96	1100	1950
NOV 11, 71	0925	2	1.5	4610	82.0	55.0	810	136	110	1400	2540
MAR 30, 72	1620	2	.3	17800	170.0	400.0	3200	168	520	5900	10300
MAY 30, 72	1130	2	.3	3120	65.0	36.0	530	160	72	890	1690
JUL 24, 72	1305	2	.3	11400	160.0	160.0	2100	150	320	3700	6550
SEP 18, 72	1335	2	.3	14600	--	--	--	--	--	--	--
NOV 15, 72	0915	2	.3	16200	170.0	330.0	3100	149	650	5400	9760
FEB 20, 73	1330	2	.3	24800	260.0	580.0	4800	144	1000	8800	15500
APR 19, 73	1045	2	.3	25700	280.0	570.0	5400	155	1200	9600	17200
MAY 16, 73	1055	2	.3	29000	--	--	--	--	--	--	--

LINE 54

NOV 05, 71	1000	1	1.8	3520	--	--	--	--	--	--	--
NOV 11, 71	0955	1	2.4	6780	76.0	120.0	1200	118	240	2000	3720
MAR 30, 72	1525	1	.3	21100	--	--	--	--	--	--	--
			1.8	21600	--	--	--	--	--	--	--
MAY 30, 72	1300	1	.3	1740	--	--	--	--	--	--	--
			2.1	4040	--	--	--	--	--	--	--
JUL 24, 72	1415	1	.3	9080	--	--	--	--	--	--	--
			2.4	9580	--	--	--	--	--	--	--
SEP 18, 72	1440	1	.3	16600	140.0	430.0	3300	134	720	6000	10700
			2.1	22300	--	--	--	--	--	--	--
NOV 15, 72	1005	1	.3	20100	--	--	--	--	--	--	--
			1.8	20700	--	--	--	--	--	--	--
FEB 20, 73	1410	1	.3	26400	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTIT- UENTS) (MG/L)

LINE 54 CONTINUED

FEB 20, 73	1410	1	2.1	27200	--	--	--	--	--	--	--
APR 19, 73	1110	1	.3 2.1	28400 28300	--	--	--	--	--	--	--
MAY 16, 73	1120	1	.3 2.1	25800 25800	230.0	600.0	5000	152	1300	8800	16000
NOV 05, 71	0920	3	2.4	4550	60.0	75.0	800	111	160	1400	2540
NOV 11, 71	1025	3	1.8	407	--	--	--	--	--	--	--
MAR 30, 72	1545	3	1.5	17100	160.0	340.0	3200	160	640	5600	10000
MAY 30, 72	1400	3	.3	2880	42.0	39.0	460	114	85	770	1470
JUL 24, 72	1445	3	.3	10300	140.0	180.0	1800	139	390	3200	5880
NOV 15, 72	1030	3	.3	16800	160.0	360.0	3200	137	660	5700	10200
FEB 20, 73	1450	3	.3	25000	230.0	560.0	4900	142	1200	8500	15300
APR 19, 73	1135	3	.3	27100	250.0	650.0	5700	141	1400	10000	18200

LINE 77

JAN 27, 72	1400	1	2.4	18800	--	--	--	--	--	--	--
NOV 06, 71	0600	2	4.0	12000	100.0	250.0	2100	120	490	3800	6780
NOV 08, 71	1100	2	4.0	12000	100.0	260.0	2100	120	480	3800	6770
NOV 08, 71	1700	2	3.8	8150	84.0	160.0	1400	118	310	2500	4540
NOV 08, 71	2000	2	4.0	10600	100.0	270.0	2000	128	500	3600	6570
NOV 09, 71	0500	2	4.0	10100	100.0	250.0	2000	131	510	3600	6570
NOV 09, 71	1100	2	4.0	9900	90.0	220.0	1800	120	400	3200	5700
NOV 09, 71	1700	2	4.0	8310	82.0	160.0	1500	120	340	2600	4670
NOV 09, 71	2100	2	4.0	13000	120.0	300.0	2300	124	540	4200	7480
NOV 10, 71	0500	2	4.0	13800	120.0	340.0	2500	120	600	4500	8100
NOV 10, 71	1100	2	4.0	8960	82.0	210.0	1500	120	340	2800	4960
NOV 10, 71	1600	2	4.0	8270	82.0	230.0	1300	120	310	2600	4570
MAR 30, 72	1400	2	.3 2.7	25100 26200	--	--	--	--	--	--	--
MAY 30, 72	1600	2	.3 3.0	10500 11000	--	--	--	--	--	--	--
JUL 24, 72	1640	2	.3 3.4	19600 22100	--	--	--	--	--	--	--
NOV 15, 72	1230	2	.3 3.4	18600 21800	--	--	--	--	--	--	--
FEB 20, 73	1620	2	.3 3.0	31400 32700	--	--	--	--	--	--	--
APR 19, 73	1305	2	.3 3.0	29600 33100	--	--	--	--	--	--	--

LINE 89

NOV 05, 71	0835	2	.3	3390	42.0	64.0	540	124	130	960	1840
------------	------	---	----	------	------	------	-----	-----	-----	-----	------

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC)	(CON-	(DIS-	(DIS-	(DIS-	(DIS-	(DIS-	(DIS-	(DIS-
				DUCTANCE	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
				(MICRO-	(CALCIUM	(MAGNE-	(POTAS-	(BICAR-	(SULFATE	(CHLORIDE	(SUM OF	(CONSTI-
				(MHUS)	(CA)	(MG)	(NA+K)	(HCO3)	(SO4)	(CL)	(TUENTS)	
				(LAB)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 89 CONTINUED

NOV 11, 71	1530	2	.6	4650	52.0	130.0	730	134	180	1400	2550
			1.5	5100	--	--	--	--	--	--	--
JAN 27, 72	1440	2	1.2	9810	94.0	200.0	1700	151	560	2800	5400
MAR 30, 72	1155	2	.9	17800	160.0	390.0	3100	172	800	5500	10000
MAY 30, 72	1630	2	.3	2580	32.0	38.0	440	126	93	700	1380
JUL 24, 72	1735	2	.3	4500	50.0	81.0	830	156	170	1400	2610
SEP 18, 72	1805	2	.3	14300	--	--	--	--	--	--	--
NOV 15, 72	1355	2	.3	11200	110.0	270.0	2100	164	500	3800	6900
FEB 20, 73	1720	2	.3	23200	210.0	560.0	4500	168	1100	8000	14500
APR 19, 73	1400	2	.3	25400	250.0	650.0	5200	173	1500	9200	16900
MAY 16, 73	1515	2	.3	22800	--	--	--	--	--	--	--

LINE 104

NOV 05, 71	0940	2	.3	13000	110.0	270.0	2800	115	540	4800	8560
			4.9	13800	--	--	--	--	--	--	--
MAR 30, 72	1030	2	1.2	36200	--	--	--	--	--	--	--
MAY 30, 72	1830	2	.3	17200	--	--	--	--	--	--	--
JUL 24, 72	1640	2	.5	20700	--	--	--	--	--	--	--
NOV 15, 72	1235	2	.3	29200	--	--	--	--	--	--	--
FEB 20, 73	1540	2	.3	35300	--	--	--	--	--	--	--
MAR 30, 72	1125	6	1.5	32000	--	--	--	--	--	--	--
MAY 30, 72	1420	6	.3	12100	--	--	--	--	--	--	--
JUL 24, 72	1706	6	.5	20700	--	--	--	--	--	--	--
NOV 15, 72	1255	6	.3	18800	--	--	--	--	--	--	--
FEB 20, 73	1620	6	.3	32600	--	--	--	--	--	--	--
APR 19, 73	1330	6	.3	29900	--	--	--	--	--	--	--

LINE 110

NOV 11, 71	1455	2	.6	7050	--	--	--	--	--	--	--
			4.6	17400	--	--	--	--	--	--	--
JAN 27, 72	1535	2	.3	24800	--	--	--	--	--	--	--
			4.3	24600	--	--	--	--	--	--	--
MAR 30, 72	1055	2	.3	26500	--	--	--	--	--	--	--
			4.3	26200	--	--	--	--	--	--	--
MAY 30, 72	1745	2	.3	12400	--	--	--	--	--	--	--
			4.3	15800	--	--	--	--	--	--	--
JUL 24, 72	1835	2	.3	12400	--	--	--	--	--	--	--
			4.3	32900	--	--	--	--	--	--	--
NOV 15, 72	1400	2	.3	26300	--	--	--	--	--	--	--
			4.4	26000	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHDS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)

LINE 110 CONTINUED

FEB 20, 73	1600	2	.3	28400	--	--	--	--	--	--	--
			4.3	28500	--	--	--	--	--	--	--

LINE 115

NOV 11, 71	1425	5	1.5	12800	--	--	--	--	--	--	--
MAR 30, 72	1005	5	1.2	35700	--	--	--	--	--	--	--
JUN 01, 72	0840	5	.3	16900	--	--	--	--	--	--	--
JUL 24, 72	1800	5	.3	16400	--	--	--	--	--	--	--
SEP 18, 72	1600	5	.3	42600	320.0	1100.0	8600	148	2100	15000	27600
			1.2	42100	--	--	--	--	--	--	--
NOV 15, 72	1210	5	.3	29900	--	--	--	--	--	--	--
FEB 20, 73	1530	5	.3	33900	--	--	--	--	--	--	--
MAY 15, 73	1710	5	.3	17100	150.0	380.0	3100	158	790	5500	9990
			.9	18100	--	--	--	--	--	--	--
JAN 27, 72	1605	7	.9	29200	240.0	720.0	5400	146	1200	9800	17400

LINE 120

NOV 05, 71	1225	1	.3	16900	140.0	360.0	3100	128	740	5400	9860
			4.3	18500	--	--	--	--	--	--	--
NOV 11, 71	1435	1	.3	14100	120.0	320.0	2500	150	620	4400	8090
			4.0	28300	--	--	--	--	--	--	--
JAN 27, 72	1645	1	.3	25500	--	--	--	--	--	--	--
			4.0	25400	220.0	540.0	4700	149	1100	8200	14900
MAY 30, 72	1305	1	.3	13800	120.0	280.0	2600	134	600	4400	8080
			4.0	15600	--	--	--	--	--	--	--
JUL 24, 72	1603	1	.5	33100	--	--	--	--	--	--	--
			4.9	38900	--	--	--	--	--	--	--
SEP 18, 72	1525	1	.3	36900	--	--	--	--	--	--	--
			5.2	39300	--	--	--	--	--	--	--
NOV 15, 72	1125	1	.6	26600	--	--	--	--	--	--	--
			5.2	26300	--	--	--	--	--	--	--
FEB 20, 73	1450	1	.3	35200	--	--	--	--	--	--	--
			5.2	40500	--	--	--	--	--	--	--
MAY 16, 73	1145	1	.3	18400	--	--	--	--	--	--	--
			4.9	25000	--	--	--	--	--	--	--
NOV 05, 71	1300	3	.3	13100	--	--	--	--	--	--	--
			2.4	13400	--	--	--	--	--	--	--
NOV 11, 71	1410	3	.3	12100	100.0	260.0	2100	124	500	3800	6870
			3.0	13300	--	--	--	--	--	--	--
JAN 27, 72	1250	3	.3	20200	180.0	430.0	3900	150	940	6800	12300
			2.1	23500	--	--	--	--	--	--	--
MAR 30, 72	1720	3	.3	27700	230.0	670.0	5500	162	1600	9600	17700
			2.4	27100	--	--	--	--	--	--	--
MAY 30, 72	1235	3	.3	11300	100.0	230.0	2000	132	470	3600	6500

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIAL CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SILICOS (SUM OF SIO2) (MG/L)

LINE 120 CONTINUED

MAY 30, 72	1235	3	2.4	12200	--	--	--	--	--	--	--
JUL 24, 72	1534	3	.8	21300	--	--	--	--	--	--	--
SEP 18, 72	1455	3	.3 2.7	29600 34600	--	--	--	--	--	--	--
NOV 15, 72	1105	3	.6 2.4	21800 24400	--	--	--	--	--	--	--
FEB 20, 73	1435	3	.3 2.7	34800 34800	--	--	--	--	--	--	--
MAY 16, 73	1215	3	.3 2.4	22900 23600	--	--	--	--	--	--	--
LINE 141 -----											
NOV 05, 71	1435	1	.3 2.4	21600 31400	--	--	--	--	--	--	--
NOV 11, 71	1530	1	.3 2.7	18000 22500	--	--	--	--	--	--	--
JAN 27, 72	1200	1	.3 2.7	36000 44500	--	--	--	--	--	--	--
MAY 30, 72	1125	1	.3 2.4	18900 23900	--	--	--	--	--	--	--
JUL 24, 72	1422	1	.3 3.0	34300 39100	--	--	--	--	--	--	--
SEP 18, 72	1345	1	.3 2.4	45400 45300	--	--	--	--	--	--	--
NOV 15, 72	0953	1	.3 2.4	28400 29200	--	--	--	--	--	--	--
FEB 20, 73	1330	1	.3 2.7	39600 39600	--	--	--	--	--	--	--
APR 19, 73	1100	1	.3 3.4	37100 36900	--	--	--	--	--	--	--
MAY 16, 73	1105	1	.3 2.7	27400 27500	--	--	--	--	--	--	--
NOV 05, 71	1605	3	.3 2.4	20700 22900	--	--	--	--	--	--	--
NOV 11, 71	1550	3	.3 3.4	16400 19000	--	--	--	--	--	--	--
JAN 27, 72	1055	3	.3 4.0	26800 43700	--	--	--	--	--	--	--
MAY 30, 72	1000	3	.3 3.4	22400 41400	--	--	--	--	--	--	--
JUL 24, 72	1252	3	.3 4.0	30100 34600	--	--	--	--	--	--	--
SEP 18, 72	1415	3	.3 3.4	43400 45500	320.0 --	1100.0 --	8900 --	154 --	2100 --	16000 --	28300 --
NOV 15, 72	0827	3	.6 3.4	32300 32300	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC	(DIS-	(DIS-	(DIS-		(DIS-	(DIS-	(DIS-
				CON-	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
				CON-	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
				(MICRO-	(CALCIUM	(MAGNE-	(POTAS-	(BICAR-	(SULFATE	(CHLORIDE	(SUM OF
				(MHOS	(CA)	(MG)	(NA+K)	(HCO3)	(SO4)	(CL)	(SOLIDS
				(LAB)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 141 CONTINUED

FEB 20, 73	1210	3	.3	38000	--	--	--	--	--	--	--
			3.7	39300	--	--	--	--	--	--	--
APR 19, 73	0940	3	.3	35600	--	--	--	--	--	--	--
			4.0	36400	--	--	--	--	--	--	--
MAY 16, 73	1040	3	.3	28500	240.0	660.0	5500	155	1400	9700	17500
			3.0	27800	--	--	--	--	--	--	--
NOV 05, 71	1630	4	.3	19500	--	--	--	--	--	--	--
			4.9	23800	--	--	--	--	--	--	--
NOV 11, 71	1605	4	.3	22000	--	--	--	--	--	--	--
			4.9	23300	--	--	--	--	--	--	--

LINE 165

NOV 05, 71	1715	2	.3	26600	210.0	720.0	4900	138	1300	9000	16100
			6.1	31700	--	--	--	--	--	--	--
NOV 08, 71	0840	2	.3	46000	370.0	1400.0	9200	139	2300	17000	30600
NOV 08, 71	0908	2	.3	46200	350.0	1100.0	9700	142	2300	17000	30500
NOV 08, 71	1500	2	.3	29300	240.0	690.0	6000	110	1400	11000	19100
NOV 08, 71	2105	2	.3	42000	340.0	1200.0	8300	139	2100	15000	27100
NOV 09, 71	0210	2	.3	46400	380.0	1300.0	9400	140	2400	17000	30500
NOV 09, 71	0935	2	.3	36000	280.0	870.0	7400	139	1800	13000	23400
NOV 09, 71	1515	2	.3	26200	220.0	670.0	5200	134	1300	9400	16900
NOV 10, 71	0400	2	.3	34600	280.0	840.0	7000	139	1700	12000	22300
NOV 10, 71	1000	2	.3	22600	190.0	590.0	4600	132	1100	8200	14700
NOV 10, 71	1635	2	.3	19700	180.0	530.0	3700	132	940	6800	12200
NOV 11, 71	1645	2	.3	18800	--	--	--	--	--	--	--
			3.7	33600	--	--	--	--	--	--	--
JAN 27, 72	1120	2	.3	34200	260.0	740.0	6500	148	1300	12000	20500
			5.2	36200	--	--	--	--	--	--	--
MAY 30, 72	1050	2	.3	54600	390.0	1200.0	11000	150	2500	19000	33700
			3.7	54400	--	--	--	--	--	--	--
JUL 24, 72	1337	2	.3	52900	420.0	1300.0	11000	146	2600	19000	34400
			6.2	52800	--	--	--	--	--	--	--
NOV 15, 72	0910	2	.3	31300	--	--	--	--	--	--	--
			5.5	32100	--	--	--	--	--	--	--
FEB 20, 73	1250	2	.3	40800	--	--	--	--	--	--	--
			5.2	40800	--	--	--	--	--	--	--
APR 19, 73	1020	2	.3	40800	350.0	1000.0	9600	137	2200	14000	28500
			7.3	41000	--	--	--	--	--	--	--

LINE 172

JAN 27, 72	1030	10	.3	34300	--	--	--	--	--	--	--
			4.6	37700	--	--	--	--	--	--	--
MAY 30, 72	0920	10	.3	20600	--	--	--	--	--	--	--

TABLE 7C--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES												
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON-	DUCTANCE (MICRO-	CALCIUM CA)	MAGNE- SIUM (MG)	DIS- SOLVED (SODIUM +) POTAS- SIUM (NA+K)	DIS- SOLVED BICAR- BONATE (HCO3)	DIS- SOLVED SULFATE (SO4)	DIS- SOLVED CHLORIDE (CL)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS)

LINE 172 CONTINUED

MAY 30, 72	0920	10	5.2	37900	--	--	--	--	--	--	--	--
JUL 24, 72	1228	10	.3 4.1	28600 33200	--	--	--	--	--	--	--	--
NOV 15, 72	0800	10	.3 5.2	32500 32700	--	--	--	--	--	--	--	--
FEB 20, 73	1155	10	.3 4.9	37300 37300	--	--	--	--	--	--	--	--
APR 19, 73	0925	10	.3 4.6	36200 36000	--	--	--	--	--	--	--	--

TABLE 7D--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED		TOTAL	BOTTOM DEPOSIT		DIS- SOLVED		BOTTOM DEPOSIT
				ALUMI- NUM (AL) (UG/L)	SOLVED ARSENIC (AS) (UG/L)		ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/GM)	MIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	
LINE 15 -----											
SEP 18, 72	1603	2	.3 1.5	-- --	0 --	-- --	-- 1	0 --	-- --	-- 0	
LINE 44 -----											
SEP 18, 72	1335	2	.3 .9	-- --	0 --	-- --	-- 0	0 --	-- --	-- 0	
LINE 89 -----											
SEP 18, 72	1805	2	.3 1.2	-- --	0 --	-- --	-- 2	0 --	-- --	-- 0	
LINE 115 -----											
SEP 18, 72	1600	5	.3	--	0	--	--	0	--	--	
LINE 141 -----											
SEP 18, 72	1415	3	.3	--	0	--	--	0	--	--	

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED		TOTAL	BOTTOM DEPOSIT		DIS- SOLVED		BOTTOM DEPOSIT
				CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)		COBALT (CO) (UG/L)	COBALT (CO) (UG/GM)	COBALT (CO) (UG/L)	TOTAL COPPER (CU) (UG/L)	
LINE 15 -----											
SEP 18, 72	1603	2	.3 1.5	0 --	-- --	-- --	-- 3	-- 8	-- --	-- 3	
LINE 44 -----											
SEP 18, 72	1335	2	.3 .9	0 --	-- --	-- --	-- 2	-- 3	-- --	-- 4	
LINE 89 -----											
SEP 18, 72	1805	2	.3 1.2	0 --	-- --	-- --	-- 1	-- 7	-- --	-- 6	
LINE 115 -----											
SEP 18, 72	1600	5	.3	0	--	--	--	--	4	--	
LINE 141 -----											
SEP 18, 72	1415	3	.3	0	--	--	--	--	4	--	

TABLE 7D--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CYANIDE (CN) (MG/L)	BOTTOM DEPOSIT CYANIDE (CN) (UG/GM)	DIS-SOLVED IRON (FE) (UG/L)	TOTAL IRON (FE) (UG/L)	BOTTOM DEPOSIT IRON (FE) (UG/GM)	DIS-SOLVED LEAD (PB) (UG/L)	TOTAL LEAD (PB) (UG/L)	BOTTOM DEPOSIT LEAD (PB) (UG/GM)
--------------------	------	------	----------------	--------------------------------	-------------------------------------	-----------------------------	------------------------	----------------------------------	-----------------------------	------------------------	----------------------------------

LINE 15

SEP 18, 72	1603	2	.3	--	--	0	--	--	0	--	--
			1.5	--	--	--	--	8300	--	--	3

LINE 44

SEP 18, 72	1335	2	.3	--	--	0	--	--	0	--	--
			.9	--	--	--	--	7400	--	--	7

LINE 89

SEP 18, 72	1805	2	.3	--	--	0	--	--	2	--	--
			1.2	--	--	--	--	24000	--	--	3

LINE 115

SEP 18, 72	1600	5	.3	--	--	0	--	--	0	--	--
------------	------	---	----	----	----	---	----	----	---	----	----

LINE 141

SEP 18, 72	1415	3	.3	--	--	0	--	--	0	--	--
------------	------	---	----	----	----	---	----	----	---	----	----

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED LITHIUM (LI) (UG/L)	DIS-SOLVED MANGANESE (MN) (UG/L)	TOTAL MANGANESE (MN) (UG/L)	BOTTOM DEPOSIT MANGANESE (MN) (UG/GM)	DIS-SOLVED MERCURY (HG) (UG/L)	TOTAL MERCURY (HG) (UG/L)	BOTTOM DEPOSIT MERCURY (HG) (UG/GM)	DIS-SOLVED NICKLE (NI) (UG/L)	DIS-SOLVED STRONTIUM (SR) (UG/L)
--------------------	------	------	----------------	--------------------------------	----------------------------------	-----------------------------	---------------------------------------	--------------------------------	---------------------------	-------------------------------------	-------------------------------	----------------------------------

LINE 15

SEP 18, 72	1603	2	.3	80	0	--	--	--	--	--	--	3500
			1.5	--	--	--	90	--	--	.0	--	--

LINE 44

SEP 18, 72	1335	2	.3	200	0	--	--	--	--	--	--	10000
			.9	--	--	--	160	--	--	.0	--	--

LINE 89

SEP 18, 72	1805	2	.3	40	0	--	--	--	--	--	--	1900
			1.2	--	--	--	230	--	--	.0	--	--

LINE 115

SEP 18, 72	1600	5	.3	120	60	--	--	--	--	--	--	5000
------------	------	---	----	-----	----	----	----	----	----	----	----	------

LINE 141

SEP 18, 72	1415	3	.3	130	0	--	--	--	--	--	--	5000
------------	------	---	----	-----	---	----	----	----	----	----	----	------

TABLE 7D--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ZINC (Zn) (UG/L)	TOTAL ZINC (Zn) (UG/L)	BOTTOM DEPOSIT ZINC (Zn) (UG/GM)
--------------------------	------	------	-------------------	--	---------------------------------	--

LINE 15

SEP 18, 72	1603	2	.3	4	--	--
			1.5	--	--	23

LINE 44

SEP 18, 72	1335	2	.3	0	--	--
			.9	--	--	28

LINE 89

SEP 18, 72	1805	2	.3	4	--	--
			1.2	--	--	63

LINE 141

SEP 18, 72	1415	3	.3	16	--	--
------------	------	---	----	----	----	----

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY.

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL ALDRIN (UG/L)	BOTTOM DEPOSIT ALDRIN (UG/KG)	TOTAL CHLOR- DANE (UG/L)	BOTTOM DEPOSIT CHLOR- DANE (UG/KG)	TOTAL DDD (UG/L)	BOTTOM DEPOSIT DDD (UG/KG)	TOTAL DDE (UG/L)	BOTTOM DEPOSIT DDE (UG/KG)
LINE 15 -----											
NOV 05, 71	0825	2	1.7	-- < .2	-- < .2	-- < 1.0	-- < 1.0	-- < .2	-- < .2	-- < .2	-- < .2
SEP 18, 72	1603	2	.3 1.5	.00 -- < .2	-- -- < .2	.0 -- < 1.0	-- -- < 1.0	.00 -- < .2	-- -- < .2	.00 -- < .2	-- -- < .2
LINE 44 -----											
NOV 05, 71	1030	2	2.6	-- < .2	-- < .2	-- < 1.0	-- < 1.0	-- 7.6	-- 7.6	-- 19.0	-- 19.0
SEP 18, 72	1335	2	.3	.00	--	.0	--	.00	--	.00	--
LINE 54 -----											
NOV 05, 71	0920	3	2.4	-- < .2	-- < .2	-- < 1.0	-- < 1.0	-- 3.4	-- 3.4	-- 12.0	-- 12.0
LINE 89 -----											
SEP 18, 72	1805	2	.3 1.2	.00 -- < .2	-- -- < .2	.0 -- < 1.0	-- -- < 1.0	.00 -- < .2	-- -- < .2	.00 -- < .2	-- 2.5
LINE 115 -----											
SEP 18, 72	1600	5	.3 1.2	.00 -- < .2	-- -- < .2	.0 -- < 1.0	-- -- < 1.0	.00 -- < .2	-- -- < .2	.00 -- < .2	-- -- < .2
LINE 141 -----											
SEP 18, 72	1415	3	.3	.00	--	.0	--	.00	--	.00	--

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DDT (UG/L)	BOTTOM DEPOSIT DOT (UG/KG)	TOTAL DIEL- DRIN (UG/L)	BOTTOM DEPOSIT DIEL- DRIN (UG/KG)	TOTAL ENDRIN (UG/L)	BOTTOM DEPOSIT ENDRIN (UG/KG)	TOTAL HEPTA- CHLOR (UG/L)	BOTTOM DEPOSIT HEPTA- CHLOR (UG/KG)
LINE 15											
NOV 05, 71	0825	2	1.7	--	< .2	--	< .2	--	< .2	--	< .2
SEP 18, 72	1603	2	.3 1.5	.00	--	.00	--	.00	--	.00	--
LINE 44											
NOV 05, 71	1030	2	2.6	--	< .2	--	< .2	--	< .2	--	< .2
SEP 18, 72	1335	2	.3	.00	--	.00	--	.00	--	.00	--
LINE 54											
NOV 05, 71	0920	3	2.4	--	< .2	--	< .2	--	< .2	--	< .2
LINE 89											
SEP 18, 72	1805	2	.3 1.2	.00	--	.00	--	.00	--	.00	--
LINE 115											
SEP 18, 72	1600	5	.3 1.2	.00	--	.00	--	.00	--	.00	--
LINE 141											
SEP 18, 72	1415	3	.3	.00	--	.00	--	.00	--	.00	--

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARKANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		TOTAL		TOTAL	
				HEPTA- CHLOR EPOXIDE	HEPTA- CHLOR EPOXIDE	TOTAL LINDANE	BOTTOM DEPOSIT LINDANE	TOTAL PARA- THION	METHYL PARA- THION	TOTAL MALA- THION	TOTAL DIAZ- INON		
				(UG/L)	(UG/KG)	(UG/L)	(UG/KG)	(UG/L)	(UG/KG)	(UG/L)	(UG/L)	(UG/L)	(UG/L)
LINE 15 -----													
NOV 05, 71	0825	2	1.7	--	<	.2	--	<	.2	--	--	--	--
SEP 18, 72	1603	2	.3 1.5	.00	--	.00	--	<	.2	--	--	--	--
LINE 44 -----													
NOV 05, 71	1030	2	2.6	--	<	.2	--	<	.2	--	--	--	--
SEP 18, 72	1335	2	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00
LINE 54 -----													
NOV 05, 71	0920	3	2.9	--	<	.2	--	<	.2	--	--	--	--
LINE 89 -----													
SEP 18, 72	1805	2	.3 1.2	.00	--	.00	--	<	.2	.00	.00	.00	.00
LINE 115 -----													
SEP 18, 72	1600	5	.3 1.2	.00	--	.00	--	<	.2	.00	.00	.00	.00
LINE 141 -----													
SEP 18, 72	1415	3	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00

TABLE 7E--QUALITY OF WATER IN THE MISSION-ARKANSAS ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME(SITE)	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT	
			PCB (UG/L)	PCB (UG/KG)	PCB (UG/L)	PCB (UG/KG)	2,4-D (UG/L)	2,4-D (UG/KG)	2,4,5-T (UG/L)	2,4,5-T (UG/KG)	SILVEX (UG/L)	SILVEX (UG/KG)	SILVEX (UG/L)	SILVEX (UG/KG)
LINE 15 -----														
NOV 05, 71	0825	2	.6	< .5	--		.00	--	.00	--	.00	--		
SEP 18, 72	1603	2	.3	< .1	--		.00	--	.00	--	.00	--		
			1.5	--	< 2.0		--	--	--	--	--	--		
LINE 44 -----														
NOV 05, 71	1030	2	.6	< .5	--		.00	--	.00	--	.00	--		
SEP 18, 72	1335	2	.3	< .1	--		.00	--	.00	--	.00	--		
LINE 54 -----														
NOV 05, 71	0920	3	.3	< .5	--		.00	--	.00	--	.00	--		
LINE 69 -----														
SEP 18, 72	1805	2	.3	< .1	--		.00	--	.00	--	.00	--		
			1.2	--	< 2.0		--	< 2.7	--	< .8	--	< .8		
LINE 115 -----														
SEP 18, 72	1600	5	.3	.0	--		.00	--	.00	--	.00	--		
			1.2	--	< 2.0		--	< 2.6	--	< .7	--	< .7		
LINE 141 -----														
SEP 18, 72	1415	3	.3	< .1	--		.00	--	.00	--	.00	--		

Nueces Estuary

The Nueces estuary covers an area of about 200 square miles (520 square kilometers) and consists of the tidal parts of the Nueces River and other tributaries, Nueces Bay, Tule Lake Channel, Corpus Christi Bay, part of Redfish Bay, Corpus Christi Ship Channel, Aransas Pass, and parts of the Intracoastal Waterway (Figure 9). Water depth at mlw is less than 13 feet (4.0 meters) in Corpus Christi Bay; less than 3 feet (1.0 meter) in Nueces Bay; more than 40 feet (12.2 meters) in Aransas Pass, Corpus Christi Ship Channel, and Tule Lake Channel; and about 15 feet (4.6 meters) in the Intracoastal Waterway. A part of Redfish Bay is about 10 feet (3.0 meters) deep, but about one-fourth of it is only 1 foot (0.3 meter) deep (mlw).

Water-quality data (Table 8) were collected during January, March, May, June, July, September, and November 1972, and February, April, and May 1973.

The changes in line numbers to facilitate storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all

agencies are shown below. New line numbers are used in Table 8 and on Figure 9.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Nueces Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	13	13a	127
2	22	13a-site 1	131
3	38	14	142
4	47-site 4	14a	147
4a	47-site 2	15	159
5	53	16	168
6	64	Laguna Madre 1	170
7	71	Laguna Madre 2	183
8	83		
9	93	Gulf of Mexico 17-site 2	901-site 70
10	108		
11	118		
12	122		
12a	205		
13	200		




Figure 9.—Data-Collection Sites in the Nueces Estuary

TABLE 8A--QUALITY OF WATER IN THE NUCCES ESTUARY,
WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 13										
NOV 05, 71	0950	2	.3	340	21.7	7.7	7.1	80	--	--
			1.5	340	21.7	7.7	7.1	80	--	--
			3.0	340	21.7	7.7	7.0	79	--	--
			6.1	340	21.6	7.6	7.2	81	--	--
NOV 11, 71	1225	2	.3	400	23.8	7.7	--	--	--	--
			3.0	400	23.8	7.7	--	--	--	--
			5.5	410	24.0	7.3	--	--	--	--
MAR 27, 72	1520	2	.3	1600	29.1	8.2	9.5	122	--	56
			1.5	2000	28.1	8.1	7.1	91	--	--
			3.7	2800	28.9	7.9	5.2	68	--	--
JUN 01, 72	1545	2	.3	1100	32.0	7.8	6.3	86	--	48
			1.2	1100	31.2	7.8	6.4	115	--	--
			2.4	1100	31.4	7.8	7.6	107	--	--
JUL 25, 72	1440	2	.3	14000	32.1	8.4	9.7	137	--	25
			.9	15000	31.9	8.5	9.0	127	--	--
SEP 19, 72	1510	2	.3	1100	31.3	8.4	8.6	115	--	--
			1.5	1100	31.3	8.4	8.6	115	--	--
			3.4	1100	31.4	8.2	8.3	64	--	--
NOV 16, 72	1445	2	.3	1200	20.3	8.2	9.4	103	--	--
			1.5	1300	20.2	8.2	9.5	103	--	--
			3.4	1600	20.5	8.2	9.6	105	--	--
FEB 21, 73	1445	2	.3	1300	12.3	7.9	10.2	95	--	58
			1.5	1300	12.3	7.8	9.5	89	--	--
			3.0	2200	12.3	7.6	8.3	78	--	--
			4.0	2600	12.3	7.2	5.3	50	--	--
APR 18, 73	1620	2	.3	1900	20.6	--	11.4	127	--	53
			1.5	1900	20.6	--	11.4	127	--	--
			3.7	2000	20.6	--	11.5	128	--	--
MAY 17, 73	1320	2	.3	1100	26.6	8.3	8.6	109	--	--
			1.5	1100	26.1	8.4	7.7	94	--	--
			3.0	1100	26.2	8.4	7.6	93	--	--
LINE 22										
NOV 05, 71	1025	2	.3	340	23.0	7.5	7.0	80	--	--
			1.5	340	22.9	7.5	7.0	80	--	--
			3.7	340	22.7	7.2	6.8	78	--	--
MAR 29, 72	1610	2	.3	4800	24.6	8.5	10.1	122	--	33
			1.2	4400	24.5	8.5	10.1	120	--	--
			2.1	4200	24.5	8.4	9.8	117	--	--
JUL 25, 72	1455	2	.3	2200	31.6	8.3	9.9	136	--	58
			.9	2200	32.0	8.3	10.5	144	--	--
			1.8	5000	30.5	7.8	6.4	86	--	--
			2.1	11000	30.0	7.8	3.8	51	--	--
NOV 16, 72	0855	2	.3	1700	17.5	8.2	9.3	97	--	43
			1.5	1900	17.3	8.2	8.8	97	--	--
			1.8	19000	20.2	7.7	1.8	21	--	--
			2.1	21000	20.8	7.6	.1	1	--	--
			2.7	24000	22.3	7.4	.5	6	--	--
APR 18, 73	1355	2	.3	23000	20.7	--	13.1	156	--	43
			.9	23000	20.7	--	12.9	154	--	--
			1.8	24000	20.7	--	12.3	146	--	--

TABLE 8A--QUALITY OF WATER IN THE NUCES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SCCCHI DISK (CM))
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 901 CONTINUED

NOV 16, 72	0805	2	6.1	44000	17.5	8.2	7.8	98	65	--
			9.1	44000	17.4	8.2	7.9	98	60	--
			12.2	44000	17.3	8.2	8.4	109	65	--
FEB 21, 73	0800	2	.6	41000	11.1	--	9.8	104	40	61
			1.5	41000	11.1	--	10.0	106	40	--
			3.0	41000	11.3	--	10.2	109	60	--
			6.1	41000	11.3	--	10.4	111	60	--
			9.1	41000	11.4	--	10.5	113	60	--
			12.2	41000	11.3	--	11.0	117	60	--
APR 18, 73	0810	2	.3	42000	19.4	8.0	6.5	82	45	43
			1.5	42000	19.4	8.0	6.5	82	45	--
			3.0	42000	19.4	8.0	6.4	81	50	--
			6.1	43000	19.4	8.0	6.4	81	60	--
			9.1	43000	19.4	8.0	6.5	82	65	--
			12.2	43000	19.4	8.0	6.8	86	95	--
			15.2	43000	19.2	8.0	6.9	86	90	--
MAY 16, 73	0945	2	.3	36000	22.4	8.3	7.1	92	--	183
			1.5	36000	22.8	8.3	7.1	93	10	--
			3.0	36000	22.8	8.2	7.1	93	10	--
			6.1	36000	22.8	8.2	6.9	91	10	--
			9.1	36000	22.8	8.2	7.0	92	5	--
			12.2	36000	22.7	8.2	7.2	94	10	--
			19.8	37000	22.7	8.2	7.0	91	20	--
APR 18, 72	1520	70	.6	44000	21.8	8.1	7.1	96	10	128
			3.0	44000	21.7	8.1	6.6	92	15	--
			6.1	44000	21.4	8.2	6.9	92	15	--
			9.1	44000	21.3	8.2	6.9	92	20	--
			14.0	44000	21.4	8.2	6.9	92	30	--

LINE 902

SEP 19, 72	1050	2	.6	54000	28.8	8.2	9.0	145	0	--
			3.0	54000	28.9	8.2	9.8	158	0	--
			6.1	54000	28.9	8.2	10.2	165	0	--
			9.1	54000	28.7	8.2	11.0	177	0	--
			13.7	55000	28.7	8.2	11.4	184	0	--

LINE 910

SEP 19, 72	1005	2	.6	44000	28.9	8.2	6.4	100	0	--
			3.0	44000	28.8	8.2	6.5	102	0	--
			6.1	44000	28.8	8.2	6.6	103	0	--
			9.1	44000	28.5	8.2	6.6	102	0	--
			12.2	44000	28.0	8.2	7.1	108	0	--
			15.2	44000	28.4	8.2	7.4	114	0	--
			19.8	39000	28.4	8.1	10.5	154	0	--
MAY 16, 73	0900	2	.6	37000	22.2	8.3	7.1	91	0	318
			3.0	37000	22.1	8.3	7.1	91	0	--
			6.1	37000	22.1	8.3	7.0	90	0	--
			9.1	37000	22.1	8.2	6.9	88	0	--
			12.2	39000	22.1	8.2	6.7	87	0	--
			19.8	39000	22.1	8.2	6.7	87	0	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)
LINE 183 CONTINUED										
JUL 25, 72	1031	3	1.5	48000	29.1	8.5	9.6	150	3	--
			3.0	48000	29.1	8.5	9.7	152	3	--
			4.6	48000	29.2	8.5	10.2	159	20	--
NOV 16, 72	1045	3	.3	46000	15.0	8.4	7.1	85	30	170
			1.5	46000	15.0	8.4	7.0	83	25	--
			3.0	46000	15.0	8.4	7.1	85	25	--
			4.6	47000	15.1	8.4	7.1	86	30	--
			5.5	47000	16.1	8.4	7.7	94	35	--
FEB 21, 73	0955	3	.3	45000	11.8	--	7.9	88	20	183
			1.5	45000	11.9	--	8.2	91	20	--
			3.0	45000	11.8	--	8.1	90	20	--
			4.9	45000	11.8	--	8.3	92	20	--
APR 18, 73	1035	3	.3	40000	20.9	7.9	8.2	106	20	135
			1.5	42000	21.1	8.0	9.6	126	20	--
			3.0	43000	21.1	8.0	10.6	139	30	--
			5.5	43000	21.1	8.0	11.0	145	40	--
MAY 17, 73	1135	3	.3	45000	23.4	8.5	6.6	92	20	91
			1.5	44000	23.4	8.5	6.5	90	20	--
			3.0	43000	23.4	8.4	6.5	89	20	--
			5.2	43000	23.8	8.4	6.2	86	30	--
LINE 200										
NOV 05, 71	1356	2	.3	11000	23.9	8.4	9.6	116	--	30
			1.5	11000	24.1	8.4	9.4	113	--	--
JAN 26, 72	1500	2	.3	27000	19.6	8.4	10.7	127	--	81
			1.2	27000	19.7	8.4	10.6	125	--	--
MAR 28, 72	1515	2	.3	37000	25.6	8.2	8.4	111	--	61
			1.5	39000	25.9	8.2	8.5	120	--	--
MAY 31, 72	1450	2	.3	37000	27.6	8.2	7.5	107	--	102
			1.5	37000	27.4	8.2	7.4	106	--	--
JUL 25, 72	1427	2	.3	43000	30.7	8.3	11.7	166	3	102
			.9	45000	30.9	8.3	12.5	202	5	--
NOV 16, 72	1350	2	.3	45000	16.1	8.2	7.3	88	80	28
			.9	45000	16.4	8.2	7.0	85	110	--
APR 18, 73	1525	2	.6	43000	21.4	8.1	11.5	151	60	64
			1.5	43000	21.4	8.1	11.7	154	70	--
LINE 901										
NOV 11, 71	0710	2	.5	47000	22.2	8.2	6.7	92	--	226
			3.0	47000	22.5	8.1	6.6	92	--	--
			6.1	47000	22.6	8.1	6.7	93	--	--
			9.1	48000	22.7	8.1	6.7	93	--	--
			12.2	48000	22.9	8.2	6.7	93	--	--
			17.1	48000	22.9	8.1	6.8	94	--	--
JUL 25, 72	0822	2	.5	49000	28.7	8.1	6.3	130	0	137
			1.5	49000	28.6	8.1	7.4	116	3	--
			3.0	50000	28.5	8.0	7.4	116	2	--
			4.6	50000	28.6	8.0	7.0	109	10	--
			6.1	50000	28.5	8.0	7.0	109	2	--
			9.1	50000	28.6	8.0	7.6	119	2	--
			13.1	50000	28.4	8.0	8.6	134	3	--
NOV 16, 72	0805	2	1.5	43000	16.9	8.3	8.0	98	65	41
			3.0	43000	17.3	8.3	7.9	96	65	--

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	-------------------------------

LINE 22 CONTINUED

APR 18, 73	1355	2	2.0	34000	20.7	--	2.8	35	--	--
			2.4	41000	20.7	--	3.0	0	--	--

LINE 38

JUL 25, 72	1540	2	.3	1100	31.9	8.3	11.1	149	--	51
			2.1	1100	30.0	7.9	8.0	104	--	--
			4.0	2400	29.5	7.1	1.9	25	--	--
SEP 19, 72	1315	2	.3	21000	30.2	8.6	8.3	117	--	46
			.6	23000	30.1	8.6	8.1	116	--	--
NOV 16, 72	0840	2	.3	3900	16.4	8.2	10.5	107	--	30
			.9	3900	16.3	8.2	10.7	109	--	--
APR 18, 73	1335	2	.3	41000	20.9	--	9.8	127	--	47
			1.1	41000	20.9	--	9.9	127	--	--

LINE 53

JAN 25, 72	1305	1	.3	30000	16.7	7.6	6.4	95	--	10
			1.2	30000	16.7	7.6	6.6	98	--	--
MAR 27, 72	1050	1	.3	36000	25.7	8.1	7.0	97	--	--
			.9	36000	26.0	8.1	7.3	101	--	--
JUN 01, 72	1340	1	.3	11000	27.0	8.3	7.8	99	--	43
			1.2	11000	27.1	8.3	7.9	99	--	--
JUN 25, 72	0930	1	1.2	31000	29.1	8.5	6.5	94	--	--
JUL 25, 72	0930	1	.3	34000	29.1	8.6	6.6	97	--	38
			1.2	35000	29.1	8.5	6.4	94	--	--
SEP 19, 72	1250	1	.3	47000	30.0	8.3	7.0	113	--	38
			.9	47000	30.0	8.3	7.3	118	--	--
NOV 16, 72	0955	1	.3	41000	15.7	8.1	9.3	112	--	48
			1.2	43000	15.8	8.1	9.9	118	--	--
FEB 21, 73	1226	1	.3	44000	11.3	7.7	8.1	69	--	41
			1.5	44000	11.3	7.7	8.9	98	--	--
APR 18, 73	1315	1	.3	45000	20.6	7.1	8.2	108	--	33
			1.2	45000	20.6	7.1	8.6	113	--	--
MAY 17, 73	1210	1	.3	47000	23.8	8.2	6.8	96	--	36
			.9	47000	22.6	8.3	6.3	88	--	--
NOV 05, 71	1100	2	.3	6900	21.6	8.2	7.5	86	--	--
			1.5	6900	22.9	8.0	7.4	87	--	--
NOV 11, 71	1000	2	.3	9000	21.4	7.8	--	--	--	--
			1.2	11000	19.6	7.8	--	--	--	--
JAN 25, 72	1255	2	.3	32000	16.8	7.3	8.7	100	--	13
			.9	32000	16.6	7.4	9.6	109	--	--
MAR 27, 72	1045	2	.3	32000	25.8	8.1	6.9	96	--	15
			1.2	35000	25.7	8.1	6.9	96	--	--
JUN 01, 72	1335	2	.3	14000	26.9	8.3	8.4	108	--	43
			1.2	14000	27.0	8.2	7.4	95	--	--
JUL 25, 72	0920	2	.3	35000	29.1	8.5	6.5	96	--	46
			1.2	36000	29.0	8.5	6.4	94	--	--
SEP 19, 72	1225	2	.3	47000	30.0	8.3	6.4	103	--	41

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DISS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCI- DISK (CM)
LINE 53 CONTINUED										
SEP 19, 72	1225	2	.9	47000	30.0	8.3	6.7	108	--	--
NOV 16, 72	0950	2	.3 1.2	44000 43000	15.7 15.8	8.1 8.0	9.3 9.9	112 118	-- --	38 --
FEB 21, 73	1219	2	.3 1.5	42500 41000	11.4 11.4	7.9 7.8	8.4 8.6	91 92	-- --	36 --
APR 18, 73	1310	2	.3 1.2	45000 45000	21.0 20.5	7.2 7.2	8.5 8.8	113 116	-- --	-- --
MAY 17, 73	1200	2	.3 1.2	46000 46000	23.6 22.5	8.3 8.3	6.4 5.8	89 78	-- --	28 --
JAN 25, 72	1245	3	.3 1.2	32000 32000	16.7 16.8	7.1 7.3	8.5 9.1	97 105	-- --	10 --
MAR 27, 72	1040	3	.3 1.2	36000 38000	25.7 25.9	8.1 8.1	6.8 7.1	94 100	-- --	10 --
JUN 01, 72	1330	3	.3 1.2	13000 14000	27.0 27.0	8.3 8.3	8.5 8.0	109 102	-- --	48 --
JUL 25, 72	0915	3	.3 1.2	37000 37000	29.2 29.2	8.5 8.5	6.2 6.8	91 100	-- --	38 --
SEP 19, 72	1220	3	.3 1.2	47000 47000	30.0 30.0	8.4 8.4	7.2 7.5	116 121	-- --	46 --
NOV 16, 72	0945	3	.3 1.2	43000 43000	16.1 15.9	8.1 8.0	9.1 9.1	108 108	-- --	32 --
FEB 21, 73	1210	3	.3 1.5	42000 44000	12.6 12.5	7.7 7.7	7.7 8.0	86 90	-- --	25 --
APR 18, 73	1302	3	.3 1.5	45000 45000	20.6 20.7	7.2 7.1	8.4 8.4	111 111	-- --	36 --
MAY 17, 73	1020	3	.3 1.2	44000 43000	22.5 22.6	8.1 8.1	6.4 6.6	86 89	-- --	36 --
NOV 05, 71	1130	4	.3 1.5	490 610	21.8 21.8	8.3 8.3	8.0 8.3	91 94	-- --	-- --
JAN 25, 72	1235	4	.3 1.2	33000 33000	16.7 16.8	7.1 7.1	8.4 8.5	97 99	-- --	10 --
MAR 27, 72	1025	4	.3 1.2	36000 32000	25.7 25.7	8.1 8.1	6.8 6.7	94 92	-- --	10 --
JUN 01, 72	1325	4	.3 .9	14000 14000	27.0 27.0	8.3 8.2	8.7 8.6	111 110	-- --	48 --
JUL 25, 72	0910	4	.3 1.2	39000 39000	29.3 29.2	8.4 8.4	7.0 7.6	104 113	-- --	48 --
SEP 19, 72	1200	4	.3 1.2	47000 47000	30.0 30.0	8.4 8.4	7.0 7.2	113 116	-- --	48 --
NOV 16, 72	0940	4	.3 .9	44000 44000	16.4 16.5	8.1 8.0	7.8 7.8	95 95	-- --	23 --
FEB 21, 73	1200	4	.3 .9	44000 44000	11.7 11.7	7.7 7.7	8.0 8.3	88 91	-- --	30 --
APR 18, 73	1255	4	.3 1.1	44000 44000	20.9 21.0	7.1 7.1	8.6 9.1	115 121	-- --	41 --
MAY 17, 73	1015	4	.3	43000	23.2	8.0	6.2	85	--	38

TABLE BA--QUALITY OF WATER IN THE NUCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 53 CONTINUED

MAY 17, 73	1015	4	.9	43000	23.2	8.0	6.4	88	--	--
JAN 25, 72	1220	5	.3	33000	16.7	7.5	8.7	100	--	10
			.6	32000	16.8	8.0	9.8	113	--	--
MAR 27, 72	1020	5	.3	39000	25.1	8.2	7.0	96	--	10
			1.2	39000	24.7	8.1	6.9	95	--	--
JUN 01, 72	1320	5	.3	19000	27.2	8.2	8.8	116	--	15
			.9	21000	27.1	8.2	8.8	117	--	--
JUL 25, 72	0900	5	.3	37000	29.4	8.3	7.3	109	--	42
			.9	40000	30.7	8.0	4.2	66	--	--
SEP 19, 72	1150	5	.3	47000	30.0	8.4	7.2	116	--	38
			.9	47000	30.0	8.4	7.8	126	--	--
NOV 16, 72	0935	5	.3	43000	20.9	7.9	8.6	113	--	41
			.8	43000	19.9	7.8	9.4	121	--	--
FEB 21, 73	1150	5	.3	44000	11.8	7.6	7.9	88	--	--
			.9	44000	11.7	7.7	8.8	97	--	--
APR 18, 73	1250	5	.3	44000	21.6	7.1	8.2	112	--	47
			.9	44000	21.4	7.1	8.7	119	--	--
MAY 17, 73	1010	5	.3	43000	23.0	8.0	6.4	88	--	33
			.9	43000	23.0	8.1	6.0	82	--	--

LINE 64

NOV 05, 71	1200	9	.3	1800	21.8	8.3	7.9	91	--	--
			1.5	1800	21.8	8.3	8.1	93	--	--
			3.0	2600	21.6	8.2	7.9	90	--	--
			4.6	2700	21.7	8.1	7.8	89	--	--
			6.1	3000	22.0	7.9	7.6	87	--	--
NOV 08, 71	0840	9	.3	--	21.5	--	--	--	--	--
NOV 09, 71	2100	9	.3	--	20.5	--	--	--	--	--
NOV 11, 71	1030	9	.3	6200	20.6	8.0	--	--	--	--
			1.5	14000	20.7	7.7	--	--	--	--
			3.0	15000	20.8	7.7	--	--	--	--
			6.1	16000	21.1	7.7	--	--	--	--
JAN 25, 72	1340	9	.3	36000	16.4	7.9	8.3	97	--	15
			1.5	43000	16.4	7.9	8.3	100	--	--
			3.0	36000	16.4	7.9	8.7	101	--	--
			6.1	36000	16.5	7.9	9.2	107	--	--
MAR 27, 72	1000	9	.3	39000	24.3	8.1	6.7	91	--	33
			1.5	39000	24.2	8.0	6.6	89	--	--
			3.7	39000	24.3	8.0	6.6	89	--	--
JUN 01, 72	1300	9	.3	28000	27.2	8.2	7.9	111	--	58
			1.5	28000	27.3	8.2	7.9	110	--	--
			3.0	28000	27.3	8.2	7.8	108	--	--
			4.6	28000	27.2	8.2	7.8	107	--	--
			5.8	29000	27.1	8.2	7.2	99	--	--
JUL 25, 72	1010	9	.3	42000	30.0	8.3	6.6	100	--	53
			1.5	39000	30.0	8.4	6.6	100	--	--
			3.0	39000	30.0	8.4	6.3	95	--	--
			4.6	39000	30.0	8.4	5.9	89	--	--
			6.1	40000	30.0	8.4	5.8	89	--	--
SEP 19, 72	1135	9	.3	47000	30.0	8.3	6.3	102	--	58

TABLE BA--QUALITY OF WATER IN THE NULCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM)
SEP 19, 72	1135	9	1.5	47000	30.0	8.3	6.4	103	--	--
			3.0	47000	30.0	8.3	6.6	106	--	--
			5.8	47000	29.8	8.3	5.7	92	--	--
SEP 20, 72	1010	9	.3	46000	29.6	8.1	6.0	94	--	61
			1.5	46000	29.5	8.1	5.9	92	--	--
			3.0	46000	29.5	8.1	5.7	89	--	--
			4.6	46000	29.4	8.1	5.6	88	--	--
NOV 16, 72	1010	9	6.4	46000	29.4	8.1	5.3	83	--	--
			.3	44000	16.1	8.0	7.4	89	--	51
			1.5	44000	16.0	8.0	7.3	88	--	--
			3.0	44000	16.1	8.0	7.3	88	--	--
			4.6	44000	16.3	8.0	7.1	86	--	--
FEB 21, 73	1120	9	6.7	45000	16.4	8.0	7.0	85	--	--
			.3	44000	11.6	7.8	8.4	92	--	--
			1.5	44000	11.6	7.8	8.4	92	--	--
			3.0	44000	11.6	7.8	8.4	92	--	--
			4.6	44000	11.6	7.8	8.5	93	--	--
APR 18, 73	1230	9	6.4	44000	11.6	7.8	8.5	93	--	--
			.3	44000	20.4	7.4	9.7	127	--	32
			1.5	44000	20.4	7.4	9.6	126	--	--
			3.0	44000	20.3	7.4	9.7	127	--	--
			4.6	44000	20.3	7.4	9.5	124	--	--
MAY 17, 73	0950	9	6.1	44000	20.4	7.4	9.6	126	--	--
			7.3	44000	20.4	7.4	9.9	129	--	--
			.3	43000	22.9	8.2	7.3	96	--	33
			1.5	43000	22.8	8.2	6.8	93	--	--
			3.0	43000	22.8	8.2	7.0	96	--	--
JAN 25, 72	1355	12	4.6	43000	22.7	8.2	6.8	92	--	--
			5.8	43000	22.6	8.1	6.9	93	--	--
			.3	36000	16.4	8.0	8.3	97	--	13
			1.5	36000	16.4	8.0	8.3	97	--	--
MAR 27, 72	0955	12	1.5	43000	16.4	8.0	8.0	96	--	--
			3.4	35000	16.5	8.1	9.0	105	--	--
			.3	39000	24.3	8.0	6.8	92	--	25
JUN 01, 72	1305	12	1.5	39000	24.2	8.0	6.7	91	--	--
			3.4	41000	24.0	8.0	6.5	89	--	--
			.3	28000	27.2	8.3	8.1	114	--	81
JUL 25, 72	1025	12	1.5	28000	27.2	8.2	8.2	115	--	--
			3.4	28000	27.1	8.2	8.3	117	--	--
			.3	38000	29.9	8.3	6.6	100	--	53
SEP 19, 72	1125	12	2.4	39000	30.0	8.4	6.6	100	--	--
			4.9	39000	30.0	8.4	7.0	106	--	--
			.3	47000	30.0	8.3	6.3	102	--	117
			1.5	47000	30.0	8.3	6.3	102	--	--
NOV 16, 72	1025	12	3.0	47000	30.0	8.3	6.7	108	--	--
			4.6	47000	30.0	8.3	7.2	116	--	--
			.3	44000	16.3	8.0	7.3	88	--	91
			1.5	44000	16.3	8.0	7.4	89	--	--
FEB 21, 73	1110	12	3.0	44000	16.3	8.0	6.2	99	--	--
			4.9	44000	16.3	8.0	9.8	118	--	--
			.3	44000	11.9	7.8	8.7	97	--	48
			1.5	42000	11.9	7.8	8.9	98	--	--
APR 18, 73	1220	12	3.0	42000	11.9	7.8	9.1	100	--	--
			3.7	42000	11.8	7.8	9.6	105	--	--
			.3	44000	20.5	7.3	9.0	118	--	48
1.5	44000	20.5	7.3	9.3	122	--	--			

LINE 69 CONTINUED

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY;

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 64 CONTINUED										
APR 18, 73	1220	12	3.0	44000	20.5	7.3	9.5	124	--	--
			9.3	44000	20.5	7.3	10.1	132	--	--
MAY 17, 73	0940	12	.3	43000	23.1	8.2	6.8	93	--	30
			1.5	43000	23.1	8.2	6.6	90	--	--
			3.0	43000	23.0	8.2	6.6	90	--	--
			3.7	43000	23.0	8.2	6.8	93	--	--
LINE 71										
NOV 05, 71	1310	2	.3	12000	25.0	--	10.6	134	--	--
			1.5	12000	20.2	--	10.9	138	--	--
			3.0	13000	26.5	--	9.4	121	--	--
			6.1	41000	27.3	--	.0	0	--	--
			9.1	46000	27.4	--	.0	0	--	--
13.7	46000	27.3	--	.0	0	--	--			
NOV 11, 71	1115	2	.3	16000	24.8	8.1	--	--	--	--
			3.0	19000	25.0	8.1	--	--	--	--
			6.1	49000	26.3	7.9	--	--	--	--
			9.1	49000	26.1	7.9	--	--	--	--
13.4	47000	26.0	7.5	--	--	--	--			
MAR 27, 72	1320	2	.3	39000	26.2	8.5	10.3	145	--	71
			3.0	39000	25.5	8.4	8.0	111	--	--
			6.1	39000	25.4	8.3	7.1	99	--	--
			9.1	39000	25.3	8.3	7.0	97	--	--
12.2	39000	25.2	8.2	6.0	82	--	--			
JUN 01, 72	1220	2	.3	37000	28.1	8.0	5.1	75	--	109
			1.5	37000	27.7	8.0	4.5	65	--	--
			3.0	43000	26.8	7.7	.0	0	--	--
			6.1	50000	26.2	7.7	.0	0	--	--
			9.1	52000	26.2	7.6	.0	0	--	--
13.1	52000	26.5	7.5	.0	0	--	--			
JUL 25, 72	1240	2	.3	41000	31.2	8.5	13.4	209	--	102
			3.0	42000	30.0	8.1	13.0	203	--	--
			3.7	34000	30.0	8.0	12.9	192	--	--
			4.0	35000	30.0	8.0	8.5	129	--	--
			4.3	36000	29.9	7.8	3.7	56	--	--
			4.6	44000	29.4	7.7	.0	0	--	--
			6.1	40000	28.6	7.6	.0	0	--	--
			9.1	48000	28.2	7.5	.0	0	--	--
			12.2	50000	27.7	7.4	1.1	17	--	--
NOV 16, 72	1135	2	.3	45000	21.1	7.8	5.3	71	--	114
			1.5	45000	20.9	7.8	5.2	69	--	--
			3.0	45000	20.8	7.8	4.8	64	--	--
			6.1	45000	20.8	7.7	4.7	63	--	--
			9.1	45000	20.8	7.7	4.7	63	--	--
			12.2	45000	20.8	7.8	5.3	71	--	--
FEB 21, 73	0925	2	.3	42000	11.3	7.7	8.0	87	--	224
			1.5	42000	11.5	7.7	7.4	80	--	--
			3.0	42000	11.5	7.7	7.4	80	--	--
			4.6	42000	11.6	7.7	7.6	83	--	--
			6.1	42000	11.4	7.7	7.5	82	--	--
			9.1	44000	11.4	7.7	7.1	78	--	--
			12.2	44000	11.5	7.7	7.7	85	--	--
APR 18, 73	1140	2	.3	46000	20.5	7.0	7.8	101	--	188
			1.5	46000	20.5	6.9	7.8	101	--	--
			3.0	46000	20.5	7.0	7.6	99	--	--
			4.6	46000	20.5	7.0	7.6	99	--	--
			6.1	46000	20.5	7.0	7.4	96	--	--
			9.1	46000	20.4	7.0	7.2	94	--	--
13.7	46000	20.4	6.9	7.4	96	--	--			

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME (EST)	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C) (FIELD)	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------------	----------------	---	------------------------------	-------------------------	--------------------	-----------------	---------------------------------

LINE 71 CONTINUED

MAY 17, 73	0905	2	.3	43000	25.0	7.9	5.1	72	--	--
			1.5	43000	25.0	7.9	4.9	69	--	--
			3.0	43000	25.0	7.9	4.7	66	--	--
			6.1	43000	25.0	7.8	4.7	66	--	--
			9.1	43000	25.0	7.9	4.9	69	--	--
			12.2	43000	25.0	7.9	4.8	68	--	--
			13.7	43000	25.0	7.9	5.1	72	--	--

LINE 83

MAR 27, 72	1300	2	.3	33000	26.5	8.5	11.0	153	--	94
			1.5	34000	26.1	8.4	9.8	136	--	--
			3.0	34000	25.7	8.3	7.8	107	--	--
			6.1	34000	25.4	8.3	6.9	95	--	--
			9.1	34000	25.2	8.3	6.0	81	--	--
			12.2	40000	24.3	7.5	.4	5	--	--

JUN 01, 72	1205	2	.3	33000	27.6	7.5	2.0	29	--	91
			1.5	35000	27.4	7.9	4.3	60	--	--
			3.0	42000	27.0	7.6	.0	0	--	--
			6.1	50000	26.4	7.8	.3	4	--	--
			9.1	52000	26.5	7.8	.8	12	--	--
			13.1	52000	26.4	7.5	.6	9	--	--

JUL 25, 72	1225	2	.3	41000	30.0	8.3	10.9	168	--	99
			3.0	42000	29.6	8.0	6.0	94	--	--
			4.6	42000	29.6	7.8	2.7	42	--	--
			6.1	46000	28.9	7.7	.0	0	--	--
			9.1	49000	28.4	7.7	.0	0	--	--
			12.2	50000	28.0	7.4	.4	6	--	--

NOV 16, 72	1110	2	.3	45000	20.2	8.0	9.9	129	--	79
			3.0	45000	19.9	7.9	7.3	95	--	--
			6.1	45000	19.9	7.8	7.1	92	--	--
			9.1	45000	19.8	7.8	7.3	95	--	--
			12.2	45000	19.7	7.9	6.5	84	--	--

FEB 21, 73	0945	2	.3	44000	12.2	7.7	7.4	82	--	198
			1.5	44000	12.4	7.7	7.3	82	--	--
			3.0	44000	12.3	7.7	7.2	81	--	--
			4.6	44000	12.2	7.7	7.1	79	--	--
			6.1	44000	12.2	7.7	7.2	80	--	--
			9.1	44000	12.2	7.7	7.3	81	--	--
			12.2	44000	12.0	7.7	7.7	86	--	--

APR 18, 73	1124	2	.3	40000	20.6	6.8	6.3	81	--	170
			1.5	40000	20.6	6.8	6.2	79	--	--
			3.0	41000	20.6	6.9	6.0	77	--	--
			4.6	41000	20.5	6.8	5.0	64	--	--
			6.1	41000	20.5	6.8	4.9	63	--	--
			9.1	41000	20.4	6.8	4.4	56	--	--
			13.7	40000	20.5	6.8	4.4	56	--	--

LINE 93

MAR 27, 72	1250	2	.3	39000	26.5	8.5	9.5	134	--	104
			1.5	41000	25.9	8.5	9.3	133	--	--
			3.0	43000	25.7	8.4	7.3	104	--	--
			6.1	43000	25.5	8.3	6.3	90	--	--
			9.1	43000	24.9	8.2	5.4	76	--	--
			12.2	46000	24.2	7.7	.6	8	--	--

JUN 01, 72	1155	2	.3	35000	27.6	7.4	4.0	58	--	109
			1.5	35000	27.5	7.3	3.2	46	--	--
			3.0	38000	27.4	7.5	1.9	37	--	--
			6.1	48000	26.5	7.8	.9	13	--	--
			9.1	52000	26.5	7.9	2.2	33	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	(TIME)	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 93 CONTINUED										
JUN 01, 72	1155	2	13.1	52000	26.4	7.6	0	0	--	--
JUL 25, 72	1215	2	0.3	43000	30.4	8.0	12.0	188	--	99
			3.0	35000	30.0	8.0	8.4	127	--	--
			4.6	35000	30.0	7.9	6.0	91	--	--
			6.1	39000	29.3	7.7	0.5	7	--	--
			9.1	50000	29.1	7.9	0.1	2	--	--
12.2	50000	29.0	7.9	0.5	8	--	--			
SEP 18, 72	1015	2	0.3	54000	30.2	7.4	0.6	10	--	112
			1.5	54000	29.9	7.4	0.6	10	--	--
			3.0	54000	29.9	7.4	0.4	7	--	--
			4.6	54000	29.8	7.3	0.5	8	--	--
			6.1	54000	29.7	7.3	1.4	23	--	--
7.6	54000	29.3	7.2	0.0	0	--	--			
10.7	54000	28.9	7.4	0.0	0	--	--			
NOV 16, 72	1055	2	0.3	45000	20.9	8.0	6.7	69	--	147
			3.0	45000	20.4	7.9	5.1	67	--	--
			6.1	45000	20.3	7.9	5.3	70	--	--
			9.1	45000	20.3	7.9	5.3	70	--	--
			12.2	45000	20.2	7.9	5.5	71	--	--
FEB 21, 73	1005	2	0.3	44000	12.7	7.7	7.1	80	--	246
			1.5	44000	12.8	7.7	7.0	80	--	--
			3.0	44000	12.8	7.7	6.9	78	--	--
			4.6	44000	12.8	7.7	7.0	80	--	--
			6.1	44000	12.7	7.7	6.9	78	--	--
			9.1	44000	12.4	7.7	6.6	74	--	--
12.2	44000	12.2	7.7	6.9	77	--	--			
APR 18, 73	1109	2	0.3	40000	22.9	6.9	6.5	68	--	254
			1.5	40000	22.8	6.9	6.6	69	--	--
			3.0	40000	22.8	6.9	6.6	69	--	--
			4.6	40000	22.7	6.9	6.2	63	--	--
			6.1	41000	22.7	7.0	6.2	63	--	--
			9.1	41000	22.6	7.0	6.3	64	--	--
13.7	40000	22.4	7.0	7.0	93	--	--			
LINE 108										
NOV 05, 71	1400	2	0.3	12000	25.2	7.1	7.5	93	--	--
			1.5	12000	25.9	7.0	6.8	86	--	--
			3.0	18000	26.2	6.8	4.1	53	--	--
			6.1	48000	27.0	6.8	3.3	49	--	--
			9.1	48000	27.0	6.0	3.3	49	--	--
13.1	54000	27.3	5.3	1.3	20	--	--			
NOV 11, 71	1045	2	0.3	13000	26.1	7.4	--	--	--	--
			3.0	22000	26.6	7.0	--	--	--	--
			6.1	45000	26.6	6.5	--	--	--	--
			9.1	45000	25.6	7.6	--	--	--	--
12.8	46000	23.6	6.8	--	--	--	--			
MAR 27, 72	1235	2	0.3	36000	26.0	8.3	7.0	100	--	--
			1.5	36000	25.3	8.3	6.7	94	--	--
			3.0	36000	25.2	8.3	6.2	86	--	--
			6.1	32000	24.9	8.3	5.4	73	--	--
			7.6	36000	24.9	8.2	5.0	69	--	--
			9.1	40000	24.4	8.0	0.8	11	--	--
12.2	40000	24.8	7.9	0.1	1	--	--			
JUN 01, 72	1140	2	0.3	34000	27.4	8.2	7.6	108	--	107
			1.5	35000	27.2	8.1	7.4	104	--	--
			3.0	36000	27.2	8.0	6.6	93	--	--
			6.1	50000	26.8	7.9	2.7	41	--	--
			9.1	51000	26.7	7.8	2.3	35	--	--
13.1	51000	26.5	7.6	0.7	10	--	--			

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	-------------------------------

LINE 108 CONTINUED

JUL 25, 72	1155	2	.3	43000	31.7	8.3	12.6	200	--	107
			3.0	43000	30.1	8.2	9.8	153	--	--
			4.6	43000	30.0	8.0	5.9	92	--	--
			6.1	47000	29.6	8.0	3.0	48	--	--
			9.1	50000	29.4	8.0	2.4	38	--	--
			12.2	50000	29.4	8.0	1.8	38	--	--
SEP 19, 72	1050	2	.3	47000	30.2	8.2	7.4	119	--	128
			1.5	52000	30.1	8.2	6.7	110	--	--
			3.0	52000	30.0	8.1	4.3	70	--	--
			6.1	52000	30.0	8.1	3.5	57	--	--
			9.1	52000	30.0	8.1	1.9	31	--	--
			12.2	52000	30.0	8.0	.0	0	--	--
NOV 18, 72	1045	2	.3	45000	20.4	8.0	6.0	79	--	117
			3.0	45000	20.2	8.0	5.3	69	--	--
			6.1	45000	20.1	8.0	5.0	65	--	--
			9.1	45000	19.6	8.0	5.2	67	--	--
			12.2	45000	18.6	8.1	6.0	76	--	--
FEB 21, 73	1020	2	.3	44000	11.6	7.7	7.9	87	--	193
			1.5	44000	11.5	7.7	7.7	85	--	--
			3.0	44000	11.5	7.7	7.7	85	--	--
			4.6	44000	11.6	7.7	7.6	84	--	--
			6.1	44000	11.8	7.7	7.1	79	--	--
			9.1	44000	12.0	7.7	6.7	74	--	--
			12.2	44000	12.0	7.7	7.1	79	--	--
APR 18, 73	1050	2	.3	44000	21.2	7.0	6.8	91	--	170
			1.5	40000	21.2	7.0	6.8	88	--	--
			3.0	40000	21.0	7.0	6.6	86	--	--
			4.6	40000	21.0	7.0	6.6	86	--	--
			6.1	40000	20.9	7.0	6.6	86	--	--
			9.1	40000	20.9	7.0	6.8	88	--	--
			13.7	44000	20.8	7.1	7.1	95	--	--
MAY 17, 73	0830	2	.3	46000	24.0	8.0	5.2	73	--	132
			1.5	46000	24.1	8.0	5.0	70	--	--
			3.0	46000	24.1	8.0	5.0	70	--	--
			6.1	46000	23.6	8.1	5.0	69	--	--
			9.1	46000	22.9	8.2	5.6	77	--	--
			12.2	46000	22.9	8.2	5.4	74	--	--
			13.7	46000	22.8	8.2	5.6	77	--	--

LINE 118

MAR 27, 72	1200	2	.3	32000	27.0	8.3	7.3	101	--	97
			1.5	31000	27.1	8.2	6.9	96	--	--
			3.0	41000	26.5	8.2	6.8	97	--	--
			4.6	41000	26.4	8.2	6.2	89	--	--
			6.1	36000	26.0	8.2	5.4	75	--	--
			12.2	46000	26.1	8.2	5.3	78	--	--
JUN 01, 72	1130	2	.3	28000	27.2	8.2	7.3	100	--	69
			1.5	31000	27.4	8.2	6.5	92	--	--
			3.0	36000	27.5	8.0	5.6	80	--	--
			6.1	50000	27.0	7.9	4.3	65	--	--
			9.1	51000	27.0	7.9	4.0	62	--	--
			13.1	52000	26.8	7.8	4.6	61	--	--
JUL 25, 72	1145	2	.3	41000	30.1	8.3	9.6	145	--	122
			3.0	42000	29.9	8.2	6.4	98	--	--
			6.1	43000	29.5	8.1	4.0	62	--	--
			9.1	47000	29.3	8.1	3.3	52	--	--
			12.2	50000	29.4	8.0	3.1	49	--	--
NOV 16, 72	1035	2	.3	49000	19.0	8.1	6.8	86	--	142
			1.5	44000	18.9	8.1	6.9	87	--	--

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	(TIME)	(SITE)	(METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
--------------------	--------	--------	----------	--	----------------------	----	-------------------------	--------------------	-----------------	----------------------------

LINE 118 CONTINUED

NOV 16, 72	1035	2	3.0	44000	18.9	8.0	6.6	89	--	--
			6.1	45000	19.2	8.0	6.1	77	--	--
			9.1	45000	18.3	8.1	6.8	85	--	--
			12.2	45000	18.2	8.1	7.7	96	--	--
FEB 21, 73	1035	2	.3	44000	11.6	7.8	8.5	93	--	99
			1.5	44000	11.6	7.7	8.4	92	--	--
			3.0	44000	11.6	7.8	8.5	91	--	--
			4.6	44000	11.6	7.7	8.1	89	--	--
			6.1	44000	11.5	7.7	7.6	84	--	--
			9.1	44000	11.6	7.8	7.5	82	--	--
12.2	44000	11.6	7.8	7.8	86	--	--			
APR 18, 73	1035	2	.3	40000	21.0	7.0	5.8	75	--	142
			1.5	40000	21.0	7.0	5.8	75	--	--
			3.0	40000	21.0	7.0	5.8	75	--	--
			4.6	40000	20.9	7.0	5.8	75	--	--
			6.1	40000	20.8	7.1	5.8	73	--	--
			9.1	40000	20.8	7.1	6.2	81	--	--
			13.7	40000	20.9	7.1	4.2	55	--	--

LINE 122

NOV 11, 71	1334	2	.3	13000	21.8	8.4	10.3	124	--	91
			1.5	19000	21.3	8.4	9.3	111	--	--
			3.0	19000	21.8	8.2	7.6	92	--	--
			3.7	27000	22.7	7.8	3.7	47	--	--
JAN 26, 72	1605	2	.3	33000	18.7	8.3	9.9	119	--	150
			1.5	33000	18.7	8.3	10.1	122	--	--
			3.0	33000	18.6	8.3	10.1	122	--	--
MAR 28, 72	1630	2	.3	41000	25.4	8.2	8.0	112	--	--
			1.5	41000	25.4	8.2	8.5	119	--	--
			3.0	41000	25.7	8.2	8.9	125	--	--
MAY 31, 72	1605	2	.3	35000	27.8	8.2	8.1	117	--	137
			1.2	35000	27.7	8.2	7.8	111	--	--
			2.4	38000	27.5	8.2	6.9	103	--	--
			3.7	40000	27.5	7.9	3.3	48	--	--
JUL 25, 72	1537	2	.2	46000	29.9	8.3	11.5	162	--	--
			.3	45000	30.3	8.3	10.7	170	--	--
			3.0	45000	29.8	8.3	10.9	173	--	--
SEP 20, 72	1025	2	.3	48000	30.0	8.2	5.8	94	--	61
			1.5	49000	29.9	8.2	5.8	90	--	--
			3.0	50000	29.7	8.2	5.5	89	--	--
NOV 16, 72	1355	2	.3	45000	18.7	8.2	8.0	101	--	107
			3.7	45000	18.6	8.2	7.9	100	--	--
MAY 17, 73	1410	2	.3	44000	25.0	8.1	9.6	137	20	76
			1.5	44000	25.0	8.1	10.6	151	30	--
			3.4	44000	24.8	8.1	8.2	117	30	--
NOV 05, 71	1447	4	.5	12000	23.3	8.4	8.9	107	--	91
			1.5	12000	23.3	8.4	8.7	105	--	--
			4.0	19000	23.4	8.0	5.3	65	--	--
NOV 11, 71	1324	4	.3	13000	21.9	8.4	10.1	119	--	99
			1.5	14000	21.4	8.4	8.8	102	--	--
			3.0	18000	22.0	8.2	6.3	76	--	--
			4.3	36000	22.8	7.6	1.8	24	--	--
JAN 26, 72	1600	4	.3	34000	18.7	8.3	9.9	119	--	127
			1.2	34000	18.6	8.3	10.1	122	--	--
			2.4	34000	18.4	8.3	10.1	120	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 122 CONTINUED										
JAN 26, 72	1600	4	3.7	34000	16.4	8.3	9.9	118	--	--
MAR 28, 72	1615	4	.3	41000	25.3	8.2	7.3	103	--	69
			1.5	41000	25.3	8.2	7.1	100	--	--
			2.7	41000	25.5	8.2	6.8	96	--	--
MAY 31, 72	1555	4	.3	35000	27.7	8.2	8.0	114	--	145
			1.2	35000	27.6	8.2	7.8	111	--	--
			2.4	38000	27.4	8.2	6.7	97	--	--
			3.7	40000	27.4	8.0	4.9	71	--	--
JUL 25, 72	1530	4	.3	45000	30.3	8.3	14.1	244	7	145
			1.5	46000	29.6	8.3	14.1	244	5	--
			3.0	46000	29.5	8.3	11.8	167	8	--
			3.7	45000	29.6	8.2	14.2	225	10	--
SEP 20, 72	1020	4	.3	48000	29.7	8.2	6.2	98	--	84
			1.5	50000	29.6	8.2	5.9	95	--	--
			3.7	49000	29.6	8.2	5.9	95	--	--
NOV 16, 72	1345	4	.3	45000	18.5	8.2	7.9	99	--	109
			3.7	45000	18.4	8.2	7.8	98	--	--
MAY 17, 73	1400	4	.3	45000	25.0	8.1	10.2	146	25	76
			1.5	45000	24.3	8.1	9.6	135	40	--
			3.7	45000	24.6	8.1	7.4	106	60	--
NOV 05, 71	1427	6	.5	12000	23.5	8.4	9.3	112	--	102
			1.5	18000	23.4	8.4	8.7	107	--	--
			3.0	19000	23.7	8.4	7.6	96	--	--
			6.1	42000	25.0	8.0	4.9	69	--	--
			9.1	42000	24.7	8.1	6.7	94	--	--
			13.1	42000	24.6	8.0	6.8	96	--	--
NOV 11, 71	1308	6	.3	13000	21.6	8.4	10.1	119	--	81
			1.5	15000	21.3	8.4	8.8	104	--	--
			3.0	18000	21.6	8.3	8.0	95	--	--
			6.1	40000	22.8	8.0	4.7	64	--	--
			9.1	42000	22.8	8.0	6.2	85	--	--
			13.1	47000	22.6	7.9	4.9	68	--	--
JAN 26, 72	1540	6	.3	37000	18.4	8.3	9.4	113	--	102
			1.5	37000	18.3	8.3	9.5	114	--	--
			3.0	37000	17.8	8.3	9.0	108	--	--
			6.1	38000	17.8	8.2	8.3	101	--	--
			9.1	42000	17.2	8.1	7.2	88	--	--
			12.8	46000	17.7	8.1	6.4	105	--	--
MAR 28, 72	1600	6	.3	41000	25.4	8.2	7.6	107	--	71
			1.5	41000	25.3	8.2	7.6	107	--	--
			3.0	41000	25.2	8.2	7.6	105	--	--
			6.1	42000	24.1	8.1	6.5	91	--	--
			9.1	44000	24.7	8.1	7.0	97	--	--
			12.5	44000	23.7	8.1	4.8	69	--	--
MAY 31, 72	1540	6	.3	35000	27.2	8.2	6.9	97	--	109
			3.0	40000	26.7	8.0	4.0	58	--	--
			6.1	48000	26.3	7.9	3.1	46	--	--
			9.1	50000	26.3	7.9	4.1	61	--	--
			12.2	53000	26.3	7.8	3.4	52	--	--
JUL 25, 72	1512	6	.3	43000	30.4	8.3	12.8	200	8	175
			1.5	45000	29.5	8.3	10.1	160	1	--
			3.0	46000	29.2	8.3	8.7	138	3	--
			4.6	46000	29.2	8.3	8.6	136	3	--
			6.1	46000	29.1	8.2	7.8	124	3	--
			9.1	49000	28.9	8.0	5.9	95	6	--
			12.2	51000	29.1	8.0	6.7	108	3	--
SEP 20, 72	0955	6	.3	48000	29.8	8.2	5.9	94	--	81

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 122 CONTINUED										
SEP 20, 72	0955	6	1.5	49000	29.7	8.2	5.6	90	--	--
			3.0	49000	29.7	8.2	5.6	90	--	--
			6.1	49000	29.6	8.2	5.5	89	--	--
			9.1	49000	29.6	8.2	5.6	90	--	--
			12.2	50000	29.6	8.1	5.6	94	--	--
NOV 16, 72	1335	6	.3	49000	18.4	8.1	7.9	99	--	102
			3.0	45000	18.2	8.1	7.6	95	--	--
			6.1	45000	18.2	8.2	7.7	96	--	--
			9.1	45000	18.1	8.2	7.6	95	--	--
			12.2	45000	18.1	8.2	6.1	101	--	--
APR 18, 73	1645	6	.6	46000	20.8	8.0	9.6	128	40	91
			1.5	46000	20.8	8.0	9.5	127	40	--
			3.0	46000	20.8	8.0	9.3	124	40	--
			6.1	46000	20.8	8.0	9.1	121	40	--
			9.1	46000	20.8	8.0	9.2	123	40	--
			12.2	46000	20.8	7.9	9.5	127	105	--
MAY 17, 73	1350	6	.3	45000	25.0	8.1	10.8	154	30	76
			1.5	45000	24.3	8.1	11.0	155	30	--
			3.0	45000	24.1	8.1	10.0	141	40	--
			6.1	45000	24.2	8.1	9.8	138	45	--
			9.1	45000	24.0	8.1	8.6	121	65	--
			12.2	45000	24.3	8.1	8.6	121	60	--
APR 18, 73	1615	7	.6	43000	20.9	8.0	8.8	116	80	66
			2.1	43000	20.9	8.0	10.4	137	110	--
			4.0	43000	20.9	8.0	10.6	139	100	--
NOV 11, 71	1300	8	.3	12000	21.6	8.4	10.2	120	--	91
			1.5	12000	21.3	8.4	10.1	117	--	--
			3.0	14000	21.2	8.3	8.8	102	--	--
			4.0	18000	21.6	8.1	6.7	80	--	--
JAN 26, 72	1530	8	.3	36000	18.5	8.3	10.7	130	--	91
			1.5	36000	18.4	8.3	10.0	120	--	--
			3.4	37000	18.4	8.3	9.2	111	--	--
MAR 28, 72	1550	8	.3	41000	25.6	8.2	8.2	115	--	76
			1.5	41000	25.6	8.2	8.0	113	--	--
			3.0	41000	25.7	8.2	8.6	124	--	--
MAY 31, 72	1530	8	.3	35000	27.5	8.2	7.4	107	--	135
			1.2	35000	27.5	8.2	7.3	106	--	--
			2.4	38000	27.5	8.2	6.4	94	--	--
			3.7	40000	27.6	8.0	4.0	59	--	--
JUL 25, 72	1505	8	.3	45000	30.2	8.3	12.9	205	3	132
			1.5	45000	30.1	8.3	13.5	214	3	--
			3.0	45000	29.6	8.3	10.4	165	11	--
SEP 20, 72	0946	8	.3	48000	29.7	8.1	6.2	98	--	69
			1.5	49000	29.7	8.1	6.2	100	--	--
			3.7	47000	29.6	8.1	6.3	100	--	--
NOV 16, 72	1325	8	.3	44000	18.6	8.1	8.4	106	--	107
			1.5	44000	18.3	8.2	8.5	106	--	--
			3.4	45000	18.3	8.2	7.8	98	--	--
MAY 17, 73	1340	8	.3	45000	24.6	8.2	9.8	140	50	71
			1.5	45000	24.6	8.2	9.4	139	50	--
			3.4	45000	25.0	8.2	8.8	126	55	--
APR 18, 73	1605	9	.6	43000	21.0	8.0	11.0	145	50	71
			2.1	43000	21.0	8.0	11.1	146	60	--
			4.3	43000	21.0	8.0	11.1	146	80	--
MAR 28, 72	1545	10	.3	40000	25.7	8.2	7.6	107	--	76

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI (CM)
LINE 122 CONTINUED										
MAR 28, 72	1545	10	1.5	40000	25.7	8.2	7.8	110	--	--
			3.4	40000	25.7	8.2	7.4	104	--	--
MAY 31, 72	1515	10	.3	35000	27.6	8.2	7.5	109	--	137
			.9	35000	27.5	8.2	7.3	106	--	--
			2.1	35000	27.7	8.2	7.0	101	--	--
			3.0	40000	27.5	7.9	6.8	96	--	--
			4.0	43000	27.6	7.9	2.9	43	--	--
JUL 25, 72	1458	10	.3	45000	30.3	8.3	11.5	162	--	119
			1.5	45000	29.7	8.3	11.2	178	3	--
			3.0	45000	29.6	8.3	11.3	179	10	--
			4.0	45000	29.8	8.2	10.7	170	11	--
SEP 20, 72	0940	10	.3	47000	29.8	8.1	8.0	97	--	64
			1.5	48000	29.7	8.1	5.9	94	--	--
			3.7	48000	29.7	8.1	5.8	92	--	--
NOV 16, 72	1315	10	.3	45000	18.6	8.1	8.5	108	--	99
			1.5	45000	18.4	8.2	8.5	106	--	--
			3.7	45000	18.0	8.1	8.1	101	--	--
MAY 17, 73	1335	10	.3	46000	25.2	8.2	10.8	154	35	66
			1.5	46000	24.8	8.2	10.1	144	40	--
			3.4	46000	24.6	8.2	8.2	117	45	--
APR 18, 73	1600	11	.6	43000	21.0	8.0	9.9	130	45	76
			2.1	43000	21.0	8.0	10.4	137	45	--
			4.3	43000	21.0	8.0	11.6	153	55	--
NOV 11, 71	1252	12	.3	12000	21.7	8.4	10.7	126	--	84
			1.5	12000	21.2	8.4	9.6	112	--	--
			3.4	15000	22.4	8.3	8.6	102	--	--
JAN 26, 72	1515	12	.3	29000	19.1	8.3	10.8	121	--	107
			1.2	29000	19.1	8.3	10.3	121	--	--
			2.4	29000	19.1	8.3	10.3	121	--	--
			4.0	28000	19.4	8.3	10.1	120	--	--
MAR 28, 72	1540	12	.3	40000	25.7	8.1	7.8	110	--	86
			1.5	40000	25.7	8.1	8.0	113	--	--
			3.0	39000	26.5	8.1	8.4	120	--	--
JUL 25, 72	1450	12	.3	43000	30.2	8.2	11.0	172	0	119
			1.5	45000	30.0	8.2	11.5	182	0	--
			2.7	43000	29.9	8.2	9.4	147	45	--
SEP 20, 72	0925	12	.3	46000	29.6	8.1	5.8	92	--	79
			1.5	47000	29.5	8.1	5.8	92	--	--
			3.4	50000	29.6	8.1	5.5	89	--	--
NOV 05, 72	1415	12	.5	9600	23.8	8.4	9.4	113	--	94
			1.5	14000	23.8	8.3	8.4	102	--	--
			3.7	14000	24.1	8.1	7.2	88	--	--
NOV 16, 72	1305	12	.3	44000	18.6	8.2	8.7	110	--	99
			2.4	44000	18.3	8.1	8.5	106	--	--
APR 18, 73	1550	13	.6	42000	21.1	8.0	11.0	145	65	69
			1.5	42000	21.1	8.0	11.5	151	65	--
			3.4	42000	21.1	8.0	11.6	153	70	--
MAY 17, 73	1320	13	.3	46000	25.1	8.2	10.8	154	60	--
			1.5	46000	24.5	8.1	8.6	123	65	--
			3.7	46000	24.6	8.1	6.8	97	60	--
JUL 25, 72	1443	14	.3	43000	30.2	8.2	11.2	175	0	150
			1.5	45000	29.8	8.2	11.3	179	0	--
			3.0	45000	29.7	8.2	11.4	181	3	--

TABLE 8A--QUALITY OF WATER IN THE NUCCES ESTUARY, .

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHMS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
LINE 122 CONTINUED										
JUL 25, 72	1443	14	4.0	43000	29.9	8.1	10.2	159	7	--
SEP 20, 72	0915	14	.3	44000	29.7	8.1	5.9	94	--	66
			1.5	41000	29.6	8.1	5.8	89	--	--
			3.7	41000	29.6	8.1	5.9	91	--	--
NOV 16, 72	1255	14	.3	44000	18.6	8.1	9.2	116	--	99
			1.5	44000	18.5	8.1	9.2	115	--	--
			3.4	44000	18.5	8.1	8.8	110	--	--
LINE 127										
NOV 11, 71	1354	1	.3	16000	21.6	8.4	10.6	125	--	69
			1.5	16000	21.5	8.4	10.2	120	--	--
			3.0	21000	21.5	8.3	8.2	99	--	--
			6.1	36000	22.9	8.0	4.5	59	--	--
			9.1	42000	23.3	8.0	4.3	59	--	--
13.4	45000	23.0	7.9	4.6	63	--	--			
NOV 05, 71	1250	2	.5	15000	23.6	8.3	8.7	106	--	94
			1.5	17000	23.7	8.3	7.9	98	--	--
			4.0	24000	24.2	8.1	4.9	62	--	--
NOV 11, 71	1134	2	.3	16000	21.0	8.4	9.8	114	--	107
			1.5	16000	20.9	8.4	9.8	114	--	--
			2.7	16000	21.7	8.4	9.5	112	--	--
JAN 26, 72	1352	2	.3	37000	18.6	8.3	9.0	110	--	145
			1.5	38000	18.6	8.3	8.9	110	--	--
			2.7	40000	18.4	8.3	9.1	112	--	--
MAR 28, 72	1400	2	.3	40000	22.5	8.2	7.9	165	--	71
			2.1	40000	26.0	8.2	9.7	139	--	--
JUL 25, 72	1309	2	.3	46000	30.3	8.3	10.0	159	0	127
			1.5	46000	30.2	8.3	9.8	156	2	--
NOV 16, 72	1405	2	.3	47000	16.7	8.4	7.2	89	40	142
			1.5	47000	16.5	8.4	7.2	89	40	--
			3.0	47000	17.2	8.4	7.5	94	50	--
APR 18, 73	1400	2	.6	40000	20.9	8.1	11.1	144	40	89
			1.5	40000	20.9	8.1	11.5	149	45	--
			3.0	40000	20.8	8.0	11.8	153	40	--
MAR 28, 72	1410	3	.3	32000	23.1	8.2	8.1	104	--	58
			1.5	32000	24.4	8.2	8.2	108	--	--
			3.0	32000	24.5	8.2	8.4	111	--	--
MAY 31, 72	1335	3	.3	40000	27.5	8.3	7.0	103	--	124
			.9	40000	27.5	8.2	6.9	100	--	--
			1.8	40000	27.6	8.2	6.3	93	--	--
			2.7	40000	27.7	8.2	5.7	84	--	--
JUL 25, 72	1321	3	.3	47000	30.4	8.3	12.0	194	1	124
			1.5	47000	29.8	8.3	13.6	219	1	--
			3.0	46000	29.8	8.2	12.7	202	18	--
			3.7	45000	30.0	8.2	11.6	184	30	--
NOV 16, 72	1355	3	.3	47000	17.5	8.4	7.4	92	40	117
			1.5	47000	17.4	8.4	7.4	92	40	--
			3.0	47000	17.4	8.4	7.4	92	50	--
APR 18, 73	1410	3	.6	42000	20.8	8.0	10.6	139	40	107
			2.1	42000	20.8	8.0	10.9	143	35	--
			4.0	42000	20.7	8.0	11.3	147	45	--
NOV 05, 71	1310	4	.5	15000	23.3	8.4	8.6	105	--	99

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMMHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (CM) (DISK)
LINE 127 CONTINUED										
NOV 05, 71	1310	4	3.0	18000	24.4	8.3	8.1	101	--	--
			6.1	42000	24.4	8.1	6.2	86	--	--
			9.1	42000	24.5	8.1	6.5	90	--	--
			13.1	42000	24.5	8.1	6.0	83	--	--
NOV 11, 71	1143	4	.3	15000	21.2	8.4	9.7	113	--	--
			1.5	15000	20.8	8.4	9.5	110	--	--
			3.0	18000	20.9	8.3	8.3	98	--	--
			6.1	39000	22.1	8.0	5.8	75	--	--
			9.1	40000	22.2	8.0	5.7	75	--	--
			14.0	46000	22.4	8.0	5.4	73	--	--
MAR 28, 72	1422	4	.3	39000	24.6	8.3	7.7	105	--	81
			1.5	39000	24.6	8.3	8.1	111	--	--
			3.0	41000	24.4	8.3	8.0	110	--	--
			6.1	44000	23.9	8.2	7.8	110	--	--
			9.1	46000	23.2	8.1	8.0	110	--	--
			13.1	46000	23.1	8.1	8.4	115	--	--
MAY 31, 72	1350	4	.3	40000	27.2	8.2	6.8	99	--	140
			1.5	40000	27.0	8.2	5.6	84	--	--
			3.0	45000	26.6	8.0	5.0	75	--	--
			4.6	46000	26.5	8.0	4.8	71	--	--
			6.1	48000	26.5	8.0	4.8	71	--	--
			7.6	50000	26.4	8.0	4.5	67	--	--
			9.1	50000	26.3	7.9	4.5	67	--	--
			10.7	50000	26.3	7.8	4.5	67	--	--
			12.2	53000	26.4	7.8	3.8	58	--	--
JUL 25, 72	1330	4	.3	47000	30.3	8.3	10.0	161	0	147
			1.5	47000	29.7	8.3	10.3	166	0	--
			3.0	48000	29.5	8.2	8.3	134	2	--
			4.6	49000	29.4	8.2	8.4	135	2	--
			6.1	50000	29.3	8.1	7.9	127	10	--
			9.1	50000	29.3	8.1	8.5	137	50	--
			12.5	50000	29.5	8.0	9.0	145	105	--
NOV 16, 72	1340	4	.3	47000	17.5	8.4	7.1	89	35	155
			1.5	47000	17.3	8.4	7.1	89	35	--
			3.0	47000	17.3	8.4	6.9	86	40	--
			6.1	47000	17.3	8.4	6.7	84	40	--
			9.1	47000	17.3	8.4	6.7	84	45	--
			11.6	47000	17.3	8.4	6.7	84	45	--
APR 18, 73	1425	4	.6	43000	20.7	8.1	9.1	118	30	109
			2.1	43000	20.7	8.1	9.0	117	30	--
			4.6	43000	20.7	8.0	8.9	116	35	--
			7.6	43000	20.7	8.0	8.4	109	45	--
			10.7	43000	20.7	8.0	7.6	99	70	--
			13.7	43000	20.7	8.0	7.8	101	110	--
MAY 31, 72	1400	5	.3	38000	27.3	8.2	7.2	103	--	168
			1.2	38000	27.3	8.2	7.1	101	--	--
			2.1	40000	27.2	8.2	6.8	99	--	--
			3.0	40000	27.4	8.2	6.7	97	--	--
			4.0	43000	27.4	8.2	4.2	62	--	--
JUL 25, 72	1342	5	.3	46000	30.5	8.3	4.9	157	5	102
			1.5	46000	29.7	8.3	10.2	162	5	--
			3.0	46000	29.6	8.2	9.0	142	10	--
			4.3	46000	29.7	8.2	9.2	146	35	--
NOV 16, 72	1330	5	.6	47000	17.6	8.3	7.5	95	35	122
			1.5	47000	17.2	8.4	7.3	91	35	--
			3.0	47000	17.2	8.4	7.1	89	40	--
			4.0	47000	17.2	8.4	7.1	89	50	--
APR 18, 73	1445	5	.6	43000	20.7	8.0	10.2	132	40	94
			2.1	43000	20.7	8.0	10.4	135	40	--

TABLE 8A--QUALITY OF WATER IN THE NULCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHO/CM FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
LINE 127 CONTINUED										
APR 18, 73	1445	5	4.6	43000	20.7	8.0	10.4	135	45	--
NOV 05, 71	1325	6	4.5	12000	25.0	8.4	8.8	109	--	97
			1.5	12000	25.0	8.4	8.5	105	--	--
			4.1	36000	25.0	8.0	5.4	73	--	--
NOV 11, 71	1205	6	4.3	15000	21.2	8.4	9.6	112	--	76
			1.5	15000	20.9	8.3	9.3	108	--	--
			3.0	16000	21.2	8.3	8.0	93	--	--
			4.6	31000	22.4	7.7	1.9	24	--	--
JAN 26, 72	1410	6	4.3	37000	18.1	8.3	9.0	108	--	--
			1.5	37000	17.8	8.3	9.2	111	--	--
			4.6	40000	17.2	8.1	7.2	87	--	--
			7.6	40000	17.5	8.2	7.9	96	--	--
			10.7	42000	17.5	8.2	8.2	100	--	--
			13.7	42000	17.5	8.1	8.6	105	--	--
MAR 28, 72	1440	6	4.3	41000	25.1	8.2	8.3	115	--	69
			1.5	41000	25.1	8.2	7.7	107	--	--
			3.7	41000	25.0	8.2	7.7	107	--	--
MAY 31, 72	1410	6	4.3	38000	27.3	8.2	7.2	103	--	127
			1.2	38000	27.3	8.2	7.2	103	--	--
			2.1	40000	27.3	8.2	6.9	100	--	--
			3.0	40000	27.5	8.1	4.8	71	--	--
			4.0	43000	27.5	8.0	3.7	55	--	--
JUL 25, 72	1352	6	4.3	46000	30.8	8.3	11.7	189	0	102
			1.5	46000	30.2	8.3	11.5	182	2	--
			3.0	46000	29.8	8.3	11.0	175	5	--
			4.0	46000	29.9	8.2	9.3	148	20	--
NOV 16, 72	1320	6	4.3	47000	17.5	8.4	7.4	92	40	112
			1.5	47000	17.5	8.4	7.4	92	40	--
			3.0	47000	17.3	8.4	6.9	86	40	--
			4.0	47000	17.5	8.4	7.0	88	40	--
APR 18, 73	1455	6	4.6	43000	20.8	8.0	9.0	118	35	97
			2.1	43000	20.8	8.0	9.7	128	40	--
			4.6	43000	20.8	8.0	10.7	141	40	--
MAR 28, 72	1450	7	4.3	40000	25.0	8.2	8.1	112	--	91
			1.5	40000	25.0	8.2	8.6	119	--	--
			3.4	40000	25.5	8.2	9.6	135	--	--
MAY 31, 72	1425	7	4.3	38000	27.3	8.2	7.3	104	--	163
			1.5	38000	27.2	8.2	7.2	101	--	--
			2.4	38000	27.3	8.2	7.0	100	--	--
			3.0	40000	27.4	8.1	6.1	88	--	--
			3.4	43000	27.5	8.0	2.7	40	--	--
			3.7	43000	27.5	8.0	2.7	40	--	--
			4.0	43000	27.5	8.0	2.9	43	--	--
JUL 25, 72	1405	7	4.3	45000	30.3	8.3	10.7	170	0	231
			1.5	45000	29.9	8.3	11.5	182	0	--
			3.0	45000	29.8	8.3	12.1	192	5	--
			4.3	45000	30.0	8.2	11.5	182	18	--
NOV 16, 72	1310	7	4.6	47000	17.7	8.4	7.1	90	40	132
			1.5	47000	17.5	8.4	7.4	92	40	--
			3.7	47000	17.3	8.4	6.9	86	40	--
APR 18, 73	1505	7	4.6	43000	20.9	8.0	9.0	118	40	99
			2.1	43000	20.9	8.0	9.0	118	40	--
			4.6	43000	20.9	8.0	10.6	139	60	--
NOV 05, 71	1342	8	4.5	9600	23.6	8.4	9.0	107	--	76
			1.5	10000	23.6	8.4	8.3	102	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHDS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 127 CONTINUED										
NOV 05, 71	1342	8	4.0	20000	24.0	8.1	5.6	71	--	--
NOV 11, 71	1220	8	.3	18000	21.6	8.4	9.5	113	--	84
			1.5	18000	21.1	8.3	9.2	108	--	--
			3.0	18000	21.1	8.3	8.7	102	--	--
			4.3	18000	21.3	8.3	8.4	100	--	--
MAR 28, 72	1500	8	.3	40000	25.3	8.2	9.0	127	--	91
			1.5	40000	25.1	8.2	8.2	114	--	--
			3.7	40000	25.4	8.1	8.7	123	--	--
MAY 31, 72	1440	8	.3	38000	27.4	8.2	7.4	106	--	150
			.9	38000	27.4	8.2	7.4	106	--	--
			2.1	38000	27.5	8.2	7.0	103	--	--
			3.0	40000	27.5	8.2	5.5	81	--	--
			3.7	43000	27.5	8.1	4.2	62	--	--
			4.3	43000	27.5	8.0	2.1	31	--	--
JUL 25, 72	1416	8	.3	45000	30.2	8.2	10.7	170	0	127
			1.5	45000	29.8	8.2	10.6	168	0	--
			3.0	45000	29.6	8.2	9.0	143	18	--
			4.0	45000	29.6	8.0	6.6	105	55	--
NOV 16, 72	1300	8	.3	47000	15.8	8.4	7.2	88	35	112
			1.5	47000	16.1	8.4	7.3	88	35	--
			3.7	47000	16.6	8.3	7.2	88	45	--
APR 18, 73	1515	8	.6	43000	21.0	8.0	9.6	126	50	86
			2.1	43000	21.0	8.0	10.0	132	50	--
			4.6	43000	21.0	8.0	10.8	142	75	--
JAN 26, 72	1435	10	.3	30000	18.0	8.3	9.2	108	--	97
			1.2	32000	17.9	8.3	9.6	113	--	--
			2.4	32000	17.9	8.3	9.4	111	--	--
			4.3	30000	18.1	8.3	9.4	111	--	--
LINE 131										
JAN 26, 72	1630	1	.3	36000	19.0	8.3	10.5	128	--	--
			1.5	36000	19.0	8.3	10.2	124	--	--
			3.0	40000	18.5	8.2	10.1	125	--	--
			6.1	41000	18.0	8.2	9.5	116	--	--
			9.1	43000	17.7	8.1	8.3	102	--	--
			12.2	43000	17.8	8.1	8.5	105	--	--
MAR 28, 72	1650	1	.3	41000	25.4	8.2	8.5	116	--	76
			3.0	41000	25.3	8.2	7.2	99	--	--
			6.1	41000	25.1	8.2	7.0	95	--	--
			9.1	41000	24.8	8.1	6.5	88	--	--
			12.2	41000	24.5	8.0	6.4	85	--	--
MAY 31, 72	1645	2	.3	--	27.9	8.3	--	--	--	117
			1.5	--	26.7	8.0	--	--	--	--
			2.4	--	27.0	7.9	--	--	--	--
			3.0	48000	26.3	7.9	1.7	25	--	--
			6.1	50000	26.2	7.8	2.0	30	--	--
			9.1	50000	26.4	7.9	2.8	42	--	--
			12.2	53000	26.8	7.9	4.5	69	--	--
JUL 25, 72	1558	2	.3	46000	30.4	8.4	13.0	206	5	104
			1.5	47000	29.6	8.4	13.1	211	7	--
			3.0	47000	29.2	8.3	9.9	155	7	--
			6.1	49000	29.0	8.2	6.6	105	2	--
			9.1	50000	28.8	7.9	2.7	43	2	--
			11.0	50000	28.8	7.8	2.3	36	40	--
NOV 16, 72	1420	2	.3	47000	18.0	8.4	7.4	94	35	140
			1.5	47000	17.9	8.4	7.3	92	40	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	(SITE)	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
--------------------	------	--------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	-------------------------------

LINE 131 CONTINUED

NOV 16, 72	1420	2	3.0	47000	17.7	8.4	7.1	90	40	--
			6.1	47000	17.7	8.4	6.9	87	40	--
			9.1	46000	17.6	8.4	6.9	86	40	--
			11.6	46000	17.7	8.3	6.9	80	55	--

LINE 142

NOV 05, 71	1515	1	.3	15000	23.3	8.4	9.1	111	--	104
			1.5	18000	23.3	8.4	8.6	104	--	--
			3.0	19000	23.3	8.4	8.1	100	--	--
			6.1	37000	23.9	8.1	6.6	88	--	--
			9.1	42000	24.3	8.1	6.5	90	--	--
13.1	46000	24.3	8.0	6.4	90	--	--			
NOV 11, 71	1417	1	.3	19000	21.7	8.4	10.2	121	--	94
			1.5	21000	21.2	8.4	9.4	112	--	--
			3.0	29000	22.2	8.3	7.8	98	--	--
			6.1	40000	22.3	8.1	5.9	79	--	--
			9.1	40000	22.5	8.0	5.5	73	--	--
13.1	45000	22.6	8.0	5.8	79	--	--			
JAN 26, 72	1700	3	.3	41000	18.2	8.2	10.6	129	--	122
			3.0	41000	17.9	8.2	10.3	126	--	--
			6.1	42000	17.7	8.2	9.7	120	--	--
			9.1	45000	17.4	8.1	9.3	115	--	--
			12.2	45000	17.4	8.1	9.3	115	--	--
MAR 28, 72	1730	1	.3	41000	24.8	8.3	7.2	97	--	91
			3.0	41000	24.4	8.3	7.2	96	--	--
			6.1	42000	24.4	8.2	8.8	117	--	--
			9.1	45000	24.3	8.2	8.9	117	--	--
			12.8	45000	23.8	8.1	7.0	92	--	--
MAY 31, 72	1700	1	.3	45000	27.4	8.2	7.5	112	--	61
			1.5	45000	26.7	8.1	7.4	110	--	--
			3.0	48000	26.6	8.1	6.6	98	--	--
			4.6	48000	26.2	8.0	6.1	91	--	--
			7.6	50000	25.8	7.9	4.7	73	--	--
			10.7	50000	25.8	7.8	4.7	73	--	--
13.7	56000	26.0	7.8	4.9	75	--	--			
JUL 25, 72	1625	1	.3	46000	30.5	8.3	12.4	197	--	135
			1.5	49000	30.1	8.3	12.2	197	3	--
			3.0	52000	29.6	8.2	11.6	187	3	--
			6.1	52000	29.5	8.1	11.3	182	5	--
			9.1	52000	29.4	8.1	11.3	182	18	--
			12.8	52000	29.6	8.1	11.4	184	40	--
SEP 20, 72	0850	1	.3	47000	29.7	8.2	5.8	94	--	130
			1.5	49000	29.7	8.2	5.4	95	--	--
			3.0	49000	29.7	8.2	5.9	95	--	--
			6.1	49000	29.6	8.2	5.8	94	--	--
			9.1	49000	29.5	8.2	5.9	95	--	--
			12.2	50000	29.5	8.2	6.2	100	--	--
NOV 16, 72	1455	1	.3	43000	17.2	8.4	7.6	94	35	160
			1.5	46000	17.2	8.4	7.4	91	35	--
			3.0	46000	17.4	8.3	6.8	84	40	--
			6.1	46000	17.4	8.3	6.7	83	55	--
			9.1	47000	17.5	8.3	6.4	80	45	--
			12.2	47000	17.5	8.3	6.4	80	45	--
			13.7	47000	17.6	8.3	6.1	77	50	--
APR 18, 73	1730	1	.6	40000	20.7	8.0	8.6	110	50	119
			1.5	40000	20.6	8.0	8.6	110	50	--
			3.0	40000	20.7	8.0	8.1	105	50	--
			6.1	46000	20.7	8.0	7.6	100	40	--
			9.1	46000	20.6	7.9	7.4	97	45	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
APR 18, 73	1730	1	12.2	46000	20.6	7.9	7.5	99	225	--
MAY 17, 73	1445	1	.3	41000	24.6	8.2	9.3	129	--	86
			1.5	44000	24.0	8.1	8.3	117	10	--
			3.0	44000	24.0	8.1	7.4	104	15	--
			6.1	44000	24.2	8.1	6.8	96	15	--
			9.1	44000	24.2	8.2	6.4	90	40	--
			13.7	46000	24.3	8.0	6.1	86	25	--
NOV 05, 71	1230	2	.3	15000	23.5	8.3	8.4	102	--	94
			2.1	15000	23.6	8.3	7.8	95	--	--
			3.8	25000	24.4	8.0	3.6	46	--	--
NOV 11, 71	1117	2	.3	16000	21.0	8.4	9.6	112	--	104
			1.5	16000	20.9	8.4	8.8	102	--	--
			3.0	27000	21.5	7.9	3.3	41	--	--
			4.1	29000	21.9	7.9	4.3	54	--	--
JAN 26, 72	1335	2	.3	39000	18.4	8.3	8.9	109	--	135
			1.5	39000	18.3	8.3	9.0	110	--	--
			3.0	39000	18.3	8.3	9.2	112	--	--
MAR 28, 72	1340	2	.3	38000	24.7	8.3	8.5	116	--	89
			1.5	38000	24.7	8.3	8.9	120	--	--
			3.0	38000	24.4	8.3	9.7	133	--	--
MAY 31, 72	1320	2	.3	44000	27.4	8.3	8.7	100	--	140
			1.2	44000	27.4	8.2	6.9	103	--	--
			2.4	44000	27.5	8.1	6.1	92	--	--
			3.7	44000	27.7	8.2	4.8	73	--	--
JUL 25, 72	1252	2	.3	46000	30.2	8.2	7.9	125	2	119
			1.5	46000	29.6	8.2	7.6	121	5	--
			3.0	45000	29.6	8.2	7.2	114	68	--
SEP 19, 72	1515	2	.3	49000	28.8	8.3	10.7	170	15	--
			1.5	49000	28.6	8.3	11.0	172	10	--
			3.0	50000	28.6	8.2	11.2	175	10	--
			4.6	50000	28.6	8.2	11.5	180	35	--
NOV 16, 72	1225	2	.3	47000	17.3	8.4	7.7	96	40	145
			1.5	47000	17.2	8.4	7.7	96	45	--
			3.4	47000	17.3	8.4	7.7	96	50	--
APR 18, 73	1340	2	.6	42000	20.8	8.0	9.0	118	35	142
			2.1	42000	20.8	8.0	9.6	126	30	--
			4.0	42000	20.8	8.0	10.4	137	35	--
MAY 17, 73	1245	2	.3	46000	24.9	8.2	9.1	130	25	--
			1.5	46000	24.7	8.2	9.5	136	25	--
			3.4	46000	24.8	8.2	8.4	120	30	--
APR 18, 73	1330	3	.6	43000	20.9	8.0	9.0	118	40	119
			2.1	43000	20.9	8.0	9.3	122	35	--
			4.3	43000	20.9	8.0	10.5	138	40	--
NOV 05, 71	1220	4	.3	15000	23.5	8.3	8.0	98	--	99
			1.5	16000	23.6	8.3	7.5	91	--	--
			4.0	18000	24.3	7.9	4.6	58	--	--
NOV 11, 71	1105	4	.3	15000	21.1	8.3	9.4	109	--	107
			1.5	16000	21.0	8.3	8.8	102	--	--
			3.0	18000	21.1	8.3	7.9	93	--	--
			4.3	27000	21.9	7.8	2.7	34	--	--
JAN 26, 72	1320	4	.3	38000	18.1	8.3	9.1	111	--	119
			1.5	39000	18.0	8.3	9.1	111	--	--
			4.0	45000	17.7	8.2	8.3	104	--	--
MAR 28, 72	1330	4	.3	38000	24.6	8.4	8.5	116	--	89

TABLE 8A--QUALITY OF WATER IN THE NUCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
MAR 28, 72	1330	4	1.5	38000	24.5	8.4	8.9	120	--	--
			3.9	38000	24.7	8.4	9.7	133	--	--
MAY 31, 72	1308	4	.3	43000	27.7	8.3	6.4	97	--	91
			1.2	44000	27.7	8.3	8.0	91	--	--
			2.4	44000	27.7	8.3	5.8	88	--	--
			3.7	44000	27.9	8.3	6.0	91	--	--
JUL 25, 72	1243	4	.3	46000	30.4	8.3	6.5	103	--	183
			1.5	46000	29.8	8.3	6.8	108	0	--
			3.0	46000	29.7	8.2	7.0	111	0	--
			4.0	45000	29.9	8.2	7.8	124	15	--
NOV 16, 72	1215	4	.6	47000	17.7	8.4	7.8	99	35	170
			1.5	47000	17.6	8.4	7.7	98	40	--
			3.9	47000	17.7	8.4	7.7	98	40	--
NOV 16, 72	1205	5	.6	47000	17.6	8.4	7.9	100	35	155
			1.5	47000	17.5	8.4	8.0	100	35	--
			3.7	47000	17.7	8.4	6.0	101	40	--
APR 18, 73	1320	5	.6	43000	20.9	8.0	10.0	132	40	107
			2.1	43000	20.9	8.0	10.1	133	40	--
			4.6	43000	20.9	8.0	10.5	138	40	--
MAY 17, 73	1235	5	.3	46000	25.2	8.2	9.2	131	45	76
			1.5	46000	24.8	8.2	9.7	139	35	--
			3.7	46000	24.8	8.2	8.3	119	100	--
NOV 05, 71	1206	6	.5	14000	23.3	8.4	8.3	100	--	69
			1.5	15000	23.3	8.3	7.7	94	--	--
			4.0	25000	23.8	8.1	4.4	56	--	--
NOV 11, 71	1050	6	.3	16000	21.1	8.3	9.1	106	--	102
			1.5	16000	20.9	8.3	8.8	102	--	--
			3.0	18000	21.0	8.3	7.4	87	--	--
			4.6	22000	21.7	7.9	2.9	35	--	--
JAN 26, 72	1305	6	.3	38000	18.2	8.2	8.3	101	130	112
			1.5	40000	18.2	8.3	8.6	105	--	--
			3.0	40000	18.1	8.3	8.7	106	--	--
			5.2	40000	18.0	8.3	8.7	106	128	--
MAR 28, 72	1315	6	.3	38000	24.6	8.4	8.1	111	--	91
			1.5	38000	24.5	8.4	8.6	116	--	--
			3.9	38000	25.2	8.4	8.7	119	--	--
MAY 31, 72	1250	6	.3	13000	27.7	8.4	6.5	97	--	122
			1.5	44000	27.6	8.4	6.4	97	--	--
			3.0	44000	27.6	8.4	6.1	92	--	--
			3.7	44000	27.6	8.4	5.6	85	--	--
			4.0	44000	27.8	8.4	5.5	83	--	--
JUL 25, 72	1224	6	.3	44000	29.9	8.2	10.7	170	0	152
			1.5	45000	29.5	8.2	10.6	168	0	--
			3.0	45000	29.5	8.2	9.5	151	0	--
			4.0	45000	29.6	8.2	10.2	162	2	--
SEP 19, 72	1455	6	.3	50000	29.1	8.3	7.8	124	5	--
			1.5	50000	28.9	8.3	8.0	127	5	--
			3.0	50000	28.8	8.3	8.2	130	10	--
			4.6	50000	28.4	8.3	7.1	111	65	--
NOV 16, 72	1200	6	.6	47000	17.4	8.4	8.2	102	40	160
			1.5	47000	17.4	8.4	8.1	101	40	--
			3.0	47000	17.3	8.4	7.9	99	40	--
			3.7	47000	17.4	8.4	7.9	99	40	--
NOV 16, 72	1150	7	.6	47000	17.4	8.4	8.0	100	35	147

LINE 142 CONTINUED

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 142 CONTINUED										
NOV 16, 72	1150	7	1.5	47000	17.4	8.4	8.0	100	40	--
			3.0	47000	17.4	8.4	7.9	99	40	--
			4.0	46000	17.4	8.4	7.8	96	95	--
APR 18, 73	1310	7	.6	43000	20.9	8.0	9.2	121	40	104
			2.1	43000	20.9	8.0	9.4	124	40	--
			4.6	43000	20.8	8.0	9.4	124	60	--
MAY 17, 73	1220	7	.3	44000	24.5	8.2	9.1	130	35	71
			1.5	44000	24.6	8.2	8.2	117	35	--
			3.7	44000	24.8	8.2	7.0	100	55	--
NOV 05, 71	1158	8	.5	13000	23.1	8.3	8.1	96	--	79
			1.5	16000	23.1	8.3	7.3	88	--	--
			4.3	19000	23.4	8.2	4.6	57	--	--
JAN 26, 72	1255	8	.3	37000	18.3	8.3	8.6	104	--	91
			1.5	38000	18.1	8.3	8.5	104	--	--
			4.0	39000	18.0	8.2	8.4	102	--	--
MAR 28, 72	1305	8	.3	38000	24.3	8.3	8.5	115	--	127
			1.5	38000	24.3	8.2	8.7	118	--	--
			3.4	36000	24.1	8.2	10.7	143	--	--
MAY 31, 72	1240	8	.3	44000	28.0	8.4	8.8	103	--	155
			1.2	44000	28.0	8.4	8.6	100	--	--
			2.4	44000	27.9	8.4	8.0	91	--	--
			3.0	44000	27.9	8.4	5.6	85	--	--
			3.4	44000	27.9	8.4	3.8	58	--	--
			3.7	44000	27.9	8.4	4.2	64	--	--
			4.0	44000	27.8	8.4	3.2	48	--	--
JUL 25, 72	1214	8	.3	45000	30.0	8.3	9.7	154	0	168
			1.5	45000	29.6	8.3	10.0	159	0	--
			3.0	45000	29.6	8.3	9.0	142	0	--
			4.0	45000	29.8	8.2	9.0	143	5	--
SEP 19, 72	1440	8	.3	49000	29.4	8.3	7.7	122	6	--
			1.5	50000	29.2	8.3	7.7	122	2	--
			3.0	50000	29.2	8.3	7.5	119	55	--
			4.6	49000	29.0	8.2	6.9	110	250	--
NOV 16, 72	1140	8	.6	47000	17.5	8.4	7.8	98	35	160
			1.5	47000	17.5	8.4	7.7	96	35	--
			3.7	46000	17.5	8.4	7.7	96	30	--
NOV 16, 72	1130	9	.6	46000	17.3	8.4	7.5	93	30	142
			1.5	46000	17.4	8.3	7.3	90	30	--
			3.0	46000	17.2	8.3	7.2	89	30	--
			4.0	46000	17.2	8.3	7.4	91	40	--
APR 18, 73	1250	9	.6	43000	20.9	8.0	8.7	114	40	132
			2.1	43000	20.8	8.0	8.7	114	150	--
			4.6	42000	20.8	7.9	7.9	104	30	--
NOV 05, 71	1148	10	.3	12000	23.1	8.3	8.4	100	--	71
			1.5	12000	23.1	8.3	8.2	98	--	--
			4.0	16000	23.2	8.3	7.4	89	--	--
JAN 26, 72	1245	10	.3	38000	18.7	8.3	8.5	105	--	89
			1.5	38000	18.7	8.3	8.6	106	--	--
			3.7	37000	18.3	8.3	8.5	102	--	--
MAR 28, 72	1300	10	.3	36000	24.6	8.2	9.2	124	--	94
			1.5	36000	24.6	8.2	10.3	139	--	--
			3.7	36000	24.8	8.2	10.7	145	--	--
MAY 31, 72	1230	10	.3	44000	27.6	8.4	8.7	100	--	130
			1.5	44000	27.5	8.4	8.6	97	--	--

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 142 CONTINUED

MAY 31, 72	1230	10	3.0	44000	27.4	8.5	6.1	90	--	--
			4.0	44000	27.3	8.5	4.1	60	--	--
JUL 25, 72	1143	10	.3	45000	29.9	8.3	9.5	151	2	142
			1.5	45000	29.1	8.2	8.6	134	2	--
			3.0	45000	29.1	8.2	8.7	136	5	--
			4.0	45000	29.1	8.2	8.6	134	7	--
SEP 19, 72	1425	10	.3	49000	29.2	8.3	9.1	144	--	--
			1.5	50000	29.0	8.3	9.8	156	5	--
			3.0	50000	28.8	8.3	9.9	157	10	--
			4.6	50000	29.1	8.3	8.9	141	35	--
APR 18, 73	1235	10	.6	36000	21.0	8.0	10.8	138	40	132
			1.5	36000	21.0	8.0	10.8	138	30	--
			3.0	36000	21.0	8.0	11.0	141	30	--
			4.6	37000	21.0	8.0	10.8	138	60	--
MAY 17, 73	1210	10	.3	44000	24.2	8.2	6.8	124	20	112
			1.5	45000	24.0	8.2	8.3	117	20	--
			4.0	44000	24.1	8.3	7.6	107	25	--

LINE 147

NOV 05, 71	0925	1	.5	19000	22.9	8.4	7.9	96	--	91
			1.5	21000	22.7	8.4	7.9	98	--	--
			2.1	22000	22.6	8.4	7.8	86	--	--
			2.7	33000	23.3	8.3	6.8	89	--	--
NOV 11, 71	0833	1	.3	22000	20.6	8.4	8.7	104	--	58
			1.5	25000	21.0	8.4	8.4	102	--	--
			2.7	30000	21.4	8.2	7.1	89	--	--
JAN 26, 72	1000	1	.3	38000	17.7	8.3	7.7	93	--	122
			1.2	42000	17.7	8.3	7.6	94	--	--
			2.4	48000	17.3	8.2	7.8	98	--	--
MAR 28, 72	0950	1	.3	--	22.3	8.4	--	--	--	122
			1.2	39000	22.3	8.4	7.8	105	--	--
			2.4	39000	22.4	8.4	8.7	118	--	--
MAY 31, 72	0945	1	.3	50000	26.3	8.3	5.8	87	--	152
			2.1	50000	26.3	8.2	6.1	91	--	--
JUL 25, 72	0915	1	.3	46000	29.0	8.2	10.4	162	--	132
			1.5	48000	29.0	8.2	10.2	159	0	--
			2.4	50000	28.9	8.2	11.0	175	0	--
SEP 19, 72	1135	1	.3	52000	29.7	8.3	8.7	140	13	--
			2.1	53000	29.8	8.3	9.7	159	15	--
NOV 14, 72	0850	1	.3	44000	16.0	8.4	8.1	98	30	122
			1.5	44000	16.0	8.3	8.0	96	30	--
			2.4	44000	16.0	8.3	8.7	105	40	--
FEB 21, 73	0840	1	.3	44000	10.9	--	9.1	99	20	160
			1.5	44000	10.8	--	9.1	99	25	--
			2.1	44000	10.8	--	9.5	103	30	--
APR 18, 73	0900	1	.3	40000	19.6	8.0	8.6	109	40	84
			1.5	40000	19.7	8.0	8.9	113	40	--
			3.0	40000	20.3	8.0	9.7	124	65	--
MAY 17, 73	0850	1	.3	40000	22.8	8.3	8.3	112	20	71
			1.5	40000	22.7	8.3	8.5	113	50	--
			2.1	40000	22.6	8.3	7.3	97	80	--
NOV 05, 71	0936	2	.5	18000	22.9	8.3	7.6	93	--	91

TABLE BA--QUALITY OF WATER IN THE NUECES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC) (CONDUCTANCE) (MICROMHOS) (FIELD)	(TEMPERATURE) (DEG. C)	PH	(DISSOLVED) OXYGEN (MG/L)	(PERCENT) SATURATION	TURBIDITY (JTU)	(TRANSPARENCY) (SECCHI DISK) (CM)
LINE 147 CONTINUED										
NOV 05, 71	0936	2	1.5 3.8	19000 42000	23.0 23.9	8.3 8.1	7.3 6.3	89 88	-- --	-- --
NOV 11, 71	0844	2	.3 1.5 3.0 4.0	18000 19000 23000 42000	20.5 20.5 20.9 21.7	8.4 8.4 8.4 7.8	8.7 8.7 5.4 1.3	101 101 65 17	-- -- -- --	102 -- -- --
MAR 28, 72	1000	2	.3 1.5 3.0	40000 38000 40000	22.8 22.9 23.0	8.5 8.5 8.4	7.3 7.6 7.8	99 101 105	-- -- --	-- -- --
MAY 31, 72	1000	2	.3 1.5 3.0	44000 46000 48000	26.6 26.5 26.3	8.3 8.3 8.2	6.5 6.4 6.1	96 94 90	-- -- --	145 -- --
JUL 25, 72	0925	2	.3 1.5 3.4	45000 46000 50000	26.6 26.6 26.8	8.2 8.2 8.1	11.7 11.0 6.9	183 172 110	11 13 10	168 -- --
SEP 19, 72	1155	2	.3 1.5 3.0	50000 50000 50000	29.2 29.1 29.2	8.4 8.4 8.3	7.1 8.1 10.5	113 129 16	45 20 25	-- -- --
NOV 16, 72	0900	2	.3 1.5 3.0	42000 44000 44000	15.9 16.0 16.2	8.4 8.4 8.3	8.8 8.5 6.4	105 102 101	30 30 40	178 -- --
FEB 21, 73	0850	2	.3 1.5 3.4	44000 44000 44000	10.8 10.9 10.8	-- -- --	8.5 8.9 8.9	92 97 97	10 15 --	241 -- --
APR 18, 73	0910	2	.3 1.5 3.4	41000 41000 42000	20.4 20.4 20.4	8.1 8.0 7.9	10.3 10.1 9.0	132 129 117	30 25 35	132 -- --
MAY 17, 73	0900	2	.3 1.5 3.0	41000 41000 41000	22.6 22.6 22.6	8.3 8.3 8.3	9.2 8.8 7.8	123 117 104	25 20 30	76 -- --
NOV 05, 71	0954	3	.3 2.1 3.8	16000 16000 29000	22.9 22.9 23.0	8.4 8.3 8.1	7.8 7.6 5.6	94 92 71	-- -- --	99 -- --
NOV 11, 71	0858	3	.3 1.5 3.0 3.7	18000 18000 22000 37000	20.5 20.5 20.6 21.3	8.4 8.4 8.4 8.0	7.1 5.7 5.2 2.3	83 66 62 29	-- -- -- --	94 -- -- --
JAN 26, 72	1025	3	.3 1.5 3.4	33000 33000 33000	18.1 18.1 18.2	8.3 8.3 8.3	8.2 8.4 8.9	98 100 106	-- -- --	112 -- --
MAR 28, 72	1030	3	.3 1.5 3.0	37000 37000 37000	23.4 22.9 22.8	8.6 8.6 8.6	7.9 8.5 10.1	104 112 133	-- -- --	109 -- --
MAY 31, 72	1015	3	.3 1.5 3.0	45000 45000 45000	26.7 26.7 26.4	8.3 8.3 8.3	6.4 6.2 5.8	96 92 82	-- -- --	137 -- --
JUL 25, 72	0940	3	.3 1.5 2.7	45000 45000 46000	28.4 28.6 28.9	8.3 8.3 8.3	11.2 10.6 12.3	175 166 190	2 9 9	173 -- --
SEP 19, 72	1225	3	.3 1.5 3.0	50000 50000 50000	29.2 28.9 29.0	8.4 8.3 8.3	10.3 10.0 10.5	163 159 167	30 45 30	-- -- --
NOV 16, 72	0915	3	.3	44000	16.2	8.3	8.5	102	35	135

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY;

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	(TIME)	(SITE)	(DEPTH (METERS))	(SPECIFIC (CONDUCT- ANCE (MICRO- MHOS) (FIELD))	(TEMPER- ATURE (DEG. C))	(PH)	(DIS- SOLVED OXYGEN (MG/L))	(PERCENT SATUR- ATION)	(TUR- BIDITY (JTU))	(TRANS- PARENCY SECCHI DISK (CM))
LINE 197 CONTINUED										
NOV 16, 72	0915	3	1.5 3.0	44000 44000	16.2 16.5	8.3 8.3	8.1 8.3	98 101	40 35	-- --
FEB 21, 73	0905	3	.3 1.5 3.4	45000 45000 45000	10.8 10.8 10.7	-- -- --	8.9 9.1 9.3	97 99 100	15 15 15	198 -- --
APR 18, 73	0925	3	.3 1.6 3.7	43000 43000 43000	20.6 20.5 20.6	8.0 8.0 8.0	9.6 10.7 11.6	125 139 151	40 40 50	91 -- --
MAY 17, 73	0915	3	.3 1.5 2.7	41000 41000 41000	22.6 22.6 22.6	8.3 8.3 8.3	8.2 7.9 8.9	109 105 92	25 30 35	74 -- --
NOV 05, 71	1005	4	.3 1.5 3.0 4.3	18000 18000 22000 21000	23.0 23.0 23.2 23.0	8.3 8.3 8.3 8.2	7.7 7.7 7.2 5.7	94 94 89 70	-- -- -- --	86 -- -- --
NOV 11, 71	0904	4	.3 1.5 3.0 4.3	18000 18000 21000 25000	20.6 20.7 20.9 21.2	8.4 8.4 8.4 8.0	9.0 8.7 7.6 3.6	105 101 90 44	-- -- -- --	112 -- -- --
MAR 28, 72	1040	4	.3 1.5 3.7	37000 37000 37000	23.4 23.5 23.4	8.2 8.8 9.3	8.3 8.9 9.4	108 116 122	-- -- --	94 -- --
MAY 31, 72	1025	4	.3 1.2 2.4 3.7	44000 44000 44000 44000	26.9 26.9 26.9 26.6	8.5 8.5 8.4 8.3	6.0 5.8 5.4 4.4	90 88 81 66	-- -- -- --	127 -- -- --
JUL 25, 72	0952	4	.3 1.5 3.4	45000 45000 45000	28.7 28.7 28.7	8.2 8.2 8.2	10.8 11.1 9.8	169 173 153	9 10 15	140 -- --
SEP 19, 72	1245	4	.3 1.5 3.0	50000 50000 50000	29.2 29.1 29.2	8.3 8.3 8.4	9.5 11.0 12.7	202 175 167	5 5 10	-- -- --
NOV 16, 72	0925	4	.3 1.5 3.0 3.7	46000 46000 46000 46000	16.7 16.7 16.6 16.4	8.4 8.4 8.4 8.4	8.5 8.4 8.2 8.0	104 102 100 98	-- -- -- --	-- -- -- --
FEB 21, 73	0920	4	.6 1.5 3.4	45000 45000 45000	10.8 10.8 10.8	-- -- --	9.1 9.3 9.5	99 101 103	15 15 20	203 -- --
APR 18, 73	0940	4	.6 2.1 4.3	43000 43000 43000	20.7 20.7 20.6	8.0 8.0 8.0	10.2 11.2 11.4	132 145 148	30 30 35	107 -- --
MAY 17, 73	0925	4	.3 1.5 3.7	43000 43000 43000	22.8 22.8 22.8	8.4 8.2 8.2	9.0 8.6 7.4	123 118 101	25 30 40	69 -- --
NOV 05, 71	1020	5	.3 1.5 3.0	19000 19000 18000	22.9 22.8 22.9	8.3 8.3 8.3	7.9 7.7 7.6	96 94 93	-- -- --	86 -- --
NOV 11, 71	0920	5	.3 1.5 3.0 4.0	19000 19000 19000 19000	20.9 20.8 20.9 21.1	8.4 8.4 8.4 8.3	8.7 8.6 8.3 8.2	102 101 98 96	-- -- -- --	114 -- -- --
JAN 26, 72	1045	5	.3	38000	18.2	8.3	8.2	100	--	91

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 197 CONTINUED										
JAN 26, 72	1045	5	1.5	38000	18.2	8.3	8.5	104	--	--
			4.0	38000	18.4	8.3	8.6	105	--	--
MAR 28, 72	1055	5	.3	36000	23.5	8.7	8.1	107	--	--
			1.2	37000	23.3	8.7	8.8	116	--	--
			2.7	40000	22.8	8.6	8.4	114	--	--
MAY 31, 72	1035	5	.3	44000	27.0	8.5	6.5	97	--	123
			1.5	44000	27.0	8.4	6.4	96	--	--
			3.0	44000	26.8	8.4	6.3	94	--	--
JUL 25, 72	1002	5	.3	45000	28.7	8.2	10.8	169	--	--
			1.5	45000	28.7	8.2	11.1	173	--	--
			2.7	44000	26.7	8.2	10.2	159	--	--
SEP 19, 72	1305	5	.3	50000	29.3	8.4	8.6	136	10	--
			1.5	50000	29.2	8.4	7.6	121	5	--
			3.0	52000	29.2	8.6	7.1	113	18	--
NOV 16, 72	0940	5	.3	46000	16.8	8.3	8.7	107	35	142
			1.5	46000	16.6	8.3	8.4	102	40	--
			3.0	46000	16.7	8.3	8.0	98	35	--
FEB 21, 73	0930	5	.6	45000	10.7	--	9.5	102	20	190
			1.5	45000	10.8	--	9.5	103	20	--
			3.0	45000	10.9	--	9.6	104	20	--
APR 18, 73	1000	5	.3	42000	26.8	8.0	10.1	133	35	109
			1.5	42000	20.8	8.0	10.6	139	30	--
			3.4	42000	20.7	8.0	11.4	148	30	--
MAY 17, 73	0940	5	.3	44000	22.6	8.2	9.9	136	15	119
			1.5	44000	22.6	8.3	9.0	123	20	--
			2.7	44000	22.8	8.5	8.0	110	25	--
LINE 159										
SEP 19, 72	1305	1	.3	40000	30.6	8.5	8.0	124	--	103
			1.5	41000	30.7	8.5	8.1	126	--	--
			3.0	40000	30.7	8.5	8.4	130	--	--
			4.6	37000	30.7	8.5	9.0	137	--	--
MAY 17, 73	0810	1	.3	37000	22.8	8.3	9.5	125	5	160
			1.5	37000	22.8	8.3	9.3	122	10	--
			3.0	36000	22.7	8.3	8.2	106	10	--
			4.3	36000	22.7	8.3	7.9	103	20	--
SEP 19, 72	1715	2	.3	46000	30.3	8.6	7.0	110	--	91
			1.5	48000	30.4	8.6	7.2	115	--	--
			3.0	48000	30.4	8.5	7.4	118	--	--
			4.3	47000	30.5	8.5	7.6	122	--	--
SEP 19, 72	1720	4	.3	46000	30.4	8.6	6.8	107	--	89
			1.5	48000	30.5	8.6	7.0	112	--	--
			3.0	48000	30.4	8.6	7.2	115	--	--
MAY 17, 73	0755	4	.3	37000	22.6	8.3	8.1	105	25	81
			1.5	37000	22.6	8.3	7.6	99	25	--
			3.0	37000	22.6	8.3	7.5	97	30	--
			4.6	36000	22.5	8.3	7.1	92	100	--
SEP 19, 72	1725	6	.3	47000	30.5	8.7	6.8	109	--	89
			1.5	47000	30.5	8.6	7.1	114	--	--
			2.4	48000	30.6	8.6	7.6	124	--	--
SEP 19, 72	1730	8	.3	46000	30.2	8.7	6.2	98	--	89
			1.5	47000	30.1	8.7	5.6	90	--	--
			3.4	47000	30.0	8.6	5.1	82	--	--

TABLE 8A--QUALITY OF WATER IN THE NUECES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 159 CONTINUED										
MAY 17, 73	0750	8	.3	35000	21.9	8.4	8.0	103	30	76
			1.5	37000	22.1	8.3	7.4	95	70	--
			3.0	37000	22.2	8.3	7.0	90	70	--
			4.6	37000	22.2	8.3	6.8	87	55	--
SEP 19, 72	1740	10	.3	39000	30.5	8.7	7.5	113	--	94
			1.5	42000	30.1	8.7	6.8	105	--	--
			3.0	42000	30.0	8.3	8.7	98	--	--
			4.6	42000	29.9	8.6	5.2	81	--	--
			5.5	43000	29.8	8.6	4.9	77	--	--
MAY 17, 73	0740	10	.3	32000	21.8	8.6	7.6	96	10	127
			1.5	35000	22.0	8.6	7.4	95	10	--
			3.0	37000	22.2	8.6	7.4	95	15	--
			4.9	37000	22.4	8.5	8.1	105	20	--
SEP 19, 72	1745	11	.3	45000	30.3	8.7	6.8	107	--	108
			1.5	41000	30.2	8.7	7.1	108	--	--
			2.7	41000	30.2	8.7	7.5	114	--	--
LINE 165										
JUL 25, 72	0758	2	.3	50000	28.9	8.0	7.4	117	11	119
			1.5	50000	28.9	8.0	8.0	127	16	--
			3.0	50000	28.9	8.0	8.1	129	21	--
			4.6	50000	28.8	8.0	6.3	132	20	--
			5.8	50000	28.5	7.9	6.6	134	20	--
NOV 16, 72	0740	2	.3	40000	15.4	8.3	7.8	90	50	89
			1.5	40000	15.6	8.3	7.8	90	55	--
			3.0	40000	16.0	8.2	7.7	90	55	--
			4.6	41000	16.3	8.2	8.0	93	50	--
			6.4	42000	16.2	8.2	7.9	94	70	--
FEB 21, 73	0740	2	.3	38000	10.4	--	11.0	115	15	147
			1.5	38000	10.4	--	11.0	115	15	--
			3.0	38000	10.6	--	10.7	113	15	--
			4.9	38000	10.6	--	10.8	114	15	--
APR 18, 73	0730	2	.3	40000	19.3	7.7	6.7	84	35	58
			1.5	40000	19.3	7.6	7.1	89	50	--
			3.0	40000	19.3	7.5	7.7	96	65	--
			6.1	40000	19.4	7.4	9.0	112	75	--
LINE 168										
NOV 05, 71	0845	2	.3	27000	22.3	8.3	7.6	95	--	--
			1.5	27000	22.3	8.3	7.5	93	--	--
			3.0	28000	22.4	8.3	7.4	92	--	--
			6.1	30000	23.2	8.3	7.1	91	--	--
			9.1	38000	23.1	8.2	6.6	88	--	--
			13.1	38000	23.3	8.2	6.7	89	--	--
NOV 08, 71	1520	2	.3	--	19.5	--	--	--	--	--
NOV 08, 71	2015	2	.3	--	20.5	--	--	--	--	--
NOV 09, 71	0240	2	.3	--	22.0	--	--	--	--	--
NOV 09, 71	2150	2	.3	--	21.5	--	--	--	--	--
NOV 09, 71	2230	2	.3	--	21.0	--	--	--	--	--
NOV 10, 71	0320	2	.3	--	21.5	--	--	--	--	--
NOV 11, 71	0805	2	.3	24000	20.2	8.4	8.5	100	--	94
			1.5	26000	20.4	8.4	8.4	101	--	--

TABLE 8A--QUALITY OF WATER IN THE NULCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
--------------------	------	------	----------------	--------------------------------------	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 168 CONTINUED

NOV 11, 71	0805	2	3.0	29000	20.8	8.4	8.1	100	--	--
			6.1	38000	21.5	8.3	7.6	99	--	--
			9.1	43000	21.8	8.2	7.5	100	--	--
			13.7	46000	21.7	8.2	7.3	99	--	--
JAN 26, 72	0840	2	.3	45000	17.1	8.2	--	--	--	81
			3.0	45000	16.9	8.2	--	--	--	--
			6.1	45000	16.9	8.2	--	--	--	--
			9.1	45000	17.1	8.2	--	--	--	--
			13.7	45000	16.8	8.2	--	--	--	--
MAR 28, 72	0845	2	.3	42000	23.0	8.4	6.6	90	--	142
			1.5	42000	23.0	8.4	6.8	93	--	--
			4.6	41000	22.9	8.4	6.8	92	--	--
			7.6	44000	23.1	8.3	6.8	93	--	--
			10.7	44000	23.0	8.3	7.0	96	--	--
			13.7	44000	23.5	8.3	7.1	96	--	--
MAY 31, 72	0830	2	.3	50000	25.5	8.2	5.5	82	--	183
			2.4	53000	25.0	8.1	4.8	72	--	--
			4.6	53000	25.0	8.0	3.3	49	--	--
			7.6	53000	24.9	8.0	3.0	45	--	--
			10.7	53000	24.9	8.0	3.0	45	--	--
			13.7	55000	25.0	8.0	3.3	50	--	--
JUL 25, 72	0852	2	.3	50000	28.8	8.1	11.3	179	28	102
			1.5	50000	28.7	8.1	11.5	180	15	--
			3.0	50000	28.7	8.1	11.6	181	10	--
			4.6	50000	28.7	8.1	12.4	194	10	--
			6.1	50000	28.7	8.1	11.6	181	10	--
			9.1	50000	28.7	8.1	12.7	190	5	--
			13.4	50000	28.8	8.1	13.1	208	2	--
			SEP 19, 72	1110	2	.3	54000	29.6	8.2	7.6
3.0	54000	29.4	8.2	8.4	138	8	--			
6.1	54000	29.4	8.3	8.1	133	8	--			
9.1	54000	29.5	8.2	8.6	141	12	--			
13.7	54000	29.7	8.2	8.5	139	20	--			
NOV 16, 72	0828	2	.3	42000	16.1	8.3	8.5	101	40	142
			1.5	45000	17.2	8.3	8.4	104	45	--
			3.0	45000	17.4	8.3	8.3	102	50	--
			6.1	45000	17.6	8.3	8.0	100	50	--
			9.1	45000	17.7	8.3	8.0	100	50	--
			12.8	45000	17.6	8.3	7.9	99	50	--
FEB 21, 73	0820	2	.3	40000	10.8	--	9.7	103	20	145
			1.5	40000	10.8	--	9.7	103	15	--
			3.0	40000	10.9	--	9.7	103	20	--
			6.1	43000	11.0	--	9.6	103	20	--
			9.1	43000	10.9	--	9.8	105	20	--
			12.2	42000	10.9	--	10.2	110	25	--
APR 18, 73	0830	2	.3	42000	19.2	8.1	6.5	81	40	64
			1.5	42000	19.2	8.1	6.5	81	40	--
			4.6	42000	19.2	8.1	6.7	84	45	--
			7.6	42000	19.2	8.1	6.8	85	45	--
			10.7	42000	19.2	8.1	7.4	93	50	--
			13.7	42000	19.2	8.2	7.6	98	50	--
MAY 17, 73	0835	2	.3	36000	22.9	8.4	9.7	128	15	142
			1.5	36000	22.9	8.4	9.3	122	10	--
			3.0	36000	22.9	8.4	8.9	117	20	--
			6.1	36000	22.9	8.4	9.1	120	20	--
			9.1	36000	22.9	8.3	8.7	114	20	--
			13.1	36000	22.9	8.2	9.1	120	25	--

LINE 170

NOV 05, 71	1123	3	.3	20000	21.7	8.6	8.6	104	--	91
------------	------	---	----	-------	------	-----	-----	-----	----	----

TABLE 8A--QUALITY OF WATER IN THE NOLCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANSP- ARENCY SECCHI DISK (CM)
LINE 170 CONTINUED										
NOV 05, 71	1123	3	1.5	24000	21.2	8.5	8.3	100	--	--
			3.0	23000	21.4	8.4	7.8	89	--	--
			4.6	23000	22.3	8.4	7.6	93	--	--
NOV 11, 71	1024	3	.3	24000	20.8	8.4	8.7	105	--	109
			1.5	25000	20.9	8.4	8.4	102	--	--
			3.0	25000	21.0	8.4	8.4	102	--	--
			4.6	25000	21.4	8.4	8.1	99	--	--
JAN 26, 72	1220	3	.3	38000	18.6	8.2	8.0	99	--	84
			1.5	38000	18.6	8.2	7.9	98	--	--
			3.0	33000	18.5	8.3	8.2	98	--	--
			4.6	38000	18.8	8.3	8.4	104	--	--
MAR 28, 72	1230	3	.3	31000	24.9	8.7	8.6	115	--	64
			1.5	32000	24.7	8.7	9.2	123	--	--
			4.6	34000	25.2	8.4	10.6	143	--	--
MAY 31, 72	1200	3	.3	47000	27.4	8.4	6.7	100	--	99
			1.5	47000	27.4	8.4	6.5	97	--	--
			3.0	47000	27.0	8.5	6.0	90	--	--
			4.6	47000	27.2	8.5	4.6	69	--	--
JUL 25, 72	1015	3	.3	45000	29.0	8.6	11.8	184	2	124
			1.5	49000	29.2	8.6	11.1	173	2	--
			3.0	49000	29.4	8.6	10.8	171	2	--
			4.6	48000	29.6	8.6	10.4	168	0	--
SEP 19, 72	1340	3	.3	54000	28.7	8.5	8.4	135	0	--
			1.5	54000	28.6	8.5	9.3	150	4	--
			3.0	54000	28.4	8.5	7.0	111	8	--
			4.6	54000	28.8	8.5	7.4	119	32	--
NOV 16, 72	1105	3	.3	46000	16.9	8.3	8.0	99	50	86
			1.5	46000	16.9	8.3	7.6	94	55	--
			3.0	46000	16.7	8.3	7.6	93	45	--
			3.7	46000	17.1	8.3	7.6	94	40	--
FEB 21, 73	0940	3	.3	45000	11.1	--	8.5	92	15	241
			1.5	45000	11.1	--	8.7	95	15	--
			3.0	45000	11.1	--	8.9	97	15	--
			4.0	45000	11.1	--	8.9	97	210	--
APR 18, 73	1020	3	.3	43000	21.0	8.0	10.2	134	30	97
			1.5	43000	20.9	8.0	10.3	136	25	--
			3.0	43000	20.9	8.0	10.4	137	30	--
			4.9	43000	20.9	8.0	11.5	151	30	--
MAY 17, 73	1145	3	.3	45000	23.8	8.5	6.8	96	20	117
			1.5	45000	23.8	8.5	6.6	93	20	--
			3.0	45000	23.8	8.5	6.2	87	25	--
			4.6	44000	23.9	8.5	5.9	83	30	--
NOV 05, 71	1135	4	.3	14000	22.7	8.5	8.6	102	--	71
			1.5	14000	22.7	8.5	8.6	102	--	--
			2.4	14000	22.7	8.5	8.2	98	--	--
NOV 11, 71	1030	4	.3	19000	21.2	8.5	9.4	111	--	86
			1.5	19000	21.1	8.5	9.3	109	--	--
			3.0	19000	21.3	8.5	8.7	104	--	--
JAN 26, 72	1235	4	.3	38000	19.0	8.3	8.3	102	--	74
			1.5	38000	19.0	8.3	8.5	105	--	--
			2.4	37000	19.2	8.3	9.0	110	--	--
MAR 28, 72	1245	4	.3	32000	25.0	8.7	8.8	117	--	76
			1.5	34000	24.7	8.6	7.9	107	--	--
			2.7	35000	25.0	8.4	7.1	96	--	--
MAY 31, 72	1215	4	.3	47000	27.5	8.3	6.6	100	--	150

TABLE 8A--QUALITY OF WATER IN THE NULCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME (SITE)	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 170 CONTINUED									
MAY 31, 72	1215	4	1.2 47000 2.1 47000	27.5	8.4	6.6	100	--	--
JUL 25, 72	1133	4	.3 45000 1.5 45000 2.1 45000	30.2 30.2 30.5	8.6	11.3 12.5 12.7	179 198 202	8 10 15	109 -- --
SEP 19, 72	1355	4	.3 48000 1.5 54000 3.0 54000	29.3 29.3 29.4	8.8	10.6 11.4 11.8	168 187 193	42 35 42	-- -- --
NOV 16, 72	1115	4	.3 46000 1.5 46000 2.4 46000	17.0 16.8 16.7	8.3	7.9 7.7 7.6	98 95 93	35 40 40	91 -- --
APR 18, 73	1220	4	.3 43000 1.5 43000 2.7 43000	21.2 21.2 21.3	8.1	9.4 9.6 10.0	124 126 132	30 30 30	112 -- --
MAY 17, 73	1200	4	.3 45000 1.5 45000 2.1 45000	24.1 24.0 24.1	8.4	6.9 6.4 5.9	97 90 83	25 25 25	89 -- --
LINE 183									
NOV 05, 71	1050	3	.3 20000 1.5 21000 3.0 25000 5.8 32000	21.3 21.4 21.6 22.9	8.4	6.3 8.2 7.4 6.6	100 99 91 85	-- -- -- --	91 -- -- --
NOV 08, 71	1530	3	.3 --	19.5	--	--	--	--	--
NOV 08, 71	2150	3	.3 --	19.5	--	--	--	--	--
NOV 09, 71	0400	3	.3 --	19.0	--	--	--	--	--
NOV 09, 71	0910	3	.3 --	20.0	--	--	--	--	--
NOV 09, 71	1645	3	.3 --	23.0	--	--	--	--	--
NOV 09, 71	2140	3	.3 --	21.5	--	--	--	--	--
NOV 10, 71	0340	3	.3 --	21.0	--	--	--	--	--
NOV 10, 71	0945	3	.3 --	20.5	--	--	--	--	--
NOV 10, 71	1810	3	.3 --	22.0	--	--	--	--	--
NOV 11, 71	1003	3	.3 22000 1.5 25000 3.0 27000 5.2 34000	20.8 20.8 20.9 21.3	8.5	8.9 8.4 8.1 7.9	107 102 100 96	-- -- -- --	97 -- -- --
JAN 26, 72	1150	3	.3 39000 1.5 35000 3.0 42000 5.8 44000	17.6 17.5 17.6 18.3	8.3	7.9 6.1 7.9 8.0	95 96 98 100	-- -- -- --	84 -- -- --
MAR 28, 72	1205	3	.3 28000 1.5 28000 4.3 27000	24.4 24.4 24.5	8.8	7.9 7.9 9.9	103 103 130	-- -- --	61 -- --
MAY 31, 72	1145	3	.3 47000 1.5 47000 3.0 47000 4.6 47000 5.5 47000	26.8 26.7 26.7 26.7 27.0	8.5	5.1 4.9 4.8 4.8 5.0	76 73 72 72 75	-- -- -- -- --	117 -- -- -- --
JUL 25, 72	1031	3	.3 48000	29.3	8.6	9.0	143	20	145

TABLE 88--QUALITY OF WATER IN THE NUCLES ESTUARY.

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (NI) (MG/L)	NITRITE (N) (MG/L)	PHOS- SOLVED PHOS- PHOSPHORUS (P) (MG/L)	PHOS- TOTAL PHOSPHORUS (P) (MG/L)	OXYGEN DEMAND (BOD) (MG/L)	OXYGEN DEMAND (COD) (MG/L)	CARBON	
LINE 13													
NOV 05, 71	0950	2	.3	12.0	.1	.05	.00	.15	.17	.4	13.0	--	--
			6.1	12.0	.1	.05	.00	.11	.12	.5	11.0	--	--
NOV 11, 71	1225	2	.3	12.0	.3	.00	.00	.19	.20	1.0	--	--	--
			5.5	12.0	.3	.00	.00	.18	.22	1.3	--	--	--
MAR 27, 72	1520	2	.3	19.0	.0	.00	.00	.03	.04	1.9	12.0	--	--
			3.7	20.0	.0	.04	.01	.06	.06	1.1	15.0	--	--
JUN 01, 72	1545	2	.3	20.0	.0	.15	.00	.12	.12	3.5	16.0	--	--
			2.9	21.0	.0	.00	.00	.14	.17	3.1	18.0	--	--
JUL 25, 72	1440	2	.3	16.0	.0	.05	.00	.12	.13	6.0	--	--	--
SEP 19, 72	1510	2	.3	20.0	.0	.00	.00	.03	.03	2.5	3.0	--	--
			3.4	19.0	.0	.07	.00	.04	.07	2.4	10.0	--	--
NOV 16, 72	1445	2	.3	18.0	.0	.02	.00	.00	.06	3.0	--	--	--
			3.4	18.0	.0	.05	.00	.00	.06	1.8	--	--	--
FEB 21, 73	1445	2	.3	18.0	.0	.00	.00	.05	.06	2.5	--	--	--
			4.0	17.0	.0	.24	.00	.05	.08	2.4	--	--	--
APR 18, 73	1620	2	.3	18.0	.0	.00	.00	.04	.08	1.8	--	--	--
			3.7	18.0	.0	.00	.00	.04	.09	1.6	--	--	--
MAY 17, 73	1320	2	.3	19.0	.0	.01	.00	.04	.11	2.6	--	11.0	--
			3.0	19.0	.0	.00	.00	.06	.09	1.6	--	16.0	--
LINE 22													
JUL 25, 72	1455	2	.3	20.0	.0	.04	.00	.10	.13	3.4	--	--	--
			2.1	18.0	.0	.27	.00	.16	.16	2.9	--	--	--
NOV 16, 72	0855	2	.3	29.0	.0	--	--	--	--	--	--	--	--
LINE 38													
JUL 25, 72	1540	2	.3	18.0	.0	.10	.00	.03	.05	2.8	5.0	--	--
			4.0	18.0	.1	.27	.00	.11	.13	2.6	14.0	--	--
LINE 53													
NOV 05, 71	1100	2	1.5	14.0	.1	.18	.01	.10	.22	1.5	18.0	--	--
NOV 11, 71	1000	2	1.2	10.0	.0	.02	.02	.14	.17	1.8	--	--	--
JAN 25, 72	1255	2	.3	6.3	.0	.10	.00	.03	.21	--	--	--	--
			.9	6.1	.0	.19	.01	.02	.21	--	--	--	--
MAR 27, 72	1045	2	.3	4.5	.0	.14	.01	.07	.18	.8	37.0	--	--
JUN 01, 72	1335	2	.3	11.0	.0	.01	.01	.07	.12	2.9	25.0	--	--
JUL 25, 72	0920	2	.3	4.9	.0	.08	.00	.06	.07	3.6	19.0	--	--
SEP 19, 72	1225	2	.3	7.0	.0	.00	.00	.06	.07	3.9	21.0	19.0	--
NOV 16, 72	0950	2	.3	2.0	.0	.00	.00	.00	.05	2.6	--	--	--
FEB 21, 73	1219	2	.3	3.4	.1	.10	.02	.06	.07	2.5	--	--	--
APR 18, 73	1310	2	.3	4.4	.0	.05	.02	.04	.11	1.4	--	--	--

TABLE 8B--QUALITY OF WATER IN THE WUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SiO ₂) (MG/L)	IN- NITRATE (N) (MG/L)	(N) (MG/L)	NITRO- GEN (N) (MG/L)	TRITE (N) (MG/L)	SOLVED PHOS- PHORUS ORTHOP (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	(MG/L)	DEMAND (MG/L)	DEMAND (MG/L)
LINE 53 CONTINUED													
MAY 17, 73	1200	2	.3	4.6	.0	.03	.00	.03	.06	1.8	--	--	26.0
NOV 05, 71	1130	4	1.5	13.0	.3	.06	.00	.14	.17	1.0	--	--	--
JAN 25, 72	1235	4	1.2	5.3	.0	.80	.00	.03	.36	--	--	--	--
JUL 25, 72	0910	4	.3	3.0	.0	.08	.00	.05	.06	3.0	--	--	--
SEP 19, 72	1200	4	.3	8.0	.0	.00	.00	.07	.07	4.6	23.0	16.0	--
NOV 16, 72	0940	4	.3	2.3	.0	.00	.00	.00	.05	2.7	--	--	--
FEB 21, 73	1200	4	.3	1.3	.0	.14	.00	.06	.17	3.0	--	--	--
APR 18, 73	1255	4	.3	6.1	.0	.13	.02	.06	.10	1.6	--	--	--
MAY 17, 73	1015	4	.3	1.4	.0	.26	.06	.10	.13	1.0	--	14.0	--
JAN 25, 72	1220	5	.6	6.2	.0	.55	.03	.04	.41	--	98.0	--	--
LINE 64													
NOV 05, 71	1200	9	.3	13.0	.3	.06	.00	.11	.14	1.3	--	--	--
			6.1	13.0	.1	.13	.00	.10	.14	1.5	--	--	--
NOV 08, 71	1100	9	.3	11.0	.1	.12	.02	.08	.12	1.4	--	--	--
NOV 08, 71	1630	9	.3	11.0	.0	.11	.02	.08	.11	1.7	--	--	--
NOV 08, 71	0840	9	.3	1.4	.0	.06	.03	.01	.02	--	--	--	--
NOV 09, 71	1055	9	.3	11.0	.0	.05	.02	.08	.10	1.6	--	--	--
NOV 09, 71	1500	9	.3	11.0	.0	.06	.02	.09	.10	1.6	--	--	--
NOV 09, 71	2100	9	.3	11.0	.0	.08	.02	.07	.11	1.5	--	--	--
NOV 10, 71	0300	9	.3	10.0	.0	.07	.01	.07	.09	1.7	--	--	--
NOV 10, 71	1435	9	.3	11.0	.0	.09	.01	.07	.09	1.9	--	--	--
NOV 11, 71	1030	9	.3	11.0	.0	.00	.00	.10	.12	1.6	18.0	--	--
			6.1	10.0	.0	.12	.02	.10	.15	2.2	--	--	--
JAN 25, 72	1340	9	.3	3.9	.0	.18	.00	.06	.10	--	--	--	--
			6.1	4.0	.0	.05	.00	.03	.11	--	--	--	--
MAR 27, 72	1000	9	.3	4.1	.0	.12	.01	.06	.10	1.2	--	--	--
			3.7	4.2	.0	.16	.01	.06	.11	1.1	--	--	--
JUN 01, 72	1300	9	.3	7.7	.0	.08	.01	.07	.10	2.5	--	--	--
			5.8	7.6	.0	.02	.00	.11	.11	2.7	--	--	--
JUL 25, 72	1010	9	.3	2.2	.0	.06	.00	.03	.05	2.3	--	--	--
			6.1	2.0	.0	.14	.00	.04	.06	2.2	--	--	--
NOV 16, 72	1010	9	.3	2.1	.0	.00	.00	.00	.03	2.2	--	--	--
			6.7	1.5	.0	.01	.00	.00	.03	1.0	--	--	--
FEB 21, 73	1120	9	.3	2.0	.0	.00	.00	.01	.05	2.3	--	--	--
			6.4	.9	.0	.04	.01	.01	.05	2.6	--	--	--
APR 18, 73	1230	9	.3	5.0	.0	.00	.00	.01	.07	3.0	--	--	--
			7.3	2.8	.0	.00	.00	.02	.06	2.0	--	--	--
LINE 71													
NOV 05, 71	1310	2	.3	10.0	.0	.06	.00	.07	.15	6.2	28.0	--	--

TABLE 88--QUALITY OF WATER IN THE MUCCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL AMMONIA NITROGEN		TOTAL NITRITE NITRATE		DIS- SOLVED PHOS- PHORUS		BIO- CHEMICAL OXYGEN DEMAND		CHEMICAL OXYGEN DEMAND		TOTAL ORGANIC CARBON
				(SI02) (MG/L)	(N) (MG/L)	(N) (MG/L)	(N) (MG/L)	(P) (MG/L)	(P) (MG/L)	(BOD) (MG/L)	(COD) (MG/L)	(MG/L)	(MG/L)			
LINE 71 CONTINUED																
NOV 05, 71	1310	2	13.7	5.3	.0	1.50	.00	.21	.22	4.0	10.0	--	--	--	--	--
NOV 11, 71	1115	2	.3 13.4	8.4 5.2	.0 .0	.25 2.60	.03 .00	.15 .40	.28 .50	5.2 7.8	-- 14.0	--	--	--	--	--
MAR 27, 72	1320	2	.3 12.2	2.2 2.2	.0 .0	.00 .16	.01 .01	.18 .12	.21 .12	8.8 2.1	44.0 28.0	--	--	--	--	--
JUN 01, 72	1220	2	.3 13.1	5.1 6.1	.0 .0	.06 .94	.00 .00	.23 .30	.34 .34	4.9 4.9	29.0 22.0	--	--	--	--	--
JUL 25, 72	1240	2	.3 12.2	.0 3.0	.0 .0	.04 2.10	.00 .00	.08 .43	.14 .43	8.2 7.9	13.0 8.0	--	--	--	--	--
NOV 16, 72	1135	2	.3 12.2	.0 .7	.0 .0	.15 .21	.00 .00	.24 .24	.26 .24	3.5 3.5	-- --	--	--	--	--	--
FEB 21, 73	0925	2	.3 12.2	.5 1.2	.1 .1	.58 .31	.02 .02	.16 .12	.17 .13	3.9 2.2	-- --	--	--	--	--	--
APR 18, 73	1140	2	.3 13.7	7.2 3.0	.1 .0	1.00 1.00	.05 .05	.20 .19	.27 .26	3.6 1.0	-- --	--	--	--	--	--
LINE 108																
NOV 05, 71	1400	2	.3 13.1	10.0 2.6	.0 .1	.25 .31	.02 .09	.14 .05	.18 .08	4.0 3.8	-- --	--	--	--	--	--
NOV 11, 71	1045	2	.3 12.8	10.0 .9	.0 .0	.00 .10	.02 .04	.13 .04	.15 .07	2.0 .7	21.0 --	--	--	--	--	--
MAR 27, 72	1235	2	.3 12.2	3.1 2.3	.0 .0	.17 .46	.01 .01	.19 .12	.19 .12	2.7 2.0	-- --	--	--	--	--	--
JUN 01, 72	1140	2	.3 13.1	6.9 2.9	.0 .0	.23 .73	.02 .00	.29 .09	.36 .12	4.2 1.7	17.0 30.0	--	--	--	--	--
JUL 25, 72	1155	2	.3 12.2	.0 1.2	.0 .0	.05 .28	.00 .06	.06 .04	.10 .04	6.1 1.6	9.0 6.0	--	--	--	--	--
SEP 19, 72	1050	2	.3 12.2	5.0 5.0	.0 .0	.10 .38	.00 .00	.15 .08	.19 .08	5.8 2.3	14.0 8.0	--	--	--	--	--
NOV 16, 72	1045	2	.3 12.2	.0 1.6	.0 .0	.05 .02	.01 .00	.07 .00	.08 .03	3.2 2.7	-- --	--	--	--	--	--
FEB 21, 73	1020	2	.3 12.2	1.2 .9	.0 .0	.14 .24	.01 .01	.07 .09	.08 .10	2.4 2.2	-- --	--	--	--	--	--
APR 18, 73	1050	2	.3 13.7	5.6 4.9	.0 .0	.48 .20	.04 .01	.13 .05	.17 .07	1.7 1.0	-- --	--	--	--	--	--
MAY 17, 73	0830	2	.3 13.7	1.2 .8	.0 .0	.37 .09	.09 .00	.12 .05	.15 .06	1.4 .9	-- --	16.0 11.0	--	--	--	--
LINE 118																
JUN 01, 72	1130	2	.3	7.4	.0	.07	.01	.05	.09	2.8	24.0	--	--	--	--	--
JUL 25, 72	1145	2	.3	1.0	.0	.09	.00	.05	.08	3.8	12.0	--	--	--	--	--
LINE 122																
SEP 20, 72	1025	2	.3 3.0	6.0 5.0	.0 .0	.00 .00	.00 .00	.03 .03	.03 .03	2.7 2.4	6.0 3.0	12.0 7.0	--	--	--	--
MAY 17, 73	1410	2	.3	.5	.0	.07	.00	.01	.05	1.6	--	7.5	--	--	--	--

TABLE BB--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED SILICA (SI02) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS- PHOS- ORTHO (P) (MG/L)	TOTAL PHOS- PHOSURUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL INORGANIC CARBON (MG/L)
--------------------	------	------	----------------	---------------------------------	--------------------------	-----------------------------	--------------------------	---	---------------------------------	---	-------------------------------------	-------------------------------

LINE 122 CONTINUED

MAY 17, 73	1410	2	3.4	.6	.0	.06	.00	.01	.04	1.2	--	7.5
NOV 05, 71	1427	6	.5 6.1 13.1	11.0 3.1 1.1	.1 .1 .1	.10 .16 .08	.00 .01 .02	.06 .06 .02	.07 .06 .02	2.0 -- 1.2	17.0 -- 18.0	-- -- --
NOV 11, 71	1308	6	.3 6.1 13.1	9.5 2.7 .4	.0 .0 .0	.00 .00 .00	.00 .04 .04	.04 .04 .07	.10 .07 .07	2.5 -- 1.2	-- -- --	-- -- --
JAN 26, 72	1540	6	.3 6.1 12.8	4.0 4.0 1.5	.0 .0 .0	.04 .05 .09	.00 .00 .02	.02 .03 .01	.07 .05 .05	1.7 -- 1.8	43.0 -- 46.0	-- -- --
MAR 28, 72	1600	6	.3 6.1 12.5	3.2 3.1 1.0	.0 .0 .0	.03 .03 .00	.00 .00 .00	.04 .06 .03	.04 .06 .03	1.1 -- .9	24.0 -- 26.0	-- -- --
MAY 31, 72	1540	6	.3 12.2	7.1 2.1	.0 .0	.04 .16	.00 .00	.04 .17	.07 .17	2.5 1.2	16.0 25.0	-- --
JUL 25, 72	1512	6	.3 6.1 12.2	.0 .9 .0	.0 .0 .0	.19 .16 .20	.00 .00 .02	.03 .02 .03	.03 .04 .04	2.2 -- 2.7	31.0 -- 26.0	-- -- --
SEP 20, 72	0955	6	.3 12.2	6.0 5.1	.0 .0	.00 .00	.00 .00	.04 .02	.04 .04	3.3 3.3	5.0 5.0	-- --
NOV 16, 72	1335	6	.3 6.1 12.2	.6 .7 .5	.0 .0 .0	.01 .00 .00	.00 .00 .00	.00 .00 .00	.02 .02 .08	3.2 -- 3.3	-- -- --	-- -- --
APR 18, 73	1645	6	.6 3.0 12.2	3.3 2.7 2.7	.0 .0 .0	.00 .00 .00	.00 .00 .01	.01 .01 .02	.05 .05 .07	1.8 -- 2.0	-- -- --	-- -- --
MAY 17, 73	1350	6	.3 12.2	.8 1.0	.0 .0	.05 .05	.00 .00	.01 .03	.05 .07	1.6 1.3	-- --	7.5 17.0
SEP 20, 72	0925	12	.3 3.4	5.0 5.0	.0 .0	.00 .00	.00 .00	.01 .03	.02 .04	3.1 1.7	-- 2.0	16.0 10.0
MAY 17, 73	1320	13	.3 3.7	.6 .8	.0 .0	.04 .02	.00 .00	.02 .03	.05 .09	.7 1.3	-- --	22.0 11.0

LINE 127

NOV 05, 71	1250	2	.5 4.0	10.0 11.0	.0 .0	.10 .21	.00 .00	.06 .11	.07 .11	2.3 2.4	-- 26.0	-- --
JAN 26, 72	1352	2	.3 2.7	4.0 3.4	.0 .0	.05 .05	.00 .00	.01 .01	.04 .03	1.8 1.8	-- --	-- --
MAR 28, 72	1400	2	.3 2.1	3.2 3.8	.0 .0	.00 .01	.00 .00	.07 .04	.07 .04	1.2 1.4	-- --	-- --
JUL 25, 72	1309	2	.3 1.5	.0 .0	.0 .0	.14 .15	.00 .00	.01 .02	.02 .02	1.6 2.4	-- --	-- --
NOV 16, 72	1405	2	.3 3.0	1.1 1.0	.0 .0	.04 .02	.00 .00	.00 .00	.02 .02	3.0 1.7	-- --	-- --
APR 18, 73	1400	2	.6 3.0	2.4 2.8	.0 .0	.00 .00	.00 .00	.00 .00	.04 .04	2.3 2.1	-- --	-- --
NOV 11, 71	1143	4	.3 14.0	9.3 1.1	.0 .0	.00 .00	.00 .04	.07 .07	.09 .07	1.7 .7	-- --	-- --
NOV 05, 71	1325	6	.5	11.0	.1	.04	.00	.07	.07	1.3	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	TOTAL
				SOLVED SILICA (SI02)	NITRATE (NI)	NITROGEN (N)	NITRITE (NI)	SOLVED PHOS- PHORUS (P)	PHOS- PHORUS (PI)	CHEMICAL OXYGEN DEMAND (BOD)	CHEMICAL OXYGEN DEMAND (COD)	ORGANIC CARBON
				(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
LINE 127 CONTINUED												
NOV 05, 71	1325	6	4.1	4.2	.1	.09	.00	.07	.07	1.6	--	--
JAN 26, 72	1410	6	.3 13.7	4.1 3.0	.0 .0	.09 .14	.00 .00	.02 .01	.05 .04	1.5 1.8	--	--
MAR 28, 72	1440	6	.3 3.7	2.2 3.1	.0 .0	.00 .03	.00 .00	.04 .05	.04 .05	1.5 1.4	--	--
MAY 31, 72	1410	6	.3 4.0	5.8 6.2	.0 .0	.16 .04	.00 .00	.05 .10	.07 .10	1.9 2.3	--	--
JUL 25, 72	1352	6	.3 4.0	.2 .9	.0 .0	.16 .12	.00 .00	.01 .03	.02 .06	1.6 1.3	--	--
NOV 16, 72	1320	6	.3 4.0	.9 .9	.0 .0	.03 .00	.00 .00	.00 .00	.02 .02	2.4 2.8	--	--
APR 18, 73	1455	6	.6 4.6	2.7 3.0	.0 .0	.00 .00	.00 .00	.00 .00	.05 .05	1.6 2.0	--	--
LINE 142												
NOV 05, 71	1515	1	.3 6.1 13.1	10.0 3.9 .7	.0 .0 .0	.12 .09 .20	.00 .00 .00	.06 .03 .02	.07 .04 .02	2.2 -- .8	--	--
NOV 11, 71	1417	1	.3 6.1 13.1	9.0 3.7 1.4	.0 .0 .0	.00 .00 .00	.00 .02 .05	.06 .04 .04	.10 .06 .06	2.2 -- 1.1	--	--
JAN 26, 72	1700	1	.3 6.1 12.2	2.0 2.2 2.4	.0 .0 .0	.05 .10 .09	.00 .00 .01	.00 .01 .01	.03 .05 .05	2.1 -- 1.9	--	--
MAR 28, 72	1730	1	.3 6.1 12.8	3.6 3.0 1.8	.0 .0 .0	.06 .07 .00	.01 .00 .00	.04 .03 .03	.04 .03 .03	1.3 -- .8	--	--
MAY 31, 72	1700	1	.3 6.1 13.7	4.3 1.5	.0 .0	.10 .14	.00 .00	.02 .00	.05 .05	1.8 1.5	--	--
JUL 25, 72	1625	1	.3 6.1 12.8	.7 .5 .0	.0 .0 .0	.17 .12 .11	.00 .00 .01	.02 .01 .03	.03 .02 .03	2.6 -- 1.5	--	--
NOV 16, 72	1455	1	.3 6.1 13.7	1.4 .8 .7	.0 .0 .0	.13 .00 .05	.00 .00 .00	.00 .00 .00	.00 .01 .02	1.6 -- 2.8	--	--
APR 18, 73	1730	1	.6 6.1 12.2	2.0 5.2 3.0	.0 .0 .0	.00 .00 .00	.00 .00 .00	.00 .01 .01	.03 .04 .08	1.3 -- 1.1	--	--
SEP 19, 72	1515	2	.3 4.6	.0 .0	.0 .0	.09 .10	.00 .00	.00 .00	.02 .04	2.8 1.6	--	--
MAY 17, 73	1245	2	.3 3.4	1.2 .8	.0 .0	.00 .01	.00 .00	.00 .01	.03 .04	1.3 1.1	--	--
APR 18, 73	1320	5	.6 4.6	4.0 2.4	.0 .0	.00 .00	.00 .00	.00 .00	.04 .05	1.1 1.7	--	--
NOV 05, 71	1206	6	.5 4.0	11.0 8.4	.1 .0	.05 .13	.00 .00	.07 .08	.07 .08	2.2 2.0	23.0	--
NOV 11, 71	1050	6	.3 4.6	9.6 8.6	.0 .0	.00 .00	.00 .00	.06 .08	.08 .30	2.1 5.4	27.0	--
JAN 26, 72	1305	6	.3	3.6	.0	.07	.00	.02	.04	1.8	--	--

TABLE 88--QUALITY OF WATER IN THE NUCES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-		TOTAL		TOTAL		TOTAL		BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	INTRATE (N) (MG/L)	AMMONIA (N) (MG/L)	NITRATE (N) (MG/L)	ORTHOPHOSPHATE (P) (MG/L)	PHOSPHATE (P) (MG/L)	PHOSPHATE (P) (MG/L)	DEMAND (BOD) (MG/L)				
LINE 142 CONTINUED															
JAN 26, 72	1305	6	5.2	3.2	.0	.05	.00	.01	.04	1.7	39.0	--	--	--	--
MAR 28, 72	1315	6	.3 3.4	6.1 4.7	.0 .0	.08 .02	.01 .01	.21 .06	.21 .06	2.2 2.5	30.0 --	--	--	--	--
MAY 31, 72	1250	6	.3 4.0	7.5 7.5	.0 .0	.04 .02	.00 .00	.03 .05	.06 .08	3.2 3.6	32.0 --	--	--	--	--
JUL 25, 72	1224	6	.3 4.0	.0 1.7	.0 .0	.13 .14	.00 .00	.02 .03	.03 .05	1.4 2.5	27.0 --	--	--	--	--
NOV 16, 72	1200	6	.6 3.7	.7 .6	.0 .0	.01 .06	.00 .00	.00 .00	.01 .07	2.0 1.7	-- --	--	--	--	--
SEP 19, 72	1425	10	.3 4.6	.0 .0	.0 .0	.03 .06	.00 .00	.00 .00	.02 .03	1.6 2.2	-- --	--	--	--	--
MAY 17, 73	1210	10	.3 4.0	.6 1.7	.0 .0	.00 .01	.00 .00	.01 .01	.03 .04	1.2 2.0	-- --	--	--	--	--
LINE 147															
JAN 26, 72	1000	1	.3 2.4	3.9 1.9	.0 .0	.44 .42	.00 .01	.01 .01	.03 .03	1.7 1.9	-- --	--	--	--	--
NOV 05, 71	0936	2	.5 3.8	11.0 2.9	.0 .0	.04 .05	.00 .00	.07 .06	.08 .20	2.4 2.4	-- --	--	--	--	--
NOV 11, 71	0844	2	.3 4.0	8.8 4.0	.0 .0	.00 .02	.00 .02	.06 .08	.08 .08	1.9 1.4	-- --	--	--	--	--
MAR 28, 72	1000	2	.3 3.0	2.6 2.2	.0 .0	.00 .00	.00 .00	.05 .05	.05 .05	1.5 1.2	-- --	--	--	--	--
MAY 31, 72	1000	2	.3 1.5	5.2 3.4	.0 .0	.04 .02	.00 .00	.03 .01	.04 .04	1.6 2.0	-- --	--	--	--	--
JUL 25, 72	0925	2	.3 3.4	7.0 1.2	.0 .0	.04 .01	.00 .00	.02 .04	.06 .04	1.6 2.7	-- --	--	--	--	--
SEP 19, 72	1155	2	.3 3.0	.0 .0	.0 .0	.05 .07	.00 .00	.00 .00	.02 .03	2.4 1.7	5.0 10.0	--	--	--	--
NOV 16, 72	0900	2	.3 3.0	.9 .4	.0 .0	.03 .00	.00 .00	.00 .00	.00 .01	2.8 3.3	-- --	--	--	--	--
FEB 21, 73	0850	2	.3 3.4	.0 .4	.0 .0	.02 .00	.00 .00	.00 .00	.01 .02	1.5 1.2	-- --	--	--	--	--
APR 18, 73	0910	2	.3 3.4	2.1 2.2	.0 .0	.00 .00	.00 .00	.00 .00	.04 .04	1.6 1.1	-- --	--	--	--	--
MAY 17, 73	0900	2	.3 3.0	.8 1.0	.0 .0	.06 .04	.00 .00	.01 .02	.03 .03	1.3 1.0	-- --	--	--	9.5 9.5	--
NOV 05, 71	1020	5	.3 3.0	11.0 11.0	.1 .0	.10 .08	.00 .00	.06 .06	.06 .07	2.1 2.2	-- --	--	--	--	--
NOV 11, 71	0920	5	.3 4.0	9.0 10.0	.0 .0	.01 .00	.00 .00	.06 .11	.09 .11	2.3 2.4	-- --	--	--	--	--
JAN 26, 72	1045	5	.3 4.0	3.8 4.0	.0 .0	.08 .07	.00 .00	.02 .03	.04 .05	1.9 2.0	-- --	--	--	--	--
MAR 28, 72	1055	5	.3 2.7	5.8 3.7	.0 .0	.00 .01	.00 .00	.03 .06	.04 .06	3.1 2.0	-- --	--	--	--	--
MAY 31, 72	1035	5	.3	8.2	.0	.04	.00	.06	.06	3.4	--	--	--	--	--

TABLE 88--QUALITY OF WATER IN THE NULCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SiO ₂) (MG/L)	NITRATE (N) (MG/L)	(NH) (N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHORUS (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	CARBON (ORGANIC) (MG/L)	

LINE 147 CONTINUED

MAY 31, 72	1035	5	3.0	8.4	.0	.09	.00	.05	.08	3.4	--	--	
JUL 25, 72	1002	5	.3 2.7	1.0 10.0	.0 .0	.11 .03	.00 .00	.02 .03	.03 .05	2.3 1.9	--	--	
SEP 19, 72	1305	5	.3 3.0	.0 .0	.0 .0	.11 .16	.00 .00	.00 .00	.02 .03	2.3 2.8	9.0 24.0	18.0 12.0	
NOV 16, 72	0940	5	.3 3.0	.2 .5	.0 .0	.09 .00	.00 .00	.00 .00	.00 .00	1.7 2.7	--	--	
FEB 21, 73	0930	5	.6 3.0	.8 .7	.0 .0	.00 .00	.00 .00	.00 .01	.01 .02	1.7 1.6	--	--	
APR 18, 73	1000	5	.3 3.4	1.9 2.4	.0 .0	.00 .00	.00 .00	.00 .00	.04 .03	1.4 1.3	--	--	
MAY 17, 73	0940	5	.3 2.7	.6 3.0	.0 .0	.05 .08	.00 .00	.01 .01	.02 .05	1.1 2.5	--	--	11.0 12.0

LINE 159

SEP 19, 72	1730	8	.3 3.4	5.0 4.0	.0 .0	.00 .00	.00 .00	.01 .02	.01 .02	1.9 2.1	--	--	
MAY 17, 73	0750	8	.3 4.6	2.5 1.8	.0 .0	.08 .10	.00 .00	.01 .03	.04 .08	1.1 1.5	--	--	

LINE 168

NOV 05, 71	0845	2	.3 13.1	7.1 2.6	.0 .0	.06 .07	.00 .02	.04 .02	.05 .05	2.1 1.8	9.0 46.0	--	--
NOV 08, 71	1520	2	.3	4.2	.0	.07	.01	.02	.04	--	--	--	
NOV 08, 71	2015	2	.3	4.3	.0	.09	.00	.02	.04	--	--	--	
NOV 09, 71	0240	2	.3	1.4	.0	.08	.03	.01	.01	--	--	--	
NOV 09, 71	0905	2	.3	6.1	.0	.05	.00	.03	.04	--	--	--	
NOV 09, 71	1450	2	.3	8.2	.0	.18	.00	.05	.06	--	--	--	
NOV 09, 71	2150	2	.3	8.7	.0	.10	.00	.04	.06	--	--	--	
NOV 09, 71	2230	2	.3	7.3	.0	.14	.01	.03	.04	--	--	--	
NOV 10, 71	0320	2	.3	2.2	.0	.08	.02	.01	.03	--	--	--	
NOV 10, 71	0900	2	.3	3.6	.0	.04	.00	.02	.03	--	--	--	
NOV 10, 71	1735	2	.3	5.9	.0	.00	.01	.04	.04	--	--	--	
NOV 11, 71	0805	2	.3 13.7	6.8 .2	.0 .0	.00 .00	.00 .02	.05 .02	.05 .03	1.3 .5	18.0 17.0	--	--
JAN 26, 72	0840	2	.3 13.7	1.6 1.5	.0 .0	.00 .00	.02 .03	.00 .01	.03 .03	1.3 2.2	--	--	45.0
MAR 28, 72	0845	2	.3 13.7	2.4 .9	.0 .0	.00 .00	.00 .00	.04 .03	.04 .03	1.0 .8	25.0	--	--
MAY 31, 72	0830	2	.3 13.7	.1 1.2	.0 .1	.04 .02	.00 .00	.01 .02	.03 .06	1.2 1.2	19.0	--	--
JUL 25, 72	0852	2	.3 13.4	.0 .0	.0 .0	.08 .14	.01 .01	.01 .01	.03 .01	1.1 .8	23.0	--	--

TABLE 88--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA		TOTAL	AMMONIA	TOTAL	DIS- SOLVED PHOS- PHORUS	TOTAL	BIO- CHEMICAL OXYGEN DEMAND	CHEMICAL OXYGEN DEMAND	TOTAL ORGANIC CARBON
				(SI02) (MG/L)	NITRATE (N) (MG/L)	NITROGEN (N) (MG/L)	NITRITE (N) (MG/L)	ORTHO (P) (MG/L)	PHORUS (P) (MG/L)	(BOD) (MG/L)	(COD) (MG/L)	(MG/L)	
LINE 168 - CONTINUED													
NOV 16, 72	0828	2	.3 12.8	.0 .0	.0 .1	.03 .01	.02 .03	.00 .00	.00 .02	1.5 .8	-- --	-- --	-- --
FEB 21, 73	0820	2	.3 12.2	1.2 1.0	.0 .0	.00 .00	.00 .00	.00 .00	.01 .01	1.6 1.4	-- --	-- --	-- --
APR 18, 73	0830	2	.3 13.7	5.3 2.4	.0 .0	.00 .00	.00 .01	.01 .00	.04 .04	.9 .9	-- --	-- --	-- --
LINE 170													
JAN 26, 72	1220	3	.3 4.6	9.0 9.3	.0 .0	.40 .00	.00 .00	.02 .01	.04 .04	1.8 1.4	43.0 47.0	-- --	-- --
LINE 183													
NOV 05, 71	1050	3	.3 5.8	10.0 6.1	.0 .0	.07 .07	.00 .00	.03 .09	.05 .14	2.7 4.1	-- --	-- --	-- --
NOV 08, 71	1530	3	.3	9.9	.0	.53	.01	.09	.09	2.4	--	--	--
NOV 08, 71	2150	3	.3	9.9	.0	.13	.00	.02	.06	2.0	--	--	--
NOV 09, 71	0400	3	.3	9.6	.0	.08	.01	.02	.06	2.0	--	--	--
NOV 09, 71	0910	3	.3	9.5	.0	.07	.01	.03	.06	2.0	--	--	--
NOV 09, 71	1645	3	.3	10.0	.0	.04	.00	.02	.04	2.3	--	--	--
NOV 09, 71	2140	3	.3	8.5	.0	.11	.00	.02	.04	2.3	--	--	--
NOV 10, 71	0340	3	.3	9.0	.0	.13	.00	.02	.05	2.1	--	--	--
NOV 10, 71	0945	3	.3	9.3	.0	.04	.00	.05	.06	2.4	--	--	--
NOV 10, 71	1810	3	.3	10.0	.0	.06	.00	.04	.05	2.7	--	--	--
NOV 11, 71	0845	3	.3	8.6	.0	.74	.01	.05	.07	2.4	--	--	--
NOV 11, 71	1003	3	.3 5.2	6.5 6.4	.0 .1	.00 .00	.00 .00	.04 .04	.07 .06	3.0 2.4	-- --	-- --	-- --
MAR 26, 72	1205	3	.3 4.3	12.0 13.0	.0 .0	.01 .02	.01 .01	.04 .06	.04 .06	4.2 4.6	-- --	-- --	-- --
MAY 31, 72	1145	3	.3 5.5	8.0 8.1	.0 .0	.00 .01	.01 .00	.03 .02	.04 .04	1.6 1.7	-- --	-- --	-- --
JUL 25, 72	1031	3	.3 4.6	1.4 1.7	.0 .0	.12 .01	.00 .00	.01 .01	.02 .03	2.0 2.2	-- --	-- --	-- --
NOV 16, 72	1045	3	.3 5.5	.0 .0	.0 .0	.02 .10	.00 .00	.00 .00	.00 .00	1.8 1.0	-- --	-- --	-- --
FEB 21, 73	0955	3	.3 4.9	.0 .3	.0 .0	.02 .14	.00 .00	.00 .00	.00 .00	1.8 1.6	-- --	-- --	-- --
APR 18, 73	1035	3	.3 5.5	3.1 1.7	.0 .0	.00 .00	.00 .00	.00 .00	.03 .05	1.4 2.1	-- --	-- --	-- --
LINE 200													
NOV 05, 71	1356	2	.3	11.0	.0	.07	.00	.12	.13	--	--	--	--
MAR 28, 72	1515	2	1.5	3.6	.0	.00	.01	.09	.09	--	--	--	--
JUL 25, 72	1427	2	.3	.0	.0	.14	.00	.04	.05	--	--	--	--

TABLE BB--QUALITY OF WATER IN THE MUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (MG/L)	NITRATE (M)	(N) (MG/L)	NITRITE (M) (MG/L)	PHOS- PHOSUS (P) (MG/L)	PHOS- PHOSUS (P) (MG/L)	DEMAND (BOD) (MG/L)	DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)	
LINE 200 CONTINUED													
NOV 16, 72	1350	2	.3	.6	.2	.26	.09	.24	.27	--	--	--	--
APR 18, 73	1525	2	.6	2.4	.0	.00	.00	.00	.07	--	--	--	--
LINE 901													
NOV 11, 71	0710	2	.5 17.1	.0 .0	.0 .0	.01 .01	.03 .02	.01 .01	.02 .02	.2 .2	--	9.0	--
JUL 25, 72	0822	2	.5 13.1	4.0 4.0	.0 .0	.12 .14	.00 .02	.00 .02	.01 .02	.9 .8	26.0	16.0	--
NOV 16, 72	0805	2	1.5 12.2	.0 .0	.1 .1	.03 .01	.04 .04	.00 .00	.02 .03	1.4 2.1	--	--	--
FEB 21, 73	0800	2	.6 12.2	1.2 .9	.0 .0	.00 .05	.00 .00	.00 .00	.02 .04	1.5 1.1	--	--	--
APR 18, 73	0810	2	.3 15.2	2.5 2.7	.0 .0	.00 .00	.00 .00	.00 .00	.04 .08	.9 1.1	--	--	--
MAY 16, 73	0945	2	.3 19.8	.3 .6	.0 .0	.06 .05	.00 .00	.00 .02	.03 .03	1.0 .9	--	--	--
APR 18, 72	1520	70	.6 14.0	.0 .0	-- --	-- --	-- --	-- --	-- --	1.7 2.3	--	--	--
LINE 902													
SEP 19, 72	1050	2	.6 13.7	.0 .0	.0 .0	.04 .10	.00 .00	.00 .00	.01 .01	2.5 1.0	--	--	--
LINE 910													
SEP 19, 72	1005	2	.6 19.8	.0 .0	.0 .0	.09 .12	.00 .00	.00 .00	.00 .00	1.0 1.1	1.0	--	--
MAY 16, 73	0900	2	.6 19.8	.4 .1	.0 .0	.03 .00	.00 .00	.00 .00	.01 .01	.7 .8	--	--	12.0

TABLE #C--QUALITY OF WATER IN THE NULCES ESTUARY,

WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	(TIME)	SITE	DEPTH (METERS)	SPECIAL		DIS-		DIS-		DIS-		(SOM OF CONSTI-
				(CON- DUCTANCE) (MICRO- MHOS) (LAB)	DIS- SOLVED (CALCIUM (CA) (MG/L)	SOLVED (MAGNE- SIUM (MG) (MG/L)	SOLVED (SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	SOLVED (SULFATE (SO4) (MG/L)	SOLVED (CHLORIDE (CL) (MG/L)	SOLIDS (CONSTI- (MG/L)	
LINE 13												
NOV 05, 71	0950	2	.3 6.1	335 338	40.0 40.0	2.7 2.5	33 31	131 131	37 32	25 25	215 208	
NOV 11, 71	1225	2	.3 5.5	400 414	-- 44.0	-- 3.0	-- 32	-- 138	-- 20	-- 40	-- 221	
MAR 27, 72	1520	2	.3 3.7	1590 2850	100.0 --	23.0 --	220 --	210 --	92 --	400 --	955 --	
JUN 01, 72	1545	2	.3 2.4	1080 1080	-- --	-- --	-- --	-- --	-- --	-- --	-- --	
JUL 25, 72	1440	2	.3	15000	--	--	--	--	--	--	--	
SEP 19, 72	1510	2	.3 3.4	1100 1630	77.0 --	14.0 --	120 --	181 --	72 --	200 --	582 --	
NOV 16, 72	1445	2	.3 3.4	1160 1590	83.0 --	17.0 --	120 --	192 --	67 --	220 --	614 --	
FEB 21, 73	1445	2	.3 4.0	1300 2640	92.0 --	13.0 --	160 --	203 --	86 --	270 --	743 --	
APR 18, 73	1620	2	.3 3.7	1980 2040	110.0 --	28.0 --	300 --	200 --	160 --	500 --	1220 --	
MAY 17, 73	1320	2	.3 3.0	1240 1240	-- 76.0	-- 15.0	-- 150	-- 160	-- 47	-- 240	-- 676	
LINE 22												
JUL 25, 72	1455	2	.3 2.1	2080 11400	-- --	-- --	-- --	-- --	-- --	-- --	-- --	
NOV 16, 72	0855	2	.3	1720	95.0	24.0	230	190	64	430	962	
LINE 38												
JUL 25, 72	1540	2	.3 4.0	1170 2590	1.0 170.0	8.3 40.0	140 320	194 167	78 140	240 720	680 1500	
LINE 53												
NOV 05, 71	1100	2	1.5	6900	--	--	--	--	--	--	--	
NOV 11, 71	1000	2	1.2	11200	120.0	230.0	1800	142	500	3200	6010	
JAN 25, 72	1255	2	.3 .9	30800 30800	-- --	-- --	-- --	-- --	-- --	-- --	-- --	
MAR 27, 72	1045	2	.3	31700	--	--	--	--	--	--	--	
JUN 01, 72	1335	2	.3	14000	--	--	--	--	--	--	--	
JUL 25, 72	0920	2	.3	35100	--	--	--	--	--	--	--	
SEP 19, 72	1225	2	.3	47200	--	--	--	--	--	--	--	
NOV 16, 72	0950	2	.3	44300	--	--	--	--	--	--	--	
FEB 21, 73	1219	2	.3	44500	--	--	--	--	--	--	--	
APR 18, 73	1310	2	.3	44800	--	--	--	--	--	--	--	

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS SUM OF (SUSPEN- SIONS) (MG/L)

LINE 53 CONTINUED

MAY 17, 73	1200	2	.3	49000	--	--	--	--	--	--	--
NOV 05, 71	1130	4	1.5	607	--	--	--	--	--	--	--
JAN 25, 72	1235	4	.3	30400	--	--	--	--	--	--	--
			1.2	32000	--	--	--	--	--	--	--
JUL 25, 72	0910	4	.3	39000	--	--	--	--	--	--	--
SEP 19, 72	1200	4	.3	46600	590.0	1100.0	9400	160	2200	17000	30200
NOV 16, 72	0940	4	.3	43800	--	--	--	--	--	--	--
FEB 21, 73	1200	4	.3	45200	--	--	--	--	--	--	--
APR 18, 73	1255	4	.3	43700	--	--	--	--	--	--	--
MAY 17, 73	1015	4	.3	46200	420.0	1100.0	9100	153	2400	16000	29300
JAN 25, 72	1220	5	.6	31200	--	--	--	--	--	--	--

LINE 64

NOV 05, 71	1200	9	.3	1700	--	--	--	--	--	--	--
			6.1	3050	--	--	--	--	--	--	--
NOV 08, 71	1100	9	.3	6480	88.0	120.0	1000	138	260	1800	3400
NOV 08, 71	1630	9	.3	6550	89.0	120.0	1000	138	250	1800	3330
NOV 09, 71	1055	9	.3	5010	90.0	100.0	830	136	220	1500	2620
NOV 09, 71	1500	9	.3	3230	79.0	66.0	540	134	140	980	1670
NOV 09, 71	2100	9	.3	5830	96.0	120.0	1000	136	260	1800	3370
NOV 10, 71	0300	9	.3	10400	120.0	230.0	1800	130	450	3200	5800
NOV 10, 71	1435	9	.3	8660	100.0	170.0	1500	140	380	2600	4890
NOV 11, 71	1030	9	.3	6200	--	--	--	--	--	--	--
			6.1	15900	150.0	350.0	2900	140	720	5100	9270
JAN 25, 72	1340	9	.3	35600	--	--	--	--	--	--	--
			6.1	35100	--	--	--	--	--	--	--
MAR 27, 72	1000	9	.3	36800	--	--	--	--	--	--	--
			3.7	36900	--	--	--	--	--	--	--
JUN 01, 72	1300	9	.3	28300	--	--	--	--	--	--	--
			5.8	29300	--	--	--	--	--	--	--
JUL 25, 72	1010	9	.3	41700	--	--	--	--	--	--	--
			6.1	41300	--	--	--	--	--	--	--
NOV 16, 72	1010	9	.3	43500	--	--	--	--	--	--	--
			6.7	45200	--	--	--	--	--	--	--
FEB 21, 73	1120	9	.3	45400	--	--	--	--	--	--	--
			6.4	45400	--	--	--	--	--	--	--
APR 18, 73	1230	9	.3	43800	--	--	--	--	--	--	--
			7.3	44300	--	--	--	--	--	--	--

LINE 71

NOV 05, 71	1310	2	.3	11000	110.0	230.0	1900	124	480	3400	6290
------------	------	---	----	-------	-------	-------	------	-----	-----	------	------

TABLE BC--QUALITY OF WATER IN THE NUCES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	DIS-	
				CON-	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED	SOLVED
				INDUCTANCE	MAGNE-	POTAS-	BICAR-	SULFATE	CHLORIDE	(SUM OF		
				(MICRO-	CALCIUM	SIUM	SIUM	BONATE	(HCO3)	(SO4)	(CL)	CONSTITU-
				(LAB)	(CA)	(MG)	(NA+K)	(HCO3)	(SO4)	(MG/L)	(MG/L)	(MG/L)
				(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 71 CONTINUED

NOV 05, 71	1310	2	13.7	46400	380.0	1100.0	9900	151	2300	17000	31200
NOV 11, 71	1115	2	.3 13.4	15600 47100	--	--	--	--	--	--	--
MAR 27, 72	1320	2	.3 12.2	39100 39300	320.0 340.0	970.0 920.0	7500 7700	154 150	1800 1900	14000 14000	24300 24500
JUN 01, 72	1220	2	.3 13.1	37200 52300	300.0 390.0	770.0 1200.0	6800 10000	150 153	1800 2400	12000 16000	21600 32300
JUL 25, 72	1240	2	.3 12.2	41300 50500	380.0 440.0	960.0 1200.0	8100 10000	152 166	1900 2500	14000 18000	25800 32400
NOV 16, 72	1135	2	.3 12.2	44600 44600	410.0 400.0	1200.0 1200.0	9500 9300	150 149	2000 1600	17000 17000	30600 30000
FEB 21, 73	0925	2	.3 12.2	45500 45700	400.0 420.0	1200.0 1200.0	9200 9200	166 164	2300 2100	17000 17000	29700 29700
APR 18, 73	1140	2	.3 13.7	45900 45800	410.0 400.0	1100.0 1100.0	9600 9500	174 173	2300 2300	17000 17000	30400 30200

LINE 108

NOV 05, 71	1400	2	.3 13.1	10900 46300	--	--	--	--	--	--	--
NOV 11, 71	1045	2	.3 12.8	12600 46100	--	--	--	--	--	--	--
MAR 27, 72	1235	2	.3	38900	--	--	--	--	--	--	--
JUN 01, 72	1140	2	.3 13.1	34200 51300	280.0 390.0	700.0 1200.0	6300 10000	158 154	1500 2500	11000 18000	19800 32300
JUL 25, 72	1155	2	.3 12.2	42700 50400	380.0	1000.0	8400	162	2000	15000	26900
SEP 19, 72	1050	2	.3 12.2	47400 51700	--	--	--	--	--	--	--
NOV 16, 72	1045	2	.3 12.2	44600 44800	--	--	--	--	--	--	--
FEB 21, 73	1020	2	.3 12.2	45200 45600	--	--	--	--	--	--	--
APR 18, 73	1050	2	.3 13.7	43500 43900	--	--	--	--	--	--	--
MAY 17, 73	0830	2	.3 13.7	45700 46500	400.0	1100.0	8900	161	2300	16000	28600

LINE 118

JUN 01, 72	1130	2	.3	27500	--	--	--	--	--	--	--
JUL 25, 72	1145	2	.3	41200	--	--	--	--	--	--	--

LINE 122

SEP 20, 72	1025	2	.3 3.0	50200 51400	--	--	--	--	--	--	--
MAY 17, 73	1410	2	.3	45900	--	--	--	--	--	--	--

TABLE BC--QUALITY OF WATER IN THE NUECES ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME (EST)	DEPTH (METERS)	(SPECIFIC)	(CON-	(DUCTANCE)	(MICRO-	(CALCIUM)	(MAGNE-	(SILIC)	(SODIUM +)	(BICAR-	(SULFATE)	(CHLORIDE)	(CONSTI-
			(MHOS)	(LA0)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)
MAY 17, 73	1410	2	3.4	45800	--	--	--	--	--	--	--	--	--	--
NOV 05, 71	1427	6	.5 6.1 13.1	12400 40900 44500	120.0 -- 340.0	280.0 -- 1100.0	2200 -- 9600	134 -- 139	590 -- 2200	3800 -- 16000	7090 -- 20700			
NOV 11, 71	1308	6	.3 6.1 13.1	13400 41400 46600	140.0 -- 370.0	290.0 -- 1200.0	2400 -- 9900	140 -- 142	600 -- 2200	4200 -- 18000	7750 -- 31400			
JAN 26, 72	1540	6	.3 6.1 12.8	36900 37800 46400	300.0 -- --	860.0 -- --	7200 -- --	150 -- --	1800 -- --	13000 -- --	22900 -- --			
MAR 28, 72	1600	6	.3 6.1 12.5	41300 41500 44500	340.0 -- 340.0	1000.0 -- 1100.0	7700 -- 7900	158 -- 156	1800 -- 2000	14000 -- 15000	24900 -- 26000			
MAY 31, 72	1540	6	.3 12.2	34700 53300	280.0 390.0	720.0 1200.0	6400 10000	161 152	1500 2500	11000 16000	26200 32800			
JUL 25, 72	1512	6	.3 6.1 12.2	43300 45800 50900	380.0 -- 420.0	1000.0 -- 1200.0	8600 -- 10000	156 -- 154	2000 -- 2500	15000 -- 18000	27600 -- 32900			
SEP 20, 72	0955	6	.3 12.2	49900 51200	410.0 --	1300.0 --	10000 --	156 --	2400 --	18000 --	32200 --			
NOV 16, 72	1335	6	.3 6.1 12.2	44400 44900 44900	410.0 -- 400.0	1200.0 -- 1200.0	9600 -- 9700	155 -- 156	1800 -- 1900	18000 -- 18000	30600 -- 31100			
APR 18, 73	1645	6	.6 12.2	46500 46500	380.0 380.0	1100.0 1100.0	9600 9800	153 154	2300 2400	17000 17000	30400 30900			
MAY 17, 73	1350	6	.3 12.2	46300 46500	400.0 --	1100.0 --	9100 --	150 --	2300 --	16000 --	29200 --			
SEP 20, 72	0925	12	.3 3.4	49100 50200	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
MAY 17, 73	1320	13	.3 3.7	46600 47000	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
LINE 127														
NOV 05, 71	1250	2	.5 4.0	14700 24200	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
JAN 26, 72	1352	2	.3 2.7	37100 39600	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
MAR 28, 72	1400	2	.3 2.1	39900 39600	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
JUL 25, 72	1309	2	.3 1.5	45600 46300	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
NOV 16, 72	1405	2	.3 3.0	47000 47000	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
APR 18, 73	1400	2	.6 3.0	42700 43100	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
NOV 11, 71	1193	4	.3 14.0	15700 46400	-- --	-- --	-- --	-- --	-- --	-- --	-- --			
NOV 05, 71	1325	6	.5	12900	--	--	--	--	--	--	--			

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG/L)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	DIS-SOLVED BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)	
LINE 127 CONTINUED												
NOV 05, 71	1325	6	4.1	37800	--	--	--	--	--	--	--	
JAN 26, 72	1410	6	.3 13.7	37000 91000	--	--	--	--	--	--	--	
MAR 28, 72	1440	6	.3 3.7	90700 40800	--	--	--	--	--	--	--	
MAY 31, 72	1410	6	.3 4.0	38200 43200	--	--	--	--	--	--	--	
JUL 25, 72	1352	6	.3 4.0	46000 46300	--	--	--	--	--	--	--	
NOV 16, 72	1320	6	.3 4.0	47000 47200	400.0	1100.0	9900	156	1800	18000	31100	
APR 18, 73	1455	6	.6 4.6	43500 43400	--	--	--	--	--	--	--	
LINE 142												
NOV 05, 71	1515	1	.3 6.1 13.1	16500 36300 46100	--	--	--	--	--	--	--	
NOV 11, 71	1417	1	.3 6.1 13.1	19100 37600 45400	--	--	--	--	--	--	--	
JAN 26, 72	1700	1	.3 6.1 12.2	41700 43900 45200	--	--	--	--	--	--	--	
MAR 28, 72	1730	1	.3 6.1 12.8	41000 42100 44600	--	--	--	--	--	--	--	
MAY 31, 72	1700	1	.3 13.7	44800 55600	--	--	--	--	--	--	--	
JUL 25, 72	1625	1	.3 6.1 12.8	46000 51500 53000	--	--	--	--	--	--	--	
NOV 16, 72	1455	1	.3 6.1 13.7	42700 46100 46900	--	--	--	--	--	--	--	
APR 18, 73	1730	1	.6 6.1 12.2	41700 45600 46200	--	--	--	--	--	--	--	
SEP 19, 72	1515	2	.3 4.6	49400 50100	--	--	--	--	--	--	--	
MAY 17, 73	1245	2	.3 3.4	45200 45100	--	--	--	--	--	--	--	
APR 18, 73	1320	5	.6 4.6	44500 44800	380.0	1100.0	9600	153	2300	17000	30400	
NOV 05, 71	1206	6	.5 4.0	15300 25100	200.0	510.0	4300	143	1100	7800	13800	
NOV 11, 71	1050	6	.3 4.6	16300 22300	210.0	510.0	4200	153	1000	7500	13600	
JAN 26, 72	1305	6	.3	37500	310.0	870.0	7000	150	1600	13000	22500	

TABLE 8C--QUALITY OF WATER IN THE WUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC	DIS-	DIS-	DIS-		DIS-	DIS-	DIS-
				CON-	SOLVED	SOLVED	SODIUM +	BICAR-	SOLVED	SOLVED	SOLVED
				DUCTANCE	MAGNE-	MAGNE-	POTAS-	BICAR-	SOLVED	SOLVED	SOLVED
				(MICRO-	SIUM	SIUM	SIUM	BONATE	SULFATE	CHLORIDE	CONSTI-
				MMQS)	(CA)	(MG)	(NA+K)	(HCO3)	(SO4)	(CL)	TUENTS)
				(LAB)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)	(MG/L)

LINE 142 CONTINUED

JAN 26, 72	1305	6	5.2	39800	330.0	1000.0	7300	149	1800	13000	23900
MAR 28, 72	1315	6	.3 3.4	37600 37900	300.0	880.0	7600	170	1800	13000	24000
MAY 31, 72	1250	6	.3 4.0	43200 43700	340.0	940.0	8000	164	2000	14000	25600
JUL 25, 72	1224	6	.3 4.0	44400 46000	380.0	1100.0	8900	158	2100	16000	29300
NOV 16, 72	1200	6	.6 3.7	47200 47200	400.0	1200.0	9800	156	2100	18000	31900
SEP 19, 72	1425	10	.3 4.6	49000 49800	--	--	--	--	--	--	--
MAY 17, 73	1210	10	.3 4.0	44500 46500	390.0	1100.0	8800	153	2200	16000	26200

LINE 147

JAN 26, 72	1000	1	.3 2.4	38400 47800	--	--	--	--	--	--	--
NOV 05, 71	0936	2	.5 3.8	18200 42000	--	--	--	--	--	--	--
NOV 11, 71	0844	2	.3 4.0	17400 42100	--	--	--	--	--	--	--
MAR 28, 72	1000	2	.3 3.0	39700 40100	--	--	--	--	--	--	--
MAY 31, 72	1000	2	.3 1.5	44500 48300	--	--	--	--	--	--	--
JUL 25, 72	0925	2	.3 3.4	44800 50200	--	--	--	--	--	--	--
SEP 19, 72	1155	2	.3 3.0	49600 49900	--	--	--	--	--	--	--
NOV 16, 72	0900	2	.3 3.0	41700 43600	--	--	--	--	--	--	--
FEB 21, 73	0850	2	.3 3.4	46100 46100	--	--	--	--	--	--	--
APR 16, 73	0910	2	.3 3.4	43400 44600	--	--	--	--	--	--	--
MAY 17, 73	0900	2	.3 3.0	43600 43900	--	--	--	--	--	--	--
NOV 05, 71	1020	5	.3 3.0	18700 18800	--	--	--	--	--	--	--
NOV 11, 71	0920	5	.3 4.0	19300 20000	--	--	--	--	--	--	--
JAN 26, 72	1045	5	.3 4.0	37600 38200	--	--	--	--	--	--	--
MAR 28, 72	1055	5	.3 2.7	36300 39600	--	--	--	--	--	--	--
MAY 31, 72	1035	5	.3	43600	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	(SPECIFIC CONDUCTANCE) (MICRO-MHOS) (LAB)	(DIS-SOLVED CALCIUM) (CA) (MG/L)	(DIS-SOLVED MAGNE-SIUM) (MG) (MG/L)	(DIS-SOLVED SODIUM + POTAS-SIUM) (NA+K) (MG/L)	(BICAR-BONATE) (CO3) (MG/L)	(DIS-SOLVED SULFATE) (SO4) (MG/L)	(DIS-SOLVED CHLORIDE) (CL) (MG/L)	(DIS-SOLVED SOLIDS) (SOM OF IONS OF INORGANIC AND ORGANIC) (MG/L)
--------------------	------	------	----------------	---	----------------------------------	-------------------------------------	--	-----------------------------	-----------------------------------	-----------------------------------	---

LINE 147 CONTINUED

MAY 31, 72	1035	5	3.0	43600	--	--	--	--	--	--	--
JUL 25, 72	1002	5	.3 2.7	44600 49500	--	--	--	--	--	--	--
SEP 19, 72	1305	5	.3 3.0	50000 52200	--	--	--	--	--	--	--
NOV 16, 72	0940	5	.3 3.0	46000 46000	--	--	--	--	--	--	--
FEB 21, 73	0930	5	.6 3.0	46800 46800	--	--	--	--	--	--	--
APR 18, 73	1000	5	.3 3.4	44800 44600	--	--	--	--	--	--	--
MAY 17, 73	0940	5	.3 2.7	44600 47100	--	--	--	--	--	--	--

LINE 159

SEP 19, 72	1730	8	.3 3.4	49300 50400	--	--	--	--	--	--	--
MAY 17, 73	0750	8	.3 4.6	35200 39000	--	--	--	--	--	--	--

LINE 166

NOV 05, 71	0845	2	.3 13.1	26900 40400	--	--	--	--	--	--	--
NOV 08, 71	1520	2	.3	35500	280.0	850.0	6700	140	1700	12000	21600
NOV 08, 71	2015	2	.3	35700	280.0	900.0	6900	139	1600	12000	22300
NOV 09, 71	0240	2	.3	46800	360.0	1300.0	9300	140	2200	17000	30200
NOV 09, 71	0905	2	.3	28800	250.0	750.0	6000	142	1500	11000	19100
NOV 09, 71	1450	2	.3	21000	200.0	560.0	4000	143	1000	7300	15200
NOV 09, 71	2150	2	.3	20500	190.0	490.0	4000	142	1000	7100	12800
NOV 09, 71	2230	2	.3	23600	180.0	600.0	4700	136	1200	8400	15100
NOV 10, 71	0320	2	.3	42700	340.0	1100.0	8600	142	2200	16000	26000
NOV 10, 71	0900	2	.3	33800	260.0	820.0	6000	138	1600	12000	21500
NOV 10, 71	1735	2	.3	27900	240.0	710.0	5900	141	1400	10000	18700
NOV 11, 71	0805	2	.3 13.7	24400 46300	--	--	--	--	--	--	--
JAN 26, 72	0840	2	.3 13.7	44600 44600	--	--	--	--	--	--	--
MAR 28, 72	0845	2	.3 13.7	41800 44300	320.0	1000.0	8100	160	1900	15000	26000
MAY 31, 72	0830	2	.3 13.7	49900 55400	360.0	1100.0	9700	152	2300	17000	30500
JUL 25, 72	0852	2	.3 13.4	52500 52800	420.0	1300.0	11000	146	2600	19000	34000

TABLE BC--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (LAB)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO3) (MG/L)	DIS-SOLVED SULFATE (SO4) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SILICA (SOH OF) (MG/L)
--------------------	------	------	----------------	---	--------------------------------	---------------------------	---	---------------------------	---------------------------------	---------------------------------	-----------------------------------

LINE 168 CONTINUED

NOV 16, 72	0628	2	.3	41700	340.0	1100.0	8200	152	1900	15000	26600
			12.6	44600	--	--	--	--	--	--	--
FEB 21, 73	0820	2	.3	41000	--	--	--	--	--	--	--
			12.2	44800	--	--	--	--	--	--	--
APR 18, 73	0830	2	.3	42200	340.0	1000.0	9100	137	2200	16000	28700
			13.7	42200	--	--	--	--	--	--	--

LINE 170

JAN 26, 72	1220	3	.3	37600	--	--	--	--	--	--	--
			4.6	37600	--	--	--	--	--	--	--

LINE 183

NOV 05, 71	1050	3	.3	18200	--	--	--	--	--	--	--
			5.8	31800	--	--	--	--	--	--	--
NOV 08, 71	1530	3	.3	19100	180.0	430.0	3400	144	860	6200	11100
NOV 08, 71	2150	3	.3	20000	180.0	430.0	3700	144	920	6500	11400
NOV 09, 71	0400	3	.3	21200	190.0	470.0	4000	146	990	7000	12700
NOV 09, 71	0910	3	.3	20800	190.0	450.0	3900	146	990	6900	12500
NOV 09, 71	1645	3	.3	20200	180.0	450.0	3700	148	940	6600	12000
NOV 09, 71	2140	3	.3	23600	210.0	580.0	4400	149	1100	8000	14400
NOV 10, 71	0340	3	.3	23900	210.0	560.0	4600	149	1100	8100	14700
NOV 10, 71	0945	3	.3	21900	200.0	510.0	4100	150	1000	7300	13200
NOV 10, 71	1810	3	.3	20200	190.0	440.0	3800	103	970	6700	12200
NOV 11, 71	0845	3	.3	22000	200.0	570.0	4100	145	1000	7400	13400
NOV 11, 71	1003	3	.3	22300	--	--	--	--	--	--	--
			5.2	33900	--	--	--	--	--	--	--
MAR 26, 72	1205	3	.3	27700	--	--	--	--	--	--	--
			4.3	27300	--	--	--	--	--	--	--
MAY 31, 72	1145	3	.3	47000	--	--	--	--	--	--	--
			5.5	47000	--	--	--	--	--	--	--
JUL 25, 72	1031	3	.3	48000	--	--	--	--	--	--	--
			4.6	48300	--	--	--	--	--	--	--
NOV 16, 72	1045	3	.3	46200	--	--	--	--	--	--	--
			5.5	46800	--	--	--	--	--	--	--
FEB 21, 73	0955	3	.3	47300	--	--	--	--	--	--	--
			4.9	47400	--	--	--	--	--	--	--
APR 18, 73	1035	3	.3	43300	--	--	--	--	--	--	--
			5.5	44900	--	--	--	--	--	--	--

LINE 200

NOV 05, 71	1356	2	.3	11800	--	--	--	--	--	--	--
MAR 28, 72	1515	2	1.5	38700	--	--	--	--	--	--	--
JUL 25, 72	1927	2	.3	43100	--	--	--	--	--	--	--

TABLE 8C--QUALITY OF WATER IN THE MULECES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECFIC CON- DUCTANCE (MICRO- MMOS)	SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED (SUM OF CONSTIT- UENTS) (MG/L)

LINE 200 CONTINUED

NOV 16, 72	1350	2	.3	45400	--	--	--	--	--	--	--
APR 18, 73	1525	2	.6	47300	--	--	--	--	--	--	--

LINE 901

NOV 11, 71	0710	2	.5	49800	--	--	--	--	--	--	--
			17.1	51300	410.0	1200.0	10000	118	2500	16000	32000
JUL 25, 72	0822	2	.5	51400	410.0	1200.0	10000	148	2600	18000	--
			13.1	53400	--	--	--	--	--	--	--
NOV 16, 72	0805	2	1.5	43400	340.0	1200.0	8900	146	1900	16000	28800
			12.2	43600	--	--	--	--	--	--	--
FEB 21, 73	0800	2	.6	42400	--	--	--	--	--	--	--
			12.2	43000	--	--	--	--	--	--	--
APR 18, 73	0810	2	.3	42500	340.0	1000.0	9000	136	2200	16000	26600
			15.2	42900	--	--	--	--	--	--	--
MAY 16, 73	0945	2	.3	37600	--	--	--	--	--	--	--
			19.8	38000	--	--	--	--	--	--	--

LINE 902

SEP 19, 72	1050	2	.6	54000	--	--	--	--	--	--	--
			13.7	54600	--	--	--	--	--	--	--

LINE 910

SEP 19, 72	1005	2	.6	54200	420.0	1400.0	11000	146	2700	20000	36100
			19.8	54800	--	--	--	--	--	--	--
MAY 16, 73	0900	2	.6	37600	290.0	930.0	7300	126	1900	13000	23600
			19.8	38600	--	--	--	--	--	--	--

TABLE 80--QUALITY OF WATER IN THE HOLLIS ESTUARY,

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	LINE SITE	DEPTH (METERS)	DIS- SOLVED		DIS- SOLVED		TOTAL		DIS- SOLVED		TOTAL		DIS- SOLVED		TOTAL	
			ALUMI- NUM (AL) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/GM)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)	ARSENIC (AS) (UG/L)

LINE 53

SEP 19, 72	1225	2	.3	--	0	--	--	--	0	--	--	--	--	0	--	--
			.9	--	--	--	--	5	--	--	--	--	0	--	--	0
SEP 19, 72	1200	4	1.2	--	--	--	--	5	--	--	--	--	0	--	--	0

LINE 122

SEP 20, 72	1025	2	.3	--	0	--	--	--	0	--	--	--	0	--	--	--
SEP 20, 72	0925	12	.3	--	0	--	--	--	0	--	--	--	0	--	--	--

LINE 147

SEP 19, 72	1155	2	.3	--	0	--	--	--	0	--	--	--	0	--	--	--
SEP 19, 72	1305	5	.3	--	0	--	--	--	0	--	--	--	0	--	--	--

LINE 159

SEP 19, 72	1305	1	.3	--	--	--	--	--	0	--	--	--	0	--	--	--
------------	------	---	----	----	----	----	----	----	---	----	----	----	---	----	----	----

DATE OF COLLECTION	LINE SITE	DEPTH (METERS)	DIS- SOLVED		DIS- SOLVED		TOTAL		DIS- SOLVED		TOTAL		DIS- SOLVED		TOTAL	
			CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)	CHRO- MIUM (CR) (UG/L)

LINE 53

SEP 19, 72	1225	2	.3	0	--	--	--	--	--	11	--	--	--	0	--	--
			.9	--	--	--	--	--	2	--	--	--	7	--	--	7
SEP 19, 72	1200	4	1.2	--	--	--	--	--	1	--	--	--	7	--	--	7

LINE 122

SEP 20, 72	1025	2	.3	0	--	--	--	--	--	7	--	--	--	0	--	--
SEP 20, 72	0925	12	.3	0	--	--	--	--	--	10	--	--	--	0	--	--

LINE 147

SEP 19, 72	1155	2	.3	0	--	--	--	--	--	4	--	--	--	0	--	--
SEP 19, 72	1305	5	.3	0	--	--	--	--	--	5	--	--	--	0	--	--

LINE 159

SEP 19, 72	1305	1	.3	0	--	--	--	--	--	--	--	--	--	0	--	--
------------	------	---	----	---	----	----	----	----	----	----	----	----	----	---	----	----

TABLE 8D--QUALITY OF WATER IN THE NUCLES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM
				SOLVED CYANIDE (CN) (UG/L)	DEPOSIT CYANIDE (CN) (UG/GM)	SOLVED IRON (FE) (UG/L)	IRON (FE) (UG/L)	SOLVED IRON (FE) (UG/GM)	LEAD (PB) (UG/L)	LEAD (PB) (UG/GM)	LEAD (PB) (UG/GM)

LINE 53

SEP 19, 72	1225	2	.3	--	--	0	--	--	0	--	--
			.9	--	--	--	--	10000	--	--	6
SEP 19, 72	1200	4	.3	--	--	--	--	20000	--	--	--
			1.2	--	--	--	--	--	--	--	1

LINE 122

SEP 20, 72	1025	2	.3	--	--	0	--	--	0	--	--
SEP 20, 72	0925	12	.3	--	--	0	--	--	0	--	--

LINE 147

SEP 19, 72	1155	2	.3	--	--	0	--	--	0	--	--
SEP 19, 72	1305	5	.3	--	--	0	--	--	0	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITHIUM (LI) (UG/L)	SOLVED MANGANESE (MANG) (UG/L)	MANGANESE (MANG) (UG/L)	DEPOSIT MANGANESE (MANG) (UG/GM)	SOLVED MANGANESE (MANG) (UG/L)	LEAD (PB) (UG/L)	LEAD (PB) (UG/L)	LEAD (PB) (UG/GM)	SOLVED MANGANESE (MANG) (UG/L)

LINE 53

SEP 19, 72	1225	2	.3	160	40	--	--	--	--	--	--	6400
			.9	--	--	--	200	--	--	1	--	--
SEP 19, 72	1200	4	1.2	--	--	--	230	--	--	0	--	--

LINE 122

SEP 20, 72	1025	2	.3	150	0	--	--	--	--	--	--	5900
SEP 20, 72	0925	12	.3	140	50	--	--	--	--	--	--	5900

LINE 147

SEP 19, 72	1155	2	.3	150	50	--	--	--	--	--	--	5900
SEP 19, 72	1305	5	.3	150	0	--	--	--	--	--	--	5800

TABLE 8D--QUALITY OF WATER IN THE NUECES ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ZINC (ZNI) (UG/L)	TOTAL ZINC (ZNI) (UG/L)	BOTTOM DEPOSIT ZINC (ZNI) (UG/GM)				
--------------------------	------	------	-------------------	---	----------------------------------	---	--	--	--	--

LINE 53

SEP 19, 72	1225	2	.3	6	--	--				
			.9	--	--	170				
SEP 19, 72	1200	4	1.2	--	--	150				

LINE 122

SEP 20, 72	1025	2	.3	9	--	--				
SEP 20, 72	0925	12	.3	12	--	--				

LINE 147

SEP 19, 72	1155	2	.3	6	--	--				
SEP 19, 72	1305	5	.3	5	--	--				

TABLE BE--QUALITY OF WATER IN THE NUECES ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL	BOTTOM	TOTAL	BOTTOM	TOTAL	BOTTOM	TOTAL	BOTTOM
				ALDRIN (UG/L)	ALDRIN (UG/KG)	CHLOR-DANE (UG/L)	CHLOR-DANE (UG/KG)	DDD (UG/L)	DDD (UG/KG)	DDE (UG/L)	DDE (UG/KG)

LINE 53

NOV 05, 71	1100	2	1.5	--	<	.2	--	--	--	--	--	9.4		
SEP 19, 72	1225	2	.3	.00	--	.0	--	.00	--	.00	--	--		
NOV 05, 71	1130	4	1.5	--	<	.2	--	<	1.0	--	<	.2	--	2.0
SEP 19, 72	1200	4	.3	.00	--	.0	--	.00	--	.00	--	.00	--	

LINE 122

SEP 20, 72	1025	2	.3	.00	--	.0	--	.00	--	.00	--	--
SEP 20, 72	0925	12	.3	.00	--	.0	--	.00	--	.00	--	--

LINE 147

SEP 19, 72	1155	2	.3	.00	--	.0	--	.00	--	.00	--	--
SEP 19, 72	1305	5	.3	.00	--	.0	--	.00	--	.00	--	--

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL	BOTTOM	TOTAL	BOTTOM	TOTAL	BOTTOM	TOTAL	BOTTOM
				DDT (UG/L)	DDT (UG/KG)	DIEL-DRIN (UG/L)	DIEL-DRIN (UG/KG)	ENDRIN (UG/L)	ENDRIN (UG/KG)	HEPTA-CHLOR (UG/L)	HEPTA-CHLOR (UG/KG)

LINE 53

NOV 05, 71	1100	2	1.5	--	--	--	<	.2	--	<	.2	--	<	.2	
SEP 19, 72	1225	2	.3	.00	--	.00	--	.00	--	.00	--	--	--	--	
NOV 05, 71	1130	4	1.5	--	<	.2	--	<	.2	--	<	.2	--	<	.2
SEP 19, 72	1200	4	.3	.00	--	.00	--	.00	--	.00	--	.00	--	--	

LINE 122

SEP 20, 72	1025	2	.3	.00	--	.00	--	.00	--	.00	--	--	--
SEP 20, 72	0925	12	.3	.00	--	.00	--	.00	--	.00	--	--	--

LINE 147

SEP 19, 72	1155	2	.3	.00	--	.00	--	.00	--	.00	--	--	--
SEP 19, 72	1305	5	.3	.00	--	.00	--	.00	--	.00	--	--	--

TABLE BE--QUALITY OF WATER IN THE NUCLES ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	LINE	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		TOTAL	
				CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)	CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)	PARA- THION (UG/L)	METHYL PARA- THION (UG/L)	PARA- THION (UG/L)	METHYL PARA- THION (UG/L)	MALA- THION (UG/L)	DIAZ- INON (UG/L)

LINE 53

NOV 05, 71	1100	2	1.5	--	<	.2	--	--	--	--	--	--	--
SEP 19, 72	1225	2	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00
NOV 05, 71	1130	4	1.5	--	<	.2	--	<	.2	--	--	--	--
SEP 19, 72	1200	4	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00

LINE 122

SEP 20, 72	1025	2	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00
SEP 20, 72	0925	12	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00

LINE 147

SEP 19, 72	1155	2	.3	--	--	.00	--	.00	.00	.00	.00	.00	.00
SEP 19, 72	1305	5	.3	.00	--	.00	--	.00	.00	.00	.00	.00	.00

DATE OF COLLECTION	LINE	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		TOTAL	
				PCB (UG/L)	PCB (UG/KG)	2,4-D (UG/L)	2,4-D (UG/KG)	2,4,5-T (UG/L)	2,4,5-T (UG/KG)	SILVER (UG/L)	SILVER (UG/KG)		

LINE 53

NOV 05, 71	1100	2	.3	<	.5	--	.20	--	.00	--	.00	--	--
SEP 19, 72	1225	2	.3	--	--	.00	--	.00	--	.00	--	.00	--
NOV 05, 71	1130	4	.3	<	.5	--	.02	--	.00	--	.00	--	--
SEP 19, 72	1200	4	.3	--	--	.00	--	.00	--	.00	--	.00	--

LINE 122

SEP 20, 72	1025	2	.3	<	.1	--	.00	--	.00	--	.00	--	--
SEP 20, 72	0925	12	.3	--	--	.00	--	.00	--	.00	--	.00	--

LINE 147

SEP 19, 72	1155	2	.3	--	--	.00	--	.00	--	.00	--	.00	--
SEP 19, 72	1305	5	.3	--	--	.00	--	.00	--	.00	--	.00	--

Laguna Madre Estuary

The Laguna Madre estuary covers an area of about 640 square miles (1,660 square kilometers) and consists of the tidal parts of the Arroyo Colorado and other tributaries, upper Laguna Madre, Baffin Bay, lower Laguna Madre, Brownsville Ship Channel, part of the Intracoastal Waterway, Port Mansfield Channel, and Brazos Santiago Pass (Figure 10). At mlw, upper and lower Laguna Madre and Baffin Bay are generally less than 4 feet (1.2 meters) deep, but in a few areas are as much as 10 feet (3.0 meters) deep. The Intracoastal Waterway, Port Mansfield Channel, and Arroyo Colorado are about 15 feet (4.6 meters) deep; the Brownsville Ship Channel is about 40 feet (12.2 meters) deep.

Water-quality data (Table 9) were collected in September 1972 and May 1973.

The changes in line numbers to facilitate computer storage in the Texas Water Oriented Data Bank and to provide opportunity to coordinate data-collection sites among all agencies are shown below. New line numbers are used in Table 9 and on Figure 10.

All data collected prior to the changes in line numbers are stored in the data bank under the new line numbers.

Laguna-Madre Estuary Change in Line Numbers

OLD	NEW	OLD	NEW
1	10	26	263
2	23	27	274
3	34	28	287
4	44	29	297
5	53	30	301
6	64	31	313
7	74	32	320
8	82	33	334
9	94	33a	342
10	107	34	343
11	119	34a	348
12	125	35	351
13	134	36	364
14	145	37	370
15	157	38	376
16	163		
17	173	Gulf of Mexico	
18	188	39-site 2	902-site 95
19	194		
20	203		
21	217		
22	223		
23	233		
24	247		
25	258		




Figure 10

Data-Collection Sites in the Laguna Madre Estuary

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK (CM))
LINE 10										
SEP 28, 72	1335	3	.3	46000	28.8	8.7	9.8	153	35	91
			1.5	47000	27.6	8.5	8.8	133	30	--
			3.0	47000	28.7	8.4	8.4	129	25	--
			4.6	46000	29.0	8.4	7.8	122	25	--
MAY 24, 73	1215	3	.3	52000	28.3	8.4	5.3	83	19	76
			1.5	52000	28.6	8.4	5.3	84	17	--
			3.0	52000	28.6	8.4	5.1	81	22	--
			4.3	50000	28.9	8.4	5.1	81	20	--
SEP 28, 72	1345	4	.3	45000	28.9	8.7	9.6	150	55	76
			1.5	45000	29.2	8.7	10.0	156	55	--
MAY 24, 73	1225	4	.3	52000	28.3	8.5	7.7	120	27	58
			1.5	52000	28.2	8.5	7.1	111	30	--
			2.4	50000	28.6	8.5	6.8	106	30	--
LINE 23										
SEP 28, 72	1235	3	.3	46000	29.4	8.6	14.1	220	--	56
			1.5	46000	28.9	8.5	13.4	209	--	--
			3.0	46000	28.8	8.4	12.8	200	--	--
			4.6	46000	28.7	8.4	12.3	189	--	--
			6.1	48000	28.8	8.4	13.0	203	--	--
MAY 24, 73	1100	3	.3	53000	26.8	--	4.4	68	--	48
			1.5	53000	26.8	--	4.4	68	--	--
			3.0	53000	26.7	--	4.4	68	--	--
			4.9	53000	26.7	--	5.6	86	--	--
LINE 34										
SEP 28, 72	1205	1	.3	46000	28.1	8.4	7.8	118	15	74
			1.5	46000	27.7	8.3	7.0	106	15	--
			3.0	46000	27.8	8.3	4.8	73	10	--
			4.6	46000	28.5	8.2	4.3	66	15	--
SEP 28, 72	1203	2	.3	40000	28.8	8.1	11.2	170	--	48
			1.5	40000	28.4	8.0	9.6	143	--	--
MAY 24, 73	1025	2	.3	52000	27.5	8.4	5.9	92	18	91
			1.5	52000	27.5	8.4	5.5	86	12	--
			3.0	52000	27.4	8.4	5.2	80	12	--
			4.3	52000	27.6	8.4	4.8	75	12	--
MAY 24, 73	1030	2	.3	53000	27.2	--	7.0	108	--	--
			.6	53000	27.2	--	8.2	126	--	--
LINE 44										
SEP 28, 72	1140	2	.3	44000	28.5	8.3	13.9	214	--	58
			1.5	44000	28.5	8.3	12.3	189	--	--
			3.0	44000	28.5	8.3	11.9	183	--	--
			4.6	43000	28.8	8.3	11.4	175	--	--
MAY 24, 73	1005	2	.3	53000	26.9	--	6.5	100	--	71
			1.5	53000	26.9	--	6.6	102	--	--
			3.0	53000	26.8	--	6.4	98	--	--
			4.6	53000	26.7	--	6.4	98	--	--
LINE 53										
SEP 28, 72	1120	1	.3	55000	29.3	8.4	14.4	236	--	58

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC (CONDUCT-) ANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
LINE 53 CONTINUED										
SEP 28, 72	1120	1	1.5	55000	29.0	8.4	13.8	222	--	--
SEP 28, 72	1105	2	.3 1.5 3.0 4.6	55000 55000 55000 56000	28.8 28.6 28.6 28.7	8.4 8.4 8.4 8.3	11.9 9.0 8.4 9.4	192 145 135 152	-- -- -- --	-- -- -- --
MAY 24, 73	0935	2	.3 1.5 3.0 4.3	53000 53000 53000 53000	27.0 26.9 26.8 26.9	8.2 8.3 8.3 8.2	6.7 6.4 5.6 5.4	103 98 86 83	13 16 22 45	89 -- -- --
LINE 64										
SEP 27, 72	1540	2	.3 1.8	39000 39000	28.9 28.9	8.5 8.5	7.6 7.8	113 116	-- --	33 --
SEP 28, 72	0845	2	.3 1.5	38000 38000	26.2 26.0	8.5 8.5	5.0 4.7	71 66	40 45	41 --
MAY 23, 73	1425	2	.3 1.5	61000 61000	27.3 27.2	-- --	6.3 6.4	102 103	-- --	38 --
LINE 74										
SEP 28, 72	0850	3	.3 1.5	38000 39000	27.4 27.4	8.4 8.3	9.7 8.0	140 116	-- --	36 --
MAY 23, 73	1530	3	.3 1.2	57000 57000	27.1 27.2	-- --	5.4 5.3	86 84	-- --	18 --
LINE 82										
SEP 27, 72	1530	2	.6 1.5 2.1	41000 46000 46000	28.3 28.2 28.3	8.5 8.5 8.4	6.0 5.6 5.0	90 86 77	110 45 80	66 -- --
SEP 28, 72	0900	2	.3 1.5 2.1	39000 39000 39000	26.9 26.8 26.5	8.4 8.4 8.4	5.3 5.1 5.8	76 73 83	45 45 30	56 -- --
MAY 23, 73	1410	2	.3 1.8	56000 56000	27.8 28.2	7.9 7.9	6.3 6.0	100 95	80 80	28 --
LINE 94										
SEP 28, 72	0950	2	.3 1.5	40000 40000	27.8 27.9	8.4 8.4	7.7 5.9	113 87	-- --	-- --
MAY 24, 73	0840	2	.3 1.2	57000 57000	26.2 26.1	8.7 --	6.2 7.0	97 109	-- --	23 --
LINE 107										
SEP 27, 72	1455	2	.3 1.5 2.7	51000 51000 53000	27.9 27.9 28.5	8.4 8.4 8.4	5.9 5.8 5.6	41 89 87	25 40 70	64 -- --
MAY 23, 73	1337	2	.5 2.1	53000 56000	27.4 27.6	8.1 8.1	7.0 6.5	108 103	80 80	41 --
LINE 119										
SEP 27, 72	1430	3	.3	59000	27.7	8.5	6.2	100	25	91

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	-------------------------------

LINE 119 CONTINUED

SEP 27, 72	1430	3	1.5 2.4	59000 59000	27.6 27.6	8.5 8.4	6.0 5.9	97 87	25 25	-- --
MAY 23, 73	1310	3	.3 1.5 2.3	52000 52000 50000	27.6 27.6 27.8	8.1 8.1	7.3 7.2	114 112 111	35 28 36	64 -- --
MAY 29, 73	0908	3	.3 1.5 2.4	52000 52000 52000	26.6 26.6 26.5	8.0 8.0 8.0	5.8 5.6 5.4	89 85 82	20 30 42	56 -- --

LINE 125

SEP 27, 72	1405	1	.3 1.5 3.0	63000 67000 73000	28.8 28.7 29.7	8.5 8.4 8.5	4.9 1.8 .0	83 31 0	-- -- --	81 -- --
MAY 23, 73	1255	1	.3 1.5 2.4 3.4	57000 57000 59000 68000	27.0 26.5 26.4 23.6	8.2 8.4 8.0 7.8	5.9 4.6 .8 .0	86 72 1 0	-- -- -- --	66 -- -- --
SEP 27, 72	1405	3	.3 1.5 3.0 3.7	57000 57000 57000 58000	27.4 27.5 27.4 27.8	8.4 8.4 8.4 8.4	5.5 5.1 4.6 3.5	87 82 75 56	10 10 15 15	102 -- -- --
MAY 23, 73	1240	3	.3 1.5 3.0 4.3	50000 50000 50000 50000	27.6 27.6 27.4 28.1	8.2 8.2 8.2 8.2	6.4 6.4 6.1 5.2	98 98 92 80	0 0 1 32	112 -- -- --
SEP 27, 72	1423	4	.3 2.1	57000 57000	28.7 28.7	8.4 8.4	7.8 8.1	128 133	-- --	81 --
MAY 23, 73	1240	4	.3 1.5	50000 50000	26.9 27.0	8.5 8.9	5.1 5.6	77 85	-- --	86 --

LINE 132

SEP 27, 72	1330	2	.3 1.5 3.0 4.6	55000 55000 55000 55000	27.4 27.4 27.4 27.4	8.5 8.4 8.4 8.4	6.0 5.4 5.5 7.8	94 84 86 122	-- 15 10 5	107 -- -- --
------------	------	---	-------------------------	----------------------------------	------------------------------	--------------------------	--------------------------	-----------------------	---------------------	-----------------------

LINE 134

SEP 27, 72	1320	1	.3 .6	47000 46000	28.4 28.4	8.4 8.4	8.6 9.1	132 140	-- --	43 --
MAY 23, 73	1110	1	.3	61800	25.9	8.6	4.5	71	--	23
MAY 23, 73	1115	2	.3 1.5 3.0 4.3	48000 48000 48000 46000	27.4 27.4 27.4 27.7	8.2 8.2 8.2 8.1	6.7 6.7 6.7 6.7	99 99 99 101	4 5 10 12	107 -- -- --

LINE 145

SEP 27, 72	1240	1	.3 .6	46000 55000	28.2 28.3	8.5 8.5	8.3 8.5	126 137	-- --	61 --
MAY 23, 73	1035	1	.3 1.5	51000 53000	25.7 25.5	8.0 8.0	5.3 4.6	79 70	-- --	48 --
SEP 27, 72	1255	2	.3	26000	26.4	8.7	6.5	87	0	137

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK) (CM)
--------------------	------	------	----------------	---	----------------------	----	-------------------------	--------------------	-----------------	---------------------------------

LINE 145 CONTINUED

SEP 27, 72	1255	2	1.5	53000	27.6	8.5	5.2	81	0	--
			3.0	59000	27.9	8.4	6.3	102	0	--
			4.3	59000	27.6	8.4	6.6	139	0	--
MAY 23, 73	1025	2	.3	50000	26.6	8.3	4.9	74	--	69
			1.5	50000	26.6	8.4	4.9	74	--	--
			3.0	50000	26.6	8.5	5.0	76	--	--
			4.6	50000	26.6	8.7	5.7	86	--	--

LINE 157

SEP 27, 72	1230	2	.3	33000	26.2	8.6	6.5	89	10	117
			1.5	59000	27.3	8.5	4.7	72	10	--
			3.0	59000	27.4	8.4	4.9	75	10	--
			5.2	59000	27.4	8.4	5.9	91	10	--
MAY 23, 73	1020	2	.3	48000	26.4	8.3	5.9	87	8	84
			1.5	48000	26.4	8.3	5.9	87	9	--
			3.0	48000	26.4	8.3	6.0	88	9	--
			5.2	45000	26.9	8.3	6.2	93	21	--

LINE 163

JUN 04, 72	1100	2	.3	41800	26.9	8.7	--	--	20	90
			2.1	43000	26.8	8.6	--	--	20	--
			4.0	44200	26.5	8.5	--	--	30	--
SEP 27, 72	1015	2	.3	38000	25.4	8.6	6.8	93	15	152
			1.5	49000	26.2	8.6	5.3	79	10	--
			3.0	59000	27.1	8.4	4.2	65	10	--
			4.6	59000	27.2	8.4	4.5	69	10	--
MAY 23, 73	0915	2	.3	44000	26.0	8.3	6.8	100	10	74
			1.5	46000	26.1	8.3	6.5	96	20	--
			3.0	46000	26.2	8.3	6.0	88	41	--
			4.6	49000	26.3	8.3	6.1	91	170	--

LINE 175

SEP 27, 72	1100	2	.3	50000	28.0	8.1	5.6	86	--	102
			1.2	50000	27.9	8.1	5.9	91	--	--
MAY 23, 73	0930	2	.3	48000	25.9	7.9	5.5	81	--	64
			1.2	48000	26.0	8.1	6.7	99	--	--
SEP 27, 72	0940	3	.3	59000	26.8	8.2	6.8	105	15	109
			1.5	59000	26.8	8.2	6.0	92	15	--
			3.0	59000	26.8	8.2	6.0	92	15	--
			4.6	59000	26.7	8.2	6.4	98	20	--
MAY 23, 73	0837	3	.3	46000	26.2	8.0	7.4	109	10	69
			1.5	46000	26.1	7.9	7.2	106	15	--
			3.0	46000	26.1	7.9	7.1	104	20	--
			4.9	46000	26.1	7.9	6.4	94	25	--
SEP 27, 72	1110	4	.3	50000	28.3	8.2	6.5	102	--	107
			1.5	48000	28.3	8.2	7.2	111	--	--
MAY 23, 73	0830	4	.3	42000	26.2	8.3	6.4	93	30	61
			1.5	42000	26.2	8.3	6.1	88	41	--

LINE 188

SEP 27, 72	1020	2	.3	59000	28.2	8.1	6.5	89	--	89
			1.4	59000	28.0	8.1	5.7	92	--	--

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS										
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICROMHOS/CM)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY (SECCHI DISK)
LINE 188 CONTINUED										
MAY 23, 73	0850	2	.3 1.2	48000 48000	25.9 25.8	7.5 7.8	5.4 5.9	79 87	-- --	25 --
SEP 27, 72	1010	3	.3 1.5 3.0 4.6	57000 60000 60000 61000	28.1 28.1 28.1 27.9	8.1 8.1 8.1 8.1	5.3 5.1 5.0 5.7	85 84 82 93	-- -- -- --	102 -- -- --
MAY 23, 73	0745	3	.3 1.5 3.0 4.6	46000 46000 46000 46000	25.9 25.9 25.9 25.8	8.0 8.0 7.9 7.9	6.7 6.6 6.4 6.8	99 97 94 100	6 9 22 40	91 -- -- --
SEP 27, 72	1035	4	.3 1.8	56000 55000	28.4 28.4	8.1 8.1	5.6 5.6	90 90	-- --	86 --
MAY 23, 73	0800	4	.3 1.7	45000 45000	25.8 25.8	8.2 8.2	6.9 5.0	101 74	18 30	62 --
LINE 194										
SEP 27, 72	0920	1	.3 1.5 3.0 4.6	50000 51000 51000 50000	27.6 27.6 27.6 27.6	8.3 8.3 8.3 8.3	5.7 5.7 5.8 6.1	86 88 89 92	-- -- -- --	71 -- -- --
MAY 23, 73	0800	1	.3 1.5 3.0 4.6 6.1 7.6	53000 53000 53000 53000 55000 55000	25.4 25.4 25.1 24.8 23.4 23.6	7.6 7.6 7.6 7.6 7.6 7.5	5.2 5.0 4.9 5.3 5.5 5.8	78 75 73 76 80 85	-- -- -- -- -- --	76 -- -- -- -- --
SEP 27, 72	0940	2	.3 1.5 3.0 4.6	48000 48000 51000 53000	27.2 27.2 27.4 27.6	8.4 8.4 8.3 8.3	5.4 5.7 5.6 4.9	80 85 85 76	-- -- -- --	122 -- -- --
MAY 23, 73	0820	2	.3 1.5 3.0 4.6	51000 51000 51000 51000	25.2 25.1 25.2 25.2	7.9 7.9 8.0 8.5	5.2 5.0 5.0 7.0	76 74 74 103	-- -- -- --	71 -- -- --
SEP 27, 72	0930	3	.3 1.5 3.0 4.3	53000 53000 53000 53000	26.4 26.5 26.6 26.2	8.2 8.2 8.2 8.2	5.8 5.8 5.4 6.0	88 88 83 91	10 15 25 20	142 -- -- --
MAY 22, 73	1625	3	.3 1.5 3.0 4.6	46000 46000 45000 48000	26.7 26.7 26.7 26.2	8.7 8.8 8.9 9.3	7.0 6.7 6.8 6.8	104 100 101 100	-- -- -- --	61 -- -- --
MAY 23, 73	0840	3	.3 1.5 3.0 4.6	46000 46000 46000 46000	25.7 25.8 25.8 25.9	7.9 7.9 8.0 8.1	5.5 5.4 5.6 5.7	80 79 82 84	-- -- -- --	48 -- -- --
MAY 23, 73	0730	4	.3 1.5 3.7	43000 43000 44000	25.9 25.9 25.9	8.3 8.3 8.2	7.0 6.3 6.0	101 91 88	11 19 35	81 -- --
LINE 203										
SEP 26, 72	1750	2	.3 1.5 3.0	53000 53000 53000	28.2 28.3 28.3	8.3 8.3 8.3	8.3 8.9 10.5	130 139 164	10 10 15	86 -- --

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 203 CONTINUED										
SEP 26, 72	1750	2	4.9	53000	28.3	8.2	8.9	139	500	--
MAY 22, 73	1630	2	.3	44000	27.8	8.2	8.2	124	30	58
			1.5	44000	27.8	8.2	7.5	114	40	--
			3.0	44000	27.9	8.2	7.7	117	38	--
			4.6	44000	28.2	8.2	6.9	105	40	--
LINE 217										
SEP 26, 72	1715	2	.3	51000	30.3	8.3	6.8	110	--	36
			1.5	52000	30.1	8.3	6.5	106	--	--
			3.0	57000	29.7	8.2	5.5	92	--	--
			4.6	57000	29.6	8.2	5.8	97	--	--
MAY 22, 73	1555	2	.3	46000	26.6	--	6.5	97	--	38
			1.5	46000	26.5	--	6.5	96	--	--
			3.0	46000	26.3	--	6.4	94	--	--
			4.6	48000	25.9	--	6.8	100	--	--
LINE 223										
SEP 26, 72	1425	2	.3	2000	30.0	7.6	5.5	73	--	--
			1.5	1900	30.0	7.7	5.8	77	--	--
MAY 22, 73	1200	2	.3	11000	27.7	8.3	4.0	51	--	19
			.9	19000	27.3	8.0	1.5	20	--	--
			1.5	24000	26.9	8.3	.6	8	--	--
MAY 22, 73	1225	2	.3	7800	28.2	8.0	4.9	64	--	19
			.9	15000	27.4	7.9	2.4	32	--	--
			1.5	24000	26.8	8.2	.4	5	--	--
LINE 233										
SEP 26, 72	1518	2	.3	3000	29.5	7.7	4.9	64	--	86
			1.5	8000	29.2	7.6	3.1	41	--	--
			2.1	21000	29.4	7.7	.6	8	--	--
			3.0	43000	30.0	7.6	.0	0	--	--
			4.9	55000	30.0	7.7	.0	0	--	--
MAY 22, 73	1255	2	.3	16000	28.0	8.4	11.9	159	--	56
			.9	16000	27.6	8.4	10.8	142	--	--
			1.5	20000	26.8	8.1	5.8	77	--	--
			2.1	22000	26.7	8.0	4.6	61	--	--
			3.0	30000	25.0	8.0	.3	4	--	--
			4.6	40000	24.3	8.1	.2	3	--	--
LINE 247										
SEP 26, 72	1550	2	.3	14000	30.2	8.1	9.3	127	--	41
			1.5	22000	30.0	7.8	3.2	46	--	--
			2.1	30000	30.0	7.8	.8	12	--	--
			3.0	60000	30.0	8.0	.0	0	--	--
			4.9	61000	29.9	8.0	.0	0	--	--
MAY 22, 73	1325	2	.3	17000	27.8	--	11.2	151	--	67
			1.5	18000	27.1	--	9.4	124	--	--
			2.1	29000	25.9	--	3.5	47	--	--
			3.0	43000	25.2	--	.4	6	--	--
			4.6	45000	25.9	--	1.0	15	--	--
LINE 258										
SEP 26, 72	1340	2	.3	22000	29.5	8.4	9.8	138	20	74

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS) (FIELD)	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 258 CONTINUED										
SEP 26, 72	1340	2	1.5	44000	26.7	8.2	4.5	69	10	--
			3.0	58000	28.2	8.3	9.7	156	5	--
			4.0	58000	28.5	8.3	10.6	174	65	--
MAY 22, 73	1415	2	.3	24000	27.5	--	8.9	120	--	61
			.9	24000	27.6	--	8.8	119	--	--
			1.2	30000	27.1	--	7.0	97	--	--
			1.5	43000	26.1	--	4.0	58	--	--
			3.0	50000	25.3	--	6.0	88	--	--
4.3	50000	25.4	--	5.8	85	--	--			
LINE 263										
SEP 26, 72	1320	2	.3	59000	27.9	8.4	8.7	140	0	142
			1.5	59000	27.9	8.4	9.7	156	0	--
			3.0	59000	28.0	8.4	10.3	166	0	--
			3.7	59000	28.3	8.3	10.9	176	0	--
MAY 22, 73	1345	2	.3	48000	27.2	8.1	7.2	109	50	42
			1.5	48000	27.0	8.1	7.1	108	42	--
			3.0	48000	26.7	8.1	6.3	95	42	--
			4.3	45000	27.0	8.1	6.4	96	50	--
LINE 274										
MAY 22, 73	1300	1	.3	47000	28.0	8.4	8.5	129	5	86
			.8	46000	28.0	8.4	8.2	124	8	--
MAY 22, 73	1240	2	.3	44000	27.2	8.2	6.7	100	72	36
			1.1	44000	27.3	8.2	6.2	93	73	--
SEP 26, 72	1230	3	.3	58000	27.7	8.3	8.0	129	10	81
			1.5	58000	27.7	8.3	8.8	142	15	--
			3.0	58000	27.6	8.2	10.2	164	20	--
			4.6	58000	28.2	8.2	11.3	182	35	--
MAY 22, 73	1215	3	.3	48000	26.6	8.2	7.2	107	85	36
			1.5	48000	26.7	8.2	6.9	103	105	--
			3.0	48000	26.7	8.2	6.4	96	79	--
			4.3	50000	26.7	8.2	5.5	83	68	--
LINE 287										
SEP 26, 72	1150	1	.3	53000	28.3	8.2	11.1	173	0	84
			.9	53000	28.5	8.1	11.0	172	0	--
MAY 22, 73	1140	2	.3	51000	23.8	8.1	7.9	113	10	75
			.9	50000	24.0	8.2	6.7	96	--	--
SEP 26, 72	1140	3	.3	53000	28.2	8.1	9.1	142	5	97
			1.5	53000	28.2	8.1	7.7	120	5	--
			3.0	53000	28.2	8.2	8.0	125	15	--
MAY 22, 73	1130	3	.3	51000	23.0	8.0	5.6	79	3	66
			1.5	51000	23.0	8.0	5.4	76	10	--
			3.0	51000	23.1	8.0	5.2	73	11	--
			4.9	50000	23.3	8.0	5.1	72	14	--
SEP 26, 72	1135	4	.3	53000	28.0	8.2	7.3	114	10	69
			1.5	53000	27.9	8.2	8.2	128	10	--
			2.1	53000	28.1	8.2	8.9	139	35	--
MAY 22, 73	1115	4	.3	47000	25.9	8.2	6.2	91	21	46
			1.5	46000	25.9	8.2	6.2	91	28	--
			2.3	44000	26.1	8.2	6.4	94	31	--
LINE 297										
SEP 09, 72	1110	2	.3	57000	30.5	7.8	6.1	103	--	42

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,
WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO-MHOS (FIELD))	TEMPERATURE (DEG. C)	PH	DISSOLVED OXYGEN (MG/L)	PERCENT SATURATION	TURBIDITY (JTU)	TRANSPARENCY SECCHI DISK (CM)
LINE 297 CONTINUED										
SEP 09, 72	1110	2	1.5	57000	30.4	7.8	5.9	100	--	--
			3.0	57000	30.3	7.8	5.7	97	--	--
			4.1	57000	30.3	7.8	5.6	95	--	--
SEP 26, 72	1050	2	.3	53000	27.6	8.1	6.6	103	145	36
			1.5	53000	27.8	8.1	7.3	114	195	--
			3.0	53000	27.7	8.1	6.2	128	390	--
MAY 22, 73	0730	2	.3	46000	24.7	8.4	6.2	89	--	--
			1.5	48000	24.5	8.4	6.3	90	--	--
			3.0	48000	24.4	8.4	6.3	90	--	--
			4.6	48000	24.3	8.4	6.6	93	--	--
LINE 301										
SEP 26, 72	1100	2	.3	53000	27.5	8.2	8.6	134	40	48
			1.5	53000	27.4	8.2	8.9	137	40	--
			3.0	53000	27.4	8.2	8.9	137	35	--
			5.5	53000	27.5	8.2	11.4	178	50	--
MAY 22, 73	0715	2	.3	48000	24.2	8.2	6.6	93	--	67
			1.5	48000	24.2	8.2	6.6	93	--	--
			3.0	48000	24.2	8.2	6.6	93	--	--
			4.6	48000	24.2	8.2	6.7	94	--	--
			6.7	48000	24.2	8.2	6.7	94	--	--
LINE 313										
SEP 26, 72	1040	2	.3	53000	27.4	8.2	10.7	165	5	97
			1.5	53000	27.5	8.2	10.6	166	5	--
			3.0	53000	27.4	8.2	10.5	162	5	--
			6.1	53000	27.4	8.2	10.3	158	5	--
			9.1	53000	27.4	8.2	11.1	171	60	--
MAY 22, 73	0745	2	.3	46000	24.5	8.3	6.5	92	--	76
			1.5	48000	24.5	8.3	6.4	91	--	--
			3.0	48000	24.6	8.4	6.5	93	--	--
			4.6	50000	23.6	8.3	5.9	84	--	--
			6.1	51000	22.8	8.3	5.3	75	--	--
			9.1	51000	21.9	8.3	5.0	69	--	--
LINE 320										
SEP 26, 72	0940	2	.3	--	29.7	7.9	5.6	90	--	122
			1.5	--	29.6	7.9	.0	0	--	--
			3.0	--	30.0	7.7	.0	0	--	--
			6.1	--	30.0	7.6	.0	0	--	--
			9.1	--	28.8	7.7	.0	0	--	--
MAY 22, 73	0925	2	.3	43000	26.1	8.3	5.9	86	--	105
			1.5	43000	26.0	8.3	5.7	83	--	--
			3.0	45000	25.3	8.1	2.3	33	--	--
			4.6	46000	24.8	8.1	.6	9	--	--
			6.1	46000	24.4	8.0	.0	0	--	--
			9.1	48000	23.7	8.1	.0	0	--	--
13.7	50000	22.4	8.5	3.2	44	--	--			
LINE 339										
SEP 26, 72	1010	2	.3	--	29.5	7.9	--	--	--	97
			1.5	--	29.5	7.9	--	--	--	--
			3.0	--	29.5	7.9	--	--	--	--
			6.1	--	29.5	7.9	--	--	--	--
			9.1	--	29.4	8.0	--	--	--	--
			12.2	--	29.4	8.0	--	--	--	--

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCTANCE (MICRO- MHOS) (FIELD)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRAN- SPARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	--	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 334 CONTINUED

MAY 22, 73	0900	2	.3	45000	25.5	8.3	5.4	78	--	76
			1.5	45000	25.4	8.3	5.4	78	--	--
			3.0	45000	25.3	8.4	5.2	74	--	--
			4.6	46000	24.6	8.3	2.8	40	--	--
			6.1	50000	23.1	8.4	3.4	48	--	--
			9.1	51000	21.2	8.5	4.1	56	--	--
			13.7	50000	21.2	8.6	4.5	62	--	--

LINE 343

SEP 26, 72	1025	2	.3	--	29.3	7.7	--	--	--	48
			1.5	--	29.4	7.9	--	--	--	--
			3.0	--	29.5	7.9	--	--	--	--
			6.1	--	29.5	7.9	--	--	--	--
			9.8	--	29.5	8.0	--	--	--	--

MAY 22, 73	0840	2	.3	43000	25.0	8.3	6.1	86	--	30
			1.5	43000	25.0	8.3	5.9	83	--	--
			3.0	46000	25.1	8.3	5.3	76	--	--
			4.6	48000	24.1	8.2	2.8	39	--	--
			6.1	50000	22.8	8.3	3.8	54	--	--
			9.1	53000	20.9	8.4	4.1	56	--	--
			13.7	53000	20.9	8.5	4.3	59	--	--

LINE 351

SEP 26, 72	1035	2	.3	--	29.2	7.9	5.2	83	--	56
			1.5	--	29.2	7.9	--	--	--	--
			3.0	--	29.3	7.9	--	--	--	--
			6.1	--	29.2	8.0	--	--	--	0
			9.1	--	29.2	8.0	4.6	74	--	--

MAY 22, 73	0820	2	.3	45000	25.2	8.3	6.0	86	--	79
			1.5	45000	25.1	7.4	5.8	83	--	--
			3.0	48000	24.1	8.2	3.8	54	--	--
			4.6	48000	24.2	8.2	4.8	68	--	--
			6.1	50000	23.6	8.4	5.5	79	--	--
			9.1	51000	21.2	8.3	4.3	59	--	--
			13.7	53000	20.7	8.4	4.2	58	--	--

LINE 364

SEP 26, 72	1050	2	.3	--	29.6	7.9	--	--	--	64
			1.5	--	29.7	7.9	--	--	--	--
			3.0	--	29.8	8.0	--	--	--	--
			6.1	--	29.9	8.0	--	--	--	--
			9.1	--	29.9	8.0	--	--	--	--

MAY 22, 73	0810	2	.3	45000	24.8	8.4	6.2	89	--	81
			1.5	46000	24.6	8.4	6.2	89	--	--
			3.0	51000	23.1	8.3	5.3	75	--	--
			6.1	53000	21.0	8.3	4.2	56	--	--
			9.1	53000	20.9	8.3	4.3	59	--	--
			13.7	53000	20.9	8.4	4.7	64	--	--

LINE 370

SEP 26, 72	1020	2	.3	53000	27.7	8.1	10.4	162	5	69
			1.5	53000	27.7	8.1	10.4	162	5	--
			3.0	53000	27.7	8.1	10.8	169	5	--
			6.1	53000	27.7	8.2	10.4	162	5	--
			9.1	53000	27.7	8.2	10.8	169	15	--
			12.2	53000	27.9	8.2	10.8	169	15	--

MAY 22, 73	0755	2	.3	50000	23.7	8.3	6.1	88	--	76
------------	------	---	----	-------	------	-----	-----	----	----	----

TABLE 9A--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

FIELD DETERMINATIONS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CONDUCT- ANCE (MICRO- MHMS)	TEMPER- ATURE (DEG. C)	PH	DIS- SOLVED OXYGEN (MG/L)	PERCENT SATUR- ATION	TUR- BIDITY (JTU)	TRANS- PARENCY SECCHI DISK (CM)
--------------------------	------	------	-------------------	--	------------------------------	----	------------------------------------	----------------------------	-------------------------	---

LINE 370 CONTINUED

MAY 22, 73	0755	2	1.5	51000	22.7	8.3	6.0	84	--	--
			3.0	51000	22.0	8.3	5.8	81	--	--
			4.6	51000	21.1	8.3	5.2	71	--	--
			6.1	51000	21.0	8.3	5.1	70	--	--
			9.1	53000	20.7	8.3	4.7	64	--	--
			12.2	53000	20.6	8.4	4.6	63	--	--
			13.7	53000	20.5	8.4	5.5	74	--	--

LINE 376

SEP 26, 72	0955	2	1.5	53000	27.5	8.2	9.2	144	10	71
			3.0	53000	27.5	8.2	10.0	156	15	--
			6.1	53000	27.4	8.2	10.3	158	20	--
			9.1	53000	27.4	8.2	11.5	177	20	--
			11.6	53000	27.3	8.2	12.6	194	25	--

OCT 06, 72	1010	2	10.4	46000	26.4	8.4	6.0	88	--	--
MAY 22, 73	1030	2	.3	52000	21.9	8.0	5.1	72	2	71
			1.5	52000	21.8	8.0	5.0	70	2	--
			3.0	52000	21.6	8.0	4.9	68	8	--
			6.1	52000	21.6	8.0	4.8	67	22	--
			9.8	50000	21.7	8.0	5.0	69	92	--

LINE 382

APR 11, 73	1150	4	.3	33000	17.1	8.0	8.9	99	20	89
			1.8	33000	17.1	8.0	8.9	101	25	--
			3.7	33000	17.1	8.0	8.9	103	40	--

LINE 610

APR 09, 73	1415	2	.3	1600	16.3	7.7	8.7	88	--	13
			.6	1600	16.3	7.7	9.2	93	--	--

LINE 902

MAY 22, 73	0655	95	.6	52000	21.8	8.1	6.8	96	--	--
			3.0	52000	21.7	8.1	6.5	90	0	--
			6.1	52000	21.2	8.1	5.6	77	0	--
			9.1	52000	20.7	8.1	5.5	75	0	--
			12.5	52000	20.7	8.1	4.7	64	0	--

LINE 910

MAY 22, 73	0745	95	21.6	53000	21.3	8.2	7.1	97	--	--
------------	------	----	------	-------	------	-----	-----	----	----	----

TABLE 9B--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	STATION	DEPTH (METERS)	DIS-SOLVED SILICA (SiO ₂) (MG/L)	TOTAL INTRATE (N) (MG/L)	AMMONIA NITROGEN (NH ₃) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS-SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO-CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 23												
SEP 28, 72	1235	3	.3 6.1	3.5 3.5	.0 .0	.00 .00	.00 .00	.00 .00	.00 .07	5.1 3.2	31.0 41.0	11.0 16.0
MAY 24, 73	1100	3	.3 4.9	9.1 9.2	.0 .0	.03 .00	.00 .00	.02 .02	.07 .14	6.4 4.8	-- --	19.0 20.0
LINE 53												
SEP 28, 72	1105	2	.3 4.6	7.4 8.1	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	6.0 6.3	-- --	-- --
MAY 24, 73	0935	2	.3 4.3	6.7 7.5	.0 .0	.04 .04	.00 .00	.01 .01	.05 .06	4.9 4.1	-- --	-- --
LINE 64												
SEP 27, 72	1540	2	.3 1.8	14.0 13.0	.0 .0	.00 .00	.00 .00	.00 .00	.06 .13	8.3 8.2	70.0 --	31.0 --
MAY 23, 73	1425	2	.3 1.5	7.4 7.0	.0 .0	.07 .10	.00 .00	.02 .02	.10 .10	8.1 8.4	-- --	27.0 --
LINE 74												
SEP 28, 72	0850	3	.3 1.5	12.0 12.0	.0 .0	.00 .00	.00 .00	.00 .00	.13 .12	8.3 7.9	66.0 --	31.0 --
MAY 23, 73	1530	3	.3 1.2	2.1 2.3	.0 .0	.17 .17	.02 .02	.06 .06	.19 .23	2.8 1.9	-- --	18.0 --
LINE 94												
SEP 28, 72	0950	2	.3 1.5	9.4 10.0	.0 .0	.00 .00	.00 .00	.00 .00	.06 .08	8.3 8.6	70.0 --	31.0 --
MAY 24, 73	0840	2	.3 1.2	3.8 4.2	.0 .0	.08 .08	.01 .01	.03 .03	.11 .10	3.2 1.9	-- --	14.0 --
LINE 107												
MAY 23, 73	1337	2	.5 2.1	6.9 8.5	.0 .0	.13 .15	.00 .00	.01 .01	.10 .13	3.9 3.5	-- --	-- --
LINE 125												
SEP 27, 72	1405	3	3.7	--	--	--	--	--	--	--	--	17.0
MAY 23, 73	1240	3	.3 4.3	4.1 6.0	.0 .0	.11 .03	.01 .00	.00 .01	.04 .05	3.8 1.4	-- --	8.0 12.0
LINE 163												
JUN 04, 72	1100	2	.3 4.0	--	--	--	--	--	--	1.4 1.7	-- --	-- --
SEP 27, 72	1015	2	.3 4.6	2.2 .8	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	1.9 1.3	-- --	-- --
MAY 23, 73	0915	2	.3	5.5	.0	.08	.00	.01	.06	2.2	--	--

TABLE 9B--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED SILICA (SI02) (MG/L)	TOTAL NITRATE (N) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)	BIO- CHEMICAL OXYGEN DEMAND (BOD) (MG/L)	CHEMICAL OXYGEN DEMAND (COD) (MG/L)	TOTAL ORGANIC CARBON (MG/L)
LINE 163 CONTINUED												
MAY 23, 73	0915	2	4.6	5.0	.0	.09	.00	.01	.11	3.6	--	--
LINE 188												
SEP 27, 72	1020	2	.3 1.4	3.5 3.0	.0 .0	.02 .00	.00 .00	.00 .00	.00 .00	.7 .8	16.0 26.0	-- --
MAY 23, 73	0850	2	.3 1.2	6.4 6.5	.0 .0	.39 .33	.02 .03	.02 .02	.07 .09	1.1 1.4	-- --	11.0 15.0
MAY 23, 73	0800	4	.3 1.7	5.1 3.5	.1 .1	.22 .21	.03 .02	.01 .01	.06 .04	1.6 1.3	-- --	9.0 7.0
LINE 194												
SEP 27, 72	0940	2	.3 4.6	.5 1.0	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	2.1 4.3	-- --	-- --
MAY 23, 73	0820	2	.3 4.6	1.5 1.4	.0 .0	.10 .11	.09 .01	.02 .01	.06 .07	1.7 1.8	-- --	-- --
LINE 203												
MAY 22, 73	1630	2	.3 4.6	3.7 3.8	.1 .1	.16 .13	.02 .02	.01 .00	.07 .07	2.5 2.0	-- --	-- --
LINE 223												
SEP 26, 72	1425	2	.3 1.5	15.0 16.0	.8 .8	.26 .30	.10 .10	.26 .26	.40 .46	2.3 2.0	23.0 23.0	17.0 21.0
MAY 22, 73	1225	2	.3 1.5	23.0 16.0	2.2 .4	.79 1.30	.25 .20	.55 .34	.58 .41	4.4 2.9	17.0 25.0	12.0 11.0
LINE 247												
SEP 26, 72	1550	2	.3 4.9	19.0 3.0	.2 .0	.46 .79	.04 .00	.39 .11	.40 .11	.8 .2	-- --	-- --
MAY 22, 73	1325	2	.3 4.6	15.0 4.8	1.3 .0	.10 .47	.24 .01	.10 .09	.17 .11	4.5 1.8	-- --	-- --
LINE 274												
SEP 26, 72	1230	3	.3 4.6	1.2 .4	.0 .0	.00 .00	.00 .00	.00 .00	.00 .00	.6 .7	7.0 1.0	4.0 6.0
MAY 22, 73	1215	3	.3 4.3	1.2 1.0	.0 .0	.12 .10	.00 .01	.01 .00	.09 .11	1.0 1.4	-- --	11.0 7.0
LINE 297												
SEP 09, 72	1110	2	.3 4.1	.7 .8	.0 .0	.00 .00	.00 .00	.01 .02	.05 .06	1.3 1.6	-- --	-- --
LINE 320												
SEP 26, 72	0940	2	.3 9.1	2.6 3.6	.0 .0	.00 .24	.02 .00	.00 .10	.06 .10	1.5 .8	16.0 8.0	21.0 --
MAY 22, 73	0925	2	.3	.0	.0	.07	.01	.03	.08	1.7	7.0	5.0

TABLE 9B--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	TOTAL	AMMONIA	TOTAL	DIS-	TOTAL	BIO-	CHEMICAL	CHEMICAL	TOTAL
				SOLVED SILICA (SI02) (MG/L)	NITRATE (N) (MG/L)	(N) (MG/L)	NITRITE (N) (MG/L)	PHOS- PHORUS (P) (MG/L)	PHOS- PHORUS (P) (MG/L)	OXYGEN DEMAND (BOD) (MG/L)	OXYGEN DEMAND (COD) (MG/L)	ORGANIC CARBON (MG/L)	

LINE 320 CONTINUED

MAY 22, 73	0925	2	13.7	.3	.0	.09	.05	.03	.07	.9	3.0	3.0
------------	------	---	------	----	----	-----	-----	-----	-----	----	-----	-----

LINE 351

SEP 26, 72	1035	2	.3 9.1	2.6 1.5	.0 .0	.00 .00	.00 .00	.00 .00	.08 .06	1.4 .2	--	--
------------	------	---	-----------	------------	----------	------------	------------	------------	------------	-----------	----	----

MAY 22, 73	0820	2	.3 13.7	.0 .0	.0 .0	.07 .09	.00 .02	.02 .02	.06 .05	1.2 1.0	--	--
------------	------	---	------------	----------	----------	------------	------------	------------	------------	------------	----	----

LINE 376

OCT 06, 72	1010	2	10.4	1.6	.0	.00	.01	.00	.02	.3	--	--
------------	------	---	------	-----	----	-----	-----	-----	-----	----	----	----

LINE 902

MAY 22, 73	0655	95	.6 12.5	.0 .0	.0 .0	.13 57.00	.02 .01	.00 .01	.04 .04	1.5 1.5	--	--
------------	------	----	------------	----------	----------	--------------	------------	------------	------------	------------	----	----

TABLE 9C--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,
WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	DIS- SOLVED BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED (SUM OF CONSTITUENTS) (MG/L)
LINE 23 -----											
SEP 28, 72	1235	3	.3 6.1	46200 47800	370.0 --	1200.0 --	9200 --	140 --	1900 --	17000 --	29500 --
MAY 24, 73	1100	3	.3 4.9	54300 54400	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 53 -----											
SEP 28, 72	1105	2	.3 4.6	54800 56100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 24, 73	0935	2	.3 4.3	54400 56000	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 64 -----											
SEP 27, 72	1540	2	.3 1.8	38600 38800	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 23, 73	1425	2	.3 1.6	60200 60200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 74 -----											
SEP 28, 72	0850	3	.3 1.5	38300 38700	390.0 --	860.0 --	7400 --	236 --	1400 --	13000 --	23600 --
MAY 23, 73	1530	3	.3 1.2	58100 58100	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 94 -----											
SEP 28, 72	0950	2	.3 1.5	39600 40300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
MAY 24, 73	0840	2	.3 1.2	57600 57300	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 107 -----											
MAY 23, 73	1337	2	.5 2.1	56200 56200	-- --	-- --	-- --	-- --	-- --	-- --	-- --
LINE 125 -----											
MAY 23, 73	1240	3	.3	51900	--	--	--	--	--	--	--
LINE 143 -----											
JUN 04, 72	1100	2	.3 4.0	41800 44200	-- --	-- --	-- --	131 --	-- --	-- --	-- --
SEP 27, 72	1015	2	.3 4.6	38500 59000	340.0 --	890.0 --	7400 --	90 --	1800 --	13000 --	23700 --
MAY 23, 73	0915	2	.3 4.6	46600 48900	450.0 --	1200.0 --	9200 --	178 --	2800 --	16000 --	30800 --
LINE 188 -----											
SEP 27, 72	1020	2	.3	59000	--	--	--	--	--	--	--

TABLE 9C--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES												
DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHOS) (LAB)	DIS- SOLVED CALCIUM (CA) (MG/L)	DIS- SOLVED MAGNE- SIUM (MG) (MG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF TUENTS) (MG/L)	
LINE 188 CONTINUED												
SEP 27, 72	1020	2	1.4	58900	--	--	--	--	--	--	--	--
MAY 23, 73	0850	2	.3 1.2	48800 49000	--	--	--	--	--	--	--	--
MAY 23, 73	0800	4	.3 1.7	46700 47300	--	--	--	--	--	--	--	--
LINE 194												
SEP 27, 72	0940	2	.3 4.6	47700 52900	--	--	--	--	--	--	--	--
MAY 23, 73	0820	2	.3 4.6	52700 53400	--	--	--	--	--	--	--	--
LINE 203												
MAY 22, 73	1630	2	.3 4.6	46500 46600	--	--	--	--	--	--	--	--
LINE 223												
SEP 26, 72	1425	2	.3 1.5	1960 1980	100.0	38.0	260	138	300	400	1180	--
MAY 22, 73	1225	2	.3 1.5	7850 23700	--	--	--	--	--	3100 8400	--	--
LINE 247												
SEP 26, 72	1550	2	.3 4.9	14500 60600	--	--	--	--	--	--	--	--
MAY 22, 73	1325	2	.3 4.6	16300 47800	--	--	--	--	--	--	--	--
LINE 274												
SEP 26, 72	1230	3	.3 4.6	58100 58500	450.0	1400.0	12000	150	2400	22000	38600	--
MAY 22, 73	1215	3	.3 4.3	50500 50500	--	--	--	--	--	--	--	--
LINE 297												
SEP 09, 72	1110	2	4.1	56200	421.0	1410.0	11400	149	2880	20300	36500	--
LINE 320												
SEP 26, 72	0940	2	.3 9.1	50000 54400	--	--	--	--	--	--	--	--
MAY 22, 73	0925	2	.3 13.7	45000 49800	--	--	--	--	--	--	--	--
LINE 351												
SEP 26, 72	1035	2	.3 9.1	51700 54500	--	--	--	--	--	--	--	--

TABLE 9C--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	SPECIFIC CON- DUCTANCE (MICRO- MHQS) (LAB)	DIS- SOLVED CALCIUM (CA) (NG/L)	DIS- SOLVED MAGNE- SIUM (MG) (NG/L)	DIS- SOLVED SODIUM + POTAS- SIUM (NA+K) (MG/L)	BICAR- BONATE (HCO3) (MG/L)	DIS- SOLVED SULFATE (SO4) (MG/L)	DIS- SOLVED CHLORIDE (CL) (MG/L)	DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L)

LINE 351 CONTINUED

MAY 22, 73	0820	2	.3	45400	--	--	--	--	--	--	--
			13.7	53300	--	--	--	--	--	--	--

LINE 376

OCT 06, 72	1010	2	10.4	46900	--	--	--	--	--	--	--
------------	------	---	------	-------	----	----	----	----	----	----	----

LINE 902

MAY 22, 73	0655	95	.6	53300	--	--	--	--	--	--	--
			12.5	54700	--	--	--	--	--	--	--

TABLE 9D--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY.

WATER YEARS 1972 AND 1973

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED ALUMINUM (AL) (UG/L)	DIS-SOLVED ARSENIC (AS) (UG/L)	TOTAL ARSENIC (AS) (UG/L)	BOTTOM DEPOSIT ARSENIC (AS) (UG/GM)	DIS-SOLVED CADMIUM (CD) (UG/L)	TOTAL CADMIUM (CD) (UG/L)	BOTTOM DEPOSIT CADMIUM (CD) (UG/GM)
--------------------	------	------	----------------	---------------------------------	--------------------------------	---------------------------	-------------------------------------	--------------------------------	---------------------------	-------------------------------------

LINE 53

SEP 28, 72 1105 2 .3 -- 0 -- -- 0 -- --

LINE 74

SEP 28, 72 0850 3 .3 -- 0 -- -- 0 -- --
1.5 -- -- 0 -- -- 0

LINE 223

SEP 26, 72 1425 2 .3 -- 10 -- -- 0 -- --
1.5 -- -- 3 -- -- 0

LINE 274

SEP 26, 72 1230 3 .3 -- 0 -- -- 0 -- --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-SOLVED CHROMIUM (CR) (UG/L)	TOTAL CHROMIUM (CR) (UG/L)	DIS-SOLVED COBALT (CO) (UG/L)	TOTAL COBALT (CO) (UG/L)	BOTTOM DEPOSIT COBALT (CO) (UG/GM)	DIS-SOLVED COPPER (CU) (UG/L)	TOTAL COPPER (CU) (UG/L)	BOTTOM DEPOSIT COPPER (CU) (UG/GM)
--------------------	------	------	----------------	---------------------------------	----------------------------	-------------------------------	--------------------------	------------------------------------	-------------------------------	--------------------------	------------------------------------

LINE 53

SEP 28, 72 1105 2 .3 0 -- -- -- -- 12 -- --

LINE 74

SEP 28, 72 0850 3 .3 0 -- -- -- -- 11 -- --
1.5 -- -- -- -- 2 -- -- 2

LINE 223

SEP 26, 72 1425 2 .3 0 -- -- -- -- 8 -- --
1.5 -- -- -- -- 1 -- -- 7

LINE 274

SEP 26, 72 1230 3 .3 0 -- -- -- -- 4 -- --

TABLE 9D--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM
				SOLVED CYANIDE (CN) (MG/L)	DEPOSIT CYANIDE (CM) (UG/GM)	SOLVED IRON (FE) (UG/L)	IRON (FE) (UG/L)	DEPOSIT IRON (FE) (UG/GM)	SOLVED LEAD (PB) (UG/L)	LEAD (PB) (UG/L)	DEPOSIT LEAD (PB) (UG/GM)

LINE 53

SEP 28, 72 1105 2 .3 -- -- 0 -- -- 0 -- --

LINE 74

SEP 28, 72 0850 3 .3
1.5 -- -- 0 -- -- 3500 -- 0 -- -- 3

LINE 223

SEP 26, 72 1425 2 .3
1.5 -- -- 170 -- -- 18000 -- 0 -- -- 2

LINE 274

SEP 26, 72 1230 3 .3 -- -- 0 -- -- 0 -- --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS-	DIS-	TOTAL	BOTTOM	DIS-	TOTAL	BOTTOM	DIS-	DIS-
				SOLVED LITH- IUM (LI) (UG/L)	SOLVED MAN- GANESE (MN) (UG/L)	MAN- GANESE (MN) (UG/L)	MAN- GANESE (MN) (UG/GM)	NER- CURY (HG) (UG/L)	HER- CURY (HG) (UG/L)	HER- CURY (HG) (UG/GM)	SOLVED NICKLE (NI) (UG/L)	SOLVED STRON- TIUM (SR) (UG/L)

LINE 53

SEP 28, 72 1105 2 .3 180 50 -- -- -- -- -- -- 6800

LINE 74

SEP 28, 72 0850 3 .3
1.5 170 60 -- -- 80 -- -- 0 -- -- 7300

LINE 223

SEP 26, 72 1425 2 .3
1.5 50 40 -- -- 320 -- -- 0 -- -- 1700

LINE 274

SEP 26, 72 1230 3 .3 160 40 -- -- -- -- -- -- -- -- 6200

TABLE 9D--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

SELECTED IONS ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	DIS- SOLVED ZINC {ZN} {UG/L}	TOTAL ZINC {ZN} {UG/L}	BOTTOM DEPOSIT ZINC {ZN} {UG/GM}					
--------------------------	------	------	-------------------	--	---------------------------------	--	--	--	--	--	--

LINE 53

SEP 28, 72 1105 2 .3 3 -- --

LINE 74

SEP 28, 72 0850 3 .3 2 -- --
1.5 -- 18

LINE 223

SEP 26, 72 1425 2 .3 8 -- --
1.5 -- 56

LINE 274

SEP 26, 72 1230 3 .3 7 -- --

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM		TOTAL		BOTTOM		TOTAL		BOTTOM	
				ALDRIN (UG/L)	ALDRIN (UG/KG)	CHLOR- DANE (UG/L)	CHLOR- DANE (UG/KG)	DDD (UG/L)	DDD (UG/KG)	DDE (UG/L)	DDE (UG/KG)				
LINE 53 -----															
SEP 28, 72	1105	2	.3	.00	--	.0	--	.00	--	.00	--	.00	--		
LINE 64 -----															
SEP 27, 72	1540	2	1.8	--	< .2	--	< 1.0	--	< .2	--		--		.7	
LINE 79 -----															
SEP 28, 72	0850	3	.3 1.5	.00 --	< .2	.0 --	< 1.0	.00 --	< .2	.00 --	< .2	.00 --	< .2		
LINE 94 -----															
SEP 28, 72	0950	2	1.5	--	< .2	--	< 1.0	--	< .2	--		--		5.7	
LINE 188 -----															
SEP 27, 72	1020	2	.3	.00	--	.0	--	.00	--	.00	--	.00	--		
LINE 223 -----															
SEP 26, 72	1425	2	.3 1.5	.00 --	< .2	.0 --	< 1.0	.00 --	1.1	.05 --		.05 --		7.7	
LINE 274 -----															
SEP 26, 72	1230	3	.3	.00	--	.0	--	.00	--	.00	--	.00	--		

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY,

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM		TOTAL		BOTTOM		TOTAL		BOTTOM	
				DDT (UG/L)	DEPOSIT (UG/KG)	DDT (UG/L)	DEPOSIT (UG/KG)	DIEL- DRIN (UG/L)	DEPOSIT (UG/KG)	DIEL- DRIN (UG/L)	DEPOSIT (UG/KG)	ENDRIN (UG/L)	DEPOSIT (UG/KG)	HEPTA- CHLOR (UG/L)	DEPOSIT (UG/KG)
LINE 53															
SEP 28, 72	1105	2	.3	.00	--	.00	--	.00	--	.00	--	.00	--	.00	--
LINE 64															
SEP 27, 72	1540	2	1.8	--	< .2	--	< .2	--	< .2	--	< .2	--	< .2	--	< .2
LINE 74															
SEP 28, 72	0850	3	.3 1.5	.00 --	< .2	.00 --	< .2	.00 --	< .2	.00 --	< .2	.00 --	< .2	.00 --	< .2
LINE 94															
SEP 28, 72	0950	2	1.5	--	< .2	--	< .2	--	< .2	--	< .2	--	< .2	--	< .2
LINE 188															
SEP 27, 72	1020	2	.3	.00	--	.00	--	.00	--	.00	--	.00	--	.00	--
LINE 223															
SEP 26, 72	1425	2	.3 1.5	.00 --	< .2	.00 --	< .2	.00 --	< .2	.00 --	< .2	.00 --	< .2	.00 --	< .2
LINE 274															
SEP 26, 72	1230	3	.3	.00	--	.00	--	.00	--	.00	--	.00	--	.00	--

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL DEPOSIT		TOTAL LINDANE (UG/L)	BOTTOM DEPOSIT LINDANE (UG/KG)	TOTAL PARA- THION (UG/L)	TOTAL METHYL PARA- THION (UG/L)	TOTAL MALA- THION (UG/L)	TOTAL DIAZ- INON (UG/L)
				HEPTA- CHLOR EPOXIDE (UG/L)	HEPTA- CHLOR EPOXIDE (UG/KG)						
LINE 53 -----											
SEP 26, 72	1105	2	.3	.00	--	.00	--	.00	.00	.00	.00
LINE 64 -----											
SEP 27, 72	1540	2	1.8	--	<	.2	--	<	2.0	--	--
LINE 74 -----											
SEP 28, 72	0850	3	.3 1.5	.00 --	<	.2	--	<	2.0	.00 --	.00 --
LINE 94 -----											
SEP 28, 72	0950	2	1.5	--	<	.2	--	<	2.0	--	--
LINE 188 -----											
SEP 27, 72	1020	2	.3	.00	--	.00	--	.00	.00	.00	.00
LINE 223 -----											
SEP 26, 72	1425	2	.3 1.5	.00 --	<	.2	--	<	2.0	.00 --	.00 --
LINE 274 -----											
SEP 26, 72	1230	3	.3	.00	--	.00	--	.00	.00	.00	.00

TABLE 9E--QUALITY OF WATER IN THE LAGUNA MADRE ESTUARY.

WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT	
				PCB (UG/L)	PCB (UG/KG)	2,4-D (UG/L)	2,4-D (UG/KG)	2,4,5-T (UG/L)	2,4,5-T (UG/KG)	SILVEX (UG/L)	SILVEX (UG/KG)				

LINE 53

SEP 28, 72 1105 2 .3 < .1 -- .00 -- .00 -- .01 --

LINE 64

SEP 27, 72 1540 2 .3 -- -- .00 -- .00 -- .00 --

LINE 74

SEP 28, 72 0850 3 .3 < .1 -- .00 -- .00 -- .00 --

LINE 94

SEP 28, 72 0950 2 .3 -- -- .00 -- .00 -- .00 --

LINE 188

SEP 27, 72 1020 2 .3 < .1 -- .00 -- .00 -- .00 --

LINE 223

SEP 26, 72 1425 2 .3 < .1 -- .00 -- .00 -- .00 --

LINE 274

SEP 26, 72 1230 3 .3 < .1 -- .00 -- .00 -- .00 --

DATE OF COLLECTION	TIME	SITE	DEPTH (METERS)	TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT		TOTAL		BOTTOM DEPOSIT	
				TOXA-PHENE (UG/L)	TOXA-PHENE (UG/KG)	ETHION (UG/L)	ETHION (UG/KG)	METHYL TRI-THION (UG/L)	METHYL TRI-THION (UG/KG)	TRI-THION (UG/L)	TRI-THION (UG/KG)				

LINE 223

SEP 26, 72 1425 2 .3 .9 -- -- -- -- -- --

SELECTED HYDROLOGIC RECORDS

Climatological Records

The climate of a region plays a great role in estuarine water quality. The types of climatological data available for a 60-mile- (97-kilometer-) wide band along the Texas coast are shown on Figure 11.

Tabulations of daily precipitation, temperature, and other data are published monthly, and monthly summaries are published annually by the Environmental Science Services Administration in the series titled Climatological Data-Texas. For the period 1931-60, monthly and annual data are summarized in two U.S. Weather Bureau publications (1958, 1965).




Figure 11.—Locations of Selected Climatological Stations

Streamflow and Water-Quality Records

Streams along the Texas coast lie in the flat coastal plain and are incised below sea level. Thus changes in water stage within bays often are reflected many miles up tributary streams. Consequently, the farthest downstream sites at which continuous streamflow data can be determined are located many miles upstream from the principal estuarine water bodies. The location

of sites¹ at which continuous streamflow and daily water-quality data are available are shown on Figure 12.

The streamflow data for these sites represent runoff reaching the coastal area, but do not describe all

1 Station numbers greater than 400 are abbreviated from the U.S. Geological Survey numbering system. For example, the two station numbers 08041500 and 08162650, in abbreviated form become 415 and 1626.5.




Figure 12.—Locations of Streamflow-Measuring Sites and Daily Water-Quality Data-Collection Sites

of the flow from streams that enter the estuaries. Intervening drainage, diversion for irrigation, return flows, and evapotranspiration may influence streamflow between the measuring sites and the estuaries.

Analyses of water collected daily at streamflow measuring sites show the effect of geology and cultural development on runoff from the drainage basins. At times, however, return flows, evapotranspiration, and lack of significant flow from upstream result in altered water quality between the data-collection site and the estuary.

Streamflow and chemical-quality data are published annually in the U.S. Geological Survey series Water Resources Data for Texas: Part 1, Surface-Water Records, and Part 2, Water-Quality Records.

Drainage areas from which unmeasured runoff enters the estuaries ranges from less than 100 square miles (259 square kilometers) on some estuaries to more than 10,000 square miles (25,900 square kilometers). Periodic measurements indicate that during some seasons unmeasured runoff that reaches the estuaries exceeds measured flow from the major tributaries.

To completely describe the quality and quantity of runoff from the entire area between continuous streamflow stations and the estuaries is not feasible; however, representative data are collected periodically at sites shown on Figure 13 and are published annually by the U.S. Geological Survey (1972, 1972a, 1973, 1973a).

Some of the sites are not sampled regularly and have no index number. These sites were numbered consecutively, from 1 through 27, for this report. The station names are listed below so the reader can identify them in the literature. The data from the 27 sites not previously published are listed in Table 10.

1. Little Robin Slough near Matagorda
2. West Branch Mad Island Slough near Collegeport
3. Unnamed tributary to Oyster Lake near Collegeport
4. Unnamed tributary to Matagorda Bay near Collegeport

5. Willow Dam Slough near Collegeport
6. Johnsons Timber Slough near Collegeport
7. Turtle Creek near Palacios
8. Lunis Creek near La Ward
9. Keller Creek near La Ward
10. Huisache Creek near Lolita
11. Mustang Creek near Ganado
12. Unnamed drainage ditch near Point Comfort
13. Casa Blanca Creek near Inez
14. Mercado Creek near Inez
15. Arenosa Creek near Inez
16. Dry Creek near Inez
17. East Coloma Creek near Port Lavaca
18. West Coloma Creek near Seadrift
19. Seadrift Creek at Seadrift
20. Guadalupe River at State Highway 35 near Tivoli
21. Artesian Creek near Tivoli
22. Willow Creek near Tivoli
23. Sous Creek near Woodsboro
24. Chocolate Creek near Woodsboro
25. Melon Creek near Refugio
26. Paplote Creek near Skidmore
27. Gum Hollow near Portland




Figure 13
Locations of Selected Water-Quality
and Streamflow Data-Collection Sites

Base from Official State Highway Map of Texas, 1971

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973
NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTAN- TANBOUS DISCHARGE (FT ³ /S) /	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	pH (UNITS) (FIELD)	TEM- PERA- TURE (°C) (FIELD)	DIS- SOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURA- TION	BIO- CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	AMMO- NIA NITRO- GEN (N) (MG/L)	TOTAL NITR- RATE (N) (MG/L)	TOTAL NI- TRITE (N) (MG/L)	DIS- SOLVED PHOS- PHUS ORTHO (P) (MG/L)	TOTAL PHOS- PHUS (P) (MG/L)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY															
1. Little Robin Slough near Matagorda															
1972															
Oct. 12	1630	0.51	770	7.4	29.0	7.8	103	4.8	--	12	0.00	0.03	0.00	0.00	0.06
Oct. 17	1105	.44	810	7.6	24.0	6.1	72	--	--	--	--	--	--	--	--
Oct. 18	1315	.11	840	7.5	28.5	7.1	91	1.2	--	5.8	.00	.00	.00	.05	.05
2. West Branch Mad Island Slough near Collegeport															
1972															
Oct. 11	1730	4.1	720	7.6	27.0	7.2	89	--	--	25	.10	.01	.00	.00	.06
Oct. 16	1730	2.4	740	7.5	29.0	9.4	120	--	--	--	--	--	--	--	--
Oct. 17	1140	3.0	730	7.4	26.0	5.4	66	--	--	--	--	--	--	--	--
Oct. 18	1200	2.0	750	7.5	26.0	7.3	89	3.0	--	24	.00	.03	.00	.15	.16
3. Unnamed Tributary to Oyster Lake near Collegeport															
1972															
Oct. 12	1340	14	700	7.9	28.0	8.4	106	2.8	--	6.1	.00	.00	.00	.00	.00
Oct. 16	1615	11	730	7.9	30.0	9.4	124	--	--	--	--	--	--	--	--
Oct. 17	1215	11	720	8.1	27.5	8.1	101	--	--	--	--	--	--	--	--
Oct. 18	1030	1.8	730	7.7	25.5	7.5	90	1.2	--	5.0	.00	.00	.00	.10	.14
4. Unnamed Tributary to Matagorda Bay near Collegeport															
1972															
Oct. 12	1500	5.3	700	8.1	--	11.0	--	4.0	--	6.8	.00	.00	.00	.00	.10
Oct. 16	1645	14	690	7.9	30.0	13.0	171	--	--	--	--	--	--	--	--
Oct. 17	1215	9.1	710	8.1	28.0	8.9	113	--	--	--	--	--	--	--	--
Oct. 18	1115	11	730	7.6	26.0	7.9	96	1.9	--	5.5	.00	.00	.00	.08	.08
1626 Tres Palacios Creek near Midfield															
1972															
Oct. 13	1000	12	860	7.5	24.5	6.6	78	--	--	30	--	.04	--	--	--
Oct. 17	1500	7.1	1,050	7.7	27.0	7.9	98	--	--	--	--	--	--	--	--
Oct. 18	1450	6.6	1,070	7.5	27.0	7.7	95	.7	--	20	.00	.00	.00	.61	.61
5. Willow Dam Slough near Collegeport															
1972															
Oct. 12	1145	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1045	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1400	0	--	--	--	--	--	--	--	--	--	--	--	--	--
6. Johnsons Timber Slough near Collegeport															
1972															
Oct. 11	1500	.41	600	7.5	26.0	13.4	163	--	--	44	.00	.00	.00	.00	.04
Oct. 17	1005	.16	630	7.6	24.0	5.4	64	--	--	--	--	--	--	--	--
Oct. 18	1430	.08 2/	640	7.4	26.0	7.9	96	--	--	40	.00	.01	.00	.33	.33
1626.5 Cashes Creek near Blessing															
1972															
Oct. 13	0830	1.2	800	7.3	23.5	5.6	65	--	--	44	--	.30	--	--	--
Oct. 17	0940	.37	1,000	7.2	24.0	4.5	53	--	--	--	--	--	--	--	--
Oct. 18	1530	0	--	--	--	--	--	--	--	--	--	--	--	--	--
7. Turtle Creek near Palacios															
1972															
Oct. 12	1000	2.7	580	7.2	25.0	4.2	50	.9	--	27	.00	.02	.00	.00	.07
Oct. 17	0950	2.6	530	7.1	24.5	4.8	56	--	--	--	--	--	--	--	--
Oct. 18	0815	2.6	570	7.1	24.0	5.5	65	--	--	24	.00	.05	.00	.20	.21

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED
NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTAN- TANEOUS DISCHARGE (FT ³ /S)	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	pH (UNITS) (FIELD)	TEM- PERA- TURE (°C) (FIELD)	DIS- SOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURA- TION	BIO- CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	AMMO- NIA NITRO- GEN (N) (MG/L)	TOTAL NI- TRATE (N) (MG/L)	TOTAL NI- TRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)
<u>1627 East Carancahua Creek near Blessing</u>															
1972															
Oct. 13	1100	3.1	1,260	7.6	25.5	7.0	84	--	--	29	--	0.00	--	--	--
Oct. 17	1410	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1635	1.1	1,050	7.7	28.0	8.8	111	1.2	--	40	0.00	.01	0.00	0.23	0.23
<u>1628 West Carancahua Creek near La Ward</u>															
1972															
Oct. 11	1450	3.8	--	8.1	28.0	7.0	87	--	36	48	.00	.02	.00	.07	.08
Oct. 16	0835	10	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0915	6.5	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1330	6.0	--	--	25.5	--	--	--	--	38	.00	.02	.00	.42	.42
<u>8. Lunis Creek near La Ward</u>															
1972															
Oct. 11	1540	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	0855	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0930	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1230	0	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>9. Keller Creek near La Ward</u>															
1972															
Oct. 12	0945	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	0820	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0907	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1400	0	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>10. Huisache Creek near Lolita</u>															
1972															
Oct. 12	1000	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	0810	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0900	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1415	0	--	--	--	--	--	--	--	--	--	--	--	--	--
<u>1640 Lavaca River near Edna</u>															
1972															
Oct. 11	0940	30	--	7.7	23.0	8.8	101	1.4	11	21	.00	.00	.00	.08	.10
Oct. 16	1010	30	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1040	30	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0945	30	--	--	22.0	--	--	.3	--	20	.00	.00	.00	.21	.21
<u>1645 Navidad River near Ganado</u>															
1972															
Oct. 11	1050	57	--	7.6	24.0	8.0	94	1.8	29	28	.09	.05	.00	.06	.08
Oct. 16	0940	26	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1010	26	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1035	29	--	--	22.0	--	--	1.1	--	28	.00	.02	.00	.24	.24
<u>11. Mustang Creek near Ganado</u>															
1972															
Oct. 11	1300	37	--	7.1	24.5	5.0	59	1.9	33	35	.02	.01	.00	.08	.10
Oct. 16	0922	17	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0955	20	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1135	12	--	--	22.5	--	--	.9	--	44	.00	.01	.00	.22	.24

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED
NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S)	SPECIFIC CONDUCTANCE (MICROMHOS (FIELD))	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIO-CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO ₂) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued															
12. Unnamed Drainage Ditch near Point Comfort															
1972															
Oct. 12	1050	0.49	--	7.4	33.0	2.4	33	8.2	--	39	2.5	0.00	0.00	0.00	0.32
Oct. 16	0800	.49	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0840	1.0	--	--	35.5	--	--	7.5	--	40	11	.00	.00	.60	.28
Oct. 18	1445	.28	--	--	34.5	--	--	7.5	--	40	11	.00	.00	.60	.61
1646 Garcitas Creek near Inez															
1972															
Oct. 11	0825	.82	--	7.6	24.0	7.5	88	1.9	--	29	.05	.03	.00	.00	.00
Oct. 16	1030	.46	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1100	.48	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0835	.48	--	--	--	--	--	.1	--	30	.00	.03	.00	.18	.18
13. Casa Blanca Creek near Inez															
1972															
Oct. 12	0840	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	1710	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1110	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1225	0	--	--	--	--	--	--	--	--	--	--	--	--	--
14. Mercado Creek near Inez															
1972															
Oct. 12	0950	1.2	795	7.3	24.0	5.1	60	--	--	24	.00	.20	.00	.23	.23
Oct. 16	1730	2.0	800	7.3	26.0	5.6	68	--	--	--	--	--	--	--	--
Oct. 17	1130	1.2	800	7.3	25.0	5.6	67	--	--	--	--	--	--	--	--
Oct. 18	1245	.88	870	7.3	25.0	5.2	62	--	--	20	.04	.20	.00	.42	.42
15. Arenosa Creek near Inez															
1972															
Oct. 12	1310	3.6	--	--	24.0	--	--	--	--	34	.00	.02	.00	.06	.07
Oct. 16	1045	1.3	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1110	.66	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0905	.25	--	--	22.0	--	--	--	--	35	.00	.03	.00	.31	.31
16. Dry Creek near Inez															
1972															
Oct. 11	0910	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	1055	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	1125	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0915	0	--	--	--	--	--	--	--	--	--	--	--	--	--
1648 Placedo Creek near Placedo															
1972															
Oct. 12	1110	.60	2,800	7.1	25.0	3.4	40	2.2	26	34	.00	.02	.00	.15	.15
Oct. 16	1545	.30	3,800	7.1	26.0	3.8	46	--	--	--	--	--	--	--	--
Oct. 17	1025	.30	3,700	7.1	24.0	2.8	33	--	--	--	--	--	--	--	--
Oct. 18	1100	.30	3,800	7.1	25.0	3.3	39	.6	--	34	.00	.00	.00	.25	.26
1648.5 Chocolate Bayou near Port Lavaca															
1972															
Oct. 12	1345	.23 2/	2,650	7.6	29.0	15.6	200	7.9	59	48	3.5	.10	.11	.38	.45
Oct. 16	1400	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0945	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0945	.12 2/	4,200	7.5	25.0	10.1	120	7.2	--	25	.00	.00	.00	.49	.53

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTAN- TANEOUS DISCHARGE (FT ³ /S) 1/	SPECIFIC CONDUCT- ANCE (MICRO- MHOS) (FIELD)	pH (UNITS) (FIELD)	TEM- PERA- TURE (°C) (FIELD)	DIS- SOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURA- TION	BIO- CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DIS- SOLVED SILICA (SiO ₂) (MG/L)	AMMO- NIA NITRO- GEN (N) (MG/L)	TOTAL NI- TRATE (N) (MG/L)	TOTAL NI- TRITE (N) (MG/L)	DIS- SOLVED PHOS- PHORUS ORTHO (P) (MG/L)	TOTAL PHOS- PHORUS (P) (MG/L)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued															
17. East Coloma Creek near Port Lavaca															
1972															
Oct. 11	1550	14	850	7.2	27.0	6.6	81	--	--	40	0.00	0.00	0.00	0.00	0.07
Oct. 16	1320	14 2/	925	7.2	26.0	6.6	80	--	--	--	--	--	--	--	--
Oct. 17	0835	14	900	7.2	24.0	4.1	48	--	--	--	--	--	--	--	--
Oct. 18	0805	14	900	7.2	24.0	4.1	48	--	--	36	.00	.00	.00	.35	.36
18. West Coloma Creek near Seadrift															
1972															
Oct. 11	1415	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 16	1330	0	--	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0905	.01 2/	1,250	7.5	24.0	5.0	59	--	--	--	--	--	--	--	--
Oct. 18	0745	.01 2/	1,450	7.4	24.0	4.4	52	--	--	--	--	--	--	--	--
TRIBUTARIES TO GUADALUPE ESTUARY															
19. Seadrift Creek at Seadrift															
1973															
Aug. 1	3/1410	3.0	710	8.1	35.5	--	--	1.5	--	38	.00	.05	.02	.05	.10
Aug. 8	4/0950	3.8	881	7.2	27.0	6.2	77	1.2	--	38	.05	.30	.00	.05	.06
20. Guadalupe River at State Highway 35 near Tivoli															
1973															
Aug. 2	5/1810	10,400	610	7.7	29.5	6.3	82	1.4	--	14	.00	1.1	.09	.15	.33
Aug. 9	6/1400	6,000	656	7.6	28.5	6.0	77	.4	--	14	.00	1.6	.01	.21	.33
TRIBUTARIES TO MISSION-ARANSAS ESTUARY															
21. Artesian Creek near Tivoli															
1971															
Nov. 4	1300	.61	--	7.7	25.0	8.0	95	--	52	20	.11	.02	.00	.00	.07
Nov. 10	1205	.08 2/	--	--	21.5	--	--	1.7	--	18	.05	.10	.00	.00	.06
22. Willow Creek near Tivoli															
1971															
Nov. 5	1200	2.1	--	7.4	21.0	8.4	--	--	--	--	--	--	--	--	--
Nov. 10	1135	.46	--	--	19.0	--	--	2.0	--	13	.01	.20	.00	.00	.06
1891 Salt Creek near Refugio															
1971															
Nov. 5	1040	.81	--	7.2	20.5	7.2	79	1.9	--	24	.12	.20	.00	.06	.08
Nov. 10	1115	.07	--	--	22.0	--	--	2.7	--	12	.09	.10	.01	.01	.11
1892 Copano Creek near Refugio															
1971															
Nov. 5	0915	16	--	6.9	18.5	7.5	80	2.5	--	10	.13	.30	.00	.05	.18
Nov. 8	1210	2.1	--	6.8	18.0	7.1	75	--	--	--	--	--	--	--	--
Nov. 9	1240	1.6	--	6.8	21.5	7.1	80	--	--	--	--	--	--	--	--
Nov. 10	1330	1.2	--	6.8	21.5	6.8	76	1.5	52	9.5	.12	.30	.00	.02	.12

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED
NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIO-CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO ₂) (MG/L)	AMMONIA NITROGEN (N) (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHO (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO MISSION-ARANSAS ESTUARY--Continued															
<u>1895 Mission River at Refugio</u>															
1971															
Nov. 3	1115	72	--	7.6	23.0	7.5	87	1.0	12	38	0.16	0.20	0.02	0.02	0.05
Nov. 8	1105	59	--	7.4	18.5	7.4	79	--	--	--	--	--	--	--	--
Nov. 9	1030	58	--	7.4	21.5	7.4	84	--	--	--	--	--	--	--	--
Nov. 10	1155	57	--	7.4	21.0	7.4	83	.6	16	36	.11	.30	.02	.02	.03
<u>23. Sous Creek near Woodsboro</u>															
1971															
Nov. 4	1600	1.7	--	7.2	23.0	7.4	85	1.8	--	20	.18	.20	.00	.00	.05
Nov. 8	1300	1.2	--	7.4	19.0	8.9	95	--	--	--	--	--	--	--	--
Nov. 9	1345	1.1	--	7.5	22.0	10.0	114	--	--	--	--	--	--	--	--
Nov. 10	1520	1.1	--	7.4	21.5	9.7	110	1.8	24	24	.01	.00	.01	.01	.04
<u>24. Chocolate Creek near Woodsboro</u>															
1971															
Nov. 4	1650	3.6	--	6.6	21.0	6.3	--	--	--	--	--	--	--	--	--
Nov. 8	1330	1.2	--	6.6	18.0	5.8	--	--	--	--	--	--	--	--	--
Nov. 9	1450	.79	--	6.6	22.0	5.7	--	--	--	--	--	--	--	--	--
Nov. 10	1600	.79	--	6.6	21.0	5.2	--	--	--	--	--	--	--	--	--
<u>25. Melon Creek near Refugio</u>															
1971															
Nov. 5	0800	19	--	6.6	20.0	6.3	--	--	--	--	--	--	--	--	--
Nov. 8	1130	14	--	6.7	18.5	6.3	--	--	--	--	--	--	--	--	--
Nov. 9	1115	12	--	6.7	21.0	6.3	--	--	--	--	--	--	--	--	--
Nov. 10	1245	11	--	6.7	20.0	6.4	--	--	--	--	--	--	--	--	--
<u>1897 Aransas River near Skidmore</u>															
1971															
Nov. 4	0800	6.0	--	7.5	20.0	6.3	68	--	--	--	--	--	--	--	--
Nov. 8	0830	6.0	--	7.5	18.0	6.8	72	3.1	--	30	.08	.20	.04	1.4	1.4
Nov. 9	0815	6.1	--	7.5	20.0	6.4	70	--	--	--	--	--	--	--	--
Nov. 10	0740	5.8	--	7.5	18.5	7.2	77	2.6	13	30	.00	.30	.04	1.4	1.6
<u>26. Pappote Creek near Skidmore</u>															
1971															
Nov. 5	0830	2.0	--	7.3	20.0	6.0	65	2.0	9.9	42	.12	.10	.05	.11	.13
Nov. 8	0930	1.4	--	7.1	18.0	6.8	72	--	--	--	--	--	--	--	--
Nov. 9	0800	1.4	--	7.1	20.0	6.2	67	--	--	--	--	--	--	--	--
Nov. 10	0900	1.4	--	7.1	19.0	7.0	74	1.9	13	31	.03	.20	.03	.09	.12
<u>1898 Chiltipin Creek at Sinton</u>															
1971															
Nov. 3	1220	2.7	--	7.7	25.0	9.8	149	--	44	11	1.1	.00	.04	.02	.06
Nov. 8	1030	2.0	--	7.2	17.5	4.3	60	--	--	--	--	--	--	--	--
Nov. 9	0935	2.0	--	7.2	21.5	2.7	41	--	--	30	--	--	--	--	--
Nov. 10	1015	1.9	--	7.2	21.0	1.8	26	4.8	36	16	2.1	.10	.06	.09	.12

See footnotes at end of table.

TABLE 10A.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

NUTRIENT AND OTHER ENVIRONMENTAL CHARACTERISTICS

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S)	SPECIFIC CONDUCTANCE (MICROMHOS) (FIELD)	pH (UNITS) (FIELD)	TEMPERATURE (°C) (FIELD)	DISSOLVED OXYGEN (MG/L) (FIELD)	PERCENT SATURATION	BIO-CHEMICAL OXYGEN DEMAND (MG/L)	CHEMICAL OXYGEN DEMAND (MG/L)	DISSOLVED SILICA (SiO ₂) (MG/L)	AMMONIA NITROGEN (MG/L)	TOTAL NITRATE (N) (MG/L)	TOTAL NITRITE (N) (MG/L)	DISSOLVED PHOSPHORUS ORTHOPHOSPHATE (P) (MG/L)	TOTAL PHOSPHORUS (P) (MG/L)
TRIBUTARIES TO NUCES ESTUARY															
<u>27. Gum Hollow near Portland</u>															
1971															
Nov. 4	1410	0.07 ^{2/}	--	7.1	21.5	8.4	--	--	--	--	--	--	--	--	--
<u>2110 Nueces River near Mathis</u>															
1971															
Nov. 4	1020	3,130	--	7.8	23.0	8.2	94	--	8.8	12	0.09	0.20	0.00	0.13	0.13
Nov. 10	1305	1,150	--	--	23.0	--	--	1.1	--	11	.09	.20	.01	.11	.11
<u>2115.2 Oso Creek near Corpus Christi</u>															
1971															
Nov. 4	1130	3.3	--	8.0	22.0	14.4	200	4.0	--	7.1	.22	.10	.10	.48	.49
Nov. 10	1200	4.0 ^{2/}	--	--	22.8	--	--	6.2	--	12	2.4	--	.41	1.6	1.6

^{1/} To convert water discharge in cubic feet per second (ft³/s) to cubic meters per second (m³/s) multiply by 0.02832.

^{2/} Estimated.

^{3/} 15 mg/l total organic carbon; 0 mg/l phenol.

^{4/} 34 mg/l total organic carbon; 0 mg/l phenol.

^{5/} 4.0 mg/l total organic carbon; 0 mg/l phenol.

^{6/} 22 mg/l total organic carbon; 0 mg/l phenol.

TABLE 10B.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

CHEMICAL ANALYSES

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S) L/	SPECIFIC CONDUCTANCE (MICROMHOS)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNESIUM (MG)	DIS-SOLVED SODIUM + POTASSIUM (NA+K) (MG/L)	BICARBONATE (HCO ₃) (MG/L)	DIS-SOLVED SULFATE (SO ₄) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L)	HARDNESS (CA, MG)	NON-CARBONATE HARDNESS
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY												
<u>1. Little Robin Slough near Matagorda</u>												
1972												
Oct. 12	1630	0.51	732	40	18	81	234	20	96	382	190	0
Oct. 18	1315	.11	812	51	25	74	250	26	110	418	230	23
<u>2. West Branch Mad Island Slough near Collegeport</u>												
1972												
Oct. 11	1730	4.1	663	53	22	45	216	21	96	359	220	47
Oct. 18	1200	2.0	727	60	20	55	238	20	96	393	230	37
<u>3. Unnamed Tributary to Oyster Lake near Collegeport</u>												
1972												
Oct. 12	1340	14	651	57	27	35	220	34	80	347	250	72
Oct. 18	1030	1.8	691	63	21	44	233	30	82	360	240	53
<u>4. Unnamed Tributary to Matagorda Bay near Collegeport</u>												
1972												
Oct. 12	1500	5.3	654	54	25	40	203	34	86	346	240	70
Oct. 18	1115	11	698	60	25	38	239	25	80	352	250	56
<u>1626 Tres Palacios Creek near Midfield</u>												
1972												
Oct. 13	1000	12	838	64	26	61	261	20	110	443	260	51
Oct. 18	1450	6.6	1,030	79	23	110	326	28	160	580	290	25
<u>6. Johnsons Timber Slough near Collegeport</u>												
1972												
Oct. 11	1500	.41	547	48	16	35	196	6.0	67	312	180	24
Oct. 18	1430	.08 2/	586	53	15	45	196	12	82	344	200	34
<u>1626.5 Cashes Creek near Blessing</u>												
1972												
Oct. 13	0830	1.2	732	52	27	50	225	8.8	110	404	240	56
<u>7. Turtle Creek near Palacios</u>												
1972												
Oct. 12	1000	2.7	533	38	15	48	190	10	66	298	160	0
Oct. 18	0815	2.6	519	36	13	52	186	10	66	293	140	0
<u>1627 East Carancahua Creek near Blessing</u>												
1972												
Oct. 13	1100	3.1	1,190	35	47	130	280	19	220	617	280	50
Oct. 18	1635	1.1	1,040	65	32	99	300	18	170	575	290	46
<u>1628 West Carancahua Creek near La Ward</u>												
1972												
Oct. 11	1450	3.8	714	54	18	62	220	6.4	110	407	210	28
Oct. 18	1330	6.0	912	72	20	89	277	14	150	521	260	33
<u>1640 Lavaca River near Edna</u>												
1972												
Oct. 11	0940	30	796	110	7.7	41	378	18	54	442	320	6
Oct. 18	0945	30	804	110	8.7	54	391	20	61	469	310	0
<u>1645 Navidad River near Ganado</u>												
1972												
Oct. 11	1050	57	639	54	16	49	228	12	76	348	200	13
Oct. 18	1035	29	719	54	11	82	251	10	100	409	180	0
<u>11. Mustang Creek near Ganado</u>												
1972												
Oct. 11	1300	37	628	55	12	50	164	10	110	349	190	54
Oct. 18	1135	12	789	69	14	62	230	13	110	430	230	40
<u>12. Unnamed Drainage Ditch near Point Comfort</u>												
1972												
Oct. 12	1050	.49	81,600	470	200	22,000	760	280	34,000	56,900	2,000	1,400
Oct. 17	0940	1.0	82,800	490	210	22,000	748	340	35,000	58,700	2,100	1,500
Oct. 18	1445	.28	80,700	500	190	22,000	710	250	35,000	58,200	2,000	1,500
<u>1646 Garcitas Creek near Inez</u>												
1972												
Oct. 11	0825	.82	468	47	7.4	37	190	14	42	270	150	0
Oct. 18	0835	.48	512	53	8.3	40	204	21	45	298	170	0
<u>14. Marcado Creek near Inez</u>												
1972												
Oct. 12	0950	1.2	760	--	--	--	--	--	--	--	--	--
Oct. 18	1245	.88	802	30	17	120	254	22	120	451	140	80
<u>15. Arenosa Creek near Inez</u>												
1972												
Oct. 12	1310	3.6	821	35	18	110	236	6.0	140	453	160	0
Oct. 18	0905	.25	853	46	18	110	252	6.0	150	489	190	0

See footnotes at end of table.

TABLE 10B.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

CHEMICAL ANALYSES

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S) 1/	SPECIFIC CONDUCTANCE (MICRO-MHOS)	DIS-SOLVED CALCIUM (CA) (MG/L)	DIS-SOLVED MAGNE-SIUM (MG)	DIS-SOLVED SODIUM + POTAS-SIUM (NA+K) (MG/L)	BICAR-BONATE (HCO ₃) (MG/L)	DIS-SOLVED SULFATE (SO ₄) (MG/L)	DIS-SOLVED CHLORIDE (CL) (MG/L)	DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L)	HARD-NESS (CA, MG)	NON-CARBONATE HARDNESS
<u>TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued</u>												
<u>1648 Placedo Creek near Placedo</u>												
1972												
Oct. 12	1110	0.60	2,550	180	29	300	332	35		660	1,410	580
Oct. 18	1100	.30	3,710	260	65	470	378	47	1,100	2,190	910	310
<u>1648.5 Chocolate Bayou at Port Lavaca</u>												
1972												
Oct. 12	1345	.23 2/	2,600	170	40	310	292	96		660	1,470	590
Oct. 18	0945	.12 2/	3,940	260	66	530	359	170	1,100	2,380	920	350
<u>17. East Coloma Creek near Port Lavaca</u>												
1972												
Oct. 11	1550	14	838	68	22	64	224	36		130	466	260
Oct. 18	0805	14	858	70	21	74	228	35	140	489	260	73
<u>TRIBUTARIES TO GUADALUPE ESTUARY</u>												
<u>19. Seadrift Creek at Seadrift</u>												
1973												
Aug. 1	1410	3.0	678	62	18	52	235	36		79	402	230
Aug. 8	0950	3.8	893	75	22	77	254	58	120	521	280	36
<u>20. Guadalupe River at State Highway 35 near Tivoli</u>												
1973												
Aug. 2	1810	10,400	620	80	15	29	254	51	40	360	260	54
Aug. 9	1400	6,000	658	80	17	30	256	49	48	372	270	58
<u>TRIBUTARIES TO MISSION-ARANSAS ESTUARY</u>												
<u>21. Artesian Creek near Tivoli</u>												
1971												
Nov. 4	1300	.61	300	34	4.2	22	120	16		24	181	100
Nov. 10	1205	.08 2/	802	65	11	72	141	67	130	429	210	94
<u>22. Willow Creek near Tivoli</u>												
1971												
Nov. 10	1135	.46	312	25	3.1	33	110	4.0	36	169	75	0
<u>1891 Salt Creek near Refugio</u>												
1971												
Nov. 5	1040	.81	224	22	2.7	17	98	.4	16	131	66	0
Nov. 10	1115	.07	246	25	3.8	18	108	1.6	18	132	78	0
<u>1892 Copano Creek near Refugio</u>												
1971												
Nov. 5	0915	16	299	14	1.0	44	53	10	56	163	39	0
Nov. 10	1330	1.2	318	18	3.2	38	89	15	36	166	58	0
<u>1895 Mission River at Refugio</u>												
1971												
Nov. 3	1115	72	3,420	160	25	520	348	27	940	1,890	500	220
Nov. 10	1155	57	3,460	170	22	560	363	33	980	1,980	500	210
<u>23. Sous Creek near Woodsboro</u>												
1971												
Nov. 4	1600	1.7	1,340	96	21	150	214	58	290	739	330	150
Nov. 10	1520	1.1	1,940	140	33	220	294	88	440	1,090	480	240
<u>1897 Aransas River near Skidmore</u>												
1971												
Nov. 8	0830	6.0	1,370	81	9.2	200	394	29	220	768	240	0
Nov. 10	0740	5.8	1,410	81	9.2	210	404	28	230	799	240	0
<u>26. Papote Creek near Skidmore</u>												
1971												
Nov. 5	0830	2.0	765	110	14	29	381	16	45	433	330	16
Nov. 10	0900	1.4	806	120	13	32	401	16	50	459	350	22
<u>1898 Chiltipin Creek at Sinton</u>												
1971												
Nov. 3	1220	2.7	55,400	1,200	240	12,000	150	80	21,000	34,500	4,100	4,000
Nov. 9	0935	2.0	69,900	1,700	300	16,000	171	240	28,000	45,400	5,500	5,400
Nov. 10	1015	1.9	67,600	1,700	300	16,000	163	240	28,000	45,300	5,500	5,400
<u>TRIBUTARIES TO NUECES ESTUARY</u>												
<u>2110 Nueces River near Mathis</u>												
1971												
Nov. 4	1020	3,130	308	38	3.7	21	130	13	24	180	110	3
Nov. 10	1305	1,150	311	39	4.1	19	128	14	24	176	110	9
<u>2115.2 Oso Creek near Corpus Christi</u>												
1971												
Nov. 4	1130	3.3	48,800	1,400	240	11,000	166	91	20,000	32,200	4,400	4,300
Nov. 10	1200	4.0 2/	47,000	1,400	210	9,900	196	100	18,000	30,000	4,400	4,200

1/ To convert water discharge in cubic feet per second (ft³/s) to cubic meters per second (m³/s) multiply by 0.02832.

2/ Estimated.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S) 1/	SPECIFIC CONDUCTANCE (MICRO-MHOS AT 25°C)	DIS-SOLVED FLUORIDE (F) (MG/L)	DIS-SOLVED BROMIDE (BR) (MG/L)	DIS-SOLVED IODIDE (I) (MG/L)	DIS-SOLVED ARSENIC (AS) (MG/L)	DIS-SOLVED BORON (B) (MG/L)	DIS-SOLVED COPPER (CU) (MG/L)	DIS-SOLVED IRON (FE) (MG/L)	DIS-SOLVED LEAD (PB) (MG/L)	DIS-SOLVED LITHIUM (LI) (MG/L)	DIS-SOLVED MANGANESE (MN) (MG/L)	DIS-SOLVED MERCURY (HG) (MG/L)	DIS-SOLVED STRONTIUM (SR) (MG/L)	DIS-SOLVED ZINC (ZN) (MG/L)
<u>TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY</u>																
<u>1. Little Robin Slough near Matagorda</u>																
1972																
Oct. 12	1630	0.51	732	0.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1315	.11	812	.2	--	--	--	--	--	--	--	--	--	--	--	--
<u>2. West Branch Mad Island Slough near Collegeport</u>																
1972																
Oct. 11	1730	4.1	663	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1200	2.0	727	.2	--	--	--	--	--	--	--	--	--	--	--	--
<u>3. Unnamed Tributary to Oyster Lake near Collegeport</u>																
1972																
Oct. 12	1340	14	651	.3	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1030	1.8	691	.1	--	--	--	--	--	--	--	--	--	--	--	--
<u>4. Unnamed Tributary to Matagorda Bay near Collegeport</u>																
1972																
Oct. 12	1500	5.3	654	.2	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1115	11	698	.2	--	--	--	--	--	--	--	--	--	--	--	--
<u>1626 Tres Palacios Creek near Midfield</u>																
1972																
Oct. 13 2/	1000	12	838	.2	--	--	10	--	2	50	2	10	10	--	450	7
Oct. 18	1450	6.6	1,030	.3	2.9	0.08	--	140	--	--	--	--	--	--	--	--
<u>6. Johnsons Timber Slough near Collegeport</u>																
1972																
Oct. 11	1500	.41	547	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1430	.08 3/	566	.1	--	--	--	--	--	--	--	--	--	--	--	--
<u>1626.5 Cashs Creek near Blessing</u>																
1972																
Oct. 13	0830	1.2	732	.2	2.4	.05	--	140	--	--	--	--	--	--	--	--
<u>7. Turtle Creek near Palacios</u>																
1972																
Oct. 12	1000	2.7	533	.4	1.5	.04	--	140	--	--	--	--	--	--	--	--
Oct. 18	0815	2.6	519	.2	2.1	.03	--	130	--	--	--	--	--	--	--	--
<u>1627 East Carancahua Creek near Blessing</u>																
1972																
Oct. 13	1100	3.1	1,190	.2	3.4	.16	--	210	--	--	--	--	--	--	--	--
Oct. 18	1635	1.1	1,040	.4	2.1	.12	--	160	--	--	--	--	--	--	--	--
<u>1628 West Carancahua Creek near La Ward</u>																
1972																
Oct. 11	1450	3.8	714	.6	1.5	.02	--	130	--	--	--	--	--	--	--	--
Oct. 18	1330	6.0	912	.2	2.3	.03	--	150	--	--	--	--	--	--	--	--
<u>1640 Lavaca River near Edna</u>																
1972																
Oct. 11	0940	30	796	.3	1.0	.05	--	200	--	--	--	--	--	--	--	--
Oct. 18	0945	30	804	.3	2.5	.06	--	140	--	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S)	SPECIFIC CONDUCTANCE (MICROMHOS AT 25°C)	DIS-SOLVED FLUORIDE (F) (MG/L)	DIS-SOLVED BROMIDE (BR) (MG/L)	DIS-SOLVED IODIDE (I) (MG/L)	DIS-SOLVED ARSENIC (AS)	DIS-SOLVED BORON (B)	DIS-SOLVED COPPER (CU)	DIS-SOLVED IRON (FE)	DIS-SOLVED LEAD (PB)	DIS-SOLVED LITHIUM (LI)	DIS-SOLVED MANGANESE (MN)	DIS-SOLVED MERCURY (HG)	DIS-SOLVED TIUM (SR)	DIS-SOLVED ZINC (ZN)
<u>TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY--Continued</u>																
<u>1645 Navidad River near Ganado</u>																
1972																
Oct. 11	1050	57	639	0.3	0.8	0.02	--	120	--	--	--	--	--	--	--	--
Oct. 18	1035	29	719	.2	2.9	.03	--	170	--	--	--	--	--	--	--	--
<u>11. Mustang Creek near Ganado</u>																
1972																
Oct. 11	2/ 1300	37	628	.2	2.1	.01	0	160	2	20	0	0	0	--	290	5
Oct. 18	1135	12	789	.2	1.4	.02	--	140	--	--	--	--	--	--	--	--
<u>12. Unnamed Drainage Ditch near Point Comfort</u>																
1972																
Oct. 12	1050	.49	81,600	.9	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 17	0840	1.0	82,800	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1445	.28	80,700	.4	--	--	--	--	--	--	--	--	--	--	--	--
<u>1646 Garcitas Creek near Inez</u>																
1972																
Oct. 11	0825	.82	468	.2	1.5	.07	--	160	--	--	--	--	--	--	--	--
Oct. 18	0835	.48	512	.2	1.9	.08	--	95	--	--	--	--	--	--	--	--
<u>14. Marcado Creek near Inez</u>																
1972																
Oct. 18	1245	.88	802	.2	--	--	--	--	--	--	--	--	--	--	--	--
<u>15. Arenosa Creek near Inez</u>																
1972																
Oct. 12	1310	3.6	821	.5	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0905	.25	853	.2	--	--	--	--	--	--	--	--	--	--	--	--
<u>1648 Placedo Creek near Placedo</u>																
1972																
Oct. 12	1110	.60	2,550	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	1100	.30	3,710	.3	--	--	--	--	--	--	--	--	--	--	--	--
<u>1648.5 Chocolate Bayou at Port Lavaca</u>																
1972																
Oct. 12	2/ 1345	.23 3/	2,600	.4	4.4	.35	10	450	2	10	0	20	160	--	980	3
Oct. 18	0945	.12 3/	3,940	.2	5.3	.33	--	500	--	--	--	--	--	--	--	--
<u>17. East Coloma Creek near Port Lavaca</u>																
1972																
Oct. 11	1550	14	838	.4	--	--	--	--	--	--	--	--	--	--	--	--
Oct. 18	0805	14	858	.1	--	--	--	--	--	--	--	--	--	--	--	--
<u>TRIBUTARIES TO GUADALUPE ESTUARY</u>																
<u>19. Seadrift Creek at Seadrift</u>																
1973																
Aug. 1	1410	3.0	678	.3	--	--	--	--	--	--	--	--	--	--	--	--
Aug. 8	0950	3.8	893	.3	--	--	--	--	--	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTANTANEOUS DISCHARGE (FT ³ /S) 1/	SPECIFIC CONDUCTANCE (MICROMHOS AT 25°C)	DIS-SOLVED FLUORIDE (F) (MG/L)	DIS-SOLVED BROMIDE (BR) (MG/L)	DIS-SOLVED IODIDE (I) (MG/L)	DIS-SOLVED ARSENIC (AS)	DIS-SOLVED BORON (B)	DIS-SOLVED COPPER (CU)	DIS-SOLVED IRON (FE)	DIS-SOLVED LEAD (PB)	DIS-SOLVED LITHIUM (LI)	DIS-SOLVED MANGANESE (MN)	DIS-SOLVED MERCURY (HG)	DIS-SOLVED STRONTIUM (SR)	DIS-SOLVED ZINC (ZN)
TRIBUTARIES TO GUADALUPE ESTUARY--Continued																
<u>20. Guadalupe River at State Highway 35 near Tivoli</u>																
1973																
Aug. 2	1810	10,400	620	0.2	--	--	--	--	--	--	--	--	--	--	--	--
Aug. 9	1400	6,000	658	.2	--	--	--	--	--	--	--	--	--	--	--	--
TRIBUTARIES TO MISSION-ARANSAS ESTUARY																
<u>21. Artesian Creek near Tivoli</u>																
1971																
Nov. 4	2/ 1300	.61	300	.1	0.7	0.022	0	180	5	690	0	0	1	<0.5	100	0
Nov. 10	1205	.08 3/	802	.2	.5	.065	--	220	--	--	--	--	--	--	--	--
<u>22. Willow Creek near Tivoli</u>																
1971																
Nov. 10	1135	.46	312	.2	.0	.014	--	220	--	--	--	--	--	--	--	--
<u>1891 Salt Creek near Refugio</u>																
1971																
Nov. 5	1040	.81	224	.0	.7	.014	--	120	--	--	--	--	--	--	--	--
Nov. 10	1115	.07	246	.2	.5	.010	--	170	--	--	--	--	--	--	--	--
<u>1892 Copano Creek near Refugio</u>																
1971																
Nov. 5	2,4/ 0915	16	299	.0	.8	.017	10	200	6	310	0	10	1	< .5	350	0
Nov. 10	1330	1.2	318	.1	.3	.031	--	200	--	--	--	--	--	--	--	--
<u>1895 Mission River at Refugio</u>																
1971																
Nov. 3	2/ 1115	72	3,420	.2	5.6	.072	10	800	1	4	0	80	310	< .5	3,700	10
Nov. 10	1155	57	3,460	.3	5.3	.26	--	980	--	--	--	--	--	--	--	--
<u>23. Sous Creek near Woodsboro</u>																
1971																
Nov. 4	1600	1.7	1,340	.2	1.5	.058	--	290	--	--	--	--	--	--	--	--
Nov. 10	1520	1.1	1,940	.2	1.6	.27	--	400	--	--	--	--	--	--	--	--
<u>1897 Aransas River near Skidmore</u>																
1971																
Nov. 8	0830	6.0	1,370	.4	.9	.17	--	790	--	--	--	--	--	--	--	--
Nov. 10	0740	5.8	1,410	.4	1.1	.18	--	860	--	--	--	--	--	--	--	--
<u>26. Pajote Creek near Skidmore</u>																
1971																
Nov. 5	2/ 0830	2.0	765	.2	.7	.18	10	130	1	0	0	10	260	< .5	340	0
Nov. 10	0900	1.4	806	.3	.1	.18	--	190	--	--	--	--	--	--	--	--
<u>1898 Chiltipin Creek at Sinton</u>																
1971																
Nov. 3	2/ 1220	2.7	55,400	.3	110	.049	0	19,000	2	280	0	1,900	1,600	< .5	93,000	40
Nov. 9	0835	2.0	69,900	.3	129	.26	--	24,000	--	--	--	--	--	--	--	--
Nov. 10	1015	1.9	67,600	.3	134	.26	--	24,000	--	--	--	--	--	--	--	--
TRIBUTARIES TO NUECES ESTUARY																
<u>2110 Nueces River near Mathis</u>																
1971																
Nov. 4	2/ 1020	3,130	308	.1	.4	.015	0	80	3	10	0	10	6	< .5	190	0
Nov. 10	1305	1,150	311	.2	.8	.014	--	5	--	--	--	--	--	--	--	--

See footnotes at end of table.

TABLE 10C.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

ANALYSES FOR SELECTED IONS

(Results in micrograms per liter except as indicated)

DATE	TIME	INSTAN- TANEOUS DISCHARGE (FT ³ /S) 1/	SPECIFIC CONDUCT- ANCE (MICRO- MHOS AT 25°C)	DIS- SOLVED FLUC- RIDE (F) (MG/L)	DIS- SOLVED BRO- MIDE (BR) (MG/L)	DIS- SOLVED IO- DIDE (I) (MG/L)	DIS- SOLVED ARSE- NIC (AS)	DIS- SOLVED BORON (B)	DIS- SOLVED COPPER (CU)	DIS- SOLVED IRON (FE)	DIS- SOLVED LEAD (PB)	DIS- SOLVED LITHI- UM (LI)	DIS- SOLVED MANGA- NESE (MN)	DIS- SOLVED MERCURY (HG)	DIS- SOLVED TIUM (SR)	DIS- SOLVED ZINC (ZN)
------	------	---	---	--	--	--	--	--------------------------------	----------------------------------	--------------------------------	--------------------------------	--	--	-----------------------------------	--------------------------------	--------------------------------

TRIBUTARIES TO NUECES ESTUARY--Continued

2115.2 Oso Creek near Corpus Christi

1971																
Nov. 4	1130	3.3	48,800	0.2	84	0.13	--	18,000	--	--	--	--	--	--	--	--
Nov. 10	1200	4.0 <u>3/</u>	47,000	.4	75	.077	--	19,000	--	--	--	--	--	--	--	--

1/ To convert water discharge in cubic feet per second (ft³/s) to cubic meters per second (m³/s) multiply by 0.02832.

2/ 0 mg/l cadmium and chromium.

3/ Estimated.

4/ 10 mg/l aluminum.

TABLE 10D.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973

INSECTICIDE AND HERBICIDE ANALYSES

(Whole water analyses in micrograms per liter; bottom deposits analyses in micrograms per kilogram, dry measure)

DATE	INSTANTANEOUS DISCHARGE (FT ³ /S) 1/	TYPE OF SAMPLE	ALDRIN	CHLOR-DANE	DDD	DDE	DDT	DIEL-DRIN	ENDRIN	HEPTA-CHLOR	HEPTA-CHLOR EPOX-IDE	LIN-DANE	PARA-THION	METHYL PARA-THION	MALA-THION	DIA-ZINON	2,4-D	SILVEX	2,4,5-T
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY																			
<u>11. Mustang Creek near Ganado</u>																			
1972																			
Oct. 11	37	Water Bottom deposits	0.00 <.2	0.0 <1.0	0.00 1.9	0.00 2.1	0.00 <.2	0.01 <.2	0.00 <.2	0.00 <.2	0.00 <.2	0.00 <.2	0.00 --	0.00 --	0.00 --	0.00 --	0.00 <2.3	0.00 <1.1	0.09 <1.2
<u>1626 Tres Palacios Creek near Midfield</u>																			
1972																			
Oct. 13	12	Water Bottom deposits	.00 <.2	.0 <1.0	.00 .7	.00 1.7	.00 <.2	.01 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.01 --	.00 --	.00 --	.00 --
<u>1627 East Carancahua Creek near Blessing</u>																			
1972																			
Oct. 13	3.1	Water Bottom deposits	.00 <.2	.0 <1.0	.00 4.1	.00 1.3	.00 1.3	.01 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.00 --	.00 --	.00 --	.00 --
<u>1628 West Carancahua Creek near La Ward</u>																			
1972																			
Oct. 11	3.8	Water Bottom deposits	.00 <.2	.0 <1.0	.00 <.2	.00 .6	.00 <.2	.01 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.00 --	.23 --	.00 --	1.0 --
<u>1648 Placedo Creek near Placedo</u>																			
1972																			
Oct. 12	.60	Water Bottom deposit	.00 <.2	.0 <1.0	.00 <.2	.00 1.8	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.00 --	.00 --	.00 --	.00 --
<u>1648.5 Chocolate Bayou near Port Lavaca</u>																			
1972																			
Oct. 12	.23 2/	Water Bottom deposits	.00 <.2	.0 <1.0	.00 3.6	.00 7.6	.00 1.9	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.01 --	.00 --	.00 --	.00 --
TRIBUTARIES TO MISSION-ARANSAS ESTUARY																			
<u>21. Artesian Creek near Tivoli</u>																			
1971																			
Nov. 4	.61	Water Bottom deposits	.00 <.2	.0 <1.0	.00 <.2	.00 1.7	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.00 --	.00 --	.00 --	.00 --
<u>1892 Copano Creek near Refugio</u>																			
1971																			
Nov. 5	16	Water	.00	.0	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
<u>26. Dapote Creek near Skidmore</u>																			
1971																			
Nov. 5	2.0	Water Bottom deposits	.00 <.2	.0 <1.0	.00 <.2	.01 2.3	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 <.2	.00 --	.00 --	.00 --	.00 --	.03 --	.00 --	.00 --

See footnotes at end of table.

TABLE 10D.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973--CONTINUED

INSECTICIDE AND HERBICIDE ANALYSES

(Whole water analyses in micrograms per liter; bottom deposits analyses in micrograms per kilogram, dry measure)

DATE	INSTANTANEOUS DISCHARGE (FT ³ /S) 1/	TYPE OF SAMPLE	ALDRIN	CHLOR-DANE	DDD	DDE	DDT	DIEL-DRIN	ENDRIN	HEPTA-CHLOR	HEPTA-CHLOR EPOX-IDE	LIN-DANE	PARA-TRION	METHYL PARA-TRION	MALA-TRION	DIA-ZINON	2,4-D	SILVEX	2,4,5-T
TRIBUTARIES TO MISSION-ARANSAS ESTUARY--Continued																			
1898 Chiltipin Creek at Sinton																			
1971																			
Nov. 3	2.7	Water	0.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
		Bottom deposits	<.2	5.0	4.7	2.7	1.3	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--
TRIBUTARIES TO NUECES ESTUARY																			
2110 Mission River near Mathis																			
1971																			
Nov. 4	3,130	Water	<.00	.0	<.00	.01	<.00	<.00	<.00	<.00	<.00	<.00	.00	.00	.00	.00	.02	.00	.00
		Bottom deposits	<.2	10	<.2	2.6	<.2	<.2	<.2	<.2	<.2	<.2	--	--	--	--	--	--	--

1/ To convert water discharge in cubic feet per second (ft³/s) to cubic meters per second (m³/s) multiply by 0.02832.

2/ Estimated.

TABLE 10E.--WATER-QUALITY RECORDS FOR SELECTED TRIBUTARIES, WATER YEARS 1972 AND 1973
BACTERIOLOGICAL ANALYSES

DATE	TIME	INSTAN- TANEOUS DISCHARGE (FT ³ /S) 1/	IMMEDIATE COLIFORM (COL. PER 100 ML)	FECAL COLIFORM (COL. PER 100 ML)	STREP- TOCOCCI (COL. PER 100 ML)
TRIBUTARIES TO LAVACA-TRES PALACIOS ESTUARY					
<u>1626 Tres Palacios Creek near Midfield</u>					
1972		12	56,000	96	5,700
Oct. 13	1000				
Oct. 18	1450	6.6	80,000	190	3,100
<u>1627 East Carancahua Creek near Blessing</u>					
1972		3.1	40,000	120	480
Oct. 13	1100				
Oct. 18	1635	1.1	54,000	150	510
<u>1628 West Carancahua Creek near La Ward</u>					
1972		3.8	72,000	200	270
Oct. 11	1450				
Oct. 18	1330	6.0	100,000	920	320
<u>1640 Lavaca River near Edna</u>					
1972		30.	41,000	220	310
Oct. 11	0940				
Oct. 18	0945	30.	51,000	290	930
<u>1645 Navidad River near Ganado</u>					
1972		57.	42,000	150	300
Oct. 11	1050				
Oct. 18	1035	29.	45,000	250	930
<u>11. Mustang Creek near Ganado</u>					
1972		37	100,000	430	52,000
Oct. 11	1300				
Oct. 18	1135	12	74,000	640	900
<u>1648 Placedo Creek near Placedo</u>					
1972		.60	22,000	170	2,200
Oct. 12	1110				
Oct. 18	1100	.30	64,000	160	1,400
<u>1648.5 Chocolate Bayou near Port Lavaca</u>					
1972		.23 2/	85,000	440	380
Oct. 12	1345				
Oct. 18	0945	.12 2/	140,000	80	150
TRIBUTARIES TO GUADALUPE ESTUARY					
<u>19. Seadrift Creek at Seadrift</u>					
1973		3.0	200	150	520
Aug. 1	1410				
Aug. 8	0950	3.8	170	140	410
<u>20. Guadalupe River at State Highway 35 near Tivoli</u>					
1973		10,400	450	390	480
Aug. 2	1810				
Aug. 9	1400	6,000	270	140	1,100
TRIBUTARIES TO MISSION-ARANSAS ESTUARY					
<u>21. Artesian Creek near Tivoli</u>					
1971		.61	51,000	20	200
Nov. 4	1300				
<u>1895 Mission River at Refugio</u>					
1971		72	20,000	100	720
Nov. 3	1115				
<u>26. Paplote Creek near Skidmore</u>					
1971		2.0	16,000	120	88
Nov. 5	0830				
<u>1898 Chiltipin Creek at Sinton</u>					
1971		2.7	22,000	10	24
Nov. 3	1220				
TRIBUTARIES TO NUECES ESTUARY					
<u>2110 Nueces River near Mathis</u>					
1971		3,130	34,000	12	92
Nov. 4	1020				

1/ To convert water discharge in cubic feet per second (ft³/s) to cubic meters per second (m³/s) multiply by 0.02832.
2/ Estimated

REFERENCES CITED

- American Public Health Association, American Water Works Association, Water Pollution Control Federation, 1966, Standard methods for the examination of water and wastewater: Am. Public Health Assoc., second printing, 769 p.
- Grozier, R. U., and others, 1968, Floods from Hurricane Beulah in South Texas and Northeastern Mexico, September-October 1967: Texas Water Devel. Board Rept. 83, 195 p.
- Hahl, D. C., and Ratzlaff, K. W., 1970, Chemical and physical characteristics of water in estuaries of Texas, September 1967-September 1968: Texas Water Devel. Board Rept. 117, 91 p.
- ____1972, Chemical and physical characteristics of water in estuaries of Texas, October 1968-September 1969: Texas Water Devel. Board Rept. 144, 161 p.
- ____1973, Chemical and physical characteristics of water in estuaries of Texas, October 1969-September 1970: Texas Water Devel. Board Rept. 171, 123 p.
- ____1975, Chemical and physical characteristics of water in estuaries of Texas, October 1970-September 1971: Texas Water Devel. Board Rept. 191, 153 p.
- Lauff, G. H., ed., 1967, Estuaries: Washington, D.C., Am. Assoc. Adv. Sci., 757 p.
- U.S. Geological Survey, 1972, Water resources data for Texas, Part 1, surface-water records: U.S. Geol. Survey rept., 625 p.
- ____1972a, Water resources data for Texas, Part 2, water-quality records: U.S. Geol. Survey rept., 774 p.
- ____1973, Water resources data for Texas, Part 1, surface-water records: U.S. Geol. Survey rept., 639 p.
- ____1973a, Water resources data for Texas, Part 2, water-quality records: U.S. Geol. Survey rept., 714 p.
- U.S. Weather Bureau, 1958, Climatic summary of the United States-supplement for 1931 through 1952, Texas: Climatology of the United States No. 11-36, U.S. Dept. of Commerce, 147 p.
- ____1965, Climatic summary of the United States-supplement for 1951 through 1960, Texas: Climatology of the United States No. 86-36, U.S. Dept. of Commerce, 198 p.

6148