

R299
198

TEXAS
WATER
DEVELOPMENT
BOARD



Government Documents

APR 27 1976

Public Library

Report 198

*WATER-LEVEL AND WATER-QUALITY
DATA FROM OBSERVATION WELLS IN
NORTHEAST TEXAS*

February 1976

TEXAS WATER DEVELOPMENT BOARD

REPORT 198

WATER-LEVEL AND WATER-QUALITY
DATA FROM OBSERVATION WELLS IN
NORTHEAST TEXAS

By

Howard D. Taylor, Geologist

and

Staff of the Water Levels

and Ground Water Quality Monitoring Sections

February 1976

TEXAS WATER DEVELOPMENT BOARD

John H. McCoy, Chairman
W. E. Tinsley
Carl Illig

Robert B. Gilmore, Vice Chairman
Milton Potts
A. L. Black

Charles E. Nemir, Acting Executive Director

Authorization for use or reproduction of any original material contained in this publication, i.e., not obtained from other sources, is freely granted. The Board would appreciate acknowledgement.

Published and distributed
by the
Texas Water Development Board
Post Office Box 13087
Austin, Texas 78711

TABLE OF CONTENTS

	Page
INTRODUCTION	1
Purpose and Scope	1
Location and Extent of the Area	1
Personnel	1
Acknowledgements	1
Definitions of Terms	2
Well-Numbering System	4
GENERAL GEOLOGY AS RELATED TO GROUND WATER	4
Stratigraphy and Water-Bearing Properties	8
Structure	10
WATER LEVEL OBSERVATION NETWORK	12
GROUND WATER QUALITY MONITORING NETWORK	12
METHODS OF COLLECTING WATER-LEVEL AND WATER-QUALITY DATA	12
FLUCTUATIONS OF WATER LEVELS	13
PRESENTATION OF DATA	14
SELECTED REFERENCES	24

DATA, BY COUNTIES (Number Indicates Page)

	Well Locations	Water-Level Measurements	Ground-Water Quality Analyses	Summary of Ground-Water Quality by Aquifer	Reported Municipal and Industrial Ground-Water Pumpage
Collin	28	29	32	37	38
Cooke	40	41	44	48	49
Dallas	52	53	61	67	70
Delta	72	73	74	—	77
Denton	80	81	84	89	91
Ellis	94	95	99	108	110

TABLE OF CONTENTS (Cont'd.)

	Well Locations	Water-Level Measurements	Ground-Water Quality Analyses	Summary of Ground-Water Quality by Aquifer	Reported Municipal and Industrial Ground-Water Pumpage
Fannin	112	113	116	124	125
Grayson	128	129	132	139	141
Hood	144	145	148	156	158
Hunt	160	161	163	168	169
Johnson	172	173	178	189	192
Kaufman	194	195	196	—	198
Lamar	200	201	203	—	207
Montague	210	211	213	217	218
Navarro	220	221	223	225	227
Parker	230	231	234	238	240
Red River	242	243	244	—	246
Rockwall	248	249	250	—	252
Tarrant	254	255	275	279	282
Wise	284	285	288	292	294

WATER-LEVEL AND WATER-QUALITY DATA FROM OBSERVATION WELLS IN NORTHEAST TEXAS

INTRODUCTION

Purpose and Scope

This report presents basic quantitative and qualitative information concerning ground water which has been collected by the Texas Water Development Board and the U.S. Geological Survey from observation wells in a 20-county area in northeast Texas. The tabulations include current and historical water-level measurements, chemical analyses of the ground water, summaries of ground-water quality by aquifers, and reported amounts of ground water pumped for industrial and municipal purposes. Some of the earlier water-level measurements and water-quality data were collected in cooperation with the U.S. Geological Survey, while the later information was collected from wells in the water level and ground-water quality monitoring networks maintained by the Board in this area. The earlier network was expanded when rapid water-level declines, specifically in Dallas and Tarrant Counties, occurred during the late 1950's and continued into the 1960's. These declines were particularly noticeable in wells developed in the Twin Mountains (Fisher and Rodda, 1966) or Travis Peak Formation.

The report contains introductory material, including a section defining many of the terms appearing in the report; a section on the general geology of the report area as it relates to ground water; tables of basic data; and illustrations portraying conditions reflected by the information in the tables.

Much information dealing with ground water in this area has been published previously by the Board, its predecessor agencies, and the Board in cooperation with the U.S. Geological Survey. Most of those publications are listed in the selected references and are available for examination in the Board's water-resources library.

Location and Extent of the Area

The report area, shown on the following map, covers approximately 16,270 square miles. It includes all of 20 counties located in north-central and northeast Texas between latitude $31^{\circ}47'$ and $33^{\circ}58'N$ and longitude $94^{\circ}44'$ and $98^{\circ}04'W$. This 20-county area had a 1970 population of 2,657,091 inhabitants with slightly over 75 percent of that population concentrated in Dallas (1,327,321) and Tarrant (716,317) Counties.


Personnel

The water-level observation network and the ground water quality monitoring network are the responsibility of personnel in the Ground Water Data and Protection Division, under the general direction of C. R. Baskin, Principal Engineer—Data and Technical Review, and Fred L. Osborne, Jr., director, Ground Water Data and Protection Division. This report was prepared under the supervision of A. Wayne Wyatt, assistant director of the Division, Howard D. Taylor, chief, Water Levels Section. The tabulations of water-level and water-quality data were prepared by the Board's Information Systems and Services Division which is under the direction of David L. Ferguson.

Members of the Water Levels and Ground Water Quality Monitoring Sections who assisted in compiling data for this report are: Dan Corley, Charles Cornelis, Hershel Davidson, John Derton, Stephen Moore, Herbert Spradlin, and Clayton Thornhill.

Acknowledgements

Special appreciation is expressed to the many individuals, private firms, towns, and cities for their concern and cooperation in allowing their wells in the report area to be measured and water samples taken for



Area Covered by This Report

analysis. The cooperation shown by the cities of Dallas, Hurst, and Waxahachie in allowing automatic water-level recorders to be installed on city-owned wells is gratefully acknowledged.

Definitions of Terms

Definitions, or brief explanations, of some of the terms used in this report are included in the hope that they will make the data herein more beneficial to the reader. All definitions originated with recognized authorities in the fields of hydrology and geology.

Acre-foot.—The volume of water required to cover one acre to a depth of one foot (43,560 cubic feet, or 325,851 gallons).

Alluvial deposits.—Sediments deposited by rivers and streams, including flood-plain and stream-terrace deposits.

Aquifer.—A water-bearing unit of rock, consolidated or otherwise, which is sufficiently permeable to yield water to wells readily.

Artesian or confined aquifer.—An aquifer which is overlain by rock of lower permeability (for example, clay) that confines the water under pressure greater than atmospheric. The water level in an artesian well will rise above the top of the aquifer and may or may not flow.

Contact.—The plane or surface where two different kinds of rock or geologic units come together; shown as lines, broken or solid, on geologic maps and cross-sections.

Dip of rocks or attitude of beds.—The angle or amount of slope at which a bed is inclined from the horizontal; direction is also usually expressed (for example, one degree, west; or 90 feet per mile, west).

Discharge.—Refers to water withdrawn, either naturally or artificially, from the zone of saturation (see definition of ground water).

Dissolved solids.—A measure of the total concentration of dissolved material in water. Widely used in evaluating water quality and comparing waters with one another.

Fault.—A fracture or fracture zone in rock along which there has been movement or displacement of the two sides relative to one another parallel to the fracture.

Formation.—A body of rock that is sufficiently homogeneous or distinctive over fairly large areal distances to be regarded as a mappable unit, generally named from a locality where the formation is typical (for example, Hosston Formation and Woodbine Formation).

Ground water.—Refers to water in that area below the land surface in which all the pore spaces and voids are filled with water (called the zone of saturation) and from which wells, springs, and seeps are supplied.

Hydrograph.—A graph or line plot showing the fluctuation of the water level in a well over a period of time.

pH.—A measure indicating the acidity or alkalinity of water. A pH of 7.0 indicates neutrality, values below 7.0 indicate increasing acidity, and values above 7.0 indicate increasing alkalinity. Other measures are expressed in terms of "phenolphthalein alkalinity," "methyl-orange alkalinity," or its equivalent "total alkalinity."

Marl.—A calcareous (limy) clay.

Measuring point (MP).—A fixed point at a well from which each water-level measurement in that particular well is calculated.

Milligrams per liter (mg/l).—Metric units commonly used in chemical analyses of water to indicate a ratio of dissolved substances, by weight, in a unit volume of water. To illustrate in more common terms, 0.000035 of an ounce of a dissolved substance in 1.05 quarts of water is equivalent to 1 milligram of a dissolved substance in 1 liter of water. For water containing less than 7,000 mg/l dissolved solids, 1 milligram per liter is equivalent to 1 part per million.

Observation well, current.—A well from which the Texas Water Development Board is presently collecting and maintaining records either on water-level or water-quality data or both.

Observation well, historical.—A well from which the Texas Water Development Board formerly collected and maintained records either on water-level or water-quality data or both.

Outcrop.—That part of a rock layer which appears at the land surface. On an areal geologic map, a geological formation or other stratigraphic unit is shown as an area of outcrop where exposed and some times where covered by alluvial deposits (when shown, the contacts below the alluvial deposits are illustrated by dashed or dotted lines).

Percent sodium.—A determined value which was previously used to predict the suitability of water for irrigation use. A high value (exceeding 50 percent) found in the water was taken as an indication that, with its repeated use for irrigation, the tilth and permeability of the soil would be adversely affected by the development of excessive sodium in the soil. In 1954, the U.S. Salinity Laboratory proposed replacement of the sodium percentage concept with another determined value called the sodium-adsorption ratio (SAR).

Potentiometric surface.—An imaginary surface which everywhere agrees with the static level in an aquifer and to which water in the aquifer will rise under its full head.

Recharge of ground water.—The process by which water is added to the zone of saturation (see definition of ground water); when used to designate the quantity added, usually expressed in acre-feet per year or in million gallons per day.

Residual sodium carbonate (RSC).—A value used in predicting the suitability of water for irrigation. It indicates the concentration of sodium carbonate in waters after removal of all calcium and magnesium ions by precipitation as carbonates, indicates the effects the waters will have on the soil structure.

Sodium-adsorption ratio (SAR).—A determined value used to predict the suitability of water for irrigation use. Repeated use of water for irrigation which has high SAR values (18 or over) may adversely affect the tilth and permeability of a soil by development of excessive sodium in the soil.

Specific conductance.—A measure of the ability of a substance to conduct an electrical current, expressed in terms of micromhos per cubic centimeter. The addition

of a very small amount of dissolved minerals to chemically pure water renders the water conductive and, therefore, increases the specific conductance value. This value is often used in the field to give a quick indication of the mineralization of the water obtained from one well or aquifer as compared to that from another well or aquifer.

Stratigraphy.—Description of geologic units, such as formations, as to their composition, sequence, and correlation in an area.

Structure.—Description of the structural features of rocks in an area (for example, faulting and attitude of beds).

Total hardness as calcium carbonate (CaCO₃).—Generally this term indicates the calcium carbonate equivalent of the calcium and magnesium content of the water. Probably the most common significance associated with water hardness is its effect on soap—the “harder” the water the more soap is consumed before a lather will form. Hard water also forms scale on boilers, water heaters, and other plumbing fixtures.

Transpiration.—The process by which water, absorbed by plants for building plant tissue, escapes from the plant into the atmosphere.

Water level.—The depth below land surface (or distance above land surface if the well flows) to water in a well, usually measured in feet.

Water level, pumping.—The level at which water stands in a well when pumping of the well is in progress.

Water level, static.—The level at which water stands in a well when no water is being withdrawn from the aquifer.

Water table.—The upper surface of a saturated zone except where that surface is confined by a relatively impermeable body of rock.

Well-Numbering System

The systematic well numbering used in this report was developed by the Texas Water Development Board and is in use statewide. It was designed to identify, facilitate the location of, and avoid duplication of well numbers in present and future studies. The system is based on division of the State into 1-degree quadrangles of latitude and longitude and the repeated division of

these quadrangles into smaller ones as shown in the following diagram.


Each 1-degree quadrangle is subdivided into sixty-four 7½-minute quadrangles each of which is further subdivided into nine 2½-minute quadrangles. Each 1-degree quadrangle in the State has an assigned number. The 7½-minute quadrangles are numbered consecutively from left to right, beginning with quadrangle number 01 in the upper left-hand corner of the 1-degree quadrangle. The 2½-minute quadrangles within each 7½-minute quadrangle are numbered similarly. The wells are numbered consecutively, beginning with 01, within each 2½-minute quadrangle. The first two digits of a well number identify the 1-degree quadrangle; the third and fourth digits, the 7½-minute quadrangle; the fifth digit, the 2½-minute quadrangle; and the sixth and seventh digits identify the particular well in the 2½-minute quadrangle.

On the well-location maps in this report, the 1-degree quadrangles are identified with large open-block numbers. The 7½-minute quadrangles are numbered in the upper left-hand corner or as near to that position as possible in the cases where a part of the quadrangle falls outside the county. The three-digit numbers near the wells identify the 2½-minute quadrangle and the well within that quadrangle.

GENERAL GEOLOGY AS RELATED TO GROUND WATER

It is not the intent of this report to propose changes in geologic nomenclature or age relationships from those accepted and in use, but rather to relate ground-water data contained herein to the geology of this area in general terms. The nomenclature and stratigraphic relationships used are drawn mostly from sources listed in the references. The general geology of the land surface and the stratigraphic position of the rock units in the report area are shown on the accompanying map and geologic cross section.


In the report area, potable ground water occurs in rocks ranging from the Pennsylvanian System through the Quaternary System. The principal aquifers are beds of the Cretaceous System which are exposed or are in the subsurface over all but the extreme western part of the area. Ground water is also found in Quaternary alluvial gravels, sands, and silty sands along the Brazos, Red, Sulphur, and Trinity Rivers and their main tributaries. Small amounts of ground water are contained in Pennsylvanian and Permian beds in or near their outcrop areas to the west, and also in rocks of




1 - degree Quadrangles

Location of Well

- 33** 1 - degree quadrangle
- 19 7 1/2 - minute quadrangle
- 3 2 1/2 - minute quadrangle
- 01 Well number within 2 1/2 - minute quadrangle




7 1/2 - minute Quadrangles




2 1/2 - minute Quadrangles

Well-Numbering System



General Geologic Map of Northeast Texas

Composite of geologic maps in Texas Water Commission Bulletins 6306, 6307, 6309, and 6310, with some revisions after Geologic Atlas of Texas, Sherman Sheet, The University of Texas, Bureau of Economic Geology



Generalized Geologic Cross Section
A-A' Montague to Navarro Counties

Tertiary age which outcrop along the eastern edge of the area.

Stratigraphy and Water-Bearing Properties

The Pennsylvanian beds exposed in the report area are composed primarily of shales, sandstones, conglomerates, and some limestones. Ground water occurs primarily in the sandstones and conglomerates. The quality of the ground water is reported to vary within wide limits. These quality variations apparently are not related systematically to depth or location. The yields of wells are small but sufficient for domestic, livestock, and small public supply purposes.

The Permian rocks in Montague County are composed primarily of sandstones and shales. Although many wells are developed in these beds, they have small yields and are used mostly for livestock and domestic purposes. As in the case with the Pennsylvanian, Permian ground-water quality reportedly varies within wide limits with no apparent systematic relationship of the quality variations to depth or location.

Ground water occurs throughout beds of the Cretaceous System from the Trinity Group (oldest) in the western part of the report area to the Navarro Group (youngest) in the eastern part. The principal aquifers are in the Trinity Group of the lower Cretaceous and the Woodbine Group of the upper Cretaceous. The discussion of the geology will be confined almost entirely to these two groups, beginning with the oldest.

The Trinity Group forms the basal section of Cretaceous rocks in the area. It outcrops primarily in Hood, Parker, Wise, Montague, and western Cooke Counties. In ascending order, the Twin Mountains Formation, the Glen Rose Formation, and the Paluxy Formation are divisions of the Trinity outcrop in Hood, Parker, and southern Wise Counties. Northward from central Wise County, limestones of the Glen Rose, which delineate the sands of the overlying Paluxy from those of the underlying Twin Mountains in the area to the south, are absent. In this area a predominantly clay unit is partially equivalent to the Glen Rose and an upper sand unit is partially equivalent to the Paluxy. The lower sands (Twin Mountains) can be traced northward to the vicinity of the Red River. Convenient division of the Trinity into the three subdivisions found to the south cannot be done locally and is not apparent on the outcrop. The name Antlers Formation has been proposed to refer to all sand sequences below the Walnut Formation and above the base of the Cretaceous System (including all Trinity Group rocks) in the outcrop area of northern Wise, Montague, and western Cooke

Counties. The Trinity beds in this area are also known as the Western or upper Cross Timbers sands, Trinity sands undifferentiated, Trinity sands, and Antlers sands.

The Twin Mountains Formation consists chiefly of sands, silty clays, and siliceous conglomerates. It commonly goes by the name "lower Trinity sands" and also is referred to as the Travis Peak Formation by many in the area. However, it is a distinctly different facies from that of the Travis Peak found to the southwest of the report area along the northeast side of the Llano Uplift. In that area, the Travis Peak is primarily made up of conglomerates of pebble and cobble-size limestone and dolomite, calcareous sands and silts, and impure limestones. In the report area, a middle clay unit in the Twin Mountains facies is probably correlative with clay and limestone intervals of the subsurface basinal Pearsall and Sligo Formations found southeastward from the outcrop. Basinal sequences of Hensell and Hosston sands in the McClennan County area to the south are probably correlative with the upper and lower sand units in the Twin Mountains outcrop. The Twin Mountains contains large amounts of ground water throughout the report area, with larger yields coming from thicker sections down dip from the outcrop. Other than having a somewhat high dissolved-solids content, the quality of the ground water generally is suitable for most purposes.

The Glen Rose Formation is composed primarily of marly limestone, marl, shale, some sand, and anhydrite. It contains small amounts of ground water. However, the overlying Paluxy sands and those of the underlying Twin Mountains contain much more ground water of better quality, so that the Glen Rose is not significant as a water-bearing unit in this area.

The Paluxy Formation consists primarily of fine cross-bedded sands, shaly sands, and some sandy limestones. The Paluxy throughout its extent in the report area contains substantial amounts of ground water that is of suitable quality for most uses.

The following table sets out correlations of the Trinity Group and shows nomenclature and stratigraphic relationships in localities in central and northern Texas. The localities shown apply generally in the report area as follows: (1) "North-Central Texas subsurface, eastern part"—southeastern part of the report area, including Navarro, southern Ellis, and southern Kaufman Counties; (2) "North-Central Texas outcrop and subcrop"—central and southern parts, including Hood, Johnson, northern Ellis, Dallas, northern Kaufman, Rockwall, Tarrant, Parker, southern Wise, southern Denton, and Collin Counties; and (3) "North Texas (north of Decatur)"—northern part, including Montague, Cooke, Grayson, northern Wise, and northern Denton

**Nomenclature and Stratigraphic Position of Trinity Group Rocks in Some Localities in Central and Northern Texas
(Adapted from Fisher and Rodda, 1966)**

GROUP	FORMATION NAMES AND LOCALITIES				
	NORTH-CENTRAL TEXAS SUBSURFACE, EASTERN PART	NORTH-CENTRAL TEXAS OUTCROP AND SUBCROP		CENTRAL TEXAS (NORTHEAST SIDE OF THE LLANO UPLIFT)	NORTH TEXAS (NORTH OF DECATUR)
TRINITY	Glen Rose Formation	Paluxy Formation		Paluxy Formation	upper unit
		Glen Rose Formation		Glen Rose Formation	middle unit
	Hensell Formation	Twin Mountains Formation	upper unit	Travis Peak Formation	Antlers Formation
	Pearsall Formation		middle unit		
	Sligo Limestone		lower unit		
	Hosston Formation				
					lower unit

Counties. The Central Texas locality is southwest of the report area and includes southern Brown, western Mills, and western Lampasas Counties.

In Trinity Group rocks, fresh to slightly saline ground water (3,000 mg/l or less total dissolved solids) is found as far downdip from the outcrop areas as Navarro, Kaufman, northern Hunt, northern Delta, southern Lamar, and middle Red River Counties.

The Woodbine Group outcrops primarily through eastern Johnson, Tarrant, Denton, and Cooke Counties as well as western and northern Grayson County and extreme northwestern Fannin County. It consists of crossbedded, ferruginous sand, sandy clay, and shale and contains lignite and gypsum in the upper part. The thicker sands are generally in the lower part and are lenticular in nature. In the Tarrant County area, the Woodbine is divided into the Lewisville and Dexter Members. In this area and southward into Johnson County, lignite and gypsum beds in the upper part of the Woodbine cause the ground water to be more highly mineralized than ground water in the lower part of the Woodbine. Northward from Tarrant County the Woodbine thickens and is not readily divided into recognizable units. Eastward from Grayson County the clay content increases and sands decrease so that the Woodbine ceases to be an aquifer in parts of Lamar and Red River Counties.

Ground water is present in the Woodbine in substantial quantities throughout most of the central part of the report area. Although typically high in iron content, the water is suitable for many purposes. Fresh to slightly saline ground water is found as far downdip from the outcrop as western Navarro, Kaufman, Hunt, and northwestern Lamar Counties.

Other Cretaceous System water-bearing units are the Blossum Sand of the Austin Group and the Nacatoch Sand of the Navarro Group. The Blossum Sand consists of unconsolidated, glauconitic, ferruginous, fine- to medium-grained sands interbedded with sandy and chalky marl. The outcrop forms the land surface eastward from central Fannin through central Lamar Counties. In Red River County, the Blossum is largely covered by alluvial terrace gravels. The Blossum Sand contains relatively small amounts of ground water that is generally of suitable quality for most uses except irrigation. The Nacatoch Sand forms a narrow outcrop through central Navarro, Kaufman, southeastern Hunt, southern Delta, and southern Red River Counties. It consists of unconsolidated, massive, glauconitic, calcareous sand and marl. The sands tend to be lenticular with the more persistent ones found in the upper part. The lower Nacatoch is predominantly marl in the eastern

outcrop area in Red River County; however, the proportion of marl decreases westward. The Nacatoch contains small amounts of ground water which tends to deteriorate in quality over fairly short distances downdip. The better quality water is suitable for most uses except irrigation.

The remaining Cretaceous System rocks are the Washita, Fredericksburg, Eagle Ford, Austin, Taylor, and Navarro Groups consisting of clays, marls, limestones, chalks, and shales which, in general, are not conducive to the capture or storage of ground water. The minor amounts of usable ground water in these formations are restricted to the outcrop areas.


Rocks of the Tertiary System are located in the southeastern and extreme eastern parts of the report area. The Midway Group is composed primarily of silty clay, silt, calcareous and glauconitic sandstone, and sandy limestone. Occurrence of usable ground water in the Midway is erratic and restricted to the outcrop. The Wilcox Group consists of fine sand and silt and contains small amounts of ground water.

Quaternary System alluvial deposits, consisting of sand, clay, silt, and gravel, are found in the floodplains of the Brazos, Red, Sulphur, and Trinity Rivers and along their main tributaries. Quaternary deposits also occur as terraces adjacent to and at slightly higher elevations than the present floodplains of many of these drainage systems. The quantity of ground water in these deposits varies from fairly substantial amounts in areas with thick porous beds, high water levels, and favorable recharge conditions, such as along the Red River in Fannin, Lamar, and Red River Counties, to minor amounts where the beds are thin and conditions for recharge are poor. The quality of the water is generally satisfactory for most uses although it is usually hard and relatively high in silica.

Structure

Pennsylvanian and Permian rocks in the outcrop dip westward and northwestward at about 40 feet per mile. Permian beds in the report area probably extend not much farther eastward than Montague County. The Pennsylvanian sediments, which underlie the Cretaceous rocks in most of the remaining area, thicken from the outcrop eastward into the deeply buried Fort Worth basin.

The Cretaceous System forms a southeastward-thickening wedge extending across the area into a structural feature known as the East Texas basin. Thickness of these rocks ranges from zero in the



**Major Structural Features From the Llano Uplift
North and Northeastward to the Red River**

west to nearly 7,500 feet in the southeast. Regional dip is east and southeast at rates of about 15 to 40 feet per mile. The dip rate increases to as much as 300 feet per mile on the flank of a southeastward-plunging ridge called the Preston anticline. This anticline and an associated trough immediately to the south called the Sherman syncline have caused deflection in the regional outcrop pattern as shown on the geologic map.

Tertiary System beds dip regionally southeastward from the Mexia-Talco fault system, which extends in a northerly direction along the eastern margin of the report area, at a rate of about 100 feet per mile. Deviations from this dip rate occur locally due to faulting. These beds attain a thickness in excess of 1,000 feet in Navarro County.

Quaternary deposits occur along the floodplains of the Brazos, Red, Sulphur, and Trinity Rivers and many of their main tributaries. Terraces, which represent remnants of older floodplain deposits of these drainage systems, occur at higher elevations along some of the rivers, particularly the Red River. Alluvial deposits are reported to be as thick as 60 feet in Grayson County. Generally, the alluvial deposits are irregular in thickness and areal extent. Regional slope of these deposits is probably less than 5 feet per mile and generally east and southeast in the direction of the slope of the land surface. Locally, the direction will vary according to the direction of stream or river flow. The following map shows many of the major structural features in and near the report area.

WATER LEVEL OBSERVATION NETWORK

Observation wells have been established and are measured by the Water Development Board in most areas of the State to observe changes in water levels in the principal aquifers. The Board's water level observation network is directed toward the accomplishment of the following objectives: (1) the selection, in all principal aquifers, of observation wells that are spaced to afford sufficient data for preparation of potentiometric-surface and related maps, and graphs which portray changes and fluctuations of ground water; (2) the annual or periodic measurement of water levels in each well in this network at the times when water levels have recovered from periods of peak water demand; (3) the operation of automatic water-level recorders in strategic wells where a continuous record of water-level changes is needed; (4) the evaluation and periodic publication of these water-level data; and (5) the maintenance of the records of these data in the Board's files for examination and use by anyone in need of the information.

GROUND WATER QUALITY MONITORING NETWORK

The Board maintains a network of observation wells for monitoring water quality in the principal aquifers of the State. Some of these wells are also water-level observation wells. It is the desire of the Board to accomplish the following objectives with this network: (1) selection of an adequate number of observation wells properly spaced in all the principal aquifers to be able to obtain sufficient data for preparation of various ground-water quality maps, graphs, and other illustrative and definitive material; (2) periodic sampling of the water in these wells for chemical analysis to detect any changes in the chemical quality of the water, in order to be able to make appropriate recommendations for any action deemed necessary; (3) evaluation and periodic publication of these water-quality data; and (4) maintenance and storage of the records of these data in the Board's files for examination and use by anyone in need of the information.

METHODS OF COLLECTING WATER-LEVEL AND WATER-QUALITY DATA

Water levels in most current observation wells in this report are measured on an annual basis. If possible, wells selected for annual observation purposes should

not be equipped with a pump and should be located a reasonable distance from heavily pumped wells. These conditions cannot always be met; therefore, it becomes necessary to measure water levels in equipped wells and wells in frequent use. In these cases, the water levels are measured after allowance of sufficient time following cessation of pumping for the water levels to recover to static or near-static conditions. In irrigation areas, it is desirable to measure water levels in the winter months when pumping is at a minimum and water levels have recovered to their highest levels.

In this report, water levels are recorded as depth to water in feet below land surface or, in rare instances, distance in feet above land surface (the plus sign before a figure in the "measurement" column the table of water-level measurements indicates a flowing well). The depth to water below land surface is obtained by subtracting the vertical distance between the measuring point on a well and the land surface from the vertical distance between the measuring point and the water level in the well. In flowing wells of small capacity, the distance above land surface may be measured directly with a hand tape; for large-capacity flowing wells the distance is calculated from a pressure reading. The following methods were used to obtain the water-level measurements in this report:

(1) Wetted Steel Tape

In using this measuring method, a calibrated steel tape is lowered into the well bore until a part, usually about one or two feet, is submerged in the water, and an even foot mark on the tape is held at the measuring point on the well. The depth to water below this measuring point is then calculated by subtracting the amount of wet tape from the foot mark held at the measuring point. Water levels measured with a steel tape are recorded to the nearest one-hundredth of a foot. This method of obtaining water-level measurements is considered the most accurate and is therefore the most commonly used.

(2) Electric Line

The electric line measuring equipment consists of a hand-operated reel, a current meter, a dry-cell battery for power, and a length of double-conductor insulated wire with electrodes at the lower end. The electric line operates on the principle of a completed electric circuit. When contact is made between the water surface in the well

and the electrodes on the end of the electric line, the circuit is completed and indicated on the current meter at the land surface. Calibrated markings along the electric line provide the means for direct reading of the depth to the water level. This method is used when a measurement with steel tape is not feasible, such as in a well in which water is leaking or flowing into the bore hole above the water level. Water-level measurements obtained by this method are recorded to the nearest tenth of a foot.

(3) Air Line

This method employs the use of a small diameter pipe or tube, such as copper tubing, which is airtight and installed in the annular space between the pump column and the casing in the well. This tube, or air line, should be stabilized and as true vertically as possible. It must extend several feet below the lowest pumping water level in the well, be open at the submerged end, and its length from a reference point on the well to the submerged end must be known. Airtight connections are necessary because air is forced into the tube, and pressure is measured with a gage installed at the surface. The air line device works on the principle that air pressure required to push all the water out of the submerged end of the line equals the pressure exerted by the column of water standing outside the air line. Gages that measure directly in feet of water are available; however, readings of pressure in pounds per square inch may be multiplied by 2.31 for conversion to feet of water. By subtracting the feet of water in the submerged end of the line from the known length of the line, the depth to water can be ascertained. This method is not as accurate as those previously described, but is in fairly wide use in certain applications due to its speed and simplicity. It is also used where deep water levels render the previously described methods impractical, or in a pumping well where a more precise method could not be used due to water turbulence.

(4) Automatic Water-Level Recorder

This method requires that an automatic recording device be installed over a well. A float is suspended in the well and attached to the recording device by a

calibrated metal tape or cable. As the water level rises or falls, the float moves up or down, and this movement is continuously recorded by a stylus on chart paper held on a clock-driven drum in the recorder. The recorders are housed in small metal buildings for protection against vandalism and the elements. Automatic recorders are the best means for obtaining continuous records of any rapid and irregular water-level fluctuations in areas of large ground-water development. The recorders are visited at frequent intervals for maintenance and collection of the water-level charts. Water-level readings taken from the charts are tabulated to the nearest one-hundredth of a foot.

Ground water quality data are obtained through the periodic sampling of water from observation wells for chemical analysis. The water is usually collected in one-quart, plastic, sterilized bottles, preferably after a well has been pumped for some time. Information concerning the identity of the well from which the sample was drawn, date of sample collection, and other data are tabulated, and the sample is forwarded to the State Health Department for, in most cases, a routine chemical analysis. Depending upon the specific information desired, frequency of collection of water samples for analysis may vary from more than once a day to once in several years.

The relatively slow movement of water through the ground affords a very close and lengthy contact of the water with the minerals in the various rocks that make up the earth's crust. These minerals are water-soluble to a greater or lesser degree, causing the ground water to become generally more mineralized as it moves along. The chemical processes are affected by many variables in the environment; wide variations in the chemical makeup of ground water, even within relatively small areas, are encountered. While many properties can be determined by chemical analysis, in most instances determining the concentrations of only the relatively few ions that commonly occur in ground water will convey an adequate picture of the suitability of the water for the usual domestic, municipal, industrial, and irrigation uses.

FLUCTUATIONS OF WATER LEVELS

The water level in a well is an indication of the water table or piezometric surface of an aquifer in a given area. Changes in the water level from time to time may be caused by one or more factors. Very slight

declines or rises of the water level may be due to climatic changes, tidal forces, or to the withdrawal of ground water from a distant or nearby well. Earthquakes can also cause changes in water levels. Heavy pumpage of wells, such as in areas where there is heavy usage of ground water for industrial, irrigation, or municipal purposes, can cause dramatic changes in water levels amounting to hundreds of feet, depending on the aquifer conditions. Generally, ground water is least affected during the winter months by such things as well pumpage, evaporation, and transpiration by vegetation. This is reflected by higher, more stable water levels at this time of year. Conversely, water levels are generally lower in the spring, summer, and fall months, reflecting the increase in well pumpage, higher evaporation rates, and renewed and continued growth of vegetation.

Long-term declines in water levels reflect decreases in the volume of water stored in an aquifer. Likewise, a long-term rise in water levels would indicate increase in the volume of water stored in an aquifer. When the discharge of ground water from an aquifer is greater than the recharge of water to it, water levels will decline, and when recharge exceeds discharge the water levels will rise.

Undoubtedly, water levels have declined considerably within the report area since the turn of the century. Long-term water-level measurements from scattered wells in Dallas and Tarrant Counties indicate some fairly steep decline rates within the past 20 years. The following seven illustrations show declines and related hydrologic information.

The hydrographs show declines ranging from as little as about 1 foot per year over a 20-year period from 1952-71 in a well in Dallas County, developed in the Woodbine Formation, to slightly under 46 feet per year during a 7-year period from 1951-57 in a well in eastern Tarrant County, developed in the Twin Mountains Formation. Also in eastern Tarrant County, another well reflected a water level decline rate of over 20 feet per year in the Paluxy Formation.

The map showing a generalized estimate of the decline of water levels in the Twin Mountains Formation in Dallas and Tarrant Counties for the period 1954-72 is based on the hydrographs as well as on current and historical water-level data in this area. Also, a map showing the approximate potentiometric surface of the Twin Mountains Formation in 1972 in Dallas, Tarrant, and parts of the surrounding counties is given. Both maps are based on limited data and should be used accordingly.

Graphs showing the reported ground-water pumpage for municipal and industrial purposes in Dallas and Tarrant Counties for the period from 1955 through 1972 are also shown. In Dallas County the demand for ground water for these purposes appears to have been fairly constant since the late 1950's, while the demand in Tarrant County has increased slightly since the early 1960's.

PRESENTATION OF DATA




Tabulations of water-level measurements, chemical quality of ground water, and reported ground-water pumpage for municipal and industrial purposes are presented in the latter part of this report by county, and the counties are arranged alphabetically. The order in which the information is shown for each county is: (1) a map showing the location of all wells in that county from which the data were collected; (2) a table showing the water-level measurements collected from each well; (3) a table showing the results of chemical analyses of water samples collected from individual wells since 1969 (plus a few older analyses of some of these wells); (4) a table showing a summary of the chemical quality of the ground water in the important aquifers (in some counties) based on available chemical analyses from wells developed in the particular aquifers; and (5) a table of reported municipal and industrial pumpage. The following symbols are used for aquifers in the various tables:

SYMBOL	SYSTEM	UNIT
QUATERNARY		
QAL		Alluvium
TERTIARY		
TWI		Wilcox Group
TM		Midway Group
CRETACEOUS		
KGN		Navarro Group
KGNA		Nacatoch Sand
KGT		Taylor Group
KGWC		Wolfe City Sand
KGA		Austin Group
KGAC		Austin Chalk
KGBL		Blossom Sand
KGEF		Eagle Ford Group
KGW		Woodbine Group
KCW		Washita Group
KCPP		Pawpaw Formation
KCA		Antlers Formation





KCPA Paluxy Formation
KCTM Twin Mountains Formation
KCHO Hosston Formation
KCPA-KCGR-KCTM Paluxy, Glen Rose, and
. Twin Mountains Formations

PERMIAN





PLW Wichita Group




Hydrographs of Selected Wells in Dallas
 County and Precipitation at Carrollton



Hydrographs of Selected Wells in Tarrant County and Precipitation at Arlington



**Hydrographs of Selected Wells in Tarrant County
and Precipitation at Benbrook Dam**



EXPLANATION

32-14-605

△ Well used for control (other control estimated from various partial records)



32-15-604

○ Well from which hydrograph was constructed


BENBROOK

■ Precipitation station

--- Line showing approximate total water-level decline, dashed where estimated. Interval 50 feet.



Generalized Estimate of the Total Water-Level Decline in the Twin Mountains Formation in Dallas and Tarrant Counties, 1954-72





EXPLANATION

●
 33-19-101-18
 Well used for control. Number below well indicates altitude of water level, in feet

————
 Line showing approximate altitude of potentiometric surface in the Twin Mountains Formation, 1972
 Contour Interval 50 feet
 Datum is mean sea level

▲
 El. 793
 Surveyed location and altitude of land surface, in feet

Approximate Altitude of the Potentiometric Surface of the Twin Mountains Formation in Dallas, Tarrant, and Parts of Surrounding Counties, 1972




Reported Municipal and Industrial Ground-Water Pumpage in Dallas and Tarrant Counties, 1955-72

SELECTED REFERENCES

- Baker, B. B., Dillard, J. W., Souders, V. L., and Peckham, R. C., 1963, Reconnaissance investigation of the ground-water resources of the Sabine River basin, Texas: Texas Water Comm. Bull. 6307, 57 p.
- Baker, E. T., Jr., 1960, Geology and ground-water resources of Grayson County, Texas: Texas Board Water Engineers Bull. 6013, 155 p.
- Baker, E. T., Jr., Long, A. T., Jr., Reeves, R. D., and Wood, L. A., 1963, Reconnaissance investigation of the ground-water resources of the Red River, Sulphur River, and Cypress Creek basins, Texas: Texas Water Comm. Bull. 6306, 137 p.
- Bayha, D. C., 1967, Occurrence and quality of ground water in Montague County, Texas: Texas Water Devel. Board Rept. 58, 107 p.
- Broadhurst, W. L., 1944, Development of ground water for public supply at Commerce, Hunt County, Texas: U.S. Geol. Survey open-file rept.
- Burden, E. H. W. J., 1961, The toxicology of nitrates with particular reference to the potability of water supplies: *The Analyst, Proc. of the Soc. for Anal. Chem.*, v. 86, no. 1024, p. 429-433.
- Bureau of Economic Geology, 1967, Geologic atlas of Texas, Sherman sheet: Univ. Texas at Austin, Bur. Econ. Geology map.
- Bureau of Economic Geology, 1972a, Geologic atlas of Texas, Abilene sheet: Univ. Texas at Austin, Bur. Econ. Geology map.
- _____, 1972b, Geologic atlas of Texas, Dallas sheet: Univ. Texas at Austin, Bur. Econ. Geology map.
- Cronin, J. G., Follett, C. R., Shafer, G. H., and Rettman, P. L., 1963, Reconnaissance investigation of the ground-water resources of the Brazos River basin, Texas: Texas Water Comm. Bull. 6310, 163 p.
- Cumley, J. C., 1943, Records of wells and springs, drillers' logs, water analyses, and map showing locations of wells and springs in Dallas County, Texas: Texas Board Water Engineers duplicated rept., 107 p.
- Dallas Geological Society, 1965, The geology of Dallas County, A symposium: Dallas Geol. Soc., 211 p.
- Dallas Morning News, 1973, Texas almanac and industrial guide, 1974-75: A. H. Belo Corp., 704 p.
- Edward E. Johnson, Inc., 1966, Ground water and wells: Edward E. Johnson, Inc., 440 p.
- Fisher, W. L., and Rodda, P. U., 1966, Nomenclature revision of basal Cretaceous rocks between the Colorado and Red Rivers, Texas: Univ. Texas, Bur. Econ. Geology Rept. Inv. 58, 20 p.
- _____, 1967, Lower Cretaceous sands of Texas, Stratigraphy and resources: Univ. Texas, Bur. Econ. Geology Rept. Inv. 59, 116 p.
- Garber, M. S., and Koopman, F. C., 1968, Methods of measuring water levels in deep wells, *in* Techniques of water-resources investigations of the United States Geological Survey: U.S. Geol. Survey, 23 p.
- Gard, Chris, 1957, Records of wells producing water from the Travis Peak Formation in the Dallas area, Texas: Texas Board Water Engineers duplicated rept., 13 p.
- George, W. O., and Rose, N. A., 1942, Ground-water resources of Fort Worth and vicinity, Texas: Texas Board Water Engineers duplicated rept., 25 p.
- Harden, R. W., 1960, Preliminary investigation of the occurrence of ground water in the Trinity Group near Gainesville, Cooke County, Texas: Texas Board Water Engineers duplicated rept., 26 p.
- Hem, J. D., 1959, Study and interpretation of the chemical characteristics of natural water: U.S. Geol. Survey Water-Supply Paper 1473, second edition, 363 p.
- Hendricks, Leo, 1967, Comanchean stratigraphy of the Cretaceous of North Texas, *in* Comanchean (lower Cretaceous) stratigraphy and paleontology of Texas, A symposium: Soc. Econ. Paleontologists and Mineralogists, Permian Basin Section, p. 51-63.
- Hill, R. T., 1901, Geography and geology of the Black and Grand Prairies, Texas, with detailed descriptions of the Cretaceous formations and special reference to artesian waters: U.S. Geol. Surv. 21st Ann. Rept., Pt. 7, 666 p.
- Leggat, E. R., 1957, Geology and ground-water resources of Tarrant County, Texas: Texas Board Water Engineers Bull. 5709, 187 p.

- Peckham, R. C., Souders, V. L., Dillard, J. W., and Baker, B. B., 1963, Reconnaissance investigation of the ground-water resources of the Trinity River basin, Texas: Texas Water Comm. Bull. 6309, 110 p.
- Rose, N. A., 1945, Ground water in the Greenville area, Hunt County, Texas: Texas Board Water Engineers duplicated rept., 8 p.
- Sellards, E. H., Adkins, W. S., and Plummer, F. B., 1932, The geology of Texas, v. 1, Stratigraphy: Univ. Texas Bull. 3232, 1007 p.
- Stramel, G. J., 1951, Ground-water resources of Parker County, Texas: Texas Board Water Engineers Bull. 5103, 58 p.
- Thompson, G. L., 1967, Ground-water resources of Ellis County, Texas: Texas Water Devel. Board Rept. 62, 128 p.
- _____, 1969, Ground-water resources of Johnson County, Texas: Texas Water Devel. Board Rept. 94, 95 p.
- _____, 1972, Ground-water resources of Navarro County, Texas: Texas Water Devel. Board Rept. 160, 63 p.
- U.S. Public Health Service, 1962, Public Health Service drinking water standards: U.S. Public Health Service Pub. 956, 61 p.

WATER-LEVEL MEASUREMENTS IN COLLIN COUNTY



EXPLANATION

- | | |
|--|---------------------------------|
| CURRENT
OBSERVATION WELLS | HISTORICAL
OBSERVATION WELLS |
| ●
301
Water level | ■
702
Water level |
| ○
701
Water level and
water quality | |



Location of Observation Wells in Collin County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

COLLIN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-42-603	KGW	771	680.00	09-29-70	359.80Q		
				02-25-71	362.20	2.40	
				11-19-74	336.40		25.80
18-43-204	KGW	1240	750.00	04-28-71	311.83		
				11-10-71	319.46	7.63	
				11-19-74	335.90	16.44	
18-44-702	KGW	1136	610.00	04-28-71	304.46		
				11-10-71	306.96	2.50	
				11-16-72	310.96	4.00	
				11-07-73	321.70*	10.74	
				11-19-74	318.17		3.53
18-44-901	KGW	1783	670.00	09-29-70	368.00		
				11-11-71	374.00	6.00	
				11-06-73	400.00	26.00	
				11-05-74	380.00		20.00
18-45-603	KGW	1855	610.00	03-13-79	147.00		
				04-23-71	349.80	202.80	
				11-11-71	356.05*	6.25	
				11-16-72	355.13*		0.92
				11-07-73	361.63*	6.50	
18-46-401	KGT	25	595.00	04-23-71	5.53		
				11-11-71	4.20		1.33
				11-16-72	7.11	2.91	
				11-07-73	3.17		3.94
				11-19-74	3.07		0.10
18-50-202	KGW	640	730.00	10-06-70	222.30		
				02-26-71	222.51Q	0.21	
				11-10-71	219.19		3.32
				11-15-72	222.38	3.19	
				11-06-73	225.43	3.05	
11-19-74	249.10	23.67					
18-50-501	KCTM	2525	630.00	11-14-72	397.00		
				11-06-73	395.00		2.00
				11-05-74	485.00	90.00	
18-50-802	KCPA	1632	695.00	11-06-73	443.00		
				11-05-74	440.00		3.00

COLLIN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-50-901	KGM	1050	790.00	09-28-70	475.78		
				02-25-71	473.86		1.84
				11-16-72	462.73		11.13
				11-06-73	481.46	18.73	
				11-05-74	482.88	1.42	
18-51-701	KGM	1104	710.00	09-28-70	298.52		
				02-25-71	313.65	15.13	
				11-07-73	316.39	2.74	
				11-19-74	331.72	15.33	
18-51-901	KGM	1209	640.00	10-09-70	378.00Q		
				02-26-71	381.14Q	3.14	
				11-11-71	376.68		4.46
				11-15-72	383.96	7.28	
				11-07-73	383.02		0.94
11-19-74	391.66Q	8.64					
18-51-902	KGM	1415	640.00	09-28-70	408.93		
				02-25-71	413.54	4.61	
				11-10-71	394.45		19.09
				11-15-72	399.60Q	5.15	
				11-07-73	401.42Q	1.82	
11-19-74	393.38Q		8.04				
18-52-301	KGM	1577	610.00	09-29-70	343.00		
16-53-201	KGT	50	560.00	04-23-71	20.77		
				11-11-71	17.05		3.72
				11-16-72	22.55	5.50	
				11-07-73	12.24		10.31
11-19-74	10.13		2.11				
18-58-801	KCPA	1756	775.00	10-09-70	386.44		
18-58-802	KGAC	36	695.00	10-09-70	5.53		
				02-26-71	7.25	1.72	
				11-10-71	2.85		4.40
				11-15-72	4.14	1.29	
				11-07-73	1.26		2.88
11-19-74	1.80	0.54					
18-59-702	KGM	980	600.00	10-08-70	306.60		
				02-26-71	294.00		12.60
				11-10-71	299.07	5.07	

COLLIN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 & MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-60-401	KGT	12	582.00	06-13-71	3.00		
				11-10-71	2.35		0.65
				11-15-72	2.64	0.29	
				11-07-73	2.05		0.59
				11-19-74	2.09	0.04	
18-60-701	KGAC	60	575.00	04-23-71	5.04		
				11-10-71	3.40		1.64
				11-16-72	4.99	1.59	
				11-07-73	2.37		2.62
				11-19-74	1.78		0.59
18-60-901	KCPA	2800	580.00	04-23-71	276.16		
				11-10-71	280.72	4.56	
				11-15-72	287.52	6.80	
				11-19-74	302.21	14.69	
18-62-701	KGT	50	635.00	04-23-71	10.65		
				11-10-71	9.86		0.79
				11-16-72	8.85		1.01
				11-07-73	3.22		5.63
				11-19-74	3.74	0.52	

COLLIN COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	18-42-603	18-43-204	18-44-702	18-44-702
DATE OF COLLECTION	11/15/72	04/28/71	04/28/71	11/10/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	771	1240	1136	1136
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	11.0	11.0	12.0	12.0
CALCIUM (MG/L)	1.0	3.0	1.0	1.0
MAGNESIUM (MG/L)	2.0	2.0	1.0	1.0
SODIUM (MG/L)	422.0	530.0	211.0	212.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	800.0	780.0	378.0	376.0
SULFATE (MG/L)	73.0	396.0	112.0	115.0
CHLORIDE (MG/L)	117.0	80.0	31.0	32.0
FLUORIDE (MG/L)	2.6	3.1	1.2	1.3
NITRATE (MG/L)	.4	.4	1.9	4.5
IRON (MG/L)				
PH	8.5	8.4	8.3	7.9
DISSOLVED SOLIDS (MG/L)	1022.3	1409.0	556.0	563.0
PHENOL. ALK. CaCO3	12.0	1.0	.0	.0
TOTAL ALK. CaCO3	680.0	640.0	310.0	308.0
TOTAL HARD CaCO3	12.0	18.0	9.0	9.0
% SODIUM	98.84	98.65	98.58	98.58
SAR	56.0	58.1	35.7	35.8
RSC	12.8	12.4	6.0	6.0
SPECIFIC CONDUCTANCE	1630.0	2040.0	872.0	883.0

COLLIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	18-44-901 11/14/72	18-45-603 02/29/43	18-45-603 04/23/71	18-45-603 11/11/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	1783	1855	1855	1855
TEMPERATURE-F	85			90
TEMPERATURE-C				
SILICA (MG/L)	12.0	13.0	14.0	13.0
CALCIUM (MG/L)	1.0	1.0	2.0	1.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	2.0
SODIUM (MG/L)	151.0	207.0	211.0	205.0
POTASSIUM (MG/L)		2.8		
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	306.0	306.0	359.0	357.0
SULFATE (MG/L)	55.0	109.0	109.0	105.0
CHLORIDE (MG/L)	17.0	34.0	53.0	40.0
FLUORIDE (MG/L)	.8	.7	.8	.8
NITRATE (MG/L)	.4	1.5	.4	.4
IRON (MG/L)				
PH	8.4	8.2	7.8	8.2
DISSOLVED SOLIDS (MG/L)	388.6	520.4	567.0	542.0
PHENOL. ALK. CaCO3	2.0		.0	.0
TOTAL ALK. CaCO3	255.0		294.0	293.0
TOTAL HARD CaCO3	7.0	5.0	11.0	11.0
% SODIUM	98.02	97.78	98.05	97.65
SAR	25.5	35.0	30.4	27.2
RSC	4.8	4.8	5.7	5.6
SPECIFIC CONDUCTANCE	615.0		890.0	891.0

COLLIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-45-603	18-46-401	18-50-202	18-50-501
DATE OF COLLECTION	11/07/73	04/23/71	02/26/71	11/10/71
AQUIFER CODE	KGW	KGT	KGW	KCTM
WELL DEPTH	1855	25	640	2525
TEMPERATURE-F	90			98
TEMPERATURE-C				
SILICA (MG/L)	13.0	41.0	10.0	17.0
CALCIUM (MG/L)	2.0	319.0	1.0	7.0
MAGNESIUM (MG/L)	1.0	53.0	1.0	2.0
SODIUM (MG/L)	220.0	620.0	169.0	590.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	362.0	317.0	388.0	304.0
SULFATE (MG/L)	104.0	1140.0	37.0	85.0
CHLORIDE (MG/L)	48.0	540.0	12.0	700.0
FLUORIDE (MG/L)	.9	1.2	1.1	.2
NITRATE (MG/L)	.4	242.0	.4	.4
IRON (MG/L)				
PH	8.3	7.6	8.4	8.1
DISSOLVED SOLIDS (MG/L)	567.2	3112.0	422.0	1551.0
PHENOL, ALK, CAC03	.0	.0	1.0	.0
TOTAL ALK, CAC03	297.0	260.0	320.0	249.0
TOTAL HARD CAC03	8.0	1010.0	6.0	25.0
% SODIUM	98.13	57.08	98.23	98.03
SAR	31.7	8.4	28.6	50.6
RSC	5.7	.0	6.2	4.4
SPECIFIC CONDUCTANCE	920.0	3750.0	672.0	2690.0

COLLIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-51-701	18-52-301	18-53-201	18-53-201
DATE OF COLLECTION	11/10/71	11/08/73	04/23/71	11/07/73
AQUIFER CODE	KGW		KGT	KGT
WELL DEPTH	1104	----	50	50
TEMPERATURE-F		76		63
TEMPERATURE-C				
SILICA (MG/L)	12.0	11.0	22.0	23.0
CALCIUM (MG/L)	3.0	3.0	153.0	171.0
MAGNESIUM (MG/L)	2.0	1.0	9.0	7.0
SODIUM (MG/L)	441.0	310.0	51.0	55.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	650.0	440.0	368.0	454.0
SULFATE (MG/L)	253.0	200.0	42.0	39.0
CHLORIDE (MG/L)	129.0	67.0	87.0	97.0
FLUORIDE (MG/L)	2.7	1.7	.3	.3
NITRATE (MG/L)	.4	3.3	64.0	38.0
IRON (MG/L)				
PH	8.4	8.4	7.3	7.3
DISSOLVED SOLIDS (MG/L)	1162.0	813.3	609.0	653.5
PHENOL. ALK. CaCO3	6.0	3.0	.0	.0
TOTAL ALK. CaCO3	550.0	367.0	302.0	372.0
TOTAL HARD CaCO3	18.0	13.0	423.0	457.0
% SODIUM	98.38	98.30	20.94	20.80
SAR	48.4	39.6	1.0	1.1
RSC	10.3	6.9	.0	.0
SPECIFIC CONDUCTANCE	1840.0	1260.0	955.0	1060.0

COLLIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-60-401	18-60-701
DATE OF COLLECTION	06/13/71	04/23/71
AQUIFER CODE	KGT	KGAC
WELL DEPTH	12	60
TEMPERATURE-F		
TEMPERATURE-C		
SILICA (MG/L)	11.0	5.0
CALCIUM (MG/L)	125.0	86.0
MAGNESIUM (MG/L)	2.0	4.0
SODIUM (MG/L)	8.0	18.0
POTASSIUM (MG/L)		
MANGANESE (MG/L)		
BORON (MG/L)		
BICARBONATE (MG/L)	364.0	149.0
SULFATE (MG/L)	19.0	57.0
CHLORIDE (MG/L)	6.0	14.0
FLUORIDE (MG/L)	.4	.7
NITRATE (MG/L)	7.0	76.0
IRON (MG/L)		
PH	7.1	7.4
DISSOLVED SOLIDS (MG/L)	357.0	333.0
PHENOL. ALK. CaCO3	.0	.0
TOTAL ALK. CaCO3	298.0	122.0
TOTAL HARD CaCO3	322.0	231.0
% SODIUM	5.15	14.49
SAR	.1	.5
RSC	.0	.0
SPECIFIC CONDUCTANCE	592.0	507.0

COLLIN COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KGW


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	10.00	14.00	12.36	12.00	45.45	11
CALCIUM (CA)	1.00	3.00	1.36	1.00	18.18	11
MAGNESIUM (MG)	0.00	2.00	1.18	1.00	18.18	11
SODIUM (NA)	151.00	441.00	244.27	211.00	9.09	11
BICARBONATE (HCO3)	306.00	800.00	425.81	376.00	9.09	11
SULFATE (SO4)	37.00	253.00	106.54	105.00	36.36	11
CHLORIDE (CL)	12.00	129.00	50.00	37.00	18.18	11
FLUORIDE (F)	0.70	2.80	1.42	1.10	18.18	11
NITRATE (NO3)	0.40	4.50	1.24	0.40	36.36	11
TOTAL DISSOLVED SOLIDS (TDS)	388.66	1162.00	627.75	563.00	9.09	11
HARDNESS (CACO3)	2.00	18.00	8.90	9.00	45.45	11
SPECIFIC CON- DUCTANCE	615.00	1840.00	1020.00	890.00	10.00	10
PH	7.80	8.50	8.26	8.30	54.54	11
PERCENT SODIUM	97.65	99.25	98.31	98.23	36.36	11
SAR	25.55	65.56	38.20	35.03	18.18	11
RSC	4.88	12.89	6.80	6.03	9.09	11

COLLIN COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	2,088.27	1,903.63	3,991.90
1956	1,927.74	1,887.05	3,814.79
1957	683.32	1,871.71	2,555.03
1958	386.15	1,664.00	2,050.15
1959	355.97	1,079.33	1,435.30
1960	1,620.61	1,880.98	3,501.59
1961	1,630.36	1,808.78	3,439.14
1962	339.31	2,179.34	2,518.65
1963	401.84	2,012.00	2,413.84
1964	419.83	2,850.18	3,270.01
1965	424.18	2,185.57	2,609.75
1966	506.79	2,120.49	2,627.28
1967	631.69	1,968.51	2,600.20
1968	604.20	1,737.95	2,342.15
1969	1,012.36	2,069.72	3,082.08
1970	1,233.47	2,293.68	3,527.15
1971	1,000.64	2,344.08	3,344.72
1972	1,099.85	2,132.23	3,232.08
Total	16,366.58	35,989.23	52,355.81

WATER-LEVEL MEASUREMENTS IN COOKE COUNTY



EXPLANATION

CURRENT
OBSERVATION WELLS

● 201
Water level

● 701
Water level and
water quality

HISTORICAL
OBSERVATION WELLS

■ 301
Water level and
water quality



BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

Location of Observation Wells in Cooke County

19 | 18
97° 00'

19 | 18
97° 00'

COOKE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-01-801	KCA	200	750.00	09-07-70	181.30		
				02-25-71	179.33		
				11-04-71	186.02	6.69	1.97
				11-14-72	181.72		4.30
				11-06-73	184.78	3.06	
11-12-74	182.90		1.88				
18-17-401	KGW	235	802.00	09-07-70	80.40		
				11-04-71	94.98	14.58	
				11-14-72	96.25	1.27	
				11-06-73	96.33	0.08	
				11-12-74	95.30		1.03
19-13-802	KCA	113	878.00	09-09-70	76.68		
				02-27-71	76.15Q		0.53
				11-03-71	78.10	1.95	
				11-15-72	77.75		0.35
				11-05-73	77.92	0.17	
11-13-74	77.20		0.72				
19-15-101	KCA	342	862.00	09-08-70	209.32		
				02-27-71	209.45Q	0.13	
				11-04-71	213.13	3.68	
				11-14-72	217.88	4.75	
				11-06-73	216.43		1.45
11-13-74	221.84	5.41					
19-15-701	KCA	356	763.00	09-09-70	155.93		
				02-27-71	140.85		15.08
				11-04-71	152.60	11.75	
				11-14-72	159.27	6.67	
				11-06-73	160.30	1.03	
11-13-74	166.41	6.11					
19-16-802	KCA	400	680.00	09-07-70	119.60		
				02-26-71	157.20Q	37.60	
				11-04-71	171.00	13.80	
				11-06-73	180.96Q	9.96	
				11-12-74	178.90Q		2.06
19-21-101	KCA	----	1212.00	09-09-70	144.80		
				02-27-71	143.89		0.91
				11-03-71	137.18		6.71
				11-16-72	132.78		4.40

COOKE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-05-73	133.45Q	0.67	
19-21-601	KCA	220	1110.00	09-09-70	174.65		
				02-27-71	170.54		4.11
				11-03-71	170.97	0.43	
				11-15-72	157.67		13.30
				11-05-73	171.56	13.89	
19-23-701	KCA	380	818.00	09-09-70	196.27		
				02-26-71	197.27Q	1.00	
				11-15-72	199.47	2.20	
				11-06-73	200.70	1.23	
				11-13-74	206.11	5.41	
19-24-801	KCA	580	790.00	09-07-70	265.00		
				02-26-71	251.00Q		14.00
				11-04-71	257.10	6.10	
				11-14-72	255.81		1.29
				11-06-73	264.22	8.41	
				11-12-74	264.60	0.38	
19-30-201	KCA	305	940.00	09-08-70	185.64		
				02-26-71	185.99	0.35	
				11-03-71	160.60		25.39
				11-15-72	147.99		12.61
				11-05-73	138.08Q		9.91
				11-13-74	147.99	9.91	
19-30-701	KCA	250	973.00	09-08-70	139.77		
				11-05-71	167.40Q	27.63	
				11-05-73	151.45*		15.95
				11-12-74	161.01	9.56	
19-31-201	KCA	350	854.00	09-08-70	245.92		
				02-26-71	236.20		9.72
				11-05-71	242.80	6.60	
				11-15-72	247.65*	4.85	
				11-05-73	242.69		4.96
				11-12-74	249.70	7.01	
19-32-301	KCA	680	765.00	09-07-70	200.00		
19-32-801	KCA	550	680.00	11-06-73	260.88		
				11-12-74	275.50	14.62	
19-32-802	KCW	60	680.00	09-07-70	11.80		

COOKE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-04-71	11.10		0.70
				11-15-72	14.40	3.30	
19-37-201	KCA	248	855.00	09-08-70	147.84		
				02-26-71	110.49		37.35
				11-05-71	114.39	3.90	
19-40-101	KCW	70	657.00	09-08-70	20.27		
				02-26-71	21.00	0.73	
				11-04-71	21.70	0.70	
				11-15-72	22.88	1.18	
				11-06-73	20.46		2.42
				11-12-74	20.75	0.29	
19-40-301	KGW	105	690.00	09-07-70	60.46		
				02-26-71	55.67		4.79
				11-04-71	56.03	0.36	
				11-15-72	56.21	0.18	
19-40-302	KGW	----	685.00	09-07-70	60.46		
				02-26-71	59.00Q		1.46
				11-04-71	60.44	1.44	
				11-15-72	60.50	0.06	
				11-06-73	59.56		0.94
				11-12-74	61.10	1.54	

20 WELLS IN COOKE COUNTY

COOKE COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	18-01-801	18-17-401	19-13-802	19-15-101
DATE OF COLLECTION	02/25/71	02/25/71	02/27/71	02/27/71
AQUIFER CODE	KCA	KGW	KCA	KCA
WELL DEPTH	200	235	113	342
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	10.0	12.0	21.0	12.0
CALCIUM (MG/L)	1.0	2.0	127.0	1.0
MAGNESIUM (MG/L)	1.0	1.0	14.0	2.0
SODIUM (MG/L)	250.0	145.0	10.0	233.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	500.0	317.0	372.0	411.0
SULFATE (MG/L)	62.0	28.0	52.0	41.0
CHLORIDE (MG/L)	22.0	29.0	18.0	78.0
FLUORIDE (MG/L)	1.8	.4	.3	.3
NITRATE (MG/L)	1.5	.4	6.5	1.5
IRON (MG/L)				
PH	8.9	8.2	7.3	8.9
DISSOLVED SOLIDS (MG/L)	595.0	373.0	431.0	570.0
PHENOL. ALK. CaCO3	27.0	.0	.0	17.0
TOTAL ALK. CaCO3	465.0	260.0	305.0	371.0
TOTAL HARD CaCO3	8.0	9.0	374.0	11.0
% SODIUM	98.79	97.19	5.48	97.92
SAR	42.3	20.9	.2	30.9
RSC	8.0	5.0	.0	6.5
SPECIFIC CONDUCTANCE	960.0	595.0	659.0	957.0

COOKE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	19-16-802 02/26/71	19-23-701 02/26/71	19-24-801 11/14/72	19-30-701 02/26/71
AQUIFER CODE	KCA	KCA	KCA	KCA
WELL DEPTH	400	380	580	250
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	10.0	10.0	15.0
CALCIUM (MG/L)	3.0	1.0	1.0	4.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	3.0
SODIUM (MG/L)	312.0	225.0	258.0	150.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	640.0	434.0	500.0	384.0
SULFATE (MG/L)	85.0	62.0	67.0	23.0
CHLORIDE (MG/L)	17.0	5.0	11.0	6.0
FLUORIDE (MG/L)	1.8	.3	.7	.1
NITRATE (MG/L)	.4	1.5	1.0	.4
IRON (MG/L)				
PH	8.8	9.2	9.2	8.1
DISSOLVED SOLIDS (MG/L)	746.0	519.0	595.5	390.0
PHENOL. ALK. CaCO3	28.0	37.0	39.0	.0
TOTAL ALK. CaCO3	580.0	430.0	490.0	315.0
TOTAL HARD CaCO3	8.0	6.0	8.0	23.0
% SODIUM	98.32	98.66	98.83	93.59
SAR	39.8	38.0	43.6	13.8
RSC	10.2	6.9	8.0	5.8
SPECIFIC CONDUCTANCE	1172.0	846.0	1018.0	600.0

COOKE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-32-301	19-32-802	19-37-201	19-40-101
DATE OF COLLECTION	02/26/71	11/15/72	11/05/71	02/26/71
AQUIFER CODE	KCA	KCW	KCA	KCW
WELL DEPTH	680	60	248	70
TEMPERATURE-F		56		
TEMPERATURE-C				
SILICA (MG/L)	12.0	28.0	11.0	17.0
CALCIUM (MG/L)	1.0	224.0	3.0	119.0
MAGNESIUM (MG/L)	1.0	84.0	2.0	9.0
SODIUM (MG/L)	254.0	179.0	171.0	46.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	471.0	267.0	368.0	323.0
SULFATE (MG/L)	81.0	426.0	36.0	24.0
CHLORIDE (MG/L)	15.0	457.0	12.0	91.0
FLUORIDE (MG/L)	.6	.7	.1	.1
NITRATE (MG/L)	2.0	.4	.4	6.5
IRON (MG/L)				
PH	9.1	6.7	8.9	7.3
DISSOLVED SOLIDS (MG/L)	598.0	1530.3	416.0	471.0
PHENOL. ALK. CaCO3	33.0	.0	15.0	.0
TOTAL ALK. CaCO3	452.0	219.0	332.0	265.0
TOTAL HARD CaCO3	8.0	910.0	17.0	334.0
% SODIUM	98.81	30.09	95.94	23.05
SAR	42.9	2.5	18.7	1.0
RSC	7.5	.0	5.7	.0
SPECIFIC CONDUCTANCE	956.0	2300.0	685.0	777.0

COOKE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-40-301
DATE OF COLLECTION	02/26/71
AQUIFER CODE	KGW
WELL DEPTH	105
TEMPERATURE-F	
TEMPERATURE-C	
SILICA (MG/L)	10.0
CALCIUM (MG/L)	6.0
MAGNESIUM (MG/L)	2.0
SODIUM (MG/L)	154.0
POTASSIUM (MG/L)	
MANGANESE (MG/L)	
BORON (MG/L)	
BICARBONATE (MG/L)	298.0
SULFATE (MG/L)	60.0
CHLORIDE (MG/L)	39.0
FLUORIDE (MG/L)	.2
NITRATE (MG/L)	1.8
IRON (MG/L)	
PH	7.6
DISSOLVED SOLIDS (MG/L)	419.0
PHENOL. ALK. CaCO3	.0
TOTAL ALK. CaCO3	244.0
TOTAL HARD CaCO3	24.0
% SODIUM	93.52
SAR	13.9
RSC	4.4
SPECIFIC CONDUCTANCE	660.0

COOKE COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCA


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO ₂)	8.00	37.00	13.00	12.00	14.28	21
CALCIUM (CA)	1.00	127.00	8.90	2.00	9.52	21
MAGNESIUM (MG)	0.00	14.00	2.04	1.00	14.28	21
SODIUM (NA)	10.00	312.00	194.09	201.00	47.61	21
BICARBONATE (HCO ₃)	315.00	640.00	407.28	396.00	38.09	21
SULFATE (SO ₄)	23.00	85.00	42.85	38.00	38.09	21
CHLORIDE (CL)	3.00	85.00	28.23	15.00	28.57	21
FLUORIDE (F)	0.00	1.80	0.35	0.20	14.28	21
NITRATE (NO ₃)	0.00	6.50	1.29	1.00	33.33	21
TOTAL DISSOLVED SOLIDS (TDS)	388.28	746.00	492.94	469.37	47.61	21
HARDNESS (CaCO ₃)	1.00	374.00	30.57	9.00	9.52	21
SPECIFIC CON- DUCTANCE	23.00	1172.00	784.57	845.00	50.00	14
PH	7.20	9.20	8.36	8.40	52.38	21
PERCENT SODIUM	5.48	99.45	92.15	97.71	85.71	21
SAR	0.22	60.05	29.21	26.10	28.57	21
RSC	0.00	10.25	6.12	6.38	47.61	21

COOKE COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	2,609.20	422.81	3,032.01
1956	2,642.46	422.81	3,065.27
1957	2,289.37	422.81	2,712.18
1958	2,073.64	202.89	2,276.53
1959	2,052.69	655.95	2,708.64
1960	1,891.76	144.44	2,036.20
1961	2,014.78	153.92	2,168.70
1962	2,765.91	152.28	2,918.19
1963	2,727.25	108.22	2,835.47
1964	2,119.64	78.75	2,198.39
1965	1,799.38	55.43	1,854.81
1966	1,991.44	55.44	2,046.88
1967	2,047.24	55.73	2,102.97
1968	2,001.97	45.63	2,047.60
1969	2,389.09	45.47	2,434.56
1970	2,845.54	66.63	2,912.17
1971	2,854.23	146.71	3,000.94
1972	3,288.31	152.77	3,441.08
Total	42,403.90	3,388.69	45,792.59

WATER-LEVEL MEASUREMENTS IN DALLAS COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS	HISTORICAL OBSERVATION WELLS
● 101 Water level	■ 301 Water level
○ 102 Water quality	■ 401 Water level and water quality
● 301 Water level and water quality	



Location of Observation Wells in Dallas County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-08-301	KGW	269	464.60	10-08-51	24.20		
				11-01-51	24.35	0.15	
				12-01-51	24.12		0.23
				01-18-52	24.40	0.28	
				02-01-52	24.33		0.07
				03-01-52	24.19		0.14
				04-04-52	24.48	0.29	
				05-01-52	24.22		0.26
				06-01-52	24.34	0.12	
				07-16-52	25.78	1.44	
				08-01-52	26.14	0.36	
				09-01-52	26.62	0.48	
				10-01-52	27.11	0.49	
				11-01-52	27.30	0.19	
				12-01-52	26.83		0.47
				01-01-53	26.41		0.42
				02-01-53	26.44	0.03	
				03-01-53	26.20		0.24
				04-01-53	26.35	0.15	
				05-01-53	26.09		0.26
				06-01-53	25.93		0.16
				07-01-53	26.34	0.41	
				08-01-53	26.61	0.27	
				09-01-53	26.91	0.30	
				10-01-53	27.21	0.30	
				11-01-53	26.90		0.31
				12-01-53	26.28		0.62
				01-01-54	26.00		0.28
				02-16-54	25.80		0.20
				03-01-54	25.66		0.14
				04-01-54	25.86	0.20	
05-01-54	25.76		0.10				
06-01-54	25.76						
07-01-54	26.56	0.80					
08-01-54	27.56	1.00					
09-01-54	28.26	0.70					
10-01-54	27.96		0.30				
11-01-54	27.76		0.20				
12-01-54	27.36		0.40				
01-01-55	27.46	0.10					
02-01-55	27.50	0.04					
03-08-55	27.64	0.14					
04-01-55	27.58		0.06				
05-01-55	27.75	0.17					

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-25-55	28.50	0.75	
				07-01-55	28.62	0.12	
				08-01-55	29.72	1.10	
				09-01-55	30.57	0.85	
				10-01-55	30.57		
				11-01-55	30.48		0.09
				12-01-55	30.42		0.06
				01-01-56	30.33		0.09
				02-01-56	29.97		0.36
				03-01-56	29.65		0.32
				04-01-56	29.62		0.03
				05-01-56	29.65	0.03	
				06-01-56	30.17	0.52	
				07-01-56	30.82	0.65	
				08-01-56	31.92	1.10	
				09-04-56	32.58	0.66	
				10-01-56	32.82	0.24	
				11-01-56	32.73		0.09
				12-03-56	32.51		0.22
				01-01-57	32.20		0.31
				02-01-57	31.90		0.30
				03-01-57	31.65		0.25
				04-01-57	31.18		0.47
				05-01-57	30.53		0.65
				06-11-57	27.34		3.19
				07-01-57	26.44		0.90
				08-01-57	26.46	0.02	
				09-01-57	27.35	0.89	
				10-01-57	26.98		0.37
				11-01-57	26.00		0.98
				12-01-57	25.17		0.83
				01-01-58	24.85		0.32
				02-01-58	24.59		0.26
				03-01-58	24.62	0.03	
				04-01-58	24.01		0.61
				05-01-58	23.71		0.30
				06-01-58	23.14		0.57
				07-01-58	23.60	0.46	
				08-01-58	24.85	1.25	
				10-15-58	25.28	0.43	
				11-01-58	25.15		0.13
				12-11-58	24.88		0.27
				01-01-59	24.73		0.15
				02-01-59	25.06	0.33	
				03-04-59	24.66		0.40
				04-01-59	24.58		0.08

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-01-59	24.82	0.24	
				06-01-59	25.19	0.37	
				07-01-59	25.60	0.41	
				08-01-59	25.71	0.11	
				09-14-59	26.93	1.22	
				10-01-59	26.91		0.02
				11-01-59	26.32		0.59
				12-01-59	26.05		0.27
				01-01-60	25.44		0.61
				02-01-60	25.54	0.10	
				03-01-60	25.49		0.05
				04-01-60	25.18		0.31
				05-01-60	25.49	0.31	
				06-01-60	25.81	0.32	
				07-15-60	26.90	1.09	
				08-01-60	27.14	0.24	
				09-01-60	27.14		
				10-01-60	27.65	0.51	
				12-14-60	27.18		0.47
				01-01-61	27.35	0.17	
				02-01-61	26.44		0.91
				03-01-61	26.06		0.38
				04-01-61	25.64		0.42
				05-01-61	25.97	0.33	
				06-01-61	26.88	0.91	
				07-01-61	27.16	0.28	
				08-11-61	28.69	1.53	
				09-01-61	29.32	0.63	
				10-01-61	29.55	0.23	
				11-01-61	28.97		0.58
				12-01-61	28.90		0.07
				01-01-62	29.11	0.21	
				02-01-62	29.01		0.10
				03-01-62	28.68		0.33
				04-01-62	28.48		0.20
				05-01-62	28.04		0.44
				06-01-62	28.96	0.92	
				07-01-62	29.26	0.30	
				08-01-62	30.46	1.20	
				09-01-62	31.05	0.59	
				10-01-62	29.67		1.38
				11-01-62	28.97		0.70
				12-01-62	28.44		0.53
				01-01-63	28.25		0.19
				02-01-63	28.23		0.02
				03-01-63	28.31	0.08	

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				04-01-63	28.49	0.18	
				05-01-63	28.80	0.31	
				06-01-63	30.24	1.44	
				07-01-63	29.37		0.87
				08-09-63	34.97	5.60	
				09-01-63	34.10		0.87
				10-01-63	34.33	0.23	
				11-04-63	34.55	0.22	
				12-01-63	33.79		0.76
				01-01-64	33.60		0.19
				02-01-64	33.75	0.15	
				03-01-64	32.96		0.79
				04-01-64	32.98	0.02	
				05-01-64	32.88		0.10
				06-01-64	33.18	0.30	
				07-01-64	35.55	2.37	
				08-01-64	36.45	0.90	
				09-01-64	38.00	1.55	
				10-01-64	35.98		2.02
				11-01-64	35.05		0.93
				12-01-64	34.34		0.71
				01-01-65	32.95		1.39
				02-01-65	32.02		0.93
				03-01-65	31.77		0.25
				04-01-65	31.35		0.42
				05-01-65	31.63	0.28	
				06-01-65	31.15		0.48
				07-01-65	33.28	2.13	
				08-01-65	34.90	1.62	
				04-20-71	42.30	7.40	
32-24-307	KCPA	1151	507.00	09-20-66	565.00		
				09-17-70	608.00	43.00	
				11-12-71	758.00*	150.00	
				09-29-73	745.00*		13.00
				08-27-74	749.00*	4.00	
32-24-901	KGW	356	522.00	07-12-71	189.89		
				11-09-71	182.75Q		7.14
				11-15-72	185.20	2.45	
				11-08-73	191.30	6.10	
				11-14-74	194.40	3.10	
32-32-301	KGW	314	525.00	10-22-70	157.98		
				07-12-71	156.34		1.64
				11-09-71	152.90		3.44

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-14-72	155.20	2.30	
				11-08-73	155.88	0.68	
				11-14-74	157.89	2.01	
33-01-601	KCTM	2338	500.00	10-30-70	434.00		
33-03-802	KGAC	50	590.00	02-14-71	8.89		
				11-08-71	4.05		4.84
				11-15-72	8.18	4.13	
				11-08-73	5.92		2.26
				11-15-74	3.97		1.95
33-03-901	KCTM	3689	545.00	10-29-70	416.00		
				11-08-71	386.00		30.00
				11-15-72	395.00	9.00	
				11-08-73	410.00	15.00	
				11-07-74	434.30	24.30	
33-09-506	KGW	325	485.00	02-14-71	5.35		
				11-09-71	2.69		2.66
				11-15-72	1.34		1.35
				11-08-73	1.83	0.49	
				11-14-74	1.16		0.67
33-09-701	KCTM	2100	460.00	07-30-65	653.00		
				05-21-71	719.00	66.00	
				11-12-71	806.00*	87.00	
				06-06-73	836.00*	30.00	
				09-21-73	784.00		52.00
				08-27-74	864.00*	80.00	
33-10-301	KGW	1154	580.00	10-22-70	349.51		
				11-08-71	358.91	9.40	
				11-15-72	366.10	7.19	
				11-15-74	364.39		1.71
33-10-401	KCTM	2689	472.22	10-22-66	447.00*		
				12-06-65	440.00		7.00
				07-05-66	435.00		5.00
				06-29-70	525.00	90.00	
				02-14-71	525.00		
				11-12-71	510.00		15.00
				11-15-72	580.00*	70.00	
				06-11-73	543.00		37.00
				11-09-73	560.00	17.00	
				11-07-74	610.00*	50.00	

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-10-801	KCTM	2790	399.00	05-05-53	209.50		
				03-14-56	318.00	108.50	
				11-11-70	455.06	137.06	
				11-08-71	453.73		1.33
				11-15-72	455.26	1.53	
				11-15-74	509.00	53.74	
33-11-501	KGAC	35	570.00	02-19-71	0.66		
				11-08-71	4.17	3.51	
				11-16-72	2.30		1.87
				11-09-73	2.48	0.18	
				11-15-74	2.10		0.38
33-11-803	KGAC	17	575.00	02-19-71	9.70		
				07-26-71	10.41	0.71	
				11-08-71	8.03		2.38
				11-16-72	9.70	1.67	
				11-09-73	3.70		6.00
33-12-801	KGT	40	550.00	02-19-71	1.39		
				11-08-71	4.27	2.88	
				11-16-72	3.70		0.57
				11-15-74	2.93		0.77
33-17-401	KGN	250	500.00	10-22-70	176.32		
				07-12-71	178.29	1.97	
				11-09-71	173.75		4.54
33-17-801	KCTM	2622	730.00	05-07-40	670.00		
				07-29-71	892.00	222.00	
				04-21-72	876.00		16.00
				05-30-72	982.00*	106.00	
				11-08-73	903.00		79.00
				11-07-74	882.00		21.00
33-17-802	KCTM	2555	720.00	07-29-71	889.09		
				05-30-72	986.00*	96.91	
				11-16-72	838.00		148.00
				11-08-73	909.88	71.88	
				11-07-74	900.00		9.88
33-19-101	KCTN	3076	405.00	05-07-54	222.50		
				03-14-56	254.50	32.00	
				11-19-57	286.00	31.50	
				11-06-70	393.39	107.39	
				11-17-70	391.85		1.54

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-18-70	391.24		0.61
				03-15-71	385.77		5.47
				04-28-71	387.73	1.96	
				05-17-71	389.03	1.30	
				08-31-71	408.70	19.67	
				11-08-71	399.65		9.05
				03-01-72	381.55		18.10
				05-03-72	389.60	8.05	
				07-12-72	407.60	18.00	
				09-12-72	418.00	10.40	
				11-15-72	423.34	5.34	
				01-23-73	415.08		8.26
				03-28-73	417.70	2.62	
				05-23-73	419.41	1.71	
				07-16-73	425.04	5.63	
				09-18-73	426.32	1.28	
				11-08-73	431.81	5.49	
				02-04-74	430.17		1.64
				05-13-74	440.10	9.93	
				08-14-74	455.79	15.69	
				11-04-74	454.37		1.42
33-19-301	KGW	1600	515.00	02-09-56	317.00		
				07-26-71	454.00	137.00	
				11-08-71	468.00	14.00	
				11-15-72	476.00	8.00	
				11-16-72	474.22		1.78
				11-07-74	332.00		142.22
33-19-303	KCPA	2297	500.00	-----48	193.00		
				11-05-70	333.90	140.90	
				11-08-71	340.26	6.36	
				11-16-72	344.36	4.10	
				11-09-73	354.45	10.09	
				11-15-74	365.60	11.15	
33-20-102	KCTM	4080	503.00	-----49	250.00Q		
				07-26-71	374.42	124.42	
				11-08-71	362.52		11.90
				11-16-72	368.10	5.58	
				11-09-73	382.60	14.50	
				11-15-74	386.35Q	3.75	
33-20-401	KCTM	4110	473.00	11-----70	290.00		
				11-16-72	327.70	37.70	
				11-09-73	367.10	39.40	

DALLAS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-25-401	KCM	2507	780.00	07-----49	790.00		
				09-03-71	825.00	35.00	
				07-02-72	853.00	28.00	
				06-25-74	930.00	77.00	
33-26-305	KGW	1183	520.00	09-----50	268.00		
				12-05-71	330.00	62.00	
				11-09-71	507.00*	177.00	
				11-16-72	436.00		71.00
				11-08-73	400.00*		36.00
11-07-74	433.00	33.00					
33-26-401	KGW	946	700.00	10-22-70	521.00		
33-26-402	KGW	958	690.00	10-22-70	490.740		

DALLAS COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	32-24-307	32-24-901	32-32-301	33-03-802
DATE OF COLLECTION	07/13/71	07/12/71	07/12/71	02/16/71
AQUIFER CODE	KCPA-QAL	KGW	KGW	KGAC
WELL DEPTH	1151	356	314	50
TEMPERATURE-F			70	
TEMPERATURE-C				
SILICA (MG/L)	13.0	10.0	8.0	7.0
CALCIUM (MG/L)	5.0	3.0	3.0	74.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	6.0
SODIUM (MG/L)	274.0	223.0	244.0	17.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	471.0	479.0	590.0	207.0
SULFATE (MG/L)	182.0	87.0	44.0	45.0
CHLORIDE (MG/L)	20.0	10.0	10.0	15.0
FLUORIDE (MG/L)	1.3	1.2	1.6	.4
NITRATE (MG/L)	1.0	.4	.4	.4
IRON (MG/L)				
PH	8.5	8.0	8.3	7.5
DISSOLVED SOLIDS (MG/L)	728.8	571.0	602.0	266.0
PHENOL. ALK. CaCO3	5.0	.0	.0	.0
TOTAL ALK. CaCO3	396.0	393.0	486.0	170.0
TOTAL HARD CaCO3	15.0	14.0	14.0	208.0
% SODIUM	97.29	97.66	97.86	15.01
SAR	29.2	28.4	31.1	.5
RSC	7.3	7.6	9.4	.0
SPECIFIC CONDUCTANCE	1050.0	885.0	930.0	442.0

DALLAS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-09-701	33-10-301	33-11-501	33-11-803
DATE OF COLLECTION	07/13/71	07/12/71	02/19/71	07/26/71
AQUIFER CODE	KCTM	KGW	KGAC	KGAC
WELL DEPTH	2100	1154	35	17
TEMPERATURE-F	94			
TEMPERATURE-C				
SILICA (MG/L)	14.0	12.0	9.0	18.0
CALCIUM (MG/L)	8.0	9.0	40.0	100.0
MAGNESIUM (MG/L)	2.0	2.0	2.0	6.0
SODIUM (MG/L)	317.0	550.0	2.0	138.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	540.0	720.0	118.0	386.0
SULFATE (MG/L)	152.0	415.0	7.0	69.0
CHLORIDE (MG/L)	83.0	161.0	4.0	119.0
FLUORIDE (MG/L)	2.4	3.8	.1	.6
NITRATE (MG/L)	.4	.4	2.5	15.0
IRON (MG/L)				
PH	8.0	8.0	7.4	7.4
DISSOLVED SOLIDS (MG/L)	844.0	1507.0	124.0	655.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	446.0	590.0	97.0	316.0
TOTAL HARD CaCO3	28.0	32.0	108.0	274.0
% SODIUM	96.07	97.49	3.87	52.26
SAR	25.9	43.2	.0	3.6
RSC	8.2	11.1	.0	.8
SPECIFIC CONDUCTANCE	1280.0	2230.0	209.0	1029.0

DALLAS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-12-801	33-17-401	33-17-801	33-17-801
DATE OF COLLECTION	02/19/71	07/12/71	12/06/60	07/13/71
AQUIFER CODE	KGT	KGW	KCTM	KCTM
WELL DEPTH	40	250	2622	2622
TEMPERATURE-F				106
TEMPERATURE-C				
SILICA (MG/L)	21.0	10.0		18.0
CALCIUM (MG/L)	129.0	2.0	3.0	6.0
MAGNESIUM (MG/L)	24.0	1.0	1.0	1.0
SODIUM (MG/L)	164.0	317.0	316.0	299.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)			.1	
BORON (MG/L)				
BICARBONATE (MG/L)	368.0	640.0	527.0	520.0
SULFATE (MG/L)	399.0	98.0	109.0	131.0
CHLORIDE (MG/L)	43.0	40.0	84.0	80.0
FLUORIDE (MG/L)	1.1	2.7	1.6	1.7
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	7.8	8.5	8.3	8.1
DISSOLVED SOLIDS (MG/L)	962.0	785.0	774.0	792.0
PHENOL. ALK. CaCO3	.0	8.0		.0
TOTAL ALK. CaCO3	302.0	540.0	432.0	426.0
TOTAL HARD CaCO3	423.0	12.0	8.0	20.0
% SODIUM	45.89	98.69	98.34	97.14
SAR	3.4	45.7	40.3	29.7
RSC	.0	10.3	8.4	8.1
SPECIFIC CONDUCTANCE	1300.0	1200.0	1370.0	1230.0

DALLAS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-18-301	33-19-301	33-20-102	33-20-102
DATE OF COLLECTION	05/05/70	07/26/71	07/03/56	07/26/71
AQUIFER CODE	QAL	KGW	KCTM	KCTM
WELL DEPTH	30	1600	4080	4080
TEMPERATURE-F				135
TEMPERATURE-C				
SILICA (MG/L)	22.0	9.0	11.0	11.0
CALCIUM (MG/L)	159.0	3.0	7.0	16.0
MAGNESIUM (MG/L)	9.0	2.0	1.0	3.0
SODIUM (MG/L)	113.0	207.0	532.0	182.0
POTASSIUM (MG/L)	1.0			
MANGANESE (MG/L)	.1			
BORON (MG/L)				
BICARBONATE (MG/L)	339.0	276.0	551.0	222.0
SULFATE (MG/L)	219.0	109.0	190.0	81.0
CHLORIDE (MG/L)	117.0	78.0	355.0	124.0
FLUORIDE (MG/L)	.5	1.9		1.2
NITRATE (MG/L)	7.0	1.0		.4
IRON (MG/L)				
PH	7.4	7.9	8.2	8.5
DISSOLVED SOLIDS (MG/L)	814.0	546.0	1366.0	527.0
PHENOL. ALK. CaCO3	.0	.0		3.0
TOTAL ALK. CaCO3	270.0	226.0		188.0
TOTAL HARD CaCO3	435.0	16.0	22.0	51.0
% SODIUM	36.10	96.62	98.16	88.33
SAR	2.3	22.7	49.8	10.9
RSC	.0	4.2	8.5	2.5
SPECIFIC CONDUCTANCE	1150.0	880.0		880.0

DALLAS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-20-401	33-20-401	33-25-102	33-25-401
DATE OF COLLECTION	11/30/59	07/26/71	07/13/71	07/13/71
AQUIFER CODE	KCTM	KCTM	KGW	KCTM
WELL DEPTH	4110	4110	892	2507
TEMPERATURE-F		120	86	106
TEMPERATURE-C				
SILICA (MG/L)		23.0	12.0	17.0
CALCIUM (MG/L)	6.0	7.0	8.0	3.0
MAGNESIUM (MG/L)	1.0	2.0	2.0	2.0
SODIUM (MG/L)	470.0	484.0	308.0	299.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)	.1			
BORON (MG/L)				
BICARBONATE (MG/L)	611.0	620.0	472.0	520.0
SULFATE (MG/L)	175.0	200.0	262.0	108.0
CHLORIDE (MG/L)	278.0	270.0	21.0	85.0
FLUORIDE (MG/L)	3.0	3.0	1.1	1.6
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	8.1	8.1	7.8	8.0
DISSOLVED SOLIDS (MG/L)	1233.0	1294.0	846.0	771.0
PHENOL. ALK. CaCO3		.0	.0	.0
TOTAL ALK. CaCO3	501.0	510.0	387.0	426.0
TOTAL HARD CaCO3	20.0	27.0	27.0	15.0
% SODIUM	98.16	97.61	95.96	97.64
SAR	46.8	41.5	25.2	32.8
RSC	9.6	9.6	7.1	8.2
SPECIFIC CONDUCTANCE	2350.0	2020.0	1250.0	1200.0

DALLAS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-26-305	33-26-401	33-26-402
DATE OF COLLECTION	11/09/71	07/12/71	07/12/71
AQUIFER CODE	KGW	KGW	KGW
WELL DEPTH	1183	946	958
TEMPERATURE-F			
TEMPERATURE-C			
SILICA (MG/L)	12.0	13.0	12.0
CALCIUM (MG/L)	3.0	3.0	3.0
MAGNESIUM (MG/L)	3.0	1.0	2.0
SODIUM (MG/L)	460.0	399.0	448.0
POTASSIUM (MG/L)			
MANGANESE (MG/L)			
BORON (MG/L)			
BICARBONATE (MG/L)	540.0	550.0	520.0
SULFATE (MG/L)	449.0	327.0	410.0
CHLORIDE (MG/L)	72.0	63.0	97.0
FLUORIDE (MG/L)	2.0	1.5	1.7
NITRATE (MG/L)	.4	.4	1.0
IRON (MG/L)			
PH	8.5	7.8	7.5
DISSOLVED SOLIDS (MG/L)	1266.0	1078.0	1230.0
PHENOL, ALK. CAC03	.0	.0	.0
TOTAL ALK. CAC03	456.0	449.0	423.0
TOTAL HARD CAC03	18.0	15.0	17.0
% SODIUM	98.05	98.68	98.41
SAR	44.9	50.9	49.1
RSC	8.4	8.7	8.2
SPECIFIC CONDUCTANCE	1900.0	1600.0	1830.0

DALLAS COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCPA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO ₂)	3.00	19.00	11.75	11.00	50.00	8
CALCIUM (CA)	2.00	47.00	8.91	4.00	25.00	12
MAGNESIUM (MG)	1.00	55.00	6.41	1.00	16.66	12
SODIUM (NA)	30.00	546.00	318.15	330.00	46.15	13
BICARBONATE (HCO ₃)	122.00	558.00	403.00	439.00	61.53	13
SULFATE (SO ₄)	12.00	700.00	215.92	163.00	38.46	13
CHLORIDE (CL)	22.00	330.00	104.46	86.00	30.76	13
FLUORIDE (F)	0.10	16.00	3.07	1.40	12.50	8
NITRATE (NO ₃)	0.20	0.50	0.38	0.40	85.71	7
TOTAL DISSOLVED SOLIDS (TDS)	257.00	1757.00	860.18	888.00	46.15	13
HARDNESS (CaCO ₃)	8.00	230.00	49.16	20.00	16.66	12
SPECIFIC CON- DUCTANCE	451.00	1904.00	1384.42	1594.00	71.42	7
PH	7.20	9.20	8.35	8.30	50.00	12
PERCENT SODIUM	29.35	98.86	90.69	97.77	81.81	11
SAR	1.06	52.78	32.11	35.66	63.63	11
RSC	0.00	8.91	6.22	7.53	63.63	11

DALLAS COUNTY

SUMMARY OF GROUND WATER QUALITY--Continued

AQUIFER KCTM

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	4.00	43.00	18.64	16.00	21.42	14
CALCIUM (Ca)	2.00	233.00	14.91	5.00	8.33	24
MAGNESIUM (Mg)	0.00	58.00	3.87	1.00	8.33	24
SODIUM (Na)	182.00	1137.00	433.79	362.00	25.00	24
BICARBONATE (HCO3)	222.00	628.00	519.60	537.00	60.00	25
SULFATE (SO4)	19.00	2832.00	326.64	181.00	12.00	25
CHLORIDE (Cl)	64.00	355.00	148.16	124.00	36.00	25
FLUORIDE (F)	1.20	10.80	2.56	2.00	21.05	19
NITRATE (NO3)	0.20	2.00	0.62	0.40	16.66	18
TOTAL DISSOLVED SOLIDS (TDS)	527.00	4497.00	1177.29	938.00	24.00	25
HARDNESS (CaCO3)	8.00	824.00	53.83	18.00	4.16	24
SPECIFIC CON- DUCTANCE	880.00	2385.00	1607.20	1470.00	26.66	15
PH	8.00	8.70	8.30	8.30	36.36	22
PERCENT SODIUM	75.10	99.17	96.61	98.05	79.16	24
SAR	10.95	66.00	41.34	41.66	54.16	24
RSC	0.00	9.87	7.93	8.28	79.16	24

DALLAS COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KGW

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	8.00	32.00	12.75	12.00	31.25	16
CALCIUM (CA)	1.00	25.00	4.43	3.00	17.39	23
MAGNESIUM (MG)	0.00	4.00	1.42	1.00	33.33	21
SODIUM (NA)	207.00	922.00	467.39	465.00	43.47	23
BICARBONATE (HCO3)	276.00	1013.00	619.56	561.00	34.78	23
SULFATE (SO4)	44.00	504.00	320.30	380.00	65.21	23
CHLORIDE (CL)	10.00	572.00	127.52	97.00	34.78	23
FLUORIDE (F)	1.10	4.50	2.40	2.00	31.81	22
NITRATE (NO3)	0.00	1.00	0.48	0.40	26.31	19
TOTAL DISSOLVED SOLIDS (TDS)	546.00	2418.00	1236.70	1257.00	52.17	23
HARDNESS (CaCO3)	3.00	75.00	17.39	14.00	21.73	23
SPECIFIC CON- DUCTANCE	880.00	3130.00	1855.26	1900.00	47.36	19
PH	7.50	8.60	8.11	8.10	42.10	19
PERCENT SODIUM	93.47	99.57	98.18	98.68	61.90	21
SAR	22.72	105.19	56.63	54.48	47.61	21
RSC	4.20	16.02	9.98	9.10	38.09	21

DALLAS COUNTY


REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	14,041.47	8,910.47	22,951.94
1956	14,041.47	8,910.47	22,951.94
1957	10,340.51	8,910.47	19,250.98
1958	11,057.99	6,799.42	17,857.41
1959	9,850.09	7,533.53	17,383.62
1960	9,797.23	6,957.67	16,754.90
1961	10,455.60	6,846.05	17,301.65
1962	10,216.52	7,720.42	17,936.94
1963	11,182.21	9,320.45	20,502.66
1964	11,343.87	7,798.07	19,141.94
1965	11,154.07	7,847.96	19,002.03
1966	11,885.51	8,056.71	19,942.22
1967	12,483.72	7,864.20	20,347.92
1968	11,818.44	6,301.64	18,120.08
1969	13,061.41	6,697.54	19,758.95
1970	12,951.28	6,504.85	19,096.13
1971	10,485.36	4,816.04	15,301.40
1972	13,734.22	6,926.95	20,661.17
Total	209,540.97	134,722.91	344,263.88

WATER-LEVEL MEASUREMENTS IN DELTA COUNTY

EXPLANATION
CURRENT
OBSERVATION WELLS

- 803
Water level
- 804
Water quality
- 301
Water level and
water quality



NOTE:
This county is within
1° quadrangle No. 17

Location of Observation
Wells in Delta County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

DELTA COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
17-34-301	KCPA	3333	540.00	05-19-71	126.96		
				11-10-71	129.89	2.93	
				11-13-72	130.28	0.39	
				11-08-74	137.65	7.37	
17-35-901	KGNA	30	470.00	05-24-71	15.93		
				11-10-71	15.27		0.66
				11-13-72	14.68		0.59
				11-13-73	11.37		3.31
				11-08-74	12.16	0.79	
17-36-401	KGT	75	445.00	05-24-71	3.08		
				11-10-71	1.83		1.25
				11-13-73	0.70		1.13
				11-08-74	0.12		0.58
17-42-504	KGNA	281	477.00	02-05-71	184.80		
				11-13-72	189.98	5.18	
				11-13-73	186.70		3.28
				11-08-74	194.30	7.60	
17-42-803	KGNA	460	481.00	02-04-71	281.70		
				05-19-71	191.93		89.77
				11-10-71	189.89		2.04
				11-13-72	213.40	23.51	
				11-13-73	202.32		11.08
11-08-74	193.40		8.92				
17-43-101	KGNA	50	490.00	05-19-71	19.79		
				11-10-71	17.42		2.37
				11-13-72	20.62	3.20	
				11-13-73	14.21		6.41
				11-08-74	13.44		0.77

DELTA COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	17-34-301	17-35-901	17-36-401	17-42-504
DATE OF COLLECTION	05/19/71	05/24/71	05/24/71	05/18/71
AQUIFER CODE	KCPA	KGNA	KGT	KGNA
WELL DEPTH	3333	30	75	281
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	20.0	36.0	20.0	12.0
CALCIUM (MG/L)	3.0	78.0	35.0	3.0
MAGNESIUM (MG/L)	2.0	5.0	3.0	1.0
SODIUM (MG/L)	386.0	88.0	39.0	413.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	710.0	399.0	133.0	510.0
SULFATE (MG/L)	177.0	56.0	54.0	4.0
CHLORIDE (MG/L)	72.0	15.0	9.0	349.0
FLUORIDE (MG/L)	3.5	.6	1.5	1.9
NITRATE (MG/L)	.4	5.0	1.0	.4
IRON (MG/L)				
PH	8.4	7.5	8.0	7.9
DISSOLVED SOLIDS (MG/L)	1013.0	479.0	227.0	1035.0
PHENOL, ALK. CaCO3	1.0	.0	.0	.0
TOTAL ALK; CaCO3	580.0	327.0	109.0	415.0
TOTAL HARD CaCO3	16.0	218.0	100.0	12.0
% SODIUM	98.16	47.07	45.97	98.72
SAR	42.3	2.6	1.6	52.7
RSC	11.3	2.2	.1	8.1
SPECIFIC CONDUCTANCE	1540.0	702.0	358.0	1730.0

DELTA COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	17-42-705	17-42-804	17-42-804	17-43-101
DATE OF COLLECTION	05/18/71	05/19/71	11/10/71	05/19/71
AQUIFER CODE	KGNA	KGNA	KGNA	KGNA
WELL DEPTH	460	460	460	50
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	11.0	11.0	11.0	36.0
CALCIUM (MG/L)	3.0	7.0	5.0	570.0
MAGNESIUM (MG/L)	5.0	9.0	4.0	56.0
SODIUM (MG/L)	217.0	444.0	474.0	367.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	468.0	464.0	467.0	427.0
SULFATE (MG/L)	43.0	42.0	32.0	1930.0
CHLORIDE (MG/L)	17.0	408.0	446.0	53.0
FLUORIDE (MG/L)	.6	1.1	1.1	1.0
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	8.9	8.2	8.4	7.4
DISSOLVED SOLIDS (MG/L)	527.0	1150.0	1203.0	3223.0
PHENOL. ALK. CaCO3	19.0	.0	1.0	.0
TOTAL ALK. CaCO3	422.0	380.0	385.0	350.0
TOTAL HARD CaCO3	28.0	55.0	28.0	1660.0
% SODIUM	94.39	94.66	97.27	32.57
SAR	17.8	26.1	38.3	3.9
RSC	7.1	6.5	7.0	.0
SPECIFIC CONDUCTANCE	861.0	1930.0	2140.0	3300.0

DELTA COUNTY

GROUND WATER QUALITY ANALYSES--Continued


STATE WELL NUMBER	17-43-101
DATE OF COLLECTION	11/13/73
AQUIFER CODE	KGNA
WELL DEPTH	50
TEMPERATURE-F	
TEMPERATURE-C	
SILICA (MG/L)	27.0
CALCIUM (MG/L)	373.0
MAGNESIUM (MG/L)	28.0
SODIUM (MG/L)	197.0
POTASSIUM (MG/L)	
MANGANESE (MG/L)	
BORON (MG/L)	
BICARBONATE (MG/L)	275.0
SULFATE (MG/L)	1180.0
CHLORIDE (MG/L)	32.0
FLUORIDE (MG/L)	.9
NITRATE (MG/L)	1.9
IRON (MG/L)	
PH	7.3
DISSOLVED SOLIDS (MG/L)	1975.0
PHENOL. ALK. CaCO3	.0
TOTAL ALK. CaCO3	225.0
TOTAL HARD CaCO3	1050.0
% SODIUM	29.06
SAR	2.6
RSC	.0
SPECIFIC CONDUCTANCE	2250.0

DELTA COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	.00	.00	.00
1956	.00	.00	.00
1957	.00	.00	.00
1958	.00	.00	.00
1959	.00	.00	.00
1960	.00	.00	.00
1961	.00	.00	.00
1962	.00	.00	.00
1963	.00	.00	.00
1964	.00	.00	.00
1965	.00	.00	.00
1966	.00	.00	.00
1967	.00	.00	.00
1968	.00	.00	.00
1969	.00	.00	.00
1970	.00	.00	.00
1971	.00	.00	.00
1972	71.59	.00	71.59
Total	71.59	.00	71.59

WATER-LEVEL MEASUREMENTS IN DENTON COUNTY



EXPLANATION

- | | |
|---|---------------------------------|
| CURRENT
OBSERVATION WELLS | HISTORICAL
OBSERVATION WELLS |
| ● 201
Water level | ■ 501
Water level |
| ○ 402
Water quality | |
| ● 102
Water level and
water quality | |



0 1 2 3 4 MILES

Location of Observation
Wells in Denton County

DENTON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-33-801	KCA	1565	710.00	11-11-71	241.73		
				11-19-74	267.11	25.38	
18-41-201	KGA	210	625.00	09-29-70	58.76		
				02-26-71	55.72		3.04
				11-09-71	62.12	6.40	
				11-14-72	63.85	1.73	
				11-06-73	66.12	2.27	
				11-19-74	61.17		4.95
18-49-101	KCPA	915	590.00	10-06-70	190.80		
				02-26-71	189.76		1.04
				11-09-71	212.12	22.36	
				11-14-72	223.60	11.48	
				11-06-73	225.22	1.62	
				11-14-74	230.45	5.23	
18-49-102	KCTM	1542	590.00	10-06-70	270.51		
				02-26-71	272.35	1.84	
				11-14-72	168.80		103.55
				11-06-73	169.68	0.88	
				11-14-74	185.29	15.61	
18-49-801	KGN	420	540.00	10-06-70	137.38		
				02-26-71	126.54		10.84
				11-09-71	141.43	14.89	
				11-14-72	145.10	3.67	
				11-06-73	147.84	2.74	
				11-14-74	146.89		0.95
18-49-901	KGA	275	585.00	10-06-70	136.35		
				02-26-71	129.70		6.65
				11-14-74	111.60		18.10
18-57-801	KGW	160	480.00	09-30-70	94.76		
18-57-901	KCPA	1308	510.00	09-30-70	273.12		
				02-26-71	277.58	4.46	
				11-09-71	291.50	13.92	
				11-13-72	311.47	19.97	
				11-06-73	314.36	2.89	
				11-14-74	318.78	4.42	
19-39-801	KCA	360	714.00	10-01-70	169.10		

DENTON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-25-71	173.33	4.23	
				11-08-71	177.12	3.79	
				11-14-72	178.54	1.42	
				11-06-73	179.34	0.80	
				11-13-74	181.17	1.83	
19-46-601	KCPA	249	760.00	09-30-70	180.91		
				02-25-71	182.21	1.30	
				11-08-71	184.95	2.74	
				11-14-72	190.38	5.43	
				11-06-73	191.93	1.55	
19-47-201	KCA	968	668.00	10-01-70	202.55		
				11-14-72	179.97		22.58
				11-13-74	203.51	23.54	
19-47-801	KCPA	552	715.00	09-30-70	189.50		
				02-25-71	196.290	6.79	
				11-14-72	230.60	34.51	
				11-06-73	235.02	4.22	
				11-14-74	239.56	4.54	
19-48-101	KCA	----	700.00	10-01-70	212.97		
				02-25-71	211.87		1.10
				11-08-71	215.89	4.02	
				11-14-72	221.55	5.66	
				11-06-73	225.38	3.83	
				11-14-74	230.74	5.36	
19-54-603	KCTM	980	735.00	07-----49	360.00		
				07-23-71	434.00	74.00	
				11-10-71	415.00		19.00
				11-15-72	495.00W	80.00	
				11-06-73	406.00		89.00
				11-06-74	385.00		21.00
19-54-901	KCPA	450	722.00	10-02-70	267.86		
				02-25-71	272.59	4.73	
				11-14-74	283.70*	11.11	
19-56-104	KCPA-KCGR- KCTM	1200	633.00	04-----57	362.00W		
				07-----60	180.00		182.00
				10-----62	179.00		1.00
				06-----65	183.00	4.00	
				05-----68	185.00	2.00	
				01-----70	188.00	3.00	

DENTON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				09-05-71	197.00*	9.00	
				11-14-72	210.24	13.24	
				11-05-73	217.44	7.20	
				11-19-74	248.08	30.64	
19-61-301	KCPA	415	832.00	10-02-70	236.210		
				02-25-71	236.040		0.17
				11-09-71	192.36		43.68
				11-13-72	194.48	2.12	
				11-05-73	194.88	0.40	
				11-12-74	196.75	1.87	
19-62-501	KCTM	1003	660.00	10-02-70	371.20		
				02-25-71	370.96		0.24
				11-18-74	400.30	29.34	
19-63-601	KCPA	870	680.00	10-05-70	356.49		
				02-25-71	360.230	3.74	
				11-09-71	378.490	18.26	
				11-13-72	405.50*	27.01	
				11-05-73	410.760	5.26	
11-18-74	413.78	3.02					
19-63-701	KCPA	626	667.00	10-05-70	347.60		
				02-25-71	348.97	1.37	
				11-09-71	364.76	15.79	
				11-13-72	376.42	11.66	
				11-18-74	371.10		5.32
19-64-201	KCTM	1748	560.00	10-07-70	313.90		
				02-26-71	317.04	3.14	
				11-09-71	338.63	21.59	
				11-13-72	358.60	19.97	
				11-06-73	363.87	5.27	
19-64-901	KGM	260	562.00	10-05-70	98.92		
				02-25-71	90.64		8.28
				11-09-71	96.39	5.75	
				11-13-72	98.65	2.26	
				11-05-73	96.01		2.64
				11-18-74	95.37		0.64

DENTON COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	18-33-801	18-49-101	18-49-102	18-49-801
DATE OF COLLECTION	07/23/71	02/26/71	02/26/71	02/26/71
AQUIFER CODE	KCA	KCPA	KCTM	KGW
WELL DEPTH	1565	915	1542	420
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	13.0	13.0	15.0	10.0
CALCIUM (MG/L)	2.0	1.0	1.0	2.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	2.0
SODIUM (MG/L)	196.0	258.0	233.0	250.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	361.0	497.0	421.0	486.0
SULFATE (MG/L)	107.0	97.0	95.0	73.0
CHLORIDE (MG/L)	14.0	17.0	20.0	32.0
FLUORIDE (MG/L)	.4	.9	.8	2.1
NITRATE (MG/L)	1.0	2.0	1.5	.4
IRON (MG/L)				
PH	8.8	8.9	8.9	8.8
DISSOLVED SOLIDS (MG/L)	511.0	634.0	574.0	610.0
PHENOL. ALK. CaCO3	11.0	22.0	21.0	18.0
TOTAL ALK. CaCO3	318.0	451.0	387.0	434.0
TOTAL HARD CaCO3	10.0	10.0	9.0	13.0
% SODIUM	97.90	98.83	98.71	97.62
SAR	28.2	43.6	39.4	29.9
RSC	5.7	8.0	6.7	7.7
SPECIFIC CONDUCTANCE	814.0	1024.0	935.0	989.0

DENTON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-49-801	18-49-901	18-57-901	19-39-801
DATE OF COLLECTION	11/09/71	03/26/71	02/26/71	02/25/71
AQUIFER CODE	KGW	KGW	KCPA	KCA
WELL DEPTH	420	275	1308	360
TEMPERATURE-F	60			
TEMPERATURE-C				
SILICA (MG/L)	10.0	10.0	14.0	12.0
CALCIUM (MG/L)	2.0	6.0	1.0	1.0
MAGNESIUM (MG/L)	2.0	2.0	1.0	1.0
SODIUM (MG/L)	250.0	710.0	247.0	233.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	510.0	750.0	468.0	454.0
SULFATE (MG/L)	77.0	408.0	110.0	52.0
CHLORIDE (MG/L)	32.0	370.0	15.0	12.0
FLUORIDE (MG/L)	2.3	3.4	.8	.6
NITRATE (MG/L)	.4	3.3	.4	2.0
IRON (MG/L)				
PH	8.4	8.0	8.7	9.2
DISSOLVED SOLIDS (MG/L)	626.0	1881.0	619.0	536.0
PHENOL. ALK. CaCO3	4.0	.0	13.0	38.0
TOTAL ALK. CaCO3	426.0	620.0	410.0	448.0
TOTAL HARD CaCO3	12.0	23.0	9.0	9.0
% SODIUM	97.62	98.52	98.78	98.71
SAR	29.9	64.1	41.8	39.4
RSC	8.0	11.8	7.5	7.3
SPECIFIC CONDUCTANCE	990.0	2820.0	985.0	898.0

DENTON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-39-801	19-47-801	19-54-603	19-54-901
DATE OF COLLECTION	11/08/71	11/14/72	07/23/71	02/25/71
AQUIFER CODE	KCA	KCA	KCA	KCPA
WELL DEPTH	360	----	980	450
TEMPERATURE-F	56			
TEMPERATURE-C				
SILICA (MG/L)	12.0	10.0	12.0	13.0
CALCIUM (MG/L)	1.0	1.0	4.0	2.0
MAGNESIUM (MG/L)	2.0	1.0	2.0	1.0
SODIUM (MG/L)	229.0	242.0	178.0	198.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	472.0	500.0	318.0	403.0
SULFATE (MG/L)	51.0	72.0	68.0	38.0
CHLORIDE (MG/L)	12.0	11.0	51.0	8.0
FLUORIDE (MG/L)	.6	.8	.2	.3
NITRATE (MG/L)	1.5	.4	1.0	.4
IRON (MG/L)				
PH	9.0	8.9	8.6	9.1
DISSOLVED SOLIDS (MG/L)	541.0	584.0	472.0	458.0
PHENOL. ALK. CaCO3	30.0	.0	6.0	27.0
TOTAL ALK. CaCO3	447.0	453.0	273.0	384.0
TOTAL HARD CaCO3	11.0	9.0	18.0	7.0
% SODIUM	97.89	98.76	95.51	97.93
SAR	30.4	40.9	18.1	28.5
RSC	7.5	8.0	4.8	6.4
SPECIFIC CONDUCTANCE	916.0	945.0	765.0	780.0

DENTON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-56-104	19-56-402	19-61-301	19-63-701
DATE OF COLLECTION	07/23/71	07/23/71	02/25/71	02/25/71
AQUIFER CODE	KCPA-KCGR	KCPA	KCPA	KCPA
WELL DEPTH	1200	765	415	626
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	11.0	16.0	3.0
CALCIUM (MG/L)	2.0	3.0	55.0	32.0
MAGNESIUM (MG/L)	2.0	1.0	18.0	4.0
SODIUM (MG/L)	196.0	253.0	42.0	8.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	387.0	560.0	322.0	105.0
SULFATE (MG/L)	89.0	80.0	28.0	12.0
CHLORIDE (MG/L)	14.0	12.0	9.0	8.0
FLUORIDE (MG/L)	.6	1.1	.1	.2
NITRATE (MG/L)	.4	.4	2.5	3.5
IRON (MG/L)				
PH	8.8	8.6	7.4	7.2
DISSOLVED SOLIDS (MG/L)	506.0	636.0	328.0	122.0
PHENOL. ALK. CaCO3	11.0	10.0	.0	.0
TOTAL ALK. CaCO3	339.0	476.0	264.0	86.0
TOTAL HARD CaCO3	13.0	12.0	214.0	94.0
% SODIUM	96.99	97.93	30.18	15.30
SAR	23.4	32.3	1.2	.3
RSC	6.0	8.9	1.0	.0
SPECIFIC CONDUCTANCE	805.0	994.0	540.0	215.0

DENTON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-63-701	19-64-901
DATE OF COLLECTION	11/09/71	02/25/71
AQUIFER CODE	KCPA	KGW
WELL DEPTH	626	260
TEMPERATURE-F	61	
TEMPERATURE-C		
SILICA (MG/L)	13.0	9.0
CALCIUM (MG/L)	1.0	2.0
MAGNESIUM (MG/L)	2.0	1.0
SODIUM (MG/L)	196.0	188.0
POTASSIUM (MG/L)		
MANGANESE (MG/L)		
BORON (MG/L)		
BICARBONATE (MG/L)	420.0	348.0
SULFATE (MG/L)	31.0	67.0
CHLORIDE (MG/L)	7.0	31.0
FLUORIDE (MG/L)	.3	1.4
NITRATE (MG/L)	1.5	.4
IRON (MG/L)		
PH	9.0	8.6
DISSOLVED SOLIDS (MG/L)	458.0	470.0
PHENOL, ALK. CaCO3	29.0	7.0
TOTAL ALK. CaCO3	402.0	299.0
TOTAL HARD CaCO3	12.0	9.0
% SODIUM	97.54	97.82
SAR	26.0	27.1
RSC	6.6	5.5
SPECIFIC CONDUCTANCE	785.0	748.0

DENTON COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCPA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	3.00	14.00	11.00	13.00	42.85	7
CALCIUM (CA)	1.00	32.00	6.00	2.00	14.28	7
MAGNESIUM (MG)	0.00	4.00	1.28	1.00	28.57	7
SODIUM (NA)	8.00	253.00	191.28	207.00	57.14	7
BICARBONATE (HCO3)	105.00	560.00	391.42	420.00	57.14	7
SULFATE (SO4)	12.00	110.00	60.14	67.00	57.14	7
CHLORIDE (CL)	7.00	31.00	13.71	12.00	42.85	7
FLUORIDE (F)	0.20	1.40	0.65	0.60	42.85	7
NITRATE (NO3)	0.40	3.50	1.21	0.80	28.57	7
TOTAL DISSOLVED SOLIDS (TDS)	122.00	636.00	477.71	470.00	42.85	7
HARDNESS (CaCO3)	2.00	94.00	21.00	9.00	14.28	7
SPECIFIC CON- DUCTANCE	84.00	994.00	685.00	785.00	71.42	7
PH	7.20	9.00	8.44	8.60	71.42	7
PERCENT SODIUM	15.30	99.50	86.41	97.93	71.42	7
SAR	0.35	66.11	33.43	32.32	28.57	7
RSC	0.00	8.94	6.03	6.66	57.14	7

DENTON COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KCA


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	9.00	21.00	13.00	12.00	22.22	18
CALCIUM (CA)	0.00	2.00	1.11	1.00	38.88	18
MAGNESIUM (MG)	0.00	1.00	0.16	0.00	16.66	18
SODIUM (NA)	179.00	289.00	221.77	223.00	61.11	18
BICARBONATE (HCO3)	278.00	536.00	383.27	354.00	38.88	18
SULFATE (SO4)	47.00	126.00	89.00	95.00	61.11	18
CHLORIDE (CL)	7.00	34.00	19.55	18.00	44.44	18
FLUORIDE (F)	0.10	1.50	0.56	0.50	46.66	15
NITRATE (NO3)	0.00	3.00	1.17	1.50	58.82	17
TOTAL DISSOLVED SOLIDS (TDS)	435.00	697.00	536.22	520.00	44.44	18
HARDNESS (CaCO3)	2.00	10.00	6.72	7.00	55.55	18
SPECIFIC CON- DUCTANCE	84.00	1140.00	773.11	837.00	66.66	18
PH	7.90	8.90	8.52	8.60	57.14	14
PERCENT SODIUM	96.99	100.00	98.88	98.83	44.44	18
SAR	32.59	75.75	48.17	44.02	30.76	13
RSC	4.50	8.73	6.20	5.80	38.88	18

DENTON COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE


YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	3,661.99	8.46	3,670.45
1956	4,190.52	9.20	4,199.72
1957	4,030.36	9.20	4,039.56
1958	1,130.12	46.34	1,176.46
1959	838.45	10.03	848.48
1960	879.73	60.07	939.80
1961	890.29	48.06	938.35
1962	952.74	55.62	1,008.36
1963	1,120.53	41.42	1,161.95
1964	1,074.76	45.26	1,120.02
1965	1,017.91	44.97	1,062.88
1966	1,145.69	60.32	1,206.01
1967	1,473.34	61.31	1,534.65
1968	1,679.85	56.71	1,736.56
1969	1,990.24	40.06	2,030.30
1970	2,265.93	.00	2,265.93
1971	2,684.25	.00	2,684.25
1972	3,572.84	4.39	3,577.23
Total	34,599.54	601.42	35,200.96

WATER-LEVEL MEASUREMENTS IN ELLIS COUNTY



EXPLANATION

- | CURRENT
OBSERVATION WELLS | HISTORICAL
OBSERVATION WELLS |
|--|--|
| ●
703
Water level | ■
901
Water level |
| ○
901
Water quality | ■
205
Water level and
water quality |
| ●
201
Water level and
water quality | |



Location of Observation Wells in Ellis County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

ELLIS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-32-603	KGB	355	550.00	03-18-71	162.54		
				11-10-71	164.64		2.10
				11-14-72	175.40		10.76
				11-14-74	182.25		6.85
32-40-305	KGB	543	645.00	06-22-66	307.00		
				03-19-71	323.71		16.71
				11-10-71	328.04		4.33
				11-14-72	347.00		18.96
				11-07-73	375.97		28.97
11-14-74	377.98		2.01				
32-48-501	KGB	367	592.00	06-22-65	132.70		
				11-20-69	154.73		22.03
				07-23-71	159.70		4.97
				11-10-71	164.57		4.87
				11-13-72	166.00		1.43
				11-06-73	174.20		8.20
11-14-74	179.14		4.94				
32-48-901	KGB	384	528.00	06-22-64	168.60		
				11-19-69	194.90		26.30
				11-19-69	195.45		0.55
				02-23-71	202.23		6.78
				11-10-71	204.40@		2.17
				11-13-72	214.62		10.42
				11-06-73	216.42		1.80
11-14-74	221.95@		5.53				
33-25-901	KGB	735	630.00	03-23-69	348.00		
				05-21-70	444.40		96.40
				11-10-71	441.90		2.50
33-26-703	KGC	26	605.00	03-19-71	13.64		
				11-09-71	9.99		3.65
				11-14-72	12.45		2.46
				11-07-73	7.52		4.93
11-14-74	6.44		1.08				
33-27-801	KGB	1447	480.00	06-21-65	253.10		
				05-18-70	264.75		11.65
				02-23-71	268.97		4.22
				11-14-72	286.65@		17.68

ELLIS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-28-703	KGW	1350	445.00	04-29-71	312.60		
				11-11-71	312.90	0.30	
				11-14-72	313.44	0.54	
				11-07-73	316.28	2.84	
				11-14-74	319.41	3.13	
33-31-601	KGW	780	650.00	09-21-48	380.00		
				03-18-71	372.85		7.15
				11-10-71	374.26	1.41	
				11-14-72	372.63		1.63
				11-07-73	393.70	21.07	
11-14-74	400.70	7.00					
33-34-205	KGW	967	590.00	04-09-70	440.00		
33-34-703	KCHO	2653	540.00	05-22-73	443.25		
				07-16-73	448.00	4.75	
				11-07-73	455.49	7.49	
				02-04-74	457.25	1.76	
				05-13-74	465.82	8.57	
				08-14-74	460.43	14.61	
11-04-74	477.46		2.97				
33-35-201	KGT	30	530.00	04-29-71	9.09		
				11-11-71	8.94		0.15
				11-14-72	10.15	1.21	
				11-14-74	1.43		8.72
33-36-201	KGW	1982	505.00	04-30-71	359.28		
				11-11-71	387.30	28.02	
				11-14-72	384.10*		3.20
				11-07-73	392.24	8.14	
				11-14-74	408.80*	16.56	
33-41-202	KGW	727	680.00	06-16-45	343.35		
				03-19-71	382.76	39.41	
				11-10-71	385.87	3.11	
				11-13-72	381.00		4.87
33-41-901	KGW	620	610.00	07-19-45	277.59		
				11-18-49	301.75	24.16	
				02-22-71	305.24	3.49	
				11-10-71	316.58	11.34	
				11-13-72	314.44		2.14
33-42-201	KGW	1285	557.00	08-12-45	325.28		

ELLIS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-21-70	349.20	23.92	
				02-22-71	354.17	4.97	
				11-10-71	357.48Q	3.31	
				11-13-72	365.20Q		2.28
				11-07-73	371.06	15.86	
				11-15-74	377.20Q	6.14	
33-43-501	OAL	32	473.00	08-10-65	28.70		
				05-21-70	21.12		7.58
				02-22-71	25.50	4.38	
				11-11-71	28.36	2.86	
				11-13-72	27.10		1.26
				11-07-73	24.86		2.24
				11-15-74	26.59	1.73	
33-44-802	KGT	45	472.00	08-12-65	18.65		
				05-18-70	7.14		11.51
				02-22-71	10.10	2.96	
				11-11-71	11.90	1.80	
				11-13-72	13.02	1.12	
				11-06-73	7.59		5.43
				11-14-74	4.30		3.29
33-49-802	KGAC	----	635.00	11-19-69	5.73		
				02-22-71	5.48		0.25
				11-10-71	7.05	1.57	
				11-13-72	6.26		0.77
				11-06-73	5.58		0.70
				11-14-74	4.68		0.90
33-50-502	KGW	1238	460.00	06-29-65	311.24		
				11-11-71	380.85*	69.61	
				11-13-72	368.02		12.83
				11-06-73	375.29	7.27	
				11-14-74	385.40	10.11	
33-51-203	KGT	28	463.00	08-11-65	13.23		
				05-18-70	4.75		8.48
				02-22-71	9.35	4.60	
				11-11-71	10.27	0.92	
				11-13-72	7.24		3.03
				11-04-73	4.73		2.51
				11-14-74	5.90	1.17	
33-51-302	KGT	35	430.00	08-11-65	24.60		
				05-18-70	16.34		8.26

ELLIS COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-22-71	20.98	4.24	
				11-11-71	23.12	2.54	
				11-13-72	21.27		1.85
				11-06-73	20.68		0.59
				11-14-74	20.85	0.17	
33-51-501	KGT	37	455.00	05-18-70	18.42		
				02-22-71	20.60	4.18	
				11-11-71	22.13	1.53	
				11-13-72	20.46		1.67
				11-06-73	18.27		2.19
				11-14-74	18.34	0.07	
33-52-103	KGT	----	400.00	05-18-70	4.34		
				02-22-71	5.96	1.62	
				11-11-71	7.59	1.63	
				11-13-72	5.46		2.13
				11-06-73	4.78		0.68
				11-14-74	4.86	0.08	

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	32-32-803	32-40-305	32-40-305	32-48-501
DATE OF COLLECTION	03/18/71	03/19/71	11/14/72	06/22/65
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	355	543	543	367
TEMPERATURE-F			70	75
TEMPERATURE-C				
SILICA (MG/L)	11.0	12.0	8.0	11.0
CALCIUM (MG/L)	3.0	4.0	3.0	.0
MAGNESIUM (MG/L)	1.0	2.0	1.0	.0
SODIUM (MG/L)	258.0	310.0	309.0	290.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	448.0	416.0	401.0	576.0
SULFATE (MG/L)	168.0	314.0	295.0	118.0
CHLORIDE (MG/L)	17.0	24.0	21.0	25.0
FLUORIDE (MG/L)	.7	.8	.7	1.3
NITRATE (MG/L)	.4	2.5	.4	.2
IRON (MG/L)				
PH	8.6	8.3	8.4	8.2
DISSOLVED SOLIDS (MG/L)	679.0	873.0	835.2	728.0
PHENOL. ALK. CaCO3	7.0	.0	5.0	
TOTAL ALK. CaCO3	381.0	341.0	339.0	
TOTAL HARD CaCO3	12.0	17.0	11.0	4.0
% SODIUM	97.97	97.37	98.30	100.00
SAR	32.9	31.6	39.4	
RSC	7.1	6.4	6.3	9.4
SPECIFIC CONDUCTANCE	1049.0	1300.0	1320.0	1200.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-48-501	32-48-901	33-26-703	33-26-901
DATE OF COLLECTION	11/10/71	11/13/72	03/19/71	08/04/65
AQUIFER CODE	KGW	KGW	KGAC	KGW
WELL DEPTH	367	384	26	950
TEMPERATURE-F		70		82
TEMPERATURE-C				
SILICA (MG/L)	11.0	10.0	14.0	13.0
CALCIUM (MG/L)	2.0	3.0	146.0	2.0
MAGNESIUM (MG/L)	2.0	2.0	4.0	1.0
SODIUM (MG/L)	304.0	418.0	29.0	520.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	530.0	600.0	344.0	628.0
SULFATE (MG/L)	161.0	332.0	60.0	414.0
CHLORIDE (MG/L)	29.0	53.0	46.0	134.0
FLUORIDE (MG/L)	1.4	2.6	.4	2.4
NITRATE (MG/L)	3.0	2.5	31.0	
IRON (MG/L)				
PH	8.7	8.4	7.5	8.0
DISSOLVED SOLIDS (MG/L)	774.0	1118.1	499.0	1395.0
PHENOL. ALK. CaCO3	13.0	5.0	.0	
TOTAL ALK. CaCO3	464.0	498.0	282.0	
TOTAL HARD CaCO3	13.0	15.0	385.0	10.0
% SODIUM	98.04	98.30	14.21	99.20
SAR	36.3	45.8	.6	75.0
RSC	8.4	9.5	.0	10.1
SPECIFIC CONDUCTANCE	1200.0	1680.0	782.0	2190.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-26-901	33-27-801	33-28-703	33-33-501
DATE OF COLLECTION	05/20/70	02/23/71	04/29/71	03/18/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	950	1447	1350	780
TEMPERATURE-F		68		
TEMPERATURE-C				
SILICA (MG/L)	12.0	20.0	15.0	12.0
CALCIUM (MG/L)	3.0	7.0	5.0	4.0
MAGNESIUM (MG/L)	3.0	2.0	4.0	1.0
SODIUM (MG/L)	500.0	461.0	690.0	339.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	610.0	630.0	920.0	464.0
SULFATE (MG/L)	398.0	142.0	319.0	329.0
CHLORIDE (MG/L)	135.0	266.0	338.0	30.0
FLUORIDE (MG/L)	2.4	2.8	4.9	.8
NITRATE (MG/L)	.4	1.5	.4	.4
IRON (MG/L)				
PH	8.4	8.3	8.3	8.4
DISSOLVED SOLIDS (MG/L)	1353.0	1212.0	1828.0	944.0
PHENOL. ALK. CaCO3	5.0	.0	.0	3.0
TOTAL ALK. CaCO3	510.0	513.0	760.0	386.0
TOTAL HARD CaCO3	19.0	27.0	30.0	17.0
% SODIUM	98.21	97.50	98.10	98.12
SAR	48.8	39.5	55.8	39.2
RSC	9.6	9.8	14.5	7.3
SPECIFIC CONDUCTANCE	1980.0	1900.0	2710.0	1410.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-34-205	33-35-201	33-36-201	33-36-201
DATE OF COLLECTION	03/18/71	04/29/71	08/03/65	04/30/71
AQUIFER CODE	KGW	KCGR	KGW	KGW
WELL DEPTH	967	30	1982	1982
TEMPERATURE-F			102	
TEMPERATURE-C				
SILICA (MG/L)	13.0	17.0	18.0	17.0
CALCIUM (MG/L)	3.0	93.0	4.0	4.0
MAGNESIUM (MG/L)	2.0	7.0	.0	3.0
SODIUM (MG/L)	420.0	141.0	729.0	680.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	560.0	459.0	944.0	920.0
SULFATE (MG/L)	374.0	51.0	448.0	435.0
CHLORIDE (MG/L)	77.0	94.0	234.0	229.0
FLUORIDE (MG/L)	1.5	.8	3.8	5.1
NITRATE (MG/L)	.4	7.5	.2	3.6
IRON (MG/L)				
PH	8.3	7.4	7.9	8.3
DISSOLVED SOLIDS (MG/L)	1166.0	636.0	1901.0	1829.0
PHENOL. ALK. CaCO3	.0	.0		.0
TOTAL ALK. CaCO3	456.0	376.0		760.0
TOTAL HARD CaCO3	16.0	260.0	13.0	21.0
% SODIUM	98.30	54.04	99.37	98.51
SAR	46.1	3.7	100.3	62.6
RSC	8.8	2.3	15.2	14.6
SPECIFIC CONDUCTANCE	1760.0	1012.0	2990.0	2640.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-36-201	33-41-202	33-41-202	33-43-501
DATE OF COLLECTION	11/07/73	06/16/65	03/19/71	02/22/71
AQUIFER CODE	KGW	KGW	KGW	GAL
WELL DEPTH	1982	727	727	32
TEMPERATURE-F		81		68
TEMPERATURE-C				
SILICA (MG/L)	15.0	13.0	12.0	21.0
CALCIUM (MG/L)	3.0	.0	3.0	236.0
MAGNESIUM (MG/L)	2.0	.0	1.0	9.0
SODIUM (MG/L)	710.0	269.0	270.0	38.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	920.0	552.0	550.0	312.0
SULFATE (MG/L)	414.0	93.0	104.0	71.0
CHLORIDE (MG/L)	240.0	25.0	33.0	132.0
FLUORIDE (MG/L)	5.4	1.2	1.2	.3
NITRATE (MG/L)	8.0	.2	1.5	231.0
IRON (MG/L)				
PH	8.3	8.0	8.5	7.1
DISSOLVED SOLIDS (MG/L)	1849.7	672.0	696.0	891.0
PHENOL, ALK, CaCO3	.0		5.0	.0
TOTAL ALK. CaCO3	750.0		462.0	256.0
TOTAL HARD CaCO3	16.0	4.0	12.0	630.0
% SODIUM	98.99	100.00	98.06	11.66
SAR	77.9		34.4	.6
RSC	14.7	9.0	8.7	.0
SPECIFIC CONDUCTANCE	2730.0	1100.0	1094.0	1300.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-43-501	33-43-501	33-49-802	33-50-502
DATE OF COLLECTION	11/11/71	11/07/73	11/10/71	06/29/65
AQUIFER CODE	QAL	QAL	KGAC	KGW
WELL DEPTH	32	32	----	1238
TEMPERATURE-F				86
TEMPERATURE-C				
SILICA (MG/L)	22.0	21.0	9.0	14.0
CALCIUM (MG/L)	208.0	157.0	107.0	3.0
MAGNESIUM (MG/L)	12.0	7.0	3.0	1.0
SODIUM (MG/L)	37.0	33.0	11.0	693.0
POTASSIUM (MG/L)				2.5
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	318.0	337.0	264.0	952.0
SULFATE (MG/L)	77.0	64.0	28.0	498.0
CHLORIDE (MG/L)	98.0	53.0	9.0	172.0
FLUORIDE (MG/L)	.3	.5	.4	5.7
NITRATE (MG/L)	200.0	82.0	54.0	
IRON (MG/L)				
PH	7.1	7.5	7.4	8.0
DISSOLVED SOLIDS (MG/L)	810.0	583.2	351.0	1857.0
PHENOL, ALK, CaCO3	.0	.0	.0	
TOTAL ALK. CaCO3	261.0	276.0	216.0	
TOTAL HARD CaCO3	570.0	421.0	282.0	15.0
% SODIUM	12.40	14.58	7.89	99.02
SAR	.6	.7	.2	88.5
RSC	.0	.0	.0	15.3
SPECIFIC CONDUCTANCE	1173.0	902.0	547.0	2920.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-50-502	33-50-502	33-51-203	33-51-203
DATE OF COLLECTION	04/30/71	11/06/73	02/22/71	11/11/71
AQUIFER CODE	KGW	KGW	KGT	KGT
WELL DEPTH	1238	1238	28	28
TEMPERATURE-F			68	
TEMPERATURE-C				
SILICA (MG/L)	13.0	12.0	21.0	24.0
CALCIUM (MG/L)	3.0	3.0	119.0	120.0
MAGNESIUM (MG/L)	2.0	2.0	5.0	6.0
SODIUM (MG/L)	600.0	610.0	51.0	53.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	860.0	850.0	372.0	364.0
SULFATE (MG/L)	391.0	389.0	45.0	47.0
CHLORIDE (MG/L)	141.0	149.0	40.0	51.0
FLUORIDE (MG/L)	5.0	5.2	.8	.8
NITRATE (MG/L)	.4	7.0	13.0	20.0
IRON (MG/L)				
PH	8.3	8.3	7.4	7.4
DISSOLVED SOLIDS (MG/L)	1578.0	1595.1	477.0	500.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	700.0	700.0	305.0	298.0
TOTAL HARD CaCO3	17.0	14.0	319.0	322.0
% SODIUM	98.81	98.83	25.89	26.23
SAR	65.8	66.9	1.2	1.2
RSC	13.7	13.6	.0	.0
SPECIFIC CONDUCTANCE	2290.0	2350.0	751.0	786.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	33-51-302 02/22/71	33-51-302 11/11/71	33-51-302 11/06/73	33-51-501 02/22/71
AQUIFER CODE	KGT	KGT	KGT	KGT
WELL DEPTH	35	35	35	37
TEMPERATURE-F	67			68
TEMPERATURE-C				
SILICA (MG/L)	18.0	24.0	20.0	22.0
CALCIUM (MG/L)	144.0	127.0	119.0	86.0
MAGNESIUM (MG/L)	14.0	12.0	10.0	7.0
SODIUM (MG/L)	52.0	49.0	50.0	91.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	368.0	370.0	375.0	398.0
SULFATE (MG/L)	21.0	23.0	20.0	22.0
CHLORIDE (MG/L)	94.0	63.0	57.0	55.0
FLUORIDE (MG/L)	.8	.8	1.0	.6
NITRATE (MG/L)	77.0	68.0	47.0	11.0
IRON (MG/L)				
PH	7.7	7.5	7.6	7.3
DISSOLVED SOLIDS (MG/L)	601.0	548.0	508.3	490.0
PHENOL, ALK. CAC03	.0	.0	.0	.0
TOTAL ALK. CAC03	302.0	303.0	307.0	326.0
TOTAL HARD CAC03	418.0	368.0	340.0	247.0
% SODIUM	21.34	22.54	24.34	44.85
SAR	1.1	1.1	1.1	2.5
RSC	.0	.0	.0	1.6
SPECIFIC CONDUCTANCE	977.0	864.0	820.0	781.0

ELLIS COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-51-501
DATE OF COLLECTION	11/11/71
AQUIFER CODE	KGT
WELL DEPTH	37
TEMPERATURE-F	
TEMPERATURE-C	
SILICA (MG/L)	22.0
CALCIUM (MG/L)	80.0
MAGNESIUM (MG/L)	7.0
SODIUM (MG/L)	93.0
POTASSIUM (MG/L)	
MANGANESE (MG/L)	
BORON (MG/L)	
BICARBONATE (MG/L)	388.0
SULFATE (MG/L)	21.0
CHLORIDE (MG/L)	55.0
FLUORIDE (MG/L)	.6
NITRATE (MG/L)	15.0
IRON (MG/L)	
PH	7.4
DISSOLVED SOLIDS (MG/L)	484.0
PHENOL. ALK. CaCO3	.0
TOTAL ALK. CaCO3	318.0
TOTAL HARD CaCO3	230.0
% SODIUM	46.96
SAR	2.6
RSC	1.7
SPECIFIC CONDUCTANCE	777.0

ELLIS COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCTM

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	15.00	20.00	18.62	20.00	62.50	8
CALCIUM (CA)	2.00	26.00	6.60	3.00	10.00	10
MAGNESIUM (MG)	0.00	11.00	2.50	1.00	10.00	10
SODIUM (NA)	241.00	461.00	338.40	300.00	40.00	10
BICARBONATE (HCO3)	467.00	556.00	505.80	492.00	30.00	10
SULFATE (SO4)	75.00	440.00	149.30	86.00	20.00	10
CHLORIDE (CL)	69.00	315.00	130.60	84.00	30.00	10
FLUORIDE (F)	1.10	2.00	1.59	1.60	50.00	10
NITRATE (NO3)	0.20	1.60	0.90	0.80	40.00	5
TOTAL DISSOLVED SOLIDS (TDS)	630.00	1225.27	894.42	778.00	30.00	10
HARDNESS (CAC03)	10.00	110.00	29.00	14.00	10.00	10
SPECIFIC CON- DUCTANCE	1069.00	2100.00	1494.87	1310.00	37.50	8
PH	7.90	8.40	8.12	8.10	33.33	9
PERCENT SODIUM	89.12	98.59	96.57	97.86	70.00	10
SAR	17.20	49.49	36.56	38.33	70.00	10
RSC	5.55	8.93	7.75	7.75	50.00	10

ELLIS COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KGW


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	8.00	23.00	13.31	13.00	39.34	61
CALCIUM (CA)	0.00	25.00	3.53	3.00	35.93	64
MAGNESIUM (MG)	0.00	4.00	1.35	1.00	37.50	64
SODIUM (NA)	222.00	1200.00	560.95	532.00	43.75	64
BICARBONATE (HCO3)	382.00	1060.00	711.59	671.00	43.75	64
SULFATE (SO4)	16.00	944.00	366.00	380.00	56.25	64
CHLORIDE (CL)	16.00	1310.00	189.67	112.00	29.68	64
FLUORIDE (F)	0.00	6.40	2.85	2.60	44.06	59
NITRATE (NO3)	0.00	10.00	1.83	0.80	35.71	56
TOTAL DISSOLVED SOLIDS (TDS)	611.00	3032.00	1489.89	1427.00	45.31	64
HARDNESS (CACO3)	4.00	32.00	15.17	14.00	39.06	64
SPECIFIC CON- DUCTANCE	975.00	4990.00	2226.34	2190.00	49.09	55
PH	7.30	8.70	8.07	8.00	45.31	64
PERCENT SODIUM	93.85	100.00	98.65	98.84	62.50	64
SAR	20.05	103.87	69.81	68.90	48.38	62
RSC	5.79	17.09	11.37	10.79	43.75	64

ELLIS COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	2,933.88	.97	2,934.85
1956	3,107.43	.97	3,108.40
1957	3,048.28	.97	3,049.25
1958	1,540.90	.61	1,541.51
1959	1,483.85	1.68	1,485.53
1960	1,439.76	215.48	1,655.24
1961	2,512.54	61.55	2,574.09
1962	1,420.13	269.00	1,689.13
1963	1,408.25	378.43	1,786.68
1964	3,119.17	448.71	3,567.88
1965	1,749.03	448.71	2,197.74
1966	1,545.53	540.01	2,085.54
1967	1,008.73	709.55	1,718.28
1968	939.29	646.97	1,586.26
1969	1,328.88	864.54	2,193.42
1970	1,470.79	1,135.00	2,605.79
1971	1,671.40	543.05	2,214.45
1972	2,026.31	1,457.44	3,483.75
Total	33,754.15	7,723.64	41,477.79

WATER-LEVEL MEASUREMENTS IN FANNIN COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS

●
301
Water level

○
102
Water quality

●
401
Water level and
water quality

HISTORICAL OBSERVATION WELLS

■
302
Water level and
water quality



Location of Observation
Wells in Fannin County

FANNIN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
17-17-401	KGW	1236	489.00	09-04-70	197.90		
				11-11-71	200.83Q	2.93	
				11-15-72	209.06Q	8.23	
				11-12-73	220.64Q	11.58	
				11-06-74	216.02Q		4.62
17-17-602	KGW	1100	620.00	07-15-71	280.00		
17-25-302	KGW	1673	668.00	-----48	282.00		
				-----43	367.00	85.00	
17-33-501	KCPA	3366	630.00	12-----70	192.25		
				11-11-71	193.50	1.25	
				11-14-72	255.00*	61.50	
				11-05-73	222.25*		32.75
				11-05-74	237.00*	14.75	
17-34-101	KCPA	3063	560.00	05-----45	140.00		
				11-05-73	235.00	95.00	
				11-05-74	290.00	55.00	
18-14-906	KGW	220	505.00	06-20-40	16.45		
				09-03-70	18.50	2.05	
				02-23-71	18.05		0.45
				11-10-71	17.58		0.47
				11-16-72	18.42	0.84	
				11-09-73	14.76		3.66
18-15-902	KGW	489	558.00	09-04-70	73.70		
				02-23-71	73.87	0.17	
				11-10-71	76.79	2.92	
				11-15-72	77.55	0.76	
				11-09-73	74.76		2.79
				11-06-74	73.66		1.10
18-22-801	KGW	179	598.00	09-03-70	101.90		
				11-16-72	102.77	0.87	
				11-09-73	103.22	0.45	
				11-05-74	103.65	0.43	
18-22-802	KGW	70	610.00	07-16-71	24.78		
				11-11-71	21.97		2.81
				11-16-72	24.34	2.37	

FANNIN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-09-73	23.19		1.15
				11-05-74	23.90	0.71	
18-23-301	KGW	800	600.00	09-03-70	66.70		
				02-23-71	62.76		3.94
				11-10-71	64.98	2.22	
				11-16-72	62.30		2.68
				11-09-73	61.87		0.43
				11-06-74	61.74		0.13
18-30-102	KGW	528	685.00	10-14-59	283.50		
				09-03-70	380.78	97.28	
				02-23-71	333.65		47.13
				11-09-73	346.20	12.55	
				11-06-74	356.18	9.98	
18-30-602	KGW	461	630.00	09-03-70	390.00		
18-32-701	KGAC	35	715.00	07-14-71	12.47		
				11-11-71	4.67		7.80
				11-16-72	1.52		3.15
				11-12-73	1.65	0.13	
				11-06-74	1.41		0.24
18-38-302	KGW	1292	650.00	07-14-71	300.00		
				11-11-71	291.00		9.00
				11-14-72	295.00	4.00	
				11-05-73	292.00		3.00
				11-05-74	208.00		84.00
18-38-402	KGW	1600	760.00	07-14-71	497.00		
				11-11-71	544.00*	47.00	
				11-05-74	505.00		39.00
18-39-501	KGW	1595	720.00	10-14-59	437.50		
				09-02-70	481.05	43.55	
				02-27-71	454.56		26.49
				11-11-71	444.27		10.29
				11-12-73	465.00	20.73	
18-46-101	KGAC	11	670.00	07-14-71	3.47		
				11-11-71	1.21		2.26
				11-16-72 +	0.21		1.42
				11-08-73	1.15	1.36	
				11-05-74 +	0.66		1.81

FANNIN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BURE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-47-101	KGW	1605	690.00	04-27-44	303.00		
				-----59	450.00	147.00	

FANNIN COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	17-17-401	17-17-602	17-25-302	17-25-303
DATE OF COLLECTION	02/22/71	07/15/71	07/15/71	07/15/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	1236	1100	1673	1727
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	13.0	14.0	15.0	15.0
CALCIUM (MG/L)	3.0	3.0	2.0	8.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	3.0
SODIUM (MG/L)	344.0	356.0	351.0	341.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	493.0	530.0	520.0	550.0
SULFATE (MG/L)	224.0	221.0	217.0	196.0
CHLORIDE (MG/L)	84.0	96.0	82.0	73.0
FLUORIDE (MG/L)	1.5	1.7	1.8	1.9
NITRATE (MG/L)	.4	1.5	.4	.4
IRON (MG/L)				
PH	8.6	8.2	7.8	7.8
DISSOLVED SOLIDS (MG/L)	913.0	954.0	925.0	908.0
PHENOL, ALK. CaCO3	9.0	.0	.0	.0
TOTAL ALK. CaCO3	422.0	435.0	424.0	453.0
TOTAL HARD CaCO3	9.0	11.0	10.0	31.0
% SODIUM	98.47	98.52	98.82	95.82
SAR	43.9	45.4	50.6	26.1
RSC	7.8	8.4	8.3	8.3
SPECIFIC CONDUCTANCE	1420.0	1440.0	1400.0	1370.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	17-33-501	17-33-501	17-34-101	18-14-906
DATE OF COLLECTION	09/24/70	07/15/71	07/15/71	02/23/71
AQUIFER CODE	KCPA	KCPA	KCPA	KGW
WELL DEPTH	3366	3366	3063	220
TEMPERATURE-F		120		
TEMPERATURE-C				
SILICA (MG/L)	22.0	23.0	22.0	11.0
CALCIUM (MG/L)	3.0	3.0	6.0	3.0
MAGNESIUM (MG/L)	2.0	1.0	1.0	1.0
SODIUM (MG/L)	354.0	342.0	357.0	439.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	710.0	730.0	760.0	890.0
SULFATE (MG/L)	128.0	117.0	119.0	133.0
CHLORIDE (MG/L)	40.0	36.0	31.0	69.0
FLUORIDE (MG/L)	2.8	2.7	2.9	2.4
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	8.5	8.0	8.1	8.5
DISSOLVED SOLIDS (MG/L)	901.3	884.0	912.0	1096.0
PHENOL. ALK. CaCO3	9.0	.0	.0	12.0
TOTAL ALK. CaCO3	600.0	600.0	630.0	750.0
TOTAL HARD CaCO3	16.0	13.0	20.0	13.0
% SODIUM	98.00	98.46	97.60	98.80
SAR	38.8	43.6	35.5	56.0
RSC	11.3	11.7	12.0	14.3
SPECIFIC CONDUCTANCE	1380.0	1340.0	1380.0	1670.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES---Continued

STATE WELL NUMBER	18-15-902	18-15-902	18-15-902	18-22-801
DATE OF COLLECTION	02/23/71	11/10/71	11/09/73	07/16/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	489	489	489	179
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	10.0	11.0	10.0	11.0
CALCIUM (MG/L)	4.0	4.0	4.0	5.0
MAGNESIUM (MG/L)	2.0	2.0	3.0	2.0
SODIUM (MG/L)	710.0	710.0	730.0	276.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	1150.0	1140.0	1150.0	389.0
SULFATE (MG/L)	263.0	276.0	263.0	277.0
CHLORIDE (MG/L)	237.0	234.0	241.0	13.0
FLUORIDE (MG/L)	4.1	4.0	4.6	.9
NITRATE (MG/L)	.4	.4	7.0	.4
IRON (MG/L)				
PH	8.3	8.2	8.3	7.9
DISSOLVED SOLIDS (MG/L)	1795.0	1801.0	1828.0	776.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	950.0	940.0	940.0	319.0
TOTAL HARD CaCO3	19.0	20.0	23.0	21.0
% SODIUM	98.83	98.83	98.61	96.66
SAR	72.3	72.3	67.2	26.3
RSC	18.4	18.3	18.4	5.9
SPECIFIC CONDUCTANCE	2630.0	2650.0	2700.0	1140.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-22-802	18-22-802	18-22-802	18-30-102
DATE OF COLLECTION	07/16/71	11/11/71	11/09/73	09/16/43
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	70	70	70	528
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	19.0	19.0	17.0	16.0
CALCIUM (MG/L)	640.0	650.0	630.0	1.0
MAGNESIUM (MG/L)	242.0	259.0	246.0	.0
SODIUM (MG/L)	317.0	329.0	343.0	200.0
POTASSIUM (MG/L)				1.4
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	510.0	510.0	494.0	363.0
SULFATE (MG/L)	2310.0	2280.0	2160.0	75.0
CHLORIDE (MG/L)	357.0	394.0	400.0	26.0
FLUORIDE (MG/L)	1.9	1.2	2.0	.9
NITRATE (MG/L)	15.0	23.0	34.0	.8
IRON (MG/L)				
PH	7.3	6.9	7.1	8.4
DISSOLVED SOLIDS (MG/L)	4152.0	4205.0	4074.8	499.5
PHENOL. ALK. CAC03	.0	.0	.0	
TOTAL ALK. CAC03	415.0	415.0	405.0	
TOTAL HARD CAC03	2600.0	2680.0	2580.0	4.0
% SODIUM	21.01	21.03	22.40	99.02
SAR	2.7	2.7	2.9	55.0
RSC	.0	.0	.0	5.8
SPECIFIC CONDUCTANCE	4160.0	4270.0	4350.0	86.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-30-102	18-30-602	18-30-602	18-31-602
DATE OF COLLECTION	07/14/71	09/16/43	07/14/71	07/14/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	528	461	461	----
TEMPERATURE-F	75			
TEMPERATURE-C				
SILICA (MG/L)	11.0	12.0	11.0	14.0
CALCIUM (MG/L)	4.0	3.0	2.0	2.0
MAGNESIUM (MG/L)	1.0	.0	1.0	1.0
SODIUM (MG/L)	188.0	375.0	362.0	278.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	387.0	706.0	810.0	429.0
SULFATE (MG/L)	77.0	74.0	80.0	202.0
CHLORIDE (MG/L)	23.0	46.0	32.0	47.0
FLUORIDE (MG/L)	1.2	2.5	2.7	1.4
NITRATE (MG/L)	.4	2.8	1.5	1.0
IRON (MG/L)				
PH	8.0	8.6	8.3	7.8
DISSOLVED SOLIDS (MG/L)	495.0	862.4	890.0	757.0
PHENOL. ALK. CaCO3	.0		.0	.0
TOTAL ALK. CaCO3	317.0		660.0	352.0
TOTAL HARD CaCO3	15.0	8.0	9.0	8.0
% SODIUM	96.66	99.09	98.85	98.51
SAR	21.7	59.6	52.2	40.0
RSC	6.0	11.4	13.0	6.8
SPECIFIC CONDUCTANCE	775.0	150.0	1350.0	1132.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-32-701	18-32-701	18-32-702	18-38-302
DATE OF COLLECTION	11/11/71	11/12/73	07/14/71	07/14/71
AQUIFER CODE	KGAC	KGAC	KGW	KGW
WELL DEPTH	35	35	----	1292
TEMPERATURE-F		65		
TEMPERATURE-C				
SILICA (MG/L)	9.0	8.0	14.0	13.0
CALCIUM (MG/L)	113.0	107.0	2.0	3.0
MAGNESIUM (MG/L)	4.0	3.0	1.0	1.0
SODIUM (MG/L)	13.0	16.0	334.0	276.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	271.0	265.0	459.0	432.0
SULFATE (MG/L)	51.0	50.0	260.0	184.0
CHLORIDE (MG/L)	8.0	11.0	61.0	41.0
FLUORIDE (MG/L)	.3	.5	1.4	1.4
NITRATE (MG/L)	54.0	37.0	.4	1.0
IRON (MG/L)				
PH	7.3	7.4	7.9	8.0
DISSOLVED SOLIDS (MG/L)	385.0	362.8	899.0	732.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	222.0	217.0	376.0	354.0
TOTAL HARD CaCO3	300.0	281.0	11.0	10.0
% SODIUM	8.65	11.07	98.76	98.10
SAR	.3	.4	48.1	35.2
RSC	.0	.0	7.3	6.8
SPECIFIC CONDUCTANCE	585.0	584.0	1400.0	1093.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-38-401	18-38-402	18-39-501	18-39-501
DATE OF COLLECTION	07/14/71	07/14/71	05/24/60	07/14/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	1472	1600	1595	1595
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	13.0	13.0	17.0	13.0
CALCIUM (MG/L)	2.0	2.0	1.0	3.0
MAGNESIUM (MG/L)	2.0	2.0	.0	1.0
SODIUM (MG/L)	286.0	299.0	312.0	296.0
POTASSIUM (MG/L)			1.4	
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	448.0	455.0	477.0	472.0
SULFATE (MG/L)	205.0	210.0	199.0	192.0
CHLORIDE (MG/L)	43.0	53.0	62.0	58.0
FLUORIDE (MG/L)	1.4	1.5	1.5	1.6
NITRATE (MG/L)	.4	.4	.2	1.1
IRON (MG/L)				
PH	7.7	8.5	8.2	8.0
DISSOLVED SOLIDS (MG/L)	773.0	804.0	828.6	797.0
PHENOL. ALK. CaCO ₃	.0	6.0		.0
TOTAL ALK. CaCO ₃	367.0	385.0		387.0
TOTAL HARD CaCO ₃	11.0	12.0	2.0	12.0
% SODIUM	97.92	98.00	99.37	98.23
SAR	34.2	35.7	85.9	37.8
RSC	7.0	7.1	7.7	7.5
SPECIFIC CONDUCTANCE	1180.0	1200.0	1310.0	1200.0

FANNIN COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-40-102	18-46-101	18-47-101	18-47-101
DATE OF COLLECTION	07/14/71	07/14/71	03/15/49	07/14/71
AQUIFER CODE	KGW	KGAC	KGW	KGW
WELL DEPTH	1800	11	1605	1605
TEMPERATURE-F		74	88	92
TEMPERATURE-C				
SILICA (MG/L)	17.0	18.0	15.0	13.0
CALCIUM (MG/L)	4.0	103.0	2.0	2.0
MAGNESIUM (MG/L)	1.0	7.0	1.0	1.0
SODIUM (MG/L)	314.0	49.0	301.0	279.0
POTASSIUM (MG/L)			12.0	
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	494.0	377.0	414.0	450.0
SULFATE (MG/L)	214.0	28.0	186.0	183.0
CHLORIDE (MG/L)	59.0	32.0	70.0	52.0
FLUORIDE (MG/L)	1.7	1.1	1.4	1.6
NITRATE (MG/L)	.4	.4	.2	1.0
IRON (MG/L)				
PH	7.5	7.3	8.5	8.1
DISSOLVED SOLIDS (MG/L)	854.0	423.0	792.1	753.0
PHENOL, ALK. CaCO3	.0	.0		.0
TOTAL ALK. CaCO3	405.0	309.0		369.0
TOTAL HARD CaCO3	14.0	286.0	8.0	9.0
% SODIUM	97.97	27.16	96.40	98.52
SAR	36.3	1.2	43.4	40.2
RSC	7.8	.4	6.6	7.1
SPECIFIC CONDUCTANCE	1260.0	678.0	1300.0	1153.0

FANNIN COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KGW


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	10.00	17.00	13.03	13.00	38.46	26
CALCIUM (CA)	1.00	27.00	3.80	2.00	30.76	26
MAGNESIUM (MG)	0.00	9.00	1.56	1.00	32.00	25
SODIUM (NA)	188.00	2160.00	434.92	314.00	23.07	26
BICARBONATE (HCO3)	363.00	1150.00	601.23	472.00	30.76	26
SULFATE (SO4)	30.00	277.00	185.34	199.00	65.38	26
CHLORIDE (CL)	13.00	2960.00	187.42	59.00	15.38	26
FLUORIDE (F)	0.00	4.60	1.88	1.60	30.76	26
NITRATE (NO3)	0.20	7.00	1.16	0.40	26.92	26
TOTAL DISSOLVED SOLIDS (TDS)	495.00	5586.67	1126.31	854.00	19.23	26
HARDNESS (CaCO3)	2.00	104.00	15.65	11.00	23.07	26
SPECIFIC CON- DUCTANCE	86.00	2700.00	1366.91	1300.00	39.13	23
PH	7.50	8.60	8.14	8.20	53.84	26
PERCENT SODIUM	95.82	99.37	98.13	98.52	56.00	25
SAR	21.79	91.97	49.90	45.48	44.00	25
RSC	5.89	18.48	9.63	7.76	32.00	25

FANNIN COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	1,150.52	.00	1,150.52
1956	1,258.50	.00	1,258.50
1957	1,099.07	.00	1,099.07
1958	1,161.46	.00	1,161.46
1959	1,211.49	.00	1,211.49
1960	1,372.25	.00	1,372.25
1961	1,417.04	.00	1,417.04
1962	1,158.43	.00	1,158.43
1963	1,244.59	.00	1,244.59
1964	1,570.49	.00	1,570.49
1965	1,540.70	.00	1,540.70
1966	1,610.97	95.13	1,706.10
1967	1,555.80	159.58	1,715.38
1968	1,136.66	198.25	1,334.91
1969	2,032.88	83.78	2,116.66
1970	1,031.01	82.24	1,113.25
1971	1,321.69	143.73	1,465.42
1972	1,972.63	122.92	2,095.55
Total	24,846.18	885.63	25,731.81

WATER-LEVEL MEASUREMENTS IN GRAYSON COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS	HISTORICAL OBSERVATION WELLS
● 201 Water level	■ 401 Water level
○ 502 Water quality	■ 901 Water level and water quality
● 101 Water level and water quality	



BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

NOTE:
This county is within
1° quadrangle No. 18

Location of Observation Wells in Grayson County

GRAYSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-03-901	KCA	291	708.26	08-27-70	109.90		
				02-25-71	101.83		8.07
				11-11-71	112.59	10.76	
				11-17-72	110.11		2.48
				11-08-73	116.72*	6.61	
11-11-74	114.88*		1.84				
18-10-601	KGW	234	690.00	08-27-70	84.58		
				02-25-71	73.81		10.77
				11-11-71	60.96		12.85
				11-17-72	73.68	12.72	
				11-08-73	71.72		1.96
11-11-74	73.70	1.98					
18-11-501	KCA	317	715.00	08-27-70	155.55		
				02-25-71	155.06		0.49
				11-11-71	159.39	4.33	
				11-17-72	161.15	1.76	
				11-08-73	165.94	4.79	
11-11-74	163.74		2.20				
18-11-801	KGW	375	740.00	08-27-70	109.07		
				02-25-71	97.71		11.36
				11-17-72	115.14	17.43	
				11-08-73	121.45	6.31	
11-11-74	125.36	3.91					
18-12-401	KCA	295	700.00	09-01-70	164.13		
				02-25-71	163.45		0.68
				11-11-71	166.55	3.10	
				11-17-72	169.63	3.08	
				11-08-73	173.04*	3.41	
11-11-74	170.64		2.40				
18-13-802	KCPP	100	640.00	07-19-71	62.58		
				11-11-71	62.73	0.15	
				11-20-72	63.30	0.57	
18-18-901	KGW	390	740.00	08-25-70	313.14		
				02-24-71	298.88		14.26
				11-20-72	300.68	1.80	
				11-07-73	329.18	28.50	
				11-11-74	324.23		4.95

GRAYSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-19-301	KGW	788	740.00	10-23-49	251.00		
				02-25-71	251.00		
				11-11-71	257.72	6.72	
				11-07-73	229.77		27.95
18-19-302	KGW	790	760.00	09-01-70	294.00		
				02-25-71	250.00		44.00
				11-11-71	261.00@	11.00	
				11-11-74	250.80@		10.20
18-19-901	KGW	872	690.00	08-25-70	449.10@		
18-20-101	KGW	630	790.00	08-27-70	128.20		
				02-25-71	126.60		1.60
				11-12-71	129.12	2.52	
18-21-901	KGW	301	590.00	10-04-65	175.00		
				08-24-70	210.98	35.98	
				02-23-71	208.50		2.48
				11-20-72	212.87	4.37	
				11-04-73	212.94	0.07	
11-11-74	215.38	2.44					
18-25-301	KGW	280	740.00	02-24-71	84.60		
				11-12-71	91.40	6.80	
				11-20-72	93.68	2.28	
				11-07-73	90.97		2.71
				11-11-74	93.90	2.93	
18-25-601	KCA	1522	735.00	05-07-57	188.80		
				08-25-70	226.85	38.05	
				11-07-73	321.50	94.65	
18-26-201	KGEF	-----	740.00	08-25-70	29.37		
				02-24-71	24.44		4.93
				11-12-71	11.75		12.69
				11-07-73	23.38	11.63	
18-27-701	KGW	613	845.00	08-26-70	391.30		
				11-12-71	387.26@		4.04
				11-20-72	400.40	13.14	
				11-07-73	414.33@	13.93	
				11-11-74	410.00@		4.33
18-28-401	KGW	1004	770.00	09-11-70	476.60		
				02-24-71	469.46		7.14

GRAYSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-12-71	474.37	4.91	
18-29-301	KGW	700	690.00	08-26-70	294.78		
				02-23-71	289.50		5.28
				11-06-73	306.35	16.85	
18-29-302	KCA	1600	690.00	08-26-70	140.00		
				02-23-71	140.00		
				11-06-74	135.00		5.00
18-29-701	KGW	1180	810.00	08-26-70	450.33		
				11-08-73	425.30		25.03
18-33-301	KCA	923	670.00	11-12-71	194.00@		
				11-20-72	182.57		11.43
				11-07-73	187.77	5.20	
				11-11-74	194.60	6.83	
18-34-101	KGW	400	670.00	08-28-70	144.35		
				02-24-71	144.31		0.04
				11-20-72	153.80	9.49	
				11-07-73	151.25		2.55
				11-11-74	153.46	2.21	
18-34-601	KGW	387	670.00	10-04-57	72.20		
				08-26-70	70.47		1.73
				02-24-71	70.58	0.11	
				11-12-71	71.09	0.51	
				11-20-72	71.38	0.29	
				11-07-73	71.59	0.21	
				11-11-74	71.79	0.20	
18-36-501	KGC	36	670.00	08-26-70	10.99		
				02-23-71	10.10		0.89
				07-19-71	14.40	4.30	
				11-12-71	4.52		9.88
				11-16-72	7.78	3.26	
				11-08-73	1.32		6.46
				11-12-74	0.57		0.75
18-36-503	KCA	2300	790.00	07-20-71	609.00		
				11-11-71	605.00		4.00
				11-06-73	620.00	15.00	
				11-05-74	595.00		25.00

GRAYSON COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	18-03-901	18-10-601	18-11-501	18-11-501
DATE OF COLLECTION	07/19/71	11/11/71	02/25/71	07/19/71
AQUIFER CODE	KCA	KGW	KCA	KCA
WELL DEPTH	291	234	317	317
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	17.0	9.0	12.0	10.0
CALCIUM (MG/L)	98.0	11.0	3.0	4.0
MAGNESIUM (MG/L)	13.0	4.0	1.0	3.0
SODIUM (MG/L)	66.0	81.0	317.0	311.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	392.0	222.0	630.0	640.0
SULFATE (MG/L)	79.0	29.0	99.0	98.0
CHLORIDE (MG/L)	29.0	4.0	50.0	47.0
FLUORIDE (MG/L)	.2	.5	4.2	4.0
NITRATE (MG/L)	1.0	.4	1.6	.4
IRON (MG/L)				
PH	7.5	8.0	8.4	8.0
DISSOLVED SOLIDS (MG/L)	495.0	248.0	797.0	792.0
PHENOL. ALK. CaCO3	.0	.0	3.0	.0
TOTAL ALK. CaCO3	321.0	182.0	520.0	530.0
TOTAL HARD CaCO3	302.0	44.0	14.0	21.0
% SODIUM	32.51	80.05	98.34	96.80
SAR	1.6	5.3	40.4	28.6
RSC	.4	2.7	10.0	10.0
SPECIFIC CONDUCTANCE	760.0	415.0	1240.0	1200.0

GRAYSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-11-801	18-12-401	18-13-803	18-17-901
DATE OF COLLECTION	02/25/71	07/19/71	07/19/71	07/20/71
AQUIFER CODE	KGW	KCA	KCW	KCA
WELL DEPTH	350	295	200	1520
TEMPERATURE-F				79
TEMPERATURE-C				
SILICA (MG/L)	17.0	10.0	21.0	12.0
CALCIUM (MG/L)	36.0	15.0	57.0	2.0
MAGNESIUM (MG/L)	9.0	5.0	9.0	2.0
SODIUM (MG/L)	106.0	530.0	32.0	211.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	397.0	540.0	228.0	414.0
SULFATE (MG/L)	20.0	81.0	26.0	39.0
CHLORIDE (MG/L)	7.0	495.0	9.0	62.0
FLUORIDE (MG/L)	.2	1.9	.1	.5
NITRATE (MG/L)	4.0	.4	20.0	.4
IRON (MG/L)				
PH	7.7	7.9	7.1	8.5
DISSOLVED SOLIDS (MG/L)	394.0	1403.0	286.0	532.0
PHENOL, ALK. CaCO ₃	.0	.0	.0	4.0
TOTAL ALK. CaCO ₃	325.0	446.0	187.0	347.0
TOTAL HARD CaCO ₃	125.0	58.0	180.0	13.0
% SODIUM	64.51	95.21	27.97	97.20
SAR	4.0	30.2	1.0	25.2
RSC	3.9	7.6	.1	6.5
SPECIFIC CONDUCTANCE	618.0	2330.0	446.0	876.0

GRAYSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-17-902	18-18-901	18-19-301	18-19-302
DATE OF COLLECTION	07/20/71	07/20/71	07/19/71	07/19/71
AQUIFER CODE	KCA	KGW	KGW	KGW
WELL DEPTH	1512	390	788	790
TEMPERATURE-F	79		76	76
TEMPERATURE-C				
SILICA (MG/L)	11.0	10.0	13.0	13.0
CALCIUM (MG/L)	2.0	3.0	4.0	2.0
MAGNESIUM (MG/L)	2.0	2.0	1.0	1.0
SODIUM (MG/L)	223.0	213.0	129.0	156.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	418.0	420.0	248.0	251.0
SULFATE (MG/L)	46.0	109.0	73.0	124.0
CHLORIDE (MG/L)	76.0	12.0	9.0	11.0
FLUORIDE (MG/L)	.5	1.0	.7	.6
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	8.4	8.3	8.1	7.7
DISSOLVED SOLIDS (MG/L)	566.0	556.0	352.0	431.0
PHENOL. ALK. CaCO3	2.0	.0	.0	.0
TOTAL ALK. CaCO3	347.0	344.0	203.0	206.0
TOTAL HARD CaCO3	13.0	13.0	13.0	9.0
% SODIUM	97.34	96.72	95.21	97.38
SAR	26.6	23.3	14.9	22.5
RSC	6.5	6.5	3.7	3.9
SPECIFIC CONDUCTANCE	924.0	854.0	555.0	665.0

GRAYSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-19-901	18-20-101	18-21-901	18-25-601
DATE OF COLLECTION	02/24/71	02/25/71	07/19/71	02/24/71
AQUIFER CODE	KGW	KGW	KGW	KCA
WELL DEPTH	872	630	301	1522
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	11.0	12.0	12.0	13.0
CALCIUM (MG/L)	1.0	10.0	2.0	1.0
MAGNESIUM (MG/L)	1.0	3.0	1.0	1.0
SODIUM (MG/L)	142.0	115.0	120.0	206.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	331.0	254.0	194.0	377.0
SULFATE (MG/L)	30.0	36.0	92.0	41.0
CHLORIDE (MG/L)	11.0	30.0	16.0	46.0
FLUORIDE (MG/L)	1.0	.5	.2	.2
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	8.3	8.1	7.5	9.0
DISSOLVED SOLIDS (MG/L)	360.0	331.0	338.0	493.0
PHENOL. ALK. CaCO3	.0	.0	.0	25.0
TOTAL ALK. CaCO3	271.0	208.0	159.0	359.0
TOTAL HARD CaCO3	7.0	36.0	10.0	9.0
% SODIUM	97.90	87.02	96.63	98.54
SAR	24.0	8.1	17.3	34.8
RSC	5.2	3.4	2.9	6.0
SPECIFIC CONDUCTANCE	585.0	535.0	534.0	848.0

GRAYSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-27-701	18-29-301	18-29-302	18-29-701
DATE OF COLLECTION	02/24/71	07/19/71	07/19/71	07/19/71
AQUIFER CODE	KGW	KGW	KCA	KGW
WELL DEPTH	613	700	1600	1180
TEMPERATURE-F				82
TEMPERATURE-C				
SILICA (MG/L)	10.0	12.0	14.0	12.0
CALCIUM (MG/L)	5.0	1.0	3.0	2.0
MAGNESIUM (MG/L)	2.0	1.0	1.0	1.0
SODIUM (MG/L)	550.0	159.0	354.0	309.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	625.0	353.0	760.0	570.0
SULFATE (MG/L)	357.0	41.0	92.0	125.0
CHLORIDE (MG/L)	262.0	13.0	39.0	68.0
FLUORIDE (MG/L)	2.0	.9	2.2	1.8
NITRATE (MG/L)	.4	.4	.4	1.0
IRON (MG/L)				
PH	8.3	8.0	8.3	8.2
DISSOLVED SOLIDS (MG/L)	1495.0	401.0	879.0	800.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	510.0	289.0	630.0	469.0
TOTAL HARD CaCO3	21.0	7.0	13.0	10.0
% SODIUM	98.29	98.12	98.51	98.66
SAR	52.5	26.9	45.2	44.5
RSC	9.8	5.6	12.2	9.1
SPECIFIC CONDUCTANCE	2290.0	629.0	1340.0	1240.0

GRAYSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-33-301	18-34-101	18-34-601	18-34-601
DATE OF COLLECTION	07/20/71	07/20/71	07/20/71	11/12/71
AQUIFER CODE	KCA	KGW	KGW	KGW
WELL DEPTH	923	400	387	387
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	9.0	9.0	7.0
CALCIUM (MG/L)	2.0	5.0	11.0	11.0
MAGNESIUM (MG/L)	1.0	1.0	6.0	7.0
SODIUM (MG/L)	265.0	106.0	1040.0	1050.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	550.0	234.0	530.0	550.0
SULFATE (MG/L)	77.0	38.0	1460.0	1440.0
CHLORIDE (MG/L)	15.0	14.0	275.0	288.0
FLUORIDE (MG/L)	1.1	.5	2.4	2.4
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	8.9	7.7	7.8	8.3
DISSOLVED SOLIDS (MG/L)	643.9	288.0	3064.0	3076.0
PHENOL. ALK. CaCO3	23.0	.0	.0	.0
TOTAL ALK. CaCO3	496.0	192.0	431.0	449.0
TOTAL HARD CaCO3	10.0	15.0	50.0	55.0
% SODIUM	98.44	93.28	97.74	97.59
SAR	38.2	11.3	62.6	60.9
RSC	8.8	3.5	7.6	7.8
SPECIFIC CONDUCTANCE	1035.0	459.0	3930.0	4020.0

GRAYSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-34-601	18-36-501	18-36-502	18-36-503
DATE OF COLLECTION	11/07/73	07/19/71	07/20/71	07/20/71
AQUIFER CODE	KGW	KGAC	KGW	KCA
WELL DEPTH	387	36	1140	2300
TEMPERATURE-F	59			
TEMPERATURE-C				
SILICA (MG/L)	5.0	12.0	12.0	15.0
CALCIUM (MG/L)	9.0	134.0	2.0	3.0
MAGNESIUM (MG/L)	4.0	3.0	5.0	1.0
SODIUM (MG/L)	1000.0	6.0	217.0	346.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	570.0	372.0	475.0	790.0
SULFATE (MG/L)	1300.0	28.0	75.0	90.0
CHLORIDE (MG/L)	285.0	5.0	19.0	21.0
FLUORIDE (MG/L)	2.5	.4	1.2	2.7
NITRATE (MG/L)	11.0	17.0	1.0	.4
IRON (MG/L)				
PH	8.3	7.4	8.3	8.3
DISSOLVED SOLIDS (MG/L)	2896.7	388.0	565.0	867.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	467.0	305.0	389.0	640.0
TOTAL HARD CaCO3	37.0	347.0	25.0	11.0
% SODIUM	98.24	3.62	94.86	98.48
SAR	69.7	.1	18.6	44.2
RSC	8.5	.0	7.2	12.7
SPECIFIC CONDUCTANCE	3860.0	618.0	872.0	1300.0

GRAYSON COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KGW

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	5.00	21.00	11.25	11.00	43.75	16
CALCIUM (CA)	1.00	134.00	18.75	5.00	18.75	16
MAGNESIUM (MG)	1.00	9.00	3.68	3.00	37.50	16
SODIUM (NA)	6.00	1050.00	327.87	142.00	25.00	16
BICARBONATE (HCO3)	194.00	625.00	395.31	372.00	43.75	16
SULFATE (SO4)	20.00	1460.00	325.37	41.00	25.00	16
CHLORIDE (CL)	4.00	288.00	82.37	14.00	25.00	16
FLUORIDE (F)	0.10	2.50	1.10	0.90	31.25	16
NITRATE (NO3)	0.40	20.00	3.62	0.40	25.00	16
TOTAL DISSOLVED SOLIDS (TDS)	248.00	3076.00	967.92	394.00	25.00	16
HARDNESS (CaCO3)	7.00	347.00	61.37	25.00	18.75	16
SPECIFIC CON- DUCTANCE	415.00	4020.00	1369.06	618.00	25.00	16
PH	7.10	8.30	7.95	8.00	56.25	16
PERCENT SODIUM	3.62	98.66	83.20	96.63	68.75	16
SAR	0.14	69.74	26.92	18.67	31.25	16
RSC	0.00	9.82	5.28	5.29	80.00	16

GRAYSON COUNTY

SUMMARY OF GROUND WATER QUALITY--Continued

AQUIFER KCA


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	10.00	17.00	13.12	13.00	25.00	8
CALCIUM (CA)	2.00	98.00	16.12	3.00	12.50	8
MAGNESIUM (MG)	1.00	13.00	3.25	1.00	25.00	8
SODIUM (NA)	66.00	530.00	251.87	211.00	25.00	8
BICARBONATE (HCO3)	248.00	790.00	476.62	414.00	25.00	8
SULFATE (SO4)	39.00	124.00	78.00	79.00	50.00	8
CHLORIDE (CL)	9.00	495.00	92.75	29.00	12.50	8
FLUORIDE (F)	0.20	2.70	1.16	0.60	25.00	8
NITRATE (NO3)	0.40	1.00	0.47	0.40	12.50	8
TOTAL DISSOLVED SOLIDS (TDS)	352.00	1403.00	690.62	532.00	25.00	8
HARDNESS (CaCO3)	9.00	302.00	54.00	13.00	25.00	8
SPECIFIC CON- DUCTANCE	555.00	2330.00	1093.75	876.00	25.00	8
PH	7.50	8.50	8.08	8.10	50.00	8
PERCENT SODIUM	32.51	98.51	88.98	97.20	75.00	8
SAR	1.66	45.22	26.34	25.25	37.50	8
RSC	0.46	12.71	6.73	6.52	25.00	8

GRAYSON COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	3,480.13	393.76	3,873.89
1956	4,058.41	393.76	4,452.17
1957	3,726.66	393.76	4,120.42
1958	3,782.06	919.57	4,701.63
1959	3,882.84	1,205.31	5,088.15
1960	3,702.81	730.10	4,432.91
1961	3,939.56	507.18	4,446.74
1962	4,251.38	493.78	4,745.16
1963	5,200.95	695.92	5,896.87
1964	5,177.01	729.49	5,906.50
1965	5,411.63	769.45	6,181.08
1966	5,713.90	758.42	6,472.32
1967	5,960.29	732.93	6,693.22
1968	6,366.92	734.81	7,101.73
1969	253,844.91	840.94	254,685.85
1970	14,887.33	850.17	15,737.50
1971	8,776.83	580.66	9,357.49
1972	9,097.95	706.21	9,804.16
Total	351,261.57	12,436.22	363,697.79


WATER-LEVEL MEASUREMENTS IN HOOD COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS

- 608
Water level
- 101
Water quality
- 103
Water level and water quality



Location of Observation Wells in Hood County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

HOOD COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
31-32-901	KCTM	46	962.00	06-25-67	27.00		
				10-25-67	34.60	7.60	
				03-27-69	28.60		6.00
				03-17-70	31.20	2.60	
				02-27-71	28.23		2.97
				03-04-71	28.29	0.06	
				11-04-71	28.80	0.51	
				11-16-72	29.98	1.18	
				03-19-73	29.51		0.47
				11-07-73	30.70	1.19	
			11-07-74	31.25	0.55		
32-25-701	KCTM	100	935.00	06-23-71	63.24		
				11-04-71	63.80	0.56	
				11-16-72	64.32	0.52	
				11-07-73	62.90		1.42
32-26-701	KCTM	80	735.00	06-23-71	49.79		
				11-04-71	47.91		1.88
				11-16-72	49.23*	1.32	
				11-12-74	47.12		2.11
32-27-402	KCPA	75	895.00	06-24-71	21.28		
				11-03-71	20.98		0.30
				11-14-72	20.70		0.28
				11-08-73	21.06	0.36	
			11-12-74	19.94		1.12	
32-27-403	KCTM	358	895.00	06-24-71	276.98		
				11-03-71	276.34		0.64
				11-14-72	275.69		0.65
				11-08-73	277.64*	1.95	
				11-12-74	295.56	17.91	
32-28-704	KCPA	353	1037.00	10-05-60	265.80		
				11-03-71	268.220	2.42	
				11-14-72	266.59		1.63
				11-08-73	281.37	14.78	
				11-12-74	281.94	0.57	
32-33-402	KCTM	380	1132.00	06-25-71	286.17		
				11-04-71	278.70		7.47
				11-16-72	275.96		2.74
				11-07-73	277.72*	1.76	

HOOB COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-12-74	279.19*	1.47	
32-33-403	KCPA	25	1120.00	06-25-71	9.86		
				11-04-71	6.60		3.26
				11-15-72	8.44	1.84	
				11-07-73	2.20		6.24
				11-12-74	1.74		0.46
32-34-608	KCTM	200	712.00	06-23-71	110.46		
				11-03-71	106.00		4.46
				11-14-72	110.05*	4.05	
				11-07-73	87.87		22.18
32-35-104	KCTM	292	825.00	06-24-71	241.09		
				11-03-71	242.20	1.11	
32-35-601	KCPA	155	842.00	10-11-70	88.60		
				06-24-71	87.94		0.66
				11-03-71	86.60		1.34
				11-14-72	86.18		0.42
				11-08-73	86.40	0.22	
32-41-102	KCTM	130	879.00	10-25-65	47.16		
				04-04-66	44.34		2.82
				03-15-67	46.02	1.68	
				03-28-68	44.23		1.79
				03-27-69	45.45	1.22	
				03-17-70	48.10	2.65	
				02-27-71	44.77		3.33
				03-04-71	43.77		1.00
				11-04-71	44.42	0.65	
				11-15-72	43.44		0.98
				03-19-73	43.58	0.14	
				11-07-73	43.85	0.27	
				11-12-74	43.98	0.13	
32-41-301	KCTM	285	995.00	06-25-71	236.09		
				11-03-71	231.50		4.59
				11-15-72	234.12	2.62	
				11-12-74	230.00		4.12
32-42-201	KCPA	130	1080.00	06-24-71	66.21		
				11-03-71	67.63	1.42	
				11-15-72	68.10*	0.47	
				11-08-73	67.41		0.69
				11-12-74	66.66		0.75

HOOD COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-42-303	KCTH	350	843.00	06-24-71	233.67		
				11-03-71	229.42		4.25
				06-13-73	235.15	5.73	
				11-08-73	240.75	5.60	
				11-12-74	252.46	11.71	
32-42-403	KCTM	355	1035.00	06-24-71	294.34		
				11-03-71	291.22		3.12
				06-13-73	290.84		0.38
				11-07-73	292.38	1.54	
				11-12-74	294.27	1.89	
32-43-103	KCTM	360	837.00	06-24-71	216.26		
				11-03-71	218.10	1.84	
				11-15-72	223.74	5.64	
				11-08-73	226.12@	2.38	
				11-12-74	237.80@	11.68	

HOOD COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	31-32-901	31-32-901	31-32-901	31-32-901
DATE OF COLLECTION	11/14/45	05/05/60	05/15/60	04/25/63
AQUIFER CODE	KCTM	KCTM	KCTM	KCTM
WELL DEPTH	46	46	46	46
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	16.0		.0	
CALCIUM (MG/L)	117.0	146.0	146.0	100.0
MAGNESIUM (MG/L)	16.0	23.0	23.0	13.0
SODIUM (MG/L)	12.0	30.0	30.0	14.0
POTASSIUM (MG/L)	4.4			
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	357.0	291.0	291.0	240.0
SULFATE (MG/L)	23.0	33.0	33.0	13.0
CHLORIDE (MG/L)	25.0	55.0	55.0	6.0
FLUORIDE (MG/L)	.4	.4	.4	.3
NITRATE (MG/L)	45.0	162.0	162.0	30.0
IRON (MG/L)	.1	.2	.3	
PH	7.0	7.0	7.0	7.3
DISSOLVED SOLIDS (MG/L)	434.4	592.6	595.4	294.3
PHENOL, ALK. CaCO3				
TOTAL ALK. CaCO3				
TOTAL HARD CaCO3	358.0	460.0	460.0	302.0
% SODIUM	6.70	12.45	12.45	9.13
SAR	.2	.6	.6	.3
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE	767.0	1072.0	1072.0	675.0

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	31-32-901 05/09/66	31-32-901 11/07/73	32-25-701 06/23/71	32-26-701 06/23/71
AQUIFER CODE	KCTM	KCTM	KCTM	KCTM
WELL DEPTH	46	46	100	80
TEMPERATURE-F		68		
TEMPERATURE-C				
SILICA (MG/L)		6.0	16.0	14.0
CALCIUM (MG/L)	109.0	86.0	125.0	88.0
MAGNESIUM (MG/L)	16.0	16.0	22.0	15.0
SODIUM (MG/L)	24.0	24.0	17.0	14.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	346.0	310.0	397.0	325.0
SULFATE (MG/L)	26.0	27.0	22.0	30.0
CHLORIDE (MG/L)	23.0	34.0	46.0	9.0
FLUORIDE (MG/L)	.5	.7	.2	.3
NITRATE (MG/L)	44.0	.4	20.0	.4
IRON (MG/L)				
PH	7.4	7.9	7.4	7.3
DISSOLVED SOLIDS (MG/L)	412.6	346.5	463.0	330.0
PHENOL. ALK. CaCO3		.0	.0	.0
TOTAL ALK. CaCO3		254.0	325.0	266.0
TOTAL HARD CaCO3	337.0	280.0	403.0	284.0
% SODIUM	13.38	15.69	8.41	9.76
SAR	.5	.6	.3	.3
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE	784.0	603.0	750.0	539.0

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-27-402	32-27-403	32-28-704	32-28-704
DATE OF COLLECTION	06/24/71	06/24/71	10/05/60	06/22/71
AQUIFER CODE	KCPA	KCTM	KCPA	KCPA
WELL DEPTH	75	358	353	353
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	16.0	14.0	17.0	21.0
CALCIUM (MG/L)	142.0	2.0	68.0	73.0
MAGNESIUM (MG/L)	7.0	2.0	14.0	15.0
SODIUM (MG/L)	35.0	240.0	33.0	27.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	344.0	550.0	296.0	301.0
SULFATE (MG/L)	56.0	44.0	37.0	39.0
CHLORIDE (MG/L)	64.0	11.0	12.0	10.0
FLUORIDE (MG/L)	.3	.9	.2	.3
NITRATE (MG/L)	32.0	.4	.0	.4
IRON (MG/L)			2.6	
PH	7.3	8.6	6.9	7.6
DISSOLVED SOLIDS (MG/L)	521.0	584.0	352.7	333.0
PHENOL, ALK, CaCO3	.0	9.0		.0
TOTAL ALK. CaCO3	282.0	466.0		247.0
TOTAL HARD CaCO3	384.0	11.0	227.0	243.0
% SODIUM	16.57	97.53	24.00	19.41
SAR	.7	28.7	.9	.7
RSC	.0	8.7	.3	.0
SPECIFIC CONDUCTANCE	850.0	900.0	550.0	498.0

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-33-402	32-33-403	32-34-101	32-34-502
DATE OF COLLECTION	06/25/71	06/25/71	06/23/71	08/08/56
AQUIFER CODE	KCTM	KCPA	KCTM	KCTM
WELL DEPTH	380	25	120	186
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	16.0	21.0	14.0	
CALCIUM (MG/L)	69.0	157.0	93.0	31.0
MAGNESIUM (MG/L)	35.0	23.0	12.0	16.0
SODIUM (MG/L)	67.0	22.0	12.0	120.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	384.0	447.0	333.0	398.0
SULFATE (MG/L)	96.0	74.0	11.0	31.0
CHLORIDE (MG/L)	37.0	55.0	10.0	32.0
FLUORIDE (MG/L)	.4	.5	.3	.5
NITRATE (MG/L)	.4	.4	6.0	.4
IRON (MG/L)				.1
PH	7.4	7.3	7.3	7.5
DISSOLVED SOLIDS (MG/L)	509.0	572.0	322.0	426.6
PHENOL, ALK. CaCO3	.0	.0	.0	
TOTAL ALK. CaCO3	315.0	366.0	273.0	
TOTAL HARD CaCO3	316.0	487.0	280.0	144.0
% SODIUM	31.55	8.95	8.48	64.58
SAR	1.6	.4	.3	4.3
RSC	.0	.0	.0	3.6
SPECIFIC CONDUCTANCE	802.0	894.0	522.0	

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-34-502	32-34-602	32-34-602	32-34-607
DATE OF COLLECTION	08/15/74	05/05/56	08/15/74	03/03/51
AQUIFER CODE	KCTM	KCTM	KCTM	KCTM
WELL DEPTH	186	225	225	175
TEMPERATURE-F	74		75	
TEMPERATURE-C				
SILICA (MG/L)	13.0		5.0	11.0
CALCIUM (MG/L)	84.0	3.0	6.0	7.0
MAGNESIUM (MG/L)	17.0	1.0	4.0	2.0
SODIUM (MG/L)	23.0	204.0	185.0	202.0
POTASSIUM (MG/L)	2.0			
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	317.0	420.0	403.0	415.0
SULFATE (MG/L)	35.0	47.0	52.0	71.0
CHLORIDE (MG/L)	20.0	43.0	29.0	39.0
FLUORIDE (MG/L)	.4	.4	.5	.1
NITRATE (MG/L)	1.0	.4	.8	2.2
IRON (MG/L)		.1		.1
PH	7.7	8.4	8.0	8.5
DISSOLVED SOLIDS (MG/L)	351.2	505.4	480.4	538.4
PHENOL, ALK. CaCO3	.0		.0	
TOTAL ALK. CaCO3	260.0		330.0	
TOTAL HARD CaCO3	278.0	9.0	31.0	26.0
% SODIUM	15.06	97.45	92.75	94.47
SAR	.5	26.0	14.3	17.3
HSC	.0	6.6	5.9	6.2
SPECIFIC CONDUCTANCE	580.0		779.0	

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-34-607	32-34-607	32-35-104	32-35-601
DATE OF COLLECTION	04/14/56	08/15/74	06/24/71	10/11/60
AQUIFER CODE	KCTM	KCTM	KCTM	KCPA
WELL DEPTH	175	175	292	155
TEMPERATURE-F		75		
TEMPERATURE-C				
SILICA (MG/L)		5.0	11.0	16.0
CALCIUM (MG/L)	3.0	5.0	5.0	89.0
MAGNESIUM (MG/L)	1.0	3.0	5.0	5.0
SODIUM (MG/L)	198.0	197.0	276.0	8.0
POTASSIUM (MG/L)		2.0		1.1
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	381.0	434.0	540.0	294.0
SULFATE (MG/L)	70.0	36.0	165.0	13.0
CHLORIDE (MG/L)	39.0	36.0	21.0	6.0
FLUORIDE (MG/L)	.4	.4	3.1	.2
NITRATE (MG/L)	1.8	18.0	.4	
IRON (MG/L)	.6	.3		
PH	8.3	7.8	8.1	6.6
DISSOLVED SOLIDS (MG/L)	501.1	516.0	752.0	282.0
PHENOL, ALK. CaCO3		.0	.0	
TOTAL ALK. CaCO3		356.0	444.0	
TOTAL HARD CaCO3		26.0	34.0	245.0
% SODIUM	97.37	93.99	94.78	6.65
SAR	25.2	17.2	20.8	.2
RSC	6.0	6.6	8.1	.0
SPECIFIC CONDUCTANCE		833.0	1123.0	493.0

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-35-601	32-41-102	32-41-301	32-42-201
DATE OF COLLECTION	06/24/71	11/15/72	06/25/71	06/24/71
AQUIFER CODE	KCPA	KCTM	KCTM	KCPA
WELL DEPTH	155	130	285	130
TEMPERATURE-F		70		
TEMPERATURE-C				
SILICA (MG/L)	16.0	13.0	15.0	10.0
CALCIUM (MG/L)	91.0	81.0	55.0	97.0
MAGNESIUM (MG/L)	7.0	25.0	31.0	4.0
SODIUM (MG/L)	7.0	10.0	50.0	7.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)		.2		
BICARBONATE (MG/L)	298.0	333.0	362.0	278.0
SULFATE (MG/L)	15.0	27.0	45.0	18.0
CHLORIDE (MG/L)	5.0	10.0	18.0	10.0
FLUORIDE (MG/L)	.3	.4	.3	.2
NITRATE (MG/L)	.4	1.5	1.0	5.9
IRON (MG/L)				
PH	7.7	7.4	7.7	7.6
DISSOLVED SOLIDS (MG/L)	288.0	331.8	393.0	288.0
PHENOL, ALK, CACO3	.0	.0	.0	.0
TOTAL ALK, CACO3	244.0	271.0	297.0	228.0
TOTAL HARD CACO3	255.0	304.0	263.0	257.0
% SODIUM	5.61	6.65	29.12	5.56
SAR	.1	.2	1.3	.1
RSC	.0	.0	.6	.0
SPECIFIC CONDUCTANCE	470.0	557.0	632.0	476.0

HOOD COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-42-303	32-42-403	32-43-103
DATE OF COLLECTION	06/24/71	06/24/71	06/24/71
AQUIFER CODE	KCTM	KCTM	KCTM
WELL DEPTH	350	355	360
TEMPERATURE-F			
TEMPERATURE-C			
SILICA (MG/L)	10.0	15.0	13.0
CALCIUM (MG/L)	2.0	38.0	6.0
MAGNESIUM (MG/L)	2.0	25.0	5.0
SODIUM (MG/L)	177.0	63.0	150.0
POTASSIUM (MG/L)			
MANGANESE (MG/L)			
BORON (MG/L)			
BICARBONATE (MG/L)	422.0	329.0	394.0
SULFATE (MG/L)	21.0	40.0	22.0
CHLORIDE (MG/L)	20.0	14.0	13.0
FLUORIDE (MG/L)	.4	.3	.3
NITRATE (MG/L)	.4	1.7	.4
IRON (MG/L)			
PH	8.2	7.7	7.9
DISSOLVED SOLIDS (MG/L)	440.0	358.0	403.0
PHENOL, ALK. CaCO3	.0	.0	.0
TOTAL ALK. CaCO3	346.0	270.0	323.0
TOTAL HARD CaCO3	12.0	198.0	37.0
% SODIUM	96.68	40.94	90.17
SAR	21.1	1.9	10.9
RSC	6.6	1.4	5.7
SPECIFIC CONDUCTANCE	705.0	572.0	624.0

HOOD COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCPA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	10.00	21.00	15.83	16.00	83.33	6
CALCIUM (CA)	89.00	157.00	116.83	97.00	50.00	6
MAGNESIUM (MG)	4.00	23.00	11.33	7.00	33.33	6
SODIUM (NA)	7.00	35.00	16.00	8.00	50.00	6
BICARBONATE (HCO3)	278.00	447.00	343.00	298.00	50.00	6
SULFATE (SO4)	13.00	74.00	33.00	18.00	33.33	6
CHLORIDE (CL)	5.00	64.00	31.00	10.00	50.00	6
FLUORIDE (F)	0.20	0.50	0.28	0.20	50.00	6
NITRATE (NO3)	0.40	32.00	11.74	5.90	40.00	5
TOTAL DISSOLVED SOLIDS (TDS)	282.00	572.00	402.33	288.00	50.00	6
HARDNESS (CaCO3)	245.00	487.00	338.50	257.00	50.00	6
SPECIFIC CON- DUCTANCE	470.00	894.00	655.50	493.00	50.00	6
PH	6.60	7.70	7.31	7.30	33.33	6
PERCENT SODIUM	5.54	16.57	8.62	6.65	33.33	6
SAR	0.18	0.77	0.35	0.22	50.00	6
RSC	0.00	0.00	0.00	0.00	0.00	6

HOOD COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KCTM


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	0.00	21.00	12.61	13.00	61.11	18
CALCIUM (CA)	1.00	146.00	46.63	55.00	52.63	19
MAGNESIUM (MG)	0.00	35.00	12.36	12.00	47.36	19
SODIUM (NA)	10.00	276.00	109.21	63.00	36.84	19
BICARBONATE (HCO3)	291.00	550.00	367.84	350.00	31.57	19
SULFATE (SO4)	11.00	165.00	51.36	39.00	21.05	19
CHLORIDE (CL)	9.00	55.00	23.31	20.00	31.57	19
FLUORIDE (F)	0.20	3.10	0.60	0.40	25.00	16
NITRATE (NO3)	0.00	162.00	10.54	0.40	5.88	17
TOTAL DISSOLVED SOLIDS (TDS)	322.00	752.00	447.76	403.00	36.84	19
HARDNESS (CaCO3)	6.00	460.00	168.00	206.00	57.89	19
SPECIFIC CON- DUCTANCE	498.00	1123.00	719.94	624.00	33.33	18
PH	6.90	8.80	7.75	7.70	38.88	18
PERCENT SODIUM	6.65	99.61	52.98	38.28	36.84	19
SAR	0.24	64.18	14.58	1.79	31.57	19
RSC	0.00	8.75	3.00	1.29	36.84	19

HOOD COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	91.54	.00	91.54
1956	176.03	.00	176.03
1957	216.43	.00	216.43
1958	247.37	.00	247.37
1959	316.95	.00	316.95
1960	387.25	.00	387.25
1961	367.05	.00	367.05
1962	399.20	.00	399.20
1963	410.22	.00	410.22
1964	443.61	.00	443.61
1965	415.17	.00	415.17
1966	373.04	.00	373.04
1967	364.22	.00	364.22
1968	343.75	.00	343.75
1969	406.43	.00	406.43
1970	472.21	.00	472.21
1971	862.90	.00	862.90
1972	743.39	.00	743.39
Total	7,036.76	.00	7,036.76

WATER-LEVEL MEASUREMENTS IN HUNT COUNTY



EXPLANATION

CURRENT
OBSERVATION WELLS

HISTORICAL
OBSERVATION WELLS

●
201
Water level

■
204
Water level

○
304
Water quality

●
301
Water level and
water quality



BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

Location of Observation Wells in Hunt County

HUNT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
17-41-601	KGNA	30	515.00	05-19-71	18.13		
				11-11-71	15.59		2.54
				11-14-72	18.32	2.73	
				11-08-73	13.71		4.61
				11-05-74	10.20		3.51
17-42-707	KGNA	430	541.00	05-18-71	270.19		
				11-16-72	281.95	11.76	
				11-08-73	283.21	1.26	
				11-05-74	282.52		0.69
17-49-204	KGNA	600	530.00	02-05-71	255.00		
				05-18-71	261.43	6.43	
17-49-315	KGNA	300	500.00	05-18-71	47.31		
				11-11-71	49.59	2.28	
				11-14-72	52.18	2.59	
				11-08-73	51.32		0.86
17-57-201	KGNA	301	583.00	05-18-71	181.09		
				11-11-71	163.87		17.22
				11-17-72	161.00		2.87
				11-08-73	134.70		26.30
				11-04-74	136.60	1.90	
18-47-301	KGT	16	660.00	05-20-71	3.44		
				11-11-71	3.15		0.29
				11-16-72	1.60		1.55
				11-08-73	0.74		0.86
				11-05-74	0.54		0.20
18-47-502	KGM	1870	670.00	01-??-71	427.00		
				05-20-71	442.00	15.00	
				11-11-71	439.00		3.00
				11-14-72	396.00		43.00
				11-05-73	400.00*	4.00	
				11-05-74	415.00*	15.00	
18-48-201	KCPA	3300	680.00	05-20-71	431.70		
				11-11-71	443.77	12.07	
				11-14-72	434.30@		9.47
				11-08-73	436.66@	2.36	
				11-05-74	443.50@	6.84	

HUNT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
18-54-301	KGWC	20	660.00	05-20-71	7.90		
				11-11-71	7.12		0.78
				11-16-72	8.44	1.32	
				11-08-73	3.12		5.32
				11-05-74	2.27		0.85
18-55-701	KGT	18	610.00	05-20-71	3.02		
				11-11-71	2.98		0.04
				11-16-72	2.43		0.55
				11-08-73	0.88		1.55
				11-05-74	0.40		0.48
18-62-801	KGN	15	561.00	05-18-71	3.01		
				11-12-71	2.24		0.77
				11-17-72	6.70	4.46	
				11-08-73	0.40		6.30
				11-05-74	2.33	1.93	
18-63-401	KGN	30	520.00	05-18-71	4.23		
				11-12-71	3.08		1.15
				11-16-72	2.27		0.81
				11-08-73	0.69		1.58
				11-05-74	0.41		0.28
18-64-301	KGNA	220	535.00	05-19-71	65.33		
				11-11-71	64.02		1.31
				11-17-72	65.99	1.97	
				11-08-73	62.69		3.30
				11-04-74	63.44	0.75	

HUNT COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	17-41-601	17-41-601	17-42-707	17-49-304
DATE OF COLLECTION	05/19/71	11/08/73	05/18/71	02/04/53
AQUIFER CODE	KGNA	KGNA	KGNA	KGNA
WELL DEPTH	30	30	430	440
TEMPERATURE-F		62		
TEMPERATURE-C				
SILICA (MG/L)	21.0	22.0	11.0	12.0
CALCIUM (MG/L)	90.0	86.0	3.0	1.0
MAGNESIUM (MG/L)	11.0	6.0	2.0	
SODIUM (MG/L)	193.0	204.0	271.0	175.0
POTASSIUM (MG/L)				.9
MANGANESE (MG/L)				
BORON (MG/L)				.4
BICARBONATE (MG/L)	493.0	501.0	459.0	318.0
SULFATE (MG/L)	137.0	135.0	156.0	45.0
CHLORIDE (MG/L)	64.0	77.0	30.0	19.0
FLUORIDE (MG/L)	.8	.9	.5	.6
NITRATE (MG/L)	49.0	49.0	3.5	3.0
IRON (MG/L)				
PH	7.6	7.4	8.7	8.8
DISSOLVED SOLIDS (MG/L)	808.0	826.2	702.0	413.0
PHENOL, ALK. CACO3	.0	.0	11.0	
TOTAL ALK. CACO3	404.0	411.0	398.0	
TOTAL HARD CACO3	272.0	240.0	16.0	
% SODIUM	60.87	64.96	97.40	
SAR	5.1	5.7	29.7	
RSC	2.6	3.4	7.2	
SPECIFIC CONDUCTANCE	1181.0	1210.0	1084.0	

HUNT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	17-49-304	17-49-315	17-57-201	18-47-301
DATE OF COLLECTION	09/25/70	05/18/71	05/18/71	05/20/71
AQUIFER CODE	KGNA	KGNA	KGNA	KGT
WELL DEPTH	440	300	301	16
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	10.0	11.0	8.0
CALCIUM (MG/L)	1.0	3.0	7.0	29.0
MAGNESIUM (MG/L)	1.0	3.0	2.0	2.0
SODIUM (MG/L)	208.0	530.0	364.0	9.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	389.0	720.0	510.0	95.0
SULFATE (MG/L)	49.0	5.0	157.0	12.0
CHLORIDE (MG/L)	27.0	400.0	166.0	4.0
FLUORIDE (MG/L)	.4	2.0	2.6	.2
NITRATE (MG/L)	2.5	.4	2.5	5.5
IRON (MG/L)				
PH	9.1	8.3	8.2	7.4
DISSOLVED SOLIDS (MG/L)	492.0	1307.0	962.0	116.0
PHENOL. ALK. CaCO3	28.0	.0	.0	.0
TOTAL ALK. CaCO3	375.0	590.0	420.0	78.0
TOTAL HARD CaCO3	8.0	22.0	25.0	83.0
% SODIUM	98.56	98.30	96.85	19.54
SAR	35.2	51.7	31.2	.4
RSC	6.2	11.4	7.8	.0
SPECIFIC CONDUCTANCE	849.0	2160.0	1530.0	199.0

HUNT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-47-501	18-47-501	18-47-502	18-47-502
DATE OF COLLECTION	09/13/43	09/25/70	10/13/70	05/20/71
AQUIFER CODE	KGW	KGW	KGW	KGW
WELL DEPTH	1819	1819	1870	1870
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	23.0	15.0		14.0
CALCIUM (MG/L)	3.0	1.0	2.0	3.0
MAGNESIUM (MG/L)	1.0	2.0	1.0	1.0
SODIUM (MG/L)	326.0	317.0	305.0	319.0
POTASSIUM (MG/L)	18.0			
MANGANESE (MG/L)			.0	
BORON (MG/L)				
BICARBONATE (MG/L)	451.0	484.0	405.0	466.0
SULFATE (MG/L)	170.0	167.0	123.0	168.0
CHLORIDE (MG/L)	105.0	100.0	119.0	106.0
FLUORIDE (MG/L)	1.6	1.6	1.5	1.6
NITRATE (MG/L)	2.2	1.5	8.0	1.3
IRON (MG/L)				
PH	8.1	8.1	8.1	7.6
DISSOLVED SOLIDS (MG/L)	871.0	843.0	758.0	843.0
PHENOL. ALK. CaCO3			22.0	.0
TOTAL ALK. CaCO3		397.0	376.0	382.0
TOTAL HARD CaCO3		13.0	10.0	13.0
% SODIUM	95.34	98.46	98.64	98.35
SAR	41.6	42.1	43.9	40.7
RSC	7.1	7.7	6.4	7.4
SPECIFIC CONDUCTANCE		1320.0	1250.0	1300.0

HUNT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-54-301	18-55-701	18-62-801	18-63-401
DATE OF COLLECTION	05/20/71	05/20/71	05/18/71	05/18/71
AQUIFER CODE	KGWC	KGT	KGN	KGN
WELL DEPTH	20	18	15	30
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	7.0	6.0	19.0	15.0
CALCIUM (MG/L)	75.0	29.0	85.0	32.0
MAGNESIUM (MG/L)	17.0	1.0	7.0	3.0
SODIUM (MG/L)	137.0	21.0	67.0	37.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	88.0	68.0	227.0	150.0
SULFATE (MG/L)	224.0	32.0	107.0	15.0
CHLORIDE (MG/L)	114.0	20.0	15.0	21.0
FLUORIDE (MG/L)	.4	.2	.6	.4
NITRATE (MG/L)	112.0	4.5	73.0	.4
IRON (MG/L)				
PH	7.2	7.0	7.5	7.5
DISSOLVED SOLIDS (MG/L)	729.0	147.0	485.0	197.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	72.0	56.0	186.0	123.0
TOTAL HARD CaCO3	259.0	79.0	242.0	93.0
% SODIUM	53.68	37.39	37.69	46.61
SAR	3.7	1.0	1.8	1.6
RSC	.0	.0	.0	.6
SPECIFIC CONDUCTANCE	1091.0	254.0	713.0	331.0

HUNT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	18-64-301
DATE OF COLLECTION	05/19/71
AQUIFER CODE	KGNA
WELL DEPTH	220
TEMPERATURE-F	
TEMPERATURE-C	
SILICA (MG/L)	15.0
CALCIUM (MG/L)	51.0
MAGNESIUM (MG/L)	14.0
SODIUM (MG/L)	296.0
POTASSIUM (MG/L)	
MANGANESE (MG/L)	
BORON (MG/L)	
BICARBONATE (MG/L)	371.0
SULFATE (MG/L)	378.0
CHLORIDE (MG/L)	96.0
FLUORIDE (MG/L)	.7
NITRATE (MG/L)	11.0
IRON (MG/L)	
PH	7.6
DISSOLVED SOLIDS (MG/L)	1044.0
PHENOL, ALK. CaCO3	.0
TOTAL ALK. CaCO3	304.0
TOTAL HARD CaCO3	186.0
% SODIUM	77.69
SAR	9.4
RSC	2.3
SPECIFIC CONDUCTANCE	1560.0

HUNT COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KGNA


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	10.00	16.00	12.33	12.00	33.33	12
CALCIUM (CA)	1.00	51.00	7.00	3.00	8.33	12
MAGNESIUM (MG)	1.00	14.00	2.70	1.00	20.00	10
SODIUM (NA)	175.00	688.00	320.27	271.00	18.18	11
BICARBONATE (HCO3)	318.00	886.00	507.16	389.00	25.00	12
SULFATE (SO4)	1.00	378.00	102.18	73.00	36.36	11
CHLORIDE (CL)	19.00	558.00	176.50	80.00	16.66	12
FLUORIDE (F)	0.30	4.80	1.24	0.70	27.27	11
NITRATE (NO3)	0.40	11.00	3.02	2.50	30.00	10
TOTAL DISSOLVED SOLIDS (TDS)	413.00	1699.00	838.75	702.00	33.33	12
HARDNESS (CaCO3)	8.00	186.00	45.66	17.00	16.66	6
SPECIFIC CON- DUCTANCE	849.00	2160.00	1436.60	1530.00	60.00	5
PH	7.60	9.10	8.50	8.60	58.33	12
PERCENT SODIUM	77.69	99.06	95.63	97.96	77.77	9
SAR	9.47	79.74	38.31	43.98	22.22	9
RSC	2.38	14.18	8.22	6.83	20.00	10

HUNT COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	674.31	.00	674.31
1956	679.73	.00	679.73
1957	619.78	.00	619.78
1958	664.86	.00	664.86
1959	644.84	.00	644.84
1960	1,169.91	.00	1,169.91
1961	958.72	.00	958.72
1962	1,078.94	.00	1,078.94
1963	1,363.27	.00	1,363.27
1964	1,199.85	.00	1,199.85
1965	1,169.70	.00	1,169.70
1966	1,278.66	.00	1,278.66
1967	1,337.18	.00	1,337.18
1968	1,506.93	.00	1,506.93
1969	1,591.08	.00	1,591.08
1970	1,664.88	.00	1,664.88
1971	1,606.09	.00	1,606.09
1972	1,768.87	.00	1,768.87
Total	20,977.60	.00	20,977.60

WATER-LEVEL MEASUREMENTS IN JOHNSON COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS	HISTORICAL OBSERVATION WELLS
● 602 Water level	■ 201 Water level
○ 101 Water quality	▣ 302 Water level and water quality
● 402 Water level and water quality	



NOTE:
This county is within
1° quadrangle No. 32

Location of Observation
Wells in Johnson County

JOHNSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-28-702	KCFA	375	1032.00	09-22-66	292.80		
				05-28-70	274.20		18.60
				02-23-71	287.79@	13.59	
				11-01-71	299.74	11.95	
				11-14-72	306.44*	6.70	
				11-12-73	302.20@		4.24
				11-12-74	295.98		6.22
32-29-902	KCFA	584	812.00	08-11-66	438.95		
				05-18-70	446.12	6.17	
				02-23-71	444.07		1.05
				11-03-71	446.34@	2.27	
				11-20-72	446.54	0.20	
				11-09-73	444.99		1.55
				11-08-74	445.88	0.89	
32-30-805	KCFA	657	766.00	09-06-66	462.58		
				05-18-70	471.12	8.54	
				02-23-71	474.45	3.33	
				11-03-71	476.68	2.23	
				11-20-72	479.24	2.56	
				11-09-73	475.23		4.01
				11-08-74	478.07	2.84	
32-31-702	KCFA	762	732.00	07-29-66	466.35		
				05-20-70	478.67	12.32	
				02-22-71	461.05@		17.62
				11-02-71	465.05@	4.00	
32-31-802	KGW	240	732.00	07-21-66	144.51		
				05-20-70	145.57	1.06	
				02-22-71	143.37		2.20
				11-02-71	143.64	0.27	
				11-13-72	149.07	5.43	
				11-13-73	147.12		1.95
32-32-701	KGR	240	632.00	10-04-66	165.48		
				05-21-70	169.80	4.32	
				02-22-71	170.81	1.01	
				11-02-71	170.47		0.34
				11-13-72	177.40	6.93	
				11-13-73	177.54	0.14	
				11-08-74	181.15	3.61	

JOHNSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-36-402	KCPA	120	780.00	09-29-66	82.73		
				05-28-70	83.12Q	0.39	
				11-01-71	83.88Q	0.76	
				11-14-72	81.36		2.52
				11-14-73	82.10Q	0.74	
32-36-604	KCPA	500	995.00	10-06-66	381.39		
				05-28-70	386.56	5.17	
				02-23-71	385.97Q		0.59
				11-01-71	386.42Q	0.45	
				11-14-72	382.38Q		4.04
				11-14-73	384.44Q	2.06	
11-11-74	387.30Q	2.86					
32-37-702	KCPA	478	895.00	10-06-66	380.79		
				05-28-70	384.52	3.73	
				11-14-72	383.42		1.10
				11-14-73	383.12		0.30
				11-11-74	363.85		19.27
32-38-501	KGW	33	852.00	08-11-60	24.52		
				05-20-70	22.14		2.38
				02-22-71	23.52	1.38	
				11-03-71	20.50		3.02
				11-13-72	23.09	2.59	
				11-13-73	19.68		3.41
11-08-74	5.43		14.25				
32-38-602	KGW	25	825.00	08-11-60	17.88		
				05-19-70	13.02		4.86
				11-03-71	13.52	0.50	
				11-13-73	10.75		2.77
				11-11-74	13.22	2.47	
32-38-701	KCPA	700	790.00	09-29-66	380.20		
				05-29-70	385.62	5.42	
				02-23-71	386.81	1.19	
				11-02-71	387.42	0.61	
				11-14-72	381.69		5.73
32-3A-901	KCTH	1630	830.00	08-04-66	638.00		
				11-09-71	904.00*	266.00	
				06-12-73	773.00		131.00
				11-09-73	797.00	24.00	
				11-11-74	890.00*	93.00	

JOHNSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-39-201	KGV	270	733.00	10-04-46	130.80		
				05-20-70	132.80	2.00	
				02-22-71	134.09	1.29	
				11-02-71	133.60		0.49
				11-13-72	134.12	0.52	
				11-13-73	133.30		0.82
				11-08-74	134.62	1.32	
32-39-505	KGV	210	714.00	10-13-46	85.11		
				05-20-70	94.02	8.91	
				02-22-71	94.31	0.29	
				11-02-71	91.50		2.81
				11-13-73	94.85	3.35	
				11-08-74	96.22	1.37	
32-39-602	KGV	250	720.00	10-13-46	148.28		
				02-22-71	155.85	7.57	
				11-02-71	156.22	0.37	
				11-13-72	158.49	2.27	
				11-13-73	161.45	2.96	
				11-08-74	164.43	2.98	
32-39-701	KCPA	861	758.00	11-01-46	498.65		
				11-09-71	714.00*	215.35	
				11-09-73	723.00*	9.00	
				11-11-74	725.00*	2.00	
32-39-705	KGV	251	742.00	08-03-46	128.50		
				05-21-70	116.20		12.30
				02-22-71	114.74		1.46
				11-02-71	114.10		0.64
				11-13-72	109.64		4.46
				11-13-73	110.34	0.70	
				11-08-74	117.35*	7.01	
32-39-901	KGV	----	725.00	10-12-46	163.65		
				05-21-70	160.15		3.50
				02-22-71	154.30		5.85
				11-02-71	157.20	2.90	
				11-13-72	163.31	6.11	
				11-13-73	158.80		4.51
11-08-74	160.85	2.05					
32-44-302	KCPA	449	946.00	07-26-46	361.70		
				05-27-70	368.80*	7.10	

JOHNSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-45-601	KCTM	1266	746.00	04-14-66	444.00		
				11-09-71	685.00	241.00	
				11-20-72	600.00		85.00
				11-12-73	665.00Q	65.00	
				11-08-74	742.00Q	77.00	
32-46-201	KCTM	1918	902.00	09-15-65	730.00		
32-46-402	KCPA	640	826.00	09-15-66	402.90		
				05-26-70	417.20Q	14.30	
				02-24-71	406.90Q		10.30
				11-02-71	409.20Q	2.30	
				11-08-74	416.98	7.78	
32-46-702	KCPA	537	754.00	08-18-66	300.25		
				05-26-70	314.30	14.05	
				02-24-71	311.06		3.24
				11-02-71	314.70	3.64	
				11-14-72	317.98	3.28	
				11-14-73	319.80*	1.82	
11-11-74	319.86	0.06					
32-46-907	KCTM	1560	825.00	06-13-73	626.00		
				11-08-74	680.00*	54.00	
32-47-101	KCPA	795	755.00	08-03-66	399.60		
				05-28-70	396.80Q		2.80
				02-22-71	400.37Q	3.57	
32-47-202	KGW	216	670.00	08-02-66	88.15		
				05-25-70	93.68	5.53	
				11-13-72	99.09	5.41	
				11-13-73	101.69	2.60	
				11-08-74	99.25		2.44
32-47-801	KGW	210	691.00	09-07-60	93.00		
				05-25-70	89.00		4.00
				11-02-71	83.20Q		5.80
				11-13-72	69.90Q		13.30
32-48-401	KGW	140	647.00	08-30-66	74.41		
				05-21-70	73.11		1.30
				02-22-71	73.31	0.20	
				11-08-74	62.60		10.71
32-48-403	KGW	135	579.00	08-30-66	55.62		

JOHNSON COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-22-70	57.14	1.52	
				02-22-71	59.22	2.08	
				11-02-71	60.60	1.38	
				11-13-72	62.67	2.07	
				11-13-73	67.48*	4.81	
				11-08-74	64.96		2.52
32-52-201	KCPA	100	681.00	07-13-66	72.78		
				05-27-70	69.80		2.98
				11-01-71	78.72	8.92	
				11-14-72	78.05		0.67
				11-14-73	70.98		7.07
				11-11-74	69.10		1.88
32-52-202	KCTM	926	750.00	07-20-68	251.50		
				05-27-70	287.90	36.40	
				02-23-71	289.33*	1.43	
				11-01-71	290.14	0.81	
				06-12-73	321.13*	30.99	
				11-11-74	341.14	20.01	
32-53-302	KCPA	510	743.00	09-06-60	265.00		
				05-24-70	244.00Q		21.00
				02-24-71	253.30Q	9.30	

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	32-28-702	32-29-902	32-29-902	32-29-902
DATE OF COLLECTION	05/28/70	08/11/66	05/18/70	11/20/72
AQUIFER CODE	KCPA	KCPA	KCPA	KCPA
WELL DEPTH	375	584	584	584
TEMPERATURE-F	70	76	69	
TEMPERATURE-C				
SILICA (MG/L)	41.0	31.0	11.0	11.0
CALCIUM (MG/L)	55.0	242.0	1.0	1.0
MAGNESIUM (MG/L)	21.0	33.0	1.0	2.0
SODIUM (MG/L)	33.0	106.0	184.0	182.0
POTASSIUM (MG/L)		2.9		
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	303.0	374.0	400.0	378.0
SULFATE (MG/L)	33.0	308.0	32.0	30.0
CHLORIDE (MG/L)	12.0	251.0	7.0	9.0
FLUORIDE (MG/L)	.3	.2	.4	.5
NITRATE (MG/L)	.4	.0	.4	.4
IRON (MG/L)				
PH	7.4	7.0	8.8	9.0
DISSOLVED SOLIDS (MG/L)	344.0	1157.9	433.0	421.7
PHENOL. ALK. CaCO3	.0		16.0	.0
TOTAL ALK. CaCO3	248.0		360.0	356.0
TOTAL HARD CaCO3	225.0	740.0	9.0	9.0
% SODIUM	24.30	23.67	98.37	97.36
SAR	.9	1.6	31.1	24.1
RSC	.4	.0	6.4	5.9
SPECIFIC CONDUCTANCE	528.0	1820.0	714.0	715.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	32-30-704 05/18/70	32-30-805 05/18/70	32-30-904 05/20/70	32-31-802 07/21/66
AQUIFER CODE	KCPA	KCPA	KCPA	KGW
WELL DEPTH	554	657	575	240
TEMPERATURE-F		70	70	72
TEMPERATURE-C				
SILICA (MG/L)	10.0	10.0	10.0	9.0
CALCIUM (MG/L)	2.0	1.0	1.0	18.0
MAGNESIUM (MG/L)	1.0	1.0	2.0	6.0
SODIUM (MG/L)	188.0	204.0	204.0	192.0
POTASSIUM (MG/L)				2.5
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	411.0	459.0	445.0	332.0
SULFATE (MG/L)	34.0	39.0	50.0	181.0
CHLORIDE (MG/L)	8.0	9.0	11.0	24.0
FLUORIDE (MG/L)	.6	.8	1.1	1.0
NITRATE (MG/L)	2.0	1.5	2.0	.0
IRON (MG/L)				
PH	8.9	8.7	8.8	7.8
DISSOLVED SOLIDS (MG/L)	447.6	491.0	499.0	596.7
PHENOL, ALK. CaCO3	18.0	13.0	17.0	
TOTAL ALK. CaCO3	373.0	402.0	399.0	
TOTAL HARD CaCO3	9.0	8.0	11.0	69.0
% SODIUM	97.82	98.53	97.64	85.15
SAR	27.1	34.5	27.1	10.0
RSC	6.5	7.3	7.0	4.0
SPECIFIC CONDUCTANCE	734.0	803.0	827.0	973.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-31-802	32-32-701	32-36-202	32-36-402
DATE OF COLLECTION	05/20/70	05/21/70	05/28/70	05/28/70
AQUIFER CODE	KGW	KGW	KCPA	KCPA
WELL DEPTH	240	175	422	120
TEMPERATURE-F	70	70	70	71
TEMPERATURE-C				
SILICA (MG/L)	9.0	11.0	26.0	18.0
CALCIUM (MG/L)	19.0	23.0	2.0	77.0
MAGNESIUM (MG/L)	7.0	8.0	1.0	14.0
SODIUM (MG/L)	184.0	148.0	148.0	18.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	325.0	278.0	348.0	296.0
SULFATE (MG/L)	184.0	127.0	30.0	35.0
CHLORIDE (MG/L)	24.0	43.0	12.0	9.0
FLUORIDE (MG/L)	.9	.5	.1	.1
NITRATE (MG/L)	1.5	1.5	.4	.4
IRON (MG/L)				
PH	7.7	7.4	8.2	8.0
DISSOLVED SOLIDS (MG/L)	589.0	498.0	390.6	317.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	265.0	228.0	285.0	243.0
TOTAL HARD CaCO3	76.0	92.0	7.0	251.0
% SODIUM	84.00	78.09	97.25	13.55
SAR	9.1	6.7	21.3	.4
RSC	3.8	2.7	5.5	.0
SPECIFIC CONDUCTANCE	903.0	802.0	602.0	501.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-37-702	32-38-501	32-38-701	32-38-801
DATE OF COLLECTION	05/28/70	05/20/70	05/29/70	01/13/71
AQUIFER CODE	KCPA	KGW	KCPA	KCPA
WELL DEPTH	478	33	700	790
TEMPERATURE-F	69	69	70	
TEMPERATURE-C				
SILICA (MG/L)	30.0	18.0	10.0	12.0
CALCIUM (MG/L)	1.0	42.0	1.0	2.0
MAGNESIUM (MG/L)	1.0	12.0	1.0	1.0
SODIUM (MG/L)	182.0	53.0	195.0	227.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	470.0	79.0	398.0	465.0
SULFATE (MG/L)	5.0	116.0	47.0	68.0
CHLORIDE (MG/L)	8.0	31.0	17.0	19.0
FLUORIDE (MG/L)	.3	.3	.6	1.6
NITRATE (MG/L)	.4	56.0	.4	.4
IRON (MG/L)				
PH	8.1	6.4	9.0	8.8
DISSOLVED SOLIDS (MG/L)	458.0	367.0	467.0	559.6
PHENOL, ALK. CaCO ₃	.0	.0	23.0	18.0
TOTAL ALK. CaCO ₃	385.0	65.0	372.0	417.0
TOTAL HARD CaCO ₃	9.0	153.0	7.0	12.0
% SODIUM	98.35	42.78	98.46	98.19
SAR	30.8	1.8	33.0	32.7
RSC	7.5	.0	6.3	7.4
SPECIFIC CONDUCTANCE	684.0	551.0	795.0	924.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-38-801	32-38-802	32-38-802	32-38-803
DATE OF COLLECTION	01/16/75	01/13/71	01/16/75	01/13/71
AQUIFER CODE	KCPA	KCTM	KCTM	KCTM
WELL DEPTH	790	1508	1508	1603
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	9.0	11.0	8.0	13.0
CALCIUM (MG/L)	3.0	2.0	2.0	3.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	1.0
SODIUM (MG/L)	230.0	227.0	233.0	227.0
POTASSIUM (MG/L)			1.0	
MANGANESE (MG/L)				
BORON (MG/L)			.4	
BICARBONATE (MG/L)	520.0	483.0	412.0	403.0
SULFATE (MG/L)	64.0	71.0	73.0	75.0
CHLORIDE (MG/L)	22.0	20.0	62.0	59.0
FLUORIDE (MG/L)	1.7	1.6	.6	.6
NITRATE (MG/L)	1.4	.4	.4	.4
IRON (MG/L)				
PH	8.3	8.6	8.7	8.7
DISSOLVED SOLIDS (MG/L)	587.7	571.4	583.9	577.1
PHENOL. ALK. CaCO3	.0	8.0	13.0	11.0
TOTAL ALK. CaCO3	425.0	412.0	364.0	352.0
TOTAL HARD CaCO3	7.0	10.0	8.0	12.0
% SODIUM	97.73	98.19	97.99	97.70
SAR	29.3	32.7	33.6	29.0
RSC	8.2	7.7	6.5	6.3
SPECIFIC CONDUCTANCE	915.0	914.0	960.0	949.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-38-808	32-39-201	32-39-505	32-39-602
DATE OF COLLECTION	01/13/71	05/20/70	05/20/70	05/29/70
AQUIFER CODE	KCTM	KGW	KGW	KGW
WELL DEPTH	1501	270	210	250
TEMPERATURE-F		70	69	71
TEMPERATURE-C				
SILICA (MG/L)	13.0	9.0	12.0	27.0
CALCIUM (MG/L)	3.0	13.0	60.0	38.0
MAGNESIUM (MG/L)	1.0	9.0	19.0	15.0
SODIUM (MG/L)	227.0	176.0	119.0	144.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	417.0	349.0	278.0	312.0
SULFATE (MG/L)	71.0	134.0	180.0	185.0
CHLORIDE (MG/L)	58.0	22.0	57.0	20.0
FLUORIDE (MG/L)	.7	.7	.7	.5
NITRATE (MG/L)	.4	5.0	3.0	1.5
IRON (MG/L)				
PH	8.6	7.7	7.3	7.6
DISSOLVED SOLIDS (MG/L)	579.1	540.0	587.0	584.0
PHENOL. ALK. CaCO3	7.0	.0	.0	.0
TOTAL ALK. CaCO3	356.0	286.0	228.0	256.0
TOTAL HARD CaCO3	12.0	68.0	229.0	156.0
% SODIUM	97.70	84.64	53.18	66.68
SAR	29.0	9.1	3.4	5.0
RSC	6.6	4.3	.0	1.9
SPECIFIC CONDUCTANCE	948.0	830.0	919.0	869.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-39-705	32-39-705	32-39-901	32-44-302
DATE OF COLLECTION	08/03/66	05/21/70	05/21/70	05/27/70
AQUIFER CODE	KGW	KGW	KGW	KCPA
WELL DEPTH	251	251	----	449
TEMPERATURE-F		71	70	70
TEMPERATURE-C				
SILICA (MG/L)	10.0	9.0	11.0	28.0
CALCIUM (MG/L)	4.0	3.0	28.0	3.0
MAGNESIUM (MG/L)	1.0	2.0	11.0	2.0
SODIUM (MG/L)	216.0	216.0	162.0	205.0
POTASSIUM (MG/L)	2.5			
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	445.0	448.0	321.0	450.0
SULFATE (MG/L)	82.0	84.0	158.0	61.0
CHLORIDE (MG/L)	26.0	26.0	29.0	24.0
FLUORIDE (MG/L)	1.5	1.5	.5	.4
NITRATE (MG/L)	3.8	.4	7.0	.4
IRON (MG/L)				
PH	7.6	8.2	7.6	7.9
DISSOLVED SOLIDS (MG/L)	565.6	562.0	564.0	545.0
PHENOL, ALK. CAC03		.0	.0	.0
TOTAL ALK. CAC03		367.0	263.0	369.0
TOTAL HARD CAC03	13.0	16.0	113.0	15.0
% SODIUM	96.45	96.76	75.37	96.59
SAR	25.0	23.7	6.5	22.5
RSC	7.0	7.0	2.9	7.0
SPECIFIC CONDUCTANCE	949.0	890.0	860.0	825.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-46-402	32-46-702	32-46-906	32-47-101
DATE OF COLLECTION	05/26/70	05/26/70	05/25/70	08/03/66
AQUIFER CODE	KCPA	KCPA	KCPA	KCPA
WELL DEPTH	640	537	663	795
TEMPERATURE-F	71	71		
TEMPERATURE-C				
SILICA (MG/L)	27.0	26.0	26.0	11.0
CALCIUM (MG/L)	2.0	2.0	3.0	1.0
MAGNESIUM (MG/L)	1.0	2.0	2.0	1.0
SODIUM (MG/L)	242.0	290.0	510.0	302.0
POTASSIUM (MG/L)				1.8
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	472.0	570.0	920.0	622.0
SULFATE (MG/L)	87.0	91.0	273.0	107.0
CHLORIDE (MG/L)	24.0	44.0	60.0	27.0
FLUORIDE (MG/L)	1.7	3.2	9.8	3.8
NITRATE (MG/L)	2.0	.4	.4	3.2
IRON (MG/L)				
PH	8.9	8.6	8.1	8.1
DISSOLVED SOLIDS (MG/L)	618.0	738.0	1336.5	763.6
PHENOL. ALK. CAC03	19.0	10.0	.0	
TOTAL ALK. CAC03	425.0	485.0	750.0	
TOTAL HARD CAC03	8.0	11.0	18.0	4.0
% SODIUM	98.30	97.94	98.60	98.66
SAR	34.9	34.7	55.9	51.1
RSC	7.5	9.0	14.7	10.0
SPECIFIC CONDUCTANCE	971.0	1146.0	1960.0	1260.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-47-101	32-47-801	32-47-801	32-47-807
DATE OF COLLECTION	05/28/70	05/25/70	11/14/73	05/25/70
AQUIFER CODE	KCPA	KGW	KGW	KGW
WELL DEPTH	795	210	210	160
TEMPERATURE-F	69	69	68	70
TEMPERATURE-C				
SILICA (MG/L)	10.0	17.0	12.0	9.0
CALCIUM (MG/L)	2.0	405.0	43.0	4.0
MAGNESIUM (MG/L)	2.0	89.0	15.0	6.0
SODIUM (MG/L)	302.0	111.0	144.0	441.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	610.0	364.0	266.0	570.0
SULFATE (MG/L)	113.0	1100.0	192.0	420.0
CHLORIDE (MG/L)	27.0	118.0	44.0	67.0
FLUORIDE (MG/L)	4.4	.9	.7	2.8
NITRATE (MG/L)	.4	3.0	9.0	.4
IRON (MG/L)				
PH	8.4	7.0	7.5	7.7
DISSOLVED SOLIDS (MG/L)	760.0	2022.0	590.4	1230.4
PHENOL, ALK. CaCO3	6.0	.0	.0	.0
TOTAL ALK. CaCO3	510.0	298.0	218.0	467.0
TOTAL HARD CaCO3	12.0	1380.0	169.0	35.0
% SODIUM	98.02	14.92	64.95	96.51
SAR	36.1	1.3	4.8	32.5
RSC	9.7	.0	.9	8.6
SPECIFIC CONDUCTANCE	1167.0	2340.0	928.0	1790.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-48-101	32-48-403	32-48-403	32-52-202
DATE OF COLLECTION	05/21/70	05/22/70	11/13/73	07/20/66
AQUIFER CODE	KGW	KGW	KGW	KCTM
WELL DEPTH	225	135	135	926
TEMPERATURE-F	69	70	69	
TEMPERATURE-C				
SILICA (MG/L)	9.0	8.0	8.0	11.0
CALCIUM (MG/L)	19.0	4.0	4.0	2.0
MAGNESIUM (MG/L)	4.0	2.0	1.0	1.0
SODIUM (MG/L)	223.0	444.0	447.0	195.0
POTASSIUM (MG/L)				1.2
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	351.0	580.0	580.0	400.0
SULFATE (MG/L)	231.0	403.0	407.0	63.0
CHLORIDE (MG/L)	23.0	67.0	76.0	24.0
FLUORIDE (MG/L)	.8	2.0	2.0	.4
NITRATE (MG/L)	.4	3.5	4.7	.0
IRON (MG/L)				
PH	7.6	8.3	8.1	8.3
DISSOLVED SOLIDS (MG/L)	682.7	1218.0	1234.8	494.2
PHENOL, ALK. CaCO ₃	.0	.0	.0	
TOTAL ALK. CaCO ₃	288.0	476.0	474.0	
TOTAL HARD CaCO ₃	65.0	17.0	15.0	6.0
% SODIUM	88.36	98.15	98.57	97.55
SAR	12.1	45.2	51.8	28.1
RSC	4.4	9.1	9.2	6.3
SPECIFIC CONDUCTANCE	1017.0	1790.0	1830.0	828.0

JOHNSON COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-52-202	32-53-201
DATE OF COLLECTION	05/27/70	05/27/70
AQUIFER CODE	KCTM	KCPA
WELL DEPTH	926	460
TEMPERATURE-F	71	71
TEMPERATURE-C		
SILICA (MG/L)	28.0	26.0
CALCIUM (MG/L)	2.0	4.0
MAGNESIUM (MG/L)	1.0	3.0
SODIUM (MG/L)	193.0	263.0
POTASSIUM (MG/L)		
MANGANESE (MG/L)		
BORON (MG/L)		
BICARBONATE (MG/L)	397.0	475.0
SULFATE (MG/L)	65.0	121.0
CHLORIDE (MG/L)	23.0	40.0
FLUORIDE (MG/L)	.3	1.8
NITRATE (MG/L)	.4	2.0
IRON (MG/L)		
PH	8.5	8.7
DISSOLVED SOLIDS (MG/L)	507.0	694.3
PHENOL. ALK. CaCO ₃	6.0	.0
TOTAL ALK. CaCO ₃	337.0	415.0
TOTAL HARD CaCO ₃	8.0	25.0
% SODIUM	97.87	96.24
SAR	27.8	24.2
RSC	6.3	7.3
SPECIFIC CONDUCTANCE	780.0	1072.0

JOHNSON COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCPA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	9.00	41.00	15.80	12.00	30.00	30
CALCIUM (CA)	1.00	242.00	18.56	2.00	18.75	32
MAGNESIUM (MG)	0.00	33.00	4.75	1.00	18.75	32
SODIUM (NA)	18.00	408.00	187.59	184.00	50.00	32
BICARBONATE (HCO3)	296.00	684.00	432.03	411.00	40.62	32
SULFATE (SO4)	0.00	308.00	68.18	41.00	25.00	32
CHLORIDE (CL)	7.00	251.00	24.31	13.00	25.00	32
FLUORIDE (F)	0.10	7.50	1.44	0.50	28.12	32
NITRATE (NO3)	0.00	3.20	0.81	0.40	28.12	32
TOTAL DISSOLVED SOLIDS (TDS)	317.00	1157.99	534.08	458.00	31.25	32
HARDNESS (CACO3)	2.00	740.00	62.90	9.00	15.62	32
SPECIFIC CON- DUCTANCE	501.00	1820.00	914.03	803.00	34.61	26
PH	6.90	9.00	8.26	8.30	56.66	30
PERCENT SODIUM	12.62	99.21	84.21	97.65	78.12	32
SAR	0.49	53.99	26.39	27.11	53.12	32
RSC	0.00	10.89	6.03	6.42	59.37	32

JOHNSON COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KCTM

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	11.00	15.00	13.33	13.00	50.00	6
CALCIUM (CA)	2.00	4.00	2.42	2.00	14.28	7
MAGNESIUM (MG)	1.00	3.00	1.28	1.00	0.00	7
SODIUM (NA)	167.00	259.00	226.14	232.00	57.14	7
BICARBONATE (HCO3)	356.00	452.00	390.83	378.00	33.33	6
SULFATE (SO4)	77.00	168.00	107.42	106.00	28.57	7
CHLORIDE (CL)	16.00	42.00	32.85	39.00	57.14	7
FLUORIDE (F)	0.70	1.60	1.22	1.20	40.00	5
NITRATE (NO3)	0.20	1.50	0.88	1.00	60.00	5
TOTAL DISSOLVED SOLIDS (TDS)	382.60	688.24	552.20	578.15	71.42	7
HARDNESS (CAC03)	7.00	54.00	15.42	9.00	0.00	7
SPECIFIC CON- DUCTANCE	797.00	1120.00	987.75	972.00	50.00	4
PH	7.90	8.70	8.45	8.60	71.42	7
PERCENT SODIUM	93.68	98.31	96.58	97.72	57.14	7
SAR	15.38	35.19	30.75	33.08	85.71	7
RSC	5.65	7.17	6.16	5.88	33.33	6

JOHNSON COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KGW


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	8.00	27.00	12.62	11.00	20.68	29
CALCIUM (CA)	2.00	405.00	48.00	24.00	17.24	29
MAGNESIUM (MG)	0.00	89.00	12.93	9.00	31.03	29
SODIUM (NA)	34.00	510.00	196.39	162.00	31.03	29
BICARBONATE (HCO3)	48.00	920.00	361.65	325.00	37.93	29
SULFATE (SO4)	58.00	1100.00	231.79	181.00	31.03	29
CHLORIDE (CL)	20.00	120.00	46.55	31.00	31.03	29
FLUORIDE (F)	0.20	9.80	1.21	0.70	24.13	29
NITRATE (NO3)	0.00	56.00	3.70	1.20	20.68	29
TOTAL DISSOLVED SOLIDS (TDS)	367.00	2022.00	732.77	589.00	27.58	29
HARDNESS (CaCO3)	4.00	1380.00	171.68	92.00	24.13	29
SPECIFIC CON- DUCTANCE	551.00	2340.00	1120.93	932.00	31.03	29
PH	6.00	8.30	7.51	7.60	51.72	29
PERCENT SODIUM	14.92	99.13	71.96	75.85	55.17	29
SAR	0.95	55.98	15.35	6.56	31.03	29
RSC	0.00	14.76	3.83	2.95	41.37	29

JOHNSON COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	2,598.63	1.10	2,599.73
1956	2,975.15	1.10	2,976.25
1957	2,678.90	1.10	2,680.00
1958	2,289.86	.82	2,290.68
1959	2,702.14	.56	2,702.70
1960	2,651.39	6.69	2,658.08
1961	3,123.02	191.46	3,314.48
1962	3,160.57	191.46	3,352.03
1963	3,020.97	190.90	3,211.87
1964	2,943.10	112.32	3,055.42
1965	1,731.51	112.32	1,843.83
1966	1,241.17	171.85	1,413.02
1967	1,403.80	171.85	1,575.65
1968	1,491.49	171.85	1,663.34
1969	2,267.92	171.85	2,439.77
1970	3,006.62	171.85	3,178.47
1971	2,211.82	171.85	2,383.67
1972	2,385.76	709.59	3,095.35
Total	43,883.82	2,550.52	46,434.34

WATER-LEVEL MEASUREMENTS IN KAUFMAN COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS	HISTORICAL OBSERVATION WELLS
● 701 Water level	■ 402 Water level and water quality
○ 101 Water level and water quality	



Location of Observation
Wells in Kaufman County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

NOTE:
This county is within
1° quadrangle No. 33

KAUFMAN COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 † MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-13-701	KCPA	3195	475.00	05-21-71	204.98		
				11-12-71	212.02	7.04	
				11-16-72	223.98	11.96	
				11-11-74	157.14		66.84
33-16-402	TM	15	540.00	05-24-71	9.38		
				11-12-71	10.59	1.21	
33-21-101	KGN	50	469.00	05-21-71	14.01		
				11-12-71	8.73		5.28
				11-16-72	41.40	32.67	
				11-09-73	1.68		39.72
				11-11-74	0.90		2.58
33-21-801	KGW	2340	423.00	07-05-61	280.25		
				05-21-71	290.43	10.18	
				11-12-71	291.44	1.01	
				11-16-72	294.24	2.80	
				11-09-73	299.45	5.21	
				11-11-74	306.30	6.85	
33-21-101	KGNA	160	495.00	07-06-61	37.40		
				05-24-71	29.84		7.56
				11-12-71	27.36		2.48
				11-16-72	31.46	4.10	
				11-12-73	26.12		5.34
33-29-902	KGN	36	420.00	05-21-71	30.02		
				11-12-71	30.39	0.37	
				11-16-72	30.24		0.15
				11-12-73	29.75		0.49
				11-11-74	29.29		0.46
33-3A-402	KGN	36	400.00	05-21-71	22.99		
				11-12-71	23.19	0.20	
				11-16-72	23.39	0.20	
				11-12-73	22.00		1.39
				11-11-74	21.50		0.50

KAUFMAN COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	33-16-402	33-21-101	33-21-101	33-23-101
DATE OF COLLECTION	05/26/71	05/21/71	11/12/71	07/06/61
AQUIFER CODE	TM	KGN	KGN	KGNA
WELL DEPTH	15	50	50	160
TEMPERATURE-F			62	
TEMPERATURE-C				
SILICA (MG/L)	50.0	21.0	22.0	15.0
CALCIUM (MG/L)	191.0	125.0	117.0	305.0
MAGNESIUM (MG/L)	21.0	16.0	15.0	89.0
SODIUM (MG/L)	144.0	242.0	233.0	756.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	610.0	409.0	411.0	432.0
SULFATE (MG/L)	138.0	161.0	135.0	1430.0
CHLORIDE (MG/L)	160.0	286.0	265.0	642.0
FLUORIDE (MG/L)	.8	.8	.7	.7
NITRATE (MG/L)	4.0	.4	.4	27.0
IRON (MG/L)				
PH	7.6	7.5	7.4	7.1
DISSOLVED SOLIDS (MG/L)	1008.0	1053.0	990.0	3477.0
PHENOL, ALK. CAC03	.0	.0	.0	
TOTAL ALK. CAC03	500.0	335.0	337.0	
TOTAL HARD CAC03	560.0	379.0	357.0	1130.0
% SODIUM	35.74	58.22	58.90	59.33
SAR	2.6	5.4	5.3	9.7
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE	1500.0	1660.0	1650.0	4730.0

KAUFMAN COUNTY

GROUND WATER QUALITY ANALYSES--Continued


STATE WELL NUMBER	33-23-101	33-29-902	33-38-402
DATE OF COLLECTION	05/26/71	05/21/71	05/21/71
AQUIFER CODE	KGNA	KGN	KGN
WELL DEPTH	160	36	36
TEMPERATURE-F			
TEMPERATURE-C			
SILICA (MG/L)	7.0	28.0	27.0
CALCIUM (MG/L)	15.0	178.0	106.0
MAGNESIUM (MG/L)	5.0	12.0	9.0
SODIUM (MG/L)	580.0	109.0	188.0
POTASSIUM (MG/L)			
MANGANESE (MG/L)			
BORON (MG/L)			
BICARBONATE (MG/L)	500.0	580.0	399.0
SULFATE (MG/L)	348.0	18.0	108.0
CHLORIDE (MG/L)	396.0	161.0	189.0
FLUORIDE (MG/L)	1.3	.1	.4
NITRATE (MG/L)	.4	5.1	1.0
IRON (MG/L)			
PH	7.8	7.2	7.5
DISSOLVED SOLIDS (MG/L)	1598.0	796.0	824.0
PHENOL. ALK. CaCO ₃	.0	.0	.0
TOTAL ALK. CaCO ₃	410.0	472.0	327.0
TOTAL HARD CaCO ₃	57.0	495.0	300.0
% SODIUM	95.60	32.45	57.56
SAR	33.1	2.1	4.7
RSC	7.0	.0	.5
SPECIFIC CONDUCTANCE	2450.0	1290.0	1300.0

KAUFMAN COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	224.64	.00	224.64
1956	100.65	.00	100.65
1957	100.65	.00	100.65
1958	84.01	.00	84.01
1959	81.43	.00	81.43
1960	80.65	.00	80.65
1961	76.72	.00	76.72
1962	61.37	.00	61.37
1963	67.51	.00	67.51
1964	67.51	.00	67.51
1965	22.09	.00	22.09
1966	.00	.00	.00
1967	.00	.00	.00
1968	.00	.00	.00
1969	.00	.00	.00
1970	.00	.00	.00
1971	.00	.00	.00
1972	.00	.00	.00
Total	967.23	.00	967.23

WATER-LEVEL MEASUREMENTS IN LAMAR COUNTY




NOTE:
This county is within
1° quadrangle No. 17

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

EXPLANATION

CURRENT OBSERVATION WELLS

- 201
Water level
- 301
Water quality
- 401
Water level and water quality



Location of Observation Wells in Lamar County

LAMAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
17-10-701	KGEF	104	560.00	05-24-71	57.29		
				11-10-71	59.80	2.51	
				11-14-72	59.68		0.12
				11-13-73	55.52		4.16
				11-06-74	58.10	2.58	
17-12-101	KGW	165	500.00	10-22-59	59.54		
				04-27-71	60.76	1.22	
				11-09-71	57.98		2.78
				11-14-72	57.93		0.05
				11-13-73	56.40		1.53
11-07-74	56.30		0.10				
17-13-901	KGW	140	520.00	12-27-59	68.38		
				04-27-71	67.16		1.22
				11-09-71	67.69	0.53	
				11-14-72	68.02	0.33	
				11-13-73	67.45		0.57
11-07-74	66.98		0.47				
17-19-401	KGA	50	560.00	05-24-71	9.07		
				11-10-71	10.48	1.41	
				11-14-72	10.12		0.36
				11-13-73	9.36		0.76
				11-06-74	7.50		1.86
17-26-202	KGW	1673	615.00	01-11-74	342.00		
				05-24-71	346.02	4.02	
				11-14-72	351.65	5.63	
				11-06-74	347.10@		4.55
17-27-201	KGW	1675	595.00	05-24-71	328.53		
				11-10-71	330.72@	2.19	
				11-13-73	339.02	8.30	
				11-06-74	348.80	9.78	
17-27-402	KGT	34	490.00	05-24-71	7.82		
				11-10-71	7.93	0.11	
				11-14-72	8.52	0.59	
				11-13-73	4.65		3.87
				11-06-74	5.54	0.89	
17-28-401	KGT	45	520.00	04-27-71	4.78		
				11-10-71	4.09		0.69

LAMAR COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-14-72	1.54		2.55
				11-13-73	1.84	0.30	
				11-07-74	1.49		0.35
17-29-601	KCPA	2644	483.00	05-25-71	93.94		
				11-09-71	95.28	1.34	
				11-14-72	99.21*	3.93	
				11-13-73	98.48		0.73
				11-07-74	100.24	1.76	

LAMAR COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	17-10-701	17-10-701	17-12-101	17-12-101
DATE OF COLLECTION	05/24/71	11/10/71	04/27/71	11/09/71
AQUIFER CODE	KGEF	KGEF	KGW	KGW
WELL DEPTH	104	104	165	165
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	11.0	11.0	36.0	39.0
CALCIUM (MG/L)	7.0	6.0	19.0	34.0
MAGNESIUM (MG/L)	2.0	2.0	6.0	9.0
SODIUM (MG/L)	89.0	85.0	20.0	24.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	226.0	231.0	52.0	101.0
SULFATE (MG/L)	10.0	5.0	5.0	6.0
CHLORIDE (MG/L)	12.0	8.0	47.0	58.0
FLUORIDE (MG/L)	.6	.5	.1	.1
NITRATE (MG/L)	.4	.4	2.4	.4
IRON (MG/L)				
PH	7.6	8.2	6.1	6.6
DISSOLVED SOLIDS (MG/L)	243.0	231.0	161.0	220.0
PHENOL, ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	185.0	189.0	43.0	83.0
TOTAL HARD CaCO3	24.0	25.0	73.0	120.0
% SODIUM	88.28	88.85	37.63	29.99
SAR	7.6	7.6	1.0	.9
RSC	3.1	3.3	.0	.0
SPECIFIC CONDUCTANCE	386.0	382.0	251.0	355.0

LAMAR COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	17-19-401	17-19-901	17-26-202	17-27-301
DATE OF COLLECTION	05/24/71	10/01/69	05/24/71	08/15/74
AQUIFER CODE	KGA	KGBL	KGW	KCPA
WELL DEPTH	50	27	1673	2592
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	16.0	38.0	15.0	16.0
CALCIUM (MG/L)	103.0	11.0	2.0	5.0
MAGNESIUM (MG/L)	10.0	2.0	1.0	5.0
SODIUM (MG/L)	78.0	85.0	391.0	407.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	195.0	129.0	590.0	790.0
SULFATE (MG/L)	281.0	52.0	155.0	149.0
CHLORIDE (MG/L)	12.0	29.0	153.0	72.0
FLUORIDE (MG/L)	.6	.3	1.9	3.8
NITRATE (MG/L)	5.5	17.0	1.5	3.1
IRON (MG/L)				
PH	7.2	7.6	8.2	8.3
DISSOLVED SOLIDS (MG/L)	601.0	297.0	1010.0	1049.3
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	160.0	106.0	482.0	640.0
TOTAL HARD CaCO3	298.0	35.0	11.0	34.0
% SODIUM	36.26	83.82	98.94	96.40
SAR	1.9	6.1	56.3	30.8
RSC	.0	1.4	9.4	12.2
SPECIFIC CONDUCTANCE	851.0	439.0	1590.0	1640.0

LAMAR COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	17-27-402	17-27-402	17-28-401	17-28-401
DATE OF COLLECTION	05/24/71	11/13/73	04/27/71	11/13/73
AQUIFER CODE	KGT	KGT	KGT	KGT
WELL DEPTH	34	34	45	45
TEMPERATURE-F		66		67
TEMPERATURE-C				
SILICA (MG/L)	21.0	20.0	17.0	20.0
CALCIUM (MG/L)	170.0	121.0	136.0	118.0
MAGNESIUM (MG/L)	7.0	5.0	10.0	7.0
SODIUM (MG/L)	29.0	15.0	24.0	25.0
POTASSIUM (MG/L)			66.0	68.0
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	378.0	265.0	281.0	345.0
SULFATE (MG/L)	61.0	41.0	107.0	67.0
CHLORIDE (MG/L)	37.0	16.0	53.0	51.0
FLUORIDE (MG/L)	.4	.5	.3	.3
NITRATE (MG/L)	104.0	82.0	119.0	63.0
IRON (MG/L)				
PH	7.3	7.4	7.4	7.5
DISSOLVED SOLIDS (MG/L)	615.0	430.8	670.0	588.9
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	310.0	217.0	230.0	283.0
TOTAL HARD CaCO3	454.0	322.0	382.0	325.0
% SODIUM	12.22	9.18	10.09	11.70
SAR	.5	.3	.5	.6
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE	911.0	660.0	978.0	915.0

LAMAR COUNTY

GROUND WATER QUALITY ANALYSES--Continued


STATE WELL NUMBER	17-29-601	17-29-601
DATE OF COLLECTION	05/25/71	11/09/71
AQUIFER CODE	KCPA	KCPA
WELL DEPTH	2644	2644
TEMPERATURE-F		
TEMPERATURE-C		
SILICA (MG/L)	20.0	21.0
CALCIUM (MG/L)	6.0	5.0
MAGNESIUM (MG/L)	3.0	4.0
SODIUM (MG/L)	472.0	457.0
POTASSIUM (MG/L)		
MANGANESE (MG/L)		
BORON (MG/L)		
BICARBONATE (MG/L)	710.0	710.0
SULFATE (MG/L)	180.0	186.0
CHLORIDE (MG/L)	187.0	173.0
FLUORIDE (MG/L)	4.1	3.7
NITRATE (MG/L)	.4	.4
IRON (MG/L)		
PH	8.1	8.2
DISSOLVED SOLIDS (MG/L)	1221.0	1199.0
PHENOL, ALK, CaCO3	.0	.0
TOTAL ALK, CaCO3	580.0	580.0
TOTAL HARD CaCO3	27.0	27.0
% SODIUM	97.40	97.17
SAR	39.2	36.9
RSC	11.0	11.0
SPECIFIC CONDUCTANCE	1870.0	1880.0

LAMAR COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	56.00	.00	56.00
1956	67.20	.00	67.20
1957	67.20	.00	67.20
1958	67.51	.00	67.51
1959	78.97	.00	78.97
1960	92.06	.00	92.06
1961	46.03	.00	46.03
1962	30.22	.00	30.22
1963	58.32	.00	58.32
1964	31.86	.00	31.86
1965	58.79	.00	58.79
1966	70.73	.00	70.73
1967	74.40	.00	74.40
1968	82.66	.00	82.66
1969	92.86	.00	92.86
1970	93.57	.00	93.57
1971	105.56	.00	105.56
1972	119.34	.00	119.34
Total	1,293.28	.00	1,293.28

WATER-LEVEL MEASUREMENTS IN MONTAGUE COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS

●
201
Water level

○
601
Water quality

●
502
Water level and
water quality



BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

NOTE:
This county is within
1° quadrangle No. 19

Location of Observation Wells in Montague County

MONTAGUE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	ARTIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
19-09-502	PLW	54	920.00	07-21-71	20.32		
				11-03-71	17.70		2.62
				11-16-72	13.85		3.85
				11-09-73	13.88*	0.03	
				11-13-74	13.64		0.24
19-10-704	PLW	252	926.00	11-03-71	106.00*		
				11-16-72	105.85		0.15
				11-09-73	110.73	4.88	
				11-13-74	106.82		3.91
19-12-404	KCA	306	1026.00	09-09-70	128.85		
				11-03-71	143.00	14.15	
				11-16-72	143.58	0.58	
				11-09-73	144.36	0.78	
				11-13-74	147.41	3.05	
19-12-605	KCA	148	902.00	09-09-70	112.83		
				02-27-71	112.25		0.58
				11-03-71	112.30	0.05	
				11-16-72	112.02		0.28
				11-09-73	112.64	0.62	
11-13-74	112.00		0.64				
19-17-604	PLW	100	940.00	07-21-71	34.89		
				11-03-71	32.90		1.99
				11-16-72	32.75		0.15
				11-09-73	30.45*		2.30
				11-13-74	29.94		0.51
19-18-901	KCA	243	1152.00	11-03-71	102.00		
				11-16-72	101.36		0.64
				11-09-73	100.92		0.44
				11-13-74	101.00	0.08	
19-19-702	KCA	260	1070.00	11-03-71	160.40		
				11-16-72	160.79	0.39	
				11-09-73	159.05		1.74
				11-13-74	167.29	8.24	
19-20-201	KCA	128	1172.00	09-09-70	44.19		
				02-27-71	36.71		7.48
				11-03-71	37.38	0.67	
				11-16-72	37.39	0.01	

MONTAGUE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-09-73	35.60		1.79
				11-13-74	34.71		0.89
19-20-801	KCA	128	1062.00	09-09-70	67.92		
				02-27-71	41.10		26.82
				11-03-71	37.25		3.85
				11-16-72	33.88		3.37
				11-09-73	30.14		3.74
				11-13-74	26.04		4.10
19-28-601	KCA	200	1025.00	09-10-70	109.04		
				02-27-71	112.30 ^W	3.26	
				11-02-71	116.30	4.00	
				11-16-72	108.20 ^W		8.10
				11-09-73	117.94*	9.74	
				11-13-74	118.30	0.36	
19-28-804	KCA	250	1115.00	09-10-70	116.80		
				07-21-71	129.82	13.02	
				11-02-71	112.80		17.02
				11-10-73	106.12		6.68
				11-13-74	108.54	2.42	

MONTAGUE COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	19-09-502	19-10-704	19-12-404	19-12-605
DATE OF COLLECTION	07/21/71	07/22/71	02/27/71	02/27/71
AQUIFER CODE	PLW	PLW	KCA	KCA
WELL DEPTH	54	252	306	148
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	10.0	10.0	24.0
CALCIUM (MG/L)	68.0	1.0	14.0	100.0
MAGNESIUM (MG/L)	32.0	2.0	6.0	28.0
SODIUM (MG/L)	96.0	250.0	123.0	45.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	370.0	489.0	304.0	346.0
SULFATE (MG/L)	40.0	24.0	30.0	24.0
CHLORIDE (MG/L)	86.0	68.0	27.0	99.0
FLUORIDE (MG/L)	.7	1.7	.2	.2
NITRATE (MG/L)	36.0	.4	.4	6.0
IRON (MG/L)				
PH	7.6	8.7	8.0	7.2
DISSOLVED SOLIDS (MG/L)	552.0	597.0	360.0	496.0
PHENOL, ALK, CaCO3	.0	12.0	.0	.0
TOTAL ALK. CaCO3	303.0	425.0	249.0	284.0
TOTAL HARD CaCO3	299.0	10.0	58.0	364.0
% SODIUM	40.93	98.06	81.78	21.16
SAR	2.4	33.2	6.9	1.0
RSC	.0	7.8	3.7	.0
SPECIFIC CONDUCTANCE	900.0	978.0	578.0	839.0

MONTAGUE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-17-601	19-17-601	19-17-604	19-17-604
DATE OF COLLECTION	03/06/64	09/09/71	07/21/71	11/09/73
AQUIFER CODE	PLW	PLW	PLW	PLW
WELL DEPTH	114	114	100	100
TEMPERATURE-F	67			
TEMPERATURE-C				
SILICA (MG/L)	15.0	14.0	14.0	15.0
CALCIUM (MG/L)	25.0	28.0	158.0	147.0
MAGNESIUM (MG/L)	21.0	26.0	66.0	57.0
SODIUM (MG/L)	86.0	81.0	106.0	98.0
POTASSIUM (MG/L)		1.0		
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	299.0	298.0	239.0	214.0
SULFATE (MG/L)	36.0	40.0	119.0	90.0
CHLORIDE (MG/L)	36.0	41.0	258.0	247.0
FLUORIDE (MG/L)	.8	.7	.5	.5
NITRATE (MG/L)	.4	.4	246.0	242.0
IRON (MG/L)				
PH	7.7	7.8	7.4	7.3
DISSOLVED SOLIDS (MG/L)	367.2	378.6	1085.0	1001.7
PHENOL, ALK, CaCO3	.0	.0	.0	
TOTAL ALK, CaCO3	245.0	244.0	196.0	175.0
TOTAL HARD CaCO3	147.0	177.0	670.0	600.0
% SODIUM	55.70	49.73	25.72	26.17
SAR	3.0	2.6	1.7	1.7
RSC	1.9	1.3	.0	.0
SPECIFIC CONDUCTANCE	636.0	620.0	1680.0	1600.0

MONTAGUE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-18-901	19-18-901	19-19-702	19-19-702
DATE OF COLLECTION	07/22/71	11/09/73	05/05/61	02/14/64
AQUIFER CODE	KCA	KCA	KCA	KCA
WELL DEPTH	243	243	260	260
TEMPERATURE-F				66
TEMPERATURE-C				
SILICA (MG/L)	20.0	19.0	12.0	11.0
CALCIUM (MG/L)	91.0	91.0	12.0	18.0
MAGNESIUM (MG/L)	18.0	17.0	6.0	2.0
SODIUM (MG/L)	10.0	11.0	89.0	86.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	355.0	357.0	263.0	264.0
SULFATE (MG/L)	10.0	11.0	20.0	19.0
CHLORIDE (MG/L)	9.0	11.0	7.0	7.0
FLUORIDE (MG/L)	.1	.1	.3	.3
NITRATE (MG/L)	.4	.8	2.5	.4
IRON (MG/L)				
PH	7.5	7.4	7.7	8.1
DISSOLVED SOLIDS (MG/L)	333.0	336.4	278.1	273.5
PHENOL. ALK. CaCO ₃	.0			.0
TOTAL ALK. CaCO ₃	291.0	293.0		216.0
TOTAL HARD CaCO ₃	300.0	296.0	56.0	54.0
% SODIUM	6.73	7.45	77.99	77.87
SAR	.2	.2	5.2	5.1
RSC	.0	.0	3.2	3.2
SPECIFIC CONDUCTANCE	530.0	560.0		471.0

MONTAGUE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	19-19-702 07/22/71	19-20-801 02/27/71	19-28-601 07/21/71	19-28-804 07/21/71
AQUIFER CODE	KCA	KCA	KCA	KCA
WELL DEPTH	260	128	200	250
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	11.0	18.0	19.0	20.0
CALCIUM (MG/L)	20.0	130.0	80.0	145.0
MAGNESIUM (MG/L)	8.0	24.0	14.0	14.0
SODIUM (MG/L)	86.0	14.0	200.0	23.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	272.0	393.0	400.0	397.0
SULFATE (MG/L)	22.0	84.0	151.0	67.0
CHLORIDE (MG/L)	17.0	13.0	151.0	51.0
FLUORIDE (MG/L)	.2	.4	.3	.3
NITRATE (MG/L)	1.5	14.0	12.0	.4
IRON (MG/L)				
PH	7.8	7.4	7.3	7.4
DISSOLVED SOLIDS (MG/L)	299.0	490.0	823.9	515.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	223.0	322.0	328.0	325.0
TOTAL HARD CaCO3	84.0	423.0	259.0	423.0
% SODIUM	69.31	6.71	62.84	10.65
SAR	4.1	.2	5.4	.4
RSC	2.8	.0	1.4	.0
SPECIFIC CONDUCTANCE	490.0	755.0	1250.0	801.0

MONTAGUE COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCA


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	10.00	29.00	20.46	22.00	66.66	15
CALCIUM (CA)	14.00	226.00	116.86	107.00	33.33	15
MAGNESIUM (MG)	5.00	45.00	18.66	17.00	40.00	15
SODIUM (NA)	13.00	123.00	62.46	67.00	53.33	15
BICARBONATE (HCO3)	304.00	451.00	391.26	408.00	60.00	15
SULFATE (SO4)	24.00	156.00	66.73	64.00	33.33	15
CHLORIDE (CL)	7.00	246.00	74.33	61.00	46.66	15
FLUORIDE (F)	0.10	0.40	0.25	0.20	40.00	15
NITRATE (NO3)	0.00	34.00	7.62	6.00	33.33	15
TOTAL DISSOLVED SOLIDS (TDS)	358.00	929.69	564.29	508.25	46.66	15
HARDNESS (CaCO3)	58.00	610.00	368.86	359.00	40.00	15
SPECIFIC CON- DUCTANCE	578.00	1550.00	926.64	839.00	50.00	14
PH	6.90	8.00	7.30	7.30	33.33	15
PERCENT SODIUM	6.71	81.78	26.81	23.94	40.00	15
SAR	0.29	6.93	1.65	1.28	46.66	15
RSC	0.00	3.79	0.39	0.00	20.00	15

MONTAGUE COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	537.11	3.92	541.03
1956	600.35	5.82	606.17
1957	507.22	5.82	513.04
1958	314.23	4.06	318.29
1959	372.32	.22	372.54
1960	357.71	23.18	380.89
1961	296.88	7.79	304.67
1962	444.24	107.84	552.08
1963	128.06	111.29	239.35
1964	521.36	112.86	634.22
1965	126.52	98.78	225.30
1966	132.02	98.73	230.75
1967	164.62	47.05	211.67
1968	161.23	4.60	165.83
1969	161.92	5.52	167.44
1970	174.14	5.52	179.66
1971	166.68	.00	166.68
1972	174.87	.00	174.87
Total	5,341.48	643.00	5,984.48

WATER-LEVEL MEASUREMENTS IN NAVARRO COUNTY



EXPLANATION

CURRENT
OBSERVATION WELLS

- 101
Water level
- 502
Water level and
water quality



BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

Location of Observation
Wells in Navarro County

NAVARRO COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-52-801	KGW	1750	473.00	-----56	300.00		
				08-26-65	412.75	112.75	
				12-01-67	435.99	23.24	
				05-07-68	434.90		1.09
				01-25-71	430.96		3.94
				11-12-71	418.55@		12.41
				11-17-72	424.60@	6.05	
11-05-73	419.00@		5.60				
33-53-603	KGNA	259	426.00	08-07-62	95.00		
				02-07-68	105.60	10.60	
				01-28-71	94.06		11.54
				11-12-71	82.32		11.74
				11-17-72	85.55	3.23	
33-54-101	GAL	42	312.00	04-16-68	26.20		
				01-28-71	30.30	4.10	
				11-12-71	28.95		1.35
				11-17-72	33.00	4.05	
				11-05-73	28.27		4.73
11-15-74	32.80	4.53					
33-54-502	KGW	1290	520.00	07-18-68	345.60		
				01-25-71	331.24		14.36
33-59-302	KGW	1721	503.00	09-20-17	18.00		
				01-30-68	382.89	364.89	
				01-25-71	382.98	0.09	
				11-12-71	379.18		3.80
				11-17-72	381.90	2.72	
33-61-702	KGNA	241	451.00	06-13-68	69.80		
				01-29-71	72.43	2.63	
				11-12-71	73.18	0.75	
				11-17-72	75.13	1.95	
				11-06-73	73.50		1.63
				11-15-74	72.83		0.67
33-63-901	TWI	58	327.00	03-18-68	49.35		
				01-26-71	47.62		1.73
				11-12-71	48.64	1.02	
				11-17-72	48.68	0.04	
				11-05-73	48.79	0.11	
				11-15-74	47.97		0.82

NAVARRO COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-64-701	TWI	84	334.00	03-28-48	64.30		
				01-26-71	63.68		0.62
				11-12-71	63.41		0.27
				11-17-72	63.43	0.02	
				11-05-73	63.82	0.39	
				11-15-74	63.71		0.11
39-04-401	KGW	1750	396.00	06-29-41	281.70		
				05-08-48	364.60	82.90	
				01-26-71	383.52	18.92	
				11-12-71	384.85	1.33	
				11-17-72	385.86	1.01	
				11-05-73	381.90		23.96
39-04-601	KGNA	120	336.00	05-08-48	44.90		
				01-26-71	46.89	1.99	
				11-12-71	70.82*	23.93	
				11-17-72	26.96		43.86
				11-05-73	35.01	8.05	
				11-15-74	24.00		11.01
39-06-401	TWI	26	402.00	05-02-48	21.64		
				01-26-71	19.70		1.94
				11-12-71	21.42	1.72	
				11-17-72	21.56	0.14	
				11-06-73	20.53		1.03
				11-15-74	20.44		0.09

NAVARRO COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	33-58-502	33-58-502	33-61-702	33-61-702
DATE OF COLLECTION	07/18/68	11/12/71	06/13/68	02/08/71
AQUIFER CODE	KGW	KGW	KGNA	KGNA
WELL DEPTH	1290	1290	241	241
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	13.0	14.0	11.0	13.0
CALCIUM (MG/L)	4.0	5.0	8.0	7.0
MAGNESIUM (MG/L)	2.0	3.0	1.0	2.0
SODIUM (MG/L)	846.0	830.0	582.0	580.0
POTASSIUM (MG/L)	3.1		2.6	
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	924.0	940.0	514.0	510.0
SULFATE (MG/L)	372.0	368.0	205.0	194.0
CHLORIDE (MG/L)	500.0	498.0	455.0	460.0
FLUORIDE (MG/L)	4.7	5.3	1.0	1.0
NITRATE (MG/L)	.5	.4	11.0	3.0
IRON (MG/L)				
PH	8.2	8.3	7.9	8.0
DISSOLVED SOLIDS (MG/L)	2199.0	2185.0	1529.0	1510.0
PHENOL. ALK. CaCO3		.0		.0
TOTAL ALK. CaCO3		770.0		420.0
TOTAL HARD CaCO3	15.0	28.0	24.0	24.0
% SODIUM	98.81	98.64	97.88	98.00
SAR	86.2	72.4	51.6	49.7
RSC	14.7	14.9	7.9	7.8
SPECIFIC CONDUCTANCE	3560.0	3330.0	2680.0	2360.0

NAVARRO COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	33-61-702	33-63-901	33-63-901	39-04-601
DATE OF COLLECTION	11/06/73	03/18/68	11/12/71	11/12/71
AQUIFER CODE	KGNA	TWI	TWI	KGNA
WELL DEPTH	241	58	58	120
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	32.0	32.0	17.0
CALCIUM (MG/L)	6.0	298.0	306.0	3.0
MAGNESIUM (MG/L)	2.0	14.0	18.0	1.0
SODIUM (MG/L)	570.0	17.0	18.0	299.0
POTASSIUM (MG/L)		2.4		
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	510.0	540.0	550.0	550.0
SULFATE (MG/L)	202.0	162.0	170.0	28.0
CHLORIDE (MG/L)	462.0	93.0	89.0	118.0
FLUORIDE (MG/L)	1.0	.3	.3	.7
NITRATE (MG/L)	.8	113.0	128.0	.4
IRON (MG/L)				
PH	7.6		6.9	8.5
DISSOLVED SOLIDS (MG/L)	1506.5	997.0	1031.0	737.0
PHENOL. ALK. CaCO3	.0		.0	5.0
TOTAL ALK. CaCO3	422.0		454.0	461.0
TOTAL HARD CaCO3	23.0	801.0	841.0	12.0
% SODIUM	98.16	4.39	4.46	98.24
SAR	51.4	.2	.2	38.1
RSC	7.8	.0	.0	8.7
SPECIFIC CONDUCTANCE	2470.0	1500.0	1490.0	1250.0

NAVARRO COUNTY
 SUMMARY OF GROUND WATER QUALITY
 AQUIFER KGNA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	11.00	36.00	19.75	15.00	33.33	12
CALCIUM (CA)	3.00	216.00	33.91	7.00	16.66	12
MAGNESIUM (MG)	1.00	20.00	3.50	2.00	16.66	12
SODIUM (NA)	68.00	611.00	388.75	317.00	41.66	12
BICARBONATE (HCO3)	399.00	620.00	495.75	510.00	58.33	12
SULFATE (SO4)	12.00	320.00	142.75	129.00	41.66	12
CHLORIDE (CL)	39.00	462.00	272.91	248.00	41.66	12
FLUORIDE (F)	0.40	1.80	0.89	0.80	50.00	12
NITRATE (NO3)	0.10	24.00	4.09	1.00	25.00	12
TOTAL DISSOLVED SOLIDS (TDS)	454.00	1586.00	1113.29	932.00	50.00	12
HARDNESS (CACO3)	12.00	622.00	98.41	24.00	16.66	12
SPECIFIC CON- DUCTANCE	734.00	2680.00	1857.00	1620.00	50.00	12
PH	7.10	8.50	7.81	7.70	50.00	12
PERCENT SODIUM	37.29	98.54	86.35	97.79	75.00	12
SAR	1.88	65.27	34.44	37.83	58.33	12
RSC	0.00	9.83	6.53	7.84	66.66	12

NAVARRO COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued

AQUIFER KGW

COUNTY TY - AQUIFER KGW


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	12.00	18.00	15.00	14.00	30.00	10
CALCIUM (CA)	4.00	15.00	7.00	6.00	27.27	11
MAGNESIUM (MG)	1.00	5.00	2.72	2.00	36.36	11
SODIUM (NA)	694.00	1808.00	1036.54	945.00	27.27	11
BICARBONATE (HCO3)	705.00	1580.00	1038.81	1040.00	45.45	11
SULFATE (SO4)	69.00	520.00	306.90	351.00	54.54	11
CHLORIDE (CL)	131.00	1790.00	770.81	588.00	27.27	11
FLUORIDE (F)	2.10	6.10	3.89	4.20	54.54	11
NITRATE (NO3)	0.40	20.00	5.39	2.20	36.36	11
TOTAL DISSOLVED SOLIDS (TDS)	1557.00	6380.00	2824.72	2398.00	27.27	11
HARDNESS (CaCO3)	13.00	55.00	28.09	26.00	27.27	11
SPECIFIC CON- DUCTANCE	2510.00	6060.00	4063.00	3560.00	30.00	10
PH	7.50	8.30	7.82	7.70	40.00	10
PERCENT SODIUM	62.36	99.04	95.28	98.64	81.81	11
SAR	60.69	103.29	85.21	88.60	63.63	11
RSC	11.09	24.73	16.44	16.58	45.45	11

NAVARRO COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	.00	.00	.00
1956	.00	.00	.00
1957	.00	.00	.00
1958	.00	.00	.00
1959	.00	.00	.00
1960	.00	.00	.00
1961	.00	.00	.00
1962	.00	.00	.00
1963	.00	.00	.00
1964	.00	.00	.00
1965	.00	.00	.00
1966	.00	.00	.00
1967	.00	.00	.00
1968	.00	.00	.00
1969	.00	.00	.00
1970	.00	.00	.00
1971	.00	.00	.00
1972	204.66	1.64	206.30
Total	204.66	1.64	206.30

WATER-LEVEL MEASUREMENTS IN PARKER COUNTY



EXPLANATION

- | CURRENT OBSERVATION WELLS | HISTORICAL OBSERVATION WELLS |
|--|--|
| ● 101
Water level | ■ 502
Water level |
| ○ 605
Water quality | ▣ 401
Water level and water quality |
| ● 102
Water level and water quality | |



Location of Observation Wells in Parker County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

PARKER COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 † MEASUREMENT QUESTIONED DUE TO BOPF HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
31-08-601	KCTM	60	1110.00	12-20-49	38.80		
				02-10-71	40.58	1.78	
				10-31-71	39.60		0.98
				11-16-72	40.04	0.44	
				11-09-73	39.82		0.22
				11-13-74	39.18		0.64
32-02-101	KCPA	80	1150.00	11-25-49	52.00		
				02-09-71	41.92		10.08
				10-29-71	42.58	0.66	
				11-16-72	42.66	0.08	
				11-09-73	41.89		0.77
				11-13-74	40.60		1.29
32-02-102	KCPA	30	1130.00	06-30-71	24.76		
				10-29-71	25.09	0.33	
				11-16-72	26.96	1.87	
				11-09-73	23.88		3.08
				11-13-74	24.05	0.17	
32-02-301	KCPA	109	1040.00	11-30-49	33.70		
				02-09-71	28.34		5.36
				10-29-71	32.51	4.17	
				11-16-72	33.30	0.79	
				11-17-73	33.98	0.68	
				11-13-74	32.34		1.64
32-09-101	KCPA	60	800.00	01-16-45	35.60		
				02-09-71	44.68	9.08	
				10-29-71	41.92		2.76
32-09-401	KCTM	30	955.00	11-22-48	10.10		
				02-10-71	9.33		0.77
				10-31-71	12.56	3.23	
32-09-801	KCPA	45	1060.00	02-11-71	37.86		
				10-31-71	38.76	0.90	
				11-16-72	39.33	0.57	
				11-09-73	36.38		2.95
				11-13-74	38.45	2.07	
32-09-901	KCPA	110	1045.00	11-09-49	34.10		
				02-11-71	34.51	0.41	
				10-31-71	35.97	1.46	

PARKER COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

@ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-16-72	36.79	0.82	
				11-09-73	35.93		0.86
				11-13-74	32.98		2.95
32-10-201	KCPA	165	1110.00	06-29-71	28.09		
				10-29-71	19.88		8.21
				11-16-72	19.08		0.80
				11-09-73	19.62	0.54	
				11-13-74	23.26*	3.64	
32-11-501	KCPA	70	910.00	02-09-71	35.22		
				10-30-71	37.03	1.81	
				11-15-72	38.92	1.89	
				11-09-73	37.41		1.51
				11-13-74	35.20		2.21
32-11-502	KCPA	58	920.00	02-09-71	32.62		
				10-30-71	35.06	2.44	
				11-15-72	36.75	1.69	
32-11-701	KCPA	120	940.00	02-11-71	40.14		
				10-30-71	35.12		5.02
				11-15-72	36.79	1.67	
				11-09-73	34.50		2.29
				11-13-74	30.00		4.50
32-17-502	KCTM	21	840.00	02-21-50	13.90		
				02-08-71	14.87	0.97	
				10-31-71	15.60	0.73	
				11-15-72	14.96		0.64
				11-12-73	14.14		0.82
				11-13-74	14.13		0.01
32-18-201	KCPA	96	1110.00	11-22-49	46.80		
				02-08-71	42.85		3.95
				10-31-71	44.40	1.55	
				11-15-72	45.86	1.46	
				11-09-73	40.14		5.72
				11-13-74	38.07		2.07
32-18-601	KCPA	125	995.00	06-30-71	51.61		
				10-30-71	47.02		4.59
				11-16-72	51.36	4.34	
				11-09-73	38.70		12.66
				11-13-74	31.80		6.90

PARKER COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	ARTIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-18-701	KCTM	204	850.00	02-11-71	96.93		
				10-31-71	111.20	14.27	
				11-16-72	108.25		2.95
				11-12-73	113.78	5.53	
				11-13-74	108.14		5.64
32-19-604	KCPA	228	870.00	06-29-71	33.04		
				10-30-71	32.20		0.84
				11-16-72	33.12	0.92	
				11-12-73	31.59		1.53
				11-14-74	30.12		1.47
32-20-101	KCPA	357	1020.00	12-04-49	259.90		
				02-09-71	263.15	3.25	
				10-30-71	268.60*	5.45	
				11-12-73	271.24*	2.64	
32-25-301	GAL	40	740.00	02-23-50	28.00		
				02-09-71	29.45	1.45	
				10-31-71	30.87	1.42	
				11-16-72	31.56	0.69	
				11-12-73	31.14		0.42
11-13-74	30.27		0.87				
32-26-601	KCTM	310	885.00	03-01-50	82.20		
				02-11-71	95.11	12.91	
				10-30-71	89.70		5.41
				11-16-72	96.44	6.74	
				11-09-73	118.80	22.36	
11-12-74	115.26		3.54				
32-27-401	KCPA	50	925.00	03-01-50	39.50		
				02-11-71	39.44		0.06
				10-30-71	41.20*	1.76	
				11-16-72	40.56		0.64
				11-09-73	42.01	1.45	
11-12-74	40.75		1.26				

PARKER COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	31-08-601	31-08-601	31-08-601	32-02-102
DATE OF COLLECTION	12/20/49	02/10/71	11/09/73	06/30/71
AQUIFER CODE	KCTM	KCTM	KCTM	KCPA
WELL DEPTH	60	60	60	30
TEMPERATURE-F			68	
TEMPERATURE-C				
SILICA (MG/L)	19.0	16.0	15.0	19.0
CALCIUM (MG/L)	98.0	137.0	153.0	134.0
MAGNESIUM (MG/L)	56.0	71.0	79.0	80.0
SODIUM (MG/L)	35.0	94.0	95.0	121.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	399.0	418.0	411.0	465.0
SULFATE (MG/L)	83.0	165.0	201.0	163.0
CHLORIDE (MG/L)	66.0	149.0	170.0	208.0
FLUORIDE (MG/L)	.0	.3	.4	.5
NITRATE (MG/L)	55.0	110.0	170.0	85.0
IRON (MG/L)				
PH	7.2	7.5	7.4	7.2
DISSOLVED SOLIDS (MG/L)	608.1	947.0	1085.4	1039.0
PHENOL. ALK. CAC03		.0	.0	.0
TOTAL ALK. CAC03		343.0	337.0	381.0
TOTAL HARD CAC03	75.0	630.0	710.0	660.0
% SODIUM	13.81	24.39	22.62	28.40
SAR	.6	1.6	1.5	2.0
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE		1450.0	1610.0	1600.0

PARKER COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER DATE OF COLLECTION	32-02-301 02/09/71	32-09-401 06/30/71	32-09-801 02/11/71	32-10-201 06/29/71
AQUIFER CODE	KCPA	KCTM	KCPA	KCPA
WELL DEPTH	109	30	45	165
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	24.0	23.0	15.0	28.0
CALCIUM (MG/L)	71.0	178.0	127.0	90.0
MAGNESIUM (MG/L)	17.0	38.0	54.0	20.0
SODIUM (MG/L)	94.0	127.0	81.0	25.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	440.0	384.0	620.0	376.0
SULFATE (MG/L)	44.0	234.0	19.0	33.0
CHLORIDE (MG/L)	32.0	229.0	121.0	11.0
FLUORIDE (MG/L)	.8	.9	.4	.4
NITRATE (MG/L)	.4	.4	1.5	4.0
IRON (MG/L)				
PH	7.5	7.3	7.3	7.4
DISSOLVED SOLIDS (MG/L)	499.0	1019.0	723.0	396.0
PHENOL, ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	361.0	315.0	510.0	308.0
TOTAL HARD CaCO3	245.0	600.0	540.0	306.0
% SODIUM	45.28	31.51	24.63	15.05
SAR	2.6	2.2	1.5	.6
RSC	2.2	.0	.0	.0
SPECIFIC CONDUCTANCE	780.0	1540.0	1200.0	606.0

PARKER COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-11-701	32-17-502	32-18-201	32-18-601
DATE OF COLLECTION	02/11/71	02/08/71	02/08/71	06/30/71
AQUIFER CODE	KCPA	KCTM	KCPA	KCPA
WELL DEPTH	120	21	96	125
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	20.0	32.0	20.0	21.0
CALCIUM (MG/L)	85.0	95.0	101.0	105.0
MAGNESIUM (MG/L)	45.0	17.0	20.0	17.0
SODIUM (MG/L)	46.0	20.0	13.0	16.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	459.0	372.0	397.0	336.0
SULFATE (MG/L)	69.0	21.0	13.0	34.0
CHLORIDE (MG/L)	29.0	12.0	12.0	34.0
FLUORIDE (MG/L)	.1	.7	.1	.2
NITRATE (MG/L)	.4	2.0	.4	1.0
IRON (MG/L)				
PH	7.4	7.4	7.6	7.2
DISSOLVED SOLIDS (MG/L)	520.0	382.0	374.0	393.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	376.0	305.0	325.0	275.0
TOTAL HARD CaCO3	398.0	308.0	336.0	332.0
% SODIUM	20.12	12.41	7.79	9.49
SAR	1.0	.4	.3	.3
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE	825.0	583.0	602.0	628.0

PARKER COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-18-701	32-19-605	32-20-101	32-26-601
DATE OF COLLECTION	02/11/71	06/29/71	06/29/71	06/30/71
AQUIFER CODE	KCTM	KCPA	KCPA	KCTM
WELL DEPTH	204	63	357	310
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	17.0	21.0	20.0	20.0
CALCIUM (MG/L)	76.0	119.0	83.0	67.0
MAGNESIUM (MG/L)	24.0	13.0	15.0	71.0
SODIUM (MG/L)	19.0	12.0	14.0	70.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	349.0	344.0	312.0	590.0
SULFATE (MG/L)	25.0	77.0	36.0	86.0
CHLORIDE (MG/L)	10.0	7.0	5.0	28.0
FLUORIDE (MG/L)	.4	.2	.2	.4
NITRATE (MG/L)	.4	.4	.4	.4
IRON (MG/L)				
PH	7.6	7.2	7.4	7.8
DISSOLVED SOLIDS (MG/L)	343.0	418.0	327.0	632.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	286.0	282.0	256.0	484.0
TOTAL HARD CaCO3	289.0	349.0	270.0	459.0
% SODIUM	12.53	6.93	10.17	24.90
SAR	.4	.2	.3	1.4
RSC	.0	.0	.0	.4
SPECIFIC CONDUCTANCE	560.0	630.0	510.0	980.0

PARKER COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCPA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	13.00	28.00	19.90	20.00	60.00	10
CALCIUM (CA)	10.00	127.00	86.70	85.00	50.00	10
MAGNESIUM (MG)	7.00	54.00	23.20	17.00	30.00	10
SODIUM (NA)	12.00	126.00	44.60	19.00	40.00	10
BICARBONATE (HCO3)	312.00	620.00	395.40	349.00	40.00	10
SULFATE (SO4)	13.00	77.00	40.10	34.00	40.00	10
CHLORIDE (CL)	5.00	121.00	26.70	11.00	40.00	10
FLUORIDE (F)	0.00	0.80	0.28	0.20	40.00	10
NITRATE (NO3)	0.40	4.20	1.31	0.40	30.00	10
TOTAL DISSOLVED SOLIDS (TDS)	327.00	723.00	436.80	393.00	30.00	10
HARDNESS (CaCO3)	55.00	540.00	312.00	306.00	50.00	10
SPECIFIC CON- DUCTANCE	510.00	1200.00	693.80	606.00	30.00	10
PH	7.20	7.80	7.44	7.40	40.00	10
PERCENT SODIUM	6.93	83.60	23.55	12.53	30.00	10
SAR	0.27	7.47	1.50	0.48	30.00	10
RSC	0.00	4.18	0.64	0.00	20.00	10

PARKER COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KCTM


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	10.00	32.00	17.23	16.00	30.76	13
CALCIUM (CA)	1.00	178.00	70.13	67.00	46.66	15
MAGNESIUM (MG)	1.00	79.00	29.93	20.00	33.33	15
SODIUM (NA)	16.00	317.00	111.33	95.00	46.66	15
BICARBONATE (HCO3)	328.00	590.00	429.38	411.00	23.07	13
SULFATE (SO4)	16.00	234.00	86.26	83.00	40.00	15
CHLORIDE (CL)	0.00	229.00	65.26	42.00	33.33	15
FLUORIDE (F)	0.00	0.90	0.30	0.20	33.33	15
NITRATE (NO3)	0.00	170.00	22.93	0.40	20.00	15
TOTAL DISSOLVED SOLIDS (TDS)	125.60	1085.48	584.24	515.95	40.00	15
HARDNESS (CAC03)	4.00	710.00	273.86	291.00	46.66	15
SPECIFIC CON- DUCTANCE	573.00	1610.00	1006.58	819.00	41.66	12
PH	7.10	8.70	7.58	7.40	20.00	15
PERCENT SODIUM	10.67	98.56	45.72	28.50	33.33	15
SAR	0.40	40.49	8.84	1.62	20.00	15
RSC	0.00	9.12	2.55	0.00	38.46	13

PARKER COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	787.99	168.26	956.25
1956	890.75	168.26	1,059.01
1957	950.56	168.26	1,118.82
1958	.00	145.17	145.17
1959	.00	80.87	80.87
1960	.00	161.30	161.30
1961	.00	177.43	177.43
1962	45.87	169.59	215.46
1963	61.45	168.02	229.47
1964	62.18	168.02	230.20
1965	234.37	168.02	402.39
1966	251.02	168.02	419.04
1967	288.09	168.02	456.11
1968	312.89	160.53	473.42
1969	363.02	187.20	550.22
1970	427.27	236.03	663.30
1971	492.90	.00	492.90
1972	610.29	219.75	830.04
Total	5,778.65	2,882.75	8,661.40

WATER-LEVEL MEASUREMENTS IN RED RIVER COUNTY



RED RIVER COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
16-33-304	KGN	182	345.00	05-24-71	0.26		
				11-08-71	3.64	3.38	
				11-15-72	5.06	1.42	
				11-14-73	2.05		3.01
				11-08-74	3.42	1.37	
16-33-305	KGN	180	348.00	05-25-71	10.68		
				11-09-71	11.60	0.92	
				11-15-72	14.30	2.70	
				11-14-73	10.00		4.30
17-07-402	KCPA	406	390.00	04-24-71 *	28.61		
				11-09-71 *	10.13	18.48	
				11-14-73 *	26.30		16.17
17-23-903	KGBL	243	485.00	-----46	50.00		
				11-15-72	98.12	48.12	
				11-14-73	83.46		14.66
				11-08-74	89.36	5.90	
17-32-201	KGBL	402	440.00	11-09-59	169.60		
				11-----46	210.00	40.40	
				11-09-71	303.00	93.00	
				11-14-73	305.75	2.75	
				11-08-74	311.02	5.27	
17-39-204	KGN	105	389.00	11-10-59	21.67		
				04-24-71	25.48	3.81	
				11-09-71	37.06*	11.58	
				11-14-72	39.12	2.06	
				11-14-73	24.19		14.93
				11-07-74	22.52		1.67

RED RIVER COUNTY

GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	16-33-304	16-33-305	17-07-402	17-23-903
DATE OF COLLECTION	05/25/71	05/25/71	04/26/71	05/25/71
AQUIFER CODE	KN	KN	KCPA	KGBL
WELL DEPTH	182	180	406	243
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	24.0	17.0	12.0	11.0
CALCIUM (MG/L)	145.0	52.0	54.0	5.0
MAGNESIUM (MG/L)	24.0	10.0	9.0	3.0
SODIUM (MG/L)	38.0	70.0	25.0	640.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	349.0	242.0	195.0	730.0
SULFATE (MG/L)	180.0	96.0	17.0	357.0
CHLORIDE (MG/L)	45.0	15.0	34.0	302.0
FLUORIDE (MG/L)	.4	.2	.1	2.6
NITRATE (MG/L)	1.0	6.0	.4	2.5
IRON (MG/L)				
PH	7.4	7.5	7.3	8.3
DISSOLVED SOLIDS (MG/L)	629.0	385.0	247.0	1682.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	286.0	198.0	160.0	600.0
TOTAL HARD CaCO3	461.0	172.0	174.0	23.0
% SODIUM	15.21	47.12	24.04	98.24
SAR	.7	2.3	.8	55.8
RSC	.0	.5	.0	11.4
SPECIFIC CONDUCTANCE	914.0	594.0	425.0	2510.0

RED RIVER COUNTY

GROUND WATER QUALITY ANALYSES--Continued


STATE WELL NUMBER	17-32-201	17-32-201	17-32-201
DATE OF COLLECTION	09/21/43	04/26/71	11/09/71
AQUIFER CODE	KGBL	KGBL	KGBL
WELL DEPTH	602	602	602
TEMPERATURE-F			
TEMPERATURE-C			
SILICA (MG/L)	15.0	13.0	12.0
CALCIUM (MG/L)	5.0	4.0	3.0
MAGNESIUM (MG/L)	1.0	2.0	1.0
SODIUM (MG/L)	384.0	367.0	317.0
POTASSIUM (MG/L)	4.8		
MANGANESE (MG/L)			
BORON (MG/L)			
BICARBONATE (MG/L)	377.0	423.0	459.0
SULFATE (MG/L)	201.0	150.0	131.0
CHLORIDE (MG/L)	204.0	211.0	127.0
FLUORIDE (MG/L)	.4	.7	.6
NITRATE (MG/L)	2.0	.4	.4
IRON (MG/L)			
PH	8.4	8.8	8.6
DISSOLVED SOLIDS (MG/L)	1002.5	956.0	817.0
PHENOL. ALK. CaCO3		17.0	9.0
TOTAL ALK. CaCO3		381.0	394.0
TOTAL HARD CaCO3	17.0	18.0	11.0
% SODIUM	97.35	97.77	98.34
SAR	41.0	37.4	40.4
RSC	5.8	6.5	7.2
SPECIFIC CONDUCTANCE	179.0	1580.0	1390.0

RED RIVER COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	495.86	38.05	533.91
1956	441.15	147.30	588.45
1957	359.55	144.23	503.78
1958	417.50	160.80	578.30
1959	409.08	160.80	569.88
1960	395.98	288.47	684.45
1961	388.57	398.95	787.53
1962	431.84	809.79	1,241.63
1963	573.33	779.11	1,352.44
1964	530.53	407.77	938.30
1965	614.91	407.25	1,022.16
1966	652.45	405.77	1,058.22
1967	558.57	408.40	966.97
1968	556.25	408.31	964.56
1969	779.40	407.27	1,186.67
1970	910.46	412.57	1,323.03
1971	974.54	552.53	1,527.07
1972	1,009.37	416.46	1,425.83
Total	10,499.34	6,753.83	17,253.17

WATER-LEVEL MEASUREMENTS IN ROCKWALL COUNTY



EXPLANATION

- | | |
|--------------------------------------|---|
| CURRENT
OBSERVATION WELLS | HISTORICAL
OBSERVATION WELLS |
| ● | ■ |
| 401 | 602 |
| Water level | Water level |
| ● | |
| 102 | |
| Water level and
water quality | |



NOTE:
This county is within
1° quadrangle No. 33

Location of Observation Wells in Rockwall County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

ROCKWALL COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
33-05-401	KCFA	3342	596.00	01-17-71	155.00		
				03-16-71	303.04	148.04	
				11-17-71	309.89	6.85	
				11-17-72	323.05@	13.16	
				11-09-73	326.64@	3.59	
				11-12-74	331.09	4.45	
33-05-601	KGT	20	577.00	03-16-71	2.59		
				11-12-71	3.09	0.50	
				11-17-72	5.06	1.97	
				11-09-73	0.10		4.96
				11-12-74	0.24	0.14	
33-05-602	KGT	30	585.00	03-16-71	7.70		
				11-12-71	7.92	0.22	
33-05-801	KGT	50	480.00	03-16-71	4.57		
				11-12-71	6.10	1.53	
				11-17-72	2.16		3.94
				11-09-73	3.06	0.90	
				11-12-74	2.23		0.83
33-06-801	KGT	15	535.00	03-17-71	1.44		
				11-12-71	2.70	1.26	
				11-17-72	3.55	0.85	
				11-09-73	0.82		2.73
				11-12-74	0.04		0.78
33-13-102	KGT	13	498.00	03-17-71	1.73		
				11-12-71	2.46	0.73	
				11-17-72	7.20	4.74	
				11-09-73	1.72		5.48
				11-12-74	0.92		0.80
33-13-301	KGT	24	548.00	03-17-71	1.06		
				11-12-71	1.23	0.17	
				11-17-72	3.20	1.97	
				11-09-73	0.39*		2.81
				11-12-74	0.33		0.06

ROCKWALL COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	33-05-601	33-05-801	33-06-801	33-13-102
DATE OF COLLECTION	03/16/71	03/16/71	08/17/71	03/17/71
AQUIFER CODE	KGT	KGT	KGT	KGT
WELL DEPTH	20	50	15	13
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	23.0	10.0	11.0	27.0
CALCIUM (MG/L)	48.0	95.0	24.0	169.0
MAGNESIUM (MG/L)	5.0	8.0	2.0	19.0
SODIUM (MG/L)	72.0	91.0	11.0	70.0
POTASSIUM (MG/L)			14.0	
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	207.0	381.0	78.0	305.0
SULFATE (MG/L)	83.0	74.0	23.0	144.0
CHLORIDE (MG/L)	26.0	58.0	16.0	186.0
FLUORIDE (MG/L)	.6	.7	.7	.6
NITRATE (MG/L)	4.0	.4	.4	2.3
IRON (MG/L)				
PH	7.9		6.7	7.6
DISSOLVED SOLIDS (MG/L)	363.0	524.0	140.0	767.0
PHENOL. ALK. CaCO3	.0		.0	.0
TOTAL ALK. CaCO3	170.0		64.0	250.0
TOTAL HARD CaCO3	139.0		69.0	500.0
% SODIUM	52.74	42.30	21.76	23.35
SAR	2.6	2.4	.5	1.3
RSC	.5	.8	.0	.0
SPECIFIC CONDUCTANCE	554.0		230.0	1220.0

ROCKWALL COUNTY

GROUND WATER QUALITY ANALYSES--Continued


STATE WELL NUMBER	33-13-301
DATE OF COLLECTION	03/17/71
AQUIFER CODE	KGT
WELL DEPTH	24
TEMPERATURE-F	
TEMPERATURE-C	
SILICA (MG/L)	17.0
CALCIUM (MG/L)	78.0
MAGNESIUM (MG/L)	5.0
SODIUM (MG/L)	65.0
POTASSIUM (MG/L)	
MANGANESE (MG/L)	
BORON (MG/L)	
BICARBONATE (MG/L)	356.0
SULFATE (MG/L)	33.0
CHLORIDE (MG/L)	11.0
FLUORIDE (MG/L)	1.4
NITRATE (MG/L)	13.0
IRON (MG/L)	
PH	7.3
DISSOLVED SOLIDS (MG/L)	398.0
PHENOL. ALK. CaCO3	.0
TOTAL ALK. CaCO3	292.0
TOTAL HARD CaCO3	213.0
% SODIUM	39.65
SAR	1.9
RSC	1.5
SPECIFIC CONDUCTANCE	623.0

ROCKWALL COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	143.36	.00	143.36
1956	139.66	.00	139.66
1957	59.19	.00	59.19
1958	8.40	.00	8.40
1959	3.31	.00	3.31
1960	.00	.00	.00
1961	.00	.00	.00
1962	.00	.00	.00
1963	.00	.00	.00
1964	.00	.00	.00
1965	.00	.00	.00
1966	.00	.00	.00
1967	.00	.00	.00
1968	.00	.00	.00
1969	.00	.00	.00
1970	.00	.00	.00
1971	.00	.00	.00
1972	.00	.00	.00
Total	353.92	.00	353.92

WATER-LEVEL MEASUREMENTS IN TARRANT COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS	HISTORICAL OBSERVATION WELLS
● 101 Water level	■ 104 Water level
○ 501 Water quality	□ 402 Water level and water quality
● 302 Water level and water quality	



Location of Observation Wells in Tarrant County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

NOTE:
This county is within
1° quadrangle No. 32

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-05-902	KCPA	320	840.00	03-07-64	291.10		
				06-22-64	282.92		8.18
32-06-401	KCPA	300	755.00	--- --50	225.00		
				11-23-70	265.00	40.00	
				11-01-71	175.05@		89.95
				11-12-73	290.60	115.55	
				11-14-74	291.82	1.22	
32-0A-701	KCPA	---	690.00	02-03-54	226.03		
				09-15-54	231.15	5.12	
32-0A-901	KCPA	503	710.00	02-15-54	340.00		
				07-07-54	348.78	8.78	
				09-15-54	356.30	7.52	
				11-18-54	363.80	7.50	
				01-20-55	361.00		2.80
				04-06-55	365.00	4.00	
				02-21-56	384.00	19.00	
				02-05-57	403.40	19.40	
				03-14-58	412.60	9.20	
				05-30-61	417.25	4.65	
				05-24-62	446.82	29.57	
				05-09-63	457.50	10.68	
				05-03-65	469.20	11.70	
05-10-66	472.78	3.58					
32-0A-101	KGB	141	570.00	02-25-54	73.00		
				06-07-61	48.92		24.08
				05-09-63	46.88		2.04
				05-03-65	48.06	1.18	
				05-10-66	42.90		5.16
				04-01-67	46.17	3.27	
				04-24-67	50.10	3.93	
				04-07-69	46.88		3.22
				05-18-70	49.24	2.36	
				02-23-71	50.38	1.14	
				11-01-71	52.60	2.22	
				11-13-72	55.86	3.26	
				11-13-73	46.83		9.03
11-14-74	42.32		4.51				
32-0A-401	KCPA	788	560.00	03-0A-54	236.83		
				05-17-54	238.49	1.66	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT.	
						DECLINE	RISE
				06-21-54	239.61	1.12	
				07-12-54	241.66	2.05	
				08-23-54	245.99	4.33	
				09-13-54	247.96	1.97	
				10-20-54	250.15	2.19	
				11-23-54	252.61	2.46	
				12-22-54	254.20	1.59	
				01-20-55	255.20	1.00	
				03-08-55	257.35	2.15	
				02-21-56	283.70	26.35	
				09-03-56	285.80	2.10	
				02-05-57	312.10	26.30	
				07-23-57	315.45	3.35	
32-12-501	KCPA	70	860.00	02-12-71	65.06		
				11-14-72	65.29	0.23	
				11-14-74	66.80	1.51	
32-13-601	KCTM	1044	760.00	05-13-55	563.70		
				01-11-56	582.20	18.50	
				06-20-56	595.60	13.40	
				09-14-56	616.20	20.60	
				02-06-57	611.20		5.00
				07-22-57	628.20	17.00	
				03-11-58	639.80	11.60	
				05-13-63	678.59	38.79	
				05-14-64	688.80	10.21	
				05-03-65	693.78*	4.98	
				05-10-66	709.13	15.35	
				04-25-67	736.80*	27.67	
				04-01-68	746.60	9.80	
				04-07-69	747.18	0.58	
				11-10-71	764.32	17.14	
				11-17-72	764.52	0.20	
				11-07-73	761.39		3.13
				11-06-74	763.58	2.19	
32-13-702	KCPA	160	662.00	07-10-50	90.00		
				01-03-51	89.68		0.32
				03-19-51	90.20	0.52	
				02-04-54	95.77	5.57	
				03-23-54	94.10		1.67
				05-04-54	94.13	0.03	
				11-10-54	94.72	0.59	
				12-13-54	94.06		0.66
				04-10-57	104.48	10.42	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 W. MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-11-58	110.02	5.54	
32-14-902	KCTM	834	608.00	01-20-48	329.00		
				11-24-50	372.00	43.00	
				03-19-54	384.97	12.97	
				05-04-54	385.44	0.47	
				06-08-54	386.53	1.09	
				07-21-54	392.04	5.51	
				08-20-54	396.12	4.08	
				09-14-54	397.82	1.70	
				10-20-54	401.30	3.48	
				11-30-54	401.41	0.11	
				01-05-55	401.27		0.14
				02-09-55	400.64		0.63
				03-23-55	399.75		0.89
				05-13-55	400.05	0.30	
				01-11-56	412.30	12.25	
				06-20-56	415.60	3.30	
				09-14-56	429.30	13.70	
02-06-57	435.10	5.80					
07-22-57	441.36	6.26					
01-28-58	444.00	2.64					
32-14-104	KCTM	1135	700.00	11-14-53	530.00Q		
				12-07-53	530.00Q		
				01-04-54	530.00Q		
				02-01-54	530.00Q		
				03-08-54	525.00Q		5.00
				04-06-54	530.00Q	5.00	
06-09-54	491.00Q		39.00				
32-14-301	KCPA	500	625.00	03-00-51	247.00		
				08-16-53	260.60	13.60	
				10-09-53	286.75	26.15	
				06-03-54	283.60		3.15
				09-17-54	315.95	32.35	
				11-18-54	313.85		2.10
				12-15-54	312.30		1.55
04-06-55	309.70		2.60				
32-14-401	KCTM	1053	680.00	01-01-12	226.00		
				03-14-51	427.06	201.06	
				04-14-51	428.30	1.24	
				01-28-53	443.85	15.55	
				04-14-53	441.80		2.05
				07-01-53	452.02	10.22	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-03-53	456.83	4.81	
				11-03-53	455.85		0.98
				11-17-53	454.50		1.35
				12-10-53	454.15		0.35
				01-19-54	452.68		1.47
				03-09-54	452.70	0.02	
				05-04-54	454.88	2.18	
				06-09-54	455.35	0.47	
				07-12-54	465.30	9.95	
				08-04-54	472.30	7.00	
				09-14-54	485.58	13.28	
				10-29-54	489.00	3.42	
				12-01-54	485.60		3.40
				01-05-55	482.10		3.50
				02-02-55	480.64		1.46
				03-10-55	477.40		3.24
				05-13-55	486.60	9.20	
				12-06-55	506.50	19.90	
				02-21-56	501.60		4.90
				06-21-56	511.50	9.90	
				09-14-56	526.50	15.00	
				02-06-57	510.90		15.60
				03-11-58	525.60	14.70	
32-14-402	KCTM	1060	626.00	11-00-54	260.00Q		
				01-00-52	254.00		6.00
				11-00-53	268.00	14.00	
				01-10-54	258.00		10.00
				03-05-54	260.90	2.90	
32-14-403	KCPA	400	680.00	10-18-50	267.76		
				10-29-50	266.08		1.68
				03-16-51	264.03		2.05
				04-04-53	275.39	11.36	
				07-01-53	277.94	2.55	
				09-04-53	278.80	0.86	
				11-17-53	278.10		0.70
				12-16-53	279.42	1.32	
				01-19-54	276.48		2.94
				03-16-54	275.79		0.69
				05-03-54	276.45	0.66	
				06-09-54	277.32	0.87	
				07-30-54	286.40	9.08	
				08-27-54	282.13		4.27
				09-14-54	286.79	4.66	
				10-19-54	283.20		3.59

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 0 MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				12-01-54	281.02		2.18
				01-05-55	280.00		1.02
				02-02-55	278.62		1.38
				04-06-55	281.15	2.53	
				04-24-56	282.16	1.01	
				02-06-57	284.40	2.24	
				03-11-58	281.56		2.84
32-14-404	KCTM	1060	670.00	10-18-50	285.50		
				12-29-50	284.34		1.16
				04-14-53	274.70		9.64
				07-01-53	277.55	2.85	
				09-03-53	278.33	0.78	
				11-17-53	277.67		0.66
				12-14-53	278.71	1.04	
32-14-405	KCFM	1047	670.00	11-24-53	323.09		
				12-14-53	322.65		0.44
				01-19-54	316.96		5.69
				03-14-54	325.33	8.37	
				05-04-54	335.90	10.57	
				11-25-54	324.44		11.46
32-14-502	KCTM	1108	615.00	10-12-54	544.30		
				12-15-54	544.40	0.10	
				12-25-56	622.00	77.60	
				01-25-57	622.20	0.20	
				03-25-57	619.40		2.80
				05-25-57	623.60	4.20	
				08-25-57	666.70	43.10	
				09-25-57	658.00		8.70
				11-25-57	645.60		12.40
				01-25-58	639.70		5.90
				03-25-58	632.80		6.90
				05-25-58	629.10		3.70
				07-25-58	661.00	31.90	
				09-25-58	657.70		3.30
				11-25-58	641.40		16.30
				01-25-59	628.70		12.70
				03-25-59	631.70	3.00	
				05-25-59	640.96	9.26	
				07-25-59	659.12	18.16	
				10-25-59	666.98	7.86	
				11-25-59	660.31		6.67
				01-13-60	654.29		6.02
				03-16-60	647.60		6.69

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASUREMENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-25-60	662.57	14.97	
				06-23-60	674.04	11.47	
				08-18-60	691.46	17.42	
				10-18-60	671.80		19.66
				12-25-60	648.10		23.70
				01-25-61	645.06		3.04
				03-25-61	644.57		0.49
				05-25-61	659.01	14.44	
				07-25-61	671.37	12.36	
				09-25-61	686.31	14.94	
				11-25-61	661.19		25.12
				01-25-62	662.80	1.61	
				03-25-62	646.42		16.38
				05-25-62	680.13	33.71	
				07-21-62	700.87	20.74	
				09-25-62	693.47		7.40
				11-25-62	668.83		24.64
				01-25-63	670.30	1.47	
				03-25-63	669.38		0.92
				05-25-63	673.73	4.35	
				07-25-63	712.77	39.04	
				09-25-63	724.11	11.34	
				11-25-63	713.74		10.37
				02-25-64	693.06		20.68
				03-25-64	691.37		1.69
				05-25-64	705.17	13.80	
				06-27-64	729.53	24.36	
				08-03-64	749.94	20.41	
				10-19-64	718.85		31.09
				12-14-64	707.19		11.66
				03-01-65	701.63		5.56
				04-29-65	704.96	3.33	
				06-26-65	718.29	13.33	
				09-01-65	762.09	43.80	
				10-30-65	739.81		22.28
				12-17-65	735.05		4.76
				02-25-66	723.11		11.94
				03-10-66	722.54		0.57
				04-22-66	725.39	2.85	
				05-18-66	725.40	0.01	
				06-25-66	744.63	19.23	
				08-18-66	773.55	28.92	
				10-08-66	753.10		20.45
				12-15-66	745.60		7.50
				02-19-67	739.65		5.95
				05-02-67	754.11	14.46	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				06-28-47	778.75	24.64	
				08-17-47	801.60	22.85	
				10-19-47	782.17		19.43
				12-16-47	776.73		5.44
				02-25-48	769.63		7.10
				04-18-48	766.43		3.20
				04-07-49	764.68		1.75
32-14-503	KCTM	1000	630.00	04-10-42	356.52		
				06-17-44	396.00	39.48	
				07-29-48	462.71	66.71	
				07-22-49	470.78	8.07	
				12-29-49	442.09		28.73
				01-30-50	437.27		4.78
				02-27-50	428.80		8.47
				04-10-50	425.71		3.09
				05-26-50	368.50		57.21
				07-21-50	454.80	86.30	
				08-31-50	459.72	4.92	
				12-29-50	455.90		3.82
				03-14-51	447.48		8.42
				01-24-53	443.80		3.68
				04-14-53	437.74		6.06
32-14-602	KCPA	480	600.00	10-27-49	228.07		
				01-30-50	226.54		1.53
				02-27-50	227.26	0.72	
				04-10-50	241.98	14.72	
				05-25-50	239.24		2.74
				12-29-50	235.50		3.74
				03-14-51	246.37	10.87	
				06-02-51	245.77		0.60
				05-17-54	274.05	28.28	
32-14-603	KCPA	385	520.00	10-14-51	191.00		
				02-13-53	218.40	27.40	
				02-29-53	218.41	0.01	
				11-18-53	218.13		0.28
				11-02-54	243.65	25.52	
32-14-604	KCTM	1140	520.00	03-27-47	295.00		
				10-27-49	334.91	39.91	
				02-13-53	383.10	48.19	
				02-25-53	378.23		4.87
				11-18-53	423.05	44.82	
				01-25-54	416.96		6.09

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 O MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-31-54	486.15	69.19	
32-14-605	KCTM	1272	595.00	10-00-58	653.10		
				07-00-59	640.00		13.10
				01-00-60	639.00		1.00
				01-15-71	800.00	161.00	
				11-10-71	800.00		
				11-17-72	830.00	30.00	
				11-09-73	790.00		40.00
			11-12-74	788.00		2.00	
32-14-606	KCPA	540	595.00	04-11-59	375.90		
				07-18-63	429.00	53.10	
				11-10-71	409.00		20.00
				11-17-72	419.00	10.00	
				11-09-73	419.00		
			11-12-74	407.00		12.00	
32-14-704	KCTM	710	560.00	00-00-02	232.00		
				07-29-48	453.54	221.54	
				07-22-49	455.25	1.71	
				12-29-49	447.95		7.30
				02-27-50	447.09		0.86
				04-10-50	427.49		19.60
				05-25-50	443.30	15.81	
				02-12-54	464.70	21.40	
				02-24-54	468.25	3.55	
32-14-802	KCTM	1000	605.00	04-15-42	323.60		
				06-14-44	361.10	37.50	
				07-22-49	419.95	58.85	
				12-22-49	399.49		20.46
				07-21-50	415.61	16.12	
				12-29-50	415.40		0.21
				06-01-51	429.98	14.58	
				10-05-52	438.72	8.74	
				01-27-53	444.86	6.14	
				03-31-53	445.34	0.48	
				04-28-53	446.55	1.21	
				06-30-53	464.25	17.70	
				09-14-53	470.05	5.80	
				11-17-53	465.05		5.00
				12-10-53	464.99		0.06
				01-27-54	457.80		7.19
				02-18-54	456.64		1.16
	03-22-54	458.12	1.48				

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO ROOF NOISE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-02-54	465.55	7.43	
				06-24-54	472.94	7.39	
				07-21-54	477.66	4.72	
				08-20-54	488.03	10.37	
				09-14-54	490.17	2.14	
				10-29-54	490.74	0.57	
				12-17-54	482.98		7.76
				02-07-55	480.67		2.31
				04-21-55	480.20		0.47
				02-21-56	490.30	10.10	
				06-20-56	503.40	13.10	
				02-07-57	524.70	21.30	
32-14-803	KC1M	800	595.00	10-17-50	405.35		
				12-29-50	405.90	0.55	
				03-14-51	408.90	3.00	
				06-07-51	408.91	0.01	
				03-31-53	436.52	27.61	
				04-27-53	438.14	1.62	
				06-30-53	451.95	13.81	
32-14-901	KCTM	1160	560.00	05-13-50	480.00		
				09-12-54	551.00	71.00	
				11-01-54	536.30		14.70
				12-09-54	518.60		17.70
				01-07-55	509.60		8.80
				03-23-55	505.70		4.10
32-14-902	KCPA	441	510.00	01-22-55	232.00		
				07-23-57	284.00	52.00	
				10-29-58	320.00	36.00	
				02-13-70	340.00	20.00	
				11-10-71	352.00	12.00	
				11-17-72	347.00		5.00
				11-09-73	362.00	15.00	
				11-12-74	339.00		23.00
32-15-301	KCTM	1657	610.00	09-17-54	479.50		
				11-10-71	786.00	306.50	
32-15-302	KGW	50	620.00	11-14-70	33.83		
				11-01-71	35.18	1.35	
				11-13-72	34.75		0.43
				11-13-73	37.30	2.55	
				11-14-74	34.63		2.67

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WFLP PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-15-402	KCPA	495	550.00	11-01-54	288.24		
				12-22-54	286.50		
				01-21-55	284.70		1.74
				02-15-55	282.95		1.80
				04-06-55	286.30	3.35	1.75
				05-13-55	306.10	19.80	
				01-03-56	321.60	15.50	
				06-08-56	345.95	24.35	
				02-07-57	346.50	0.55	
				03-14-58	355.05	8.55	
				05-24-62	397.84	42.79	
				05-13-63	395.74		2.10
				05-13-64	396.54	0.80	
				05-03-65	405.28 _Q	8.74	
				32-15-405	KCPA	490	546.23
01-11-50	197.98	10.98					
06-04-51	194.95		3.03				
07-01-53	250.58	55.63					
09-21-53	245.13		5.45				
11-18-53	244.67		0.46				
12-16-53	238.29		6.38				
01-19-54	235.19		3.10				
02-24-54	231.93		3.26				
03-14-54	237.80	5.87					
05-06-54	248.10	10.30					
06-09-54	259.98	11.88					
07-12-54	291.85	31.87					
08-17-54	309.60	17.75					
09-14-54	316.95	7.35					
10-18-54	303.35		13.60				
11-16-54	291.50		11.85				
12-22-54	291.58	0.08					
01-21-55	290.52		1.06				
02-15-55	287.39		3.13				
04-06-55	288.90	1.51					
05-13-55	311.75	22.85					
32-15-504	KCPA	656	535.00	05-23-73	484.54		
				07-14-73	485.15	0.61	
				09-18-73	488.12	2.97	
				11-07-73	486.15		1.97
				02-05-74	481.11		5.04
				05-13-74	479.76		1.35
				08-14-74	485.52	5.76	
11-04-74	483.56		1.96				

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-15-601	KCTM	1483	522.00	11-04-51	293.00		
				03-03-52	292.50		0.50
				01-29-53	288.50		4.00
				02-03-53	278.50		10.00
				03-02-53	316.50	38.00	
				04-04-53	323.50	7.00	
				05-04-53	313.50		10.00
				06-01-53	320.50	7.00	
				07-03-53	341.70	21.20	
				08-03-53	354.50	12.80	
				09-08-53	335.50		19.00
				10-05-53	363.50	28.00	
				11-02-53	366.50	3.00	
				12-07-53	357.50		9.00
				01-04-54	359.50	2.00	
				02-01-54	359.50		
				03-01-54	363.50	4.00	
				04-05-54	363.50		
				05-02-54	369.50	6.00	
				06-01-54	374.50	5.00	
				07-07-54	373.50		1.00
				08-02-54	408.50	35.00	
				09-07-54	408.50		
				10-04-54	408.50		
				11-01-54	413.50	5.00	
				12-04-54	404.50		9.00
				01-03-55	402.50		2.00
				02-07-55	399.50		3.00
				03-01-55	396.50		3.00
				04-04-55	397.50	1.00	
				05-02-55	394.50		3.00
				06-06-55	398.50	4.00	
07-05-55	399.50	1.00					
08-04-55	420.50	21.00					
09-06-55	428.50	8.00					
02-13-56	326.70Q		101.80				
12-06-69	735.00	408.30					
06-21-71	785.00	50.00					
08-25-72	920.00*	135.00					
08-25-72	815.00		105.00				
05-22-73	780.00		35.00				
06-15-73	720.00		60.00				
06-26-74	810.00	90.00					
32-15-602	KGN	50	563.00	11-19-70	39.76		
				11-13-72	38.75		1.01

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WFLP PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-13-73	38.55		0.20
				11-14-74	38.30		0.25
32-16-101	KCTM	1800	610.00	---06-70	762.00		
				06-12-73	888.00	126.00	
				01-14-74	910.00	22.00	
32-16-401	KCPA	900	541.00	12-10-53	246.87		
				02-04-54	246.88	0.01	
				03-16-54	248.10	1.22	
				05-06-54	249.47	1.37	
				06-09-54	252.29	2.82	
				07-20-54	263.60	11.31	
				08-17-54	266.48	2.88	
				09-28-54	282.64	16.16	
				10-15-54	285.60	2.96	
				11-23-54	289.10	3.50	
				01-06-55	290.98	1.88	
				02-15-55	292.53	1.55	
				04-21-55	295.30	2.77	
				01-04-56	341.70	46.40	
				06-04-56	353.05	11.35	
				03-14-58	400.00	46.95	
				05-31-61	434.10	34.10	
				05-03-65	497.14	63.04	
32-16-402	KCPA	850	610.00	-----65	467.00		
32-16-501	KCTM	1755	495.00	03-19-57	463.10		
				07-23-57	483.30	20.20	
				03-07-58	477.10		6.20
32-16-502	KCPA	863	490.00	01-11-51	63.45		
				09-21-53	76.62	13.17	
				11-18-53	76.48		0.14
				12-14-53	76.82	0.34	
				01-19-54	76.82		
				02-23-54	76.51		0.31
				03-16-54	76.66	0.15	
				05-04-54	77.24	0.58	
				06-09-54	77.38	0.14	
				07-30-54	82.86	5.48	
				08-17-54	86.03	3.17	
				09-15-54	89.66	3.63	
				10-15-54	88.20		1.46
				01-04-55	87.69		0.51

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED

* DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING

Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				03-06-55	86.54		1.15
32-16-503	KGW	267	560.00	04-27-51	100.94		
				06-06-51	99.56		1.38
				09-08-51	102.33	2.77	
				10-10-51	102.51	0.18	
				11-24-51	102.57	0.06	
				10-31-52	108.06	5.49	
32-16-504	KCTM	1846	538.00	04-27-51	241.39		
				06-06-51	242.75	1.36	
				01-27-53	310.39	67.64	
				07-03-53	344.95	34.56	
				09-07-53	364.12	19.17	
				10-26-53	371.20	7.08	
				12-14-53	362.84		8.36
				01-18-54	363.02	0.18	
				02-08-54	363.05	0.03	
				03-11-54	380.37	17.32	
				04-26-54	381.65	1.28	
				05-12-54	379.70		1.95
				06-02-54	383.55	3.85	
				07-30-54	415.40	31.85	
				08-17-54	421.30	5.90	
				09-15-54	430.28	8.98	
				10-15-54	441.50	11.22	
				11-15-54	420.80		20.70
				12-14-54	414.21		6.59
				01-17-55	410.45		3.76
				02-15-55	405.30		5.15
03-21-55	408.50	3.20					
04-21-55	407.75		0.75				
05-13-55	415.00	7.25					
09-08-55	446.30	31.30					
01-03-56	442.10		4.20				
02-10-56	438.90		3.20				
06-25-56	466.70	27.80					
03-28-57	516.00	49.30					
09-26-57	534.50	18.50					
32-16-505	KCPA	900	580.00	-----65	525.00		
				08-14-71	662.00	137.00	
				07-11-72	706.00*	44.00	
				01-14-74	643.00		63.00
32-16-701	KCPA	720	576.00	12-14-53	307.80		

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-16-54	305.58		2.22
				03-31-54	305.71	0.13	
				05-04-54	312.17	6.46	
				08-02-54	339.97	27.80	
				09-07-54	350.40	10.43	
				10-15-54	359.10	8.70	
				11-23-54	356.89		2.21
				12-23-54	357.40	0.51	
32-14-801	KGW	217	570.00	11-20-70	144.92		
				11-01-71	146.24	1.32	
				11-13-72	147.28	1.04	
				11-13-73	147.17		0.11
				11-14-74	147.44	0.27	
32-21-201	KCTM	1030	735.00	01-24-51	481.00		
				03-16-51	481.42	0.42	
				06-02-51	478.58		2.84
32-21-501	KCPA	227	640.00	02-12-45	85.00		
				11-08-50	97.48	12.48	
				03-16-51	97.67	0.19	
				06-01-51	98.72	1.05	
				12-09-53	100.95	2.23	
				01-20-54	99.74		1.21
				02-17-54	99.89	0.15	
				03-19-54	99.97	0.08	
				05-04-54	100.09	0.12	
				06-01-54	100.45	0.36	
				07-16-54	102.68	2.23	
				08-20-54	103.68	1.00	
				09-14-54	103.20		0.48
				11-02-54	102.21		0.99
				12-01-54	101.51		0.70
				01-05-55	101.01		0.50
				02-09-55	100.64		0.37
				03-24-55	100.34		0.30
				05-02-55	101.42	1.08	
				01-11-56	102.88	1.46	
				09-14-56	106.88	4.00	
				02-06-57	103.96		2.92
				07-22-57	106.68	2.72	
				03-11-58	104.79		1.89
				05-30-61	110.55	5.76	
				05-24-62	110.68	0.13	
				05-13-63	110.32		0.36

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				05-14-64	110.45	0.13	
				05-03-65	110.93	0.48	
				05-10-66	111.91	0.98	
				04-25-67	112.77	0.86	
				04-01-68	113.63	0.86	
				04-07-69	113.13		0.50
				05-18-70	131.50	18.37	
				02-23-71	134.25	2.75	
				11-02-71	124.55		9.70
				11-13-72	136.62	12.07	
				11-13-73	136.35		0.27
				11-14-74	139.84	3.49	
32-22-201	KCTM	1100	588.00	10-05-54	291.95		
				11-05-54	291.40		0.55
				08-05-55	297.14	5.74	
				02-07-57	298.70	1.56	
				03-14-58	298.85	0.15	
				05-31-61	306.51	7.66	
				05-24-62	307.77	1.26	
32-22-204	KCTM	1080	609.00	-----37	319.20		
				-----47	411.20	92.00	
				01-25-52	515.20	104.00	
				04-28-54	519.90	4.70	
				05-24-54	519.50		0.40
32-22-205	KCTM	1095	611.00	-----32	240.00		
				-----34	260.00	20.00	
				09-15-49	489.31	229.31	
				01-12-53	507.00	17.69	
				09-04-53	544.10	37.10	
				11-17-53	535.00		9.10
				12-15-53	530.25		4.75
				01-16-54	526.32		3.93
				03-15-54	527.97	1.65	
				04-28-54	535.10	7.13	
				05-26-54	534.09		1.01
				06-24-54	545.39	11.30	
				07-21-54	557.10	11.71	
				08-20-54	565.70	8.60	
				09-14-54	544.43		21.27
				10-29-54	565.90	21.47	
				12-10-54	553.80		12.10
				02-02-55	548.40		5.40

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
32-22-401	KCTH	1083	700.00	10-13-50	473.78		
				12-29-50	476.30	2.52	
				03-14-51	479.87	3.57	
				04-14-51	482.12	2.25	
				06-02-51	484.75	2.63	
				10-10-52	498.00	13.25	
				01-28-53	528.65	30.65	
				04-28-53	528.57		0.08
				07-03-53	526.10		2.47
				09-14-53	535.12	9.02	
				11-20-53	539.69	4.57	
				12-15-53	540.12	0.43	
				02-19-54	538.28		1.84
				03-22-54	538.22		0.06
				04-28-54	539.30	1.08	
				06-04-54	541.10	1.80	
				07-13-54	543.50	2.40	
				08-20-54	548.30	4.80	
				09-27-54	553.20	4.90	
				10-21-54	555.40	2.20	
				11-30-54	557.30	1.90	
				12-30-54	557.20		0.10
				02-01-55	556.50		0.70
				03-01-55	556.40		0.10
				05-02-55	556.50	0.10	
				01-03-56	571.50	15.00	
				02-17-56	571.80	0.30	
				06-21-56	577.00	5.20	
				02-06-57	601.70	24.70	
				07-22-57	605.30	3.60	
03-11-58	622.10	16.80					
32-22-602	KCFH	1288	675.00	06-23-48	336.00		
				06-29-48	347.53	11.53	
				10-27-49	381.01	33.48	
				01-30-50	382.89	1.88	
				02-27-50	381.92		0.97
				03-23-51	412.00	30.08	
				04-12-51	410.98		1.02
				07-01-54	509.70	98.72	
11-01-54	527.80	18.10					
32-22-603	KCPA	550	710.00	02-16-40	351.00		
				07-31-47	410.00	59.00	
				10-27-49	438.07	28.07	
				01-30-50	440.02	1.95	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				02-27-50	444.24	4.22	
				04-10-50	460.82*	16.58	
32-22-604	KCPA	690	700.00	10-27-49	378.37		
				01-30-50	377.70		0.67
				02-27-50	378.27	0.57	
				04-10-50	377.79		0.48
				05-25-50	372.55		5.24
				07-21-50	373.64	1.09	
				12-29-50	377.41	3.77	
				03-21-51	375.90		1.51
32-22-605	KCPA	504	653.00	01-26-53	320.88		
				02-20-53	320.70		0.18
				03-20-53	320.40		0.30
				04-28-53	321.15	0.75	
32-22-901	KCTM	1352	660.00	07-24-62	604.00		
				11-10-71	606.00	2.00	
				11-07-73	681.00*	75.00	
				11-06-74	715.00*	34.00	
32-22-903	KCTM	1346	655.00	06-27-64	630.00		
				11-10-71	713.00	83.00	
				11-17-72	781.00	68.00	
				11-07-73	838.00	57.00	
				11-06-74	804.00*		34.00
32-23-101	KCTM	1363	541.46	12-11-47	293.00		
				06-22-71	755.00	462.00	
				11-10-71	826.00*	71.00	
				11-17-72	780.00		46.00
				11-07-73	775.00		5.00
				11-06-74	764.00		11.00
32-23-105	KCPA	700	650.00	08-03-54	365.05		
				09-15-54	374.80	9.75	
				10-22-54	371.50		3.30
				11-24-54	360.00		11.50
				01-07-55	360.90	0.90	
32-23-106	KCTM	1376	590.00	07-28-48	402.38		
				09-01-49	411.97	9.59	
				01-19-50	403.66		8.31
				04-10-50	388.56		15.10
				05-25-50	402.10	13.54	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WFLP PUMPFD RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				07-21-50	424.40	22.30	
				12-29-50	422.10		2.30
				06-02-51	433.27	11.17	
				02-06-53	471.48	38.21	
				03-20-53	473.95	2.47	
				04-28-53	479.85	5.90	
				07-04-53	496.00	16.15	
				06-00-54	523.00	27.00	
32-23-301	KCPA	793	638.00	04-23-54	405.00		
				06-01-61	430.00	25.00	
32-23-601	KGW	135	650.00	11-19-70	113.68		
				11-01-71	112.60		1.08
				11-13-72	107.70@		4.90
				11-13-73	112.55	4.85	
				11-14-74	112.80	0.25	
32-24-101	KCTN	1775	639.00	08-04-53	520.50		
				09-09-53	510.50		10.00
				11-30-53	519.20	8.70	
				02-02-54	514.20		5.00
				03-17-54	522.74	8.54	
				05-06-54	531.44	8.70	
				04-28-56	565.00	33.56	
				03-06-56	598.20	33.20	
				04-15-57	669.00	70.80	
32-24-104	KCPA	900	635.00	11-23-53	376.70		
				12-14-53	375.57		1.13
				02-01-54	378.55	2.98	
				03-17-54	380.05	1.50	
				08-02-54	424.30	44.25	
				10-01-54	437.00	12.70	
				12-01-54	438.60	1.60	
				02-15-55	427.30		11.30
				04-27-55	447.00	19.70	
				03-10-56	494.20	47.20	
32-24-301	KCPA	1060	565.00	10-28-53	318.40		
				12-14-53	318.53	0.13	
				02-02-54	320.07	1.54	
				03-17-54	319.25		0.82
				04-29-54	327.74	8.49	
				06-21-54	369.75	42.01	
				07-20-54	414.30	44.55	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				08-19-54	405.80		0.50
				12-02-54	415.70	9.90	
				02-14-55	413.30		2.40
				05-23-55	424.70	11.40	
				04-11-56	458.10	33.40	
32-30-202	KCPA	500	730.00	11-25-70	443.50		
				11-02-71	451.08	7.58	
				11-17-72	456.86	5.78	
				11-06-74	455.77		1.09
32-30-401	KCPA	500	785.00	06-28-56	387.72		
				02-06-57	390.90	3.18	
				07-27-57	396.40	5.50	
				03-11-58	395.80		0.60
				05-30-61	417.78	21.98	
				05-24-62	432.97	15.19	
				05-13-63	439.05	6.08	
				05-14-64	445.30	6.25	
				05-03-65	452.40	7.10	
				05-10-66	442.45		9.95
				04-25-67	445.40	2.95	
				04-01-68	451.16	5.76	
				04-07-69	452.62	1.46	
				05-18-70	451.24		1.38
				02-23-71	452.88	1.64	
				11-02-71	452.10		0.78
				11-17-72	451.59		0.51
				11-07-73	451.72	0.13	
				11-06-74	450.75		0.97
32-30-403	KCPA	500	790.00	12-08-53	358.85		
				01-20-54	358.90	0.05	
				02-18-54	359.25	0.35	
				03-22-54	360.72	1.47	
				05-04-54	360.82	0.10	
				06-21-54	364.17	3.35	
				08-02-54	368.70	4.53	
				09-27-54	374.30	5.60	
				11-17-54	371.55		2.75
				01-05-55	371.00		0.55
				05-02-55	371.03	0.03	
32-31-301	KGW	171	680.00	11-19-70	92.92		
				11-01-71	94.50	1.58	
				11-13-72	95.30	0.80	

TARRANT COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 Q MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-13-73	90.90		4.40
				11-14-74	93.07	2.17	
32-31-402	KCPA	734	740.00	06-7-70	584.00		
32-32-302	KGW	317	555.00	10-22-70	135.99		
				11-02-71	142.56	6.57	
				11-13-72	136.49		6.07
				11-13-73	136.70	0.21	
				11-14-74	137.95	1.25	

TARRANT COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	32-05-501	32-06-401	32-06-702	32-12-501
DATE OF COLLECTION	11/23/70	11/23/70	11/23/70	02/12/71
AQUIFER CODE	KCPA	KCPA	KCPA	KCPA
WELL DEPTH	317	300	800	70
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	10.0	11.0	11.0	20.0
CALCIUM (MG/L)	2.0	1.0	2.0	82.0
MAGNESIUM (MG/L)	1.0	1.0	1.0	11.0
SODIUM (MG/L)	176.0	192.0	212.0	20.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	345.0	394.0	466.0	321.0
SULFATE (MG/L)	55.0	33.0	36.0	19.0
CHLORIDE (MG/L)	11.0	9.0	16.0	5.0
FLUORIDE (MG/L)	.3	.3	1.2	.1
NITRATE (MG/L)	1.5	1.5	2.0	.4
IRON (MG/L)				
PH	8.9	9.1	8.9	7.7
DISSOLVED SOLIDS (MG/L)	426.0	442.0	510.0	315.0
PHENOL, ALK. CaCO3	15.0	26.0	19.0	.0
TOTAL ALK. CaCO3	313.0	375.0	420.0	263.0
TOTAL HARD CaCO3	8.0	7.0	9.0	249.0
% SODIUM	97.67	98.44	98.06	14.83
SAR	25.3	32.4	30.5	.5
RSC	5.4	6.3	7.4	.2
SPECIFIC CONDUCTANCE	701.0	749.0	869.0	500.0

TARRANT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-15-302	32-15-601	32-16-801	32-22-901
DATE OF COLLECTION	11/18/70	06/22/71	11/20/70	06/23/71
AQUIFER CODE	KGW	KCTM	KGW	KCTM
WELL DEPTH	50	1483	217	1352
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	16.0	13.0	11.0	13.0
CALCIUM (MG/L)	52.0	4.0	16.0	2.0
MAGNESIUM (MG/L)	17.0	2.0	8.0	2.0
SODIUM (MG/L)	82.0	375.0	205.0	286.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	124.0	550.0	339.0	510.0
SULFATE (MG/L)	42.0	256.0	179.0	114.0
CHLORIDE (MG/L)	151.0	83.0	35.0	59.0
FLUORIDE (MG/L)	.3	2.9	.8	2.4
NITRATE (MG/L)	27.0	.4	4.5	.4
IRON (MG/L)				
PH	6.7	8.1	7.7	8.6
DISSOLVED SOLIDS (MG/L)	448.0	1006.0	625.0	729.0
PHENOL. ALK. CaCO3	.0	.0	.0	10.0
TOTAL ALK. CaCO3	102.0	450.0	278.0	434.0
TOTAL HARD CaCO3	202.0	18.0	73.0	12.0
% SODIUM	47.18	97.81	85.96	97.92
SAR	2.5	38.2	10.4	34.2
RSC	.0	8.6	4.0	8.0
SPECIFIC CONDUCTANCE	792.0	1520.0	937.0	1137.0

TARRANT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-22-902	32-23-101	32-23-101	32-23-601
DATE OF COLLECTION	06/23/71	08/20/48	06/22/71	11/19/70
AQUIFER CODE	KCPA	KCTM	KCTM	KGW
WELL DEPTH	570	1363	1363	135
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	12.0	14.0	13.0	14.0
CALCIUM (MG/L)	2.0	2.0	4.0	194.0
MAGNESIUM (MG/L)	1.0	1.0	2.0	17.0
SODIUM (MG/L)	210.0	284.0	289.0	105.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	462.0	540.0	550.0	378.0
SULFATE (MG/L)	58.0	73.0	115.0	256.0
CHLORIDE (MG/L)	13.0	77.0	49.0	154.0
FLUORIDE (MG/L)	.8	.0	2.5	.9
NITRATE (MG/L)	.4	.2	.4	.4
IRON (MG/L)				
PH	8.3		7.8	7.7
DISSOLVED SOLIDS (MG/L)	524.0	716.7	745.0	927.0
PHENOL. ALK. CaCO3	.0		.0	.0
TOTAL ALK. CaCO3	379.0		454.0	310.0
TOTAL HARD CaCO3	9.0	9.0	18.0	550.0
% SODIUM	98.04	98.54	97.18	29.19
SAR	30.2	40.9	29.4	1.9
RSC	7.3	8.6	8.6	.0
SPECIFIC CONDUCTANCE	806.0	1230.0	1144.0	1360.0

TARRANT COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	32-30-202	32-30-504	32-31-301	32-31-402
DATE OF COLLECTION	11/25/70	11/19/70	11/19/70	06/28/71
AQUIFER CODE	KCPA	KCPA	KGW	KCPA
WELL DEPTH	500	640	171	734
TEMPERATURE-F				
TEMPERATURE-C				
SILICA (MG/L)	11.0	11.0	13.0	12.0
CALCIUM (MG/L)	2.0	3.0	25.0	2.0
MAGNESIUM (MG/L)	1.0	1.0	5.0	1.0
SODIUM (MG/L)	183.0	193.0	32.0	225.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	384.0	434.0	153.0	488.0
SULFATE (MG/L)	25.0	37.0	9.0	70.0
CHLORIDE (MG/L)	9.0	10.0	13.0	14.0
FLUORIDE (MG/L)	.5	.7	.5	1.1
NITRATE (MG/L)	.4	.4	.4	1.0
IRON (MG/L)				
PH	9.1	8.7	7.4	8.5
DISSOLVED SOLIDS (MG/L)	420.0	469.0	173.0	566.0
PHENOL, ALK. CaCO3	23.0	10.0	.0	6.0
TOTAL ALK. CaCO3	361.0	376.0	125.0	412.0
TOTAL HARD CaCO3	10.0	9.0	84.0	11.0
% SODIUM	97.76	97.31	45.62	98.17
SAR	26.3	24.6	1.5	32.4
RSC	6.1	6.8	.8	7.8
SPECIFIC CONDUCTANCE	716.0	755.0	289.0	900.0

TARRANT COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCPA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO ₂)	0.00	20.00	11.80	12.00	60.00	20
CALCIUM (CA)	1.00	82.00	6.47	2.00	9.52	21
MAGNESIUM (MG)	0.00	11.00	2.00	1.00	14.28	21
SODIUM (NA)	20.00	335.00	209.09	207.00	45.45	22
BICARBONATE (HCO ₃)	321.00	498.00	438.81	452.00	63.63	22
SULFATE (SO ₄)	19.00	158.00	69.95	58.00	40.90	22
CHLORIDE (CL)	5.00	125.00	18.72	13.00	22.72	22
FLUORIDE (F)	0.00	2.00	0.74	0.70	45.45	22
NITRATE (NO ₃)	0.00	3.50	1.04	0.40	40.90	22
TOTAL DISSOLVED SOLIDS (TDS)	315.00	847.41	534.47	512.44	36.36	22
HARDNESS (CaCO ₃)	2.00	249.00	23.22	8.00	13.63	22
SPECIFIC CON- DUCTANCE	500.00	1160.00	836.76	806.00	41.17	17
PH	7.70	9.10	8.60	8.70	54.54	22
PERCENT SODIUM	14.83	99.54	92.83	98.06	85.71	21
SAR	0.55	68.87	31.80	32.49	52.38	21
RSC	0.26	7.94	6.67	7.21	71.42	21

TARRANT COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KCTM

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SI02)	10.00	20.00	13.50	13.00	37.50	16
CALCIUM (CA)	2.00	6.00	2.81	2.00	37.50	16
MAGNESIUM (MG)	1.00	5.00	1.87	2.00	56.25	16
SODIUM (NA)	284.00	427.00	339.68	323.00	43.75	16
BICARBONATE (HCO3)	610.00	617.00	551.93	540.00	25.00	16
SULFATE (SO4)	73.00	256.00	156.56	138.00	37.50	16
CHLORIDE (CL)	44.00	227.00	94.37	85.00	31.25	16
FLUORIDE (F)	0.00	7.00	1.70	1.80	50.00	16
NITRATE (NO3)	0.00	2.50	0.68	0.20	31.25	16
TOTAL DISSOLVED SOLIDS (TDS)	716.71	1133.48	883.69	830.20	43.75	16
HARDNESS (CaCO3)	7.00	30.00	14.18	11.00	31.25	16
SPECIFIC CON- DUCTANCE	1137.00	1950.00	1437.76	1380.00	46.15	13
PH	7.80	8.80	8.29	8.30	46.15	13
PERCENT SODIUM	96.01	98.99	97.89	97.97	56.25	16
SAR	26.60	59.27	40.82	39.32	43.75	16
RSC	8.07	9.79	8.74	8.65	25.00	16

TARRANT COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KGW


CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	11.00	23.00	15.40	14.00	40.00	5
CALCIUM (CA)	16.00	194.00	83.40	52.00	40.00	5
MAGNESIUM (MG)	5.00	21.00	13.60	17.00	60.00	5
SODIUM (NA)	32.00	205.00	102.80	90.00	40.00	5
BICARBONATE (HCO3)	124.00	378.00	271.40	339.00	60.00	5
SULFATE (SO4)	9.00	256.00	133.00	179.00	60.00	5
CHLORIDE (CL)	13.00	154.00	87.60	85.00	40.00	5
FLUORIDE (F)	0.30	0.90	0.66	0.80	60.00	5
NITRATE (NO3)	0.00	27.00	6.46	0.40	20.00	5
TOTAL DISSOLVED SOLIDS (TDS)	173.00	927.00	576.05	625.00	60.00	5
HARDNESS (CaCO3)	73.00	550.00	264.00	202.00	40.00	5
SPECIFIC CON- DUCTANCE	289.00	1360.00	895.60	937.00	60.00	5
PH	6.70	7.70	7.40	7.50	60.00	5
PERCENT SODIUM	29.19	85.96	48.04	45.62	20.00	5
SAR	1.52	10.45	3.67	1.94	20.00	5
RSC	0.00	4.09	0.98	0.00	20.00	5

TARRANT COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE


YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	11,764.82	4,188.43	15,953.25
1956	11,753.61	4,188.51	15,942.12
1957	12,839.89	4,188.51	17,028.40
1958	10,868.20	4,235.84	15,104.04
1959	10,489.31	2,440.89	12,930.20
1960	9,586.90	3,330.64	12,917.54
1961	11,647.42	3,318.30	14,965.72
1962	12,785.68	3,556.10	16,341.78
1963	15,507.46	3,691.37	19,198.83
1964	15,911.17	3,862.07	19,773.24
1965	16,100.01	3,540.59	19,640.60
1966	14,052.25	3,598.27	17,650.52
1967	15,560.56	3,764.12	19,324.68
1968	16,961.87	3,762.67	20,724.54
1969	19,865.58	3,705.29	23,570.87
1970	15,340.90	3,427.78	18,768.68
1971	12,523.49	1,514.22	14,037.71
1972	20,207.93	1,902.87	22,110.80
Total	253,767.05	62,216.47	315,983.52

WATER-LEVEL MEASUREMENTS IN WISE COUNTY



EXPLANATION

CURRENT OBSERVATION WELLS	HISTORICAL OBSERVATION WELLS
● 101 Water level	■ 701 Water level
◐ 301 Water level and water quality	◑ 601 Water level and water quality



Location of Observation Wells in Wise County

BASE MAP FROM TEXAS STATE HIGHWAY DEPARTMENT

WISE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
19-44-801	KCA	148	950.00	10-19-70	46.55		
				02-24-71	47.04	0.49	
				11-17-72	47.62	0.58	
				11-10-73	44.84		2.78
				11-13-74	42.70		2.14
19-45-301	KCA	370	910.00	10-20-70	204.23		
				02-24-71	203.60		0.63
				11-05-71	204.80	1.20	
				11-17-72	208.61*	3.81	
				11-10-73	206.92		1.69
11-13-74	207.28	0.36					
19-50-601	QAL	70	750.00	08-02-49	25.00		
				10-20-70	25.10	0.10	
				02-24-71	26.22	1.12	
				11-05-71	27.39	1.17	
				11-16-72	29.49	2.10	
				11-12-73	28.47		1.02
11-12-74	24.67		3.80				
19-50-701	KCTM	50	935.00	10-20-70	9.27		
				02-24-71	9.00		0.27
				11-05-71	22.12	13.12	
				11-16-72	23.30	1.18	
				11-12-73	23.27		0.03
11-12-74	24.08	0.81					
19-50-901	KCTM	78	930.00	10-20-70	19.15		
				02-24-71	19.08		0.07
				11-05-71	20.44	1.36	
				11-17-72	21.76	1.32	
				11-12-73	20.78		0.98
11-12-74	20.60		0.18				
19-51-101	KCA	80	830.00	10-19-70	16.35		
				02-24-71	17.16	0.81	
				11-05-71	17.46	0.30	
				11-16-72	18.12	0.66	
				11-12-73	18.56	0.44	
19-51-901	KCTM	62	725.00	10-20-70	34.13		
				02-24-71	34.18	0.05	
				11-05-71	35.70	1.52	
				11-17-72	36.65	0.95	
				11-12-73	35.70		0.95

WISE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE - CONTINUED
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
				11-12-74	34.58		1.12
19-52-401	KCTM	115	872.00	10-20-70	44.62		
				02-24-71	40.50		4.12
				11-05-71	43.30	2.80	
				11-12-73	42.58*		0.72
				11-13-74	41.47		1.11
19-53-101	KCA	178	800.00	10-19-70	45.94		
				02-25-71	45.70		0.24
				11-05-71	45.86	0.16	
				11-17-72	52.22	6.36	
				11-12-73	49.55		2.67
				11-13-74	50.24	0.69	
19-58-401	KCTM	240	1038.00	10-20-70	69.33		
				11-12-73	188.30	118.97	
19-60-401	KCA	226	753.00	10-20-70	165.31		
				02-24-71	166.12@	0.81	
				11-04-71	162.00		4.12
				11-17-72	161.66@		0.34
				11-12-73	160.00@		1.66
				11-12-74	160.86	0.86	
19-60-601	KCPA	140	782.00	10-21-70	26.52		
				02-24-71	29.90	3.38	
				11-05-71	29.90		
				11-17-72	78.47	48.57	
				11-12-73	76.52		1.95
				11-12-74	75.94		0.58
19-61-201	KCPA	360	920.00	10-21-70	220.20		
				02-24-71	223.24	3.04	
				11-05-71	226.16	1.92	
				11-12-73	228.35*	3.19	
				11-12-74	243.95*	15.60	

WISE COUNTY

WATER LEVEL MEASUREMENTS, IN FEET, BELOW LAND SURFACE
 * DENOTES WELL PUMPED RECENTLY OR NEARBY WELL PUMPING
 @ MEASUREMENT QUESTIONED DUE TO BORE HOLE OR WELL ENTRY CONDITIONS

STATE WELL NUMBER	AQUIFER CODE	DEPTH OF WELL	ELEVATION OF LAND SURFACE	DATE	MEASURE- MENT	CHANGE IN WATER LEVEL FROM PREVIOUS MEASUREMENT	
						DECLINE	RISE
19-34-801	KCA	70	1000.00	10-19-70	46.42		
				02-24-71	46.80	0.38	
				11-05-71	47.00	0.20	
				11-16-72	51.70	4.70	
				11-10-73	50.05		1.65
			11-12-74	46.89			3.16
19-35-701	KCA	96	910.00	10-19-70	35.76		
				02-24-71	36.22	0.46	
				11-05-71	37.28	1.06	
				11-16-72	37.96	0.68	
				11-10-73	35.32		2.64
			11-12-74	32.18			3.14
19-37-901	KCA	335	990.00	10-20-70	227.96		
				02-24-71	228.18	0.22	
				11-17-72	230.80	2.62	
				11-10-73	229.30		1.50
				11-13-74	229.05		0.25
19-42-101	KCA	70	1020.00	10-19-70	22.24		
				02-24-71	22.47	0.23	
				11-05-71	23.30	0.83	
				11-10-73	22.52		0.78
				11-12-74	22.15		0.37
19-42-801	KCA	70	950.00	10-19-70	7.84		
				02-24-71	7.40		0.44
				11-05-71	6.00		1.40
				11-16-72	7.66	1.66	
				11-10-73	5.62		2.04
			11-12-74	4.40			1.22
19-43-601	KCA	205	920.00	10-19-70	89.12		
				02-24-71	89.43	0.31	
				11-05-71	93.50	4.07	
19-43-603	KCA	180	920.	11-17-72	92.38		
				11-10-73	126.77	34.39	
				11-13-74	116.80		9.97
19-44-701	KCA	440	1070.00	10-19-70	257.86		
				02-24-71	259.20@	1.34	

WISE COUNTY
GROUND WATER QUALITY ANALYSES

STATE WELL NUMBER	19-34-801	19-37-901	19-42-801	19-43-601
DATE OF COLLECTION	11/16/72	11/17/72	02/24/71	02/24/71
AQUIFER CODE	KCA	KCA	KCA	KCA
WELL DEPTH	70	335	70	205
TEMPERATURE-F	62	58	68	68
TEMPERATURE-C				
SILICA (MG/L)	23.0	19.0	25.0	18.0
CALCIUM (MG/L)	195.0	77.0	78.0	235.0
MAGNESIUM (MG/L)	8.0	16.0	25.0	125.0
SODIUM (MG/L)	85.0	31.0	77.0	103.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	343.0	306.0	323.0	510.0
SULFATE (MG/L)	72.0	56.0	20.0	384.0
CHLORIDE (MG/L)	216.0	7.0	125.0	350.0
FLUORIDE (MG/L)	.2	.3	.9	.6
NITRATE (MG/L)	30.0	1.0	.4	19.0
IRON (MG/L)				
PH	7.2	7.4	7.8	7.2
DISSOLVED SOLIDS (MG/L)	797.8	357.7	510.1	1485.3
PHENOL, ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	281.0	251.0	265.0	416.0
TOTAL HARD CaCO3	520.0	257.0	299.0	1100.0
% SODIUM	26.24	20.72	36.02	16.91
SAR	1.6	.8	1.9	1.3
RSC	.0	.0	.0	.0
SPECIFIC CONDUCTANCE	1330.0	567.0	858.0	2140.0

WISE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-43-601	19-43-603	19-45-301	19-50-601
DATE OF COLLECTION	11/05/71	11/10/73	11/17/72	02/24/71
AQUIFER CODE	KCA	KCA	KCA	GAL
WELL DEPTH	205	180	370	70
TEMPERATURE-F			60	68
TEMPERATURE-C				
SILICA (MG/L)	20.0	19.0	13.0	18.0
CALCIUM (MG/L)	228.0	183.0	25.0	66.0
MAGNESIUM (MG/L)	142.0	108.0	12.0	13.0
SODIUM (MG/L)	118.0	68.0	83.0	23.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	540.0	530.0	270.0	178.0
SULFATE (MG/L)	419.0	288.0	51.0	32.0
CHLORIDE (MG/L)	394.0	230.0	7.0	38.0
FLUORIDE (MG/L)	.7	.5	.2	.2
NITRATE (MG/L)	.4	2.7	.4	33.0
IRON (MG/L)				
PH	7.3	7.3	7.5	7.2
DISSOLVED SOLIDS (MG/L)	1587.6	1159.8	324.3	310.7
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	443.0	434.0	221.0	146.0
TOTAL HARD CaCO3	1160.0	900.0	112.0	216.0
% SODIUM	18.20	14.10	61.77	18.65
SAR	1.5	.9	3.4	.6
RSC	.0	.0	2.1	.0
SPECIFIC CONDUCTANCE	2300.0	1760.0	532.0	514.0

WISE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-50-701	19-51-101	19-51-901	19-52-401
DATE OF COLLECTION	02/24/71	11/16/72	02/24/71	11/05/71
AQUIFER CODE	KCTM	KCA	KCTM	KCTM
WELL DEPTH	50	80	62	115
TEMPERATURE-F	68	56	68	
TEMPERATURE-C				
SILICA (MG/L)	24.0	19.0	18.0	21.0
CALCIUM (MG/L)	85.0	113.0	76.0	102.0
MAGNESIUM (MG/L)	19.0	26.0	47.0	12.0
SODIUM (MG/L)	107.0	128.0	41.0	42.0
POTASSIUM (MG/L)				
MANGANESE (MG/L)				
BORON (MG/L)				
BICARBONATE (MG/L)	510.0	355.0	345.0	339.0
SULFATE (MG/L)	36.0	57.0	87.0	39.0
CHLORIDE (MG/L)	41.0	219.0	55.0	41.0
FLUORIDE (MG/L)	1.0	.2	.1	.4
NITRATE (MG/L)	7.5	.4	23.0	11.0
IRON (MG/L)				
PH	7.5	7.2	7.4	7.4
DISSOLVED SOLIDS (MG/L)	571.2	737.1	516.7	435.0
PHENOL. ALK. CaCO3	.0	.0	.0	.0
TOTAL ALK. CaCO3	420.0	291.0	381.0	278.0
TOTAL HARD CaCO3	289.0	388.0	381.0	304.0
% SODIUM	44.50	41.72	18.89	23.11
SAR	2.7	2.8	.9	1.0
RSC	2.5	.0	.0	.0
SPECIFIC CONDUCTANCE	888.0	1270.0	817.0	690.0

WISE COUNTY

GROUND WATER QUALITY ANALYSES--Continued

STATE WELL NUMBER	19-58-401
DATE OF COLLECTION	11/12/73
AQUIFER CODE	KCTM
WELL DEPTH	240
TEMPERATURE-F	
TEMPERATURE-C	
SILICA (MG/L)	17.0
CALCIUM (MG/L)	69.0
MAGNESIUM (MG/L)	49.0
SODIUM (MG/L)	83.0
POTASSIUM (MG/L)	
MANGANESE (MG/L)	
BORON (MG/L)	
BICARBONATE (MG/L)	500.0
SULFATE (MG/L)	56.0
CHLORIDE (MG/L)	62.0
FLUORIDE (MG/L)	.3
NITRATE (MG/L)	.4
IRON (MG/L)	
PH	7.6
DISSOLVED SOLIDS (MG/L)	582.5
PHENOL. ALK. CaCO3	.0
TOTAL ALK. CaCO3	413.0
TOTAL HARD CaCO3	375.0
% SODIUM	32.57
SAR	1.8
RSC	.7
SPECIFIC CONDUCTANCE	969.0

WISE COUNTY
SUMMARY OF GROUND WATER QUALITY
AQUIFER KCA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO2)	10.00	25.00	17.50	16.00	40.00	10
CALCIUM (CA)	12.00	235.00	109.50	84.00	30.00	10
MAGNESIUM (MG)	3.00	142.00	44.10	14.00	20.00	10
SODIUM (NA)	27.00	129.00	77.90	88.00	50.00	10
BICARBONATE (HCO3)	264.00	540.00	380.90	341.00	30.00	10
SULFATE (SO4)	21.00	419.00	114.00	26.00	20.00	10
CHLORIDE (CL)	6.00	394.00	128.70	48.00	20.00	10
FLUORIDE (F)	0.10	0.70	0.27	0.20	30.00	10
NITRATE (NO3)	0.00	82.00	17.51	1.50	30.00	10
TOTAL DISSOLVED SOLIDS (TDS)	282.30	1587.61	697.79	432.29	20.00	10
HARDNESS (CaCO3)	56.00	1160.00	454.70	317.00	20.00	10
SPECIFIC CON- DUCTANCE	555.00	2300.00	1292.57	783.00	28.57	7
PH	6.80	8.00	7.26	7.20	40.00	10
PERCENT SODIUM	14.13	81.98	35.91	21.10	30.00	10
SAR	0.62	7.32	2.41	1.35	30.00	10
RSC	0.00	3.79	0.95	0.00	30.00	10

WISE COUNTY
SUMMARY OF GROUND WATER QUALITY--Continued
AQUIFER KCA

CONSTITUENT OR PROPERTY	MINIMUM CONCENTRATION MG/L	MAXIMUM CONCENTRATION MG/L	MEAN CONCENTRATION MG/L	MEDIAN CONCENTRATION MG/L	PERCENTAGE OF SAMPLES IN WHICH CONCENTRATION EXCEEDED AVERAGE	NUMBER OF SAMPLES FOR WHICH CONSTITUENT WAS PRESENT
SILICA (SiO ₂)	17.00	25.00	20.00	19.00	28.57	7
CALCIUM (CA)	66.00	183.00	95.71	78.00	28.57	7
MAGNESIUM (MG)	13.00	108.00	41.00	26.00	28.57	7
SODIUM (NA)	23.00	128.00	75.28	77.00	42.85	7
BICARBONATE (HCO ₃)	178.00	530.00	391.57	395.00	28.57	7
SULFATE (SO ₄)	20.00	288.00	82.28	56.00	28.57	7
CHLORIDE (CL)	38.00	230.00	110.00	62.00	42.85	7
FLUORIDE (F)	0.10	1.00	0.45	0.30	42.85	7
NITRATE (NO ₃)	0.40	33.00	9.62	2.70	28.57	7
TOTAL DISSOLVED SOLIDS (TDS)	310.72	1159.80	626.90	571.26	28.57	7
HARDNESS (CaCO ₃)	216.00	900.00	406.85	375.00	14.28	7
SPECIFIC CON- DUCTANCE	514.00	1760.00	1010.85	888.00	28.57	7
PH	7.20	7.80	7.42	7.40	28.57	7
PERCENT SODIUM	14.10	44.60	29.49	32.57	42.85	7
SAR	0.67	2.82	1.70	1.86	42.85	7
RSC	0.00	2.55	0.46	0.00	14.28	7

WISE COUNTY

REPORTED MUNICIPAL AND INDUSTRIAL GROUND WATER PUMPAGE

YEAR	MUNICIPAL PUMPAGE (ACRE-FEET)	INDUSTRIAL PUMPAGE (ACRE-FEET)	MUNICIPAL AND INDUSTRIAL PUMPAGE (ACRE-FEET)
1955	444.06	96.78	540.84
1956	454.38	96.78	551.16
1957	520.00	96.78	616.78
1958	598.62	164.24	762.86
1959	437.29	134.41	571.70
1960	496.65	171.03	667.68
1961	451.14	168.27	619.41
1962	543.17	166.94	710.11
1963	631.32	78.10	709.42
1964	571.05	155.72	726.77
1965	584.22	155.50	739.72
1966	444.57	155.50	600.07
1967	258.45	155.05	413.50
1968	250.31	154.00	404.31
1969	289.81	154.00	443.81
1970	283.90	154.61	438.51
1971	297.88	156.38	454.26
1972	319.29	141.00	460.29
Total	7,876.11	2,555.09	10,431.20
GRAND TOTAL	1,070,824.38	273,351.04	1,344,175.42

3216 8601