

W 600.7  
R 299  
# 304

Report 304


Government Publications  
Texas State Documents

APR 20 1988

Dallas Public Library

Records of Wells,  
Drillers' Logs, Water-Level  
Measurements, and Chemical  
Analyses of Ground Water  
in Chambers, Liberty, and  
Montgomery Counties,  
Texas, 1980-84

November 1987



Texas Water Development Board





## **TEXAS WATER DEVELOPMENT BOARD**

**REPORT 304**

# **RECORDS OF WELLS, DRILLERS' LOGS, WATER-LEVEL MEASUREMENTS, AND CHEMICAL ANALYSES OF GROUND WATER IN CHAMBERS, LIBERTY, AND MONTGOMERY COUNTIES, TEXAS, 1980-84**

**By**

**James F. Williams III, L. S. Coplin,  
C. E. Ranzau, Jr., and W. B. Lind  
U.S. Geological Survey**

**November 1987**

# **TEXAS WATER DEVELOPMENT BOARD**

**M. Reginald Arnold II, Executive Administrator**

**Louie Welch, Chairman  
Glen E. Roney  
Charles W. Jenness**

**Stuart S. Coleman, Vice Chairman  
George W. McCleskey  
Thomas M. Dunning**

*Authorization for use or reproduction of any original material contained in this publication, i.e., not obtained from other sources, is freely granted. The Board would appreciate acknowledgement.*

Published and distributed  
by the  
**Texas Water Development Board**  
**Post Office Box 13231**  
**Austin, Texas 78711**

## FOREWORD

Effective September 1, 1985, the Texas Department of Water Resources was divided to form the Texas Water Commission and the Texas Water Development Board. A number of publications prepared under the auspices of the Department are being published by the Texas Water Development Board. To minimize delays in producing these publications, references to the Department will not be altered except on their covers and title pages.



## **ABSTRACT**

Information on major new water wells in Chambers, Liberty, and Montgomery Counties was compiled by the U.S. Geological Survey from 1980 through 1984. This report presents the results of the hydrologic data collection on new large-capacity and other selected wells, including well location and completion data, driller's logs of the strata penetrated, water levels, and chemical quality of the produced water. These water-well data are supplementary to similar data on older wells in these counties and descriptive evaluations of the ground-water resources which have been published previously.



## TABLE OF CONTENTS

	Page
<b>ABSTRACT</b> .....	v
<b>INTRODUCTION</b> .....	1
<b>WELL-NUMBERING SYSTEM</b> .....	2
<b>SELECTED REFERENCES</b> .....	39

## TABLES

1. Records of Wells in Chambers County .....	3
2. Drillers' Logs of Wells in Chambers County .....	4
3. Water Levels in Wells in Chambers County .....	5
4. Records of Wells in Liberty County .....	7
5. Drillers' Logs of Wells in Liberty County .....	8
6. Water Levels in Wells in Liberty County .....	11
7. Chemical Analyses of Water From Wells in Liberty County .....	14
8. Records of Wells in Montgomery County .....	15
9. Drillers' Logs of Wells in Montgomery County .....	18
10. Water Levels in Wells in Montgomery County.....	31
11. Chemical Analyses of Water From Wells in Montgomery County.....	32

## ILLUSTRATIONS

1-3. Maps showing locations of wells in:

1. Chambers County.....	33
-------------------------	----

## **TABLE OF CONTENTS—Continued**

	<b>Page</b>
2. Liberty County .....	35
3. Montgomery County.....	37

**RECORDS OF WELLS, DRILLERS' LOGS, WATER-LEVEL  
MEASUREMENTS, AND CHEMICAL ANALYSES OF  
GROUND WATER IN CHAMBERS, LIBERTY, AND  
MONTGOMERY COUNTIES, TEXAS, 1980-84**

By

James F. Williams III, L. S. Coplin,  
C. E. Ranzau, Jr., and W. B. Lind  
U.S. Geological Survey

**INTRODUCTION**

Hydrologic data from Chambers, Liberty, and Montgomery Counties, Texas, are being collected in cooperation with the Harris-Galveston Coastal Subsidence District and the city of Houston to evaluate the ground-water resources of the greater Houston-Galveston region. The data-collection program consists of an inventory of new large-capacity and other selected wells, water-level measurements in observation wells, and a compilation of information on land-surface subsidence.

The hydrologic data are published every 5 years. The first report (Naftel, Fleming, and Vaught, 1976) presents data collected from 1966 through 1974 while the second report (Ratzlaff, Lind, and Ranzau, 1983) presents data collected from 1975 through 1979. This report presents records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water collected during 1980-84 (Tables 1-11). The records of wells and drillers' logs are for wells completed during 1980-84, but the water-level measurements and chemical analyses are new data on the newly drilled wells or additional data (1980-84) on previously published wells. All the wells listed in Tables 1-11 are shown in Figures 1-3. Additional information on the geology and hydrology of the area may be found in publications listed in "Selected References."

Most of the chemical analyses presented in this report were determined in the laboratories of the U.S. Geological Survey, but some data were obtained from commercial analyses. Dissolved solids (sum of constituents) and hardness (Ca, Mg) were recalculated to correspond to the Geological Survey reporting methods.

## **WELL-NUMBERING SYSTEM**

The well-numbering system used in this report was devised by the Texas Department of Water Resources for use throughout the State. Under this system, each 1-degree quadrangle is given a number consisting of two digits. These are the first two digits in the well number. Each 1-degree quadrangle is divided into 7½-minute quadrangles which are given two-digit numbers from 01 to 64. These are the third and fourth digits of the well number. Each 7½-minute quadrangle is divided into 2½-minute quadrangles which are given a single-digit number from 1 to 9. This is the fifth digit of the well number. Finally, each well within a 2½-minute quadrangle is given a two-digit number in the order in which it was inventoried, starting with 01. These are the last two digits of the well number.

On the well-location maps (Figures 1-3), only the last three digits of the well number are shown at each well location; the second two digits are shown in the northwest corner of each 7½-minute quadrangle; and the first two digits are shown by the large block numerals 60, 61, 64, and 65.

In addition to the seven-digit well number, a two-letter prefix is used to identify the county. The prefix for Chambers County is DH; for Liberty County, SB; and for Montgomery County, TS.

Table 1.--Records of wells in Chambers County

Water levels and drawdown: Reported water levels and drawdown given in feet.

Use of water : N, industrial; P, public supply; U, unused.

Water-bearing unit : CHCT, Chicot aquifer.

Type of data available : D, drillers' log (see table 2); W, water-level measurements (see table 3).

WELL	OWNER	DRILLER	DATE COMPLETED	DEPTH OF WELL (feet)	DIAMETER OF WELL (inches)	SCREEN LENGTH (feet)	WATER-DEPTH INTERVAL (feet)	BEARING UNIT	ALTITUDE OF LAND SURFACE (feet)	WATER LEVEL		USE OF WATER	DISCHARGE (gallons per minute)	DRAWDOWN (feet)	TYPE OF DATA AVAILABLE
										BELOW LAND SURFACE (feet)	DATE OF MEASUREMENT				
DH-64-09-338	XRAL STORAGE AND TERMINALING CO.	RAYMOND WATER WELLS	1983	170	5,2	20	150 - 170	CHCT	70	--	--	N	25	20	D
DH-64-09-925	SHELL OIL CO.	BUSSELL AND SON, INC.	1983	410	8,6	40	370 - 410	CHCT	26	104	06/12/1983	N	--	--	D
DH-64-11-817	CITY OF ANAHUAC, WELL NO. 4	O'DAY DRLG CO., INC.	1983	125	8	40	80 - 120	CHCT	22	18	08/11/1983	P	200	--	D
DH-64-17-213	HOLSCH TUBULAR PRODUCTS	O'DAY DRLG CO., INC.	1982	572	8,4	40	532 - 572	CHCT	16	152	07/16/1982	N	210	--	D
DH-64-26-401	EXXON CO., WELL NO. 151	--	--	600	4	--	--	CHCT	0	105	02/17/1982	U	--	--	W

Table 2.--Drillers' logs of wells in Chambers County

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well DH-64-09-338			Well DH-64-17-213		
Owner: XRAL Storage and Terminaling Co.			Owner: Holsch Tubular Products		
Driller: Raymond Water Wells			Driller: O'Day Drilling Co., Inc.		
Clay, red and gray	20	20	Topsoil	2	2
Sand	20	40	Clay	14	16
Clay, red and gray	40	80	Sand	16	32
Clay, red and blue	45	125	Clay	28	60
Sand	10	135	Sand, gray	55	115
Clay, red and blue	5	140	Clay	257	372
Sand	30	170	Sand, gray	19	391
			Clay	33	424
Well DH-64-09-925			Sand	12	436
Owner: Shell Oil Company			Clay	47	483
Driller: Bussell and Son, Inc.			Sand	11	494
Clay	15	15	Clay	23	517
Sand	20	35	Sand	55	572
Clay	300	335			
Sand	75	410			
Well DH-64-11-817					
Owner: City of Anahuac, Well No. 4					
Driller: O'Day Drilling Co., Inc.					
Topsoil	3	3			
Clay	50	53			
Sand	67	120			
Clay	5	125			

Table 3.--Water levels in wells in Chambers County

(feet below land surface)

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
WELL DH-64-09-301 OWNER: CHAMBERS COUNTY W.C.I.D. 1, WELL NO. 5 SCREEN: 405-520 FEET ELEVATION: 43 FEET	02/28/1980 110.45 11/05/1980 106.13 01/30/1981 112.31 10/15/1981 111.43 03/05/1982 110.51 02/07/1983 111.13 01/11/1984 112.70	WELL DH-64-09-811 OWNER: H.L. AND P. CO., CEDAR BAYOU PLANT, WELL NO. 1 SCREEN: 324-394 FEET ELEVATION: 13 FEET	02/18/1980 138.40 10/24/1980 136.50 01/30/1981 124.00 02/27/1981 124.50 05/01/1981 139 06/29/1981 125 08/03/1981 127 10/02/1981 119 11/02/1981 120 12/03/1981 115 05/05/1982 114 07/01/1982 114 08/12/1982 112 10/27/1982 109 02/11/1983 110 03/21/1983 108 05/23/1983 108 11/22/1983 105 03/08/1984 109 07/17/1984 111 10/10/1984 108	WELL DH-64-09-924 OWNER: H.L. AND P. CO., CEDAR BAYOU PLANT, WELL NO. 2 SCREEN: 352-400 FEET ELEVATION: 17 FEET	02/18/1980 129.50 10/24/1980 124.30 01/30/1981 123.00 02/27/1981 120.25 05/01/1981 129 06/29/1981 121 08/03/1981 119 10/02/1981 115 11/02/1981 113 12/03/1981 110 05/05/1982 110 07/01/1982 110 08/12/1982 112 10/27/1982 106 02/11/1983 103 03/21/1983 103 05/23/1983 103 11/22/1983 101 03/08/1984 105 07/17/1984 107 10/10/1984 104
WELL DH-64-09-302 OWNER: CHAMBERS COUNTY W.C.I.D. 1, WELL NO. 4 SCREEN: 418-521 FEET ELEVATION: 43 FEET	02/28/1980 116.62 11/05/1980 110.97 01/30/1981 119.08 03/05/1982 114.15 10/25/1982 109.10 02/07/1983 110.00 01/11/1984 109.45	WELL DH-64-09-921 OWNER: H.L. AND P. CO., CEDAR BAYOU PLANT, WELL NO. 3 SCREEN: 335-391 FEET ELEVATION: 24 FEET	02/18/1980 127.60 10/24/1980 122.30 01/30/1981 121.00 02/27/1981 119.75 05/01/1981 113 06/29/1981 121 08/03/1981 119 10/02/1981 114 11/02/1981 113 12/03/1981 110 05/05/1982 110 07/01/1982 110	WELL DH-64-11-801 OWNER: CITY OF ANAHUAC, WELL NO. 2 SCREEN: 73-133 FEET ELEVATION: 22 FEET	03/06/1980 .21 10/31/1980 20 02/02/1981 22 10/16/1981 21 03/09/1982 36 10/26/1982 24.42 02/10/1983 23.20 03/08/1984 22.81
WELL DH-64-09-308 OWNER: DIAMOND ALKALI DEPTH: 149 FEET ELEVATION: 27 FEET	10/15/1981 127.44 03/05/1982 107.48 10/25/1982 101.85 01/11/1984 108.40	WELL DH-64-11-802 OWNER: CITY OF ANAHUAC, WELL NO. 1 SCREEN: 80-120 FEET ELEVATION: 22 FEET	08/12/1982 112 10/27/1982 106 02/11/1983 103 03/21/1983 104 05/23/1983 103 11/22/1983 101 03/08/1984 105 07/17/1984 106 10/10/1984 104	WELL DH-64-11-802 OWNER: CITY OF ANAHUAC, WELL NO. 1 SCREEN: 80-120 FEET ELEVATION: 22 FEET	03/06/1980 27 10/31/1980 26 02/02/1981 28 10/16/1981 28 03/09/1982 29 10/26/1982 29 02/10/1983 28 03/08/1984 28
02/28/1980 16.83 11/05/1980 16.46 01/30/1981 17.72 10/15/1981 17.75 03/05/1982 17.66 10/25/1982 19.26 01/11/1984 17.75	- 5 -				

**Table 3.--Water Levels in wells in Chambers County--Continued**

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
<b>WELL DH-64-11-816</b>					
OWNER: CITY OF ANAHUAC,		OWNER: TRINITY BAY CONSERVATION		OWNER: SUN OIL CO.	
WELL NO. 3		DIST., WELL NO. 2		DEPTH: 150 FEET	
SCREEN: 80-100 FEET		SCREEN: 117-147 FEET		ELEVATION: 16 FEET	
ELEVATION: 22 FEET		ELEVATION: 26 FEET			
03/06/1980	30	03/06/1980	89	03/06/1980	33 *
10/31/1980	28	02/02/1981	91	11/05/1980	32.05
02/02/1981	33	10/16/1981	95	02/02/1981	33.47
10/16/1981	28	03/09/1982	93	10/16/1981	33.26
03/09/1982	30	10/26/1982	95	03/09/1982	33.35
10/26/1982	28.40	02/10/1983	69.70	10/26/1982	32.02
02/10/1983	27.95	03/08/1984	74.18	02/10/1983	33.66
03/08/1984	28.94			03/08/1984	32.30
<b>WELL DH-64-11-901</b>					
OWNER: BARRINGER		OWNER: HARVEY HAYNES		OWNER: EXXON CO., WELL NO. 151	
SCREEN: 340-350 FEET		DEPTH: 195 FEET		DEPTH: UNKNOWN	
ELEVATION: 22 FEET		ELEVATION: 23 FEET		ELEVATION: SEA LEVEL	
03/06/1980	33.37	03/06/1980	26.15	02/17/1982	105.15
10/16/1981	33.55	10/31/1980	26.32	09/02/1982	97.64
03/09/1982	33.64	02/02/1981	25.99	02/24/1983	94.73
10/26/1982	33.34	10/16/1981	27.66	08/08/1984	92.22
02/10/1983	33.37	03/09/1982	31.18		
03/08/1984	33.40	10/26/1982	30.42	<b>WELL DH-64-26-701</b>	
		02/10/1983	27.74	OWNER: EXXON CO., WELL NO. A-1	
		03/08/1984	28.83	DEPTH: 610-671	
* WELL DH-64-13-306					
OWNER: TRINITY BAY CONSERVATION		OWNER: WILBURN BROS.		ELEVATION: SEA LEVEL	
DIST., WELL NO. 3		SCREEN: 78-105 FEET			
SCREEN: 130-199 FEET		ELEVATION: 23 FEET			
ELEVATION: 27 FEET					
03/06/1980	58	03/03/1980	19.93	03/10/1980	108.80
02/02/1981	63	11/05/1980	19.81	02/09/1981	110.39
03/09/1982	58	01/30/1981	20.24	10/29/1981	110.79
02/10/1983	63	10/15/1981	20.32	02/17/1982	110.55
03/08/1984	61	03/05/1982	20.11	09/02/1982	95.58
		10/25/1982	20.74	02/24/1983	112.53
		02/09/1983	19.98	08/08/1984	91.83
		01/11/1984	20.70		
<b>WELL DH-64-13-601</b>					
OWNER: TRINITY BAY CONSERVATION		OWNER: SEACREST PARK		<b>WELL DH-64-26-710</b>	
DIST., WELL NO. 1		SCREEN: 666-687 FEET		OWNER: EXXON CO., WELL NO. A-145	
SCREEN: 116-146 FEET		ELEVATION: 25 FEET		DEPTH: UNKNOWN	
ELEVATION: 26 FEET				ELEVATION: SEA LEVEL	
03/06/1980	88	03/03/1980	134.50	03/10/1980	92.69
10/31/1980	79	11/05/1980	132.88		
02/02/1981	90	01/30/1981	135.67		
10/16/1981	83	10/15/1981	136.49		
03/09/1982	85	03/05/1982	63.45		
10/26/1982	87.40	10/25/1982	64.65		
02/10/1983	69.20	02/09/1983	63.47		
03/08/1984	73.50	01/11/1984	62.34		
<b>WELL DH-64-26-809</b>					
OWNER: EXXON CO., WELL NO. A-94					
DEPTH: UNKNOWN					
ELEVATION: SEA LEVEL					
03/10/1980	93.17				
10/29/1981	88.22				
02/17/1982	82.50				
09/02/1982	72.24				
02/24/1983	31.70				

Table 4.--Records of wells in Liberty County

Water levels and drawdown: Reported water levels and drawdown given in feet; measured water levels and drawdown given in feet and tenths or feet and hundredths.  
 Use of water : H, domestic; I, irrigation; N, industrial; P, public supply.  
 Water-bearing unit : CHCT, Chicot aquifer; EVGL, Evangeline aquifer.  
 Type of data available : D, drillers' log (see table 5); E, electric log; Q, chemical analysis (see table 7); W, water-level measurements (see table 6).

WELL	OWNER	DRILLER	DATE COMPLETED	DEPTH OF WELL (feet)	DIAMETER OF WELL (inches)	SCREEN LENGTH (feet)	SCREEN DEPTH INTERVAL (feet)	WATER-BEARING UNIT	ALTITUDE OF LAND SURFACE (feet)	WATER LEVEL		USE OF WATER	DISCHARGE (gallons per minute)	DRAWDOWN (feet)	TYPE OF DATA AVAILABLE
										BELOW LAND SURFACE DATUM (feet)	DATE OF MEASUREMENT				
SB-61-33-804	KIRBY FOREST INDUSTRIES	MILLER'S PUMP AND SUPPLY CO., INC.	1979	287	10,6	40	247 - 287	EVGL	155	40	11/01/1979	N	--	--	D
SB-61-33-805	KIRBY FOREST INDUSTRIES	MILLER'S PUMP AND SUPPLY CO., INC.	1979	365	10,6	40	325 - 365	EVGL	155	84	--	N	--	--	D
SB-61-33-806	KIRBY FOREST INDUSTRIES	MILLER'S PUMP AND SUPPLY CO., INC.	1980	370	10,6	40	320 - 360	EVGL	155	64	09/01/1980	N	--	--	D
SB-61-34-202	SIX LAKES SUB-DIVISION	MILLER'S PUMP AND SUPPLY CO., INC.	1980	160	6,4	20	138 - 158	EVGL	75	--	--	P	--	--	D
SB-61-34-512	BAR-D-RANCHETTE	MILLER'S PUMP AND SUPPLY CO., INC.	1979	220	6,4	20	200 - 220	EVGL	80	--	--	H	--	--	D
SB-61-57-611	CITY OF DAYTON, WELL NO. 5	ALSA-Y-PIPPIN CORP.	1980	1319	16,10	189	1044 - 1314	EVGL	82	113.20	04/10/1980	P	1012	63.5	D,E,Q,W
SB-61-58-305	CITY OF LIBERTY, WELL NO. 5	LAYNE-WESTERN CO., INC.	1980	1645	16,10	200	1300 - 1638	EVGL	70	75	10/ /1980	P	1585	130	D
SB-61-58-306	SYNTHETIC FLUIDS, INC.	SAM GORE WATER WELL SERVICE	1984	440	6	30	410 - 440	EVGL	25	40	03/23/1984	N	250	--	D
SB-61-59-106	GRAVES AND PARTLOW	KATY DRILLING CO.	1972	485	20,12	--	--	EVGL	72	43.69	03/21/1980	I	--	--	W
SB-64-02-401	THE LAND OFFICE, WELL NO. 1	RAYMOND WATER WELLS	1983	293	6,4	30	245 - 284	CHCT	49	78	01/17/1983	P	235	28	D

Table 5.--Drillers' logs of wells in Liberty County

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well SB-61-33-804					
Owner:	Kirby Forest Industries				
Driller:	Miller's Pump and Supply Co., Inc.				
Clay	25	25	Gravel, coarse	6	92
Sand	57	82	Rock	3	95
Clay	35	117	Sand	18	113
Gravel	8	125	Clay	8	121
Rock	4	129	Rock	4	125
Sand	11	140	Sand and rock strips	17	142
Rock	2	142	Sand	50	192
Sand and rock strips	86	228	Sandstone	6	198
Clay	12	240	Sand, hard and rock strips	25	223
Sand	37	277	Sand	30	253
Rock and clay	10	287	Clay	17	270
			Sandstone	10	280
Well SB-61-33-805					
Owner:	Kirby Forest Industries				
Driller:	Miller's Pump and Supply Co., Inc.				
Sand and clay	95	95	Rock	1	320
Clay and gravel	30	125	Sand	15	335
Rock	5	130	Rock	1	336
Rock and sand strips	16	146	Sand	14	350
Sand	50	196	Rock	1	351
Rock and sand strips	29	225	Sand	9	360
Rock and gravel	29	254	Sand strips	10	370
Clay	66	320	Well SB-61-34-202		
Rock	3	323	Owner:	Six Lakes Subdivision	
Sand strips	7	330	Driller:	Miller's Pump and Supply Co., Inc.	
Sand	35	365	Clay	20	20
			Sand	18	38
Well SB-61-33-806					
Owner:	Kirby Forest Industries				
Driller:	Miller's Pump and Supply Co., Inc.				
Topsoil	20	20	Sand and gravel	16	110
Sand and gravel	58	78	Clay	8	118
Clay, white	8	86	Sand	40	158
			Clay	2	160

Table 5.--Drillers' logs of wells in Liberty County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well SB-61-34-512					
Owner:	Bar-D-Ranchette		Well SB-61-57-611--Continued		
Driller:	Miller's Pump and Supply Co., Inc.		Clay, sandy	25	840
Sand and clay	25	25	Clay and sandy gravel	50	890
Sand	100	125	Clay	10	900
Clay	18	143	Sand	43	943
Sand	10	153	Clay, sandy	5	948
Sand and rock strips	18	171	Gravel and sandy rock	2	950
Sand	50	221	Clay and sand	40	990
Rock	1	222	Clay and gravel	15	1005
Well SB-61-57-611					
Owner:	City of Dayton, Well No. 5		Clay, sandy	12	1017
Driller:	Alsay-Pippin Corporation		Rock, hard, sandy	28	1045
Gravel and clay	76	76	Clay and gravel	23	1068
Clay	112	188	Clay, sandy	30	1098
Clay, sandy and gravel	27	215	Clay, hard	22	1120
Clay, sandy and sand	40	255	Sand	10	1130
Clay, sandy	28	283	Clay, blue and gravel	20	1150
Clay, sandy, blue	35	418	Sand	40	1190
Clay, sandy and gravel	12	430	Clay and gravel	27	1217
Clay, red and blue	10	440	Clay, sandy	8	1225
Clay and gravel	30	470	Sand	54	1279
Sand	40	510	Sand and gravel	61	1340
Clay	40	550	Well SB-61-58-305		
Sand	10	560	Owner:	City of Liberty, Well No. 5	
Clay, sandy	15	575	Driller:	Layne-Western Co., Inc.	
Clay and gravel	20	595	Sand	70	70
Sand	40	635	Clay	20	90
Clay, sandy and sand	24	659	Clay and sand streaks	5	95
Clay, sandy, blue	32	691	Clay	5	100
Clay	27	718	Clay and sand streaks	12	105
Clay, sandy	34	752	Clay, sandy	3	117
Clay	13	765	Clay and sand streaks	23	120
Sand	50	815	Sand	14	143

Table 5.--Drillers' logs of wells in Liberty County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
<b>Well SB-61-58-305--Continued</b>					
Clay and sand streaks	15	172			
Clay	30	202	Topsoil		26
Sand and clay streaks	12	214	Sand		17
Clay	14	228	Clay		35
Sand	11	239	Sand		36
Clay	2	241	Clay		96
Sand	5	246	Sand		15
Clay	32	278	Clay		48
Sand and clay streaks	2	280	Shale		105
Sand, coarse	32	312	Sand		60
Clay and sand streaks	30	342			
Sand and clay	16	358			
Clay	18	376	Clay		20
Sand	20	396	Sand		20
Clay and sand	15	411	Clay, red and gray		20
Sand and clay streaks	49	460	Sand		60
Clay	10	470	Clay, red and gray		20
Sand and clay	31	501	Clay, blue		140
Clay	10	511	Sand		110
Sand and clay streaks	12	523	Clay		250
Sand	65	588	Sand		15
Clay and sand streaks	11	599	Clay		274
Sand and clay streaks	39	638			9
Clay and sand streaks	62	700			283
Sand	8	708			10
Clay streaks and sand	45	753			293
Sand	7	760			
Clay	5	765			
Sand	17	782			
Clay	9	791			

Table 6.--Water levels in wells in Liberty County

(feet below land surface)

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
WELL SB-60-48-102		WELL SB-60-64-301		WELL SB-61-33-701	
OWNER: CITY OF CLEVELAND,		OWNER: E.J. STOESSER, WELL NO. 2		OWNER: ROY ELLEDGE	
WELL NO. 1		DEPTH: 1,006 FEET		DEPTH: 835 FEET	
SCREEN: 619-833 FEET		ELEVATION: 82 FEET		ELEVATION: 157 FEET	
ELEVATION: 157 FEET					
03/24/1980	50.03	03/11/1980	84.07	03/24/1980	35.34
09/03/1980	71.05	02/03/1981	78.26	02/02/1981	44.06
02/02/1981	64.37	09/14/1983	80.78	09/24/1981	45.76
09/24/1981	70.43	02/03/1984	78.25	03/03/1982	44.40
03/03/1982	66.17			10/14/1982	37.87
02/16/1983	68.65	WELL SB-60-64-303		02/16/1983	33.43
09/13/1983	62.83	OWNER: E.J. STOESSER, WELL NO. 6		08/14/1983	31.84
03/07/1984	64.41	SCREEN: 203-580 FEET		03/06/1984	33.81
		ELEVATION: 85 FEET			
WELL SB-60-48-302		03/11/1980	68.50	WELL SB-61-33-708	
OWNER: VERNON ELLEDGE, WELL NO. 2		02/03/1981	73.51	OWNER: ROY A. MORTON AND SONS	
DEPTH: 452 FEET		09/22/1981	82.00	DEPTH: 693 FEET	
ELEVATION: 153 FEET		02/23/1982	77.36	ELEVATION: 161 FEET	
03/24/1980	18.66	10/21/1982	92.19	03/24/1980	34.46
09/03/1980	22.18	02/07/1983	74.36	02/02/1981	44.06
02/02/1981	23.12	02/03/1984	76.41	09/24/1981	39.51
09/22/1981	21.44			03/03/1982	36.79
10/14/1982	25.45	WELL SB-60-64-602		10/14/1982	34.10
02/08/1983	18.22	OWNER: E.J. STOESSER, WELL NO. 4		09/14/1983	30.59
09/14/1983	16.08	DEPTH: 1,017 FEET		03/06/1984	33.97
03/07/1984	12.86	ELEVATION: 83 FEET			
WELL SB-60-56-901		03/11/1980	119.58	WELL SB-61-41-101	
OWNER: E.J. STOESSER, WELL NO. 3		02/03/1981	109.72	OWNER: VERNON ELLEDGE	
DEPTH: 1,015 FEET		09/22/1981	123.52	DEPTH: 502 FEET	
ELEVATION: 86 FEET		02/23/1982	112.06	ELEVATION: 153 FEET	
03/11/1980	66.95	10/21/1982	127.45	03/24/1980	30.72
02/03/1981	71.59	02/07/1983	113.29	09/03/1980	32.48
09/22/1981	87.08	02/04/1984	116.93	02/02/1981	33.62
02/23/1982	71.11			09/24/1981	33.91
10/22/1982	94.16	WELL SB-60-64-901		03/04/1982	31.20
02/07/1983	72.51	OWNER: M.F. ZALESKY		10/14/1982	34.64
09/14/1983	77.73	DEPTH: 912 FEET		02/08/1983	30.62
02/04/1984	68.06	ELEVATION: 70 FEET		09/14/1983	32.98
		03/11/1980	105.17	03/07/1984	29.02
WELL SB-60-56-902					
OWNER: E.J. STOESSER, WELL NO. 5		WELL SB-61-33-601		WELL SB-61-41-701	
DEPTH: 1,040 FEET		OWNER: C. DIE		OWNER: M.A. SCOTT	
ELEVATION: 85 FEET		SCREEN: 130-140 FEET		DEPTH: 625 FEET	
03/11/1980	98.20	ELEVATION: 126 FEET		ELEVATION: 128 FEET	
02/03/1981	93.11	03/24/1980	54.34	03/24/1980	44.85
09/14/1983	90.62	09/03/1980	57.49	09/03/1980	49.35
02/04/1984	92.88	02/02/1981	57.36	02/02/1981	51.09
		09/24/1981	57.54	09/24/1981	53.94
		03/01/1982	57.10	03/03/1982	50.83
		10/14/1982	57.65	02/16/1983	44.44
		02/08/1983	56.24	09/14/1983	43.77
		09/13/1983	55.23	03/07/1984	45.39
		03/07/1984	54.07		

Table 6.--Water levels in wells in Liberty County--Continued

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	
WELL SB-61-43-801 OWNER: A.L. ERICKSON DEPTH: 100 FEET ELEVATION: 93 FEET	41.40 43.95 42.39 44.87 43.17 46.49 44.31	02/16/1983 09/13/1983 03/07/1984	43.02 42.53 42.22	WELL SB-61-51-102--Cont. OWNER: J.M. FROST,JR., WELL NO. 1 DEPTH: 800 FEET ELEVATION: 67 FEET	105.74 115.44 111.76 102.24 109.42 100.05	
03/21/1980 09/03/1980 02/18/1981 09/24/1981 03/01/1982 02/16/1983 03/07/1984	41.40 43.95 42.39 44.87 43.17 46.49 44.31	WELL SB-61-51-806 OWNER: MORGAN TIPPETT DEPTH: 624 FEET ELEVATION: 68 FEET	03/20/1980 09/03/1980 02/18/1981 09/23/1981 02/25/1982 02/14/1983 09/13/1983 02/08/1984	36.88 53.95 34.34 51.37 31.30 31.60 31.58 31.15	03/21/1980 02/03/1981 09/04/1981 02/25/1982 10/22/1982 02/08/1984	105.74 115.44 111.76 102.24 109.42 100.05
WELL SB-61-49-802 OWNER: W.A. CONNERS DEPTH: 760 FEET ELEVATION: 97 FEET	66.21	03/11/1980	119.35	WELL SB-61-57-703 OWNER: J.M.FROST,JR., WELL NO. 2 SCREEN: 240-837 FEET ELEVATION: 67 FEET	128.75 122.13 108.74 09/04/1981 02/25/1982 10/13/1982 02/14/1983 09/15/1983 02/08/1984	126.32 115.62 115.26 118.49 105.75 112.97
WELL SB-61-49-807 OWNER: BOLLINGER BROS. SCREEN: 65-396 FEET ELEVATION: 97 FEET	80.05 93.12 79.82 96.31 85.12 85.78 91.83 82.14 95.80	03/11/1980 09/29/1980 02/03/1981 09/04/1981 02/24/1982 10/22/1982 02/14/1983 09/06/1983 02/08/1984	118.42 125.00 113.63 126.21 106.10 128.43 116.11 106.82 107.90	WELL 61-57-506 OWNER: W.M. MOREAU DEPTH: 940 FEET ELEVATION: 78 FEET	03/20/1980 09/03/1980 02/18/1981 09/04/1981 02/25/1982 10/13/1982 09/06/1983 02/08/1984	58.32 65.53 56.27 60.03 47.42 45.90 46.20 42.84
WELL SB-61-51-101 OWNER: DENNISON DEPTH: 1,150 FEET ELEVATION: 95 FEET	45.05 49.88 47.49 49.21 48.40 50.24 55.04 46.29 48.10	03/11/1980 09/29/1980 02/03/1981 03/03/1982 10/13/1982 02/16/1983 09/13/1983 03/06/1984	118.42 125.00 113.63 126.21 106.10 128.43 116.11 106.82 107.90	WELL SB-61-57-611 OWNER: CITY OF DAYTON, WELL NO. 5 SCREEN: 1,044-1,314 FEET ELEVATION: 82 FEET	03/20/1980 09/03/1980 02/18/1981 09/04/1981 02/25/1982 10/13/1982 09/06/1983 02/08/1984	58.32 65.53 56.27 60.03 47.42 45.90 46.20 42.84
WELL SB-61-51-102 OWNER: FRANK DUKE DEPTH: 660 FEET ELEVATION: 87 FEET	44.48 45.31 43.47 46.36 44.31 51.53	04/10/1980 10/21/1980 02/03/1981 02/25/1982 10/13/1982 09/06/1983 02/08/1984	113.20 100.67 107.42 102.80 105.68 101.91 104.32	WELL SB-61-59-106 OWNER: GRAVES AND PARTLOW DEPTH: 485 FEET ELEVATION: 72 FEET	03/21/1980 02/18/1981 09/23/1981 02/24/1982 09/14/1983 02/08/1984	43.69 45.07 49.81 44.10 40.89 42.75
03/21/1980 09/03/1980 02/18/1981 09/24/1981 03/03/1982 10/13/1982	44.48 45.31 43.47 46.36 44.31 51.53	-	-	-	-	

Table 6.--Water levels in wells in Liberty County--Continued

DATE	WATER LEVEL
WELL SB-61-59-501	
OWNER: C.F. KALLINA	
DEPTH: 1,180 FEET	
ELEVATION: 66 FEET	
03/20/1980	53.05
09/03/1980	63.54
02/18/1981	55.24
09/04/1981	56.50
02/25/1982	52.79
10/13/1982	55.65
02/14/1983	51.73
09/13/1983	51.10
02/08/1984	49.04

WELL SB-61-60-902  
OWNER: WILLIS ESTATE  
SCREEN: 429-492 FEET  
ELEVATION: 53 FEET

03/20/1980	32.15
09/29/1980	33.18
02/18/1981	32.44
02/24/1982	33.93
10/13/1982	32.17
02/14/1983	33.10

Table 7.--Chemical analyses of water from wells in Liberty County

Water-bearing unit: EVGL, Evangeline aquifer

[mg/L, milligram per liter; µg/L, microgram per liter; micromhos, micromhos per centimeter at 25 degrees Celsius; deg C = degrees Celsius]

WELL	OWNER	DEPTH OR PRODUCING INTERVAL (feet)	WATER- BEARING UNIT	DATE OF SAMPLE	SILICA, DIS- (mg/L SiO <sub>2</sub> )	IRON, IRON, as Fe)	MANGANESE, DIS- (µg/L as Mn)	CALCIUM, DIS- (mg/L as Ca)	SODIUM, DIS- (mg/L as Mg)	BICAR- DIS- (mg/L as Na)	CAR- BONATE BONATE HCO <sub>3</sub> )	SUL- FATE as SO <sub>4</sub> )	CHLO- RIDE, DIS- SOLVED as Cl)	FLUO- RIDE, DIS- SOLVED as F)	DIS- NESS SUM OF as CO <sub>3</sub> )	HARD- SOLIDS, NESS as CaCO <sub>3</sub> )	SPE- CIFIC DUCT- ANCE (stand- ard ATURE units) (deg C)	PH		
1/ SB-61-57-611	CITY OF DAYTON, 1044 - 1314 WELL NO. 5		EVGL	80-04-14	25	100	50	22	4	63	200	0	0	33	0.20	310	71	343	7.2	--

1/ Analyzed by Curtis Laboratories.

Table 8.-- Records of wells in Montgomery County

Water levels and drawdown: Reported water levels or drawdown given in feet; measured water levels or drawdown given in feet and hundredths.  
 Use of water : H, domestic; I, irrigation; N, industrial; P, public supply.  
 Water-bearing unit : CHCT, Chicot aquifer; EVGL, Evangeline aquifer; JSPR, Jasper aquifer.  
 Type of data available : D, drillers' log (see table 9); E, electric log; I, induction log;  
 Q, chemical analysis (see Table 11).

WELL	OWNER	DRILLER	DATE COMPLETED	DEPTH OF WELL (feet)	DIAMETER OF WELL (inches)	SCREEN LENGTH (feet)	DEPTH INTERVAL (feet)	WATER-BEARING UNIT	ALTITUDE OF LAND SURFACE (feet)	WATER LEVEL		USE OF WATER	DISCHARGE (gallons per minute)	DRAWDOWN (feet)	TYPE OF DATA AVAILABLE
										BELLOW LAND SURFACE (feet)	DATE OF MEASUREMENT				
TS-60-35-703	DOBBIN - PLANTERSVILLE WATER SUPPLY CORP., WELL NO. 2	LAMFORD DRILG CO., INC.	1983	763	10,6	63	697 - 760	EVGL	290	105	01/24/1983	P	151	27	D,E,Q
TS-60-35-810	MONTGOMERY I.S.D.	LORANCE WATER WELLS	1972	580	4,2	20	560 - 580	EVGL	303	78	10/12/1972	P	70	30	D
TS-60-35-811	WEISINGER, RAYMOND	CON-TEX WATER WELL CO.	1966	582	6,4	20	556 - 576	EVGL	310	85	--	P	300	--	D
TS-60-35-906	MONTGOMERY CO. M.U.D. 9	ALSAY-PIPPIN CORP.	1980	735	16,10	164	480 - 730	EVGL	195	67.42	04/22/1980	P	1200	46.26	D,E
TS-60-35-907	LAKE CONROE INTERESTS	BUSSELL AND SON, INC.	1982	490	6,4	20	470 - 490	EVGL	238	47	05/14/1982	P	--	--	D
TS-60-36-606	GULF STATES UTILITIES, LEWIS CREEK, WELL NO. 1A	CON-TEX WATER WELL CO.	1973	309	4,2	15	272 - 293	EVGL	265	76	11/26/1973	N	125	--	D
TS-60-36-607	GULF STATES UTILITIES LEWIS CREEK, WELL NO. 2B	CON-TEX WATER WELL CO.	1973	308	4,2	15	271 - 286	EVGL	265	75	11/29/1973	N	125	--	D
TS-60-36-608	HULON, JOHNNY	M AND M WELL SERV.	1973	414	4,2	20	394 - 414	EVGL	345	157	08/21/1973	P	60	--	D
TS-60-36-707	LUNDES, MILTON	CON-TEX WATER WELL CO.	1977	276	4,2	20	253 - 273	EVGL	212	32	03/16/1977	P	200	--	D
TS-60-36-906	GOODFREY, DALE	COASTAL WATER WELLS	1982	400	6,4	40	360 - 400	EVGL	265	110	11/16/1982	H	95	--	D
TS-60-43-512	GERLOFF, O.A.	SIEGERT WATER WELL, INC.	1981	43	16	12	31 - 43	CHCT	305	12	12/03/1981	I	--	--	D
TS-60-44-408	MOCK, CLIFF	CON-TEX WATER WELL CO.	1982	920	6,4	45	855 - 907	JSRP	255	95	03/08/1982	N	600	--	D
TS-60-45-112	WOODGATE PLACE	RAYMOND WATER WELLS	1983	880	6,4,2	35	535 - 570	EVGL	257	100	03/21/1983	P	--	--	D

Table 8.--Records of wells in Montgomery County--Continued

WELL	OWNER	DRILLER	DATE COMPLETED	DEPTH OF WELL (feet)	DIAMETER OF WELL (inches)	SCREEN LENGTH (feet)	SCREEN DEPTH INTERVAL (feet)	WATER-BEARING UNIT	ALTITUDE OF LAND SURFACE (feet)	BELOW LAND SURFACE DATUM (feet)	DATE OF MEASUREMENT	USE OF WATER	DISCHARGE (gallons per minute)	DRAWDOWN (feet)	TYPE OF DATA AVAILABLE	WATER LEVEL	
																WATER LEVEL	WATER LEVEL
TS-60-45-612	FT. WORTH PIPE AND SUPPLY	RAYMOND WATER WELLS	1982	735	6,4	60	633 - 735	EVGL	207	125	09/20/1982	N	245	100	D		
TS-60-45-809	EAST PLANTATION M.U.D., WELL NO. 2	LAYNE-TEXAS CO.	1981	1265	14,8	210	700 - 1250	EVGL, JSPR	140	88	06/02/1981	P	785	69	D,E,Q		
TS-60-46-712	EXXON CO.	WEISINGER WATER WELL, INC.	1980	200	8,6	20	171 - 191	EVGL	162	38	02/04/1980	N	500	--	D		
TS-60-50-609	WOODLAND LAKES CIVIC CLUB	WEISINGER WATER WELL, INC.	1980	532	6,4	40	492 - 532	EVGL	255	156	09/09/1980	P	250	--	D		
TS-60-53-315	EXXON CO.	CON-TEX WATER WELL CO.	1979	266	6,4	31	165 - 196	EVGL	152	44	08/21/1979	N	200	--	D		
TS-60-53-406	WOODLANDS DEVELOPMENT CORP., WELL NO. 5	LAYNE-TEXAS CO.	1982	1620	16,10	240	1110 - 1605	JSPR	155	70	10/06/1982	P	1266	60	D,E,Q		
TS-60-53-712	WOODLANDS M.U.D., WELL NO. 6	ALSAV-PIPPIN CORP.	1979	1548	16,10	140	1168 - 1538	JSPR	110	--	--	P	920	--	D,E		
TS-60-53-713	WOODLANDS DEVELOPMENT CORP., WELL NO. 2	LAYNE-WESTERN CO., INC.	1981	1710	16,10	205	1150 - 1690	JSPR	136	78	01/20/1982	P	1230	57	D,E,Q		
TS-60-53-714	WOODLANDS DEVELOPMENT CORP., WELL NO. 4	TEXAS WATER WELLS, INC.	1974	1052	24,16,10	222	482 - 1032	EVGL	125	117	09/04/1974	P	--	--	D		
TS-60-53-715	MONTGOMERY CO. W.C.I.D. 1, WELL NO. 2	LAYNE-TEXAS CO.	1982	870	16,10	135	710 - 860	EVGL	125	237	08/27/1982	P	1000	77	D,E,Q		
TS-60-53-716	WOODLANDS GOLF COURSE, WELL NO. 1	WEISINGER WATER WELL, INC.	1981	500	6,4	30	470 - 500	EVGL	127	110	12/04/1981	P	200	--	D		
TS-60-53-717	WOODLANDS GOLF COURSE, WELL NO. 2	WEISINGER WATER WELL, INC.	1981	370	6,4	40	330 - 370	EVGL	114	78	12/10/1981	P	400	--	D		
TS-60-53-821	MONTGOMERY CO. M.U.D. 19, WELL NO. 1	ALSAV-PIPPIN CORP.	1979	1017	16,10	181	620 - 1012	EVGL	125	190	09/14/1979	P	1301	98	D,E		
TS-60-53-902	MONTGOMERY CO. M.U.D., IMPERIAL OAKS, WELL NO. 1	WATER RESOURCES OF TEXAS	1980	425	20,12	124	291 - 415	EVGL	111	90	06/26/1980	P	1000	54	D,E,Q		

Table 8.--Records of wells in Montgomery County--Continued

WELL	OWNER	DRILLER	DATE COMPLETED	DEPTH OF WELL (feet)	DIAMETER OF WELL (inches)	SCREEN		WATER-BEARING UNIT	ALTITUDE OF LAND SURFACE (feet)	WATER LEVEL		USE OF WATER	DISCHARGE (gallons per minute)	DRAWDOWN (feet)	TYPE OF DATA AVAILABLE
						LENGTH (feet)	DEPTH INTERVAL (feet)			BELOW LAND SURFACE DATUM (feet)	DATE OF MEASUREMENT				
TS-60-54-701	METRO GRAVEL CO.	CON-TEX WATER WELL CO.	1980	307	6,4	40	260 - 301	EVGL	87	38	01/24/1980	N	600	--	D
TS-60-55-313	CITY OF SPLENDORA	KEY DRLG CO.	1983	1375	10,6	75	1290 - 1365	JSPR	124	2	03/07/1983	P	308	39	D
TS-60-62-604	MONTGOMERY CO. M.U.D. 48, KINGWOOD PLACE, WELL NO. 1	LAYNE-TEXAS CO.	1982	1465	18,12	96	1164 - 1450	EVGL	85	151	12/04/1982	P	1016	29	D,I,Q
TS-60-63-108	PORTER WATER SUPPLY CORP., INC. WELL NO. 3	LANFORD DRLG CO., INC.	1980	850	12,6	130	670 - 840	EVGL	97	103	1980	P	402	43	D,E,Q

Table 9.--Drillers' logs of wells in Montgomery County

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-35-703			Well TS-60-35-811		
Owner: Dobbin - Plantersville Water Supply Corporation, Well No. 2			Owner: Raymond Weisinger		
Driller: Lanford Drilling Co., Inc.			Driller: Con-Tex Water Well Co.		
Sand	4	4	Clay	27	27
Clay	8	12	Rock	1	28
Shale	68	80	Clay	48	76
Sand with shale streaks	105	185	Sand and clay	14	90
Shale	23	208	Sand	7	97
Sand	44	252	Clay	121	218
Shale	168	420	Sand	16	234
Shale, sandy	15	435	Clay	60	294
Shale	120	555	Sand	31	325
Sand	23	578	Clay	135	460
Shale	24	602	Clay with sand streaks	57	517
Rock	4	606	Sand, hard	5	522
Shale and sandy shale	48	654	Clay	17	539
Sand	14	668	Sand	37	576
Shale, sandy	29	697	Clay	6	582
Sand	63	760	Well TS-60-35-906		
Shale	13	773	Owner: Montgomery County Municipal Utility District 9		
			Driller: Alsay-Pippin Corp.		
Well TS-60-35-810			Topsoil	3	3
Owner: Montgomery Independent School District			Clay, sandy red	14	17
Driller: Lorance Water Wells			Sand, tan	5	22
Clay	60	60	Clay red	18	40
Clay and lime	100	160	Sand, tan and white	95	135
Sand	20	180	Shale, gray	17	152
Sand streaks	20	200	Sand, white and brown	24	174
Clay	140	340	Shale, gray	14	188
Shale, hard	60	400	Sand with shale breaks	72	260
Shale and sand	30	430	Shale, gray	32	292
Shale	130	560	Sand, tan	34	326
Sand	21	581	Shale, gray	94	420
			Sand, tan	32	452

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-35-906--Continued			Well TS-60-36-607--Continued		
Shale, gray	30	482	Sand and clay	10	240
Sand with shale breaks	132	614	Clay	11	251
Shale	70	684	Sand	39	290
Sand	46	730	Sand and clay	10	300
Shale	370	1100	Sand	6	306
			Clay and sand	5	311
			Rock	1	312
Well TS-60-36-606			Well TS-60-36-608		
Owner: Gulf States Utilities Co., Lewis Creek, Well No. 1A			Owner: Johnny Hulon		
Driller: Con-Tex Water Wells			Driller: M and M Well Service		
Clay	125	125			
Sand	11	136	Topsoil	2	2
Clay	47	183	Sand and gravel	29	31
Sand	33	216	Clay, red	77	108
Shale	4	220	Shale	66	174
Sand	12	232	Clay and rock	128	302
Shale	16	248	Clay, gray	77	379
Sand	29	277	Sand	35	414
Shale	2	279			
Sand	14	293	Well TS-60-36-707		
Sand and shale	15	308	Owner: Milton Lunders		
Rock	1	309	Driller: Con-Tex Water Well Co.		
Well TS-60-36-607					
Owner: Gulf States Utilities Co., Lewis Creek, Well No. 2B					
Driller: Con-Tex Water Wells					
Clay	80	80	Sand	14	135
Rock	2	82	Clay	11	146
Clay	44	126	Sand	16	162
Rock	1	127	Clay	12	174
Clay	3	130	Sand	12	186
Sand	16	146	Shale	18	204
Clay	35	181	Sand	5	209
Sand	40	221	Rock	1	210
Clay	9	230	Sand	5	215

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-36-707--Continued			Well TS-60-44-608--Continued		
Shale	1	216	Shale	170	390
Sand	58	274	Sand	5	395
Lime	2	276	Sand and rock	5	400
Well TS-60-36-906 Owner: Dale Godfrey Driller: Coastal Water Wells			Shale	20	420
Clay	120	120	Sand	10	430
Sand	15	135	Shale, blue	7	437
Clay	85	220	Rock	1	438
Sand	15	235	Shale	2	440
Clay	25	260	Sand	8	448
Sand	20	280	Rock	2	450
Clay and rock	80	360	Shale	5	455
Sand	40	400	Sand	10	465
			Shale	5	470
			Sand, broken and shale	5	475
Well TS-60-43-512 Owner: O. A. Gerloff Driller: Siegert Water Wells, Inc.			Well TS-60-45-112 Owner: Woodgate Place Driller: Raymond Water Wells		
Topsoil and sand	3	3	Clay, red	12	12
Clay	16	19	Sand	88	100
Gravel and sand	26	45	Clay, red-to-gray and gray	180	280
Clay	2	47	Clay and sand Clay, red-to-gray	40	320
				20	340
Well TS-60-44-408 Owner: Cliff Mock Driller: Con-Tex Water Well Co.			Sand	40	380
Clay	28	28	Sand and clay	40	420
Sand with clay streaks	12	40	Sand and rock	20	440
Clay with sand streaks	60	100	Clay, red	20	460
Sand and clay	14	114	Clay and sandy shale	20	480
Clay	41	155	Clay	40	520
Rock	3	158	Well TS-60-45-612 Owner: Ft. Worth Pipe and Supply Driller: Raymond Water Wells		
Sand	37	195	Clay, red-to-gray	15	15
Clay	5	200	Gravel	5	20
Rock	20	220	Gray	75	95

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-45-612--Continued			Well TS-60-45-809--Continued		
Sand	100	195	Shale and sand	65	1050
Sand and shale	20	215	Shale	12	1062
Shale, red-to-gray	20	235	Shale, sandy	29	1091
Rock	60	295	Sand	47	1138
Clay and shale	20	315	Shale and sand streaks	12	1150
Sand, clay and rock	20	335	Sand, clay and shale	73	1223
Sand and clay	20	355	Sand	52	1275
Shale	140	495	Shale	21	1296
Sand and shale	20	515	Shale and clay	12	1308
			Shale, sandy	94	1402
Well TS-60-45-809			Well TS-60-50-609		
Owner: East Plantation Municipal Utility District, Well No. 2			Owner: Woodland Lakes Civic Club		
Driller: Layne-Texas Co.			Driller: Weisinger Water Well, Inc.		
Topsoil	3	3	Clay	15	15
Clay and sand	65	68	Sand	25	40
Sand and clay	17	85	Clay	12	52
Clay	26	111	Sand	8	60
Clay and sand streaks	20	131	Clay	30	90
Sand, gravel and clay	26	157	Sand	10	100
Sand and clay streaks	35	192	Clay	60	160
Clay	13	205	Rock	2	162
Sand and clay	18	223	Sand	18	180
Clay and sand	31	254	Rock	1	181
Clay	92	346	Clay	25	206
Sand and clay streaks	19	367	Sand	6	212
Clay	38	405	Clay	18	230
Clay and soft shale	122	527	Sand	5	235
Shale	75	602	Rock	10	245
Clay and soft shale	81	683	Sand	15	260
Sand and shale	70	753	Clay	8	268
Shale and clay	36	789	Sand and rock	32	300
Shale and sand	172	961	Sand	4	304
Sand	24	985			

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-50-609--Continued			Well TS-60-53-406		
Sand and rock	15	319	Owner: Woodlands Development Corp., Well No. 5		
Clay	26	345	Driller: Layne-Texas Co.		
Rock	4	349		4	4
Clay	21	370		7	11
Rock	2	372		18	29
Clay and rock	50	422		7	36
Clay	26	448		15	51
Sand	7	455		3	54
Clay	4	459		26	80
Sand	10	469		22	102
Clay	21	490		13	115
Sand	42	532		16	131
				7	138
				8	146
Well TS-60-53-315				11	157
Owner: Exxon Co.					
Driller: Con-Tex Water Well Co.					
Clay	20	20	Clay	13	170
Sand	10	30	Sand	7	177
Clay	10	40	Clay and sand	4	181
Sand	15	55	Sand	23	204
Clay	6	61	Clay	8	212
Sand	24	85	Sand	48	260
Clay	10	95	Shale and sand	29	289
Sand and clay	10	105	Sand	47	336
Sand and broken clay	89	194	Shale	40	376
Clay	4	198	Sand	12	388
Sand	3	201	Shale and sand	29	417
Shale	25	226	Shale	30	447
Sand	6	232	Sand and shale	57	504
Shale, blue	34	266	Shale	48	552
			Shale and sand	298	850
			Sand	29	879
			Shale and sand	86	965
			Sand and shale	15	980

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-53-406--Continued			Well TS-60-53-712--Continued		
Shale and sand	122	1102	Sand and shale	65	530
Sand and shale	18	1120	Shale, sandy	55	585
Shale	11	1131	Sand and shale	15	600
Sand and shale	11	1142	Shale	65	665
Shale	90	1232	Sand and shale	35	700
Sand and shale	14	1246	Shale	15	715
Shale	36	1282	Sand and shale	130	845
Sand	14	1296	Shale, sandy	30	875
Shale	84	1380	Sand and shale	55	935
Shale and sand	120	1500	Shale and sand	70	1005
Shale	26	1526	Sand and shale	40	1045
Sand	4	1530	Shale and sand	110	1155
Sand and shale	46	1576	Sand and shale	30	1185
Shale	14	1590	Shale, sandy	15	1200
Sand and shale	20	1610	Sand and shale	26	1226
Shale	190	1800	Shale	120	1346
			Sand	24	1370
Well TS-60-53-712			Shale	66	1436
Owner: Woodlands Municipal Utility District, Well No. 6			Sand and shale	54	1490
Driller: Alsay-Pippin Corp.					
Topsoil	12	12	Shale	38	1528
Gravel	7	19	Sand	12	1540
Shale, sandy	9	28	Shale	16	1556
Sand and shale	34	62	Sand	4	1560
Shale and sand	20	82	Shale	33	1593
Sand	48	130			
Shale	78	208	Well TS-60-53-713		
Sand and shale	77	285	Owner: Woodlands Development Corp., Well No. 2		
Clay	45	330	Driller: Layne-Western Co., Inc.		
Sand	30	365	Clay and sand	3	3
Shale	10	375	Clay	8	11
Sand and shale	20	395	Sand	27	38
Shale and sand	70	465	Clay	87	125
			Sand	6	131

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
<b>Well TS-60-53-713--Continued</b>					<b>Well TS-60-53-713--Continued</b>
Clay	19	150	Shale and sand streaks	5	1165
Sand	20	170	Shale	16	1181
Clay	12	182	Sand	31	1212
Sand	34	216	Sand and shale	7	1219
Shale	52	268	Shale	10	1229
Sand	3	271	Sand	68	1297
Shale	22	293	Shale	22	1319
Sand	12	305	Sandstone	38	1357
Shale	45	350	Shale	17	1374
Sand	25	375	Sand	41	1415
Shale	39	414	Shale	15	1430
Sand	13	427	Sand	18	1448
Rock and sand	110	537	Shale	66	1514
Shale	13	550	Sand	5	1519
Sandstone	32	582	Shale	48	1567
Shale	8	590	Sand	88	1655
Sand	37	627	Shale	33	1688
Shale	15	642	Sand	10	1698
Sand	24	666	Shale	102	1800
Shale	15	681			
Sand	17	698	Well TS-60-53-714 Owner: Woodlands Development Corp., Well No. 4 Driller: Texas Water Wells, Inc.		
Shale	16	714	Clay	5	5
Sand	26	740	Clay and sand	20	25
Shale	40	780	Sand and shale	10	35
Sand	18	798	Shale and sand	35	70
Shale	5	803	Clay and shale	10	80
Sand	3	806	Sand	15	95
Shale	86	892	Clay and shale	10	105
Sand	26	918	Shale, sandy	9	114
Shale	20	938	Clay, sandy	10	124
Sand	32	970	Sand with shale streaks	21	145
Shale	190	1160			

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-53-714--Continued			Well TS-60-53-714--Continued		
Shale	20	165	Sand and sandy shale	32	1141
Clay	15	180	Sand	9	1150
Shale, sandy	35	215	Shale, sandy	22	1172
Rock	25	240	Shale	8	1180
Sand	60	300	Sand	15	1195
Shale	35	335	Sand with shale streaks	9	1204
Sand	10	345	Sand	31	1235
Shale	10	355	Shale, sandy	32	1267
Sand	15	370	Shale	83	1350
Shale with sand streaks	60	430	Sand	20	1370
Shale, sandy	15	445	Shale	40	1410
Sand	50	495	Sand and shale	49	1459
Clay	42	537	Shale, sandy	27	1486
Clay and shale	18	555	Clay and shale	14	1500
Sand	5	560	Sand streaks and shale	17	1517
Shale, sandy	30	590	Sand	15	1532
Sand	36	626	Shale	48	1580
Shale, sandy	10	636	Sand	104	1684
Sand	14	650	Shale	114	1798
Shale, sandy	65	715	Shale with sandy shale	102	1900
Sand	40	755			
Shale, sandy	45	800	Well TS-60-53-715		
Sand	47	847	Owner: Montgomery County Water Control and Improvement District 1, Well No. 2 Driller: Layne-Texas Co.		
Shale	3	850	Topsoil	1	1
Sand with shale streaks	50	900	Clay	12	13
Sand	26	926	Sand, gravel and clay	44	57
Shale, sandy	9	935	Sand and clay	14	71
Shale	65	1000	Sand	13	84
Sand	30	1030	Sand streaks, clay and gravel	23	107
Shale	10	1040	Clay	2	109
Sand	10	1050	Sand	3	112
Shale and sandy shale	59	1109	Clay	38	150

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
<b>Well TS-60-53-715--Continued</b>					<b>Well TS-60-53-715--Continued</b>
Clay and lime streaks	8	158	Clay		3
Clay	14	172	Sand with clay streaks		3
Clay and sand streaks	20	192	Lime and clay		26
Sand	12	204	Clay with lime streaks		73
Sand, gravel and clay streaks	5	209	Clay and shale		688
Clay	11	220	Shale, clay and lime streaks		27
Sand and clay streaks	10	230	Sand and shale		720
Clay and lime streaks	2	232	Shale and clay		725
Sand	20	252	Sand		2
Clay	17	269	Clay		40
Sand and clay streaks	13	282	Shale		780
Clay	39	321	Clay and sand streaks		785
Clay with lime streaks	13	334	Shale		786
Clay and shale	5	339	Sand and hard streaks		810
Sand	6	345	Shale		819
Clay	8	353	Clay		850
Clay with sand streaks	5	358	Clay and sand		871
Clay	7	365	Clay		878
Clay and sand	15	380	Clay and sand streaks		899
Clay	13	393	Clay		913
Sand and clay	3	396	Clay and sand streaks		937
Clay	30	426	Shale and sand streaks		945
Sand with clay streaks	10	436	Clay		1031
Clay	10	446	Clay and lime		1035
Clay and lime	3	449	Sand and clay streaks		1044
Sand and gravel	3	452	Lime and clay		1070
Lime and sand streaks	10	462	Clay		1127
Clay and lime	20	482	Clay and shale		1210
Clay, sandy	3	485	Clay and sandstone		1223
Lime and sand streaks	2	487	Clay and shale		1228
Clay and sand	7	494	Clay, sandy		1253
Sand	6	500	Clay		1310

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
<b>Well TS-60-53-715--Continued</b>					
Sand, clay and lime streaks	38	1348			
Clay	35	1383	Sand		26
Lime	2	1385	Clay		29
Sand with clay streaks	9	1394	Sand		65
Lime and clay	2	1396	Clay		121
Sand	3	1399	Sand		203
Lime	3	1401	Clay		7
Clay, lime and sand streaks	33	1434	Sand		211
Lime, hard	2	1436	Rock		215
Lime, clay and sand	5	1441	Sand		245
Sand and clay	26	1467	Clay		300
Clay and sand streaks	4	1471	Sand		325
Sand	22	1493	Clay		343
Clay	18	1511	Clay and rock		363
Sand, lignite and clay streaks	3	1514	Clay		380
Clay and sand	2	1516	Sand		389
Clay and shale	44	1560	Clay		465
Shale, clay and lime streaks	40	1600	Sand		500
Clay, soft	50	1650			
Sand	26	1676			
Lime, hard	2	1678			
Sand	38	1716	Sand		80
Clay and shale	8	1724	Clay		92
Clay and sand streaks	8	1732	Sand		115
Sand	9	1741	Clay		192
Clay, sand	46	1787	Rock		194
Clay and lime	4	1791	Sand		224
Clay and lignite	5	1796	Rock		225
Clay and lime streaks	7	1803	Sand		245
			Clay		255
			Sand		285
			Clay		315
			Sand		370

**Well TS-60-53-717**  
Owner: Woodlands Golf Course, Well No. 2  
Driller: Weisinger Water Well, Inc.

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
Well TS-60-53-821--Continued					
Owner: Montgomery County Municipal Utility District 19, Well No. 1			Shale, gray	8	622
Driller: Alsay-Pippin Corp.			Sand	38	660
Topsoil	6	6	Shale	8	668
Sand	138	144	Sand	23	691
Shale	7	151	Shale	7	698
Gravel and sand	25	186	Sand	20	718
Shale and gravel	18	204	Shale	15	733
Shale	6	210	Sand	4	737
Sand	25	235	Shale	9	746
Gravel	5	240	Sand	22	768
Shale, sandy	30	270	Shale	12	780
Clay, red and brown	9	279	Sand	60	840
Shale, sandy	19	298	Shale	95	935
Shale	25	323	Sand	35	970
Shale, sandy	45	368	Shale	9	979
Sand	36	404	Sand	4	983
Shale	28	432	Shale	25	1008
Sand	5	437			
Shale	71	508	Well TS-60-53-902		
Sand	22	530	Owner: Montgomery County Municipal Utility District, Imperial Oaks, Well No. 1		
Shale	9	539	Driller: Water Resources of Texas		
Sand	1	540		290	290
Shale	1	541		60	350
Sand	2	543	Sand with shale	6	356
Shale, gray	3	546	Sand	56	412
Sand	20	566	Sand and shale	12	424
Shale, gray	14	580	Shale	1	425
Sand	4	584	Well TS-60-54-701		
Shale, gray	10	594	Owner: Metro Gravel Company		
Sand	9	603	Driller: Con-Tex Water Well Co.		
Shale, gray	5	608			
Sand	6	614	Sand	60	60
				125	185
				10	195

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)	
Well TS-60-54-701--Continued					Well TS-60-55-313--Continued	
Sand and clay	20	215	Shale		94	1604
Shale	30	245	Sand		22	1626
Rock	4	249	Shale		13	1639
Sand, broken with clay	3	252		Well TS-60-62-604		
Sand	7	259	Owner: Montgomery County Municipal Utility	District 48, Kingwood Place, Well No. 1 Driller: Layne-Texas Co.		
Rock	1	260				
Sand	6	266	Topsoil		3	3
Rock	6	272	Clay		13	16
Sand	5	277	Sand		4	20
Rock	1	278	Clay		4	24
Sand	8	286	Sand		12	36
Clay streaks	4	290	Sand and clay streaks		33	69
Sand	6	296	Sand		29	98
Clay streaks	1	297	Clay		40	138
Sand	4	301	Sand and gravel		25	163
Clay	5	306	Sand and shale streaks		9	172
Shale	1	307	Sand		93	265
			Shale		10	275
Well TS-60-55-313						
Owner: City of Splendora Driller: Key Drilling Co.						
Sand	158	158	Sand		20	295
Shale	32	190	Shale		30	331
Sand	30	220	Sand and gravel		35	440
Shale	34	254	Shale		38	478
Sand	166	420	Sand and shale streaks		85	563
Shale	30	450	Shale		77	640
Sand	30	480	Sand		38	678
Sand and shale	520	1000	Shale, sandy		51	729
Shale, sandy	124	1124	Sand and shale streaks		8	737
Shale	156	1280	Shale		105	842
Sand	90	1370	Shale and sand streaks		48	890
Sand and shale	140	1510	Shale		6	896
					51	947

Table 9.--Drillers' logs of wells in Montgomery County--Continued

	Thickness (feet)	Depth (feet)		Thickness (feet)	Depth (feet)
<b>Well TS-60-62-604--Continued</b>					
Sand	44	991	Owner: Porter Water Supply Corp., Well No. 3 Driller: Lanford Drilling Co., Inc.		
Shale and sand streaks	355	1346	Sand	3	3
Shale	24	1370	Clay	8	11
Sand and shale streaks	60	1430	Sand	29	40
Shale	12	1442	Clay	10	50
Shale and sand streaks	38	1480	Sand	190	240
Shale	20	1500	Shale	90	330
			Sand and sandy shale	190	520
			Shale	110	630
			Sand	70	700
			Shale	20	720
			Sand	20	740
			Shale, sandy	20	760
			Sand	90	850
			Shale, sandy	30	880
			Shale	30	910
			Shale, sandy	12	922
			Shale	38	960

Table 10.--Water levels in wells in Montgomery County

(feet below land surface)

DATE	WATER LEVEL	DATE	WATER LEVEL
WELL TS-60-35-202		WELL TS-60-45-507	
OWNER: MISS FLOWER FOLLETT		OWNER: CITY OF CONROE, WELL NO. 3	
DEPTH: 107 FEET		SCREEN: 1,050-1,238 FEET	
ELEVATION: 327 FEET		ELEVATION: 205 FEET	
01/28/1980	49.75	01/28/1980	88.97
06/11/1980	49.80	06/11/1980	86.87
10/16/1980	50.03	10/16/1980	89.21
01/21/1981	49.91	01/21/1981	91.39
06/29/1981	50.12	06/29/1981	92.08
09/10/1981	50.06	01/25/1982	89.85
01/25/1982	49.56	09/02/1982	118.69
09/27/1982	49.41	01/13/1983	117.25
01/13/1983	49.66	08/10/1983	120.34
08/10/1983	49.80	02/08/1984	119.07
WELL TS-60-45-501		WELL TS-60-45-803	
OWNER: CITY OF CONROE, WELL NO. 5		OWNER: BROWN ESTATE	
SCREEN: 910-1,270 FEET		DEPTH: 26 FEET	
ELEVATION: 215 FEET		ELEVATION: 178 FEET	
10/16/1980	101.80	01/28/1980	12.75
		06/11/1980	13.33
		10/16/1980	14.49
WELL TS-60-45-503		01/21/1981	19.53
OWNER: CITY OF CONROE, WELL NO. 4		06/29/1981	15.63
SCREEN: 950-1,320 FEET		09/10/1981	16.48
ELEVATION: 212 FEET		01/25/1982	16.69
		09/27/1982	18.23
06/11/1980	112.00	01/13/1983	15.34
10/16/1980	114.00	08/10/1983	17.06
01/21/1981	110.00	02/08/1984	16.91
06/29/1981	113.00		
01/25/1982	114.00		
WELL TS-60-45-504			
OWNER: CITY OF CONROE, WELL NO. 2			
SCREEN: 1,099-1,221 FEET			
ELEVATION: 214 FEET			
01/28/1980	92.07		
06/11/1980	97.56		
10/16/1980	98.92		
01/21/1981	94.88		
06/29/1981	95.70		
09/10/1981	113.29		
01/25/1982	100.67		
09/02/1982	121.25		
01/13/1983	110.20		
08/10/1983	118.38		
02/08/1984	112.84		

Table 11.--Chemical analyses of water from wells in Montgomery County

Water-bearing unit: EVGL, Evangeline aquifer; JSPR, Jasper aquifer

[mg/L, milligram per liter; ug/L, microgram per liter; micromhos, micromhos per centimeter at 25 degrees Celsius; deg C, degrees Celsius]

WELL	OWNER	DEPTH OR PRODUCING INTERVAL (feet)	WATER-BEARING UNIT	DATE OF SAMPLE	SILICA, DIS- SOLVED (mg/L as SiO <sub>2</sub> )	IRON, DIS- SOLVED (ug/L as Fe)	MANGANESE, DIS- SOLVED (ug/L as Mn)	CALCIUM, DIS- SOLVED (ug/L as Ca)	MAGNE- SIUM, DIS- SOLVED (mg/L as Mg)	SODIUM, DIS- SOLVED (mg/L as Na)	BICAR- BOONATE (mg/L as HCO <sub>3</sub> )	CAR- BOONATE (mg/L as Na)	SUL- FATE, DIS- SOLVED (mg/L as SO <sub>4</sub> )	CHLORIDE, DIS- SOLVED (mg/L as Cl)	FLUO- RIDE, DIS- SOLVED (mg/L as F)	DIS- SOLIDOS, SUM OF CONSTITUENTS (mg/L as CaCO <sub>3</sub> )	HARD- NESS, (mg/L as CaCO <sub>3</sub> )	SPE- CIFIC CON- DUCT- ANCE (micro- mhos)	PH (stand- ard units)	TEMPER- ATURE (deg C)
1/ TS-60-35-703	DOBBIN - PLANTERSVILLE WATER SUPPLY CORP., WELL NO. 2	697 - 760	EVGL	83-01-27	--	440	30	66	3	58	290	0	16	36	0.20	--	180	660	7.2	--
2/ TS-60-45-809	EAST PLANTATION M.U.D., WELL NO. 2	700 - 1250	EVGL	81-06-03	19	110 4/	<50 5/	17	2	107	270	0	15	37	.30 6/	420	51	658	7.6	--
2/ TS-60-53-406	WOODLANDS DEVELOPMENT CORP., WELL NO. 5	1110 - 1605	JSPR	82-10-11	18	80 4/	<50 5/	5	1	147	320	0	18	41	.40 6/	490	17	663	7.7	--
3/ TS-60-53-713	WOODLANDS DEVELOPMENT CORP., WELL NO. 2	1150 - 1690	JSPR	81-10-22	5	100	10	5	1	157	290	14	21	54	.60	490	17	583	8.3	--
2/ TS-60-53-715	MONTGOMERY COUNTY M.C. I.D. 1, WELL NO. 2	710 - 850	EVGL	82-08-30	14	130 4/	<50 5/	11	3	146	310	0	17	64	.70 6/	510	40	723	8.0	--
3/ TS-60-53-902	MONTGOMERY COUNTY M.U.D., WELL NO. 1	291 - 415	EVGL	80-03-31	18	150	50	56	5	41	190	0	2	49	.10	330	160	452	6.8	--
2/ TS-60-62-604	MONTGOMERY COUNTY M.U.D. 48, KINGWOOD PLACE, WELL NO. 1	1164 - 1450	EVGL	82-12-06	15	140	<50 5/	8	2	146	320	0	2	56	.80 6/	490	28	697	7.8	--
1/ TS-60-63-108	PORTER WATER SUPPLY CORP., WELL NO. 3	670 - 840	EVGL	80-05-02	--	120	20	47	4	20	160	0	20	19	.10	--	130	360	7.7	--

1/ Analyzed by Pope Testing Laboratories.

2/ Analyzed by Edna Wood Laboratories.

3/ Analyzed by Curtis Laboratories.

4/ Total iron (Fe).

5/ Total manganese (Mn).

6/ Total fluoride (F).




Figure 1  
Locations of Wells in Chambers County







Figure 2  
Locations of Wells in Liberty County

Base from Texas Department of  
Highways and Public Transportation





**Figure 3**  
**Locations of Wells in Montgomery County**



## **SELECTED REFERENCES**

- Anders, R. B., McAdoo, G. D., and Alexander, W. H., Jr., 1968, Ground-water resources of Liberty County, Texas: Texas Water Development Board Report 72, 147 p., 20 Figures.
- Naftel, W. L., Fleming, Bobbie, and Vaught, Kenneth, 1976, Records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water in Chambers, Liberty, and Montgomery Counties, Texas, 1966-74: Texas Water Development Board Report 202, 63 p., 3 Figures.
- Popkin, B. P., 1971, Ground-water resources of Montgomery County, Texas: Texas Water Development Board 136, 149 p., 29 Figures.
- Ratzlaff, K. W., 1982, Land-surface subsidence in the Texas coastal region: Texas Department of Water Resources Report 278, 30 p., 8 Figures.
- Ratzlaff, K. W., Lind, W. B., and Ranzau, C. E., 1983, Records of wells, drillers' logs, water-level measurements, and chemical analyses of ground water in Chambers, Liberty, and Montgomery Counties, Texas, 1975-79: Texas Department of Water Resources Report 280, 39 p., 3 Figures.
- Wesselman, J. B., 1971, Ground-water resources of Chambers and Jefferson Counties, Texas, with a section on Quaternary geology, by Saul Aronow: Texas Water Development Board Report 133, 183 p., 28 Figures.





