



2015 NOV 24 AM 9: 10

# East Texas Regional Water Planning Area 2016 Regional Water Plan











# East Texas Regional Water Planning Area 2016 Regional Water Plan

**VOLUME II** 


December 1, 2015

Toledo Bend Reservoir, photo courtesy of the Sabine River Authority of Texas










# **List of Appendices**

Appendix 1-A	Species of Special Concern in the ETRWPA
Appendix 1-B	Water Loss Audits
Appendix 2-A	Correspondence of the ETRWPG Chair to the TWDB
Appendix 2-B	Population Projections DB17 Report
Appendix 2-C	Water User Group Demand Projections DB17 Report
Appendix 2-D	Wholesale Water Provider Demand Projections DB17 Report
Appendix 3-A	Water Availability DB17 Report
Appendix 3-B	Water User Group Existing Water Supplies DB17 Report
Appendix 3-C	Desired Future Conditions and Modeled Available Groundwater Report
Appendix 3-D	Water Availability Model Technical Memorandum
Appendix 4-A	Identified Water Needs/Surplus DB17 Report
Appendix 4-B	Second-Tier Identified Water Need DB17 Report
Appendix 4-C	Source Water Balance DB17 Report
Appendix 4-D	Supply vs Demand
Appendix 4-E	Socioeconomic Impact Analysis
Appendix 4-F	Socioeconomic Impact Analysis Letter
Appendix 5A-A	Screening Criteria for Potentially Feasible Water Management Strategies
Appendix 5A-B	Potentially Feasible Water Management Strategies
Appendix 5B-A	Water Management Strategy Evaluation
Appendix 5B-B	Recommended Water Management Strategy Evaluation
Appendix 5B-C	Recommended Water Management Strategies by WUG DB17 Report
Appendix 5B-D	Alternate Water Management Strategies by WUG DB17 Report
Appendix 5B-E	Management Supply Factor DB17 Report
Appendix 5C-A	Model Water Conservation Plan for Public Water Suppliers
Appendix 5C-B	Model Water Conservation Plan for Industrial Entities
Appendix 5C-C	Model Water Conservation Plan for Irrigation Districts
Appendix 5C-D	Plumbing Code Savings
Appendix 6-A	Title 31 Texas Administrative Code Chapters 357 and 358 Regulations Pertaining to the 2016 Plan
Appendix 7-A	Model Drought Contingency Plans
Appendix 8-A	Proposed Reservoir Site Locations
Appendix 8-B	2011 Prioritization Comments & Concerns Memorandum
Appendix 9-A	Infrastructure Financing Report – Survey Results

Appendix 9-B	Infrastructure Financing Report – Contact Information
Appendix 10-A	Media and Public Outreach
Appendix 10-B	Transcripts, Presentations, and Minutes from Public Hearings
Appendix 10-C	Initially Prepared Plan Public Comments
Appendix 10-D	Initially Prepared Plan Submittal Letter
Appendix 11-A	TWDB Implementation Survey



### **Appendix 1-A**

### **Species of Special Concern in the ETRWPA**

The TPWD has compiled a list of species of special concern in the State of Texas. Rare species are listed by county in the Rare, Threatened, and Endangered Species Database, which includes regulatory listing and habitats of each species.

Table 1-A.1 identifies rare, threatened or endangered species in the region by county and lists federal and state status for each species. Species are grouped by taxonomic assemblage (i.e., bird, insect, fish, mammal, vascular plant, etc.). Information on habitats for these species may be found on the TPWD website, http://tpwd.texas.gov/gis/rtest/.

The key to the federal and state status for threatened and endangered species follows:

LE, LT	Federally Listed Endangered/Threatened
PE, PT	Federally Proposed Endangered/Threatened
SAE, SAT	Federally Listed Endangered/Threatened by Similarity of Appearance
C	Federal Candidate for Listing; formerly Category 1 Candidate
DL, PDL	Federally Delisted/Proposed for Delisting
NL	Not Federally Listed
E, T	State Listed Endangered/Threatened
NT	Not tracked or no longer tracked by the State
"blank"	Rare, but with no regulatory listing status

## This page intentionally left blank



### East Texas Regional Water Planning Area 2015 Species of Special Concern

													C	ount	ty								
Taxon	Common Name	Federal Status	State Status	Anderson	Angelina	Cherokee	Hardin	Henderson	Houston	Jasper	Jefferson	Nacogdoches	Newton	Orange	Panola	Polk	Rusk	Sabine	San Augustine	Shelby	Smith	Trinity	Tyler
Amphibians	Southern Crawfish Frog					7		•	•	•			•		100				dia			•	
	American Peregrine Falcon	DL	T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Arctic Peregrine Falcon	DL		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Bachman's Sparrow		T	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•
	Bald Eagle	DL	T	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Black Rail					1					•												
	Brown Pelican	DL	Е								•			•			Louis						
	Henslow's Sparrow			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Interior Least Tern	LE	Е	•		•		•	•						•		•			•	•		
1	Peregrine Falcon	DL	Т	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1	Piping Plover	LT	T	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
₽.	Red Knot	Т		•				•	•		•											•	
Birds	Red-cockaded Woodpecker	LE	Е	•	•	•	•		•	•		•	•		•	•		•	•		•	•	•
	Reddish egret		T				1				•												
	Snowy Plover										•												
1	Sooty tern		T	90	No.	16			n					•									
	Sprague's Pipit	C	4.34	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Swallow-tailed kite		T		•		•			•	•	•	•	•		•	N (5)	•	•	•	- 1		•
	Western snowey plover		The said of								•	100	E 835344							3800			
	Western Snowy Plover		The second second					4			•	424											
	White-faced Ibis	1 30	T	•			. •			•	•		•	•								•	
1	Whooping Crane	LE	E	•		112		•			200				- 3	100							
	Wood Stork		T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Care.	A crayfish (1 of 5 species, Procambarus	nechesae)			•				8° '55'			100 mm								100		•	
Crustaceans	Texas prairie crayfish				•																		

													C	ount	y								
Taxon	Common Name	Federal Status	State Status	Anderson	Angelina	Cherokee	Hardin	Henderson	Houston	Jasper	Jefferson	Nacogdoches	Newton	Orange	Panola	Polk	Rusk	Sabine	San Augustine	Shelby	Smith	Trinity	Tyler
F	American Eel			•	•	•	•		•	•	•		•	•		•						•	•
4	Blackside darter		T									•			•				1 111	•	•		
	Blue sucker	Art Design	Т				•			•			•					•					•
-	Creek chubsucker		T		•	•	•		•	•	100	•	•		•	•	•	•	•	•	•	•	
Fishes	Ironcolor shiner		ith to luft				Ēċ.			•		49, 44.3	•	•	•		•	•		•	•		
S	Orangebelly darter			15	•	•				•		•	•	1000	•	•	•	•	•	•	•		
	Paddlefish		T	•	•	•	•		•	•			•	E	•	•	•	•	•	•	•	•	•
1	Smalltooth sawfish	LE	Е			148				i thu	•											and the second	100
	Western sand darter					1	•			•			•		•		•	•		•	•		•
	A caddisfly		1	•	1		75			7													
	A mayfly	and a filler of						AD-U-T-S		•													
	A Purse casemaker caddisfly			•														and the second					a mary
Insects	Bay skipper	and Reverse and Advanced			2				2.1		•			- F 199				10,400	-14				
ects	Gulf Coast clubtail												•										
	Holzenthal's philopotamid caddisfly	13	7 - Epinol 19	•									200					ing set				e securi	
	Morse's net-spinning caddisfly		all the age of	•			G.	ing National las	gers K	10.0						ie		1.0		T.			
	Texas emerald dragonfly	art in the second	regard worker that	•			200	•	•		142		E.					•	•	•		•	
	Black bear	T/SA;NL	T	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2	Louisiana black bear	LT	T	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	1000	•	•
Mammals	Plains spotted skunk		Sec. 5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100	Rafinesque's big-eared bat	1,13	T		•	•	•		•	•	•	•	•	•	•	•	•	•	•	•			•
2	Red wolf	LE	Е	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Southeastern myotis bat			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Louisiana pigtoe		T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1,	Sandbank pocketbook	The state of the s	T	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
10	Southern hickorynut		T	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
Mollusks	Texas heelsplitter		T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
S	Texas pigtoe	1	T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Triangle pigtoe		T	•	•	•	•		275			•								•			
PI	Boynton's oak				•																		
Plants	Bristle nailwort											•											




### East Texas Regional Water Planning Area 2015 Species of Special Concern

													C	ount	у								
Taxon	Common Name	Federal Status	State Status	Anderson	Angelina	Cherokee	Hardin	Henderson	Houston	Jasper	Jefferson	Nacogdoches	Newton	Orange	Panola	Polk	Rusk	Sabine	San Augustine	Shelby	Smith	Trinity	Tyler
	Carrizo leather flower					•		•													•		
	Chapman's orchid			1			•				•			•								22	•
	Chapman's yellow-eyed grass							•													A part		-
	Earth fruit (Tinytim)	LT	T	•											•								
	Florida ladies-tresses						•				•		•										•
	Long-sepaled false dragonhead						•			•			•	•									•
	Navasota false foxglove																						•
	Navasota ladies'-tresses	LE	E							•													
	Neches River rosemallow	Т				•			•	•												•	
	Nixon's dwarf hawthorn											•											
	Nodding yucca						ia" e	100		•			•										
۳,	Panicled indigobush			•	•	•		•	•	•		•	•			•	•				•	•	•
Plants	Rough-stem aster			•				•													•		
S	Sandhill woolywhite																						
	Shinner's sunflower												•			7 Name 1					•		
1	Small-headed pipewort			•				•											1190				
	Texas golden gladecress	E																•	•				
	Texas ladies'-tresses																						•
	Texas prairie dawn	LE	E																			•	
	Texas screwstem	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			•		•			•		•	•			•			•				•
	Texas three-birds orchid	1 20							•														-
	Texas trailing phlox	LE	Е			15.54.	•									•							•
	Texas trillium				•	•			•	•		•			•	p 1	•		2-		•		
	White bladderpod	LE	Е		Ž-11	41				22.00	351		jay						•				
	White firewheel						•						•			2 (30)			1				•
	Alligator snapping turtle	194	T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Atlantic hawksbill sea turtle	LE	Е			1140					•	14											
Reptiles	Green sea turtle	LT	T					1000			•								12 32 X				
tile	Kemp's Ridley sea turtle	LE	Е					1			•						d 0 10						
S	Leatherback sea turtle	LE	Е								•		14						100				
	Loggerhead sea turtle	LT	Т					D.			•		1										

### East Texas Regional Water Planning Area 2015 Species of Special Concern

						enti sotesti se			*******				C	ount	у			***************************************	7/47/4				
Taxon	Common Name	Federal Status	State Status	Anderson	Angelina	Cherokee	Hardin	Henderson	Houston	Jasper	Jefferson	Nacogdoches	Newton	Orange	Panola	Polk	Rusk	Sabine	San Augustine	Shelby	Smith	Trinity	Tyler
	Louisiana pine snake	C	T		•		•	132	•	•		•	•			•			•			•	•
R	Northern scarlet snake	The second section	T		5.00	•	•	•		•	•		•	•	•		•	•	•	•	•		•
Reptiles	Texas diamondback terrapin	an 100 mar									•			•						Per Luci			
es	Texas horned lizard	17	T	•		•		•	•		•	•		•			•				•		100
	Timber rattlesnake		T	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



## Appendix 1-B

### **Water Loss Audits**

The TWDB established new requirements requiring water audit reporting for public utilities that provide potable water. Every five years public utilities must perform a water audit computing the utility's most recent annual water loss. Entities with active financial obligations with the TWDB are required to submit water loss data annually. This appendix provides Entity-Level Water Loss Audit Data for 2013 as well as a Statewide Region-Level 2010 Water Loss Audit Data Summary.

# This page intentionally left blank



# East Texas Region

PWS Name	PWS Code	ls Loan Wsc Required	ls Connections Required	Is Five Year Required	Person Filing Name	Report Period Start	Report Period End	Surface Water Percent age	Ground Water Percent age	Retail Population Served	Wholesale Population Served
Angelina WSC	TX0030016	TRUE	FALSE	FALSE	Keith Weathers	01/01/13	12/31/13	0.00	100.00	3,750	0
Beechwood WSC	TX2020014	TRUE	FALŞE	FALSE	Laura Zito	01/01/13	12/31/13	0.00	100.00	1,143	0
Brookeland FWSD	TX2020004	TRUE	FALSE	FALSE	Becky Hall	01/01/13	12/31/13	0.00	100.00	1,419	0
City of Beaumont Water Utility Dept	TX1230001	FALSE	TRUE	FALSE	Amalia Villarreal	01/01/13	12/31/13	64.30	35.70	175,341	7,778
City of Bridge City	TX1810001	FALSE	TRUE	FALSE	Mike Lund	01/01/13	12/31/13	0.00	100.00	8,700	72
City of Bridge City Waterwood Estates	TX1810175	FALSE	FALSE	FALSE	Mike Lund	01/01/13	12/31/13	0.00	100.00	225	0
City of Brownsboro	TX1070003	FALSE	FALSE	FALSE	Gary Arnold	01/01/13	12/31/13	0.00	100.00	1,440	486
City of Carthage	TX1830001	FALSE	TRUE	FALSE	Debbie Pierce	01/01/13		1.00	99.00	6,668	5,627
City of Center	TX2100001	FALSE	FALSE	FALSE	John Holt	01/01/13	12/31/13	100.00	0.00	5,193	0
City of Crockett	TX1130001	FALSE	TRUE	FALSE	Kelly McChesney	01/01/13		99.00	1.00	6,679	164
City of Groves	TX1230012	FALSE	TRUE	FALSE	Marcus Johnson	01/01/13		100.00	0.00	15,733	0
City of Hemphill	TX2020001	TRUE	FALSE	FALSE	Donald Iles	01/01/13		100.00		1,198	3,000
City of Henderson	TX2010001	FALSE	TRUE	FALSE	James Hughes	01/01/13		31.07	68.93	16,212	150
City of Huntington	TX0030002	FALSE	FALSE	FALSE	Damon Walters	01/01/13		100.00	0.00	0	***************************************
City of Huxley	TX2100019	TRUE	FALSE	FALSE	Gerald Huddleston	01/01/13	12/31/13	100.00	0.00	2,307	0
City of Jasper	TX1210001	TRUE	TRUE	FALSE	Erik Rogers	01/01/13	12/31/13	0.00	100.00	4,776	0
City of Kountze	TX1000001	TRUE	FALSE	FALSE	George Timothy Drake II	01/01/13	12/31/13	0.00	100.00	3,405	0
City of Lovelady	TX1130003	TRUE	FALSE	FALSE	Thomas Vaughn	01/01/13	12/31/13	26.00	74.00	649	0
City of Nederland	TX1230006	FALSE	TRUE		Robert Sangster	01/01/13	12/31/13	100.00	0.00	17,545	0
City of Orange	TX1810004	FALSE	TRUE		David Martindale	01/01/13	12/31/13	0.00	100.00	18,643	0
City of Palestine	TX0010001	FALSE	TRUE		Robert Sedgwick	01/01/13	12/31/13	100.00	0.00	18,712	250
City of Port Arthur	TX1230009	FALSE	TRUE	FALSE	JohnTomplait	01/01/13	12/31/13	100.00	0.00	53,818	0
City of Port Neches	TX1230010	FALSE	TRUE	FALSE	Ken DuBois	01/01/13	12/31/13	100.00	0.00	13,040	0
City of San Augustine	TX2030001	FALSE	FALSE	FALSE	chris anding	01/01/13	12/31/13	100.00	0.00	2,108	0
City of Silsbee	TX1000002	FALSE	TRUE	FALSE	Joe Moreno	01/01/13	12/31/13	0.00		9,888	Ö
City of Tyler	TX2120004	FALSE	TRUE		P. Clayton Nicolardi	01/01/13	12/31/13	96.70	3.30	109,242	11,527
Cypress Creek WSC	TX2290007	TRUE	FALSE	FALSE	ELMER MAY	01/01/13	12/31/13	0.00	100.00	810	0
El Pinon Estates Water System	TX2030013	FALSE	FALSE	FALSE	Lonzo Gale	10/01/13	12/31/13	0.00	100.00	135	0
Forest Hills Water Supply	TX1210012	TRUE	FALSE	FALSE	Becky Hall	01/01/13	12/31/13	0.00	100.00	453	0
G M WSC	TX2020067	TRUE	TRUE	FALSE	Debra Daniel	01/01/13	12/31/13	80.00	20.00	8,922	0
Jefferson County WCID 10	TX1230003	FALSE	FALSE	FALSE	Thomas E. McDonald	01/01/13	12/31/13	100.00	0.00	5,500	0
Lake Livingston Big Thicket Retreat	TX1000053	FALSE	FALSE		Big Thicket Retreat	01/01/13	12/31/13	0.00	100.00	108	0
Lake Livingston Wayward Winds Oasis	TX2290014	FALSE	FALSE		Boyd McDaniel	01/01/13	12/31/13	0.00	100.00	39	0
Lilly Grove SUD	TX1740014	TRUE	FALSE		Donna Harris	01/01/13	12/31/13	0.00	100.00	2,130	0
Loma Linda Subdivision	TX2100038	FALSE	FALSE	FALSE	Lonzo Gale	01/01/13	12/31/13	0.00	100.00	66	0
Lumberton MUD	TX1000035	TRUE	TRUE	FALSE	Robb Starr	01/01/13	12/31/13	0.00	100.00	21,450	0
Meeker MWD	TX1230004	TRUE	FALSE	FALSE	Stephanie Hoppe	01/01/13	12/31/13	0.00	100.00	3,300	0
Mulberry Water Supply Brookeland FWSD	TX1210049	TRUE	FALSE		Becky Hall	01/01/13	12/31/13	0.00	100.00	111	0
Orange County WCID 1	TX1810005	TRUE	TRUE	FALSE		01/01/13	12/31/13	0.00	100.00	17,031	0
Rayburn Country MUD	TX1210014	TRUE	FALSE	FALSE	Linda Powell	01/01/13	12/15/13	0.00	100.00	1,893	n
Shawnee Shores	TX2020050	TRUE	FALSE		Becky Hall	01/01/13	12/31/13	0.00	100.00	348	0
South Newton WSC	TX1760022	TRUE	FALSE		Brandy Lane	01/01/13	12/31/13	0.00	100.00	5,000	0
Toledo Village WSC	TX1760002	TRUE	FALSE		Becky Hall	01/01/13	12/31/13	0.00	100.00	1,701	0
Tyler County WSC	TX2290037	TRUE	FALSE	FALSE	Jerry Lovelady	01/01/13	12/31/13	0.00	100.00	5,100	0
Woodland Shores Subdivision	TX2100037	FALSE	FALSE		Lonzo Gale	01/01/13	12/31/13	0.00	100.00	57	0

Seechwood WSC	PWS Name	Main Lines Miles	Main Lines Miles AS	Wholesale Connections Served	Retail Connections Served	Service Connection Density (c)	Yearly Operating Pressure	Yearly Operating Pressure AS	Volume Units Of Measure	Old Volume Units Of Measure	Water Delivery	Water Delivery AS
Broekeland MSD  100  100  100  100  100  100  100  1	Angelina WSC										83,587,000	4
City of Beaumont Water Utility Dept											0	0
City of Bridge City  Gry of Carbage  330  38  40  40  60  67,32,000  62  61,96 Carbage  330  38  40,004  61  62  61  61,052,708,000  62  61,052,708,000  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63,000,713  63  63  63  63,000,713  63  63  63  63,000,713  63  63  63  63,000,713  63  63  63  63,000,713  63  63  63  63,000,713  63  63  63  63,000,713  63  63  63  63  63,000,713  63  63  63  63  63  63  63  63  63												3
City of Brownshore  16 2 1 300 23 80 4 6 6 6,732,000 4 City of Carbage  330 3 8 4,004 12 42 3 6 5 993,154,000 3 City of Carbage  330 3 8 4,002 12 42 3 6 5 993,154,000 3 City of Carbage  330 3 8 4,002 12 42 3 6 5 993,154,000 3 City of Carbage  330 3 8 4,002 12 42 3 6 5 993,154,000 3 City of Carbage  330 3 8 4,002 12 42 3 6 5 993,154,000 3 City of Carbage  330 6 5 993,154,000 3 City of Carbage  330 6 5 993,154,000 3 City of Carbage  330 7 1 5 5 3 6 6 7 732,678,000 5 City of Grows  90 3 0 5 3,166 80 80 0 0 6 6 7 373,258,000 5 City of Henderson  127 1 3 8000 6 692 41 40 1 6 6 1393,968,000 3 City of Henderson  128 3 1 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  125 3 1 5 5,914 47 50 3 6 6 930,641,000 3 City of Henderson  126 6 6 6,580,000 3 City of Lagrage  136 0 0 0 4,766 31 76 2 6 6 6 62,980,000 3 City of Lagrage  136 0 0 0 4,766 31 76 2 6 6 6 63,980,000 3 City of Lagrage  136 0 0 0 1 3 888 32 48 3 6 6 3 31,507,800 4 City of Nederland  106 4 1 8,380 79 5 8 0 6 6 75,950,000 0 City of Orange  136 0 0 0 1 3 888 32 48 3 6 6 3 31,507,800 4 City of Forange  136 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												4
City of Bownstoro  16 2 1 300 23 80 26 G 47,888,400 4  City of Carthage  330 3 8 4,024 12 42 36 G G 990,154,000 3  City of Carthage  330 3 8 4,024 12 42 36 G G 990,154,000 3  City of Carthage  330 3 8 4,024 12 42 32 66 G 1,052,708,000 3  City of Grotest  40 0 59 3,165 80 80 10 G G 373,258,000 5  City of Groves  90 3 0 6,330 71 55 3 G G 732,678,000 5  City of Groves  90 3 1 0 6,330 71 55 3 G G 732,678,000 5  City of Hunderson  125 3 1 5,914 47 50 3 G G 930,641,000 4  City of Hunderson  125 3 1 5,914 47 50 3 G G 930,641,000 6  City of Hunderson  10 0 0 0 0 0 0 0 0 0 G G G 930,641,000 6  City of Hunderson  10 0 0 0 0 0 0 0 0 G G G 6 6 0,000 6  City of Hunderson  10 0 0 0 0 0 0 0 G G G G 66,589,000 5  City of Hunderson  10 0 0 0 0 0 0 G G G G 66,589,000 6  City of Hunderson  10 0 0 0 0 0 0 G G G G G 68,980,000 6  City of Hunderson  10 0 0 0 0 0 0 G G G G G 68,980,000 6  City of Hunderson  10 0 0 0 0 0 G G G G G G 68,980,000 6  City of Hunderson  10 0 0 0 0 0 G G G G G G G G G G G G G G	City of Bridge City											5
City of Carthage  330 3 8 4,024 12 42 36 G 909,154,000 3 City of Carthere  82 4 0 2,467 30 50 16 G 373,258,000 13 City of Crosclett  40 0 59 3,186 80 80 06 G 373,258,000 15 City of Groves  90 3 0 6,530 77 15 55 36 G 723,678,000 15 City of Henderson  127 1 3000 892 41 40 16 G 133,968,000 13 City of Henderson  128 3 1 5,914 47 50 36 G 93,641,000 3 City of Huntington  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												4
City of Contest  62	City of Brownsboro											. 4
City of Crowlest  40  0  9  3, 186  80  0  G  373,255,000  City of Grows  90  3  0  6,330  71  55  3  G  G  732,675,000  City of Hemphill  17  1  3000  692  41  40  1  G  G  193,641,000  4  City of Huntington  10  0  0  0  0  0  0  0  0  0  0  0  0	City of Carthage											3:
City of Groves  90 3 0 6,330 71 55 3 G G 732,678,000 55  City of Hemphill 17 1 3000 692 41 40 1 G G 193,968,000 3  City of Hemphill 17 1 3000 692 41 40 1 G G 193,968,000 3  City of Hemphill 17 1 3000 692 41 40 1 G G 193,968,000 3  City of Humington 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	City of Center											3
City of Huntington	City of Crockett											0
City of Henderson  125 3 1 5,914 7 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	City of Groves											5
City of Huntington  O  O  O  O  O  O  O  O  O  O  O  O  O	City of Hemphill											3
City of Hustley	City of Henderson	125			5,914						930,641,000	4
City of Jasper  156 0 0 0 4,786 31 76 2 G G 608,998,000 4  City of Kountze 40 2 0 1,135 28 54 3 G G 84,811,000 4  City of Lovelady 12 2 0 388 32 48 3 G G 34,507,800 4  City of Voleslady 12 2 0 388 32 48 3 G G 34,507,800 4  City of Voleslady 10 6 4 1 8,380 79 58 0 G G 759,671,000 0 C  City of Orange 156 2 0 6,921 44 53 2 G G 1,040,512,000 5  City of Palestine 275 1 0 7,500 27 85 1 G G 1,577,313,000 4  City of Palestine 275 1 0 7,500 27 85 1 G G 1,577,313,000 4  City of Port Archur 350 2 0 22,848 65 50 3 G G 5,522,523,000 5  City of Port Neches 25 0 4 0 5,334 21 47 4 G G 5,522,523,000 5  City of Port Neches 25 0 0 3,386 55 2 G G 25,720,1000 3  City of Stan Augustine 29 3 0 0 998 34 65 2 G G 25,720,1000 3  City of Stan Augustine 29 3 0 0 3,286 132 59 0 G G 27,815,40 0  City of Stan Augustine 29 3 0 0 0 3,286 132 59 0 G G 27,815,40 0  City of Stan Augustine 3 0 0 0 270 9 70 0 G G 23,118,000 0  City of Tyler 693 5 10 36,414 53 70 2 G G 8,907,739,200 4  City of Stan Stan Stan Augustine 3 0 151 1 42 2 G G G 15,000 3  Stan WSC 25 1 0 0,274 119 70 2 G G 15,000 3  Stan WSC 25 1 0 2,744 119 70 2 G G 15,000 3  Stan WSC 25 1 0 0,274 119 70 2 G G 72,142,500 4  Cefferson County WCID 10 28 3 0 151 1 9 55 3 G G 6 27,142,500 4  Cefferson County WCID 10 28 3 0 0 30 980 8 85 5 G G 10,555,000 4  Lake Livingston Big Thicket Retreat 5 4 0 35 7 52 3 G G 2,214,2500 4  Cefferson County WCID 10 30 3 G G 6 6,36,60,000 5  Lake Livingston Big Thicket Retreat 5 4 0 35 7 52 3 G G 6 13,400,000 5  Lake Livingston Big Thicket Retreat 5 4 0 35 7 52 3 G G 6 12,210,000 4  Lake Livingston Big Thicket Retreat 5 4 0 35 7 52 5 G G 6 13,400,000 5  Lama Linda Subdivision 1 1 0 0 33 6 G G 6,32,230,000 4  Lamberton MUD 44 0 0 0 778 18 6 G G 6 10,076,1560 3  Augustra County WCID 1 110 3 0 4,866 4 45 5 5 G G 6 114,036,000 4  Augustra County WCID 1 110 3 0 4,866 4 45 5 5 G G 6 114,036,000 4  Augustra County WCID 1 110 3 0 4,866 4 45 5 5 G G G 114,036,000 4  Augustra County WCID 1 110 5 0 5 67 2 23 55 3 G G 6 114,036,000 4  Augustra County WCID 1 10 6 G 6 168,	City of Huntington										U	0
City of Kountee	City of Huxley				769							5
City of Lovelady 12 2 0 388 32 48 36 G 31,507,800 4 City of Nederland 106 4 1 8,380 79 58 0 G G 759,671,000 0 City of Dange 156 2 0 6,921 44 53 2 G G 1,040,512,000 5 City of Palestine 275 1 0 7,500 27 85 1 G G 1,570,313,000 4 City of Park Arthur 350 2 0 22,88 65 50 3 G G 5,622,523,000 5 City of Port Arthur 350 2 0 0 23,88 65 50 3 G G 5,622,523,000 5 City of Port Arthur 250 4 0 5,334 21 47 4 G G G 555,595,000 4 City of Shabee 29 3 0 998 34 65 2 G G 5,555,950,000 3 City of Shabee 25 0 0 3,296 132 59 0 G G 277,818,540 0 City of Shabee 25 0 0 3,296 132 59 0 G G 277,818,540 0 City of Tyler 4 693 5 10 36,414 53 70 2 G G 8,907,739,200 4 City of Shabee 4 1 0 45 11 42 2 G G G 15,000,000 3 City of Shabee 4 1 0 45 11 42 2 G G G 15,000,000 3 City of Shabee 4 1 0 45 11 42 2 G G G 15,000,000 3 City of Shabee 5 3 0 0 570 9 70 0 G G 23,118,000 0 City of Shabee 5 3 0 0 15 1 19 55 3 G G 15,000 0 City of Shabee 5 3 0 0 15 1 19 55 3 G G 15,000 0 City of Shabee 5 3 0 0 2,770 9 70 0 G G 23,118,000 0 City of Shabee 5 3 0 0 15 1 19 55 3 G G 15,000 0 City of Shabee 5 3 0 0 2,774 119 70 2 G G C 27,142,500 4 City of Shabee 5 3 0 0 2,774 119 70 2 G G G 27,142,500 4 City of Shabee 5 4 0 3 G 7 52 3 G G 2,368,000 5 City of Shabee 5 4 0 3 G 7 52 3 G G 2,368,000 5 City of Shabee 5 4 0 3 G 7 52 3 G G C 2,368,000 4 City of Shabee 5 4 0 3 G 7 52 3 G G C 2,368,000 4 City of Shabee 5 4 0 3 G 7 52 3 G G C 2,368,000 5 City of Shabee 5 4 0 3 G 7 52 3 G G C 2,368,000 5 City of Shabee 5 5 5 6 G G 100,761,560 3 City of Shabee 5 5 5 6 G G 2,271,400 5 City of Shabee 5 5 6 G G 2,271,400 5 City of Shabee 5 5 5 5 5 5 5 5 5 6 G G 100,761,560 3 City of Shabee 5 5 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G 100,761,560 3 City of Shabee 5 5 5 G G G C2,771,772,772 3 City of Shabee 5 5 G G G C2,771,772,772 3 City	City of Jasper	156	0	0	4,786					G	608,998,000	4
City of Palestine	City of Kountze	40	2	0	1,135					G	84,811,000	4
City of Grange	City of Lovelady	12	2	0	388			3	G	G	31,507,800	4
City of Palestine	City of Nederland	106	4	1	8,380	79			G	G	759,671,000	0
City of Port Arthur    350   2   0   22,848   65   50   3   G   G   5,622,523,000   5	City of Orange	156	2	0	6,921			. 2	G	G	1,040,512,000	5
City of Port Neches	City of Palestine	275	1	0	7,500	27	85	1	G	G	1,570,313,000	4
City of San Augustine	City of Port Arthur		2	0			50	3	G	G	5,622,523,000	5
City of Silsbee	City of Port Neches	250	4	0	5,334	21	47	4	G	G	565,595,000	4
City of Tyler	City of San Augustine	29	3	0	998	34	65	2	G	G	257,201,000	3
Cypress Creek WSC 30 0 0 270 9 70 0 G G 23,118,000 0 C El Pinon Estates Water System 4 1 0 45 11 42 2 G G G 150,000 3 G G G S G G G G G G G G G G G G G G G	City of Silsbee	25	0	0	3,296	132	59	0	G	G	279,818,540	0
El Pinon Estates Water System 4 1 0 45 11 42 2 G G G 150,000 3 Forest Hills Water Supply 8 3 0 151 19 55 3 G G 10,565,000 0 G G MWSC 25 1 0 2,974 119 70 2 G G G 27,142,500 4 Elefferson County WCID 10 28 3 0 2,185 78 47 2 G G G 183,410,000 5 Lake Livingston Big Thicket Retreat 5 4 0 36 7 52 3 G G G 2,368,000 4 Lake Livingston Wayward Winds Oasis 2 4 0 13 7 50 3 G G G 2,368,000 4 Lake Livingston Wayward Winds Oasis 2 4 0 13 7 50 3 G G G 2,368,000 4 Lilly Grove SUD 130 3 0 980 8 85 5 G G G 105,450,000 5 Lumberton MUD 305 1 0 7,541 25 54 4 G G 6 85,469,000 5 Lumberton MUD 305 1 0 7,541 25 54 4 G G G 685,469,000 5 Meeker MWD 48 3 0 1,100 23 50 5 G G 100,761,560 3 Meeker MWD 48 3 0 1,100 23 50 5 G G 100,761,560 3 Meeker MWD 48 3 0 4,100 23 50 5 G G 100,761,560 3 Meeker MWD 48 3 0 4,866 44 55 5 G G G 100,761,560 3 Mayburn Country MUD 44 0 0 778 18 65 0 G G 109,202,000 0 Shawnee Shores 9 0 0 116 14 55 4 G G G 2,274,470 3 Shawnee Shores 9 0 0 1,408 16 53 2 G G 114,036,000 4 Tyler County WSC 235 0 0 1,787 8 600 0 G G G 168,890,900 0	City of Tyler	693	5	10	36,414	53	70	2	G	G	8,907,739,200	4
Second Hills Water Supply   Second Hills Water Supply   Second Hills Water Supply   Second Hills Water Supply Brookeland FWSD   Second Hills Water Suppl	Cypress Creek WSC	30	0	0	270	9	70	Ö	G	G	23,118,000	0
G M WSC	El Pinon Estates Water System	4	1	0	45	11	42	2	G	G	150,000	3
Selferson County WCID 10   28   3   0   2,185   78   47   2   G   G   183,410,000   5	Forest Hills Water Supply	8	3	0	151	19	55	3	G	G	10,565,000	0
Lake Livingston Big Thicket Retreat 5 4 0 36 7 52 3 G G 2,368,000 4 Lake Livingston Wayward Winds Oasis 2 4 0 13 7 50 3 G G 6 675,000 4 Lilly Grove SUD 130 3 0 980 8 85 5 G G 105,450,000 5 Loma Linda Subdivision 1 1 0 33 66 50 2 G G 2,121,000 4 Lomberton MUD 305 1 0 7,541 25 54 4 G G 6 685,469,000 5 Meeker MWD 48 3 0 1,100 23 50 5 G G 100,761,560 3 Mulberry Water Supply Brookeland FWSD 1 0 0 37 37 37 46 3 G G 1,664,740 4 Drange County WCID 1 10 3 0 4,866 44 55 5 G G 109,202,000 0 6 Shawnee Shores 9 0 0 116 14 55 4 G G 2,074,470 3 South Newton WSC 25 3 0 5 G G 114,036,000 4 Groledo Village WSC 235 0 0 0 1,787 8 60 0 G G 165,889,990 0 0 14,886,890,900 0 0 14,886 5 0 G G 116,546,900 4 Groledo Village WSC 235 0 0 0 1,787 8 60 0 G G 165,889,990 0 0 0 1,787 8 60 0 G G G 165,889,990 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G 168,890,900 0 0 0 1,787 8 60 0 G G G G 168,890,900 0 0 0 1,787 8 60 0 G G G G 168,890,900 0 0 0 0 1,787 8 60 0 G G G G G G G G G G G G G G G G G	G M WSC	25	1	0	2,974	119	70	2	G	G	27,142,500	4
Lake Livingston Wayward Winds Oasis 2 4 0 13 7 50 3 G G 675,000 4 1 1 1 1 0 1 3 7 50 3 G G G 105,450,000 5 1 1 1 1 1 0 1 3 1 6 5 5 G G G 105,450,000 5 5 G G G 100,761,560 6 6 5 G G G 100,761,560 6 6 6 5 G G G G G G G G G G G G G G G G	Jefferson County WCID 10	28	3	0	2,185	78	47	2	G	G	183,410,000	
Lake Livingston Wayward Winds Oasis 2 4 0 13 7 50 3 G G 675,000 4 4 1 1 1 0 1 3 7 50 3 G G 675,000 4 4 1 1 1 0 3 3 0 980 8 85 5 G G G 105,450,000 5 6 G G G 105,450,000 6 G G G 105,450,000 6 G G G G G G G G G G G G G G G G G	Lake Livingston Big Thicket Retreat	5	4	0	36	7	52	3	G	G	2,368,000	4
Loma Linda Subdivision         1         1         0         33         66         50         2 G         G         2,121,000         4           Lumberton MUD         305         1         0         7,541         25         54         4 G         G         685,469,000         5           Meeker MWD         48         3         0         1,100         23         50         5 G         G         100,761,560         3           Mulberry Water Supply Brookeland FWSD         1         0         0         37         37         46         3 G         G         G         1,664,740         4           Orange County WCID 1         110         3         0         4,866         44         55         5 G         G         423,523,000         4           Rayburn Country MUD         44         0         0         778         18         65         0 G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4 G         G         2,074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G	Lake Livingston Wayward Winds Oasis	2	4	0	13	7	50	3	G	G [	675,000	4
Loma Linda Subdivision         1         1         0         33         66         50         2         G         G         2,121,000         4           Lumberton MUD         305         1         0         7,541         25         54         4         G         G         685,469,000         5           Meeker MWD         48         3         0         1,100         23         50         5         G         G         100,761,560         3           Mulberry Water Supply Brookeland FWSD         1         0         0         37         37         46         3         G         G         1,664,740         4           Orange County WCID 1         110         3         0         4,866         44         55         5         G         G         423,523,000         4           Rayburn Country MUD         44         0         0         778         18         65         0         G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4         G         G         2,074,470         3           South Newton WSC         87         1	Lilly Grove SUD	130	3	0	980	8	85	5	G	G	105,450,000	5
Lumberton MUD         305         1         0         7,541         25         54         4 G         G         685,469,000         5           Meeker MWD         48         3         0         1,100         23         50         5 G         G         100,761,560         3           Mulberry Water Supply Brookeland FWSD         1         0         0         37         37         46         3 G         G         G         1,664,740         4           Orange County WCID 1         110         3         0         4,866         44         55         5 G         G         423,523,000         4           Rayburn Country MUD         44         0         0         778         18         65         0 G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4 G         G         2,074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Toledo Village WSC         25         3         0         567         23         55         3 G	Loma Linda Subdivision	1	1	0	33	66	50	2	G	G	2,121,000	4
Meeker MWD         48         3         0         1,100         23         50         5 G         G         100,761,560         3           Mulberry Water Supply Brookeland FWSD         1         0         0         37         37         46         3 G         G         1,664,740         4           Orange County WCID 1         110         3         0         4,866         44         55         5 G         G         423,523,000         4           Rayburn Country MUD         44         0         0         778         18         65         0 G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4 G         G         3,2074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Toledo Village WSC         25         3         0         567         23         55         3 G         G         16,546,900         4           Tyler County WSC         235         0         0         1,787         8         60         0         G	Lumberton MUD	305	1	0	7,541	25	54	4	G	G	685,469,000	5
Mulberry Water Supply Brookeland FWSD         1         0         0         37         37         46         3 G         G         1,664,740         4           Orange County WCID 1         110         3         0         4,866         44         55         5 G         G         423,523,000         4           Rayburn Country MUD         44         0         0         778         18         65         0 G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4 G         G         G         2,074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Toledo Village WSC         25         3         0         567         23         55         3 G         G         16,546,900         4           Tyler County WSC         235         0         0         1,787         8         60         0         G         168,890,900         0	Meeker MWD		3	0	1,100	23	50	. 5	G	G	100,761,560	3
Orange County WCID 1         110         3         0         4,866         44         55         5 G         G         423,523,000         4           Rayburn Country MUD         44         0         0         778         18         65         0 G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4 G         G         2,074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Toledo Village WSC         25         3         0         567         23         55         3 G         G         16,546,900         4           Tyler County WSC         235         0         0         1,787         8         60         0         G         G         168,890,900         0	Mulberry Water Supply Brookeland FWSD		0	0	37				G	G	1,664,740	4
Rayburn Country MUD         44         0         0         778         18         65         0 G         G         109,202,000         0           Shawnee Shores         9         0         0         116         14         55         4 G         G         2,074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Toledo Village WSC         25         3         0         567         23         55         3 G         G         16,546,900         4           Tyler County WSC         235         0         0         1,787         8         60         0 G         G         168,890,900         0	Orange County WCID 1	110	. 3	0	4,866	44	55	5	G	G	423,523,000	4
Shawnee Shores         9         0         0         116         14         55         4 G         G         2,074,470         3           South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Toledo Village WSC         25         3         0         567         23         55         3 G         G         16,546,900         4           Tyler County WSC         235         0         0         1,787         8         60         0 G         G         168,890,900         0	Rayburn Country MUD	44	0	o	778	18	65	0	G	G	109,202,000	0
South Newton WSC         87         1         0         1,408         16         53         2 G         G         114,036,000         4           Foledo Village WSC         25         3         0         567         23         55         3 G         G         16,546,900         4           Fyler County WSC         235         0         0         1,787         8         60         0 G         G         168,890,900         0	Shawnee Shores		O	o	116	14	55	4	G	G		. 3
Foledo Village WSC         25         3         0         567         23         55         3         G         G         16,546,900         4           Fyler County WSC         235         0         0         1,787         8         60         0         G         G         168,890,900         0	South Newton WSC	87	1	0	1,408	16			G	G	114,036,000	4
Tyler County WSC 235 0 0 1,787 8 60 0 G G 168,890,900 0			3		567	23	55	3	G	G		4
												o
	Woodland Shores Subdivision		1				45	2	G	G		4



PWS Name	Production Meter Accuracy Percentage	Production Meter Accuracy Percentage AS	Corrected input Volume (c)	Wholesale Water Imported	Wholesale Water Imported AS	Wholesale Water Exported	Wholesale Water Exported AS	System Input Volume (c)	Billed Metered (c)	Metered AS
Angelina WSC	100.00	4.00	83,587,000	0	5	0	5	83,587,000	74,934,000	. 4
Beechwood WSC	97.00	0.00	0	16816000	0	0	0	16,816,000	12,355,000	0
Brookeland FWSD	99.30	4.00	26,213,494	0	0	0	0	26,213,494	20,209,340	3
City of Beaumont Water Utility Dept	99.90	5.00	9,460,672,673	0	5	561,659,500	_4	8,899,013,173	5,179,053,900	. 3
City of Bridge City	96.00	5.00	261,751,042	0	5	0	5	261,751,042	244,807,000	. 5
City of Bridge City Waterwood Estates	96.00	4.00	7,012,500	0	5	10	5	7,012,490	6,347,000	4
City of Brownsboro	99.80	5.00	47,984,369	0	0	769,500	3	47,214,869	34,288,392	. 2
City of Carthage	95.00	2.00	957,004,211	0	0	0	0	957,004,211	843,784,250	4
City of Center	95.00	2.00	1,108,113,684	0	0	0	0	1,108,113,684	892,076,300	4
City of Crockett	98.90	0.00	377,409,505	369193000	0	373,217,700	0	373,384,805	243,236,800	0
City of Groves	99.00	5.00	740,078,788	0	0	0	0	740,078,788	410,254,128	3
City of Hemphill	100.00	3.00	193,968,000	0	0	123,283,000	3	70,685,000	44,818,000	2
City of Henderson	99.90	4.00	931,572,573	0	0	5,415,786	3	926,156,787	748,631,931	3
City of Huntington	0.00	0.00	0	0	0	. 0	0	0	0	0
City of Huxley	100.30	0.00	62,392,822	0	0	0	0	62,392,822	48,041,000	2
City of Jasper	96.00	4.00	634,372,917	0	0	0	0	634,372,917	480,854,914	2
City of Kountze	102.00	5.00	83,148,039	0	. 0	0	0	83,148,039	71,755,083	3
City of Lovelady	97.00	4.00	32,482,268	8190800	4	0	1	40,673,068	21,016,300	4
City of Nederland	98.00	0.00	775,174,490	. 0	0	0	0	775,174,490	570,458,000	4
City of Orange	98.00	5.00	1,061,746,939	0	0	0	0	1,061,746,939	566,263,000	2
City of Palestine	100.00	5.00	1,570,313,000	0	0	0	0	1,570,313,000	1,151,563,000	5
City of Port Arthur	98.00	5.00	5,737,268,367	0	0	0	0	5,737,268,367	1,861,216,310	3
City of Port Neches	98.00	4.00	577,137,755	0	0	0	0	577,137,755	473,331,100	4
City of San Augustine	100.00	5.00	257,201,000	0	3	47,553,000	3	209,648,000	170,786,000	2
City of Silsbee	101.00	0.00	277,048,059	0	0	260,550	0	276,787,509	258,448,600	0
City of Tyler	100.20	2.00	8,889,959,281	0	5	388,015,000	4	8,501,944,281	7,586,613,000	4
Cypress Creek WSC	100.00	0.00	23,118,000	0	0	0	0	23,118,000	17,031,500	0
El Pinon Estates Water System	96.00	2.00	156,250	0	0	0	0	156,250	143,000	2
Forest Hills Water Supply	101.00	4.00	10,460,396	0	0	0	0	10,460,396	9,474,480	3
G M WSC	99.00	4.00	27,416,667	132662130	4	0	0	160,078,797	125,279,980	2
Jefferson County WCID 10	101.70	5.00	180,344,149	0	0	0	0	180,344,149	128,393,000	2
Lake Livingston Big Thicket Retreat	99.00	4.00	2,391,919	0	0	0	0	2,391,919	1,867,000	2
Lake Livingston Wayward Winds Oasis	99.00	4.00	681,818	0	0	0	0	681,818	540,000	
Lilly Grove SUD	98.00	5.00	107,602,041	Ō	0	0	0	107,602,041	83,508,000	2
Loma Linda Subdivision	96.00	4.00	2,209,375	0	0	0	0	2,209,375	2,001,000	2
Lumberton MUD	99.90	5.00	686,155,155	0	5	0	5	686,155,155	607,681,140	
Meeker MWD	104.00	5.00	96,886,115	7100	5	0	0	96,893,215	86,767,039	3
Mulberry Water Supply Brookeland FWSD	100.30	4.00	1,659,761	0	0	0	0	1,659,761	1,573,820	
Orange County WCID 1	98.00	4.00	432,166,327	0	0	0	0	432,166,327	310,284,880	
Rayburn Country MUD	99.00	0.00	110,305,051	0	0	0	o	110,305,051	56,838,900	
Shawnee Shores	98.20	3.00	2,112,495	0	0	0	0	2,112,495	1,860,350	
South Newton WSC	99.00	0.00	115,187,879	0	0.	0	0	115,187,879	76,971,940	
Toledo Village WSC	99.60	4.00	16,613,353	0		<del></del>	0	16,613,353	13,348,520	
Tyler County WSC	100.00	0.00	168,890,900	0		<u></u>	0	168,890,900	92,429,000	
Woodland Shores Subdivision	97.00	3.00	626,804	0			0	626,804	599,000	

PWS Name	Billed	Billed	Unbilled	Unbilled	Unbilled	Unbilled Unmetered	Unbilled	Total Authorized		Customer
PWS Name	Unmetered	Unmetered AS	Metered	Metered AS	Unmetered (c)	Uses System Input Vol	Unmetered AS	Consumption (c)	Water Losses (c)	Meter Accuracy Percentage
Angelina WSC	0	5	800,000	2	1,044,838	TRUE	5	76,778,838	6,808,163	95
Beechwood WSC	0	0	0	0	210,200	TRUE	0	12,565,200	4,250,800	
Brookeland FWSD	0	0	0	0	327,669	TRUE	0		5,676,486	
City of Beaumont Water Utility Dept	Ō	5	188,896,000	4	111,237,665	TRUE	1	5,479,187,565	3,419,825,608	
City of Bridge City	0	3	1,890,000	3	3,271,888	TRUE	3	249,968,888	11,782,154	
City of Bridge City Waterwood Estates	0	5	0	5	87,656	TRUE	4	6,434,656	577,834	
City of Brownsboro	0	0	403,280	2	590,186	TRUE	0	35,281,858	11,933,011	96
City of Carthage	0	0	0	0	24,840,505	FALSE	4	868,624,755	88,379,456	
City of Center	45,586,000	3	36,937,000	2	13,851,421	TRUE	2	988,450,721	119,662,963	98
City of Crockett	0	0	5,000,000	0	4,667,310	FALSE	0	252,904,110	120,480,695	95
City of Groves	0	0	77,123,085	3	51,415,390	FALSE	O		201,286,185	96
City of Hemphill	11,332,000	2	5,332,000	1	883,563	TRUE	3	62,365,563	8,319,438	
City of Henderson	0	0	61,313,600	2.	21,721,900	FALSE	2	831,667,431	94,489,356	
City of Huntington	0	0	0	0	0	TRUE	0	0	0	
City of Huxley	0	0	0	0	7,089,500	FALSE	3	55,130,500	7,262,322	
City of Jasper	0.	0	0	0		TRUE	0	488,784,575	145,588,341	95
City of Kountze	0	0	1,798,160	2	1,039,350	TRUE	2		8,555,446	
City of Lovelady	100,000	1	200,000	2	508,413	TRUE	1	21,824,713	18,848,355	98
City of Nederland	0	0	0	0	9,689,681	TRUE	1	580,147,681	195,026,809	98
City of Orange	0	. 0	0	0	13,271,837	TRUE	2	579,534,837	482,212,102	96
City of Palestine	0	0	0	0	0	FALSE	1	1,151,563,000	418,750,000	100
City of Port Arthur	0	0	208,100	3	71,715,855	TRUE	1	1,933,140,265	3,804,128,103	95
City of Port Neches	924,600	1	17,644,100	3	60,330,200	FALSE	3	552,230,000	24,907,755	98
City of San Augustine	0	0	30,897,000	0	2,620,600	TRUE	0	204,303,600	5,344,400	95
City of Silsbee	0	0	260,550	0	3,459,844	TRUE	. 0	262,168,994	14,618,516	98
City of Tyler	4,738,322	2	0	2.	106,274,304	TRUE	1	7,697,625,626	804,318,656	100
Cypress Creek WSC	0	0	0	0	288,975	TRUE	0	17,320,475	5,797,525	90
El Pinon Estates Water System	0	0	0	0	1,953	TRUE	1	144,953	11,297	96
Forest Hills Water Supply	0	0	34,290	3	130,755	TRUE	0	9,639,525	820,871	95
G M WSC	0	0	0	0	2,000,985	TRUE	0	127,280,965	32,797,832	95
Jefferson County WCID 10	0	0	0	0	2,254,302	FALSE	2	130,647,302	49,696,847	97
Lake Livingston Big Thicket Retreat	0	0	0	0	29,899	TRUE	0	1,896,899	495,020	100
Lake Livingston Wayward Winds Oasis	0	0	0	0	8,523	TRUE	0	548,523	133,295	100
Lilly Grove SUD	0	0	0	0	1,345,026	TRUE	2	84,853,026	22,749,015	96
Loma Linda Subdivision	0	0	0	0	27,617	TRUE	1	2,028,617	180,758	96
Lumberton MUD	0	5	34,724,556	3	6,654,675	FALSE	0	649,060,371	37,094,784	99
Meeker MWD	0	0	0	0	1,211,165	TRUE	0	87,978,204	8,915,011	99
Mulberry Water Supply Brookeland FWSD	0	0	0	0	20,747	TRUE	0	1,594,567	65,194	95
Orange County WCID 1	3,235,000	0	218,459	0	5,402,079	TRUE	0	319,140,418	113,025,908	98
Rayburn Country MUD	0	0	0	0	1,378,813	TRUE	0	58,217,713	52,087,337	80
Shawnee Shores	0	0	0	0	26,406	TRUE	0	1,886,756	225,739	95
South Newton WSC	0	0	26,845,623	1	1,439,848	TRUE	0	105,257,411	9,930,467	98
Toledo Village WSC	0	0	0	0	207,667	TRUE	0	13,556,187	3,057,166	95
Tyler County WSC	0	0	0	0	20,600,000	FALSE	0	113,029,000	55,861,900	96
Woodland Shores Subdivision	0	0	0	0	7,835	TRUE	3	606,835	19,969	99



PWS Name	Customer Meter Accuracy Percentage AS	Customer Meter Accuracy Loss (c)	_	Data Handling Discrepancy AS	Unauthorized Consumption (c)	Unauthorized Consumption Uses System Input Vol	Unauthorized Consumption AS	Total Apparent Losses (c)	Reported Breaks Leaks	Reported Breaks Leaks AS
Angelina WSC	2	3,943,895	0	0	208,968	TRUE	0	4,152,862	0	0
Beechwood WSC	C	382,113	0	0	42,040	TRUE	0	424,153	1,189,200	0
Brookeland FWSD	3	1,063,649	0	0	65,534	TRUE	4	1,129,183	611,030	4
City of Beaumont Water Utility Dept	3	105,694,978	0	2	22,247,533	TRUE	2	127,942,510	358,762,335	1
City of Bridge City	5	10,200,292	50000	2	654,378	TRUE	0	10,904,669	475,000	2
City of Bridge City Waterwood Estates	4	264,458	50000	2	17,531	TRUE	3	331,990	100,000	3
City of Brownsboro	3	1,428,683	0	0		TRUE	0	1,546,720	1,005,656	4
City of Carthage	3	44,409,697	0	0	<del>-</del>	FALSE	1	44,684,857	3,953,328	3
City of Center	2		1944401	1		TRUE	2	22,920,324	10,500,000	2
City of Crockett	C		0.	0	<del></del>	TRUE	. 0	13,735,399	6,300,000	0
City of Groves	3	17,093,922	0			TRUE	o	18,944,119	15,000,000	0
City of Hemphill	2	914,653	0	0		TRUE	0	1,091,366	1,000,000	2
City of Henderson		31.192.997	0	0		TRUE	0	33,508,389	5,017,500	3
City of Huntington	0		0	0	<del></del>	TRUE	0	0	0	0
City of Huxley	2	1,485,804	0	0	155,982	TRUE	ō	1,641,786	24,000	1
City of Jasper	1	25,308,153	0			TRUE	ol	26,894,086	204	3
City of Kountze	2		0		-//	TRUE	2	640,999	2,127,669	4
City of Lovelady	3	428,904	0	0		TRUE	<u> </u>	530,587	1,000,000	3
City of Nederland		11,642,000	0	0	<del></del>	TRUE	1	13,579,936	50,000,000	1
City of Orange		23,594,292	0	0		TRUE	2	26,248,659	18,000,000	2
City of Palestine		25,55-,252	0	0		TRUE	0	3,925,783	250,000,000	4
City of Port Arthur	1	97,958,753	0			TRUE	o	112,301,924	2,500,000,000	3
City of Port Neches	- 3	9,659,818	0			TRUE	2	11.102.663	4,750,000	3
City of San Augustine	2		0	0	_,	TRUE	0	9,512,857	1,500,000	1
City of Silsbee	0		0	0	<del></del>	TRUE	o	5,966,430	50,000	n
City of Tyler	7	3,2, 1,102	0	4		TRUE	2	21,254,861	5,000,000	2
Cypress Creek WSC	1 0	1,892,389	0	0		TRUE	0	1,950,184	1,330,200	n
El Pinon Estates Water System	1 1	5,958	0	1	391	TRUE	1	6,349	1,030,200	Ö
Forest Hills Water Supply	3	498,657	0	0		TRUE	4	524,808	81,450	- 4
G M WSC	- 2	6,593,683	0	0	<del></del>	TRUE	0	6,993,880	4,891,282	3
Jefferson County WCID 10	1 5	3,970,918	0	2	450,860	FALSE	1	4,421,778	15,123,183	4
Lake Livingston Big Thicket Retreat		9,382	0	5	5,980	TRUE	0	15,362	76,673	5
Lake Livingston Wayward Winds Oasis		2,714	Ö	5	1,705	TRUE	ol	4,418	2,514	5
Lilly Grove SUD	7		0	0	·	TRUE	2	3,748,505	21,942,000	3
Loma Linda Subdivision	1 4	83,375	20000	3	5,523	TRUE	0	108,898	60,000	4
Lumberton MUD	3		315048	3	1,715,388	TRUE	2	11,284,463	5,512,792	3
Meeker MWD			800000	3	242,233	TRUE	0	1,918,668	3,659,000	1
Mulberry Water Supply Brookeland FWSD	ŏ	<del></del>	000000	0		TRUE	o o	86,982	36,889	<u> </u>
Orange County WCID 1	1	6,332,344	61590571	1	1,080,416	TRUE	1	69,003,331	22,795,000	7
Rayburn Country MUD	0	14,209,725	01530371	0		TRUE	i ol	14,485,488	46,050,000	0
Shawnee Shores	3	97,913	0	0		TRUE	o	103,194	242,410	0
South Newton WSC	<del>-  </del>		0	0		TRUE	0	1,858,826	500,000	Ö
Toledo Village WSC	3	702,554	0	0		TRUE	5	744,087	283,796	
Tyler County WSC			0	0		FALSE	0	4,351,208	34,891,000	7
Woodland Shores Subdivision	3	6,051	- 0	0	<del></del>	TRUE	0	7,618	7,000	


				, <u></u>	,				
/ PWS Name	Unreported Loss (c)	Unreported Leaks Repaired AS	Total Real Losses (c)	Apparent Plus Real Losses(c)	Nonrevenue Water (c)	Apparent Loss Connections (c)	Real Loss Volume (c)	Unavoidable Annual Real Losses (c)	Infrastructure Leakage Index (c)
Angelina WSC	2,655,300	0	2,655,300	6,808,163	8,653,000	9	2,655,300	13,531,572	0
Beechwood WSC	2,637,447	0		4,250,800		2		2,467,732	2
Brookeland FWSD	3,936,273	0		5,676,486	6,004,154	7	4,547,303	6,072,596	1
City of Beaumont Water Utility Dept	2,933,120,763	2		3,419,825,608		6	3,291,883,098	252,782,794	13
City of Bridge City	402,484	2	877,484	11,782,154		112	877,484	6,758,311	0
City of Bridge City Waterwood Estates	145,844	2	245,844	577,834		12	245,844	394,722	1
City of Brownsboro	9,380,635	0		11,933,011	12,926,477	11	10,386,291	4,266,199	2
City of Carthage	39,741,270	1	43,694,598	88,379,456	113,219,961	30		36,621,837	1
City of Center	86,242,639	1	96,742,639	119,662,963	170,451,384	25	96,742,639	14,849,478	7
City of Crockett	100,445,296	0	106,745,296	120,480,695	130,148,005	12		20,273,560	5
City of Groves	167,342,066	O		201,286,185	329,824,660	8		28,895,955	6
City of Hemphill	6,228,072	0	7,228,072	8,319,438	14,535,000	4		2,858,242	3
City of Henderson	55,963,466	3	60,980,966	94,489,356		16		28,531,138	2
City of Huntington	0	. 0	0:	0:	0	0		0	
City of Huxley	5,596,535	0	5,620,535	7,262,322	14,351,822	6		10,819,695	1
City of Jasper	118,694,052	2	118,694,256	145,588,341	153,518,003	15		43,325,996	3
City of Kountze	5,786,777	1	7,914,446	8,555,446	11,392,956	2	7,914,446	7,620,872	1
City of Lovelady	17,317,768	1	18,317,768	18,848,355	19,556,768	4	18,317,768	2,157,062	8
City of Nederland	131,446,872	0	181,446,872	195,026,809	204,716,490	4	181,446,872	38,750,838	5
City of Orange	437,963,443	2	455,963,443	482,212,102	495,483,939	10		36,409,418	13
City of Palestine	164,824,218	1	414,824,218	418,750,000	418,750,000	1	414,824,218	81,060,569	5
City of Port Arthur	1,191,826,179	0	3,691,826,179	3,804,128,103	3,876,052,057	13	3,691,826,179	97,102,775	38
City of Port Neches	9.055,092	2	13,805,092	24,907,755	102,882,055	. 6	13,805,092	36,927,853	0
City of San Augustine	-5,668,457	1	-4,168,457	5,344,400	38,862,000	26	-4,168,457	7,273,848	-1
City of Silsbee	8,602,086	0	8,652,086	14,618,516	18,338,909	5	8,652,086	13,543,425	
City of Tyler	778,063,795	0	783,063,795	804,318,656	910,592,959	2	783,063,795	235,346,927	3
Cypress Creek WSC	2,517,141	0	3,847,341	5,797,525	6,086,500	20	3,847,341	5,181,540	1
El Pinon Estates Water System	4,948	0	4,948	11,297	13,250	0	4,948	435,219	0
Forest Hills Water Supply	214,613	2	296,063	820,871	985,916	10	296,063	1,323,545	0
G M WSC	20,912,670	0	25,803,952	32,797,832	34,798,817	6	25,803,952	14,853,493	2
Jefferson County WCID 10	30,151,887	1	45,275,070	49,696,847	51,951,149	6	45,275,070	8,221,191	6
Lake Livingston Big Thicket Retreat	402,985	0	479,658	495,020	524,919	1	479,658	605,633	1
Lake Livingston Wayward Winds Oasis	126,363	0	128,877	133,295	141,818	1	128,877	223,179	1
Lilly Grove SUD	-2,941,490	2	19,000,510	22,749,015	24,094,041	10	19,000,510	26,380,558	1
Loma Linda Subdivision	11,859	1	71,859	180,758	208,375	9	71,859	139,704	1
Lumberton MUD	20,297,529	2	25,810,321	37,094,784	78,474,015	4	25,810,321	54,817,452	
Meeker MWD	3,337,343	0	6,996,343	8,915,011	10,126,176	5	6,996,343	7,750,410	
Mulberry Water Supply Brookeland FWSD	-58,677	2	-21,788	65,194	85,941	6	-21,788	184,018	ô
Orange County WCID 1	21,227,577	0	44,022,577	113,025,908	118,646,447	39	44,022,577	26,599,375	2
Rayburn Country MUD	-8,448,150	0	37,601,850	52,087,337	53,466,151	51	37,601,850	8,416,207	4
Shawnee Shores	-119,866	0	122,544	225,739	252,145	2	122,544	1,272,454	
South Newton WSC	7,571,642	0	8,071,642	9,930,467	38,215,939	4	8,071,642	13,190,775	
Toledo Village WSC	2,029,283	2	2,313,079	3,057,166	3,264,833	4	2,313,079	4,422,523	1
Tyler County WSC	16,619,692	0	51,510,692	55,861,900	76,461,900	7	51,510,692	33,712,860	2
Woodland Shores Subdivision	5,352	1	12,352	19,969	27,804	1	12,352	1,113,122	



2016 Water Plan East Texas Region

PWS Name	Real Loss Connections (c)	Real Loss Miles (c)	Total Apparent Losses 2 (c)	Retail Price Of Water	Retail Price Of Water AS	Cost Of Apparent Losses (c)	Real Losses Duplicate 2 (c)	Variable Production Cost Of Water	Variable Production Cost Of Water AS	Cost Of Real Losses (c)
Angelina WSC	6	143	4,152,862	0.00	5.00	8,596	2,655,300	0	0	5,496
Beechwood WSC	21	951	424,153	2.87	0.00	1,217,320	3,826,647	3	0	10,140,613
Brookeland FWSD	27	445	1,129,183	0.00	4.00	2,823	4,547,303	0	4	2,274
City of Beaumont Water Utility Dept	154	12757	127,942,510	0.00	4.00	522,005	3,291,883,098	0	4	1,310,169
City of Bridge City	9	36	10,904,669	0.00	3.00	26,171	877,484	0	0	114
City of Bridge City Waterwood Estates	9	337	331,990	0.00	4.00	863	245,844	0	4	81
City of Brownsboro	75	1728	1,546,720	0.01	2.00	16,241	10,386,291	0	2	5,681
City of Carthage	30	363	44,684,857	0.00	2.00	172,037	43,694,598	0	2	50,249
City of Center	107	3232	22,920,324	0.00	3.00	55,467	96,742,639	0	2	84,843
City of Crockett	92	7311	13,735,399	0.01	0.00	189,549	106,745,296	0	0	1,473,085
City of Groves	79	5551	18,944,119	0.65	2.00	12,313,677	182,342,066	0	1	32,821,572
City of Hemphill	29	1165	1,091,366	0.00	1.00	3,274	7,228,072	. 0	1	19,444
City of Henderson	28	1337	33,508,389	· 0.00	4.00	110,578	60,980,966	0	3	48,785
City of Huntington	o	0	0	0.00	0.00	0	0	0	0	0
City of Huxley	20	220	1,641,786	5.00	0.00	8,208,931	5,620,535	0	1	12,101
City of Jasper	68	2085	26,894,086	0.00	2.00	29,315	118,694,256	0	2	2,967,356
City of Kountze	19	542	640,999	0.00	2.00	1,846	7,914,446	0	4	2,691
City of Lovelady	129	4182	530,587	0.01	2.00	4,643	18,317,768	0	1	109,907
City of Nederland	59	4690	13,579,936	0.00	4.00	34,629	181,446,872	0	0	217,736
City of Orange	181	8008	26,248,659	2.51	2.00	65,884,134	455,963,443	0	2	50,155,979
City of Palestine	152	4133	3,925,783	3.52	2.00	13,818,754	414,824,218	0	3	3,526,006
City of Port Arthur	443	28899	112,301,924	0.00	2.00	494,128	3,691,826,179	0	3	2,152,335
City of Port Neches	7	151	11,102,663	0.00	3.00	35,529	13,805,092	0	3	79,379
City of San Augustine	0	0	9,512,857	21.78	2.00	207,190,022	-4,168,457	0	1	-1,292,222
City of Silsbee	7	948	5,966,430	0.03	0.00	178,993	8,652,086	0	0	173,042
City of Tyler	59	3096	21,254,861	0.00	4.00	47,823	783,063,795	0	3	440,082
Cypress Creek WSC	39	351	1,950,184	0.37	0.00	711,817	3,847,341	1	0	3,847,341
El Pinon Estates Water System	0	3	6,349	0.00	1.00	24	4,948	0	1	19
Forest Hills Water Supply	5	101	524,808	0.00	4.00	1,312	296,063	0	4	178
G M WSC	24	2828	6,993,880	0.00	2.00	25,528	25,803,952	8	2	211,076,324
Jefferson County WCID 10	57	4430	4,421,778	0.02	4.00	103,912	45,275,070	0	2	43,011
Lake Livingston Big Thicket Retreat	37	268	15,362	0.04	3.00	595	479,658		3	192
Lake Livingston Wayward Winds Oasis	27	186	4,418	0.04	3.00	171	128,877	0	3	77
Lilly Grove SUD	53	400	3,748,505	4.25	2.00	15,931,147	19,000,510	1	1	23,750,638
Loma Linda Subdivision	6	394	108,898	0.00	3.00	490	71,859	0	1	323
Lumberton MUD	9	232	11,284,463	0.00	3.00	25,954	25,810,321	0	3	6,762
Meeker MWD	17	399	1,918,668	0.01	5.00	18,995	6,996,343	0	2	2,099
Mulberry Water Supply Brookeland FWSD	0	0	86,982	0.00	4.00	217	-21,788	0	4	-13
Orange County WCID 1	25	1096	69,003,331	0.00	5.00	179,409	44,022,577	0	1	7,924
Rayburn Country MUD	132	2341	14,485,488	0.01	0.00	166,583	37,601,850	0	0	31,962
Shawnee Shores	3	40	103,194	0.00	4.00	258	122,544	0	4	61
South Newton WSC	16	254	1,858,826	0.00	0.00	7,435	8,071,642	0	0	4,359
Toledo Village WSC	11	253	744,087	0.00	4.00	1,860	2,313,079	0	4	1,619
Tyler County WSC	79	601	4,351,208	0.00	0.00	15,229	51,510,692	0	0	19,059
Woodland Shores Subdivision	2	3	7,618	0.00	3.00	10	12,352	0	1	16

PWS Name	Total Assessment Score (c)	Total Cost Of Losses (c)	Saved Date	Survey Submitted	Date Submitted	Create Date	Total Loss Percent (c)
Angelina WSC	47	14,093	06/11/14	TRUE	06/11/14	06/11/14	8.15
Beechwood WSC	0	11,357,934		TRUE	04/08/14	04/08/14	25.28
Brookeland FWSD	35	5,097	03/31/14	TRUE	03/31/14	02/05/14	21.65
City of Beaumont Water Utility Dept	58	1,832,175	05/01/14	TRUE	05/01/14	04/28/14	38.43
City of Bridge City	57	26,285	04/28/14	TRUE	04/28/14	04/16/14	4.50
City of Bridge City Waterwood Estates	66	. 944	04/28/14	TRUE	04/28/14	04/16/14	8.24
City of Brownsboro	31	21,922	04/17/14	TRUE	04/17/14	04/15/14	25.27
City of Carthage	31	222,285	04/04/14	TRUE	05/21/14	04/02/14	9.24
City of Center	34	140,310	04/30/14	TRUE	04/30/14	04/29/14	10.80
City of Crockett	0	1,662,634	04/22/14	TRUE	04/23/14	04/22/14	32.27
City of Groves	28	45,135,249	04/15/14	TRUE	04/23/14	03/06/14	27.20
City of Hemphill	25	22,718		TRUE	01/24/14	01/24/14	11.77
City of Henderson	37	159,362	05/12/14	TRUE	05/21/14	05/09/14	10.20
City of Huntington	0	0	04/24/14	FALSE		04/24/14	0.00
City of Huxley	17	8,221,032	03/28/14	TRUE	03/28/14	03/27/14	11.64
City of Jasper	22	2,996,671	05/27/14	TRUE	05/27/14	05/27/14	22.95
City of Kountze	36	4,537	03/10/14	TRUE	03/10/14	03/06/14	10.29
City of Lovelady	38	114,549	01/08/14	TRUÉ	01/08/14	01/08/14	46.34
City of Nederland	19	252,365	04/28/14	TRUE	04/28/14	04/28/14	25.16
City of Orange	30	116,040,113		TRUE	05/09/14	05/09/14	45.42
City of Palestine	29	17,344,760	05/06/14	TRUE	05/07/14	05/06/14	26.67
City of Port Arthur	31	2,646,463	04/23/14	TRUE	04/23/14	03/11/14	66.31
City of Port Neches	48	114,908	04/02/14	TRUE	04/02/14	03/19/14	4.32
City of San Augustine	28	205,897,800	04/14/14	TRUE	04/15/14	04/14/14	2.55
City of Silsbee	0	352,035	03/31/14	TRUE	03/31/14	02/26/14	5.28
City of Tyler	48	487,905	04/23/14	TRUE	05/21/14	04/07/14	9.46
Cypress Creek WSC	0	4,559,158		TRUE	05/14/14	05/14/14	25.08
El Pinon Estates Water System	16	42		TRUE	03/27/14	03/27/14	7.23
Forest Hills Water Supply	37	1,490	02/05/14	TRUE	03/31/14	01/29/14	7.85
G M WSC	26	211,101,851	02/24/14	TRUE	02/26/14	02/24/14	20.49
Jefferson County WCID 10	35	146,923	04/04/14	TRUE	04/04/14	03/21/14	27.56
Lake Livingston Big Thicket Retreat	37	787	02/28/14	TRUE	02/28/14	02/28/14	20.70
Lake Livingston Wayward Winds Oasis	37	248	03/04/14	TRUE	03/04/14	03/04/14	19.55
Lilly Grove SUD	34	39,681,784	02/06/14	TRUE	02/06/14	02/04/14	21.14
Loma Linda Subdivision	30	813	03/27/14	TRUÉ	04/04/14	03/27/14	8.18
Lumberton MUD	57	32,717	05/29/14	TRUE	05/29/14	05/27/14	5.41
Meeker MWD	35	21,094	05/22/14	TRUE	05/22/14	05/22/14	9.20
Mulberry Water Supply Brookeland FWSD	25	204	02/05/14	TRUE	03/31/14	02/05/14	3.93
Orange County WCID 1	30	187,333	05/09/14	TRUE	05/09/14	04/07/14	26.15
Rayburn Country MUD	0	198,545	02/24/14	TRUE	02/24/14	02/20/14	47.22
Shawnee Shores	21	319	02/05/14	TRUE	03/31/14	02/05/14	10.69
South Newton WSC	10	11,794	03/04/14	TRUE	03/04/14	03/04/14	8.62
Toledo Village WSC	39	3,479	02/05/14	TRUE	03/31/14	02/05/14	18.40
Tyler County WSC	0	34,288	04/14/14	TRUE	04/14/14	04/14/14	33.08
Woodland Shores Subdivision	25	25	03/28/14	TRUE	04/04/14	03/28/14	3.19



### Appendix 2-A

### Correspondence of the ETRWPG Chair to the TWDB

Following is a letter from Kelley Holcomb, Chair of the ETRWPG, to the TWDB, regarding the 2016 Plan Projected Demands. The letter is dated September 27, 2012, and contains a letter prepared by Alan Plummer Associates, Inc. presenting revised non-municipal demand projections with the following attachments:

- Attachment 1 Summary of Proposed non-Municipal Water Demands
- Attachment 2 Non-Municipal Water Demands Revisions on Tables
   Provided by the Texas Water Development Board
- Attachment 3 Irrigation Water Demands Evaluation
- Attachment 4 Rice Irrigation Demand Projections Technical Memorandum
- Attachment 5 Meeting Summary of Non-Municipal Water Demands in Jefferson County
- Attachment 6 John Martin Correspondence Regarding Manufacturing and Steam-Electric Demands in Tyler County
- Attachment 7 Kelley Holcomb Correspondence Regarding Mining Demands

## This page intentionally left blank



September 27, 2012

Ms. Melanie Callahan
Executive Administrator
Texas Water Development Board
1700 North Congress Avenue
Austin, Texas 78701

Re: Transmittal of Recommended Changes to Proposed Non-Municipal Water Demand Projections for the East Texas Regional Water Planning Area (Region I)

Dear Ms. Callahan:

The Texas Water Development Board (TWDB) has provided proposed non-municipal water demand projections for the 20 counties included in the East Texas Regional Water Planning Area (ETRWPA). In addition, the TWDB has invited the East Texas Regional Water Planning Group (ETRWPG) to submit recommendations for changes to the proposed projections before the proposed projections are taken to the agency's board (Board) for adoption. On September 12, 2012, the ETRWPG considered the projections and agreed that changes to some categories of projections are justified.

Attached is a letter from Mr. Rex H. Hunt, P.E., of Alan Plummer Associates, Inc., Project Manager for the ETRWPA consultant team. The letter transmits the recommended changes to the proposed non-municipal water demand projections. In addition, the letter includes back-up information related to the proposed changes. These recommended changes have been adopted by the ETRWPG.

Pursuant to the TWDB request, the consultant team will transmit separately, via electronic mail, an electronic file (Excel spreadsheet) of the changes recommended herein to Mr. Lann Bookout, TWDB Project Manager for the ETRWPA. The electronic file will include the tables contained in Attachment 2 of the enclosed recommendations:

It is understood that additional changes to the mining water demand are being contemplated by TWDB staff as a result of revisions that are underway to a report on mining demand in the State. Mining water demand associated particularly with the oil and gas industry is an especially important issue to the ETRWPG due to significant gas-shale plays located within the region. If projections are modified for the ETRWPA, as a result of the revised report, the ETRWPG requests the opportunity to review those changes before projections are formalized by Board action.

In addition, it is understood that the TWDB staff will evaluate this request and incorporate changes, as appropriate, prior to submitting the final proposed projections to the Board for approval. The Board's approval of the projections will then start a process of formal adoption, which will include a public comment period wherein the ETRWPG may formally request further changes to the projections, if desired.

The ETRWPG appreciates the opportunity to submit these recommendations for changes to the non-municipal water demand projections. Please do not hesitate to contact me if you have any questions.

Respectfully,

Kelley Holcomb, Char-

East Jexas Regional Water Planning Group

Enclosures

cc: Mr. Lann Bookout, Texas Water Development Board

Ms. Lila Fuller, City of Nacogdoches



ROBERT EADAMS, DE, PE

JAMES LALTSTAETTER, PE

STEPHEN J. COONAN, PE

JOHN M. D'ANTONI, DE, PE

PEGGY W. GLASS, PhD

DAVID A. GUDAL, PE

REX. H. HUNT, PE

BETTY L. JORDAN, PE

ELLEN T. McDONALD, PHD, PE

JOHN R. MENAHAN, PE

TEMOTHY J. NOACK, PE

ALAN H. PLUMMER, JR., PE, BCEE

WILLIAM C. RACKLEY, PE

ALAN R. TLICKER, PE

1600-002-01

September 26, 2012

Mr. Kelley Holcomb, Chair East Texas Regional Water Planning Group c/o City of Nacogdoches 202 E. Pilar Street Nacogdoches, Texas 75961

Re:

Recommended Revisions to Non-Municipal Water Demands East Texas Regional Water Planning Area

Dear Chairman Holcomb:

This letter transmits recommendations for modifications of the non-municipal water demands for the 2016 Regional Water Plan (2016 Plan) for the East Texas Regional Water Planning Area (ETRWPA). These recommendations were requested by the East Texas Regional Water Planning Group (ETRWPG) at its meeting on February 1, 2012. Following is a brief explanation of the non-municipal demands and the recommended changes. A summary of the recommended changes is provided as Attachment 1 to this letter. Attachment 2 provides the information in a format requested by the Texas Water Development Board (TWDB).

#### NON-MUNICIPAL WATER DEMAND CHANGES

The non-municipal water demands are divided into five categories of use, as follows:

- Irrigation
- Manufacturing
- Steam-Electric
- Mining
- Livestock

The TWDB provided initial estimates of water demand for each county in the ETRWPA for each of these categories of use and requested the ETRWPG to consider whether any changes should be made to the demands. At the February 1 meeting of the ETRWPG, the consultant team was charged with the task of evaluating the demand projections and suggesting potential changes to the projections, as appropriate. Several specific areas in need of evaluation were identified at the meeting, including rice irrigation in coastal counties in the region, a possible new irrigation need for bio-fuel crops, and poultry water demands in the region. At the ETRWPG meeting of September 12, 2012, additional possible changes were discussed, including modifications for mining, manufacturing, and steam-electric categories in selected counties. Following (Table 1) is a summary of the proposed changes to non-municipal water demands for the ETRWPA on a category by category basis. The recommended projections are shown in red.



AUSTIN, TEXAS 78752-3625
PHONE 512.452.5905
FAX 512.452.2325
www.apsienv.com
TBPE Firm No. 13

Table 1 **Summary of Proposed Revisions by Demand Category** 

Demand		Volume (af/yr)						
Category	State Water Plan Year	2020	2030	2040	2050	2060	2070	
Irrigation	2012 Plan Projections <sup>(1)</sup>	151,417	151,771	152,153	152,575	153,040	NA	
	2017 Plan Projections <sup>(2)</sup>	89,375	89,653	89,953	90,284	90,648	91,137	
	2017 ETRWPG Projections <sup>(3)</sup>	177,919	187,894	194,851	197,546	195,445	192,186	
Manufacturing	2012 Plan Projections	591,904	784,140	821,841	857,902	893,476	NA	
	2017 Plan Projections	608,237	800,559	838,209	874,116	908,943	945,456	
	2017 ETRWPG Projections	608,667	800,989	838,639	874,546	909,373	945,886	
Mining	2012 Plan Projections	37,297	17,331	18,385	19,432	20,314	NA	
	2017 Plan Projections	25,474	21,792	16,664	11,636	6,857	7,066	
	2017 ETRWPG Projections	22,817	17,923	6,716	5,590	4,600	4,890	
Steam Electric	2012 Plan Projections	80,989	94,515	111,006	131,108	155,611	NA	
	2017 Plan Projections	81,016	94,547	111,043	131,152	155,663	183,747	
	2017 ETRWPG Projections	82,018	95,544	112,035	132,137	156,640	184,714	
Livestock	2012 Plan Projections	25,114	26,899	29,020	31,546	34,533	NA	
	2017 Plan Projections	21,389	22,911	24,723	26,883	29,443	30,126	
	2017 ETRWPG Projections	24,027	25,549	27,361	29,521	32,081	32,764	
Total Non-Municipal Water Demands	2012 Plan Projections	886,721	1,074,656	1,132,405	1,192,563	1,256,974	NA	
	2017 Plan Projections	825,491	1,029,462	1,080,592	1,134,071	1,191,554	1,257,532	
	2017 ETRWPG Projections	915,448	1,127,899	1,179,602	1,239,340	1,298,139	1,360,440	

<sup>(1) 2012</sup> Plan Projections are from the 2012 State Water Plan and 2011 Update of the Regional Water Plan in the East Texas Regional Water Planning Area (ETRWPA) or Region I
(2) 2017 Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board

<sup>(3) 2017</sup> ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)

Mr. Kelley Holcomb, Chair Page 3 September 26, 2012

A discussion of all recommendations for non-municipal demands by category is described below.

#### Irrigation

The consultant team recommends revisions to irrigation demands for all counties but one in the ETRWPA. Changes to 16 of the 20 counties in the region are related to recent historical irrigation demands, while changes to non-municipal demands in three counties are related to an alternative approach to projections of rice irrigation demands.

The TWDB projections of irrigation demand for the 2017 State Water Plan were based generally on an assumption of average demand for each county in the region using the most recent five years of available irrigation data. This average demand was used as the starting point for the projections. Demand changes over time rose, fell, or remained constant in accordance with what the previous water plan assumed. The consultant team has revised this approach by assuming that the starting point would be the maximum demand of the last five years of data. This approach was used for the following counties in the ETRWPA:

Anderson	Nacogdoches	Shelby
Angelina	Newton	Smith
Cherokee	Panola	Trinity
Henderson	Polk	Tyler
Houston	Rusk	
Jasper	San Augustine	

The revised approach has had the effect of increasing irrigation demand for the 16 counties. Attachment 3 contains a summary of the irrigation water demand evaluation for each of the above counties.

For Hardin, Jefferson, and Orange Counties, a different approach was taken. These counties have significant rice irrigation demands (or have had historically). The approach taken to project irrigation demands in these counties was detailed in a draft technical memorandum prepared by the consultant team entitled, *Rice Water Demand Projections Revisions*, dated August 21, 2012. This memorandum was presented to the ETRWPG Technical Committee in August and to the ETRWPG at the September 12 meeting and is included as Attachment 4 to this letter. The revised approach for rice irrigation demands had the effect of significantly increasing irrigation demand in these three counties over what the TWDB has proposed.

Mr. Kelley Holcomb, Chair Page 4 September 25, 2012

The TWDB has not yet indicated whether they agree with the approach proposed in the draft *Rice Water Demand Projections Revisions* Technical Memorandum. TWDB staff indicated that they believe there should be an assumption of no rice irrigation in Orange County on the belief that there has been no credible report of irrigation within the past five years.

An additional modification to irrigation demands for Jefferson County has been developed to account for a new bio-fuels industry that appears to be ready to take off in the county. Under contract to oil and gas industry companies, farmers in Jefferson County are beginning to raise "energy cane," which is a crop with a high capacity for producing bio-fuels. It has been estimated that approximately 26,000 acre-feet per year (af/yr) of irrigation will be needed for this crop in Jefferson County by 2020. This assumption has been carried forward for each decade in the planning period. Attachment 5 contains a copy of a summary of a meeting with representatives of the farming industry, oil and gas industry, the TWDB, and the ETRWPG, in which bio-fuels crop irrigation demands were addressed.

Sabine County irrigation projections have been assumed in previous water plans to be zero throughout the planning horizon. Likewise, the TWDB projected irrigation demand for Sabine County to remain at zero throughout the planning horizon. There is no historical information that irrigated agriculture is occurring in the county. Therefore, it is recommended that Sabine County continue to reflect no irrigation demand.

Table 1 and Figure 1 in Attachment 1 provide the recommended irrigation demands for each county in the ETRWPA.

#### Manufacturing

Changes to the TWDB's proposed manufacturing water demand numbers are recommended only for Tyler County. John Martin of the Southeast Texas Groundwater Conservation District and representing Groundwater Management Area 14 on the ETRWPG, has reported that a new wood pellet manufacturing facility is under construction in the City of Woodville and has received authorization from the Southeast Texas Groundwater Conservation District to withdraw 430 af/yr of groundwater for use in the process. Attachment 6 contains an email from Mr. Martin regarding manufacturing and steam-electric demands in Tyler County. In addition, Mr. Martin has requested additional documentation regarding this demand from the manufacturer. He expects this demand to be in place prior to 2020. Therefore, this demand has been added to the Tyler County manufacturing demand projections for 2020 and is assumed to remain constant through 2070.

Table 2 and Figure 2 in Attachment 1 provide the recommended manufacturing demands for each county in the ETRWPA.

#### Steam Electric

Changes to the TWDB's proposed steam electric water demand numbers are only recommended for Tyler County. John Martin has reported that a biomass electric generating facility is under construction in the City of Woodville and is expected to have a demand of 1,029 af/yr. He expects this demand to be in place prior to 2020 (see

Mr. Kelley Holcomb, Chair Page 5 September 25, 2012

Attachment 6). Mr. Martin has requested additional documentation regarding steam electric demand from the power generating company. Therefore, this demand has been added to the Tyler County steam electric demand projections.

Table 3 and Figure 3 in Attachment 1 provide the recommended steam electric demands for each county in the ETRWPA.

#### Mining

Changes to the TWDB's proposed mining water demands are not recommended for any county in the ETRWPA except Nacogdoches, Panola, Rusk, Sabine, San Augustine, and Shelby Counties. At the September 12 ETRWPA meeting, Leah Adams, General Manager for the Panola County Groundwater Conservation District and the representative from GMA 11, reported that the shale gas water demands for Panola County are approximately 50% above the initial demands provided by the TWDB. In addition, documentation of mining water projections has been provided for Nacogdoches, Rusk, Sabine, San Augustine, and Shelby Counties (see Attachment 7). On the basis of these reports, mining water demand projections have been modified for six counties in the ETRWPA.

The TWDB is expecting a revision of the Bureau of Economic Geology report on mining water demands soon. The revised report may make significant changes to the TWDB's proposed mining water demand projections. It will be necessary to revisit these demands at that time.

Table 4 and Figure 4 in Attachment 1 provide the recommended mining demands for each county in the ETRWPA.

#### Livestock

Changes to livestock water demands are recommended for the ETRWPA on the basis of a significant change in the way poultry water demands are determined. The consultant team, with the support of David Alders from the ETRWPG, have researched water demands for poultry production and concluded that the water demand projections provided by the TWDB are inadequate, as they do not account for cooling water demands for the poultry houses in the region. Cooling water demands appear to increase the water requirements for poultry by approximately 15 gallons per 1,000 chickens. The result has been a projected increase in livestock water demand for all counties in the region. A technical memorandum will be prepared to describe the methodology for the revisions to the poultry water demands.

Table 5 and Figure 5 in Attachment 1 provide the recommended livestock demands for each county in the ETRWPA.

#### NEXT STEPS

Once the ETRWPG has approved the final numbers for its recommended demands, it will be necessary to transmit the recommended changes to TWDB. At the request of the ETRWPG, the ETRWPA consultant team will prepare a final transmittal to the TWDB, which will include the final demand projections in the format provided in Attachment 2. This will include an electronic submittal of the projections as an excel file.

Mr. Kelley Holcomb, Chair Page 6 September 25, 2012

We appreciate the opportunity to support the ETRWPG in preparation of the 2016 Regional Water Plan. Please let me know if you need additional information or have any questions.

Sincerely,

ALAN PLUMMER ASSOCIATES, INC. TBPE Firm Registration No. F-13

Rex H. Hunt, PE

Principal

RHH/rjm

Enclosures

ce: Mr. Michael Harbordt, East Texas Regional Water Planning Group

Mr. Lann Bookout, Texas Water Development Board

Ms. Simone Kiel, P.E., Freese and Nichols, Inc.

Attachment 1 Summary of Proposed Non-Municipal Water Demands

Table 1

# Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Irrigation Water Demands

				Volume	(af/yr)	<del></del>	
County	State Water Plan Year	2020	2030	2040	2050	2060	2070
	2012 Plan Projections <sup>(1)</sup>	212	212	212	212	212	NA
Anderson	2017 Plan Projections <sup>(2)</sup>	403	403	403	403	403	403
	2017 ETRWPG Projections <sup>(3)</sup>	462	462	462	462	462	462
	2012 Plan Projections	30	30	30	30	30	NA
Angelina	2017 Plan Projections	294	294	294	294	294	294
-	2017 ETRWPG Projections	481	481	481	481	481	481
	2012 Plan Projections	321	321	321	321	321	NA
Cherokee	2017 Plan Projections	294	294	294	294	294	294
	2017 ETRWPG Projections	355	355	355	355	355	355
	2012 Plan Projections	3,502	3,502	3,502	3,502	3,502	NA
Hardin	2017 Plan Projections	1,349	1,349	1,349	1,349	1,349	1,349
	2017 ETRWPG Projections	3,414	3,645	3,804	3,861	3,802	3,712
	2012 Plan Projections	10	10	10	10	10	NA
Henderson	2017 Plan Projections	284	284	284	284	284	284
	2017 ETRWPG Projections	384	384	384	384	384	384
	2012 Plan Projections	3,024	3,343	3,691	4,077	4,503	NA
Houston	2017 Plan Projections	2,333	2,579	2,847	3,145	3,474	3,922
	2017 ETRWPG Projections	2,989	3,235	3,503	3,801	4,130	4,578
	2012 Plan Projections	0	0	0	0	0	NA
Jasper	2017 Plan Projections	0	0	0	0	0	0
	2017 ETRWPG Projections	36	36	36	36	36	36
	2012 Plan Projections	140,000	140,000	140,000	140,000	140,000	NA
Jefferson	2017 Plan Projections	82,814	82,814	82,814	82,814	82,814	82,814
	2017 ETRWPG Projections	161,952	171,165	177,490	179,735	177,394	173,833
	2012 Plan Projections	302	302	302	302	302	NA
Nacogdoches		330	330	330	330	330	330
	2017 ETRWPG Projections	400	400	400	400	400	400
	2012 Plan Projections	367	367	367	367	367	NA
Newton	2017 Plan Projections	0	0	0	0	0	0
	2017 ETRWPG Projections	375	375	375	375	375	375
	2012 Plan Projections	2,509	2,509	2,509	2,509	2,509	NA
Orange	2017 Plan Projections	0	0	0	0	0	0
	2017 ETRWPG Projections	3,730	3,983	4,156	4,218	4,153	4,056
	2012 Plan Projections	0	0	0	0	0	NA
Panola	2017 Plan Projections	31	31	31	31	31	31
	2017 ETRWPG Projections	64	64	64	64	64	64
	2012 Plan Projections	135	135	135	135	135	NA
Polk	2017 Plan Projections	259	259	259	259	259	259
	2017 ETRWPG Projections	428	428	428	428	428	428

Table 1


## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Irrigation Water Demands

		a design	Volume (af/yr)							
County	State Water Plan Year	2020	2030	2040	2050	2060	2070			
	2012 Plan Projections	126	126	126	126	126	NA			
Rusk	2017 Plan Projections	0	0	0	0	0	0			
	2017 ETRWPG Projections	100	100	100	100	100	100			
	2012 Plan Projections	0	0	0	0	0	NA			
Sabine	2017 Plan Projections	0	0	0	0	0	0			
	2017 ETRWPG Projections	0	0	0	0	0	0			
	2012 Plan Projections	225	225	225	225	225	NA			
San Augustine	2017 Plan Projections	0	0	0	0	0	0			
	2017 ETRWPG Projections	62	62	62	62	62	62			
	2012 Plan Projections	30	34	37	41	46	NA			
Shelby	2017 Plan Projections	0	0	0	0	0	0			
	2017 ETRWPG Projections	26	26	26	26	26	26			
	2012 Plan Projections	595	626	657	689	723	NA			
Smith	2017 Plan Projections	610	642	674	707	742	783			
	2017 ETRWPG Projections	1,486	1,518	1,550	1,583	1,618	1,659			
	2012 Plan Projections	0	0	0	0	0	NA			
Trinity	2017 Plan Projections	0	0	0	0	0	0			
	2017 ETRWPG Projections	500	500	500	500	500	500			
	2012 Plan Projections	29	29	29	29	29	NA			
Tyler	2017 Plan Projections	374	374	374	374	374	374			
	2017 ETRWPG Projections	675	675	675	675	675	675			
	2012 Plan Projections	151,417	151,771	152,153	152,575	153,040	NA			
TOTAL	2017 Plan Projections	89,375	89,653	89,953	90,284	90,648	91,137			
	2017 ETRWPG Projections	177,919	187,894	194,851	197,546	195,445	192,186			

<sup>(1) 2012</sup> Plan Projections are from the 2012 State Water Plan and 2011 Update of the Regional Water Plan in the East Texas Regional Water Planning Area (ETRWPA) or Region I

<sup>(2) 2017</sup> Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board

<sup>(3) 2017</sup> ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)



Attachment 1
East Texas Regional Water Planning Area
Comparison of Historical Water Demand Estimates and 2012 and 2017 Projections
Irrigation Water Demands




Figure 1 (continued)

Attachment 1
East Texas Regional Water Planning Area
Comparison of Historical Water Demand Estimates and 2012 and 2017 Projections
Irrigation Water Demands

Table 2

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Manufacturing Water Demands

		Volume (af/yr)							
County	State Water Plan Year	2020	2030	2040	2050	2060	207		
	2012 Plan Projections <sup>(1)</sup>	0	0	0	0	0	N.		
Anderson	2017 Plan Projections <sup>(2)</sup>	30	40	42	44	46	4		
	2017 ETRWPG Projections <sup>(3)</sup>	30	40	42	44	46	4		
	2012 Plan Projections	23,500	25,980	28,490	30,720	33,100	N		
Angelina	2017 Plan Projections	15,249	16,858	18,487	19,934	21,478	23,14		
	2017 ETRWPG Projections	15,249	16,858	18,487	19,934	21,478	23,14		
	2012 Plan Projections	784	839	891	934	1,007	N		
Cherokee	2017 Plan Projections	413	442	469	492	530	57		
	2017 ETRWPG Projections	413	442	469	492	530	57		
	2012 Plan Projections	165	182	200	216	233	N		
Hardin	2017 Plan Projections	288	318	349	377	407	43		
	2017 ETRWPG Projections	288	318	349	377	407	43		
	2012 Plan Projections	14	16	18	20	22	N		
Henderson	2017 Plan Projections	54	62	70	78	86	9		
	2017 ETRWPG Projections	54	62	70	78	86	9		
	2012 Plan Projections	190	209	227	243	263	N		
Houston	2017 Plan Projections	307	338	367	393	425	40		
	2017 ETRWPG Projections	307	338	367	393	425	40		
	2012 Plan Projections	67,649	70,162	72,359	74,006	74,069	١		
Jasper	2017 Plan Projections	91,580	94,982	97,956	100,186	100,271	100,3		
	2017 ETRWPG Projections	91,580	94,982	97,956	100,186	100,271	100,3		
	2012 Plan Projections	423,258	603,321	629,171	655,034	680,914	١		
Jefferson	2017 Plan Projections	423,258	603,321	629,171	655,034	680,914	707,8		
	2017 ETRWPG Projections	423,258	603,321	629,171	655,034	680,914	707,8		
	2012 Plan Projections	2,553	2,786	3,016	3,214	3,468	1		
Nacogdoches	2017 Plan Projections	2,564	2,798	3,029	3,228	3,483	3,7		
	2017 ETRWPG Projections	2,564	2,798	3,029	3,228	3,483	3,7		
	2012 Plan Projections	793	899	1,006	1,103	1,196	ſ		
Newton	2017 Plan Projections	568	644	721	791	858	9		
	2017 ETRWPG Projections	568	644	721	791	858	9:		
	2012 Plan Projections	64,461	70,439	76,399	81,690	87,641	r		
Orange	2017 Plan Projections	64,461	70,439	76,399	81,690	87,641	94,0		
	2017 ETRWPG Projections	64,461	70,439	76,399	81,690	87,641	94,0		
	2012 Plan Projections	1,437	1,500	1,561	1,614	1,720	ĺ		
Panola	2017 Plan Projections	1,393	1,454	1,513	1,564	1,667	1,7		
	2017 ETRWPG Projections	1,393	1,454	1,513	1,564	1,667	1,7		
	2012 Plan Projections	725	825	930	1,026	1,110	-/-		
Polk	2017 Plan Projections	604	687	774	854	924	1,0		
ı vik	2017 ETRWPG Projections	604	687	774	854	924	1,0		

Table 2


## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Manufacturing Water Demands

		Volume (af/yr)							
County	State Water Plan Year	2020	2030	2040	2050	2060	2070		
	2012 Plan Projections	90	97	103	108	116	NA		
Rusk	2017 Plan Projections	317	342	363	381	409	439		
	2017 ETRWPG Projections	317	342	363	381	409	439		
	2012 Plan Projections	427	490	554	611	662	NA		
Sabine	2017 Plan Projections	467	536	606	668	724	785		
	2017 ETRWPG Projections	467	536	606	668	724	785		
	2012 Plan Projections	7	8	9	10	11	NA		
San Augustine	2017 Plan Projections	8	9	10	11	12	13		
	2017 ETRWPG Projections	8	9	10	11	12	13		
	2012 Plan Projections	1,508	1,637	1,766	1,880	2,019	NA		
Shelby	2017 Plan Projections	1,510	1,639	1,768	1,882	2,021	2,170		
	2017 ETRWPG Projections	1,510	1,639	1,768	1,882	2,021	2,170		
	2012 Plan Projections	4,297	4,697	5,081	5,407	5,854	NA		
Smith	2017 Plan Projections	5,120	5,597	6,055	6,443	6,976	7,553		
	2017 ETRWPG Projections	5,120	5,597	6,055	6,443	6,976	7,553		
	2012 Plan Projections	0	0	0	0	0	NA		
Trinity	2017 Plan Projections	0	0	0	0	0	C		
	2017 ETRWPG Projections	0	0	0	0	0	C		
	2012 Plan Projections	46	53	60	66	71	NA		
Tyler	2017 Plan Projections	46	53	60	66	71	76		
	2017 ETRWPG Projections	476	483	490	496	501	506		
	2012 Plan Projections	591,904	784,140	821,841	857,902	893,476	NA		
TOTAL	2017 Plan Projections	608,237	800,559	838,209	874,116	908,943	945,456		
	2017 ETRWPG Projections	608,667	800,989	838,639	874,546	909,373	945,886		

<sup>(1) 2012</sup> Plan Projections are from the 2012 State Water Plan and 2011 Update of the Regional Water Plan in the East Texas Regional Water Planning Area (ETRWPA) or Region I

<sup>(2) 2017</sup> Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board

<sup>(3) 2017</sup> ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)



rigule 2

Attachment 1
East Texas Regional Water Planning Area
Comparison of Historical Water Demand Estimates and 2012 and 2017 Projections
Manufacturing Water Demands




Figure 2 (continued)

Attachment 1
East Texas Regional Water Planning Area
Comparison of Historical Water Demand Estimates and 2012 and 2017 Projections
Manufacturing Water Demands

Table 3

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Mining Water Demands

				Volume	(af/yr)	40.04	
County	State Water Plan Year	2020	2030	2040	2050	2060	207
	2012 Plan Projections <sup>(1)</sup>	557	583	608	633	657	N
Anderson	2017 Plan Projections <sup>(2)</sup>	70	105	83	58	32	2
	2017 ETRWPG Projections (3)	70	105	83	58	32	2
	2012 Plan Projections	4,017	17	17	17	17	N
Angelina	2017 Plan Projections	486	585	410	236	63	2
	2017 ETRWPG Projections	486	585	410	236	63	2
	2012 Plan Projections	1,597	99	101	103	105	N
Cherokee	2017 Plan Projections	295	304	203	104	15	1
	2017 ETRWPG Projections	295	304	203	104	15	1
	2012 Plan Projections	8,648	9,219	9,788	10,361	10,798	Ν
Hardin	2017 Plan Projections	12	12	12	12	12	
	2017 ETRWPG Projections	12	12	12	12	12	
	2012 Plan Projections	14	14	14	14	14	N
Henderson	2017 Plan Projections	77	86	59	34	8	
	2017 ETRWPG Projections	77	86	59	34	8	
	2012 Plan Projections	160	158	156	154	153	Ν
Houston	2017 Plan Projections	17	17	17	17	17	
	2017 ETRWPG Projections	17	17	17	17	17	
	2012 Plan Projections	4	4	4	4	4	Ν
Jasper	2017 Plan Projections	13	13	13	13	13	
	2017 ETRWPG Projections	13	13	13	13	13	
	2012 Plan Projections	334	341	348	355	360	N
Jefferson	2017 Plan Projections	194	216	243	294	328	30
	2017 ETRWPG Projections	194	216	243	294	328	36
	2012 Plan Projections	7,213	212	211	210	209	١
Nacogdoches	2017 Plan Projections	4,612	3,597	2,435	1,275	127	
	2017 ETRWPG Projections	7,000	4,500	0	0	0	
	2012 Plan Projections	32	32	32	32	32	١
Newton	2017 Plan Projections	269	248	190	155	128	10
	2017 ETRWPG Projections	269	248	190	155	128	10
	2012 Plan Projections	9	9	9	9	9	N
Orange	2017 Plan Projections	309	314	313	314	319	3:
and The state of	2017 ETRWPG Projections	309	314	313	314	319	3:
The second	2012 Plan Projections	4,271	4,587	4,905	5,228	5,536	ı
Panola	2017 Plan Projections	3,944	3,906	3,366	2,845	2,413	2,6
	2017 ETRWPG Projections	5,916	5,859	5,049	4,268	3,620	3,9
	2012 Plan Projections	0	0	0	0	0	1
Polk	2017 Plan Projections	7	7	7	7	7	
, VIII	2017 ETRWPG Projections	7	7	7	7	7	

Table 3

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Mining Water Demands

				Volume	(af/yr)		
County	State Water Plan Year	2020	2030	2040	2050	2060	2070
	2012 Plan Projections	1,679	1,761	1,841	1,921	1,996	NA
Rusk	2017 Plan Projections	4,410	4,314	3,745	3,196	2,686	2,921
	2017 ETRWPG Projections	1,000	500	0	0	0	0
	2012 Plan Projections	0	0	0	0	0	NA
Sabine	2017 Plan Projections	2,695	2,175	1,597	1,022	448	425
	2017 ETRWPG Projections	1,500	1,000	0	0	0	0
	2012 Plan Projections	7,000	0	0	0	0	NA
San Augustine	2017 Plan Projections	3,167	2,254	1,513	773	76	34
	2017 ETRWPG Projections	4,000	3,000	0	0	0	0
	2012 Plan Projections	1,500	0	0	0	0	NA
Shelby	2017 Plan Projections	4,745	3,482	2,341	1,203	127	52
	2017 ETRWPG Projections	1,500	1,000	0	0	0	0
	2012 Plan Projections	262	295	351	391	424	NA
Smith	2017 Plan Projections	134	139	99	60	20	14
	2017 ETRWPG Projections	134	139	99	60	20	14
	2012 Plan Projections	0	0	0	0	0	NA
Trinity	2017 Plan Projections	5	5	5	5	5	5
	2017 ETRWPG Projections	5	5	5	5	5	5
	2012 Plan Projections	0	0	0	0	0	NA
Tyler	2017 Plan Projections	13	13	13	13	13	13
	2017 ETRWPG Projections	13	13	13	13	13	13
	2012 Plan Projections	37,297	17,331	18,385	19,432	20,314	NA
TOTAL	2017 Plan Projections	25,474	21,792	16,664	11,636	6,857	7,066
	2017 ETRWPG Projections	22,817	17,923	6,716	5,590	4,600	4,890

<sup>(1) 2012</sup> Plan Projections are from the 2012 State Water Plan and 2011 Update of the Regional Water Plan in the East Texas Regional Water Planning Area (ETRWPA) or Region I

<sup>(2) 2017</sup> Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board

<sup>(3) 2017</sup> ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)




Figure 3

Attachment 1
East Texas Regional Water Planning Area
Revised Non-Municipal Water Demands Projections
Mining Water Demands




Figure 3 (continued)

Attachment 1
East Texas Regional Water Planning Area
Revised Non-Municipal Water Demands Projections
Mining Water Demands

Table 4

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Steam Electric Water Demands

		Volume (af/yr)							
County	State Water Plan Year	2020	2030	2040	2050	2060	207		
	2012 Plan Projections <sup>(1)</sup>	11,306	13,218	15,549	18,390	21,853	N.		
Anderson	2017 Plan Projections <sup>(2)</sup>	11,306	13,218	15,549	18,390	21,853	25,96		
	2017 ETRWPG Projections(5)	11,306	13,218	15,549	18,390	21,853	25,96		
	2012 Plan Projections	1,000	1,000	1,000	1,000	1,000	N		
Angelina	2017 Plan Projections	1,000	1,000	1,000	1,000	1,000	1,00		
	2017 ETRWPG Projections	1,000	1,000	1,000	1,000	1,000	1,00		
	2012 Plan Projections	1,790	2,093	2,462	2,912	3,460	N		
Cherokee	2017 Plan Projections	1,790	2,093	2,462	2,912	3,460	3,83		
	2017 ETRWPG Projections	1,790	2,093	2,462	2,912	3,460	3,83		
	2012 Plan Projections	0	0	0	0	0	N		
Hardin	2017 Plan Projections	0	0	0	0	0			
	2017 ETRWPG Projections	0	0	0	0	0			
	2012 Plan Projections	0	0	0	0	0	N		
Henderson	2017 Plan Projections	0	0	0	0	0			
	2017 ETRWPG Projections	0	0	0	0	0			
	2012 Plan Projections	0	0	0	0	0	N		
Houston	2017 Plan Projections	0	0	0	0	0			
110451011	2017 ETRWPG Projections	0	0	0	0	0			
	2012 Plan Projections	0	0	0	0	0	N		
Jasper	2017 Plan Projections	0	0	0	0	0			
	2017 ETRWPG Projections	0	0	0	0	0			
	2012 Plan Projections	13,426	15,696	18,464	21,838	25,951	N		
Jefferson	2017 Plan Projections	13,426	15,696	18,464	21,838	25,951	30,83		
	2017 ETRWPG Projections	13,426	15,696	18,464	21,838	25,951	30,83		
	2012 Plan Projections	6,911	8,079	9,504	11,241	13,358	N		
Nacogdoches	2017 Plan Projections	6,911	8,079	9,504	11,241	13,358	15,87		
	2017 ETRWPG Projections	6,911	8,079	9,504	11,241	13,358	15,87		
	2012 Plan Projections	14,132	16,522	19,436	22,987	27,317	N		
Newton	2017 Plan Projections	14,132	16,522	19,436	22,987	27,317	32,46		
	2017 ETRWPG Projections	14,132	16,522	19,436	22,987	27,317	32,46		
	2012 Plan Projections	4,966	5,805	6,829	8,077	9,598	N		
Orange	2017 Plan Projections	4,966	5,805	6,829	8,077	9,598	10,63		
	2017 ETRWPG Projections	4,966	5,805	6,829	8,077	9,598	10,63		
	2012 Plan Projections	0	0	0	0	0	N		
Panola	2017 Plan Projections	0	0	0	0	0			
	2017 ETRWPG Projections	0	0	0	0	0			
	2012 Plan Projections	0	0	0	0	0	N		
Polk	2017 Plan Projections	0	0	0	0	0			
, Jik	2017 FTRWPG Projections	0	0	0	0	0			

Table 4

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Steam Electric Water Demands

		Volume (af/yr)							
County	State Water Plan Year	2020	2030	2040	2050	2060	2070		
	2012 Plan Projections	27,458	32,102	37,762	44,663	53,074	NA		
Rusk	2017 Plan Projections	27,458	32,102	37,762	44,663	53,074	63,069		
	2017 ETRWPG Projections	27,458	32,102	37,762	44,663	53,074	63,069		
	2012 Plan Projections	0	0	0	0	0	NA		
Sabine	2017 Plan Projections	0	0	0	0	0	C		
	2017 ETRWPG Projections	0	0	0	0	0	0		
	2012 Plan Projections	0	0	0	0	0	NA		
San Augustine	2017 Plan Projections	0	0	0	0	0	C		
	2017 ETRWPG Projections	0	0	0	0	0	0		
	2012 Plan Projections	0	0	0	0	0	NA		
Shelby	2017 Plan Projections	0	0	0	0	0	C		
	2017 ETRWPG Projections	0	0	0	0	0	C		
	2012 Plan Projections	0	0	0	0	0	NA		
Smith	2017 Plan Projections	0	0	0	0	0	C		
	2017 ETRWPG Projections	0	0	0	0	0	C		
AT STREET	2012 Plan Projections	0	0	0	0	0	NA		
Trinity	2017 Plan Projections	0	0	0	0	0	C		
	2017 ETRWPG Projections	0	0	0	0	0	C		
	2012 Plan Projections	0	0	0	0	0	NA		
Tyler	2017 Plan Projections	27	32	37	44	52	62		
	2017 ETRWPG Projections	1,029	1,029	1,029	1,029	1,029	1,029		
	2012 Plan Projections	80,989	94,515	111,006	131,108	155,611	NA		
TOTAL	2017 Plan Projections	81,016	94,547	111,043	131,152	155,663	183,747		
	2017 ETRWPG Projections	82,018	95,544	112,035	132,137	156,640	184,714		

<sup>(1) 2012</sup> Plan Projections are from the 2012 State Water Plan and 2011 Update of the Regional Water Plan in the East Texas Regional Water Planning Area (ETRWPA) or Region I

<sup>(2) 2017</sup> Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board

<sup>(3) 2017</sup> ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)




Figure 4

Attachment 1
East Texas Regional Water Planning Area
Revised Non-Municipal Water Demands Projections
Steam Electric Water Demands




Figure 4 (continued)

Attachment 1
East Texas Regional Water Planning Area
Revised Non-Municipal Water Demands Projections
Steam Electric Water Demands

Table 5

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Livestock Water Demands

				Volume	(af/yr)		
County	State Water Plan Year	2020	2030	2040	2050	2060	207
	2012 Plan Projections <sup>(1)</sup>	1,708	1,708	1,708	1,708	1,708	N
Anderson	2017 Plan Projections <sup>(2)</sup>	1,410	1,410	1,410	1,410	1,410	1,41
	2017 ETRWPG Projections (3)	1,402	1,402	1,402	1,402	1,402	1,40
	2012 Plan Projections	620	647	677	712	749	N.
Angelina	2017 Plan Projections	434	434	434	434	434	43
	2017 ETRWPG Projections	648	648	648	648	648	64
	2012 Plan Projections	1,765	1,765	1,765	1,765	1,765	N.
Cherokee	2017 Plan Projections	1,361	1,361	1,361	1,361	1,361	1,36
	2017 ETRWPG Projections	1,681	1,681	1,681	1,681	1,681	1,68
	2012 Plan Projections	156	156	156	156	156	N
Hardin	2017 Plan Projections	165	165	165	165	165	16
	2017 ETRWPG Projections	163	163	163	163	163	16
	2012 Plan Projections	2,594	2,594	2,594	2,594	2,594	N
Henderson	2017 Plan Projections	937	937	937	937	937	93
	2017 ETRWPG Projections	1,253	1,253	1,253	1,253	1,253	1,25
	2012 Plan Projections	2,291	2,483	2,690	2,915	3,158	N
Houston	2017 Plan Projections	1,772	1,921	2,081	2,255	2,443	2,68
	2017 ETRWPG Projections	1,630	1,779	1,939	2,113	2,301	2,54
	2012 Plan Projections	317	317	317	317	317	N
Jasper	2017 Plan Projections	392	392	392	392	392	39
	2017 ETRWPG Projections	362	362	362	362	362	36
	2012 Plan Projections	807	807	807	807	807	N
Jefferson	2017 Plan Projections	946	946	946	946	946	94
	2017 ETRWPG Projections	943	943	943	943	943	94
	2012 Plan Projections	1,954	2,227	2,544	2,911	3,332	N
Nacogdoches	2017 Plan Projections	1,380	1,573	1,797	2,056	2,353	2,79
	2017 ETRWPG Projections	4,364	4,557	4,781	5,040	5,337	5,77
	2012 Plan Projections	110	110	110	110	110	١
Newton	2017 Plan Projections	122	122	122	122	122	12
	2017 ETRWPG Projections	121	121	121	121	121	12
	2012 Plan Projections	210	210	210	210	210	٨
Orange	2017 Plan Projections	209	209	209	209	209	20
	2017 ETRWPG Projections	208	208	208	208	208	20
	2012 Plan Projections	3,096	3,096	3,096	3,096	3,096	N
Panola	2017 Plan Projections	3,197	3,197	3,197	3,197	3,197	3,19
	2017 ETRWPG Projections	1,480	1,480	1,480	1,480	1,480	1,48
	2012 Plan Projections	202	202	202	202	202	N
Polk	2017 Plan Projections	215	215	215	215	215	2:
	2017 ETRWPG Projections	357	357	357	357	357	35

Table 5

## Attachment 1 East Texas Regional Water Planning Area Non-Municipal Water Demand Projections Livestock Water Demands

				Volume	(af/yr)		
County	State Water Plan Year	2020	2030	2040	2050	2060	2070
	2012 Plan Projections	1,188	1,207	1,231	1,257	1,283	NA
Rusk	2017 Plan Projections	1,067	1,084	1,106	1,129	1,152	1,152
	2017 ETRWPG Projections	1,207	1,224	1,246	1,269	1,292	1,292
	2012 Plan Projections	710	759	816	882	954	NA
Sabine	2017 Plan Projections	843	901	969	1,047	1,132	1,132
	2017 ETRWPG Projections	159	217	285	363	448	448
	2012 Plan Projections	1,082	1,173	1,278	1,400	1,534	NA
San Augustine	2017 Plan Projections	1,148	1,245	1,356	1,485	1,627	1,627
	2017 ETRWPG Projections	903	1,000	1,111	1,240	1,382	1,382
	2012 Plan Projections	5,176	6,310	7,691	9,376	11,430	NA
Shelby	2017 Plan Projections	4,599	5,607	6,834	8,331	10,156	10,156
	2017 ETRWPG Projections	5,265	6,273	7,500	8,997	10,822	10,822
	2012 Plan Projections	660	660	660	660	660	NA
Smith	2017 Plan Projections	673	673	673	673	673	673
	2017 ETRWPG Projections	1,115	1,115	1,115	1,115	1,115	1,115
	2012 Plan Projections	194	194	194	194	194	NA
Trinity	2017 Plan Projections	230	230	230	230	230	230
	2017 ETRWPG Projections	478	478	478	478	478	478
	2012 Plan Projections	274	274	274	274	274	NA
Tyler	2017 Plan Projections	289	289	289	289	289	289
	2017 ETRWPG Projections	288	288	288	288	288	288
	2012 Plan Projections	25,114	26,899	29,020	31,546	34,533	NA
TOTAL	2017 Plan Projections	21,389	22,911	24,723	26,883	29,443	30,126
	2017 ETRWPG Projections	24,027	25,549	27,361	29,521	32,081	32,764

<sup>(1) 2012</sup> Plan Projections are from the 2012 State Water Plan and 2011 Update of the Regional Water Plan in the East Texas Regional Water Planning Area (ETRWPA) or Region I

<sup>(2) 2017</sup> Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board

<sup>(3) 2017</sup> ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)

<sup>(4)</sup> NC denotes that no change is proposed from 2017 Plan Projections




Figure 5

Attachment 1
East Texas Regional Water Planning Area
Revised Non-Municipal Water Demands Projections
Livestock Water Demands




Figure 5 (continued)

Attachment 1
East Texas Regional Water Planning Area
Revised Non-Municipal Water Demands Projections
Livestock Water Demands

Attachment 2 Non-Municipal Water Demands Revisions on Tables Provided by the Texas Water Development Board

Table 1

## Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Irrigation Water Demands

Draft F	rojections	for 2017	Projection	s (af/yr)	SWP	
County Name	2020	2030	2040	2050	2060	2070
Anderson	403	403	403	403	403	403
Angelina	294	294	294	294	294	294
Cherokee	294	294	294	294	294	294
Hardin	1,349	1,349	1,349	1,349	1,349	1,349
Henderson	284	284	284	284	284	284
Houston	2,333	2,579	2,847	3,145	3,474	3,922
Jasper	0	0	0	0	0	0
Jefferson	82,814	82,814	82,814	82,814	82,814	82,814
Nacogdoches	330	330	330	330	330	330
Newton	0	0	0	0	0	0
Orange	0	. 0	0	0	0	0
Panola .	31	31	31	31	31	31
Polk	259	259	259	259	259	259
Rusk	0	0	0	0	0	0
Sabine	0	0	0	0	0	0
San Augustine	0	0	0	0	0	0
Shelby	0	0	0	0	0	0
Smith	610	642	674	707	742	783
Trinity	0	0	0	0	0	0
Tyler	374	374	374	374	374	374
Total	89,375	89,653	89,953	90,284	90,648	91,137

	2012 Proje	ction (af/y	r) SWP Pro	jections	:	
County Name	2020	2030	2040	2050	2060	2070
Anderson	212	212	212	212	212	NA
Angelina	30	30	30	30	30	NA
Cherokee	321	321	321	321	321	NA
Hardin	3,502	3,502	3,502	3,502	3,502	NA
Henderson	10	10	10	10	10	NA
Houston	3,024	3,343	3,691	4,077	4,503	NA
Jasper	0	0	0	0	0	NA
Jefferson	140,000	140,000	140,000	140,000	140,000	NA
Nacogdoches	302	302	302	302	302	NA
Newton	367	367	367	367	367	NA
Orange	2,509	2,509	2,509	2,509	2,509	NA
Panola	0	0	0	0	0	NA
Polk	135	135	<sub>7</sub> 135	135	135	NA
Rusk	126	126	126	126	126	NA
Sabine	0	0	0	0	0	NA
San Augustine	225	225	225	225	225	NA
Shelby	30	34	37	41	46	NA
Smith	595	626	657	689	723	NA
Trinity	0	0	0	0	0	NA
Tyler	29	29	29	29	29	NA
Total	151,417	151,771	152,153	152,575	153,040	NA

#### Table 1 (continued)

### Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Irrigation Water Demands

		RWPG	Revisions	,			
County Name	2020	2030	2040	2050	2060	2070	RWPG Comments
Anderson	462	462	462	462	462	462	See Attachment 3
Angelina	481	481	481	481	481	481	See Attachment 3
Cherokee	355	355	355	355	355	355	See Attachment 3
Hardin	3,414	3,645	3,804	3,861	3,802	3,712	See Attachment 4
Henderson	384	384	384	384	384	384	See Attachment 3
Houston	2,989	3,235	3,503	3,801	4,130	4,578	See Attachment 3
Jasper	36	36	36	36	36	36	See Attachment 3
Jefferson	161,952	171,165	177,490	179,735	177,394	173,833	See Attachments 4 & 5
Nacogdoches	400	400	400	400	400	400	See Attachment 3
Newton	375	375	375	375	375	375	See Attachment 3
Orange	3,730	3,983	4,156	4,218	4,153	4,056	See Attachment 4
Panola	64	64	64	64	64	64	See Attachment 3
Polk	428	428	428	428	428	428	See Attachment 3
Rusk	100	100	100	100	100	100	See Attachment 3
Sabine	0	0	0	0	0	0	No Changes
San Augustine	62	62	62	62	62	62	See Attachment 3
Shelby	26	26	26	26	26	26	See Attachment 3
Smith	1,486	1,518	1,550	1,583	1,618	1,659	See Attachment 3
Trinity	500	500	500	500	500	500	See Attachment 3
Tyler	675	675	675	675	675	675	See Attachment 3
Total .	177,919	187,894	194,851	197,546	195,445	192,186	

Table 2

## Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Manufacturing Water Demands

Dr	aft Projection	s for 2017 I	Projections	(af/yr) SW	P	
County Name	2020	2030	2040	2050	2060	2070
Anderson	30	40	42	44	46	48
Angelina	15,249	16,858	18,487	19,934	21,478	23,142
Cherokee	413	442	469	492	530	571
Hardin	288	318	349	377	407	439
Henderson	54	62	70	78	86	95
Houston	307	338	367	393	425	460
Jasper	91,580	94,982	97,956	100,186	100,271	100,356
Jefferson	423,258	603,321	629,171	655,034	680,914	707,817
Nacogdoches	2,564	2,798	3,029	3,228	3,483	3,758
Newton	568	644	721	791	858	931
Orange	64,461	70,439	76,399	81,690	87,641	94,026
Panola	1,393	1,454	1,513	1,564	1,667	1,777
Polk	604	687	774	854	924	1,000
Rusk	317	342	363	381	409	439
Sabine	467	536	606	668	724	785
San Augustine	8	9	10	11	12	13
Shelby	1,510	1,639	1,768	1,882	2,021	2,170
Smith	5,120	5,597	6,055	6,443	6,976	7,553
Trinity	0	0	0	0	0	0
Tyler	46	53	60	66	71	76
Total	608,237	800,559	838,209	874,116	908,943	945,456

		2012 SW	Projection	ıs		
County Name	2020	2030	2040	2050	2060	
Anderson	0	0	0	0	0	NA
Angelina	23,500	25,980	28,490	30,720	33,100	NA
Cherokee	784	839	891	934	1,007	NA
Hardin	165	182	200	216	233	NA
Henderson	14	16	18	20	22	NA
Houston	190	209	227	243	263	NA
Jasper	67,649	70,162	72,359	74,006	74,069	NA
Jefferson	423,258	603,321	629,171	655,034	680,914	NA
Nacogdoches	2,553	2,786	3,016	3,214	3,468	NA
Newton	793	899	1,006	1,103	1,196	· NA
Orange	64,461	70,439	76,399	81,690	87,641	NA
Panola	1,437	1,500	1,561	1,614	1,720	NA
Polk	725	825	930	1,026	1,110	NA
Rusk	90	97	103	108	116	NA
Sabine	427	490	554	611	662	NA
San Augustine	7	8	9	10	11	NA
Shelby	1,508	1,637	1,766	1,880	2,019	NA
Smith	4,297	4,697	5,081	5,407	5,854	NA
Trinity	0	0	0	0	0	NA
Tyler	46	53	60	66	71	NA
Total	591,904	784,140	821,841	857,902	893,476	NA

#### Table 2 (continued)

### Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Manufacturing Water Demands

		RWPC	Revisions			,	
County Name	2020	2030	2040	2050	2060	2070	RWPG Comments
Anderson	30	40	42	44	46	48	No Changes
Angelina	15,249	16,858	18,487	19,934	21,478	23,142	No Changes
Cherokee	413	442	469	492	530	571	No Changes
Hardin	288	318	349	377	407	439	No Changes
Henderson	54	62	70	78	86	95	No Changes
Houston	307	338	367	393	425	460	No Changes
Jasper	91,580	94,982	97,956	100,186	100,271	100,356	No Changes
Jefferson	423,258	603,321	629,171	655,034	680,914	707,817	No Changes
Nacogdoches	2,564	2,798	3,029	3,228	3,483	3,758	No Changes
Newton	568	644	721	791	858	931	No Changes
Orange	64,461	70,439	76,399	81,690	87,641	94,026	No Changes
Panola	1,393	1,454	1,513	1,564	1,667	1,777	No Changes
Polk	604	687	774	854	924	1,000	No Changes
Rusk	317	342	363	381	409	439	No Changes
Sabine	467	536	606	668	724	785	No Changes
San Augustine	8	9	10	11	12	13	No Changes
Shelby	1,510	1,639	1,768	1,882	2,021	2,170	No Changes
Smith	5,120	5,597	6,055	6,443	6,976	7,553	No Changes
Trinity	0	0	0	0	0	0	No Changes
Tyler	476	483	490	496	501	506	See Attachment 6
Total	608,667	800,989	838,639	874,546	909,373	945,886	

Table 3

## Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Mining Water Demands

Dr	aft Projection:	s for 2017 F	Projections	(af/yr) SWI	•	
County Name	2020	2030	2040	2050	2060	2070
Anderson	70	105	83	58	32	23
Angelina	486	585	410	236	63	28
Cherokee	295	304	203	104	15	15
Hardin	12	12	12	12	12	12
Henderson	77	86	59	34	8	4
Houston	17	17	17	17	17	17
Jasper	13	13	13	13	13	13
Jefferson	194	216	243	294	328	368
Nacogdoches	4,612	3,597	2,435	1,275	127	57
Newton	269	248	190	155	128	106
Orange	309	314	313	314	319	327
Panola	3,944	3,906	3,366	2,845	2,413	2,625
Polk	7	7	7	7	7	7
Rusk	4,410	4,314	3,745	3,196	2,686	2,921
Sabine	2,695	2,175	1,597	1,022	448	425
San Augustine	3,167	2,254	1,513	773	76	34
Shelby	4,745	3,482	2,341	1,203	127	52
Smith	134	139	99	60	20	14
Trinity	5	5	5	. 5	5	5
Tyler	13	13	13	13	13	13
Total	25,474	21,792	16,664	11,636	6,857	7,066

		2012 SW	P Projection			· · · · · · · · · · · · · · · · · · ·
County Name	2020	2030	2040	2050	2060	2070
Anderson	557	583	608	633	657	NA
Angelina	4,017	17	17	17	17	NA
Cherokee	1,597	99	101	103	105	NA
Hardin	8,648	9,219	9,788	10,361	10,798	NA
Henderson	14	14	14	14	14	NA
Houston	160	158	156	154	153	NA
Jasper	4	4	4	4	4	NA
Jefferson	334	341	348	355	360	NA
Nacogdoches	7,213	212	211	210	209	NA
Newton	32	32	32	32	32	NA
Orange	9	9	9	9	9	NA
Panola	4,271	4,587	4,905	5,228	5,536	NA
Polk	0	0	0	0	0	NA
Rusk	1,679	1,761	1,841	1,921	1,996	NA
Sabine	0	0	0	0	0	NA
San Augustine	7,000	0	0	0	0	NA
Shelby	1,500	0	0	0.	0	NA
Smith	262	295	351	391	424	NA
Trinity	0	0	0	0	0	NA
Tyler	0	0	0	0	0	NA
Total	37,297	17,331	18,385	19,432	20,314	NA

#### Table 3 (continued)

## Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Mining Water Demands

	· · · ·	RWP	3 Revisions				
County Name	2020	2030	2040	2050	2060	2070	RWPG Comments
Anderson	70	105	83	58	32	23	No Changes
Angelina	486	585	410	236	63	28	No Changes
Cherokee	295	304	203	104	15	15	No Changes
Hardin	12	12	12	12	12	12	No Changes
Henderson	77	86	59	34	8	4	No Changes
Houston	17	17	17	17	17	17	No Changes
Jasper	13	13	13	13	13	13	No Changes
Jefferson	194	216	243	294	328	368	No Changes
Nacogdoches	7,000	4,500	0	0	0	0	See Attachment 7
Newton	269	248	190	155	128	106	No Changes
Orange	309	314	313	314	319	327	No Changes
Panola	5,916	5,859	5,049	4,268	3,620	3,938	Per Request from Leah Adams, GM of Panola County GCD
Polk	7	7	7	7	7	7	No Changes
Rusk	1,000	500	0	0	0	0	See Attachment 7
Sabine	1,500	1,000	0	0	0	0	See Attachment 7
San Augustine	4,000	3,000	0	0	0	0	See Attachment 7
Shelby	1,500	1,000	0	0	0	0	See Attachment 7
Smith	134	139	99	60	20	14	No Changes
Trinity	5	5	5	5	5	5	No Changes
Tyler	13	13	13	13	13	13	No Changes
Total	22,817	17,923	6,716	5,590	4,600	4,890	

Table 4

### Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Steam Electric Water Demands

Dra	aft Projection	s for 2017 F	rojections	(af/yr) SW	P	
County Name	2020	2030	2040	2050	2060	2070
Anderson	11,306	13,218	15,549	18,390	21,853	25,968
Angelina	1,000	1,000	1,000	1,000	1,000	1,000
Cherokee	1,790	2,093	2,462	2,912	3,460	3,835
Hardin	0	0	0	Ō	0	O
Henderson	0	0	0	0	0	0
Houston	0	0	0	0	0	0
Jasper	0	0	0	0	0	0
Jefferson	13,426	15,696	18,464	21,838	25,951	30,839
Nacogdoches	6,911	8,079	9,504	11,241	13,358	15,874
Newton	14,132	16,522	19,436	22,987	27,317	32,463
Orange	4,966	5,805	6,829	8,077	9,598	10,637
Panola	0	0	0	0	0	0
Polk	0	0	0	0	0	0
Rusk	27,458	32,102	37,762	44,663	53,074	63,069
Sabine	0	Ō	0	0	0	0
San Augustine	0	, o	0	0	0	0
Shelby	0	. 0	. 0	0	0	0
Smith	0	0	0	0	0	0
Trinity	0	0	Ō	0	0	0
Tyler	27	32	37	44	52	62
Total	81,016	94,547	111,043	131,152	155,663	183,747

		2012 SW	P Projectio	ns		
County Name	2020	2030	2040	2050	2060	2070
Anderson	11,306	13,218	15,549	18,390	21,853	NA
Angelina	1,000	1,000	1,000	1,000	1,000	NA
Cherokee	1,790	2,093	2,462	2,912	3,460	NA
Hardin	0	O	0	0	0	NA
Henderson	0	0	0	0	0	NA
Houston	0	0	0	0	0	NA
Jasper	0	0	0	0	0	NA
Jefferson	13,426	15,696	18,464	21,838	25,951	NA
Nacogdoches	6,911	8,079	9,504	11,241	13,358	NA
Newton	14,132	16,522	19,436	22,987	27,317	NA
Orange	4,966	5,805	6,829	8,077	9,598	NA
Panola	0	0	0	0	0	NA
Polk	0	0	0	0	0	NA
Rusk	27,458	32,102	37,762	44,663	53,074	NA
Sabine	0	0	0	0	0	NA
San Augustine	0	0	0	0	0	NA
Shelby	0	0	0	0	0	NA
Smith	0	Ō	0	. 0	0	NA
Trinity	0	0	0	0	0	NA
Tyler	0	0	0	0	0	NA
Total	80,989	94,515	111,006	131,108	155,611	NA

#### Table 4 (continued)

### Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Steam Electric Water Demands

		RWP	3 Revisions				
County Name	2020	2030	2040	2050	2060	2070	RWPG Comments
Anderson	11,306	13,218	15,549	18,390	21,853	25,968	No Changes
Angelina	1,000	1,000	1,000	1,000	1,000	1,000	No Changes
Cherokee	1,790	2,093	2,462	2,912	3,460	3,835	No Changes
Hardin	0	0	0	0	0	0	No Changes
Henderson	0	0	0	0	0	0	No Changes
Houston	0	0	0	0	0	0	No Changes
Jasper	0	0	0	0	U	0	No Changes
Jefferson	13,426	15,696	18,464	21,838	25,951	30,839	No Changes
Nacogdoches	6,911	8,079	9,504	11,241	13,358	15,874	No Changes
Newton	14,132	16,522	19,436	22,987	27,317	32,463	No Changes
Orange	4,966	5,805	6,829	8,077	9,598	10,637	No Changes
Panola	0	0	0	0	0	0	No Changes
Polk	0	0	0	0	0	0	No Changes
Rusk	27,458	32,102	37,762	44,663	53,074	63,069	No Changes
Sabine	0	0	0	0	0	0	No Changes
San Augustine	0	0	Ö	0	0	0	No Changes
Shelby	0	0	0	0	0	0	No Changes
Smith	0	0	0	0	0	0	No Changes
Trinity	0	0	0	0	0	0	No Changes
Tyler	1,029	1,029	1,029	1,029	1,029	1,029	See Attachment 6
Total	82,018	95,544	112,035	132,137	156,640	184,714	

Table 5

## Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Livestock Water Demands

Dr	aft Projection	s for 2017 P	rojections	(af/yr) SWI	)	
County Name	2020	2030	2040	2050	2060	2070
Anderson	1,410	1,410	1,410	1,410	1,410	1,410
Angelina	434	434	434	434	434	434
Cherokee	1,361	1,361	1,361	1,361	1,361	1,361
Hardin	165	165	165	165	165	165
Henderson	937	937	937	937	937	937
Houston	1,772	1,921	2,081	2,255	2,443	2,684
Jasper	392	392	392	392	392	392
Jefferson	946	946	946	946	946	946
Nacogdoches	1,380	1,573	1,797	2,056	2,353	2,795
Newton	122	122	122	122	122	122
Orange	209	209	209	209	209	209
Panola	3,197	3,197	3,197	3,197	3,197	3,197
Polk	215	215	215	215	215	215
Rusk	1,067	1,084	1,106	1,129	1,152	1,152
Sabine	843	901	969	1,047	1,132	1,132
San Augustine	1,148	1,245	1,356	1,485	1,627	1,627
Shelby	4,599	5,607	6,834	8,331	10,156	10,156
Smith	673	673	673	673	673	673
Trinity	230	230	230	230	230	230
Tyler	289	289	289	289	289	289
Total	21,389	22,911	24,723	26,883	29,443	30,126

		2012 SWI	Projection	ns	/ 1.00	
County Name	2020	2030	2040	2050	2060	2070
Anderson	1,708	1,708	1,708	1,708	1,708	NA
Angelina	620	647	677	712	749	NA
Cherokee	1,765	1,765	1,765	1,765	1,765	NA
Hardin	156	156	156	156	156	NA.
Henderson	2,594	2,594	2,594	2,594	2,594	NA
Houston	2,291	2,483	2,690	2,915	3,158	NA
Jasper	317	317	317	317	317	NA
Jefferson	807	807	807	807	807	NA
Nacogdoches	1,954	2,227	2,544	2,911	3,332	NA
Newton	110	110	110	110	110	NA
Orange	210	210	210	210	210	NA
Panola	3,096	3,096	3,096	3,096	3,096	NA
Polk	202	202	202	202	202	NA
Rusk	1,188	1,207	1,231	1,257	1,283	NA
Sabine	710	759	816	882	954	NA
San Augustine	1,082	1,173	1,278	1,400	1,534	NA
Shelby	5,176	6,310	7,691	9,376	11,430	NA
Smith	660	660	660	660	660	NA
Trinity	194	194	194	194	194	NA
Tyler	274	274	274	274	274	NA
Total	25,114	26,899	29,020	31,546	34,533	NA

#### Table 5 (continued)

### Attachment 2 East Texas Regional Water Planning Area Revised Non-Municipal Water Demand Projections Livestock Water Demands

		RWPG							
County Name	2020	2030	2040	2050	2060	2070	RWPG Comments		
Anderson	1,402	1,402	1,402	1,402	1,402	1,402	See Attachment 6		
Angelina	648	648	648	648	648	648	See Attachment 6		
Cherokee	1,681	1,681	1,681	1,681	1,681	1,681	See Attachment 6		
Hardin	163	163	163	163	163	163	See Attachment 6		
Henderson	1253	1,253	1,253	1,253	1,253	1,253	See Attachment 6		
Houston	1,630	1,779	1,939	2,113	2,301	2,542	See Attachment 6		
Jasper	362	362	362	362	362	362	See Attachment 6		
Jefferson	943	943	943	943	943	943	See Attachment 6		
Nacogdoches	4,364	4,557	4,781	5,040	5,337	5,779	See Attachment 6		
Newton	121	121	121	121	121	121	See Attachment 6		
Orange	208	208	208	208	208	208	See Attachment 6		
Panola	1,480	1,480	1,480	1,480	1,480	1,480	See Attachment 6		
Polk	357	357	357	357	357	357	See Attachment 6		
Rusk	1,207	1,224	1,246	1,269	1,292	1,292	See Attachment 6		
Sabine	159	217	285	363	448	448	See Attachment 6		
San Augustine	903	1,000	1,111	1,240	1,382	1,382	See Attachment 6		
Shelby	5,265	6,273	7,500	8,997	10,822	10,822	See Attachment 6		
Smith	1,115	1,115	1,115	1,115	1,115	1,115	See Attachment 6		
Trinity	478	478	478	478	478	478	See Attachment 6		
Tyler	288	288	288	288	288	288	See Attachment 6		
Total	24,027	25,549	27,361	29,521	32,081	32,764			

Attachment 3
Irrigation Water Demands Evaluation

Table 1

#### Attachment 3 East Texas Regional Water Planning Area **Revised Non-Municipal Water Demand Projections Irrigation Water Demands**

,	Volume (af/yr)											
			2017 Plan Projections 2020	2017 ETRWPG Projections 2020								
Counties	2005	2006	2007	2008	2009	Average	Maximum	Base Year <sup>(1)</sup>	Base Year <sup>(2)</sup>			
Anderson	367	305	444	462	435	403	462	403	462			
Angelina	309	233	481	94	350	293	481	294	481			
Cherokee	251,	253	355	309	300	294	355	294	355			
Hardin	339	976	1,937	2,428	1,058	1,348	2,428	1,349	3,414 <sup>(3)</sup>			
Henderson	342	384	243	281	170	284	384	284	384			
Houston	2,627	2,989	1,358	1,895	1,685	2,111	2,989	2,333	2,989			
Jasper	Of	36	30	30	0	32	36	0	36			
Jefferson	84,883	90,243	91,889	87,971	59,084	82,814	91,889	82,814	161,952 <sup>(3)</sup>			
Nacogdoches	390	400∜	146	338	375	330	400	330	400			
Newton	375	375	366	0	0	372	375	0	375			
Orange	4,333	6,250	3,125	0	07	4,569	6,250	0	3,730 <sup>(3)</sup>			
Panola	0	18	30	64	29	35	64	31	64			
Polk	100	100	341	325	428	259	428	259	428			
Rusk	92	100	25	29	0	62	100	0	100			
Sabine	0	0	. 0	0	0	0	0	0	0			
San Augustine	50	62	0	0	0	56	62	0	62			
Shelby	23	26	20	25		24	26	0	26			
Smith	1,300	1,486	525	708	810	966	1,486	610	1,486			
Trinity	488	500	335	0	0	441	500	0	500			
Tyler	500	500	175	18	675	374	675	374	675			
Total	96,769	105,236	101,825	94,977	65,399	95,065	109,390	89,375	177,116			

<sup>(1) 2017</sup> Plan Projections are from the 2017 database (DB17) provided by the Texas Water Development Board. In most cases, the base year was based upon the average of the historical water use estimates (2005-2009).

<sup>&</sup>lt;sup>(2)</sup> 2017 ETRWPG Projections are those proposed by the East Texas Regional Water Planning Group (ETRWPG)
<sup>(3)</sup> Irrigation values for Hardin, Jefferson, and Orange Counties were calculated based on a technical memorandum prepared by the consulting team in August 2012 entitled, "Draft Rice Water Demand Projections Revisions."

Attachment 4
Rice Irrigation Demands Projections Technical Memorandum



#### **TECHNICAL MEMORANDUM**

#### East Texas Regional Water Planning Group Rice Water Demand Projections Revisions

Date:

August 21, 2012

**Prepared For:** 

East Texas Regional Water Planning Group


Prepared By:

Rex H. Hunt, P.E. and Lauren E. Gonzalez, Alan Plummer Associates, Inc.

The Texas Water Development Board (TWDB) requires regional water planning groups to project water demands for non-municipal purposes on a 50-year planning cycle. Non-municipal water demands include the following categories: irrigation, manufacturing, mining, steam-electric and livestock. The TWDB has provided proposed non-municipal water demand projections for the 2017 State Water Plan for each decade from 2020 to 2070 for the East Texas Regional Water Planning Area (ETRWPA) or Region I, hereafter referred to as the 2017 Plan Projections. The TWDB advised the East Texas Regional Water Planning Group (ETRWPG) that modifications to the 2017 Plan Projections would be considered if appropriate justification were provided. This technical memorandum presents a model, developed to project irrigation demands for rice in Hardin, Jefferson, and Orange Counties from 2020 to 2070 and provides documentation to justify the revised projections. Revisions to rice irrigation demands are based on factors that include historical and current rice production in Texas, global rice supply and demand, and estimates of global population growth.

#### **BACKGROUND**

The 2017 Plan Projections indicate that the ETRWPA will experience a 41 percent (%) decrease in irrigation demand over the 2012 State Water Plan projections (2012 Plan Projections) for each decade beginning in 2020 through 2070 (See Figure 1). This decrease represents a reduction of over 60,000 acre-feet per year (af/yr) in irrigation demand. A major component of the projected decrease in irrigation water demands is related to projections of rice production in Hardin, Jefferson, and Orange Counties. Although the estimation of irrigation water demand 50 years into the future is a coarse and inexact science, this significant decrease in irrigation water demand may not be indicative of future conditions in the ETRWPA. Future water demands related to rice production were significantly underestimated for Hardin, Jefferson, and Orange Counties. After review of available data, rice production in the ETRWPA may actually increase in the future.



#### **DATA SOURCES UTILIZED**


For purposes of this evaluation, the following data sources were utilized to evaluate rice production trends in the ETRWPA:

- Texas Water Development Board Non-Municipal Water Demands Spreadsheet for Irrigation (2017 Plan Projections). A copy of this spreadsheet is provided in Attachment A.
- 2012 State Water Plan Projections and 2011 Update of the Regional Water Plan for Irrigation demands (2012 Plan Projections).
- Texas Water Development Board Irrigation Basis Spreadsheet with crop acreage and corresponding water demands for each acre in af/yr. Reported crop acreage was based on data from the United States Department of Agriculture (USDA) Farm Service Agency (FSA). A copy of this spreadsheet is provided in Attachment B.
- Texas AgriLife Research and Extension Center at Beaumont document entitled, 2012 Texas Rice Production Guidelines (AgriLife Research Document). Reported crop acreage was based on data from the USDA FSA. A copy of page 74 of the AgriLife Research Document is provided in Attachment C.
- Personal communication with Dr. Lloyd T. (Ted) Wilson from the Texas A&M University System AgriLife Research & Extension Center in Beaumont, Texas.

- Personal communication with Scott Hall, P.E., of the Lower Neches Valley Authority regarding irrigated acres and irrigation rates for rice in Jefferson County.
- United Nations Population Projections through 2070.
- USDA Agricultural Projections to 2021 current rice production and use estimates for the United States.
- USDA Economic Research Service Market Outlook per acre yields projections.

# HISTORICAL AND CURRENT RICE PRODUCTION IN TEXAS AND IN THE EAST TEXAS REGIONAL WATER PLANNING AREA

According to the AgriLife Research Document, historical rice production data and rice-planted acreage data exhibit dynamic patterns of increasing and decreasing totals over time (Figure 2). Both rice production and acreage are dependent on various factors such as water availability, weather, production costs, variety availability, and crop disease, among others.



The rice-producing counties in Region I, which are Hardin, Jefferson, and Orange Counties, exhibit similar patterns of varying increased and decreased rice-planted acreage (Figure 3). Both the TWDB and the AgriLife Research Document provide historical rice acreage estimates for these counties, which

are based on USDA FSA reported acreage data. In addition, information provided by the Lower Neches Valley Authority (LNVA) indicated rice acreage in Jefferson County is somewhat higher than the USDA FSA estimates. Similar to the Texas-wide reported crop acreage estimates in Figure 2, Hardin and Jefferson Counties exhibit temporary decreased rice-planted acreage that may be due to extreme weather events (Figure 3). Sharp declines in acreage occurred in 2005 which may be due to Hurricane Rita and another decline in 2007 may be attributed to Hurricane Ike.

While rice-related water demands account for the majority of the total irrigation demands in Hardin, Jefferson, and Orange Counties, other agricultural demands are also included in the development of total irrigation water demands. Irrigation water demands include water demand estimates for the growth of crops such as vegetables, grapes, hay, orchards, corn, cotton, sorghum, peanuts, rice, and wheat. Irrigation water demands also include water demands for golf courses. A summary of the historical total irrigation demands and the percentage of rice-related water demands for Hardin, Jefferson, and Orange Counties are provided in Table 1.




Table 1
Historical Total Irrigation Water Use (af/yr) for Rice-Producing Counties in the East Texas Regional Water
Planning Area

		Vo		Average Percent of				
Counties	2005	2006	2007	2008	2009	Average	Rice-Related Demands	
Hardin	339	976	1,937	2,428	1,058	1,348	70%	
Jefferson	84,883	90,243	91,889	87,971	59,084	82,814	99%	
Orange	4,333	6,250	3,125	0	0	2,742	100%	

Source: TWDB Irrigation Basis and 2017 Plan Projections

# PROJECTED RICE PRODUCTION AND IRRIGATION IN THE EAST TEXAS REGIONAL WATER PLANNING AREA


As described previously, development of irrigation projections over a 50-year planning horizon is inexact due to a multitude of variables that affect trends. The TWDB developed the 2017 Plan Projections by assessing historical crop acreage from 2005 to 2009, which was impacted by two unique weather events. In order to calculate water demands associated with each crop's acreage, the TWDB assigned gross irrigation rates of any given crop in inches per year (in/yr). Multiplying this value by the number of crop-planted acres and dividing by 12 yields an estimate of water use for crop production for that year in af/yr.


The TWDB averaged these historical irrigation water demands by county from 2005 to 2009 to develop the projected irrigation water demand in 2020 and adjusted according to stakeholder input to the TWDB. The 2017 Plan Projections do not indicate that irrigation water demands for Hardin, Jefferson, and Orange Counties will increase or decrease over the planning horizon. The irrigation demand projections for rice-producing counties in 2020 were carried forward for each decade through 2070.


The resulting TWDB projections for Hardin, Jefferson, and Orange Counties show a decrease in irrigation water demand from the 2012 Plan Projections by 61%, 41%, and 100%, respectively (Table 2). The projections show that irrigation water demand in Hardin and Jefferson Counties is significantly decreased and is zero for Orange County (Figures 4, 5, and 6). Since the majority of irrigation demands for Hardin, Jefferson, and Orange Counties are due to rice production, a model-based evaluation of future rice production was conducted.


Table 2 Projected Irrigation Water Demands Developed for the 2012 State Water Plan and 2017 State Water Plan

				Volume	(af/yr)		
County	State Water Plan Year	2020	2030	2040	2050	2060	2070
	2012 Plan Projections	3,502	3,502	3,502	3,502	3,502	NA
Hardin	2017 Plan Projections	1,349	1,349	1,349	1,349	1,349	1,349
narum	Difference	-2,153	-2,153	-2,153	-2,153	-2,153	NA
	% Difference	-61%	-61%	-61%	-61%	-61%	NA
	2012 Plan Projections	140,000	140,000	140,000	140,000	140,000	NA
lassa an	2017 Plan Projections	82,814	82,814	82,814	82,814	82,814	82,814
Jefferson	Difference	-57,186	-57,186	-57,186	-57,186	-57,186	NA
	% Difference	-41%	-41%	-41%	-41%	-41%	NA
	2012 Plan Projections	2,509	2,509	2,509	2,509	2,509	NA
	2017 Plan Projections	0	0	0	0	0	0
Orange	Difference	-2,509	-2,509	-2,509	-2,509	-2,509	NA
	% Difference	-100%	-100%	-100%	-100%	-100%	NA









# AN APPROACH TO PROJECTING RICE-RELATED WATER DEMANDS IN THE EAST TEXAS REGIONAL WATER PLANNING AREA

In order to evaluate rice irrigation in the ETRWPA, it is necessary to examine rice irrigation projections throughout Texas. Rice production in Texas is primarily from Orange County on the upper coast to Wharton, Matagorda and Victoria Counties in the middle portion of the coast. A small amount of rice is also grown in Bowie, Lamar, and Red River Counties in northeast Texas, as well as Robertson County in central Texas. Table 3 presents a list of Texas counties in which rice is produced or has historically been produced.

Table 3

Rice-Producing Counties in Texas

County	Region	County	Region
Bowie	D	Hardin*	l
Lamar	_D	Jefferson*	1
Red River	D	Orange*	1
Robertson	G	Colorado	K
Austin	Н	Matagorda	K
Brazoria	Н	Wharton	K
Chambers*	Н	Calhoun	L
Fort Bend	Н	Victoria	L
Galveston	Н	Jackson	Р
Harris	Н	Lavaca	Р
Liberty*	Н	Wharton	Р
Waller	Н		

<sup>\*</sup> Southeastern Texas Counties

The five counties shown in bold letters with an asterisk are those located east of Harris County in southeast Texas and along the Texas coast, hereafter referred to as Southeastern Rice-Producing Counties. All other counties that are not in bold letters will hereafter be referred to as Western and Other Rice-Producing Counties. The Southeastern Rice-Producing Counties are likely to experience an increase in rice production in the coming years, based on the model-based approach proposed in this memorandum.

In the model, global population projections and rice production trends were evaluated in order to assess likely global population-based rice production by the United States and Texas for the global market over

the next 50 years. Using this projected rice production by decade, combined with the 2017 Plan Projections for irrigation and rice trends for Western and Other Rice-Producing Counties, projections of the estimated water use for Southeastern Rice-Producing Counties were revised.


Attachment D provides a spreadsheet model of the proposed irrigation demands for the ETRWPA. Assumptions and data sources used to develop the irrigation demand projections for Hardin, Jefferson, and Orange Counties are also provided in Attachment D.


The model considers a variety of global and regional variables to develop proposed projections of rice irrigation demand. These variables are conservative and reasonable, but some can have a significant impact on the outcome, if changed. Figures 7, 8, and 9 depict the historical, current TWDB, and proposed ETRWPA rice water demand projections for Hardin, Jefferson, and Orange Counties. As may be seen in the figures, rice irrigation is projected to increase in Hardin, Jefferson, and Orange Counties over the planning period to meet growing global rice demand. In each case, irrigation increases by decade until around 2050, at which point it levels off. For each county, the 2060 and 2070 rice irrigation projections decrease slightly from the previous decade.


The gradual slowing of the growth in irrigation demand in each decade is primarily a function of two variables in the model. Global population is expected to increase with each decade over the planning horizon (see Line 4 of the Attachment D table). However, the rate of increase slows significantly from one decade to the next. For example, global population is expected to increase by some 715 million persons from 2010 to 2020, but by only 320 million from 2060 to 2070. This factor will have a significant impact on the increase in rice demand over time.

The yield on a per-acre basis for rice is expected to increase by approximately 60% by year 2070 as a result of rice farmers adopting higher yielding long-grain varieties. While resulting in increased rice production per acre (see Line 5 of the Attachment D table), this increase will also theoretically result in a commensurate decrease in irrigation demand on a per-acre basis needed to grow the same amount of rice. This, coupled with slowing population growth, results in an eventual peaking of rice irrigation water demands in 2050 and a slight decrease in the following decades.

Another significant factor in the model is the assumption that Texas' role in global rice production will grow with global rice demand. Hence, Texas currently produces approximately 0.1% of rice produced globally; and it is assumed that this production percentage will remain constant throughout the planning







period. However, a key factor in this model is the assumption that over time, water restrictions and population encroachment on many areas west (or down coast) of Houston will restrict acreage dedicated to growing rice and, therefore, production. It is assumed that the Southeastern Rice-Producing Counties will increase production to meet demand.

The historical crop-specific irrigation rates provided by the TWDB for 2005-2009 indicate that average rice irrigation rates were 54 in/yr for the Southeastern Rice-Producing Counties and 51 in/yr for Western and Other Rice-Producing Counties. However, these averages include both wet and dry years and may be considered too low for long-range water supply planning. The model assumed a 10% increase for these averages to account for drought-impacted years. For purposes of this model, the estimated gross irrigation rates for Southeastern Rice-Producing Counties was assumed to be 60 in/yr (see Line 17 of the Attachment D table) and the Western and Other Rice-Producing Counties was 56 in/yr (see Line 11 of the Attachment D table).

It is also important to note that 2017 Plan Projections for irrigation demands in Western and Other Rice-Producing Counties have not been altered in this model. In general, the TWDB projections show declines in irrigation in the affected counties over the planning period. The model retains the 2012 Plan Projections and 2017 Plan Projections and assumes that projected rice demand increases will be met by rice production in the five Southeastern Rice-Producing Counties.

# REQUEST FOR MODIFICATION OF RICE IRRIGATION DEMANDS FOR HARDIN, JEFFERSON, AND ORANGE COUNTIES

Based on the model developed for projecting rice irrigation demands in Southeastern Rice-Producing Counties, it is recommended that the ETRWPG request that rice irrigation demands be modified as indicated in Table 4 for Hardin, Jefferson, and Orange Counties. These proposed modifications only relate to rice-related water demands and must be incorporated with other irrigation demands identified in these counties for total irrigation demand projections.

Table 4
Historical, Projected, and Proposed Rice-Related Water Demands for the East Texas Regional Water Planning Area

				Volume	e (af/yr)		
		4		Ye	ar		
County	State Water Plan Year	2020	2030	2040	2050	2060	2070
	2012 Plan Projections	2,455	2,455	2,455	2,455	2,455	NA
	2017 Plan Projections	946	946	946	946	946	946
Hardin	Model-Based Proposed 2017 Plan Projections	2,393	2,555	2,666	2,706	2,665	2,602
	Difference of Proposed from 2012	-62	100	212	251	210	NA
	% Difference	-3%	4%	9%	10%	9%	NA
	2012 Plan Projections	139,173	139,173	139,173	139,173	139,173	NA
	2017 Plan Projections	82,325	82, <b>32</b> 5	82,325	82,325	82,325	82,325
Jefferson	Model-Based Proposed 2017 Plan Projections	135,149	144,307	150,596	152,827	150,500	146,960
	Difference of Proposed from 2012	-4,025	5,134	11,423	13,653	11,327	NA
	% Difference	-3%	4%	8%	10%	8%	NA
	2012 Plan Projections	2,509	2,509	2,509	2,509	2,509	NA
	2017 Plan Projections	0	0	0	0	0	0
Orange	Model-Based Proposed 2017 Plan Projections	3,730	3,983	4,156	4,218	4,153	4,056
	Difference of Proposed from 2012	1,221	1,474	1,647	1,709	1,644	NA
	% Difference	49%	59%	66%	68%	66%	NA

TECHNICAL MEMORANDUM
Rice Water Demand Projections Revisions

TECHNICAL

MEMORANDUM

Projections Revisions

TEXAS WATER DEVELOPMENT A

PROJECTIONS SPREADSHEET PROVIDED BY THE

M.|Projects|1600|002-01|Doc|TechMemo|Draft|Rice Production Memo|Draft\_Rice\_Technical Memorandum\_v7.docx

# Attachment A 2017 Plan Projections Spreadsheet Provided by the Texas Water Development Board

<u> </u>	D	raft Irrigatio	n Projectio	ns for 2017	SWP		
				Volume	(af/yr)		
Region	County Name	2020	2030	2040	2050	2060	2070
D	Bowie	6,221	6,221	6,060	5,657	5,281	5,121
D	Lamar	5,945	5,879	5,813	5,748	5,684	5,622
D	Red River	5,156	5,103	5,050	4,998	4,945	4,895
G	Robertson	63,420	61,607	59,841	58,127	56,460	55,124
Н	Austin	3,932	3,932	3,932	3,932	3,932	3,932
Н	Brazoria	77,121	74,258	72,532	72,532	72,532	70,465
Н	Chambers	55,059	55,059	55,059	55,059	55,059	55,059
Н	Fort Bend	32,091	32,091	32,091	32,091	32,091	32,091
Н	Galveston	3,565	3,565	3,565	3,565	3,565	3,565
Н	Harris	3,397	3,397	3,397	3,397	3,397	3,397
Н	Liberty	43,632	43,632	43,632	43,632	43,632	43,632
Н	Waller	19,197	19,197	19,197	19,197	19,197	19,197
1	Hardin	1,349	1,349	1,349	1,349	1,349	1,349
1	Jefferson	82,814	82,814	82,814	82,814	82,814	82,814
K	Colorado	120,618	115,551	110,647	105,878	101,314	97,363
K	Matagorda	117,462	113,220	109,157	105,247	101,477	98,081
K	Wharton	126,140	121,626	117,277	113,083	97,165	92,166
L	Calhoun	13,472	11,935	10,894	10,148	9,453	8,726
L	Victoria	3,255	2,809	2,424	2,092	1,806	1,618
Р	Jackson	38,967	38,967	38,967	38,967	38,967	38,967
Р	Lavaca	4,387	4,387	4,387	4,387	4,387	4,387
P	Wharton	102,785	102,785	102,785	102,785	102,785	102,785

TECHNICAL MEMORANDUM
Rice Water Demand Projections Revisions

TECHNICAL MEMORANDUM
Rice Water Planning Group

TECHNICAL MEMORANDUM
Rice Water Planning Group

TEXAS WATER DEVELOPMENT B

PROVIDED BY THE

M:|Projects|1600|002-01|Doc|TechMemo|Draft|Rice Production Memo|Draft\_Rice\_Technical Memorandum\_v7.docx

# Attachment B Irrigation Basis Spreadsheet Provided by the Texas Water Development Board

Year	Region	County Name	Crop Name	Reported Acreage (acres)	Rate (in/yr)	Water Use (af/yr)
2005	D	BOWIE	rice	2,100	30	5,250
2006	D	BOWIE	rice	608	33	1,672
2007	D	BOWIE	rice	283	33	778
2008	D	BOWIE	RICE	569	35	1,659
2009	D	BOWIE	RICE	517	28	1,206
2010	D	BOWIE	RICE	881	33	2,42
2007	D	LAMAR	RICE	105	28	245
2008		LAMAR	RICE	203	35	592
2009	D	LAMAR	RICE	215	26	465
2005		RED RIVER	RICE	750	36	2,250
2006		RED RIVER	RICE	440	36	1,320
2007	D	RED RIVER	RICE	620	36	1,860
2008	D	RED RIVER	RICE	800	51	3,400
2005		ROBERTSON	RICE	200	46	766
2006		ROBERTSON	RICE	162	46	621
2007		ROBERTSON	RICE	322	46	1,234
2008		ROBERTSON	RICE	240	46	920
2009		ROBERTSON	RICE	1,000	46	3,833
2010		ROBERTSON	RICE	1,000	46	3,83
2005		AUSTIN	RICE	2,400	32	6,400
2006		AUSTIN	RICE	904	40	3,013
2007		AUSTIN	RICE	1,003	40	3,343
2008		AUSTIN	RICE	959	45	3,595
2009		AUSTIN	RICE	1,036	33	2,848
2010		AUSTIN	RICE	1,111	42	3,88
2005	··	BRAZORIA	RICE	16,000	80	106,666
2005		BRAZORIA	RICE	13,138	75	82,112
2007		BRAZORIA	RICE	11,460	75	71,625
2007		BRAZORIA	RICE		60	
2009		BRAZORIA	RICE	15,174		75,869
2010		<del></del>	RICE	17,000	48	68,000
2010		BRAZORIA	RICE	17,366	52	75,25
2005		CHAMBERS	RICE	12,800	79	84,266
2006		CHAMBERS	RICE	8,088	81	54,594
		CHAMBERS		9,896	81	66,798
2008		CHAMBERS	RICE	13,072	48	52,288
2009		CHAMBERS	RICE	2,750	60	13,750
2010		CHAMBERS	RICE	11,250	64	60,00
2005		FORT BEND	RICE	6,900	80	46,000
2006		FORT BEND	RICE	4,482	75	28,012
2007 2008		FORT BEND	RICE	4,925	70	28,729
		FORT BEND	RICE	4,794	60	23,967
2009		FORT BEND	RICE	6,400	57	30,400
2010		FORT BEND	RICE	5,500	57	26,12
2005		GALVESTON	RICE	900	84	6,300
2006		GALVESTON	RICE	310	80	2,071
2007		GALVESTON	RICE	300	80	2,000
2008		GALVESTON	RICE	654	45	2,452
2009		GALVESTON	RICE	1,500	40	5,000
2010		GALVESTON	RICE	500	55	2,29
2005		HARRIS	RICE	1,200	60	6,000
2006		HARRIS	RICE	195	80	1,300
2007		HARRIS	RICE	192	80	1,280
2008		HARRIS	RICE	395	45	1,480
2005		LIBERTY	RICE	9,400	77	59,925
2006	Η	LIBERTY	RICE	5,436	81	36,693

# Attachment B Irrigation Basis Spreadsheet Provided by the Texas Water Development Board

Year	Region	County Name	Crop Name	Reported Acreage (acres)	Rate (in/yr)	Water Use (af/yr)
2007	Н	LIBERTY	RICE	6,445	81	43,503
2008	Н	LIBERTY	RICE	7,579	60	37,893
2009	Н	LIBERTY	RICE	7,500	54	33,750
2010	Н	LIBERTY	RICE	7,850	65	42,520
2005	Н	WALLER	RICE	7,700	32	20,533
2006	Н	WALLER	RICE	6,264	33	17,226
2007	Н	WALLER	RICE	6,038	33	16,604
2008	Н	WALLER	RICE	6,208	35	18,105
2009	Н	WALLER	RICE	6,379	33	17,543
2010	Н	WALLER	RICE	6,300	38	19,950
2006	I	HARDIN	RICE	238	33	654
2007	ı	HARDIN	RICE	670	33	1,842
2008	ı	HARDIN	RICE	950	30	2,375
2009	ı	HARDIN	RICE	460	25	958
2010	<del></del>	HARDIN	RICE	500	36	1,500
2005		JEFFERSON	RICE	19,300	. 52	83,633
2006	<del> </del>	JEFFERSON	RICE	14,239	75	88,993
2007	<del> </del>	JEFFERSON	RICE	14,596	75	91,225
2008		JEFFERSON	RICE	17,578	60	87,888
2009		JEFFERSON	RICE	13,875	51	58,968
2010		JEFFERSON	RICE	17,200	60	86,000
2005		ORANGE	RICE	1,000	52	4,333
2006	<del></del>	ORANGE	RICE	1,000	75	6,250
2007		ORANGE	RICE	500	75	3,125
2005	<del></del>	COLORADO	RICE	31,000	45	116,250
2006		COLORADO	RICE	25,395	53	112,161
2007		COLORADO	RICE	26,516	53	117,112
2008	К	COLORADO	RICE	31,687	51	134,667
2009	К	COLORADO	RICE	32,000	54	144,000
2010	К	COLORADO	RICE	32,115	56	149,870
2005	К	MATAGORDA	RICE	21,900	55	100,375
2006	К	MATAGORDA	RICE	18,075	55	82,843
2007	К	MATAGORDA	RICE	15,100	39	49,452
2008	К	MATAGORDA	RICE	19,671	45	73,766
2009	К	MATAGORDA	RICE	25,000	48	100,000
2010	К	MATAGORDA	RICE	25,103	58	121,331
2005	К	WHARTON	RICE	50,700	55	232,375
2006	К	WHARTON	RICE	35,417	55	162,327
2007	К	WHARTON	RICE	17,101	63	89,780
2010	K, P	WHARTON	RICE	45,000	48	180,000
2008	K,P	WHARTON	RICE	38,179	58	184,531
2009	K,P	WHARTON	RICE	46,400	48	185,600
2005	+	CALHOUN	RICE	2,440	89	18,096
2006	<del></del>	CALHOUN	RICE	2,636	69	15,157
2007		CALHOUN	RICE	2,086	69	11,994
2008	<del></del>	CALHOUN	RICE	2,803	. 60	14,015
2009	L	CALHOUN	RICE	2,400	72	14,400
2010	L	CALHOUN	RICE	2,177	56	10,159
2005	L	VICTORIA	RICE	1,700	32	4,533
2006	<del> </del>	VICTORIA	RICE	564	36	1,692
2007		VICTORIA	RICE	300	36	900
2008		VICTORIA	RICE	1,081	35	3,152
2009	<del> </del>	VICTORIA	RICE	1,771	32	4,723
2010	+	VICTORIA	RICE	1,922	42	6,727
2008	<del>+</del>	CAMERON	RICE	187	50	779

# Attachment B Irrigation Basis Spreadsheet Provided by the Texas Water Development Board

Year	Region	County Name	Crop Name	Reported Acreage (acres)	Rate (in/yr)	Water Use (af/yr)
2005	Р	JACKSON	RICE	12,700	40	42,333
2006	Р	JACKSON	RICE	9,929	40	33,096
2007	Р	JACKSON	RICE	10,114	40	33,713
2008	Р	JACKSON	RICE	9,926	45	37,222
2009	Р	JACKSON	RICE	11,400	46	43,700
2010	P	JACKSON	RICE	11,200	43	40,133
2005	P	LAVACA	RICE	1,800	42	6,300
2006	Р	LAVACA	RICE	1,039	42	3,636
2007	Р	LAVACA	RICE	1,029	42	3,601
2008	Р	LAVACA	RICE	1,377	45	5,164
2009	Р	LAVACA	RICE	1,057	32	2,819
2010	Р	LAVACA	RICE	1,401	46	5,370

TECHNICAL MEMORANDUM
Rice Water Demand Projections Revisions

TECHNICAL MEMORANDUM
Rice Water Planning Group

AGRILIFE RESEARCH DOCUMENT EXCERPT

M:|Projects|1600|002-01|Doc|TechMemo|Draft|Rice Production Memo|Draft\_Rice\_Technical Memorandum\_v7.docx

### **Historical Texas Rice Production Statistics**

Table 40. 18-year Texas rice acreage, yields and production comparison.

Crop year	Planted acres*	Main crop** Yield (lb/A)	Ratoon crop** Yield (lb/A)	% MC ratooned**	Total** Yield (lb/A)	Production*** cwt	
1993	296,193	5,054	1,168	34	5,451	14,383,037	
1994	345,680	5,944	984	43	6,195	22,089,662	
1995	315,108	5,505	165	32	5,558	17,513,703	
1996	263,407	6,022	1,228	46	6,587	17,350,830	
1997	256,944	5,232	895	42	5,608	14,408,971	
1998	271,989	5,413	796	54	5,843	15,891,008	
1999	246,228	5,818	1,361	26	6,172	15,196,150	
2000	211,241	6,360	948	37	6,711	14,176,944	
2001	213,704	6,291	1,264	48	6,898	14,741,250	
2002	204,880	6,744	1,017	34	7,090	14,526,940	
2003	171,953	6,055	2,247	38	6,909	11,880,000	#
2004	216,810	6,231	1,557	35	6,776	14,690,000	#
2005	201,024	6,542	1,955	27	7,070	14,212,274	
2006	147,549	6,913	1,248	39	7,400	10,918,626	##
2007	143,299	6,179	1,948	35	6,860	9,830,311	*
2008	168,039	6,314	1,830	53	7,283	12,238,280	*
2009	169,990	6,531	2,264	58	7,844	13,334,015	*
2010	186,522	5,430	2,315	54	6,680	12,459,669	*
vg. 1993–2010	223,920	5,951	1,297	40	6,473	15,041,149	
2011	181,761	6,440	1,607	77	6,969	12,667,079	

<sup>#</sup> Modified to account for carryover stocks

	The state of the s		A STATE OF THE STA
Table 41. 16-	year Texas rice-	planted acres*	comparison.

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Chambers	20,906	20,411	21,672	17,197	11,432	13,438	13,202	10,937	16,024	12,792	8,088	8,180	13,048	1,262	11,191	11,555
Brazoria	16,818	21,888	18,718	19,241	17,163	15,279	14,077	10,395	15,748	15,976	12,997	11,461	14,833	16,452	17,366	17,604
Jackson	25,235	20,521	20,128	18,355	16,208	14,953	14,005	13,057	14,734	12,713	9,929	10,115	9,519	11,350	11,042	11,739
Jefferson	26,102	24,947	24,422	22,655	18,519	18,575	18,389	15,037	19,954	19,355	14,234	14,112	15,641	13,749	17,264	16,949
Wharton	58,930	50,737	57,530	55,253	52,205	50,520	49,958	41,664	53,413	50,678	35,417	34,928	38,699	43,064	45,024	41,656
Liberty	11,071	14,074	18,706	14,328	8,740	12,705	9,714	7,949	10,475	9,381	5,440	4,387	7,579	7,227	7,812	7,030
Colorado	36,200	36,091	35,698	33,522	31,136	32,110	30,734	28,572	33,273	30,903	25,465	26,517	30,776	31,587	32,116	34,281
Harris	6,654	6,484	6,187	4,875	2,957	1,975	2,083	1,664	1,522	1,067	195	192	395			
Calhoun	4,760	2,511	3,851	3,164	1,568	1,468	1,498	1,897	2,488	2,439	2,767	2,086	2,803	2,154	2,177	2,249
Fort Bend	9,418	10,680	10,179	9,006	8,894	8,652	8,615	6,071	7,933	6,409	4,496	4,925	4,358	5,589	4,857	4,869
Matagorda	26,692	26,814	30,518	28,598	23,036	24,958	24,516	18,878	23,672	21,863	18,075	16,913	17,979	24,594	25,103	21,479
Victoria	2,775	2,941	3,302	2,401	1,937	1,977	1,748	1,247	1,356	1,705	564		1,081	1,771	1,922	1,851
Lavaca	3,703	2,682	2,452	2,006	2,523	1,746	1,790	1,582	2,189	1,804	1,039	1,029	1,255	1,057	1,401	1,280
Galveston	2,144	2,110	1,993	1,590	1,360	768	1,166	781	847	833	314	300	654	1,527	463	951
Orange	732	750	2,248	362	531	354	682	0	90							
Austin	2,479	2,878	2,673	2,702	2,435	2,601	1,694	1,684	2,313	2,359	904	1,003	959	1,036	1,111	1,166
Bowie	1,600	1,136	1,329	1,538	1,030	1,435	1,287	1,332	1,510	2,054	608	284	569	517	881	429
Red River	47	951	941	1,100	709	965	1,017	587	639	639	440					
Waller	5,677	6,741	6,694	6,142	6,206	6,951	7,038	7,168	7,868	7,672	6,260	6,038	6,508	6,379	6,288	6,051
Hardin	714	899	1,185	1,052	1,093	801	633	738	762	298	235	670	950	460	504	313
Hopkins	750	700	1,563	1,141	1,562	1,473	1,034	713	0					0		105
Robertson										87	81	159	200			
Lamar													203	215		204
Cameron													30			

<sup>\*</sup>USDA-FSA certified planted acres

<sup>\*</sup> USDA-FSA certified planted acres \*\* TAMUS AgriLife Research Beaumont Crop survey data \*\*\* Texas Rice Research Foundation check-off collections

# ATTACHMENT D MODEL TO CALCULATE RICE WATER USE AND TOTAL IRRIGATION FOR SOUTHEASTERN RICE-PRODUCING COUNTIES

Attachment 5
Meeting Summary of Non-Municipal Water Demands
in Jefferson County

#### MEETING SUMMARY



# East Texas Regional Water Planning Area (Region I) Discussion of Non-Municipal Water Demands in Jefferson County Meeting Summary

Prepared For:

East Texas Regional Water Planning Group

Prepared By:

Rex Hunt, P.E., Alan Plummer Associates

Date:

September 16, 2012

This is a follow-up to both the RWPG meeting and the subsequent meeting in Beaumont on Thursday, where various non-municipal irrigation projections were discussed. First is a summary of the Thursday meeting, followed by additional suggestions on where we might need to head with respect to the non-municipal projections.

#### **SUMMARY OF MEETING AT LNVA OFFICES ON SEPTEMBER 13**

The meeting was coordinated by Scott Hall, although it was essentially carried out not by him but by several of the local farmers. The purpose of the meeting was to discuss several aspects of ongoing irrigation in Jefferson County and adjoining counties. The following were in attendance:

- Representing the farmers:
  - o Bill Dishman, Jr.
  - o Herb Dishman
  - Mike Douget
  - o Tina Blake
  - Ted Wilson, Texas Agrilife Research Center
  - o Pete Kafalas, BP Biofuels North America, LLC
- · Representing the Texas Water Development Board
  - o Dan Hardin
  - o Doug Shaw
- Others present:
  - o Scott Hall, LNVA
  - o Mike Daws, LNVA
  - o Dawn Pilcher, LNVA
  - Jerry Clark, Sabine River Authority

The farmers opened the meeting with a discussion of the status and future of irrigation and livestock water demands in the area in and around Jefferson County. They reported a steady growth and stabilization of rice farming in the area, with prospects that it will continue to grow (for similar reasons to those addressed in the APAI rice memorandum). Row crops are on the increase, especially energy cane

MEETING SUMMARY
Texas Section - American Water Works Association
Water Conservation and Reuse Division
August 15, 2012

and specialty crops. Attached is a pdf of three handouts provided by the delegation of farmers for the meeting.

#### Rice

Organic rice is a niche market, but steadily increasing. Genetically engineered see rice is also on the increase. It is beginning to move out of areas to the west of Houston and into the Jefferson County area, and is doing better in this area than anyone expected. It should be expected that irrigation demand for rice will increase in the region. The economic impact of rice in this area goes beyond the production and sale of rice. Rice irrigation provides habitat for ducks, and other waterfowl, which supports additional recreational revenue for the region. The habitat also provides replacement for losses of natural wetlands due to population growth and encroachment.

#### **Energy Cane**

Energy cane is being grown under contracts with BP, who is planning to develop ethanol refineries. The energy cane is a high cellulose crop that grows quickly. The refinery will be developed to deal with the high-cellulose material to develop the ethanol. Approximately 1,000 acres of energy cane are being cultivated at this time; approximately 4,000 acres next year; and 6,000 to 8,000 acres in 2014. Pete Kafalas estimated that by 2020, there could be approximately 52,000 acres of energy cane crops in eastern Jefferson and western Chambers Counties being grown. The farmers indicated that this would not be land that is being used, or would be expected to be used, for rice farming. All water for these crops would be supplied by LNVA. The amount of water needed to grow the energy cane would typically be around 1 foot per year. In dry years, it could be 1.5 feet. The energy cane crops will support a 75 to 92 million gallon per year ethanol refinery to be constructed by BP nearby. In all, BP is planning 6 to 10 such plants along the Gulf Coast from Texas to Florida.

It does not appear that BP is looking at areas in Texas other than this portion of Jefferson and Chambers, although Kafalas did not rule it out. Other energy companies (e.g., Valero or Chevron) may be looking at other counties, such as Orange.

#### **Specialty Crops**

A number of specialty crops are being grown, or experimented with at this time in the area. These include blueberries, olives, soy beans, eucalyptus, crawfish, etc. Specific irrigation numbers were not provided, but it should be anticipated that there will continue to be an irrigation water demand for such crops.

MEETING SUMMARY
Texas Section - American Water Works Association
Water Conservation and Reuse Division
August 15, 2012

#### Cattle

Tina Blake is the cattle rancher in the group. Her handout provides specifics of her discussion. Her primary point was that the cattle industry in this area is important to the area and to Texas from an economic perspective.

Attachment 6
John Martin Correspondence Regarding Manufacturing and
Steam-Electric Demands in Tyler County

#### Gonzalez, Lauren

From:

Hunt. Rex

Sent:

Sunday, September 16, 2012 3:25 PM

To:

Gonzalez.Lauren

Subject:

FW: Non-municipal demand

Follow Up Flag: Flag Status:

Follow up Completed

**Rex Hunt** 

Alan Plummer Associates, Inc. 512.826,1568 (cell) 512.452.5905 (office) 512.687.2155 (office-direct)

From: jmartin@setgcd.org [mailto:jmartin@setgcd.org]

Sent: Friday, September 14, 2012 10:54 AM

To: 'Lila Fuller'; Hunt, Rex; MichaelHarbordt@suddenlink.net

Subject: Non-municipal demand

Hello All,

After having made several phones, the only modifications that I will suggest are for Tyler County, as follows:

East Texas Electric Cooperative is currently building a facility will use an estimated 1,029 acre feet for steam electric production. The facility is expected to come online in late 2014. Please note that it is expect that approximately 1,000 acre feet of that water demand will come from recycling the effluent from the City of Woodville; and

German Pellets of Texas is a manufacturing facility that has a groundwater permit for 430 acre feet per year. This facility is expected to come online in 2013 or early 2014.

Should you have any questions, please do not hesitate to call.

John M. Martin Southeast Texas Groundwater Conservation District P.O. Box 1407 Jasper, TX 75951 (409) 383-1577 Attachment 7
Kelley Holcomb Correspondence Regarding Mining Demands







#### ANGELINA & NECHES RIVER AUTHORITY

September 19, 2012

Mr. Rex Hunt, APAI
Region I, East Texas Regional Water Planning Group
Alan Plummer Associates, Inc.
6300 La Calma, Suite 400
Austin, Texas 78752

Re: Revised Mining Water Demand Projections for the 2016 Region I Water Plan

Dear Mr. Hunt:

The Angelina & Neches River Authority (ANRA) has contractual water demands for mining purposes in Nacogdoches, Rusk, Sabine, Shelby and San Augustine counties for the portions that lie within the Neches River Basin. Therefore, ANRA would like to revise its water demand projections for inclusion in the 2016 Region I Water Plan. These projections would be above and beyond ANRA's previously stated projections for our Lake Columbia Participants.

These demands are the result of oil & gas operations activities associated with the Haynesville Shale and its outcrop areas within the counties stated above. ANRA has working relationship with two energy companies who have interests in these counties. Their intent is to continue drilling activities based on market demands over the next 20 to 30 year period.

I have attached a table that delineates estimated water demand by county within ANRA's jurisdictional service area. ANRA intends to meet these demands via surface water rights permits and contracts with current water rights holders within those counties. As part of the process of meeting these demands, ANRA will also evaluate the potential for amending its water rights permit for Lake Columbia to reflect these consumptive uses at some point in the future after the reservoir is completed.

If you have any questions, please contact me at 936-633-7543,

Respectfully,


Kelley/Holcomb General Manager


attachment

Angelina & Neches River Authority Proposed Mining Demands 2016 Region I Water Plan

Proposed Mining Water Demands

		(acre-feet pe	er year)			
County/WUG	<u>2010</u>	2020	2030	2040	2050	<u>2060</u>
Nacogdoches	7,000	4,500	0	0	0	0
Rusk	1,000	500	0	0	0	0
Sabine	1,500	1,000				
Shelby San Augustine	1,500 4,000	1,000 3,000	0	0	0	0
Total	15,000	10,000	0	0	0	0





### Appendix 2-B

### **Population Projections DB17 Report**

The following appendix includes a copy of the Population Projections data from the TWDB Data Web Interface known as the DB17. The summary is divided by Water User Group, county, and river basin.

### This page intentionally left blank

REGION I	WUG POPULATION						
	2020	2030	2040	2050	2060	2070	
ANDERSON COUNTY					•	1	
NECHES BASIN							
BRUSHY CREEK WSC	1,751	1,808	1,829	1,829	1,829	1,829	
FRANKSTON	1,263	1,305	1,320	1,320	1,320	1,320	
PALESTINE	10,022	10,351	10,471	10,471	10,471	10,47	
WALSTON SPRINGS WSC	2,860	2,954	2,988	2,988	2,988	2,98	
COUNTY-OTHER	6,218	6,421	6,495	6,495	6,495	6,49	
NECHES BASIN TOTAL POPULATION	22,114	22,839	23,103	23,103	23,103	23,10	
TRINITY BASIN							
BRUSHY CREEK WSC	1,028	1,062	1,074	1,074	1,074	1,074	
ELKHART	. 1,431	1,478	1,496	1,496	1,496	1,496	
FOUR PINES WSC	3,595	3,713	3,756	3,756	3,756	3,756	
PALESTINE	9,509	9,821	9,934	9,934	9,934	9,934	
THE CONSOLIDATED WSC	1,669	1,724	1,744	1,744	1,744	1,744	
WALSTON SPRINGS WSC	1,142	1,180	1,193	1,193	1,193	1,193	
COUNTY-OTHER	20,528	21,200	21,446	21,446	21,446	21,440	
TRINITY BASIN TOTAL POPULATION	38,902	40,178	40,643	40,643	40,643	40,64	
ANDERSON COUNTY TOTAL POPULATION	61,016	63,017	63,746	63,746	63,746	63,74	
ANGELINA COUNTY							
NECHES BASIN							
ANGELINA WSC	2,999	3,209	3,385	3,546	3,689	3,81	
BURKE	793	849	895	938	976	1,00	
CENTRAL WCID OF ANGELINA COUNTY	6,876	7,357	7,761	8,129	8,459	8,75	
DIBOLL	5,137	5,496	5,798	6,073	6,320	6,53	
FOUR WAY SUD	5,666	6,062	6,395	6,699	6,971	7,21	
HUDSON	5,088	5,444	5,743	6,016	6,260	6,47	
· HUDSON WSC	6,045	6,469	6,824	7,148	7,438	7,69	
HUNTINGTON	2,278	2,438	2,571	2,694	2,803	2,90	
LUFKIN	37,713	40,352	42,567	44,589	46,398	48,00	
REDLAND WSC	2,594	2,776	2,928	3,067	3,192	3,30	
ZAVALLA	767	821	866	907	944	97	
COUNTY-OTHER	17,360	18,575	19,596	20,526	21,358	22,09	
NECHES BASIN TOTAL POPULATION	93,316	99,848	105,329	110,332	114,808	118,77	
ANGELINA COUNTY TOTAL POPULATION	93,316	99,848	105,329	110,332	114,808	118,77	
CHEROKEE COUNTY	,	,	,				
NECHES BASIN							
ALTO	1,341	1,470	1,597	1,749	1,907	2,07	
ALTO RURAL WSC	3,272	3,588	3,898	4,267	4,655	5,07	
BULLARD	52	57	62	68	74	8	
CRAFT-TURNEY WSC	5,195	5,696	6,188	6,775	7,390	8,05	
JACKSONVILLE	15,914	17,451	18,959	20,756	22,640	24,67	
NEW SUMMERFIELD	1,216	1,334	1,449	1,586	1,730	1,88	

REGION I	WUG POPULATION						
	2020	2030	2040	2050	2060	2070	
CHEROKEE COUNTY							
NECHES BASIN							
RUSK	6,074	6,661	7,236	7,922	8,641	9,4	
RUSK RURAL WSC	3,592	3,938	4,279	4,684	5,109	5,5	
SOUTHERN UTILITIES COMPANY	2,805	3,076	3,341	3,658	3,990	4,3	
. TROUP	. 67	. 74	80	88	95	1	
WELLS	865	948	1,030	1,128	1,230	1,3	
WRIGHT CITY WSC	601	659	. 716	784	855	9	
COUNTY-OTHER	9,739	10,678	. 11,603	12,703	13,859	15,1	
NECHES BASIN TOTAL POPULATION	55,634	61,005	66,277	72,560	79,148	86,2	
CHEROKEE COUNTY TOTAL POPULATION	55,634	61,005	66,277	72,560	79,148	86,2	
HARDIN COUNTY		· · · · · · · · · · · · · · · · · · ·		* .			
NECHES BASIN							
KOUNTZE	2,129	2,135	2,139	2,142	2,145	2,1	
LUMBERTON	14,314	16,522	18,093	19,252	20,158	20,8	
LUMBERTON MUD	8,547	9,053	9,413	9,679	9,887	10,0	
NORTH HARDIN WSC	7,821	8,344	8,716	8,991	9,206	9,3	
SILSBEE	6,772	6,922	7,029	7,108	7,170	7,2	
SOUR LAKE	1,921	2,022	2,094	2,147	2,189	2,2	
WEST HARDIN WSC	3,999	4,020	4,035	4,046	4,055	4,0	
COUNTY-OTHER	13,642	14,611	15,300	15,807	16,201	16,4	
NECHES BASIN TOTAL POPULATION	59,145	63,629	66,819	69,172	71,011	72,3	
TRINITY BASIN		I			L		
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	134	152	165	175	183	1	
WEST HARDIN WSC	53	53	53	53	53		
COUNTY-OTHER	145	152	157	160	163	1	
TRINITY BASIN TOTAL POPULATION	332	357	375	388	399	4	
HARDIN COUNTY TOTAL POPULATION	59,477	63,986	67,194	69,560	71,410	72,7	
HENDERSON COUNTY		· -	<u> </u>	<u> </u>	<del></del>		
NECHES BASIN							
ATHENS	275	295	312	334	353	3	
BERRYVILLE	1,088	1,191	1,277	1,390	1,488	1,5	
BETHEL-ASH WSC	3,186	3,602	3,949	4,407	4,803	5,	
BROWNSBORO	1,366	1,664	1,913	2,241	2,525	2,8	
BRUSHY CREEK WSC	758	814	861	923	977	1,0	
CHANDLER	3,589	4,370	5,020	5,878	6,620	7,:	
FRANKSTON	44	67	86	111	133		
MURCHISON	596	598	600	602	604		
R-P-M WSC	703	839	952	1,102	1,231	1,	
VIRGINIA HILL WSC	1,825	2,095	2,320	2,617	2,874	3,	

REGION I	WUG POPULATION						
	2020	2030	2040	2050	2060	2070	
HENDERSON COUNTY			4				
NECHES BASIN							
COUNTY-OTHER	11,374	11,109	10,887	10,594	10,340	10,09	
NECHES BASIN TOTAL POPULATION	24,804	26,644	28,177	30,199	31,948	33,64	
HENDERSON COUNTY TOTAL POPULATION	24,804	26,644	28,177	30,199	31,948	33,64	
HOUSTON COUNTY /							
NECHES BASIN							
GRAPELAND	. 597	600	601	601	601	60	
THE CONSOLIDATED WSC	3,710	3,742	3,742	3,742	3,742	3,74	
COUNTY-OTHER	188	173	172	172	172	17	
NECHES BASIN TOTAL POPULATION	4,495	4,515	4,515	4,515	4,515	4,51	
TRINITY BASIN					•		
CROCKETT	7,073	7,105	7,105	7,105	7,105	7,10	
GRAPELAND	922	927	927	927	927	92	
LOVELADY	681	690	690	690	690	69	
THE CONSOLIDATED WSC	10,121	10,187	10,188	10,188	10,188	10,18	
COUNTY-OTHER	859	. 836	835	835	835	83	
TRINITY BASIN TOTAL POPULATION	19,656	19,745	19,745	19,745	19,745	19,74	
HOUSTON COUNTY TOTAL POPULATION	24,151	24,260	24,260	24,260	24,260	24,26	
JASPER COUNTY		•		****			
NECHES BASIN							
. JASPER	7,839	8,012	8,045	8,045	8,045	8,04	
COUNTY-OTHER	14,226	14,541	14,601	14,601	14,601	14,60	
NECHES BASIN TOTAL POPULATION	22,065	22,553	22,646	22,646	22,646	22,64	
SABINE BASIN							
JASPER COUNTY WCID #1	2,995	3,062	3,074	3,074	3,074	3,07	
KIRBYVILLE	2,213	2,262	2,271	2,271	2,271	2,27	
MAURICEVILLE SUD	429	439	440	440	440	44	
COUNTY-OTHER	9,176	9,379	9,418	9,418	9,418	9,41	
SABINE BASIN TOTAL POPULATION	14,813	15,142	15,203	15,203	15,203	15,20	
JASPER COUNTY TOTAL POPULATION	36,878	37,695	37,849	37,849	37,849	37,84	
JEFFERSON COUNTY		<u> </u>		<u> </u>			
NECHES BASIN		*					
BEAUMONT	42,378	45,111	47,983	51,321	55,003	. 59,12	
BEVIL OAKS	1,351	1,438	1,529	1,636	1,753	1,88	
. CHINA	22	24	25	27	29	3	
GROVES	500	500	500	500	500	50	
JEFFERSON COUNTY WCID #10	856	911	969	1,036	1,111	1,19	
MEEKER MUD	836	889	946	1,012	1,084	1,10	
NEDERLAND	670	713	758	811	869	93	
NOME	399	424	451	482	517	55	


REGION I	WUG POPULATION					
	2020	2030	2040	2050	2060	2070
JEFFERSON COUNTY			:			
NECHES BASIN						
PORT ARTHUR	171	173	173	173	173	17
PORT NECHES	7,183	7,646	8,133	8,699	9,323	10,02
COUNTY-OTHER	784	877	978	1,091	1,217	1,35
NECHES BASIN TOTAL POPULATION	55,150	58,706	62,445	66,788	71,579	76,94
NECHES-TRINITY BASIN	1					
BEAUMONT	83,002	88,354	93,980	100,517	107,727	115,80
CHINA	1,208	1,285	1,368	1,462	1,567	1,68
GROVES	15,644	15,644	15,644	15,644	15,644	15,64
JEFFERSON COUNTY WCID #10	4,268	4,543	4,833	5,169	5,539	5,95
MEEKER MUD	2,497	2,659	2,828	3,024	3,241	3,48
NEDERLAND	17,928	19,084	20,300	21,712	23,269	25,01
NOME	225	240	255	273	292	31
PORT ARTHUR	56,866	57,582	57,582	57,582	57,582	57,58
PORT NECHES	6,638	7,067	7,516	8,039	8,615	9,26
WEST JEFFERSON COUNTY MWD	8,554	9,105	9,685	10,359	11,102	11,93
COUNTY-OTHER	15,399	20,351	26,308	33,233	40,873	49,42
NECHES-TRINITY BASIN TOTAL POPULATION	212,229	225,914	240,299	257,014	275,451	296,09
JEFFERSON COUNTY TOTAL POPULATION	267,379	284,620	302,744	323,802	347,030	373,04
NACOGDOCHES COUNTY				•		
NECHES BASIN						
APPLEBY WSC	3,638	4,087	4,530	5,001	5,499	6,02
CUSHING	685	769	852	941	1,035	1,13
D&M WSC	6,239	7,009	7,768	8,575	9,430	10,32
GARRISON	1,001	1,125	1,246	1,376	1,513	1,65
LILLY GROVE SUD	3,075	3,454	3,828	4,226	4,648	5,08
MELROSE WSC	3,468	3,897	4,318	4,767	5,242	5,73
NACOGDOCHES	36,889	41,442	45,930	50,706	55,758	61,04
	2,795	3,140	3,480	3,842	4,225	4,62
WODEN WSC	2,694	3,026	3,354	3,702	4,071	4,45
COUNTY-OTHER	11,652	13,091	14,509	16,019	. 17,614	19,28
NECHES BASIN TOTAL POPULATION	72,136	81,040	89,815	99,155	109,035	119,36
NACOGDOCHES COUNTY TOTAL POPULATION	72,136	81,040	89,815	99,155	109,035	119,36
NEWTON COUNTY						
SABINE BASIN			•			
MAURICEVILLE SUD	390	390	390	390	390	39
NEWTON	2,478	2,478	2,478	2,478	2,478	2,47
SOUTH NEWTON WSC	2,622	2,622	2,622	2,622	2,622	2,62
	8,955	8,955	8,955	8,955	8,955	8,95
COUNTY-OTHER	0,9331	0,733 [.				
SABINE BASIN TOTAL POPULATION	14,445	14,445	14,445	14,445	14,445	14,44

REGION I	WUG POPULATION							
·	2020	2030	2040	2050	2060	2070		
ORANGE COUNTY	•	•						
NECHES BASIN			,					
BRIDGE CITY	1,208	1,262	1,301	1,327	1,347	1,36		
MAURICEVILLE SUD	701	733	756	771	782	79		
ORANGEFIELD WSC	2,029	2,120	2,185	2,229	2,262	2,286		
PORT ARTHUR	5	5	_ 5	5	5			
ROSE CITY	530	554	571	582	591	597		
VIDOR	9,017	9,425	9,712	9,907	10,056	10,163		
COUNTY-OTHER	13,937	14,569	15,012	15,313	15,543	15,710		
NECHES BASIN TOTAL POPULATION	27,427	28,668	29,542	30,134	30,586	30,91		
NECHES-TRINITY BASIN			•	•				
BRIDGE CITY	968	1,011	1,042	1,063	1,079	1,09		
COUNTY-OTHER	30	33	33	34	34	3-		
NECHES-TRINITY BASIN TOTAL POPULATION	998	1,044	1,075	1,097	1,113	1,12		
SABINE BASIN								
BRIDGE CITY	6,095	6,372	6,565	6,697	6,797	6,87		
MAURICEVILLE SUD	8,407	8,787	9,055	9,236	9,375	9,47		
ORANGE	19,616	20,503	21,128	21,552	21,875	22,10		
ORANGEFIELD WSC	3,174	3,318	3,419	3,488	3,540	3,57		
PINEHURST	2,213	2,313	2,383	2,431	2,467	2,49		
SOUTH NEWTON WSC	1,475	1,542	1,589	1,621	1,645	1,66		
VIDOR	2,143	2,240	2,308	2,354	- 2,389	2,41		
WEST ORANGE	3,632	3,797	3,912	3,991	4,051	4,09		
COUNTY-OTHER	11,147	11,649	12,008	12,247	12,431	12,56		
SABINE BASIN TOTAL POPULATION	57,902	60,521	62,367	63,617	64,570	65,26		
ORANGE COUNTY TOTAL POPULATION	86,327	90,233	92,984	94,848	96,269	97,29		
PANOLA COUNTY								
CYPRESS BASIN								
COUNTY-OTHER	55	58	60	61	. 62	6		
. CYPRESS BASIN TOTAL POPULATION	55	58	60	61	62	6		
SABINE BASIN					L			
BECKVILLE	968	1,084	1,155	1,221	1,271	1,31		
CARTHAGE	6,925	7,066	7,152	7,232	7,292	7,33		
GILL WSC	734	756	. 770	783	793	80		
TATUM	333	397	436	472	499	52		
COUNTY-OTHER	16,096	17,017	17,581	18,104	18,495	18,79		
SABINE BASIN TOTAL POPULATION	25,056	26,320	27,094	27,812	28,350	28,76		
PANOLA COUNTY TOTAL POPULATION	25,111	26,378	27,154	27,873	28,412	28,83		
POLK COUNTY	·	<u> </u>				, , , , , , , , , , , , , , , , , , ,		
NECHES BASIN		*						
CORRIGAN	1,821	2,035	2,202	2,345	2,462	2,55		

REGION I			WUG POPUI	LATION		
	2020	2030	2040	2050	2060	2070
POLK COUNTY .		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	
NECHES BASIN						
COUNTY-OTHI	ER 7,138	7,973	8,632	9,192	9,650	10,01
NECHES BASIN TOTAL POPULATION	8,959	. 10,008	10,834	11,537	12,112	12,57
POLK COUNTY TOTAL POPULATION	8,959	10,008	10,834	11,537	12,112	12,57
RUSK COUNTY						
NECHES BASIN						
HENDERSO	ON 12,984	14,473	15,920	17,474	19,089	20,76
NEW LONDO	ON 615	, 685	753	827	904	98
OVERTO	ON 285	318	349	384	419	45
WRIGHT CITY W	SC 497	554	610	669	731	79
COUNTY-OTH	ER 15,639	17,432	19,174	21,045	22,991	25,00
NECHES BASIN TOTAL POPULATION	30,020	33,462	36,806	40,399	44,134	48,00
SABINE BASIN					· · · · · · · · · · · · · · · · · · ·	
CHALK HILL ST	JD 3,695	4,118	4,530	4,972	5,432	5,90
CROSS ROADS SU	JD . 2,872	3,202	3,522	3,865	4,223	4,59
EASTO	ON 58	65	71	78	85	9
ELDERVILLE W	SC 1,757	1,958	2,153	2,364	2,582	2,80
HENDERSO	ON 2,256	2,514	2,765	3,035	3,316	3,60
KILGO	RE 3,349	3,733	4,106	4,507	4,924	5,35
NEW LONDO	ON 495	552	607	666	727	79
OVERTO	ON 2,354	2,623	2,886	3,167	3,460	3,76
· TATU	JM 1,243	1,386	1,524	1,673	1,827	1,98
WEST GREGG SU		210	231	253	277	30
COUNTY-OTH	ER 10,985	12,244	13,468	14,784	16,151	17,56
SABINE BASIN TOTAL POPULATION	29,252	32,605	35,863	39,364	43,004	46,77
RUSK COUNTY TOTAL POPULATION	59,272	66,067	72,669	79,763	87,138	94,78
SABINE COUNTY		•				
NECHES BASIN						
GMW	SC 1,427	1,433	1,434	1,434	1,434	1,43
PINELA	ND 881	883	883	883	883	88
COUNTY-OTH	ER 94	93	92	92	92	. 9
NECHES BASIN TOTAL POPULATION	2,402	2,409	2,409	2,409	2,409	2,40
. SABINE BASIN						
G M W	SC ' 5,891	5,914	5,914	5,914	5,914	5,91
НЕМРНІ	LL 1,295	1,304	1,304	1,304	1,304	1,30
COUNTY-OTH	ER 1,629	1,622	1,622	1,622	1,622	1,62
SABINE BASIN TOTAL POPULATION	8,815	8,840	8,840	8,840	8,840	8,84
SABINE COUNTY TOTAL POPULATION	11,217	11,249	11,249	11,249	11,249	11,24

REGION I	WUG POPULATION							
	2020	2030	2040	2050	2060	2070		
SAN AUGUSTINE COUNTY	· · · · · · · · · · · · · · · · · · ·							
NECHES BASIN								
SAN AUGUSTINE	2,121	2,121	2,121	2,121	2,121	2,12		
COUNTY-OTHER	6,020	6,020	6,020	6,020	6,020	6,02		
NECHES BASIN TOTAL POPULATION	8,141	8,141	8,141	8,141	8,141	8,14		
SABINE BASIN		,						
G M WSC	714	714	714	714	714	.71		
COUNTY-OTHER	62	62	62	62	62	6		
SABINE BASIN TOTAL POPULATION	776	776	776	776	776	77		
SAN AUGUSTINE COUNTY TOTAL POPULATION	8,917	8,917	8,917	8,917	8,917	8,91		
SHELBY COUNTY		•						
NECHES BASIN						•		
TIMPSON	44	47	50	53	55	5		
COUNTY-OTHER	2,864	3,081	3,271	3,452	3,621	3,77		
NECHES BASIN TOTAL POPULATION	2,908	3,128	3,321	3,505	3,676	3,83		
SABINE BASIN			-					
CENTER	5,604	6,027	6,400	6,754	7,085	7,39		
JOAQUIN	890	957	1,016	1,072	1,125	1,17		
TENAHA	1,252	1,347	. 1,430	1,509	1,583	1,65		
TIMPSON	1,203	1,294	1,374	1,450	1,521	1,58		
COUNTY-OTHER	15,604	16,779	17,821	18,805	19,725	20,57		
SABINE BASIN TOTAL POPULATION	24,553	26,404	28,041	29,590	31,039	32,37		
SHELBY COUNTY TOTAL POPULATION	27,461	29,532	31,362	33,095	34,715	36,21		
SMITH COUNTY			·					
NECHES BASIN								
ARP	1,017	1,066	1,115	1,168	1,222	1,27		
BULLARD	3,299	4,233	5,170	6,179	7,206	8,25		
CRYSTAL SYSTEMS INC	832	1,068	1,305	1,560	1,820	2,08		
DEAN WSC	4,736	4,917	5,099	5,294	5,493	5,69		
JACKSON WSC	2,158	2,381	2,605	2,846	3,091	3,34		
LINDALE	2,099	2,704	3,311	3,964	4,629	5,31		
LINDALE RURAL WSC	2,831	3,079	3,328	3,596	3,869	4,14		
NEW CHAPEL HILL	622	652	682	714	746	77		
NOONDAY	953	1,139	1,326	1,527	1,731	1,94		
. OVERTON	151	191	231	274	318	36		
R-P-M WSC	292	331	370	412	455	49		
SOUTHERN UTILITIES COMPANY	36,455	38,555	40,661	42,928	45,235	47,60		
TROUP	2,005	2,212	2,420	2,644	2,872	3,10		
TYLER	104,786	114,056	123,354	133,362	143,548	154,00		
WALNUT GROVE WSC	8,208	9,695	11,187	12,793	14,427	16,10		
WHITEHOUSE	9,209	10,848	12,492	14,261	16,061	17,90		
WRIGHT CITY WSC	2,381	2,669	2,958	3,269	3,585	3,9		

REGION I	WUG POPULATION						
<u></u>	2020	2030	2040	2050	2060	2070	
SMITH COUNTY		<u> </u>		,	· · · · · · · · · · · · · · · · · · ·		
NECHES BASIN					•		
COUNTY-OTHER	6,986	8,783	10,582	12,521	14,495	16,52	
NECHES BASIN TOTAL POPULATION	189,020	208,579	228,196	249,312	270,803	292,85	
SMITH COUNTY TOTAL POPULATION	189,020	208,579	228,196	249,312	270,803	292,85	
TRINITY COUNTY			· · · · · · · · · · · · · · · · · · ·				
NECHES BASIN							
GROVETON	540	584	589	. 572	599	62	
COUNTY-OTHER	3,208	3,470	3,495	3,397	3,554	3,71	
NECHES BASIN TOTAL POPULATION	3,748	4,054	4,084	3,969	4,153	4,34	
TRINITY COUNTY TOTAL POPULATION	3,748	4,054	4,084	3,969	4,153	4,34	
TYLER COUNTY		·	•		'		
NECHES BASIN							
COLMESNEIL	611	614	614	614	614	61	
IVANHOE	909	913	913	913	913	91	
IVANHOE NORTH	551	554	554	554	554	55	
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	65	65	65	65	65	. 6	
TYLER COUNTY WSC	5,684	5,711	5,711	5,711	5,711	5,71	
WOODVILLE	2,649	2,661	2,661	2,661	2,661	2,66	
COUNTY-OTHER	11,819	11,878	11,878	11,878	11,878	11,87	
NECHES BASIN TOTAL POPULATION	22,288	22,396	22,396	22,396	22,396	22,39	
TYLER COUNTY TOTAL POPULATION	22,288	22,396	22,396	22,396	22,396	22,39	
		<u> </u>			I.		
REGION I TOTAL POPULATION	1,151,556	1,233,973	1,309,681	1,388,867	1,469,843	1,553,65	



# Appendix 2-C

# Water User Group Demand Projections DB17 Report

The following appendix includes a copy of the Water Demand Projections data from the TWDB Data Web Interface known as the DB17. The summary is divided by Water User Group, county, and river basin.

# This page intentionally left blank

REGION I	WUG DEMAND (ACRE-FEET PER YEAR)							
	2020	2030	2040	2050	2060	2070		
ANDERSON COUNTY								
NECHES BASIN	•				-			
BRUSHY CREEK WSC	149	146	141	138	138	13		
FRANKSTON	239	240	238	236	236	23		
PALESTINE	2,588	2,626	2,620	2,600	2,596	2,59		
WALSTON SPRINGS WSC	291	288	283	277	276	27		
COUNTY-OTHER	877	878	867	856	854	85		
MANUFACTURING	· 14	18	19	20	21	2		
MINING	64	81	85	68	48	3		
STEAM ELECTRIC POWER	11,306	13,218	15,549	18,390	21,853	25,96		
LIVESTOCK	648	648	648	648	648	64		
IRRIGATION	207	207	207	207	207	20		
NECHES BASIN TOTAL DEMAND	16,383	18,350	20,657	23,440	26,877	30,98		
TRINITY BASIN	<u> </u>			-				
BRUSHY CREEK WSC	89	87	84	82	81	8		
ELKHART	249	251	250	247	246	24		
FOUR PINES WSC	336	336	331	327	326	32		
PALESTINE	2,457	2,492	2,484	2,465	2,462	2,46		
THE CONSOLIDATED WSC	189	189	185	182	181	18		
WALSTON SPRINGS WSC	117	116	113	111	111	11		
COUNTY-OTHER	2,895	2,899	2,863	2,825	2,817	2,81		
MANUFACTURING	16	22	23	24	. 25	2		
MINING	76	96	100	79	57	. 4		
LIVESTOCK	754	754	754	754	754	75		
IRRIGATION	255	. 255	255	255	255	25		
TRINITY BASIN TOTAL DEMAND	7,433	7,497	7,442	7,351	7,315	7,29		
ANDERSON COUNTY TOTAL DEMAND	23,816	25,847	28,099	30,791	34,192	38,27		
ANGELINA COUNTY				<del></del>		•		
NECHES BASIN								
ANGELINA WSC	251	251	255	265	275	28		
BURKE	156	165	172	180	186	19		
CENTRAL WCID OF ANGELINA COUNTY	480	495	522	547	569	58		
DIBOLL	672	690	707	738	766	79		
	490	509	527	546	566	58		
· FOUR WAY SUD			, JE1					
FOUR WAY SUD			406	/10	1331			
HUDSON	388	397	. 406	418	500			
HUDSON HUDSON WSC	388 407	397 435	459	481	500	51		
HUDSON HUDSON WSC HUNTINGTON	388 407 231	397 435 236	459 241	481 247	500 257	44 51 26		
HUDSON HUDSON WSC HUNTINGTON LUFKIN	388 407 231 6,271	397 435 236 6,523	459 241 6,736	481 247 6,979	500 257 7,246	51 26 7,49		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC	388 407 231 6,271 201	397 435 236 6,523 199	459 241 6,736 208	481 247 6,979 217	500 257 7,246 225	51 26 7,49 23		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA	388 407 231 6,271 201 79	397 435 236 6,523 199 81	459 241 6,736 208 82	481 247 6,979 217 84	500 257 7,246 225 87	51 26 7,49 23		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA COUNTY-OTHER	388 407 231 6,271 201 79 1,961	397 435 236 6,523 199 81 1,999	459 241 6,736 208 82 2,045	481 247 6,979 217 84 2,134	500 257 7,246 225 87 2,214	51 26 7,49 23 9 2,28		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA COUNTY-OTHER MANUFACTURING	388 407 231 6,271 201 79 1,961 15,249	397 435 236 6,523 199 81 1,999 16,858	459 241 6,736 208 82 2,045 18,487	481 247 6,979 217 84 2,134 19,934	500 257 7,246 225 87 2,214 21,478	51 26 7,45 23 5 2,28 23,14		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA COUNTY-OTHER MANUFACTURING MINING	388 407 231 6,271 201 79 1,961 15,249 486	397 435 236 6,523 199 81 1,999 16,858 585	459 241 6,736 208 82 2,045 18,487 410	481 247 6,979 217 84 2,134 19,934 312	500 257 7,246 225 87 2,214 21,478 237	5) 26 7,44 22 5 2,24 23,14		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA COUNTY-OTHER MANUFACTURING MINING STEAM ELECTRIC POWER	388 407 231 6,271 201 79 1,961 15,249 486 1,000	397 435 236 6,523 199 81 1,999 16,858 585	459 241 6,736 208 82 2,045 18,487 410	481 247 6,979 217 84 2,134 19,934 312 1,000	500 257 7,246 225 87 2,214 21,478 237 1,000	51 26 7,45 23 5 2,28 23,14 18		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA COUNTY-OTHER MANUFACTURING MINING STEAM ELECTRIC POWER LIVESTOCK	388 407 231 6,271 201 79 1,961 15,249 486 1,000 648	397 435 236 6,523 199 81 1,999 16,858 585 1,000 648	459 241 6,736 208 82 2,045 18,487 410 1,000	481 247 6,979 217 84 2,134 19,934 312 1,000 648	500 257 7,246 225 87 2,214 21,478 237 1,000 648	51 26 7,49 23 5 2,28 23,14 18 1,00		
HUDSON HUDSON WSC HUNTINGTON LUFKIN REDLAND WSC ZAVALLA COUNTY-OTHER MANUFACTURING MINING STEAM ELECTRIC POWER	388 407 231 6,271 201 79 1,961 15,249 486 1,000	397 435 236 6,523 199 81 1,999 16,858 585	459 241 6,736 208 82 2,045 18,487 410	481 247 6,979 217 84 2,134 19,934 312 1,000	500 257 7,246 225 87 2,214 21,478 237 1,000	51 26 7,49 23		

in the state of th	WUG DEMAND (ACRE-FEET PER YEAR)							
	2020	2030	2040	2050	2060	2070		
CHEROKEE COUNTY			· · · · · · · · · · · · · · · · · · ·					
NECHES BASIN								
ALTO	249	266	284	308	335	36		
ALTO RURAL WSC	638	678	734	802	873	95		
BULLARD	11	12	13	14	15	1		
CRAFT-TURNEY WSC	483	502	523	560	609	66		
JACKSONVILLE	2,680	2,858	. 3,042	3,297	3,588	3,90		
NEW SUMMERFIELD	156	166	177	192	209	22		
NORTH CHEROKEE WSC	602	640	681	737	801	87		
RUSK	1,019	1,089	1,162	1,260	1,371	1,49		
RUSK RURAL WSC	365	. 383	402	433	470	51		
SOUTHERN UTILITIES COMPANY	480	513	546	592	644	7(		
TROUP	14	15	16	17	18	2		
WELLS	139	148	157	170	185	20		
WRIGHT CITY WSC	69	73	78	84	91	9		
. COUNTY-OTHER	1,139	1,205	1,277	1,379	1,500	1,63		
MANUFACTURING	413	442	469	492	530	57		
MINING	295	304	267	204	141			
STEAM ELECTRIC POWER	1,790	2,093	2,462	2,912	3,460	3,83		
LIVESTOCK	1,681	1,681	1,681	1,681	1,681	1,68		
IRRIGATION	355	. 355	355	355	355	35		
NECHES BASIN TOTAL DEMAND	12,578	13,423	14,326	15,489	16,876	18,20		
CHEROKEE COUNTY TOTAL DEMAND	12,578	13,423	14,326	15,489	16,876	18,20		
HARDIN COUNTY  NECHES BASIN  KOUNTZE	255	246	238	234	234	2:		
LUMBERTON	1,656	1,852	1,990	2,097	2,191	2,2		
LUMBERTON MUD	781	794	802	811	826			
NORTH HARDIN WSC	544	561	586	-		8		
				6051				
SILSBEE	893	881		605 864	619	6		
SILSBEE SOUR LAKE	893 280	881 285	869	864	619 869	6		
SOUR LAKE	280	285	869 289	864 292	619 869 297	8		
SOUR LAKE WEST HARDIN WSC	280 269	285 270	869 289 271	864 292 272	619 869 297 273	6. 8 3. 2		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER	280 269 1,618	285 270 1,657	289 271 1,677	864 292 272 1,727	619 869 297 273 1,765	6 8 3 2 1,7		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING	280 269 1,618 288	285 270 1,657 318	869 289 271 1,677 349	864 292 272 1,727 377	619 869 297 273 1,765 407	6. 8 3. 2 1,7		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING	280 269 1,618 288 12	285 270 1,657 318	869 289 271 1,677 349	864 292 272 1,727 377	619 869 297 273 1,765 407	8. 6. 8. 3. 2. 1,7 4.		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK	280 269 1,618 288 12 161	285 270 1,657 318 12 161	869 289 271 · 1,677 349 12	864 292 272 1,727 377 12 161	619 869 297 273 1,765 407 12	6 8 3 2 1,7 4		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION	280 269 1,618 288 12 161 3,414	285 270 1,657 318 12 161 3,645	869 289 271 1,677 349 12 161 3,804	864 292 272 1,727 377 12 161 3,861	619 869 297 273 1,765 407 12 161 3,802	66 88 3 2 1,7 4		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND	280 269 1,618 288 12 161	285 270 1,657 318 12 161	869 289 271 · 1,677 349 12	864 292 272 1,727 377 12 161	619 869 297 273 1,765 407 12	6. 8 3. 2 1,7		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION	280 269 1,618 288 12 161 3,414	285 270 1,657 318 12 161 3,645	869 289 271 1,677 349 12 161 3,804	864 292 272 1,727 377 12 161 3,861	619 869 297 273 1,765 407 12 161 3,802	6 8 3 2 1,7 4 1 3,7		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY BASIN LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE	280 269 1,618 288 12 161 3,414 10,171	285 270 1,657 318 12 161 3,645 10,682	869 289 271 1,677 349 12 161 3,804 11,048	864 292 272 1,727 377 12 161 3,861 11,313	619 869 297 273 1,765 407 12 161 3,802 11,456	6 8 3 2 1,7 4 1 3,7		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY BASIN LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	280 269 1,618 288 12 161 3,414 10,171	285 270 1,657 318 12 161 3,645 10,682	869 289 271 1,677 349 12 161 3,804 11,048	864 292 272 1,727 377 12 161 3,861 11,313	619 869 297 273 1,765 407 12 161 3,802 11,456	66 88 3 2 1,7 4		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY BASIN LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY WEST HARDIN WSC	280 269 1,618 288 12 161 3,414 10,171	285 270 1,657 318 12 161 3,645 10,682	869 289 271 1,677 349 12 161 3,804 11,048	864 292 272 1,727 377 12 161 3,861 11,313	619 869 297 273 1,765 407 12 161 3,802 11,456	6 8 3 2 1,7 4 1 3,7		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY BASIN LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY WEST HARDIN WSC COUNTY-OTHER	280 269 1,618 288 12 161 3,414 10,171 10 4 18	285 270 1,657 318 12 161 3,645 10,682	869 289 271 1,677 349 12 161 3,804 11,048	864 292 272 1,727 377 12 161 3,861 11,313	619 869 297 273 1,765 407 12 161 3,802 11,456	6 8 3 2 1,7 4 1 3,7 11,5		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY BASIN LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY WEST HARDIN WSC COUNTY-OTHER LIVESTOCK	280 269 1,618 288 12 161 3,414 10,171 10 4 18	285 270 1,657 318 12 161 3,645 10,682	869 289 271 1,677 349 12 161 3,804 11,048 12 4	864 292 272 1,727 377 12 161 3,861 11,313 12 4 18	619 869 297 273 1,765 407 12 161 3,802 11,456 13 4 18	6 8 3 2 1,7 4 1 3,7 11,5		
SOUR LAKE WEST HARDIN WSC COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY BASIN LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY WEST HARDIN WSC COUNTY-OTHER LIVESTOCK TRINITY BASIN TOTAL DEMAND	280 269 1,618 288 12 161 3,414 10,171 10 4 18 2 34	285 270 1,657 318 12 161 3,645 10,682	869 289 271 1,677 349 12 161 3,804 11,048 12 4 18 2 36	864 292 272 1,727 377 12 161 3,861 11,313	619 869 297 273 1,765 407 12 161 3,802 11,456 13 4 18 2	3, 11,		

REGION I	WUG DEMAND (ACRE-FEET PER YEAR)							
	2020	2030	2040	2050	2060	2070		
HENDERSON COUNTY								
NECHES BASIN					. *			
BERRYVILLE	118	124 .	128	. 137	147	- 15		
BETHEL-ASH WSC	325	354	380	419	455	49		
BROWNSBORO	218	260	295	343	386	42		
BRUSHY CREEK WSC	65	66	- 67	70	74	7		
CHANDLER	608	723	820	954	1,073	1,18		
FRANKSTON	. 9	13	16	20	24	2		
MURCHISON	93	91	89	88	88	8		
R-P-M WSC	77	89	98	113	126	13		
VIRGINIA HILL WSC	176	193	207	230	252	27		
COUNTY-OTHER	1,043	957	890	862	837	81		
MANUFACTURING	54	62	70	78	86	9		
MINING	77	86	77	59	`40	2		
LIVESTOCK	1,253	1,253	1,253	1,253	1,253	1,25		
IRRIGATION	384	384	384	384	384	38-		
NECHES BASIN TOTAL DEMAND	4,557	4,714	4,836	5,076	5,294	5,51		
HENDERSON COUNTY TOTAL DEMAND	4,557	4,714	4,836	5,076	5,294	5,51		
HOUSTON COUNTY					•			
NECHES BASIN								
GRAPELAND	83	81	79	78	78	7		
THE CONSOLIDATED WSC	421	409	397	390	389	38		
COUNTY-OTHER	33	30	29	. 29	29	2		
MANUFACTURING	12	14	· 15	16	17	1		
MINING	113	- 89	· 65	42	18			
LIVESTOCK	460	502	547	596	649	71		
rrigation	331	359	388	421	458	50		
NECHES BASIN TOTAL DEMAND	1,453	1,484	1,520	1,572	1,638	1,74		
TRINITY BASIN								
CROCKETT	1,281	1,253	1,226	1,211	1,209	1,20		
GRAPELAND	128	125	121	119	118	. 11		
LOVELADY	131	130	128	127	126	. 12		
THE CONSOLIDATED WSC	1,146	1,111	1,078	1,060	1,056	1,05		
COUNTY-OTHER	151	142	141	140	140	14		
MANUFACTURING	295	324	352	377	408	44		
MINING	209	165	122	77	. 33	1		
LIVESTOCK	1,170	1,277	1,392	1,517	1,652	1,82		
IRRIGATION	2,658	. 2,876	3,115	3,380	3,672	4,07		
TRINITY BASIN TOTAL DEMAND	7,169	7,403	7,675	8,008	8,414	9,00		
HOUSTON COUNTY TOTAL DEMAND	8,622	8,887	9,195	9,580	10,052	10,74		
JASPER COUNTY								
NECHES BASIN				•				
JASPER	1,699	1,699	1,676	1,660	1,657	1,65		
COUNTY-OTHER	1,500	1,472	1,431	1,405	1,399	1,39		
MANUFACTURING	91,534	94,935	97,907	100,136	100,221	100,30		
MINING	70	55	41	27	13			
LIVESTOCK	230	230	230	230	230	23		
IRRIGATION	23	23	23	. 23	23	· . 2		

REGION I	WUG DEMAND (ACRE-FEET PER YEAR)							
	2020	2030	2040	2050	2060	2070		
JASPER COUNTY								
NECHES BASIN TOTAL DEMAND	95,056	98,414	101,308	103,481	103,543	103,62		
SABINE BASIN	,							
JASPER COUNTY WCID #1	224	212	207	207	207	20		
KIRBYVILLE	402	401	395	390	390	39		
MAURICEVILLE SUD	30	30	30	30	30			
COUNTY-OTHER	967	950	923	906	903	9(		
MANUFACTURING	46	47	49	50	50			
MINING	78	63	47	31	15			
LIVESTOCK	132	132	132	132	132	13		
IRRIGATION	13	13	13	13	13			
SABINE BASIN TOTAL DEMAND	1,892	1,848	1,796	1,759	1,740	1,73		
ASPER COUNTY TOTAL DEMAND	96,948	100,262	103,104	105,240	105,283	105,35		
JEFFERSON COUNTY								
NECHES BASIN					*			
BEAUMONT	10,035	10,466	10,959	11,627	12,440	13,30		
BEVIL OAKS	135	137	139	147	157	13,3		
CHINA	3	3	3	3	4			
GROVES	70	67	65	64	64			
JEFFERSON COUNTY WCID #10	75	76	78	81	87	· · · · · · · · · · · · · · · · · · ·		
MEEKER MUD	108	112	116	123	131	1-		
NEDERLAND NEDERLAND	87	89	92	97	104	, 1		
NOME	48	49	51	53	57			
PORT ARTHUR	60	60	59	59	59			
PORT NECHES	742	752	770	807	862	9		
COUNTY-OTHER	125	135	147	163	181	2		
MANUFACTURING	220,094	313,727	327,169	340,618	354,075	368,0		
MINING	128	143	161	194	217	2		
STEAM ELECTRIC POWER	13,426	15,696	18,464	21,838	25,951	30,8		
LIVESTOCK	75	75	75	75	75	30,0		
IRRIGATION	11,337	11,982	12,424	12,581	12,418	12,1		
NECHES BASIN TOTAL DEMAND	256,548	353,569	370,772	388,530	406,882	426,5		
NECHES-TRINITY BASIN	250,545	333,305	570,772	200,220	400,002	420,0		
BEAUMONT	19,654	20,497	21,464	22,771	24,365	26,1		
CHINA	140	143	147	155	164	1		
GROVES	2,168	2,093	2,029	2,005	1,999	1,9		
JEFFERSON COUNTY WCID #10	373	377	385	404	430	4		
MEEKER MUD	323	333	346	365	391	4		
NEDERLAND	2,317	2,375	2,454	2,585	2,761	2,9		
NOME	2,317	28	29	31	33	2,7		
PORT ARTHUR	19,745	19,715	19,489	19,442	19,423	19,4		
PORTAFOLIES	686	695	711	746	796	12,4		
WEST JEFFERSON COUNTY MWD	741	752	771	809	863			
COUNTY-OTHER		3,111	3,946	4,944	6,070	7,3		
	2,435				326,839			
MANUFACTURING	203,164	289,594	302,002	314,416		339,		
MINING	66	73	83	100	112			
LIVESTOCK	150,615	868 159,183	868 165,066	167,154	. 868			

REGION I		WUG D	EMAND (ACRI	E-FEET PER YE	AR)	
	2020	2030	2040	2050	2060	2070
JEFFERSON COUNTY	•	•				
NECHES-TRINITY BASIN TOTAL DEMAND	403,322	499,837	519,791	536,795	550,090	563,187
JEFFERSON COUNTY TOTAL DEMAND	659,870	853,406	890,563	925,325	956,972	989,774
NACOGDOCHES COUNTY	•	· · · · · · · · · · · · · · · · · · ·			•	
NECHES BASIN	•					
APPLEBY WSC	655	718	783	858	941	1,030
CUSHING	124	135	147	160	176	193
D&M WSC	905	994	1,086	1,190	1,306	1,42
GARRISON	225	247	269	295	. 324	. 354
LILLY GROVE SUD	429	469	511	559	613	67
MELROSE WSC	504	549	595	650	713	78
NACOGDOCHES .	6,742	7,376	8,027	8,781	9,638	10,54
SWIFT WSC	428	465	503	550	603	660
WODEN WSC	330	356	384	418	458	50
COUNTY-OTHER	1,185	1,294	1,427	1,570	1,720	1,88
MANUFACTURING	2,564	2,798	3,029	3,228	3,483	3,75
· MINING	7,000	4,500	1,643	1,299	958	70
STEAM ELECTRIC POWER	6,911	8,079	9,504	11,241	13,358	15,87
LIVESTOCK	4,364	4,557	4,781	5,040	5,337	5,77
IRRIGATION	400	400	400	400	400	40
NECHES BASIN TOTAL DEMAND	32,766	32,937	33,089	36,239	40,028	44,56
NACOGDOCHES COUNTY TOTAL DEMAND	32,766	32,937	33,089	36,239	40,028	44,560
NEWTON COUNTY SABINE BASIN						
MAURICEVILLE SUD	28	27	27	27	27	2′
NEWTON	443	434	426	421	420	42
SOUTH NEWTON WSC	177	177	177	, 177	177	17
COUNTY-OTHER	969	925	887	878	. 875	87
MANUFACTURING	568	644	. 721	791	858	93
MINING	429	373	279	209	146	10
STEAM ELECTRIC POWER	14,132	16,522	19,436	22,987	27,317	32,46
LIVESTOCK	121	121	121	121	121	. 12
IRRIGATION	375	375	375	375	375	37
SABINE BASIN TOTAL DEMAND	17,242	19,598	22,449	25,986	30,316	35,49
NEWTON COUNTY TOTAL DEMAND	17,242	19,598	22,449	25,986	30,316	35,49
ORANGE COUNTY  NECHES BASIN	•		\$			
BRIDGE CITY	107	106	104	105	· 106	10
MAURICEVILLE SUD	50	50	. 51	52	53	. 5
ORANGEFIELD WSC	. 188	192	195	197	199	20
PORT ARTHUR	2	2	2	2	2	
ROSE CITY	86	87	87	89	. 90	, 9
VIDOR	1,819	1,854	1,873	1,900	1,925	1,94
COUNTY-OTHER	1,608	1,593	1,636	1,664	1,684	1,70
MANUFACTURING	1,289	1,409	1,528	1,634	1,753	1,88
MINING	139	141	141	141	144	14
STEAM ELECTRIC POWER	4,966	5,805	6,829	8,077	9,598	10,63
LIVESTOCK	68	68	68	68	. 68	6


REGION I	WUG DEMAND (ACRE-FEET PER YEAR)							
	2020	2030	2040	2050	2060	2070		
ORANGE COUNTY			~_	,,,	·			
NECHES BASIN	*		•					
. IRRIGATION	932	996	1,039	1,054	1,038	1,014		
NECHES BASIN TOTAL DEMAND	11,254	12,303	, 13,553	14,983	16,660	17,848		
NECHES-TRINITY BASIN								
BRIDGE CITY	86	85	83	84	85	86		
COUNTY-OTHER	4	4	4	4	4	. 4		
NECHES-TRINITY BASIN TOTAL DEMAND	90	89	87	88	89	90		
SABINE BASIN			,					
BRIDGE CITY	540	531	522	527	533	538		
MAURICEVILLE SUD	587	590	609	621	630	636		
ORANGE	2,619	2,638	2,639	2,657	2,689	2,717		
ORANGEFIELD WSC	293	299	304	308	311	315		
PINEHURST	282	283	284	289	292	295		
SOUTH NEWTON WSC	100	104	107	. 109	111	112		
VIDOR	433	441	446	452	458	463		
WEST ORANGE	552	557	562	572	580	586		
COUNTY-OTHER	1,287	1,275	1,310	1,331	1,347	1,361		
MANUFACTURING	63,172	69,030	74,871	80,056	85,888	92,145		
MINING	170	173	^172	173	175	180		
LIVESTOCK	140	140	140	140	140	140		
IRRIGATION	2,798	2,987	3,117	3,164	3,115	3,042		
SABINE BASIN TOTAL DEMAND	72,973	79,048	85,083	90,399	96,269	102,530		
ORANGE COUNTY TOTAL DEMAND	84,317	91,440	98,723	105,470	113,018	120,468		
PANOLA COUNTY		,	•					
CYPRESS BASIN			· · ·					
COUNTY-OTHER	5	6	6	6	6	6		
MINING	. 6	6	. 5	. 4	4	4		
LIVESTOCK	. 15	15	15	15	15	15		
CYPRESS BASIN TOTAL DEMAND	26	27	26	25	25			
SABINE BASIN						25		
BECKVILLE	133	144	150	156	162	167		
BECKVILLE CARTHAGE	1,650	1,651	1,644	156 1,648	162 1,659	167 1,670		
BECKVILLE CARTHAGE GILL WSC	1,650 85	1,651 84	1,644	156 1,648 83	162 1,659 84	167 1,670 85		
BECKVILLE  CARTHAGE  GILL WSC  TATUM	1,650 85 65	1,651 84 75	1,644 82 81	156 1,648 83 87	162 1,659 84 92	1670 1,670 85		
BECK VILLE  CARTHAGE  GILL WSC  TATUM  COUNTY-OTHER	1,650 85 65 1,615	1,651 84 75 1,629	1,644 82 81 1,623	156 1,648 83 87 1,639	162 1,659 84 92 1,669	167 1,670 85 96 1,696		
BECK VILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING	1,650 85 65 1,615 1,393	1,651 84 75 1,629 1,454	1,644 82 81 1,623 (1,513	156 1,648 83 87 1,639 1,564	162 1,659 84 92 1,669	167 1,670 85 96 1,696		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING	1,650 85 65 1,615 1,393 5,910	1,651 84 75 1,629 1,454 5,853	1,644 82 81 1,623 1,513 5,044	156 1,648 83 87 1,639 1,564 4,264	162 1,659 84 92 1,669 1,667 3,616	167 1,670 85 96 1,696 1,777 3,934		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK	1,650 85 65 1,615 1,393 5,910 1,465	1,651 84 75 1,629 1,454 5,853 1,465	1,644 82 81 1,623 1,513 5,044 1,465	156 1,648 83 87 1,639 1,564 4,264 1,465	162 1,659 84 92 1,669 1,667 3,616	1670 1,670 85 96 1,696 1,777 3,934		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION	1,650 85 65 1,615 1,393 5,910 1,465 64	1,651 84 75 1,629 1,454 5,853 1,465	1,644 82 81 1,623 1,513 5,044 1,465	156 1,648 83 87 1,639 1,564 4,264 1,465	162 1,659 84 92 1,669 1,667 3,616 1,465	167 1,670 85 96 1,696 1,777 3,934 1,465		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND	1,650 85 65 1,615 1,393 5,910 1,465 64	1,651 84 75 1,629 1,454 5,853 1,465 64	1,644 82 81 1,623 1,513 5,044 1,465 64	156 1,648 83 87 1,639 1,564 4,264 1,465 64	162 1,659 84 92 1,669 1,667 3,616 1,465 64	167 1,670 85 96 1,696 1,777 3,934 1,465 64		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND PANOLA COUNTY TOTAL DEMAND	1,650 85 65 1,615 1,393 5,910 1,465 64	1,651 84 75 1,629 1,454 5,853 1,465	1,644 82 81 1,623 1,513 5,044 1,465	156 1,648 83 87 1,639 1,564 4,264 1,465	162 1,659 84 92 1,669 1,667 3,616 1,465	167 1,670 85 96 1,696 1,777 3,934 1,465		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND PANOLA COUNTY TOTAL DEMAND	1,650 85 65 1,615 1,393 5,910 1,465 64	1,651 84 75 1,629 1,454 5,853 1,465 64	1,644 82 81 1,623 1,513 5,044 1,465 64	156 1,648 83 87 1,639 1,564 4,264 1,465 64	162 1,659 84 92 1,669 1,667 3,616 1,465 64	167 1,670 85 96 1,690 1,777 3,934 1,465 64		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND PANOLA COUNTY TOTAL DEMAND POLK COUNTY NECHES BASIN	1,650 85 65 1,615 1,393 5,910 1,465 64 12,380 12,406	1,651 84 75 1,629 1,454 5,853 1,465 64 12,419	1,644 82 81 1,623 1,513 5,044 1,465 64 11,666 11,692	156 1,648 83 87 1,639 1,564 4,264 1,465 64 10,970 10,995	162 1,659 84 92 1,669 1,667 3,616 1,465 64 10,478 10,503	167 1,676 8: 96 1,696 1,77' 3,934 1,46: 64 10,95:		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND PANOLA COUNTY TOTAL DEMAND POLK COUNTY NECHES BASIN CORRIGAN	1,650 85 65 1,615 1,393 5,910 1,465 64 12,380 12,406	1,651 84 75 1,629 1,454 5,853 1,465 64 12,419 12,446	1,644 82 81 1,623 1,513 5,044 1,465 64 11,666 11,692	156 1,648 83 87 1,639 1,564 4,264 1,465 64 10,970 10,995	162 1,659 84 92 1,669 1,667 3,616 1,465 64 10,478 10,503	167 1,676 8: 90 1,699 1,77 3,93 1,46 6- 10,95 10,979		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND PANOLA COUNTY TOTAL DEMAND POLK COUNTY NECHES BASIN CORRIGAN COUNTY-OTHER	1,650 85 65 1,615 1,393 5,910 1,465 64 12,380 12,406	1,651 84 75 1,629 1,454 5,853 1,465 64 12,419 12,446	1,644 82 81 1,623 1,513 5,044 1,465 64 11,666 11,692	156 1,648 83 87 1,639 1,564 4,264 1,465 64 10,970 10,995	162 1,659 84 92 1,669 1,667 3,616 1,465 64 10,478 10,503	167 1,670 85 96 1,690 1,777 3,934 1,465 64 10,954 10,975		
BECKVILLE CARTHAGE GILL WSC TATUM COUNTY-OTHER MANUFACTURING MINING LIVESTOCK IRRIGATION SABINE BASIN TOTAL DEMAND PANOLA COUNTY TOTAL DEMAND POLK COUNTY NECHES BASIN CORRIGAN	1,650 85 65 1,615 1,393 5,910 1,465 64 12,380 12,406	1,651 84 75 1,629 1,454 5,853 1,465 64 12,419 12,446	1,644 82 81 1,623 1,513 5,044 1,465 64 11,666 11,692	156 1,648 83 87 1,639 1,564 4,264 1,465 64 10,970 10,995	162 1,659 84 92 1,669 1,667 3,616 1,465 64 10,478 10,503	167 1,676 8: 96 1,699 1,77' 3,93- 1,46: 6- 10,95- 10,97!		

REGION I	WUG DEMAND (ACRE-FEET PER YEAR)						
	2020	2030	2040	2050	2060	2070	
POLK COUNTY							
NECHES BASIN	,						
IRRIGATION	428	428	428	428	428	421	
NECHES BASIN TOTAL DEMAND	2,480	2,607	2,724	2,836	2,933	3,04	
POLK COUNTY TOTAL DEMAND	2,480	2,607	2,724	2,836	2,933	3,043	
RUSK COUNTY  NECHES BASIN				<del></del> ;			
HENDERSON	3,254	3,564	3,874	4,226	4,611	5,014	
NEW LONDON	215	235	257	281	306	33:	
OVERTON	61	66	72	\ 78	85	9:	
WRIGHT CITY WSC	57	62	66	72	78	8:	
COUNTY-OTHER	1,697	1,803	1,916	2,071	2,255	2,450	
MANUFACTURING	304	328	348	366	393	42	
MINING	1,555	2,084	2,012	1,936	1,873	1,86	
LIVESTOCK	675	684	697	709	722	72:	
IRRIGATION	. 56	56	56	56	56	50	
NECHES BASIN TOTAL DEMAND	7,874	8,882	9,298	9,795	10,379	11,04	
SABINE BASIN		<u>_</u>	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			
CHALK HILL SUD	323	343	364	393	428	46-	
CROSS ROADS SUD	238	251	265	285	310	330	
EASTON	4	5	5	6	6	,	
ELDERVILLE WSC	119	132	145	159	174	18	
HENDERSON	566	620	673	735	801	87	
KILGORE	723	789	855	931	1,016	1,10	
NEW LONDON	173	191	207	226	247	26	
OVERTON	499	· 545	590	643	701	76:	
TATUM	240	261	283	308	336	36	
WEST GREGG SUD	17	18	19	20	22	2-	
COUNTY-OTHER	1,192	1,267	1,346	1,455	1,584	1,72	
MANUFACTURING	13	14	1,346	1,433	16	1,72	
MINING	1,435	1,923	1,858	1,788	1,728	1,72	
STEAM ELECTRIC POWER	27,458	32,102	37,762	44,663	53,074	63,06	
LIVESTOCK	532	540	549	560	570	57	
IRRIGATION	`44	44	44	44	44	4	
SABINE BASIN TOTAL DEMAND	33,576	39,045	44,980	52,231	61,057	71,53	
RUSK COUNTY TOTAL DEMAND	41,450	47,927	54,278	62,026	71,436	82,57	
SABINE COUNTY	41,430	47,527	34,270	02,020	71,430	02,37	
NECHES BASIN		,					
GM WSC	96	97	97	. 97	97	9	
PINELAND	83	78	75	74		7.	
COUNTY-OTHER	9	8	. 8		. 74		
	<del></del>			8	724	70	
MANUFACTURING MINING	467	536	606	668	724	78	
MININO	240	218	192	167	142	12	
LIVESTOCK	25	34	45	57	71	7	
NECHES BASIN TOTAL DEMAND	920	971	1,023	1,071	1,116	1,15	
SABINE BASIN							

REGION I	WUG DEMAND (ACRE-FEET PER YEAR)							
	2020	2030	2040	2050	2060 .	2070		
SABINE COUNTY		•						
SABINE BASIN								
HEMPHILL	306	302	298	295	295	295		
COUNTY-OTHER	. 140	131	125	124	124	124		
MINING	1,260	1,147	1,011	879	746	652		
LIVESTOCK	134	183	240	306	377	. 377		
SABINE BASIN TOTAL DEMAND	2,236	2,160	2,071	2,001	1,939	1,845		
SABINE COUNTY TOTAL DEMAND	3,156	3,131	^ 3,094	3,072	3,055	3,004		
SAN AUGUSTINE COUNTY					-			
NECHES BASIN								
SAN AUGUSTINE	519	508	500	499	498	498		
COUNTY-OTHER	582	. 559	539	529	526	526		
MANUFACTURING	8	9	10	. 11	12	13		
MINING	3,800	2,850	1,405	1,121	840	629		
LIVESTOCK	816	904	1,004	1,121	1,249	1,249		
IRRIGATION	56	56	56	56	56	56		
NECHES BASIN TOTAL DEMAND	5,781	4,886	3,514	3,337	3,181	2,971		
SABINE BASIN		·						
G M WSC	48	48	48	48	48	48		
COUNTY-OTHER	7	6	6	6	6			
MINING	200	150	74	59	44	33		
LIVESTOCK	87	96	107	119	133	133		
IRRIGATION	6	6	6	6	6	•		
SABINE BASIN TOTAL DEMAND	348	306	241	238	237	226		
SAN AUGUSTINE COUNTY TOTAL DEMAND	6,129	5,192	3,755	3,575	3,418	3,197		
SHELBY COUNTY								
NECHES BASIN	-1							
TIMPSON	7	* 7	7	8	8			
COUNTY-OTHER	314	324	334	347	362	378		
MINING	919	. 823	699	554	411	304		
LIVESTOCK	1,006	1,198	1,433	1,718	2,067	2,067		
IRRIGATION	7	7	7	7	7	7		
NECHES BASIN TOTAL DEMAND	2,253	2,359	2,480	2,634	2,855	2,764		
SABINE BASIN	1.047	1.050	2.056	0.150	2.26	2.25		
CENTER	1,847	1,958	2,056	2,158	2,262	2,358		
JOAQUIN	137	142	147	155	162	169		
TENAHA	227	238	248	193	271	283		
TIMPSON COUNTY-OTHER	172	1,762	186	1,885	1,971	21		
MANUFACTURING	1,510		1,815 1,768			2,05		
MINING	2,364	2,115	1,768	1,882	2,021 1,056	2,17		
LIVESTOCK	4,259	5,075	6,067	7,279	8,755			
IRRIGATION	19	19	19	1,219	8,755	8,75:		
SABINE BASIN TOTAL DEMAND	12,242	13,127	14,103	15,256	16,719	16,80		
SHELBY COUNTY TOTAL DEMAND		15,486						
	14,495	15,400	16,583	17,890	19,574	19,56		
SMITH COUNTY								
ATT CITTO								
NECHES BASIN  ARP	164	. 168	171	178	185	19		

REGION I		WUG D	EMAND (ACRE	-FEET PER YE	AR)	
	2020	2030	2040	2050	2060	2070
SMITH COUNTY						
NECHES BASIN						
BULLARD	654	827	1,002	1,193	1,390	1,592
CRYSTAL SYSTEMS INC	260	330	403	481	560	642
DEAN WSC	. 765	. 774	786	808	836	. 86
JACKSON WSC	197	207	218	234	253	27-
LINDALE	476	604	734	875	1,020	1,17
LINDALE RURAL WSC	221	229	239	253	271	29
NEW CHAPEL HILL	237	246	255	266	277	28
NOONDAY	189	221	254	291	330	36
OVERTON	33	40	48	56	65	7-
R-P-M WSC	32	35	39	42	47	5
SOUTHERN UTILITIES COMPANY	6,234	6,420	6,638	6,937	7,294	7,67
TROUP	398	428	459	497	539	583
TYLER	20,049	21,331	22,696	24,331	26,141	28,03
WALNUT GROVE WSC	1,018	1,162	1,313	1,486	1,671	1,864
WHITEHOUSE	1,165	1,330	1,503	1,699	1,909	2,12
WRIGHT CITY WSC	273	295	319	348	381	41
COUNTY-OTHER	823	1,000	1,180	1,382	1,595	1,81
MÀNUFACTURING	5,120	5,597	6,055	6,443	6,976	7,55
MINING	134	139	140	109	80	. 5
LIVESTOCK	1,115	1,115	1,115	1,115	1,115	1,11
IRRIGATION	1,486	1,518	1,550	1,583	1,618	1,65
NECHES BASIN TOTAL DEMAND	41,043	44,016	47,117	50,607	54,553	58,70
SMITH COUNTY TOTAL DEMAND	41,043	44,016	47,117	50,607	54,553	58,70
TRINITY COUNTY			,		,	
NECHES BASIN						
GROVETON	58	59	58	56	58	6
COUNTY-OTHER	230	234	235	229		v
	230					25
Programme and the second secon	5				239	
MINING	5	5	5	5	5	
MINING LIVESTOCK	478	5 478	5 478	5 478	5 478	47
MINING LIVESTOCK IRRIGATION	478 500	5 478 500	5 478 500	5 478 500	5 478 500	47 50
MINING  LIVESTOCK  IRRIGATION  NECHES BASIN TOTAL DEMAND	478 500 1,271	5 478 500 1,276	5 478 500 1,276	5 478 500 1,268	5 478 500 1,280	47. 50 1,29.
MINING  LIVESTOCK  IRRIGATION  NECHES BASIN TOTAL DEMAND  TRINITY COUNTY TOTAL DEMAND	478 500	5 478 500	5 478 500	5 478 500	5 478 500	250 47. 50 1,29.
MINING  LIVESTOCK  IRRIGATION  NECHES BASIN TOTAL DEMAND  TRINITY COUNTY TOTAL DEMAND  TYLER COUNTY	478 500 1,271	5 478 500 1,276	5 478 500 1,276	5 478 500 1,268	5 478 500 1,280	47 50 <b>1,29</b>
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN	478 500 1,271 1,271	5 478 500 1,276 1,276	5 478 500 1,276 1,276	5 478 500 1,268 1,268	5 478 500 1,280 1,280	47 50 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN COLMESNEIL	478 500 1,271 1,271	5 478 500 1,276 1,276 146	5 478 500 1,276 1,276	5 478 500 1,268 1,268	5 478 500 1,280 1,280	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE	478 500 1,271 1,271 1,48	5 478 500 1,276 1,276 1,276	5 478 500 1,276 1,276	5 478 500 1,268 1,268 1,268	5 478 500 1,280 1,280	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH	478 500 1,271 1,271 148 92 62	5 478 500 1,276 1,276 1,46 90 60	5 478 500 1,276 1,276 143 88 59	5 478 500 1,268 1,268 142 87 58	5 478 500 1,280 1,280 1,280	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE	478 500 1,271 1,271 1,48	5 478 500 1,276 1,276 1,276	5 478 500 1,276 1,276	5 478 500 1,268 1,268 1,268	5 478 500 1,280 1,280	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH	478 500 1,271 1,271 148 92 62	5 478 500 1,276 1,276 1,276	5 478 500 1,276 1,276 143 88 59 5	5 478 500 1,268 1,268 142 87 58	5 478 500 1,280 1,280 142 87 58	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	148 92 62 500	5 478 500 1,276 1,276 1,46 90 60	5 478 500 1,276 1,276 143 88 59 5 618	5 478 500 1,268 1,268 1,268 58 5 606	5 478 500 1,280 1,280 1,280 142 87 58 5	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY TYLER COUNTY WSC	148 92 62 5 661 908	5 478 500 1,276 1,276 1,276 1,276 60 5 5 639 900	5 478 500 1,276 1,276 1,276 143 88 59 5 618 890	5 478 500 1,268 1,268 1,268 5 5 606 884	5 478 500 1,280 1,280 1,280 142 87 58 5 604 883	47 50 1,29 1,29
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY TYLER COUNTY WSC WOODVILLE COUNTY-OTHER	148 92 62 5 661 908 1,494	5 478 500 1,276 1,276 1,276 1,276 5 60 60 5 639 900 1,448	5 478 500 1,276 1,276 1,276 143 88 59 5 618 890 1,404	5 478 500 1,268 1,268 1,268 5 5 606 884 1,380	5 478 500 1,280 1,280 1,280 142 87 58 5 604 883 1,376	147 50 1,29 1,29 14 8 5 60 88 1,37
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY TYLER COUNTY WSC WOODVILLE COUNTY-OTHER MANUFACTURING	478 500 1,271 1,271 1,271  148 92 62 5 661 908 1,494 476	5 478 500 1,276 1,276 1,276 1,276 5 639 900 1,448 483	5 478 500 1,276 1,276 1,276 143 88 59 5 618 890 1,404 490	5 478 500 1,268 1,268 1,268 5 5 606 884 1,380 496	5 478 500 1,280 1,280 1,280 142 87 58 5 604 883 1,376 501	1429 1,29 1,29 14 8 5 60 88 1,37
MINING LIVESTOCK IRRIGATION NECHES BASIN TOTAL DEMAND TRINITY COUNTY TOTAL DEMAND TYLER COUNTY NECHES BASIN  COLMESNEIL IVANHOE IVANHOE NORTH LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY TYLER COUNTY WSC WOODVILLE COUNTY-OTHER	148 92 62 5 661 908 1,494	5 478 500 1,276 1,276 1,276 1,276 5 60 60 5 639 900 1,448	5 478 500 1,276 1,276 1,276 143 88 59 5 618 890 1,404	5 478 500 1,268 1,268 1,268 5 5 606 884 1,380	5 478 500 1,280 1,280 1,280 142 87 58 5 604 883 1,376	1,29 1,29 14 8

REGION I	WUG DEMAND (ACRE-FEET PER YEAR)								
	2020	2030	2040	2050	2060	2070			
TYLER COUNTY	•		•	•					
NECHES BASIN									
IRRIGATION	675	675	. 675	675	675	6			
NECHES BASIN TOTAL DEMAND	5,998	5,961	5,839	5,753	5,703	5,6			
TYLER COUNTY TOTAL DEMAND	5,998	5,961	5,839	5,753	5,703	5,68			
REGION I TOTAL DEMAND	1,108,800	1,330,825	1,395,212	1,463,778	1,533,147	1,607,25			
REGION I TOTAL DEMIAND	1,100,000	1,330,823	1,373,212	1,403,778	1,333,147	1,00/,2			



# Appendix 2-D

# **Wholesale Water Provider Demands DB17 Report**

This appendix will include a copy of the Wholesale Water Provider Demands data from the TWDB Data Web Interface known as the DB17. The summary will be divided by Wholesale Water Provider, county, and river basin. The TWDB will make this DB17 report available to RWPGs after submittal of the 2016 Initially Prepared Plan.

# This page intentionally left blank

#### WWP DEMAND

ANGELINA NECHES RIV	ER AUTHORITY									
	:					WWP DE	MAND (ACI	RE-FEET PE	R YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CHEROKEE COUNTY-OTHER	COUNTY-OTHER	CHEROKEE	NECHES	COUNTY OTHER	3,848	3,848	3,848	3,848	3,848	3,848
CITY OF JACKSONVILLE	JACKSONVILLE	CHEROKEE	NECHES	MUNICIPAL '	4,275	4,275	4,275	4,275	4,275	4,275
CITY OF NEW SUMMERFILED	NEW SUMMERFIELD	CHEROKEE	NECHES	MUNICIPAL	2,565	2,565	2,565	2,565	2,565	2,565
NORTH CHEROKEE WSC	NORTH CHEROKEE WSC	CHEROKEE	NECHES	MUNICIPAL	4,275	4,275	4,275	4,275	4,275	4,275
CITY OF RUSK	RUSK	CHEROKEE	NECHES '	MUNICIPAL	4,275	4,275	4,275	4,275	4,275	4,275
RUSK RURAL WSC	RUSK RURAL WSC	CHEROKEE	NECHES	MUNICIPAL	855	855	855	855	855	. 855
CITY OF ALTO	ALTO	CHEROKEE	NECHES	MUNICIPAL	428	428	428	428	428	428
NACOGDOCHES COUNTY-OTHER	CARO WSC	NACOGDOCHES	NECHES	MUNICIPAL	428	428	428	428	428	428
CITY OF NACOGDOCHES	NACOGDOCHES	NACOGDOCHES	NECHES	MUNICIPAL	8,551	8,551	8,551	8,551	8,551	8,551
CITY OF NEW LONDON	NEW LONDON	RUSK	SABINE	MUNICIPAL	855	855	855	855	855	855
CITY OF TROUP	TROUP	SMITH	NECHES	MUNICIPAL .	4,275	4,275	4,275	4,275	4,275	4,275
CITY OF ARP	ARP	SMITH	NECHES	MUNICIPAL	428	428	428	428	428	428
SMITH COUNTY-OTHER	BLACKJACK WSC	SMITH	NECHES	COUNTY OTHER	855	855	855	855	855	1 855
JACKSON WSC	JACKSON WSC	SMITH	NECHES	MUNICIPAL	855	855	855	855	855	855
CITY OF WHITEHOUSE	WHITEHOUSE	SMITH	NECHES	MUNICIPAL	8,551	8,551	8,551	8,551	8,551	8,551
DALLAS	DALLAS		'	MUNICIPAL	0	0	0	0	0	56,050
COUNTY OTHER	HOLMWOOD UTILITY	JASPER	NECHES	COUNTY OTHER	65	70	70	, 70	70	70
UNIDENTIFIED CUSTOMER	STEAM ELECTRIC POWER	CHEROKEE	NECHES	STEAM ELECTRIC POWER	8,000	15,000	20,000	20,000	20,000	20,000
RUSK COUNTY REFINERY	MANUFACTURING	RUSK	NECHES	MANUFACTURING	5,600	5,600	5,600	5,600	5,600	5,600
ANGELINA MINING	MINING	ANGELINA	NECHES	MINING	474	573	398	300	225	168
CHEROKEE MINING	MINING	CHEROKEE	NECHES	MINING .	238	247	. 210	147	84	, 40
NACOGDOCHES MINING	MINING	NACOGDOCHES	NECHES	MINING	5,475	2,975	118	0	0	0
SHELBY MINING	MINING	SHELBY	NECHES	MINING	0	0	0	0	0	0
SAN AUGUSTINÈ MINING	MINING	SAN AUGUSTINE	NECHES	MINING .	2,102	1,102	0	0	0	0
RUSK MINING	MINING	RUSK	NECHES	MINING	1,285	1,814	1,742	1,666	1,603	1,598
ANRA TOTAL DEMAND					68,557	72,699	73,456	73,102	72,901	128,845

ANGELINA NACOGDO	CHES WCID#1	***								
					WWP DEMAND (ACRE-FEET PER YEAR)					
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
LUMINANT	STEAM ELECTRIC POWER	CHEROKEE	NECHES	STEAM ELECTRIC POWER	5,000	5,000	5,000	5,000	5,000	5,000
NACOGDOCHES	STEAM ELECTRIC POWER	NACOGDOCHES	NECHES	STEAM ELECTRIC POWER	7,280	7,280	7,280	7,280	. 7,280	7,280
HENDERSON	HENDERSON	RUSK	NECHES	MUNICIPAL '	. 0	0	8,289	8,289	8,289	8,289
AN WCID#1 TOTAL DEMAND	/CID #1 TOTAL DEMAND					12,280	20,569	20,569	20,569	20,569

ATHENS MUNICIPAL	WATER AUTHORITY									
,	į					WWP DEN	MAND (ACI	RE-FEET PI	ER YEAR)	
CUSTOMER	wug `	County	Basin	USE TYPE	2020	2030	<b>204</b> 0 .	2050	2060	,2070
ATHENS	ATHENS	HENDERSON	TRINITY AND NECHES	MUNICIPAL	2,973	3,244	3,473	3,809	6,484	9,782
HENDERSON COUNTY	IRRIGATION	HENDERSON	NECHES	IRRIGATION	170	· 170	170	170	170	170
HENDERSON COUNTY	LIVESTOCK	HENDERSON	NECHES	LIVESTOCK	3,023	3,023	3,023	3,023	3,023	3,023.
HENDERSON COUNTY	MANUFACTURING	HENDERSON	TRINITY	MANUFACTURING	345	356	368	380	391	403
ATHENS MWA TOTAL DEMANI	)				6,511	6,793	7,034	7,382	10,068	13,378

CITY OF BEAUMONT				\							
				WWP DEMAND (ACRE-FEET PER YEAR)							
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070	
CITY OF BEAUMONT	BEAUMONT	JEFFERSON	NECHES	MUNICIPAL .	29,689	30,963	32,423	34,398	36,805	39,548	
JEFFERSON	COUNTY-OTHER	JEFFERSON	NECHES	COUNTY-OTHER	2,509	3,181	4,000	4,000	4,000	4,000	
JEFFERSON	MANUFACTURING	JEFFERSON	NECHES	MANUFACTURING	1,642	1,658	1,675	1,692	1,709	1,726	
MEEKER MUD	JEFFERSON	JEFFERSON	NECHES	MUNICIPAL	4	4	5	`5	5	6	
CITY OF BEAUMONT TOTAL DE	MAND	•		•	33,844	35,807	38,103	40,095	42,519	45,279	

CITY OF CARTHAGE											
				WWP DEMAND (ACRE-FEET PER YEAR)							
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070	
CITY OF CARTHAGE	CARTHAGE	PANOLA	SABINE	MUNICIPAL .	1,650	1,651	1,644	1,648	1,659	1,670	
PANOLA	COUNTY-OTHER	PANOLA	SABINE	COUNTY-OTHER	. 300	300	300	300	300	300	
PANOLA	MANUFACTURING	PANOLA	SABINE	MANUFACTURING	. 905	945	983	1,017	1,084	1,155	
CITY OF CARTHAGE TOTAL DI	MAND			-	2,855	2,896	2,927	2,965	3,043	3,125	

CITY OF CENTER										
	,				WWP DEMAND (ACRE-FEET PER YEAR)					
CUSTOMER	WUG	County	Basin	. USE TYPE	2020	2030	2040	2050	2060	2070
SAND HILLS WSC	COUNTY-OTHER	SHELBY	SABINE	COUNTY-OTHER	162	167	172	179	187	195

SHELBYVILLE WSC	COUNTY-OTHER	SHELBY	SABINE	COUNTY-OTHER	10	10	. 11	13	12	12
PANOLA	SHELBY	SHELBY	SABINE	MANUFACTURING	1,510	1,639	1,768	1,882	2,021	2,170
CITY OF CENTER	CENTER	SHELBY	SABINE	MUNICIPAL	1,847	1,958	2,056	2,158	2,262	2,358
CITY OF CENTER TOTAL DEMAND					3,529	3,774	4,007	4,230	4,481	4,735

						WWP DE	MAND (ACRI	E-FEET PE	R YEAR)	
CUSTOMER	WUG ,	County	. Basin	USE TYPE	2020	2030	2040	2050	2060	2070
GRAPELAND	GRAPELAND .	HOUSTON	TRINITY	MUNICIPAL	170	170	170 <sup>8</sup>	170	170	170
COUNTY-OTHER	COUNTY-OTHER	HOUSTON	TRINITY .	COUNTY-OTHER	92	92	92	92	92	92
HOUSTON MANUFACTURING	MANUFACTURING	HOUSTON	TRINITY	MANUFACTURING	301	331	360, <sup>k</sup>	385	417	451
CROCKETT	CROCKETT	HOUSTON	TRINITY	MUNICIPAL	2,148	2,148	2,148	2,148	2,148	2,148
LOVELADY	LOVELADY	HOUSTON	TRINITY	MUNICIPAL	37	37	37	37	37	37
CONSOLIDATED WSC	CONSOLIDATED WSC	HOUSTON	TRINITY	MUNICIPAL	1,043	1,043	1,043	1,043	1,043	1,043
CONSOLIDATED WSC (POTENTIAL)	CONSOLIDATED WSC	HOUSTON	TRINITY	MUNICIPAL	522	522	522	522	522	522
NACOGDOCHES POWER	STEAM ELECTRIC POWER	HOUSTON '	TRINITY	STEAM ELECTRIC POWER	1,000	1,000	1,000	1,000	1,000	1,000
HOUSTON MINING	MINNG	HOUSTON	TRINITY	MINING			250	250	500	500
HOUSTON COUNTY WCID #1 TOTA	L DEMAND				5,313	5,343	5,622	5,647	5,929	5,963

						WWP DEM	IAND (ACRI	FEET PE	R YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CITY OF JACKSONVILLE	JACKSONVILLE	CHEROKEE	NECHES	MUNICIPAL	2,680	2,858	3,042	3,297	3,588	3,90
CHEROKEE MANUFACTURING	MANUFACTURING	CHEROKEE	NECHES	MANUFACTURING	413	442	469	492	530	57
COUNTY-OTHER	COUNTY-OTHER	CHEROKEE	NECHES ,	COUNTY-OTHER	285	301	319	345	375	40
NORTH CHEROKEE WSC }	NORTH CHEROKEE WSC	CHEROKEE	NECHES	MUNICIPAL	615	653	694,	750	814	88
CRAFT TURNEY WSC	CRAFT TURNEY WSC	CHEROKEE	NECHES	MUNICIPAL	483	502	523	560	609	66
CITY OF JACKSONVILLE TOTAL	DEMAND		•		4,476	4,756	5,047	5,444	5,916	6,43

	i				WWP DEMAND (ACRE-FEET PER YEAR)						
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070	
CITY OF BEAUMONT	BEAUMONT	JEFFERSON	NECHES	MUNICIPAL.	8,411	9,575	10,933	. 11,718	12,712	13,718	
JASPER MANUFACTURING	MANUFACTURING	JASPER	NECHES	MANUFACTURING	60,000	60,000	60,000	60,000	60,000	60,000	
NACOGDOCHES MANUFACTURING	MANUFACTURING	NACOGDOCHES	NECHES	MANUFACTURING	10,000	10,000	10,000"	10,000	10,000	10,000	
GROVES	GROVES	JEFFERSON	NECHES	MUNICIPAL	2,238	2,160	2,094	2,069	2,063	2,063	
NEDERLAND	NEDERLAND	JEFFERSON	NECHES	MUNICIPAL	2,404	2,464	2,546	2,682	2,865	3,077	
PORT ARTHUR	PORT ARTHUR	JEFFERSON	NECHES	MUNICIPAL	26,253	26,223	25,996	25,949	25,930	25,929	
PORT NECHES	PORT NECHES	JEFFERSON	NECHES	MUNICIPAL	1,428	1,447	1,481	1,553	1,658	1,780	
JEFFERSON COUNTY-OTHER	COUNTY-OTHER	JEFFERSON	NECHES	COUNTY-OTHER	. 256	325	409	511	625	754	
JEFFERSON MANUFACTURING	MANUFACTURING	JEFFERSON	NECHES	MANUFACTURING	232,792	331,827	346,044	360,269	374,503	389,299	
JEFFERSON IRRIGATION	IRRIGATION	JEFFERSON	NECHES	IRRIGATION	140,000	140,000	140,000	1,40,000	140,000	140,000	
WEST JEFFERSON COUNTY MWD	JEFFERSON	JEFFERSON	NECHES	MUNICIPAL	741	752	772	809	863	927	
JEFFERSON COUNTY WCID #1	JEFFERSON	JEFFERSON	NECHES	MUNICIPAL	448	453	463	485	517	555	
NOME	NOME	JEFFERSON	NECHES	MUNICIPAL	75	77	80	. 84	90	96	
WINNIE & STOWELL	TRINITY BAY CONSERVATION	CHAMBERS	TRINITY	MUNICIPAL	2,262	2,637	3,037	3,488	3,988	4,518	
BOLÍVAR PENINSULA SUD	CHAMBERS	CHAMBERS	TRINITY	MUNICIPAL.	6,000	6,000	6,000	6,000	6,000	6,000	
CHAMBERS IRRIGATION	IRRIGATION	CHAMBERS	TRINITY	IRRIGATION	37,000	37,000	37,000	37,000	37,000	37,000	
LIBERTY IRRIGATION	IRRIGATION	LIBERTY	TRINITY	IRRIGATION	23,000	23,000	23,000	23,000	23,000	23,000	
CITY OF WOODVILLE	WOODVILLE	TRINITY	TRINITY	MUNICIPAL	5,600	5,600	5,600	5,600	5,600	5,600	
LOWER NECHES VALLEY AUTHOR	RITY TOTAL DEMAND				558,908	659,539	675,455	691,216	707,414	724,310	

LUFKIN										
						WWP DE	MAND (AC	RE-FEET PI	ER YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CITY OF LUFKIN	LUFKIN	ANGELINA	NECHES	MUNICIPAL	6,271	6,523	6,736	6,979	7,246	7,494
COUNTY-OTHER	COUNTY-OTHER	ANGELINA	NECHES	COUNTY-OTHER	156	165	172	180	186	193
ANGELINA MANUFACTURING	MANUFACTURING	ANGELINA	NECHES	MANUFACTURING	3,050	3,372	3,697	3,987	4,296	4,628
REDLAND WSC	REDLAND WSC	ANGELINA	NECHES	MUNICIPAL	307	307	307	307	307	307
ANGELINA FRESH WATER	COUNTY-OTHER	ANGELINA	NECHES	COUNTY-OTHER	74	74	74	74	74	74
HUNTINGTON	HUNTINGTON	ANGELINA	NECHES	MUNICIPAL	448	448	448	448	448	448
DIBOLL	DIBOLL	ANGELINA	NECHES	MUNICIPAL	1,940	1,940	1,940	1,940	1,940	1,940
WOODLAWN WSC	COUNTY-OTHER	ANGELINA	NECHES	COUNTY-OTHER	221	221	221	221	221	221
STEAM ELECTRIC POWER	STEAM ELECTRIC POWER	ANGELINA	NECHES	STEAM ELECTRIC POWER	16,802	16,802	16,802	16,802	16,802	16,802
ANGELINA IRRIGATION	IRRIGATION	ANGELINA	NECHES	IRRIGATION	481	481	481	481	481	481
LOWER NECHES VALLEY AUTHOR	ITY				28,000	.0	0	0	0	0
CITY OF LUFKIN TOTAL DEMAN	D				29,749	30,332	30,878	31,418	32,000	32,588

CITY OF NACOGDOCHES												
	WWP DEMAND (ACRE-FEET PER YEAR)											
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070		
CITY OF NACOGDOCHES	NACOGDOCHES	NACOGDOCHES	NECHES	MUNICIPAL	6,742	7,376	8,027	8,781	9,638	10,545		
NACOGDOCHES MANUFACTURING	NACOGDOCHES	NACOGDOCHES	NECHES	MANUFACTURING	2,564	2,798	3,029	3,228	3,483	3,758		

. D&M WSC	D&M WSC	NACOGDOCHES	NECHES	MUNICIPAL	. 258	258	258	258	258	258
APPLEBY WSC	APPLEBY WSC	NACOGDOCHES	NECHES	MUNICIPAL	93	93	93	93	93	93
NACOGDOCHES MUD#1, LILY GROV	COUNTY-OTHER	NACOGDOCHES	NECHES	COUNTY-OTHER	67	67	67	67	67	. 67
MELROSE WSC	MELROSE WSC	NACOGDOCHES	NECHES	MUNICIPAL	, 37	37	37	37	37	37
CITY OF NACOGDOCHES TOTAL D	TY OF NACOGDOCHES TOTAL DEMAND						11,511	12,464	13,576	14,758

PANOLA COUNTY FRE	SH WATER SUPPLY	DISTRICT								
		- T-				WWP DEN	AAND (ACF	RE-FEET P	ER YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CITY OF CARTHAGE	CARTHAGE	PANOLA	SABINE ,	MUNICIPAL `	13,452	13,452	13,452	13,452	13,452	13,452
PANOLA MINING	PANOLA	PANOLA	SABINE	MINING	3,550	3,515	3,029	2,561	2,172	2,363
PANOLA COUNTY FWSD TOTAL	DEMAND				17,002	16,967	16,481	16,013	15,624	15,815

			· i			WWP DEM	AAND (ACR	E-FEET PE	R YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CITY OF PORT ARTHUR	PORT ARTHUR	JEFFERSON	NECHES/NECHES-TRINITY	MUNICIPAL	19,805	19,775	19,548	19,501	19,482	19,48
TEXAS PARKS AND WILDLIFE	COUNTY-OTHER	JEFFERSON	NECHES/NECHES-TRINITY	COUNTY-OTHER	5	5	5	5	5	
MOTIVA	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	280	280	280	280	280	28
FLINT HILLS RESOURCES	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	55	55	55	55	55	5
TOTAL PETROCHEMICALS	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	95	95	95	95	95	9
GOLDEN PASS LNG	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	28	28	28	28	28	2
BASF TOTAL PETROCHEMICALS	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	57	57	57	. 57	57	5
CHENIERE LNG	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	5,646	5,646	5,646	5,646	5,646	5,64
OTHER	MANUFACTURING	JEFFERSON	NECHES/NECHES-TRINITY	MANUFACTURING	282	282	282	282	282	28
CITY OF PORT ARTHUR TOTAL D	DEMAND	-			26,253	. 26,223	25,996	25,949	25,930	25,92

						WWP DE	MAND (ACF	RE-FEET PE	R YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060 .	2070
LOWER BASIN CUSTOMERS								Ī		
HEMPHILL		SABINE	SABINE	MUNICIPAL	743	743	743	743	743	743
HUXLEY	COUNTY-OTHER	SHELBY	SABINE	COUNTY-OTHER	280	280	280	280	280	280
TENASKA	STEAM ELECTRIC POWER	RUSK	SABINÉ	STEAM ELECTRIC POWER	17,922	17,922	17,922	17,922	17,922	17,922
BEECHWOOD WSC	COUNTY-OTHER	SABINE	SABINE	COUNTY-OTHER	190	190	190	190	190	190
EL CAMINO WSC	COUNTY-OTHER	SABINE	SABINE	COUNTY-OTHER	36	36	36	36	36	36
G-M WSC		SABINE	SABINE	MUNICIPAL	560	560	. 560	560	560	560
хто	MINING	PANOLA, SHELBY,	SABINE	MINING	7,500	7,500	7,500	7,500	7,500	7,500
INVISTA	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	31	31	31	31	31	31
CANAL (GULF COAST DIVISION) C	USTOMERS			•	Ī					
HONEYWELL	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	1,120	1,120	1,120	1,120	1,120	1,120
CHEVRON PHILLIPS	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	1,841	1,841	1,841	1,841	1,841	1,841
E.I. DUPONT	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	24,643	24,643	24,643	24,643	24,643	24,643
ENTERGY	STEAM ELECTRIC POWER	ORANGE	SABINE	STEAM ELECTRIC POWER	4,481	4,481	4,481	4,481	4,481	4,481
FIRESTONE	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	1,473	1,473	1,473	1,473	1,473	1,473
INTERNATIONAL PAPER	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	22,403	22,403	22,403	22,403	22,403	22,403
GERDAU AMERISTEEL US INC	MANUFACTURING	JEFFERSON	NECHES	MANUFACTURING	1,120	1,120	1,120	1,120	1,120	1,120
LANXESS	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	4,480	4,480	4,480	4,480	4,480	4,480
COTTONWOOD ENERGY	STEAM ELECTRIC POWER	NEWTON	SABINE	STEAM ELECTRIC POWER	13,442	13,442	13,442	13,442	13,442	13,442
ROSE CITY	ROSE CITY	ORANGE	SABINE ·	MUNICIPAL	478	478	478	478	478	478
ORANGE IRRIGATION	IRRIGATION	ORANGE	SABINE	IRRIGATION	1,255	1,255	1,255	1,255	1,255	1,255
SRA POTENTIAL CUSTOMERS										
LOWER NECHES VALLEY AUTHORI	MUNICIPAL	JEFFERSON	NECHES	MUNICIPAL				200,000	200,000	200,000
CITY OF CENTER	CENTER .	SHELBY	SABINE	MUNICIPAL			2,242	2,242	2,242	2,242
ORANGE IRRIGATION	IRRIGATION	ORANGE	SABINE	IRRIGATION	2,432	2,685	2,858	2,920	2,855	2,758
ORANGE MANUFACTURING	MANUFACTURING	ORANGE	SABINE	MANUFACTURING	3,943	9,890	15,850	21,141	27,092	33,477
ORANGE STEAM ELECTRIC POWER	STEAM ELECTRIC POWER	ORANGE	SABINE	STEAM ELECTRIC POWER	0	14	1,038	2,286	3,807	4,846
NEWTON MINING AND STEAM ELEC	STEAM ELECTRIC POWER	ORANGE	SABINE	STEAM ELECTRIC POWER	805	3,139	5,994	9,545	13,875	19,021
SHELBY LIVESTOCK	LIVESTOCK	SHELBY	SABINE ,	LIVESTOCK	1,367	2,375	3,602	5,099	6,924	6,924
RUSK STEAM ELECTRIC POWER	STEAM ELECTRIC POWER	RUSK	NECHES	STEAM ELECTRIC POWER	0	0	0	462	8,873	18,868
OTHER POTENTIAL CUSTOMERS I	N OTHER REGIONS		*							
EAST TEXAS TRANSFER		REGION H		MUNICIPAL			250,000	. 250,000	250,000	250,000
NORTH TEXAS MUNICIPAL WATER	DISTRICT	REGION C		MUNICIPAL						100,000
HARRISON MANUFACTURING		REGION D		MANUFACTURING	50,000	55,000	65,000	70,000	80,000	o
HARRISON STEAM ELECTRIC POWE	R	REGION D		STEAM ELECTRIC POWER	2,000	6,000	10,000	15,000	21,000	47,000
GREENVILLE		REGION D		MUNICIPAL	0	0	0	0	0	9,090
SABINE RIVER AUTHORITY TOTAL	L DEMAND				164,545	183,101	460,582	682,693	720,666	798,224

CITY OF TYLER	_									
			WWP DE	MAND (AC	RE-FEET P	ER YEAR)				
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CURRENT CUSTOMERS										
CITY OF TYLER	TYLER	SMITH	NECHES	MUNICIPAL	20,049	21,331	22,696	24,331	26,141	28,031

CITY OF TYLER	TYLER	SMITH	NECHES	MANUFACTURING	192	214	239	272	311	359
SMITH MANUFACTURING	MANUFACTURING	SMITH .	NECHES	STEAM ELECTRIC POWER	3,072	3,358	3,633		4,186	-
WHITEHOUSE	WHITEHOUSE	SMITH	NECHES	MUNICIPAL	747	747	747		747	
SOUTHERN UTILITIES COMPANY	SOUTHERN UTILITIES COMPA	SMITH	NECHES ·	COUNTY-OTHER	. 312	321	332	347	365	384
WALNUT GROVE WATER SYSTEM	1	SMITH	NECHES	MUNICIPAL	. 1,495	1,495	1,495	1,495	1,495	1,495
COMMUNITY WATER	COUNTY-OTHER	SMITH	NECHES `	COUNTY-OTHER	92	92	92	92	92	92
SMITH IRRIGATION	IRRIGATION	SMITH	NECHES	IRRIGATION	400	400	400	400	400	400
POTENTIAL CUSTOMERS	1									
BULLARD	BULLARD	SMITH	NECHES	MUNICIPAL	67	239	413	603	799	1,001
CRYSTAL SYSTEMS INC	CRYSTAL SYSTEMS INC	SMITH	NECHES	MUNICIPAL	12	105	219	356	510	642
LINDALE	LINDALE	SMITH	NECHES	MUNICIPAL	52	180	323	490	662	826
SMITH MANUFACTURING	MANUFACTURING	SMITH	NECHES	MANUFACTURING	1,764	1,982	2,192	2,370	2,614	2,879
SMITH MINING	MINING	SMITH	NECHES	MINING	108	113	114	83	54	32
CHANDLER	HENDERSON	HENDERSON	TRINITY	MUNICIPAL	0	0	0	66	176	350
CITY OF TYLER TOTAL DEMAND					28,362	30,578	32,895	35,518	38,552	41,770

						WWP DEM	AND (ACE	RE-FEET PE	R YEAR)	
CUSTOMER	WUG	County	Basin	USE TYPE	2020	2030	2040	2050	2060	2070
CITY OF DALLAS	DALLAS	DALLAS	TRINITY	MUNICIPAL	114,337	114,337	114,337	114,337	114,337	114,337
CITY OF TYLER	TYLER	SMITH	NECHES	MUNICIPAL	67,200	67,200	67,200	67,200	67,200	67,200
CITY OF PALESTINE	PALESTINE	ANDERSON	NECHES	MUNICIPAL	28,000	28,000	28,000	28,000	28,000	28,000
SMITH IRRIGATION	IRRIGATION	SMITH	NECHES	IRRIGATION	82	73	64	. 57	51	51
CHEROKEE IRRIGATION	IRRIGATION	SMITH	NECHES	IRRIGATION	41	36	32	28	25	25
HENDERSON IRRIGATION	IRRIGATION	SMITH	NECHES	IRRIGATION	82	73	64	57	51	51
EMERALD BAY GOLF COURSE	IRRIGATION	SMITH	NECHES	IRRIGATION	105	105	105	105	105	105
MONARCH UTILITIES	MANUFACTURING	SMITH	NECHES	MANUFACTURING	100	100	100	100	100	100
ARBORGEN SUPER TREE FARM	IRRIGATION	SMITH	NECHES	IRRIGATION	300	300	300	300	300	300
DALLAS (FUTURE CONTRACT)	DALLAS	DALLAS	TRINITY	MUNICIPAL	0	0	0	0	47,250	47,250
UPPER NECHES RIVER MUNICIPA	AL WATER AUTHORITY TO	TAL DEMAND			219,247	210,224	210,202	210,184	257,419	257,419

#### DRAFT

#### Attachment D


#### Model to Calculate Rice Water Use and Total Irrigation for Southeastern Rice-Producing Counties

Line	Parameter	Units	2010/2011	2020	2030	2040	2050	2060	2070
1	U.S. Rice Production <sup>1</sup>	lbs	25,000,000,000	27,524,411,927	30,055,052,023	32,352,245,997	34,260,849,768	35,655,796,001	36,786,440,837
2	% Global Rice Produced by U.S. <sup>2</sup>	%	2%	2%	2%	2%	2%	2%	2%
3	Global Rice Demand <sup>3</sup>	lbs	1,250,000,000,000	1,376,220,596,352	1,502,752,601,133	1,617,612,299,871	1,713,042,488,396	1,782,789,800,049	1,839,322,041,874
4	Global Population Projections <sup>4</sup>	People	7,084,321,722	7,799,671,572	8,516,786,316	9,167,748,763	9,708,595,289	10,103,885,205	10,424,279,276
5	Per-Capita Rice Demands <sup>5</sup>	lbs/person	176	176	176	176	176	176	176
6	Per Acre Yields <sup>6</sup>	lbs/acre	6,969	7,606	8,315	9,024	9,733	10,441	11,150
7	Texas Rice Production <sup>7</sup>	lbs	1,266,707,900	1,394,615,601	1,522,838,873	1,639,233,824	1,735,939,562	1,806,619,139	1,863,907,009
8	% Global Rice Produced by Texas <sup>8</sup>	%	0.1013%	0.1013%	0.1013%	0.1013%	0.1013%	0.1013%	0.1013%
9	Western and Other Rice-Producing Cou	ınties <sup>9</sup>							
10	Rice Irrigation Demands <sup>10</sup>	af/yr	595,021	575,004	554,987	534,970	514,953	494,936	474,919
11	Estimated Gross Irrigation Rate <sup>11</sup>	in/yr	56.0	56.0	56.0	56.0	56.0	56.0	56.0
12	Rice-Planted Acreage <sup>12</sup>	acres	127,505	123,215	118,926	114,636	110,347	106,058	101,768
13	Rice Production <sup>13</sup>	lbs	888,579,109	937,174,377	988,867,908	1,034,479,131	1,074,008,046	1,107,348,595	1,134,717,182
14	Southeastern Rice-Producing Counties	14							
15	Rice Production <sup>15</sup>	lbs	378,128,791	457,441,225	533,970,965	604,754,692	661,931,516	699,270,544	729,189,827
16	Rice-Planted Acreage <sup>16</sup>	acres	54,259	60,142	64,218	67,016	68,009	66,974	65,398
17	Estimated Gross Irrigation Rate <sup>17</sup>	in/yr	60.0	60.0	60.0	60.0	60.0	60.0	60.0
18	Rice Irrigation Demands <sup>18</sup>	af/yr	271,293	300,711	321,089	335,081	340,045	334,868	326,991
19	Rice Irrigation Demand for Region I Ric	e-Producing C	ounties <sup>19</sup>						
20	Hardin County	af/yr	2,159	2,393	2,555	2,666	2,706	2,665	2,602
21	Jefferson County	af/yr	121,928	135,149	144,307	150,596	152,827	150,500	146,960
22	Orange County	af/yr	3,365	3,730	3,983	4,156	4,218	4,153	4,056
23	Proposed Irrigation Revisions for Regio	n I Rice-Produ	ucing Counties <sup>20</sup>						<u>,</u>
24	Hardin County	af/yr	3,080	3,414	3,645	3,804	3,861	3,802	3,712
.25	Jefferson County	af/yr	122,652	135,952	145,165	151,490	153,735	151,394	147,833
26	Orange County	af/yr	3,365	3,730	3,983	4,156	4,218	4,153	4,056

#### Footnotes

- <sup>1</sup> **U.S. Rice Production**. The 2010 total production was sourced from the *USDA Agricultural Projections to 2021*. Decadal Projections for 2020-2070 were calculated by multiplying global rice demand (Line 3) by the percent of global rice produced by the U.S. (Line 2).
- <sup>2</sup> **Percent Global Rice Produced by U.S.** The current percentage of global rice demand met by U.S. production is 2%, as sourced from the USDA Rice Projections 2008-17 Market Outlook. This percentage has been held constant throughout the planning period, based on information provided by Dr. Lloyd T. (Ted) Wilson of the AgriLife Research & Extension Center in Beaumont, Texas.
- <sup>3</sup> **Global Rice Demand**. The 2010 global rice demand value was determined by dividing the 2010 U.S. rice production (Line 1) by the 2010 percent U.S. rice production (Line 2). Decadal values for 2020-2070 were then determined by multiplying the per-capita rice production value for each decade (Line 5) by the global population projection (Line 4) for the same decade.
- 4 Global Population Projections. Population projections for each decade were sourced from the United Nations Department of Economic and Social Affairs.
- <sup>5</sup> **Per-Capita Rice Demand**. The 2010 estimated per-capita demand for rice was determined by dividing the global rice demand in 2010 (Line 3) by the 2010 global population. The per-capita value for all decades was assumed to be constant and was established at the 2010 value.
- <sup>6</sup> **Per Acre Yields**. The 2011 per-acre yield (Yield) was sourced from the AgriLife Research Document. Based on personal correspondence with Dr. Wilson, yields are expected to increase by 60% over the planning period, enabling an estimate of the yield for 2070 at 1.6 X Yield for 2011. Decadal values for 2020-2060 were determined by linear interpolation between the 2011 and 2070 values.
- <sup>7</sup> **Texas Rice Production**. The 2011 Texas rice production was sourced from the AgriLife Research Document. Decadal projections for 2020-2070 were calculated by multiplying the global rice demand (Line 3) by the Texas contribution to the global rice market (Line 8).
- <sup>8</sup> **Percent Global Rice Produced by Texas**. The current percentage of rice produced by Texas for the global market was calculated by dividing the 2010 Texas Rice Production (Line 7) by the 2010 Global Rice Demand (Line 3). This value was held constant throughout the planning period.
- <sup>9</sup> Western and Other Rice-Producing Counties. These counties include all rice-producing counties in Regions D, G, K, L, and P, Harris County, and all rice-producing Region H counties west of Harris County. Table 3 in the Technical Memorandum identifies these 18 counties. Lines 10-13 provide relevant model inputs for Western and Other Rice-Producing Counties.
- Rice Irrigation Demands for Western and Other Rice-Producing Counties. The 2010 rice irrigation demand value was determined by summing the average historical rice water use estimates (2005-2010) for Western and Other Rice-Producing Counties. Decadal water use projections from 2020 to 2070 were provided by the TWDB for these counties. The Western and Other Rice-Producing Counties projections for each decade were summed to determine Western and Other Rice-Producing Counties irrigation demands for each decade.
- 11 Estimated Gross Irrigation Rate for Western and Other Rice-Producing Counties. The irrigation rates for the Western and Other Rice-Producing Counties were estimated based on historical rice irrigation rates for each county provided by the TWDB (51 in/yr), coupled with an approximate 10% increase to allow for drought-year planning.
- 12 Rice-Planted Acreage for Western and Other Rice-Producing Counties. Decadal values were determined by multiplying the rice irrigation demands (Line 10) by 12 and dividing by the average gross irrigation rate (Line 11).
- 13 Rice Production for Western and Other Rice-Producing Counties. Decadal values were determined by multiplying the rice planted acres (Line 11) by the yield for each decade (Line 6).
- <sup>14</sup> Southeastern Rice-Producing Counties. The Southeastern Rice-Producing Counties are located east of Harris County in Regions H and I. Included are Hardin, Jefferson, and Orange Counties (Region I), and Chambers and Liberty Counties (Region H). Lines 15-18 provide relevant model inputs for Southeastern Rice-Producing Counties.
- 15 Rice Production for Southeastern Rice-Producing Counties. Decadal values were calculated by subtracting Rice Production for Western and Other Rice-Producing Counties (Line 13) from Texas Rice Production (Line 7).
- <sup>16</sup> Rice-Planted Acreage for Southeastern Rice-Producing Counties. Decadal values were calculated by dividing the rice production for Southeastern Rice-Producing Counties (Line 15) by the yield for each decade (Line 6).
- 17 Estimated Gross Irrigation Rate for Southeastern Rice-Producing Counties. The irrigation rates for the Southeastern Rice-Producing Counties were estimated based on historical rice irrigation rates for each county provided by the TWDB (55 in/yr), coupled with an approximate 10% increase to allow for drought-year planning.
- <sup>18</sup> Rice Irrigation Demands for Southeastern Rice-Producing Counties. Calculated by multiplying the rice-planted acreage (Line 16) by the average gross irrigation rate for Southeastern Rice-Producing Counties (Line 17)
- <sup>19</sup> **Rice Irrigation Demand for Region I Rice-Producing Counties.** Historical (2005-2010) irrigation use estimates were provided by the TWDB and averaged for each rice-producing county. The proportion of rice irrigation water use that each Region I county represents was determined by dividing the average irrigation water use for each county by the total for the Southeastern Rice-Producing Counties. This proportion was multiplied by the decadal Southeastern rice-producing counties rice water demands (Line 18) to calculate the county-specific rice water use for Hardin, Jefferson, and Orange Counties. These values represent the county-specific water demands for only the production of rice.
- <sup>20</sup> **Proposed Irrigation Revisions for Region I Rice-Producing Counties**. Calculated by dividing the county-specific rice irrigation demands (Lines 20, 21, and 22) by the percentage of rice-related water demands (in Table 1 of the Technical Memorandum) for each county. This value represents the proposed total irrigation demands for irrigating golf courses and growing crops such as vegetables, hay, grapes, orchards, and rice.

5.1



# Appendix 3-A

# Water Availability DB17 Report

The following appendix includes a copy of the Water Availability data from the TWDB Data Web Interface known as the DB17. The summary is divided by source, county, basin, and salinity.

# This page intentionally left blank

	T	<u> </u>	<del></del>	SOLI	OCE AVAII	ADILITY	ACDE FEE	T DED VE	AD)
GROUNDWATER	COUNTY	BASIN	SALINITY	2020	2030	2040	ACRE-FEE	2060	2070
CARRIZO-WILCOX AQUIFER	ANDERSON	NECHES	FRESH	4,393	4,393	4,393	4,393	4,393	4,39
CARRIZO-WILCOX AQUIFER	ANDERSON	TRINITY	FRESH	5,684	5,684	5,684	5,684	5,684	5,684
CARRIZO-WILCOX AOUIFER	ANGELINA	NECHES	FRESH	26,414	26,414	26,414	26,414	26,414	26,414
CARRIZO-WILCOX AOUIFER	CHEROKEE	NECHES	FRESH	11,222	11,222	11,222	11,222	11,222	11,222
CARRIZO-WILCOX AQUIFER	HENDERSON	NECHES	FRESH	3,999	3,999	3,999	3,999	3,999	3,99
CARRIZO-WILCOX AQUIFER	HOUSTON	NECHES	FRESH	1,924	1,924	1,924	1,924	1,924	1,924
CARRIZO-WILCOX AQUIFER	HOUSTON	TRINITY	FRESH	3,432	3,432	3,432	3,432	3,432	3,432
CARRIZO-WILCOX AQUIFER	NACOGDOCHES	NECHES	FRESH	21,385	21,385	21,385	21,385	21,385	21,385
CARRIZO-WILCOX AQUIFER	PANOLA	CYPRESS	FRESH	6	· 6	6	6	6	(
CARRIZO-WILCOX AQUIFER	PANOLA	SABINE	FRESH	8,221	8,221	8,063	8,063	8,063	8,063
CARRIZO-WILCOX AQUIFER	RUSK	NECHES	FRESH	11,776	11,766	11,766	11,766	11,747	11,74
CARRIZO-WILCOX AQUIFER	RUSK	SABINE	FRESH	9,067	9,067	9,067	9,067	9,067	9,06
CARRIZO-WILCOX AQUIFER	SABINE	NECHES	FRESH	1,254	1,254	1,254	1,254	1,254	1,25
CARRIZO-WILCOX AQUIFER	SABINE	SABINE	FRESH	5,604	5,604	5,604	5,604	5,604	5,604
CARRIZO-WILCOX AQUIFER	SAN AUGUSTINE	NECHES	FRESH	1,490	1,490	1,490	1,490	1,490	. 1,490
CARRIZO-WILCOX AQUIFER	SAN AUGUSTINE	SABINE	FRESH	291	291	291	291	291	29
CARRIZO-WILCOX AQUIFER	SHELBY	NECHES	FRESH	2,736	2,578	2,288	2,152	2,019	2,01
CARRIZO-WILCOX AQUIFER	SHELBY	SABINE	FRESH	8,481	8,323	8,159	8,159	7,710	7,710
CARRIZO-WILCOX AQUIFER	SMITH	NECHES	FRESH	21,004	21,004	21,004	21,004	21,004	21,004
CARRIZO-WILCOX AQUIFER	TRINITY	NECHES	FRESH	1,114	1,114	1,114	1,114	1,114	1,11
GULF COAST AQUIFER	HARDIN	NECHES	FRESH	34,821	34,821	34,821	34,821	34,821	34,82
GULF COAST AQUIFER	HARDIN	TRINITY	FRESH	138	138	138	138	138	138
GULF COAST AQUIFER	JASPER	NECHES	FRESH	37,620	37,541	37,541	37,541	37,541	37,54
GULF COAST AQUIFER	JASPER	SABINE	FRESH	29,953	29,953	29,953	29,953	29,953	29,953
GULF COAST AQUIFER	JEFFERSON	NECHES	FRESH	804	804	804	804	804	804
GULF COAST AQUIFER	JEFFERSON	NECHES- TRINITY	FRESH	1,641	1,641	1,641	1,641	1,641	1,64
GULF COAST AQUIFER	NEWTON	NECHES	FRESH	176	176	176	176	176	176
GULF COAST AQUIFER	NEWTON	SABINE	FRESH	34,001	33,963	33,963	33,963	33,963	33,963
GULF COAST AQUIFER	ORANGE	NECHES	FRESH	3,925	3,925	3,925	3,925	3,925	3,925
GULF COAST AQUIFER	ORANGE	NECHES-	FRESH	256	256	256	256	256	250
		TRINITY			250	250	250	250	
GULF COAST AQUIFER	ORANGE	SABINE	FRESH	15,832	15,832	15,832	15,832	15,832	15,83
GULF COAST AQUIFER	POLK	NECHES	FRESH	11,886	11,886	11,886	11,276	11,224	11,22


			1	SOUR	CE AVAIL	ABILITY	ACRE-FE	T PER YE	AR)
GROUNDWATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
GULF COAST AQUIFER	TYLER	NECHES	FRESH	38,199	38,156	38,156	38,156	38,156	38,156
OTHER AQUIFER   UNDIFFERENTIATED	ANDERSON	TRINITY	FRESH	298	298	298	298	298	298
OTHER AQUIFER   UNDIFFERENTIATED	ANGELINA	NECHES	FRESH	812	812	812	. 812	812	812
OTHER AQUIFER   UNDIFFERENTIATED	CHEROKEE	NECHES	FRESH	268	268	268	268	268	268
OTHER AQUIFER   UNDIFFERENTIATED	HENDERSON	NECHES	FRESH '	5	5	5	5	5	5
OTHER AQUIFER   UNDIFFERENTIATED	HENDERSON	TRINITY	FRESH	680	680	680	680	680	680
OTHER AQUIFER   UNDIFFERENTIATED	HOUSTON	NECHES	FRESH	378	378	378	378	378	378
OTHER AQUIFER   UNDIFFERENTIATED	HOUSTON	TRINITY	FRESH	888	888	888	888	888	888
OTHER AQUIFER   UNDIFFERENTIATED	NACOGDOCHES	NECHES	FRESH	1,131	1,131	1,131	1,131	1,131	1,131
OTHER AQUIFER   UNDIFFERENTIATED	POLK	NECHES	FRESH	1,270	1,270	1,270	1,270	1,270	1,270
OTHER AQUIFER   UNDIFFERENTIATED	RUSK	NECHES	FRESH	270	270	270	270	270	270
OTHER AQUIFER   UNDIFFERENTIATED	RUSK	SABINE	FRESH	469	469	469	469	469	469
OTHER AQUIFER   UNDIFFERENTIATED	SABINE	SABINE	FRESH	336	336	336	336	336	336
OTHER AQUIFER   UNDIFFERENTIATED	SAN AUGUSTINE	NECHES	FRESH	1,395	1,395	· 1,395	1,395	1,395	1,395
OTHER AQUIFER   UNDIFFERENTIATED	SMITH	NECHES	FRESH	922	922	922	922	922	922
OTHER AQUIFER   UNDIFFERENTIATED	TRINITY	NECHES	FRESH	700	700	700	700	700	700
QUEEN CITY AQUIFER	ANDERSON	NECHES	FRESH	9,762	9,762	9,762	9,762	9,762	9,762
QUEEN CITY AQUIFER	ANDERSON	TRINITY	FRESH	9,039	9,039	9,039	9,039	9,039	9,039
QUEEN CITY AQUIFER	ANGELINA	NECHES	FRESH	1,093	1,093	1,093	1,093	1,093	1,093
QUEEN CITY AQUIFER	CHEROKEE	NEÇHES	FRESH	22,396	22,396	22,396	22,396	22,396	22,396
QUEEN CITY AQUIFER	HENDERSON	NECHES	FRESH	12,316	12,316	12,316	12,316	12,316	12,316
QUEEN CITY AQUIFER	HOUSTON	NECHES	FRESH	131	131	131	131	131	131
QUEEN CITY AQUIFER	HOUSTON	TRINITY	FRESH	279	279	279	279	279	279
QUEEN CITY AQUIFER	NACOGDOCHES	NECHES	FRESH	5,002	5,002	5,002	5,002	5,002	5,002
QUEEN CITY AQUIFER	RUSK	NECHES	FRESH	40	40	40	40	40	40
QUEEN CITY AQUIFER	RUSK	SABINE	FRESH	18	18	18	18	18	18
QUEEN CITY AQUIFER	SAN AUGUSTINE	NECHES	FRESH	7	7	7	7	7	7
QUEEN CITY AQUIFER	SAN AUGUSTINE	SABINE	FRESH	0	0	0	0	0	(
QUEEN CITY AQUIFER	SMITH	NECHES	FRESH	28,259	28,259	28,259	28,259	28,259	28,259
QUEEN CITY AQUIFER	TRINITY	, NECHES	FRESH	. 0	0	. 0	0	0	(
SPARTA AQUIFER	ANDERSON	NECHES	FRESH	344	344	344	344	344	344
SPARTA AQUIFER	ANDERSON	TRINITY	FRESH	272	272	272	272	272	272
SPARTA AQUIFER	ANGELINA	NECHES	FRESH	689	689	689	689	689	689
SPARTA AQUIFER	CHEROKEE	NECHES	FRESH	359	359	359	359	359	359
SPARTA AQUIFER	HOUSTON	NECHES	FRESH	302	302	302	302	302	302

			Source Avai	iadility					
REGION I	,								
				SOUI	RCE AVAII	(ACRE-FE	EET PER YEAR)		
GROUNDWATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
SPARTA AQUIFER	HOUSTON	TRINITY	FRESH	594	594	594	594	594	594
SPARTA AQUIFER	NACOGDOCHES	NECHES	FRESH	409	409	409	409	409	409
SPARTA AQUIFER	SABINE	NECHES	FRESH	. 61	61	61	61	61	61
SPARTA AQUIFER	SABINE	SABINE	FRESH	235	235	235	235	235	235
SPARTA AQUIFER	SAN AUGUSTINE	NECHES	FRESH	202	202	202	202	202	202
SPARTA AQUIFER	SAN AUGUSTINE	SABINE	FRESH	3	3	. 3	_ 3	3	3
SPARTA AQUIFER	TRINITY	NECHES	FRESH	313	313	313	313	313	313
YEGUA-JACKSON AQUIFER	ANGELINA	NECHES	FRESH	16,890	16,890	16,890	16,890	16,507	16,507
YEGUA-JACKSON AQUIFER	HOUSTON .	NECHES	FRESH	1,324	1,324	1,324	1,324	1,324	1,324
YEGUA-JACKSON AQUIFER	HOUSTON	TRINITY	FRESH	4,061	4,061	4,061	4,061	4,061	4,061
YEGUA-JACKSON AQUIFER	NACOGDOCHES	NECHES	FRESH	235	235	235	235	235	235
YEGUA-JACKSON AQUIFER	POLK	NECHES	FRESH	360	. 360	360	360	360	360
YEGUA-JACKSON AQUIFER	SABINE	NECHES	FRESH	3,724	3,724	3,724	3,724	3,724	3,724
YEGUA-JACKSON AQUIFER	SABINE	SABINE	FRESH	575	575	575	. 575	575	575
YEGUA-JACKSON AQUIFER	SAN AUGUSTINE	NECHES	FRESH	2,102	2,102	2,102	2,102	2,102	2,102
YEGUA-JACKSON AQUIFER	SAN AUGUSTINE	SABINE	FRESH	9	9	9	. 9	. 9	9
YEGUA-JACKSON AQUIFER	TRINITY	NECHES	FRESH	700	700	700	700	700	700
	GROUNDWATER TO	TAL SOURCE A	VAILABILITY	490,676	490,190	489,578	488,832	487,796	487,796
REGION I		*							
		T		SOURCE AVAILABILITY (ACRE-FEET P					AR)
REUSE	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
DIRECT REUSE	ORANGE	SABINE	FRESH	15	15	15	15	15	15
DIRECT REUSE   IRRIGATION/MANUFACT URING	SHELBY .	SABINE .	FRESH	233	246	259	270	284	299
DIRECT REUSE   MANUFACTURING	SABINE	SABINE	FRESH	20	20	20	20	20	. 20
INDIRECT REUSE   IRRIGATION	JEFFERSON	NECHES- TRINITY	FRESH	13,687	13,687	13,687	13,687	13,687	13,687
	REUSE TO	TAL SOURCE A	VAILABILITY	13,955	13,968	13,981	13,992	14,006	14,021
REGION I					•				
•				SOURCE AVAILABILITY (ACRE-FEET PER YEAR)					
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
ATHENS LAKE/RESERVOIR	RESERVOIR	NECHES ,	FRESH	5,983	5,903	5,822	5,741	5,660	5,580
BELLWOOD LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	950	950	950	950	950	950
CENTER LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	1,874	1,874	1,874	1,874	1,874	1,874
CHEROKEE LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	28,650	28,415	28,180	27,945	27,710	27,477

		<u> </u>		SOLI	RCE AVAII	LABILITY	(ACRE-FEET PER YEAR)		
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
CYPRESS LIVESTOCK LOCAL SUPPLY	PANOLA	CYPRESS	FRESH	30	30	30	30	30	3
HOUSTON COUNTY LAKE/RESERVOIR	RESERVOIR	TRINITY	FRESH	7,000	7,000	7,000	7,000	7,000	7,00
JACKSONVILLE LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	, 6,200	6,200	6,200	6,200	6,200	6,20
KURTH LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	18,417	18,413	18,408	18,404	18,400	18,39
LAKE NACONICHE/RESERVOIR	RESERVOIR	NECHES	FRESH	4,500	4,500	4,500	4,500	4,500	4,50
MARTIN LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	25,000	25,000	25,000	~ 25,000	25,000	25,00
MURVAUL LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	21,203	20,615	20,027	19,438	18,850	18,27
NACOGDOCHES LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	16,683	16,300	15,917	15,533	15,150	14,77
NECHES LIVESTOCK LOCAL SUPPLY	ANDERSON	NECHES	FRESH	333	333	333	333	333	33
NECHES LIVESTOCK LOCAL SUPPLY	ANGELINA	NECHES	FRESH	661	661	661	661	661	66
NECHES LIVESTOCK LOCAL SUPPLY	CHEROKEE	NECHES	FRESH	1,555	1,555	1,555	1,555	1,555	1,55
NECHES LIVESTOCK LOCAL SUPPLY	HARDIN	NECHES	FRESH	155	155	155	155	155	15
NECHES LIVESTOCK LOCAL SUPPLY	HENDERSON	NECHES	FRESH	770	770	770	770	770	77
NECHES LIVESTOCK LOCAL SUPPLY	HOUSTON	NECHES	FRESH	1,007	1,007	1,007	1,007	1,007	1,00
NECHES LIVESTOCK LOCAL SUPPLY	JASPER	NECHES	FRESH	332	332	332	332	332	33
NECHES LIVESTOCK LOCAL SUPPLY	NACOGDOCHES	NECHES	FRESH	2,386	2,386	2,386	2,386	2,386	2,38
NECHES LIVESTOCK LOCAL SUPPLY	ORANGE .	NECHES	FRESH	56	56	56	56	56	5
NECHES LIVESTOCK LOCAL SUPPLY	POLK	NECHES	FRESH	396	396	396	396	396	39
NECHES LIVESTOCK LOCAL SUPPLY	RUSK	NECHES	FRESH	808	808	808	808	808	80
NECHES LIVESTOCK LOCAL SUPPLY	SABINE	NECHES	FRESH	71	71	71	71	71	7
NECHES LIVESTOCK LOCAL SUPPLY	SAN AUGUSTINE	NECHES	FRESH	465	465	465	465	465	46
NECHES LIVESTOCK LOCAL SUPPLY	SHELBY	NECHES	FRESH	334	334	334	334	334	33
NECHES LIVESTOCK LOCAL SUPPLY	SMITH	NECHES	FRESH	605	605	605	605	605	60
NECHES LIVESTOCK LOCAL SUPPLY	TRINITY	NECHES	FRESH	449	449	449	449	. 449	44
NECHES LIVESTOCK LOCAL SUPPLY	TYLER	NECHES	FRESH	239	239	239	239	239	23
NECHES OTHER LOCAL SUPPLY	CHEROKEE	NECHES	FRESH	19	19	19	19	19	. 1
NECHES OTHER LOCAL ŞUPPLY	JEFFERSON	NECHES	FRESH	110	110	. 110	110	110	11
NECHES OTHER LOCAL SUPPLY	NACOGDOCHES	NECHES	FRESH	494	494	494	494	494	49
NECHES OTHER LOCAL SUPPLY	POLK	NECHES	FRESH	20	20	20	20	20	2

REGION I									
SURFACE WATER	COUNTY		SALINITY	SOURCE AVAILABILITY (ACRE-FEET PER YEAR)					
		BASIN		2020	2030	2040	2050	2060	2070
NECHES OTHER LOCAL SUPPLY	TYLER	NECHES	FRESH	. 8	8	8	8	8	8
NECHES RUN-OF-RIVER	ANDERSON	NECHES	FRESH	197	197	197	197	197	197
NECHES RUN-OF-RIVER	ANGELINA	NECHES	FRESH	. 74	74	74	74	. 74	74
NECHES RUN-OF-RIVER	CHEROKEE	NECHES	FRESH	182	182	182	182	182	182
NECHES RUN-OF-RIVER	HARDIN	NECHES	FRESH	57	57	57	57	57	57
NECHES RUN-OF-RIVER	HOUSTON	NECHES	FRESH	287	287	287	287	287	287
NECHES RUN-OF-RIVER	JASPER	NECHES	FRESH	743	743	743	743	743	743
NECHES RUN-OF-RIVER	JEFFERSON	NECHES	BRACKISH	752,152	752,152	752,152	752,152	752,152	752,152
NECHES RUN-OF-RIVER	NACOGDOCHES	NECHES	FRESH	136	136	136	136	136	136
NECHES RUN-OF-RIVER	ORANGE	NECHES	BRACKISH	17,310	17,310	17,310	17,310	17,310	17,310
NECHES RUN-OF-RIVER	RUSK	NECHES	FRESH	88	88	88	88	88	88
NECHES RUN-OF-RIVER	SABINE	NECHES	FRESH	182	182	182	182	182	182
NECHES RUN-OF-RIVER	SMITH	NECHES	FRESH	50	50	50	50	50	50
NECHES RUN-OF-RIVER	TRINITY	NECHES	FRESH	,62	62	62	62	62	62
NECHES RUN-OF-RIVER	TYLER	NECHES	FRESH	123	123	123	123	123	123
NECHES RUN-OF-RIVER   ANGELINA & NECHES RIVER AUTHORITY	SHELBY	NECHES	FRESH	1,000	1,000	1,000	1,000	1,000	1,000
NECHES RUN-OF-RIVER   BEAUMONT	JEFFERSON	NECHES	FRESH	15,933	16,732	17,670	18,877	20,307	21,588
NECHES RUN-OF-RIVER   PINE ISLAND BAYOU	JASPER	NECHES	FRESH	381,876	381,876	381,876	381,876	381,876	381,876
NECHES-TRINITY LIVESTOCK LOCAL SUPPLY	JEFFERSON	NECHES- TRINITY	FRESH	800	800	800	800	800	800
NECHES-TRINITY OTHER LOCAL SUPPLY	JEFFERSON	NECHES- TRINITY	FRESH	1,000	1,000	1,000	1,000	1,000	1,000
NECHES-TRINITY RUN- OF-RIVER	JEFFERSON	NECHES- TRINITY	FRESH	55,940	55,940	55,940	55,940	55,940	55,940
PALESTINE LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	205,417	203,375	201,333	199,292	197,250	195,229
PINKSTON LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	3,800	3,800	3,800	3,800	3,800	3,800
RUSK CITY LAKE/RESERVOIR	RESERVOIR .	NECHES	FRESH	63	. 63	62	61	60	59
SABINE LIVESTOCK LOCAL SUPPLY	JASPER	SABINE	FRESH	215	215	215	215	215	215
SABINE LIVESTOCK LOCAL SUPPLY	NEWTON	SABINE	FRESH	155	155	155	155	155	15:
SABINE LIVESTOCK LOCAL SUPPLY	ORANGE	SABINE	FRESH	42	42	42	42	42	42
SABINE LIVESTOCK LOCAL SUPPLY	PANOLA	SABINE	FRESH	1,224	1,224	1,224	1,224	1,224	1,224
SABINE LIVESTOCK LOCAL SUPPLY	RUSK	SABINE	FRESH	308	308	308	308	308	308
SABINE LIVESTOCK LOCAL SUPPLY	SABINE	SABINE	FRESH	634	634	634	634	634	634
SABINE LIVESTOCK LOCAL SUPPLY	SAN AUGUSTINE	SABINE	FRESH	71	71	71	, 71	71	71
SABINE LIVESTOCK LOCAL SUPPLY	SHELBY	SABINE	FRESH	2,998	2,998	2,998	2,998	2,998	2,998

				SOURCE AVAILABILITY (ACRE-FEET PER YEAR)					
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
SABINE OTHER LOCAL SUPPLY	NEWTON '	SABINE	FRESH	158	158	158	158	158	15
SABINE OTHER LOCAL SUPPLY	ORANGE	SABINE	FRESH	178	178	178	178	178	17
SABINE OTHER LOCAL SUPPLY	RUSK	SABINE	FRESH	1,230	1,230	1,230	1,230	1,230	1,23
SABINE RUN-OF-RIVER	NEWTON	SABINE	FRESH	185	185	185	185	185	18
SABINE RUN-OF-RIVER	ORANGE	SABINE	FRESH	28	28	28	28	28	2
SABINE RUN-OF-RIVER	ORANGE	SABINE	BRACKISH	267,000	267,000	267,000	267,000	267,000	267,00
SABINE RUN-OF-RIVER	PANOLA	SABINE .	FRESH	601	601	601	601	601	60
SABINE RUN-OF-RIVER	RUSK	SABINE	FRESH	137	137	137	137	137	13
SABINE RUN-OF-RIVER   SRA CANAL	NEWTON	SABINE	FRESH	147,100	147,100	147,100	147,100	147,100	147,10
SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	RESERVOIR	NECHES	FRESH	848,000	848,000	848,000	848,000	848,000	848,00
SAN AUGUSTINE LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	1,285	1,285	1,285	1,285	1,285	1,28
STRIKER LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	19,357	18,530	17,703	16,877	16,050	15,26
TIMPSON LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	350	350	350	350	350	35
TOLEDO BEND LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	750,000	750,000	750,000	750,000	750,000	750,00
TOLEDO BEND LAKE/RESERVOIR   LOUISIANA PORTION	RESERVOIR	SABINE- LOUISIANA	FRESH	336	336	336	336	336	33
TRINITY LIVESTOCK LOCAL SUPPLY	ANDERSON	TRINITY	FRESH	684	684	684	684	684	68
TRINITY LIVESTOCK LOCAL SUPPLY	HOUSTON	TRINITY	FRESH	783	783	783	783	783	78
TRINITY RUN-OF-RIVER	ANDERSON	TRINITY	FRESH	1,060	1,060	1,060	1,060	1,060	1,06
TRINITY RUN-OF-RIVER	HOUSTON	TRINITY	FRESH	1,783	1,783	1,783	1,783	1,783	1,78
TYLER LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	30,900	30,875	30,850	30,825	30,800	30,77
	SURFACE WATER T	OTAL SOURCE A	VAILABILITY	3,662,037	3,658,652	3,655,403	3,652,424	3,649,668	3,646,85
	REGION I TO	TAL SOURCE A	VAILABILITY	4,166,668	4,162,810	4,158,962	4,155,248	4,151,470	4,148,67



#### Appendix 3-B

### Water User Group Existing Water Supplies DB17 Report

The following appendix includes a copy of the Water User Group Existing Water Supplies data from the TWDB Data Web Interface known as the DB17. The summary is divided by Water User Group, source, county, and basin.

#### This page intentionally left blank

REGION I	, ,		EXISTING	SUPPLY (ACI	RE-FEET PER	YEAR)	
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
ANDERSON COU	INTY	L	L			<del></del>	
NECHES BA	SIN				1		
BRUSHY CREEK WSC	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	296	296	296	296	296	296
FRANKSTON	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	388	382	378	372	366	360
PALESTINE	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	. 366	404	397	377	373	373
PALESTINE	I   PALESTINE LAKE/RESERVOIR	2,222	2,222	2,223	2,223	2,223	2,223
WALSTON SPRINGS WSC	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	299	299	299	299	299	299
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	249	, 250	239	228	226	226
COUNTY-OTHER	I   PALESTINE LAKE/RESERVOIR	47	47	47	47	47	47
COUNTY-OTHER	I   QUEEN CITY AQUIFER   ANDERSON COUNTY	466	· 466	466	466	466	466
COUNTY-OTHER	I   SPARTA AQUIFER   ANDERSON COUNTY	163	163	163	163	163	163
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	14	18	19	20	21	22
MINING	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	64	81	85	68	48	35
STEAM ELECTRIC POWER		0	. 0	0	0	0	0
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	14	14	14	14	14	14
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	333	333	333	333	333	333
LIVESTOCK	I   QUEEN CITY AQUIFER   ANDERSON COUNTY	301	301	. 301	301	301	301
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	124	124	. 124	124	124	124
IRRIGATION	I   NECHES RUN-OF-RIVER	197	197	197	197	197	197
IRRIGATION	I   QUEEN CITY AQUIFER   ANDERSON COUNTY	149	149	149	149	149	149
NECHES BA	SIN TOTAL EXISTING SUPPLY	5,692	5,746	5,730	5,677	5,646	5,628
TRINITY BA	AŞIN						
BRUSHY CREEK WSC	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	382	382	382	382	382	382
ELKHART	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	428	428	428	428	428	428
PALESTINE	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	348	383	376	357	354	354
PALESTINE	I   PALESTINE LAKE/RESERVOIR	2,109	2,109	2,108	2,108	2,108	2,108
WALSTON SPRINGS WSC	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	117	116	113	111	. 111	111
FOUR PINES WSC	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	549	549	549	549	549	549
THE CONSOLIDATED WSC	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	254	254	254	254	254	254
THE CONSOLIDATED WSC	I   HOUSTON COUNTY LAKE/RESERVOIR	102	104	103	102	100	. 98
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	2,335	2,339	2,303	2,265	2,257	2,257
COUNTY-OTHER	I   OTHER AQUIFER   ANDERSON COUNTY	260	260	260	260	260	260
COUNTY-OTHER	I   QUEEN CITY AQUIFER   ANDERSON COUNTY	432	432	432	432	432	432
COUNTY-OTHER	I   SPARTA AQUIFER   ANDERSON COUNTY	128	128	128	128	128	128

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070		
ANDERSON COU									
TRINITY BA				***					
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	. 16	. 22	23	- 24	25	26		
MINING	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	100	· 100	100	100	100	100		
MINING	I   OTHER AQUIFER   ANDERSON COUNTY	29	29	29	29	29	29		
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	18	18	18	18	18	18		
LIVESTOCK	I   OTHER AQUIFER   ANDERSON COUNTY	. 9	9	9	9	9	9		
LIVESTOCK	I   QUEEN CITY AQUIFER   ANDERSON COUNTY	64	64	64	. 64	64	64		
LIVESTOCK	I   TRINITY LIVESTOCK LOCAL SUPPLY	684	684	684	684	684	684		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	161	161	161	161	161	161		
IRRIGATION	I   QUEEN CITY AQUIFER   ANDERSON COUNTY	138	138	138	138	138	138		
IRRIGATION	I   TRINITY RUN-OF-RIVER	1,060	1,060	1,060	1,060	1,060	1,060		
TRINITY BA	SIN TOTAL EXISTING SUPPLY	9,723	9,769	9,722	9,663	9,651	9,650		
ANDERSON COU	NTY TOTAL EXISTING SUPPLY	15,415	15,515	15,452	15,340	15,297	15,278		
ANGELINA COU	NTY								
NECHES BA	SIN								
LUFKIN	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	3,763	3,914	4,042	4,187	4,348	4,186		
LUFKIN	I   KURTH LAKE/RESERVOIR	2,508	2,609	2,694	2,792	2,898	3,308		
CENTRAL WCID OF ANGELINA COUNTY	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	877	877	877	. 877	877	877		
DIBOLL	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	1,806	1,806	1,806	1,806	1,806	1,806		
DIBOLL	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	908	908	908	908	908	908		
HUDSON	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	642	642	642	642	642	664		
HUDSON WSC	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	1,157	1,157	1,157	1,157	1,157	1,157		
HUNTINGTON	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	448	448	448	448	448	448		
HUNTINGTON	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	. 609	. 609	609	609	609	609		
ZAVALLA	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	79	81	82	84	87	90		
ANGELINA WSC	I   OTHER AQUIFER   ANGELINA COUNTY	523	523	523	523	523	523		
REDLAND WSC	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	778	778	778	. 778	778	778		
FOUR WAY SUD	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	1,216	1,216	1,216	1,216	1,216	1,216		
BURKE	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	156	165	172	180	186	193		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	1,733	1,733	1,733	1,733	1,733	1,733		
COUNTY-OTHER	I   OTHER AQUIFER   ANGELINA COUNTY	175	175	175	175	175	175		
COUNTY-OTHER	I   SPARTA AQUIFER   ANGELINA COUNTY	175	175	175	175	175	175		
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	275	275	275	275	275	275		
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	1,964	2,157	2,352	2,526	2,711	2,911		
MANUFACTURING	I   KURTH LAKE/RESERVOIR	1,220	1,349	1,479	1,595	1,719	1,851		

REGION I	\		EXISTING	SUPPLY (AC	RE-FEET PE	R YEAR)	
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
ANGELINA COU	NTY						
NECHES BA	SIN						
MANUFACTURING	I   OTHER AQUIFER   ANGELINA COUNTY	, 101	101	101	101	101	10
MANUFACTURING	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	1,242	1,242	1,242	1,242	1,242	1,242
MINING	I   OTHER AQUIFER   ANGELINA COUNTY	13	. 13	. 13	. 13	13	13
STEAM ELECTRIC POWER	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	10,081	10,081	10,081	10,081	10,081	10,08
STEAM ELECTRIC POWER	I   KURTH LAKE/RESERVOIR	6,721	6,721	6,721	6,721	6,721	6,72
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   ANGELINA COUNTY	13	13	. 13	13	13	13
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	661	661	661	661	661	66
LIVESTOCK	I   SPARTA AQUIFER   ANGELINA COUNTY	13	13	13	13	13	13
LIVESTOCK	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	50	50	50	50	50	- 50
IRRIGATION	I   KURTH LAKE/RESERVOIR	481	481	481	481	481	48
IRRIGATION	I   YEGUA-JACKSON AQUIFER   ANGELINA COUNTY	331	331	331	331	331	33
NECHES BA	SIN TOTAL EXISTING SUPPLY	40,719	41,304	41,850	42,393	42,978	43,590
ANGELINA COU	NTY TOTAL EXISTING SUPPLY	40,719	41,304	41,850	42,393	42,978	43,590
CHEROKEE COL				k			
NECHES BA	SIN						
JACKSONVILLE	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	·804	858	913	989	1,077	1,173
JACKSONVILLE	I   JACKSONVILLE LAKE/RESERVOIR	1,876	2,000	2,129	2,308	2,511	2,73
ALTO	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	508	508	508	508	508	508
ALTO RURAL WSC	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	736	736	736	736	736	. 730
BULLARD	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	16	16	16	16	16	10
BULLARD	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	10	9	8	. 7	6	
CRAFT-TURNEY WSC	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	145	151	157	168	183	. 19
CRAFT-TURNEY WSC	I   JACKSONVILLE LAKE/RESERVOIR	338	351	366	392	. 426	46-
NEW SUMMERFIELD	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	253	253	253	253	253	25:
NORTH CHEROKEE WSC	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	185	196	208	225	244	260
NORTH CHEROKEE WSC	I   JACKSONVILLE LAKE/RESERVOIR	417	444	473	512	557	. 60
RUSK	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	1,339	1,340	1,341	1,342	1,342	1,44
RUSK	I   RUSK CITY LAKE/RESERVOIR	63	63	62	61	60	5
RUSK RURAL WSC	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	557	557	557	557	557	. 55
SOUTHERN UTILITIES COMPANY	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	480	513	546	592	644	70
TROUP	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	14	15	16	17	18	. 20
WELLS	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	382	382	382	382	382	382
WRIGHT CITY WSC	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	102	. 102	102	102	102	9
				i			

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070		
CHEROKEE COU NECHES BA	•								
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	587	591	597	605	614	623		
COUNTY-OTHER	I   JACKSONVILLE LAKE/RESERVOIR	199	211	223	. 241	262	286		
COUNTY-OTHER	I   OTHER AQUIFER   CHEROKEE COUNTY	196	196	196	196	196	196		
COUNTY-OTHER	I   QUEEN CITY AQUIFER   CHEROKEE COUNTY	676	676	676	676	676	676		
COUNTY-OTHER	I   SPARTA AQUIFER   CHEROKEE COUNTY	156	, 156	156	. 156	156	156		
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	134	143	151	158	169	181		
MANUFACTURING	I   JACKSONVILLE LAKE/RESERVOIR	289	309	328	344	371	400		
MANUFACTURING	I   QUEEN CITY AQUIFER   CHEROKEE COUNTY	. 1	1	1	1	1	1		
MINING	I   NECHES OTHER LOCAL SUPPLY	19	19	19	19	19	19		
MINING	I   OTHER AQUIFER   CHEROKEE COUNTY	38	38	38	38	38	38		
STEAM ELECTRIC POWER	I   STRIKER LAKE/RESERVOIR	5,000	5,000	5,000	5,000	5,000	5,000		
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	49	. 49	49	49	49	49		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	1,555	1,555	1,555	1,555	1,555	1,555		
LIVESTOCK	I   OTHER AQUIFER   CHEROKEE COUNTY	33	33	33	33	33	33		
LIVESTOCK	I   QUEEN CITY AQUIFER   CHEROKEE COUNTY	176	176	176	176	176	176		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	5	5	5	5	5	5		
IRRIGATION	I   NECHES RUN-OF-RIVER	182	182	182	182	182	. 182		
IRRIGATION	I   OTHER AQUIFER   CHEROKEE COUNTY	1	1	1	1	1			
IRRIGATION	I   PALESTINE LAKE/RESERVOIR	41	36	32	28	25	25		
IRRIGATION	I   QUEEN CITY AQUIFER   CHEROKEE COUNTY	206	206	-206	206	206	206		
IRRIGATION	I   SPARTA AQUIFER   CHEROKEE COUNTY	1	1	1	, 1	1	1		
NECHES BA	SIN TOTAL EXISTING SUPPLY	17,769	18,078	18,398	18,837	. 19,357	20,033		
CHEROKEE CO	UNTY TOTAL EXISTING SUPPLY	17,769	18,078	18,398	18,837	19,357	20,033		
HARDIN COUNT NECHES BA		,							
KOUNTZE '	I   GULF COAST AQUIFER   HARDIN COUNTY	1,041	1,041	1,041	1,041	1,041	1,04		
LUMBERTON	I   GULF COAST AQUIFER   HARDIN COUNTY	1,656	1,852	1,990	2,097	2,191	2,263		
LUMBERTON MUD	I   GULF COAST AQUIFER   HARDIN COUNTY	4,382	4,186	4,048	3,941	3,847	3,77:		
NORTH HARDIN WSC	I   GULF COAST AQUIFER   HARDIN COUNTY	1,906	1,906	1,906	1,906	1,906	1,900		
SILSBEE	I   GULF COAST AQUIFER   HARDIN COUNTY	1,617	1,617	1,617	1,617	1,617	1,61		
SOUR LAKE	I   GULF COAST AQUIFER   HARDIN COUNTY	934	. 934	934	934	. 934	934		
WEST HARDIN WSC	I   GULF COAST AQUIFER   HARDIN COUNTY	771	768	766	763	761	758		
	I   GULF COAST AQUIFER   HARDIN COUNTY	1,629	1,668	1,688	1,738	1,776	1,808		
COUNTY-OTHER	1 GOEL COMBINGON ENCINE MEETING COOM			255	383	413	44:		
	I   GULF COAST AQUIFER   HARDIN COUNTY	294	324	355					
		294 12	324 12	12	12	12	1		
MANUFACTURING	I   GULF COAST AQUIFER   HARDIN COUNTY					12			
MANUFACTURING MINING LIVESTOCK	I   GULF COAST AQUIFER   HARDIN COUNTY I   GULF COAST AQUIFER   HARDIN COUNTY	12	12	. 12	12		1		
MANUFACTURING MINING	I   GULF COAST AQUIFER   HARDIN COUNTY I   GULF COAST AQUIFER   HARDIN COUNTY I   GULF COAST AQUIFER   HARDIN COUNTY	12	12 69	12 69	12 69	69	1		

REGION I			EXISTING	SUPPLY (ACI	RE-FEET PER	YEAR)	
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
HARDIN COUNT	Y	,	- 1				
	SIN TOTAL EXISTING SUPPLY	17,880	18,177	18,385	18,517	18,524	18,495
TRINITY BA	SIN						
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	I   GULF COAST AQUIFER   HARDIN COUNTY	10	11	12	12	13	13
WEST HARDIN WSC	I   GULF COAST AQUIFER   HARDIN COUNTY	4	4	4	4	4	4
COUNTY-OTHER	I   GULF COAST AQUIFER   HARDIN COUNTY	18	18	18	18	18	18
LIVESTOCK	I   GULF COAST AQUIFER   HARDIN COUNTY	2	. 2	2	2	2	2
TRINITY BA	SIN TOTAL EXISTING SUPPLY	34	35	36	. 36	37	37
HARDIN COUNT	Y TOTAL EXISTING SUPPLY	17,914	18,212	18,421	18,553	18,561	18,532
HENDERSON CO NECHES BA	·		-		<i>x</i>		
ATHENS	C   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	16	15	18	22	16	11
ATHENS	I   ATHENS LAKE/RESERVOIR	39	41	42	43	36	29
BERRYVILLE	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	118	124	128	137	147	156
BETHEL-ASH WSC	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	659	637	625	620	616	616
BROWNSBORO	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	218	260	295	343	386	428
BRUSHY CREEK WSC	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	65	. 66	67	70	74	78
CHANDLER	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	877	877	877	877	877	877
FRANKSTON	I   CARRIZO-WILCOX AQUIFER   ANDERSON COUNTY	15	21	25	31	37	43
MURCHISON	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	93	91	89	88	88	. 88
VIRGINIA HILL WSC	C   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	280	280	279	280	279	273
R-P-M WSC	D   CARRIZO-WILCOX AQUIFER   VAN ZANDT COUNTY	38	. 37	37	38	38	39
R-P-M WSC	D   QUEEN CITY AQUIFER   VAN ZANDT COUNTY	36	35	35	36	36	36
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	1,044	958	. 891	863	838	818
COUNTY-OTHER	I   OTHER AQUIFER   HENDERSON COUNTY	539	539	539	539	539	. 539
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	78	78	78	79	87	96
MINING	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	54	54	54	54	54	54
MINING	I   OTHER AQUIFER   HENDERSON COUNTY	65	65	. 65	65	65	65
LIVESTOCK	I   ATHENS LAKE/RESERVOIR	1,547	1,474	1,416	1,341	951	700
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	360	360	360	360	360	360
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	770	770	770	770	770	770
LIVESTOCK	I   QUEEN CITY AQUIFER   HENDERSON COUNTY	188	188	188	188	188	188
IRRIGATION	C   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	50	51	60	71	68	63
IRRIGATION	C   DIRECT REUSE	32	. 32	32	32	32	. 32
IRRIGATION	C   TRINITY RUN-OF-RIVER	415	415	415	415	415	415

REGION I			EXISTING	SUPPLY (AC	RE-FEET PER	R YEAR)	
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
HENDERSON CO	· · · · · · · · · · · · · · · · · · ·	:					
NECHES BA							
IRRIGATION	I   ATHENS LAKE/RESERVOIR	168	160	154	146	103	76
IRRIGATION	I   PALESTINE LAKE/RESERVOIR	82	73	64	57	51	51
IRRIGATION	I   QUEEN CITY AQUIFER   HENDERSON COUNTY	25	25	25	25	25	25
	SIN TOTAL EXISTING SUPPLY	7,871	7,726	7,628	7,590	7,176	6,926
	UNTY TOTAL EXISTING SUPPLY	7,871	7,726	7,628	7,590	7,176	6,926
HOUSTON COUN NECHES BA							
	I   CARRIZO-WILCOX AQUIFER   HOUSTON	240	220	241	241	242	. 242
GRAPELAND	COUNTY COUNTY	240	239	241	241	242	242
GRAPELAND	I   HOUSTON COUNTY LAKE/RESERVOIR	. 45	45	45	45	45	44
THE CONSOLIDATED WSC	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	755	755	755	755	755	755
THE CONSOLIDATED WSC	I   HOUSTON COUNTY LAKE/RESERVOIR	227	224	221	218	214	211
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	10	10	10	10	10	10
COUNTY-OTHER	I OTHER AQUIFER   HOUSTON COUNTY	5	5	. 5	5	5	. 5
COUNTY-OTHER	I   SPARTA AQUIFER   HOUSTON COUNTY	30	30	30	30	30	30
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	24	24	24	24	24	24
MINING	I   OTHER AQUIFER   HOUSTON COUNTY	113	89	65	42	18	8
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	4	4	4	. 4	4	4
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	1,007	1,007	1,007	1,007	1,007	1,007
LIVESTOCK	I   OTHER AQUIFER   HOUSTON COUNTY	14	14	. 14	14	14	14
LIVESTOCK	I   QUEEN CITY AQUIFER   HOUSTON COUNTY	14	14	14	14	14	14
LIVESTOCK	I   SPARTA AQUIFER   HOUSTON COUNTY	29	29	29	29	29	29
IRRIGATION	I   NECHES RUN-OF-RIVER	287	_287	287	287	287	287
IRRIGATION	I   OTHER AQUIFER   HOUSTON COUNTY	50	50	50	50	50	50
NECHES BA	SIN TOTAL EXISTING SUPPLY	2,854	2,826	2,801	2,775	2,748	2,734
TRINITY BA						÷	1
CROCKETT	I   HOUSTON COUNTY LAKE/RESERVOIR	2,008	1,995	1,981	1,968	1,952	1,934
GRAPELAND	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	369	370	368	368	367	367
GRAPELAND	I   HOUSTON COUNTY LAKE/RESERVOIR	70	69	68	68	67	67
LOVELADY	I   HOUSTON COUNTY LAKE/RESERVOIR	35	34	34	34	34	33
LOVELADY	I   YEGUA-JACKSON AQUIFER   HOUSTON COUNTY	201	201	201	201	201	201
THE CONSOLIDATED WSC	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	1,329	1,329	1,329	1,329	1,329	1,329
THE CONSOLIDATED WSC	I   HOUSTON COUNTY LAKE/RESERVOIR	617	608	599	592	582	574
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	. 94	94	94	94	94	94
COUNTY-OTHER	I   HOUSTON COUNTY LAKE/RESERVOIR	86	80	78	77	77	76
COUNTY-OTHER	I   OTHER AQUIFER   HOUSTON COUNTY	100	100	. 100	100	100	100

REGION I			EXISTING	SUPPLY (ACI	RE-FEET PER	YEAR)	· · · · · · · · · · · · · · · · · · ·
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
HOUSTON COUN	TY				, L		
TRINITY BA	SIN						
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   HOUSTON COUNTY	50	50	50	50	50	. 50
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	1,8	18	18	18	. 18	18
MANUFACTURING	I   HOUSTON COUNTY LAKE/RESERVOIR	301	331	360	385	417	451
MINING	I   OTHER AQUIFER   HOUSTON COUNTY	209	165	122	. 77	33	14
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	244	351	466	591	726	899
LIVESTOCK	I   OTHER AQUIFER   HOUSTON COUNTY	55	55	55	55	55	55
LIVESTOCK	I   QUEEN CITY AQUIFER   HOUSTON COUNTY	13	13	13	13	13	13
LIVESTOCK	I   SPARTA AQUIFER   HOUSTON COUNTY	75	75	75	75	75	75
LIVESTOCK	I   TRINITY LIVESTOCK LOCAL SUPPLY	783	783	783	783	783	783
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	38	38	38	38	38	38
IRRIGATION	I   OTHER AQUIFER   HOUSTON COUNTY	6	6	6	. 6	6	6
IRRIGATION	I   QUEEN CITY AQUIFER   HOUSTON COUNTY	. 50	50	50	50	50	50
IRRIGATION	I   SPARTA AQUIFER   HOUSTON COUNTY	25	25	25	. 25	25	25
IRRIGATION	I   TRINITY RUN-OF-RIVER	1,783	1,783	1,783	1,783	1,783	1,783
TRINITY BA	SIN TOTAL EXISTING SUPPLY	8,559	8,623	8,696	8,780	8,875	9,035
HOUSTON COUN	TY TOTAL EXISTING SUPPLY	11,413	11,449	11,497	11,555	11,623	11,769
JASPER COUNTY NECHES BA							
JASPER	I   GULF COAST AQUIFER   JASPER COUNTY	4,790	4,790	4,790	4,790	4,790	4,790
COUNTY-OTHER	I   GULF COAST AQUIFER   JASPER COUNTY	1,500	1,472	1,431	1,405	1,399	1,399
	I   GULF COAST AQUIFER   JASPER COUNTY	31,270	31,270	31,270	31,270	31,270	31,270
MANUFACTURING	I   NECHES RUN-OF-RIVER	616	616	616	616	616	616
MANUFACTURING	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	60,000	60,000	60,000	60,000	60,000	60,000
MINING	I   GULF COAST AQUIFER   JASPER COUNTY	70	55	41	27	13	
LIVESTOCK	I   GULF COAST AQUIFER   JASPER COUNTY	115	115	115	. 115	115	115
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	332	332	332	332	332	332
IRRIGATION	I   NECHES RUN-OF-RIVER	81	81	81	81	81	81
NECHES BA	SIN TOTAL EXISTING SUPPLY	98,774	98,731	98,676	98,636	98,616	98,610
SABINE BAS	SIN				· ·		<del></del>
JASPER COUNTY WCID #1	I   GULF COAST AQUIFER   JASPER COUNTY	1,073	1,073	1,073	1,073	1,073	1,073
KIRBYVILLE	I   GULF COAST AQUIFER   JASPER COUNTY	584	584	584	584	584	584
MAURICEVILLE SUD	I   GULF COAST AQUIFER   ORANGE COUNTY	73	73.	71	69	68	68
COUNTY-OTHER	I   GULF COAST AQUIFER   JASPER COUNTY	1,159	1,183	1,233	1,259	1,265	1,265
MANUFACTURING	I   GULF COAST AQUIFER   JASPER COUNTY	50	50	50	50	50	. 50
MINING	I   GULF COAST AQUIFER   JASPER COUNTY	78	63	47	31	15	· · · · · · · · · · · · · · · · · · ·
LIVESTOCK	I   GULF COAST AQUIFER   JASPER COUNTY	134	134	134	134	134	134
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	215	215	215	215	215	21:
IRRIGATION	I   NECHES RUN-OF-RIVER	46	46	46	46	46	46
SABINE BAS	SIN TOTAL EXISTING SUPPLY	3,412	3,421	3,453	3,461	3,450	3,442

REGION I			EXISTING	SUPPLY (ACI	RE-FEET PER	YEAR)	*
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
JASPER COUNTY	TOTAL EXISTING SUPPLY	102,186	102,152	102,129	102,097	102,066	102,052
JEFFERSON COU NECHES BA					*		
BEAUMONT	I   GULF COAST AQUIFER   HARDIN COUNTY	3,211	3,211	3,211	3,211	3,211	3,211
BEAUMONT .	I   NECHES RUN-OF-RIVER	4,358	4,392	4,442	4,903	5,442	5,933
BEAUMONT	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	2,466	2,863	3,137	2,754	2,299	1,892
PORT ARTHUR	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	60 .	. 60	59	59	59	59
BEVIL OAKS	I   GULF COAST AQUIFER   JEFFERSON COUNTY	135	137	139	147	. 157	169
CHINA	I   GULF COAST AQUIFER   JEFFERSON COUNTY	. 3	3	3	3	4	4
GROVES	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	. 70	67	65	64	64	64
JEFFERSON COUNTY WCID #10	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	75	76	78	81	87	93
MEEKER MUD	I   GULF COAST AQUIFER   JEFFERSON COUNTY	127	128	128	128	133	139
MEEKER MUD	I   NECHES RUN-OF-RIVER	1	1	. 1	1	1	2
NEDERLAND	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	87	89	92	97	· 104	111
NOME	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	48	49	51	53	57	61
PORT NECHES	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	742	752	770	807	862	926
COUNTY-OTHER	I   GULF COAST AQUIFER   JEFFERSON COUNTY	2	2	2	2	1	. 1
COUNTY-OTHER	I   NECHES RUN-OF-RIVER	123	132	141	119	102	89
COUNTY-OTHER	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	. 18	19	. 19	20	21	23
MANUFACTURING	I   GULF COAST AQUIFER   HARDIN COÚNTY	10	10	10	10	10	10
MANUFACTURING	I   GULF COAST AQUIFER   JEFFERSON COUNTY	80	80	. 80	80	80	80
MANUFACTURING	I   NECHES RUN-OF-RIVER	121,326	126,064	126,079	126,100	126,123	126,146
MANUFACTURING	I   SABINE RUN-OF-RIVER	582	582	582	582	582	582
MANUFACTURING	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	4,324	51,094	58,470	65,828	73,187	80,841
MINING	I   GULF COAST AQUIFER   JEFFERSON COUNTY	18	33	51	84	107	133
MINING	I   NECHES OTHER LOCAL SUPPLY	110	110	110	110	110	110
STEAM ELECTRIC POWER		0	0	0	0	0	(
LIVESTOCK	I   GULF COAST AQUIFER   JEFFERSON COUNTY	75	75	75	75	75	75
IRRIGATION	I   NECHES RUN-OF-RIVER	9,800	9,800	9,800	9,800	9,800	9,800
IRRIGATION	I   NECHES-TRINITY INDIRECT REUSE	958	958	958	958	958	958
IRRIGATION	I   NECHES-TRINITY RUN-OF-RIVER	3,832	3,832	3,832	3,832	3,832	3,832
NECHES BA	SIN TOTAL EXISTING SUPPLY	152,641	204,619	212,385	219,908	227,468	235,344
NECHES-TR	UNITY BASIN				*.		
BEAUMONT	I   GULF COAST AQUIFER   HARDIN COUNTY	6,289	6,289	6,289	6,289	6,289	6,289
BEAUMONT	I   NECHES RUN-OF-RIVER	8,536	8,602	8,701	9,602	10,660	11,622
BEAUMONT	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	4,829	5,606	6,143	5,394	4,502	3,70
PORT ARTHUR	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	19,745	19,715	19,489	19,442	19,423	19,422
CHINA	I   GULF COAST AQUIFER   JEFFERSON COUNTY	140	143	147	155	164	177

REGION I			EXISTING	SUPPLY (AC	RE-FEET PER	YEAR)	
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
JEFFERSON COU							,
NECHES-TR	INITY BASIN						
GROVES	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	2,168	2,093	2,029	2,005	1,999	1,999
JEFFERSON COUNTY WCID #10	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	373	377	385	404	430	462
MEEKER MUD	I   GULF COAST AQUIFER   JEFFERSON COUNTY	381	380	380	380	395	415
MEEKER MUD	I   NECHES RUN-OF-RIVER	3	3	4	4	4	
NEDERLAND	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	2,317	2,375	2,454	2,585	2,761	2,966
NOME	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	27	28	29	31	33	35
PORT NECHES	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	686	695	711	746	796	854
WEST JEFFERSON COUNTY MWD	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	741	752	772	809	863	927
COUNTY-OTHER	I   GULF COAST AQUIFER   JEFFERSON COUNTY	48	48	48	48	49	49
COUNTY-OTHER	I   NECHES RUN-OF-RIVER	2,386	3,049	3,798	3,625	3,428	3,220
COUNTY-OTHER	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	360	428	512	613	726	853
MANUFACTURING	I   GULF COAST AQUIFER   HARDIN COUNTY	10	10	10	10	10	10
MANUFACTURING	I   GULF COAST AQUIFER   JEFFERSON COUNTY	. 1	1	1	1	1	
MANUFACTURING	I   NECHES RUN-OF-RIVER	111,992	116,365	116,380	116,399	116,423	116,442
MANUFACTURING	I   SABINE RUN-OF-RIVER	538	538	538	538	538	538
MANUFACTURING	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	3,934	47,104	53,915	60,707	67,499	74,564
MINING	I   GULF COAST AQUIFER   JEFFERSON COUNTY	32	39	49	66	78	9:
MINING	I   NECHES-TRINITY RUN-OF-RIVER	34	34	. 34	34	34	34
LIVESTOCK	I   GULF COAST AQUIFER   JEFFERSON COUNTY	131	131	· 131	131	131	13
LIVESTOCK	I   NECHES-TRINITY LIVESTOCK LOCAL SUPPLY	800	800	. 800	800	800	800
IRRIGATION	I   NECHES RUN-OF-RIVER	130,200	130,200	130,200	130,200	130,200	130,200
IRRIGATION	I   NECHES-TRINITY INDIRECT REUSE	12,729	12,729	12,729	12,729	12,729	12,729
IRRIGATION	I   NECHES-TRINITY RUN-OF-RIVER	50,914	50,914	50,914	50,914	50,914	50,914
NECHES-TR	INITY BASIN TOTAL EXISTING SUPPLY	360,344	409,448	417,592	424,661	431,879	439,459
JEFFERSON COU	UNTY TOTAL EXISTING SUPPLY	512,985	614,067	629,977	644,569	659,347	674,803
NACOGDOCHES NECHES BA				•			
NACOGDOCHES	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	1,889	2,101	2,326	2,588	2,891	3,219
NACOGDOCHES	I   NACOGDOCHES LAKE/RESERVOIR	4,853	5,275	5,701	6,193	6,747	7,320
APPLEBY WSC	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	873	873	874	874	876	96:
APPLEBY WSC	I   NACOGDOCHES LAKE/RESERVOIR	67	67	66	66	65	6:
CUSHING	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	229	. 229	229	229	229	225
GARRISON	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	565	565	565	565	565	56:
LILLY GROVE SUD	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	761	761	761	761	761	76
SWIFT WSC	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	666	666	666	. 666	. 666	666
D&M WSC	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	1,008	1,009	1,011	1,012	1,013	1,01

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070		
NACOGDOCHES	COUNTY			I			•		
NECHES BAS	SIN					4			
D&M WSC	I   NACOGDOCHES LAKE/RESERVOIR-	186	185	183	182	181	179		
MELROSE WSC	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	781	782	782	782	782	782		
MELROSE WSC	1   NACOGDOCHES LAKE/RESERVOIR	27	26	. 26	26	26	26		
	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	770	770	770	770	770	770		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	655	764	897	1,040	1,190	1,351		
COUNTY-OTHER	I   NACOGDOCHES LAKE/RESERVOIR	48	48	48	48	48	48		
COUNTY-OTHER	I   OTHER AQUIFER   NACOGDOCHES COUNTY	79	79	79	79	79	79		
	I   QUEEN CITY AQUIFER   NACOGDOCHES COUNTY	221	221	. 221	221	221	221		
COUNTY-OTHER	I   SPARTA AQUIFER   NACOGDOCHES COUNTY	156	156	156	156	156	156		
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   NACOGDOCHES COUNTY	26	26	26	26	. 26	26		
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	718	797	878	951	1,045	1,147		
MANUFACTURING	I   NACOGDOCHES LAKE/RESERVOIR	1,846	2,001	2,151	2,277	2,438	2,611		
MANUFACTURING	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	10,000	10,000	10,000	10,000	10,000	10,000		
MINING	I   HOUSTON COUNTY LAKE/RESERVOIR	0	0	0	0	0	0		
MINING	I   NECHES OTHER LOCAL SUPPLY	494	494	494	494	494	494		
MINING .	I   OTHER AQUIFER   NACOGDOCHES COUNTY	1,031	1,031	1,031	1,031	1,031	1,031		
STEAM ELECTRIC POWER	I   HOUSTON COUNTY LAKE/RESERVOIR	0	0	0	0	. 0	. 0		
STEAM ELECTRIC POWER	I   STRIKER LAKE/RESERVOIR	7,280	7,280	7,280	7,280	7,280	7,280		
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	229	229	229	229	229	229		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	2,386	2,386	2,386	2,386	2,386	2,386		
LIVESTOCK	I   OTHER AQUIFER   NACOGDOCHES COUNTY	21	21	21	21	21	21		
LIVESTOCK	I   QUEEN CITY AQUIFER   NACOGDOCHES COUNTY	84	84	84	84	84	. 84		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	373	373	373	373	373	373		
IRRIGATION	I   NECHES RUN-OF-RIVER	136	136	136	136	136	136		
NECHES BAS	SIN TOTAL EXISTING SUPPLY	38,458	39,435	40,450	41,546	42,809	44,241		
	COUNTY TOTAL EXISTING SUPPLY	38,458	39,435	40,450	41,546	42,809	44,241		
NEWTON COUNT SABINE BAS									
MAURICEVILLE SUD	I   GULF COAST AQUIFER   ORANGE COUNTY	68	65	64	62	62	61		
NEWTON	I   GULF COAST AQUIFER   NEWTON COUNTY	483	483	483	483	483	483		
SOUTH NEWTON WSC	I   GULF COAST AQUIFER   NEWTON COUNTY	321	321	321	321	321	321		
COUNTY-OTHER	I   GULF COAST AQUIFER   NEWTON COUNTY	1,425	1,425	1,425	1,425	1,425	1,425		
MANUFACTURING	I   GULF COAST AQUIFER   NEWTON COUNTY	433	509	586	656	723	796		
MANUFACTURING	I   SABINE RUN-OF-RIVER	135	135	135	135	135	135		
MINING	I   GULF COAST AQUIFER   NEWTON COUNTY	156	156	· 156	156	156	156		
MINING	I   SABINE OTHER LOCAL SUPPLY	158	158	158	158	158	158		

REGION I		:	EXISTING	SUPPLY (ACI	RE-FEET PER	YEAR)	*******
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
NEWTON COUNT	TY .			······		<u> </u>	
SABINE BAS	IN						
STEAM ELECTRIC POWER	I   SABINE RUN-OF-RIVER	13,442	13,442	13,442	13,442	13,442	13,442
LIVESTOCK	I   GULF COAST AQUIFER   NEWTON COUNTY	104	104	104	104	104	104
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	. 155	155	155	. 155	155	155
IRRIGATION	I   GULF COAST AQUIFER   NEWTON COUNTY	330	330	330	330	330 .	330
IRRIGATION	I   SABINE RUN-OF-RIVER	50	50	50	50	50	50
SABINE BAS	IN TOTAL EXISTING SUPPLY	17,260	17,333	17,409	17,477	17,544	17,616
NEWTON COUNT	TY TOTAL EXISTING SUPPLY	17,260	17,333	17,409	17,477	17,544	17,616
ORANGE COUNT NECHES BAS						-	
PORT ARTHUR	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	2	2	2	2	2	2
BRIDGE CITY	I   GULF COAST AQUIFER   ORANGE COUNTY	117	117	117	117	117	117
MAURICEVILLE SUD	I   GULF COAST AQUIFER   ORANGE COUNTY	121	121	120	120	121	122
ROSE CITY	I   GULF COAST AQUIFER   ORANGE COUNTY	106	106	106	106	106	106
ROSE CITY	I   SABINE RUN-OF-RIVER	478	478	478	478	478	478
VIDOR	I   GULF COAST AQUIFER   ORANGE COUNTY	1,819	1,854	1,873	1,900	1,925	1,945
ORANGEFIELD WSC	I   GULF COAST AQUIFER   ORANGE COUNTY	188	192	195	197	199	201
COUNTY-OTHER	I   GULF COAST AQUIFER   ORANGE COUNTY	1,608	1,593	1,636	1,664	1,684	1,701
MANUFACTURING	I   GULF COAST AQUIFER   ORANGE COUNTY	1,289	1,320	1,320	1,320	1,320	1,320
MINING	I   GULF COAST AQUIFER   ORANGE COUNTY	149	149	149	149	149	147
STEAM ELECTRIC POWER	I   GULF COAST AQUIFER   ORANGE COUNTY	1,310	1,310	1,310	1,310	1,310	1,310
STEAM ELECTRIC POWER	I   SABINE RUN-OF-RIVER 7	4,481	4,481	4,481	4,481	4,481	4,481
LIVESTOCK	I   GULF COAST AQUIFER   ORANGE COUNTY	114	114	. 114	114	114	114
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	56	56	56	56	56	56
IRRIGATION	·	0	0	0	0	. 0	C
NECHES BA	SIN TOTAL EXISTING SUPPLY	11,838	11,893	11,957	12,014	12,062	12,100
NECHES-TR	INITY BASIN						
BRIDGE CITY	I   GULF COAST AQUIFER   ORANGE COUNTY	90	90	90	. 90	90	90
COUNTY-OTHER	I   GULF COAST AQUIFER   ORANGE COUNTY	4	4	4	4	4	4
NECHES-TR	INITY BASIN TOTAL EXISTING SUPPLY	94	94	94	94	94	94
SABINE BAS	IN						
BRIDGE CITY	I   GULF COAST AQUIFER   ORANGE COUNTY	540	540	540	540	540	540
MAURICEVILLE SUD	I   GULF COAST AQUIFER   ORANGE COUNTY	1,425	1,428	1,432	1,436	1,436	1,436
ORANGE	I   GULF COAST AQUIFER   ORANGE COUNTY	2,619	2,638	2,639	2,657	2,689	2,717
PINEHURST	I   GULF COAST AQUIFER   ORANGE COUNTY	282	283	284	289	292	295
SOUTH NEWTON WSC	I   GULF COAST AQUIFER   ORANGE COUNTY	100	104	107	109	111	112
VIDOR	I   GULF COAST AQUIFER   ORANGE COUNTY	433	441	446	452	458	463
WEST ORANGE	I   GULF COAST AQUIFER   ORANGE COUNTY	552	557	562	572	580	586
ORANGEFIELD WSC	I   GULF COAST AQUIFER   ORANGE COUNTY	293	299	304	308	311	315
	·	4L					

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070		
ORANGE COUNT	Y								
SABINE BAS	IN								
COUNTY-OTHER	I   GULF COAST AQUIFER   ORANGE COUNTY	1,287	1,275	1,310	1,331	1,347	1,361		
MANUFACTURING	I   GULF COAST AQUIFER   ORANGE COUNTY	4,649	4,649	4,649	4,649	4,650	4,604		
MANUFACTURING	I   SABINE RUN-OF-RIVER	55,960	55,960	55,960	55,960	55,960	55,960		
MANUFACTURING	I   TOLEDO BEND LAKE/RESERVOIR	31	31	31	31	31	. 31		
MINING	I   GULF COAST AQUIFER   ORANGE COUNTY	0	0	0	0	0	2		
MINING	I   SABINE OTHER LOCAL SUPPLY	178	178	178	178	178	178		
LIVESTOCK	I   GULF COAST AQUIFER   ORANGE COUNTY	114	114	114	114	114	114		
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	42	42	42	42	42	42		
IRRIGATION	I   DIRECT REUSE	15	. 15	15	15	15	15		
IRRIGATION	I   SABINE RUN-OF-RIVER	1,283	1,283	1,283	1,283	1,283	1,283		
SABINE BAS	SIN TOTAL EXISTING SUPPLY	69,803	69,837	69,896	69,966	70,037	70,054		
	TY TOTAL EXISTING SUPPLY	81,735	81,824	81,947	82,074	82,193	82,248		
PANOLA COUNT CYPRESS BA	• =					 <u></u>			
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	6	. 6	6	6	6	6		
MINING	I   MURVAUL LAKE/RESERVOIR	4	4	3	2	2	2		
MINING	I   TOLEDO BEND LAKE/RESERVOIR	4	4	4	· 4	6	. 6		
LIVESTOCK	I   CYPRESS LIVESTOCK LOCAL SUPPLY	30	30	30	30	30	30		
CYPRESS BA	ASIN TOTAL EXISTING SUPPLY	44	44	43	42	44	44		
SABINE BAS	IN			,					
CARTHAGE	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	49	49	. 49	49	49	49		
CARTHAGE	I   MURVAUL LAKE/RESERVOIR	1,601	1,602	1,595	1,599	1,610	1,621		
BECKVILLE	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	581	581	581	581	581	581		
GILL WSC	D   CARRIZO-WILCOX AQUIFER   HARRISON COUNTY	126	126	126	126	126	126		
GILL WSC	D   O' THE PINES LAKE/RESERVOIR	33	33	33	33	.33	33		
TATUM	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	65	75	81	87	92	96		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	1,503	1,503	1,503	1,503	1,503	1,503		
COUNTY-OTHER	I   MURVAUL LAKE/RESERVOIR	291	291	291	291	291	291		
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	266	267	. 268	269	271	273		
MANUFACTURING	I   MURVAUL LAKE/RESERVOIR	879	917	955	987	1,052	1,081		
MANUFACTURING	I   SABINE RUN-OF-RIVER	114	114	114	114	114	114		
MINING	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	1,489	1,489	1,489	1,489	1,489	1,489		
MINING	I   MURVAUL LAKE/RESERVOIR	3,546	3,511	3,026	2,559	2,170	2,361		
MINING	I   SABINE RUN-OF-RIVER	296	296	296	296	296	296		
MINING	I   TOLEDO BEND LAKE/RESERVOIR	3,896	4,196	4,496	4,496	5,494	5,494		
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	416	416	416	416	416	410		
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	1,224	1,224	1,224	1,224	1,224	1,224		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	383	383	383	. 383	383	383		

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME		2030	2040	2050	2060	2070		
PANOLA COUNT SABINE BAS									
IRRIGATION	I   SABINE RUN-OF-RIVER	191	191	191	191	191	191		
SABINE BAS	IN TOTAL EXISTING SUPPLY	16,949	17,264	17,117	16,693	17,385	17,622		
	Y TOTAL EXISTING SUPPLY	16,993	17,308	17,160	16,735	17,429	17,666		
POLK COUNTY NECHES BA	SIN								
CORRIGAN	I   OTHER AQUIFER   POLK COUNTY	292	292	292	292	292	292		
COUNTY-OTHER	I   GULF COAST AQUIFER   POLK COUNTY	583	637	680	722	763	797		
COUNTY-OTHER	I   OTHER AQUIFER   POLK COUNTY	160	160	160	160	160	160		
MANUFACTURING	I   GULF COAST AQUIFER   POLK COUNTY	166	249	336	416	486	562		
MANUFACTURING	I   OTHER AQUIFER   POLK COUNTY	447	447	447	447	447	447		
MINING	I   GULF COAST AQUIFER   POLK COUNTY	83	83	83	83	83	83		
MINING	I   NECHES OTHER LOCAL SUPPLY	20	20	20	20	20	20		
MINING	I   OTHER AQUIFER   POLK COUNTY	83	83	83	83	83	83		
LIVESTOCK	I   GULF COAST AQUIFER   POLK COUNTY	231	231	231	231	231	231		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	396	396	396	396	396	396		
LIVESTOCK	I   OTHER AQUIFER   POLK COUNTY	1	1	1	1	1	` 1		
LIVESTOCK	I   YEGUA-JACKSON AQUIFER   POLK COUNTY	6	6	6	6	6			
IRRIGATION	I   GULF COAST AQUIFER   POLK COUNTY	769	769	769	. 769	769	769		
NECHES BA	SIN TOTAL EXISTING SUPPLY	3,237	3,374	3,504	3,626	3,737	3,847		
POLK COUNTY	TOTAL EXISTING SUPPLY	3,237	3,374	3,504	3,626	3,737	3,847		
RUSK COUNTY		*.				· · · · ·			
NECHES BA						<u></u>	<del></del>		
HENDERSON	D   FORK LAKE/RESERVOIR	3,470	3,469	3,470	3,470	3,470	3,470		
HENDERSON	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	2,466	2,466	2,466	2,466	2,466	2,466		
HENDERSON	I STRIKER LAKE/RESERVOIR	0	0	0	0	0			
NEW LONDON	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	333	333	333	333	333	333		
OVERTON	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	100	100	100	100	100	100		
WRIGHT CITY WSC	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	84	84	84	84	84	. 85		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	2,446	2,446	2,446	2,446	2,446	2,446		
COUNTY-OTHER	I   OTHER AQUIFER   RUSK COUNTY	. 4	4	4	4	4	4		
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	. 333	357	377	395	422	450		
MANUFACTURING	I   NECHES RUN-OF-RIVER	2	. 2	2	2	. 2	2		
MINING	I   OTHER AQUIFER   RUSK COUNTY	270	270	270	270	270	270		
MINING	I   SABINE OTHER LOCAL SUPPLY	210	0	0	0	0	. 0		
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	156	156	156	156	. 156	156		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	808	808	808	808	808	808		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	215	215	215	215	215	. 215		
IRRIGATION	I   NECHES RUN-OF-RIVER	86	· 86	86	86	86	86		
NECHES BA	SIN TOTAL EXISTING SUPPLY	10,983	10,796	10,817	10,835	10,862	10,891		
SABINE BAS	IN								
EASTON	I   CHEROKEE LAKE/RESERVOIR	4	5	5	6	6	7		

REGION I			EXISTING	SUPPLY (AC	RE-FEET PER	YEAR)	
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070
RUSK COUNTY SABINE BAS	SIN						
ELDERVILLE WSC	D   FORK LAKE/RESERVOIR	97	97	97	97	97	96
ELDERVILLE WSC	I   CHEROKEE LAKE/RESERVOIR	95	96	96	96	95	94
HENDERSON	D   FORK LAKE/RESERVOIR	603	604	603	603	603	603
HENDERSON	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	400	400	400	400	400	400
HENDERSON	I   SABINE RUN-OF-RIVER	10	10	10	10	10	10
HENDERSON	I   STRIKER LAKE/RESERVOIR	0	0	0	0	0	(
KILGORE	D   CARRIZO-WILCOX AQUIFER   GREGG COUNTY	365	370	370	369	366	361
KILGORE	D   FORK LAKE/RESERVOIR	506	841	841	839	832	821
NEW LONDON	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	268	268	268	268	268	268
OVERTON	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	578	578	578	578	578	578
TATUM	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	358	348	342	336	336	367
WEST GREGG SUD	D   CARRIZO-WILCOX AQUIFER   GREGG COUNTY	27	28	28	27	27	27
CHALK HILL SUD	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	1,043	1,043	1,043	1,043	1,043	1,043
CROSS ROADS SUD	D   FORK LAKE/RESERVOIR	248	248	249	249	. 248	248
CROSS ROADS SUD	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	397	. 398	399	399	398	397
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	1,800	1,800	1,800	1,800	1,800	1,800
COUNTY-OTHER	I   OTHER AQUIFER   RUSK COUNTY	81	81	81	81	81	81
MANUFACTURING	D   FORK LAKE/RESERVOIR	1	1	1	1	- 1	1
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	13	14	15	15	16	18
MINING	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	· 201	201	201	201	201	201
MINING	I   OTHER AQUIFER   RUSK COUNTY	214	214	214	214	214	214
MINING	I   SABINE OTHER LOCAL SUPPLY	1,020	. 1,230	1,230	1,230	1,230	1,230
STEAM ELECTRIC POWER	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	1,279	1,279	1,279	. 1,279	1,279	1,279
STEAM ELECTRIC POWER	I   MARTIN LAKE/RESERVOIR	25,000	25,000	25,000	25,000	25,000	25,000
STEAM ELECTRIC POWER	I   TOLEDO BEND LAKE/RESERVOIR	17,922	17,922	17,922	17,922	17,922	17,922
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	224	232	241	252	262	262
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	308	308	308	308	308	308
IRRIGATION	I   OTHER AQUIFER   RUSK COUNTY	170	170	170	170	170	170
IRRIGATION	I   SABINE RUN-OF-RIVER	127	127	127	127	127	12
SABINE BAS	SIN TOTAL EXISTING SUPPLY	53,359	53,913	53,918	53,920	53,918	53,93
RUSK COUNTY	FOTAL EXISTING SUPPLY	64,342	64,709	64,735	64,755	64,780	64,824
SABINE COUNTY NECHES BA		٠					
PINELAND	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	88	88	88	88	88	8
G M WSC	I   TOLEDO BEND LAKE/RESERVOIR	100	100	100	100	100	100
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	85	85	85	. 85	85	8:
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	10	10	10	10	10	10
COUNTY-OTHER	I   SPARTA AQUIFER   SABINE COUNTY	40	40	40	40	40	41
COUNTY-OTHER	I   TOLEDO BEND LAKE/RESERVOIR	29	28	29	29	29	2:

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)						
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070	
SABINE COUNTY NECHES BA	· ·	. "						
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   SABINE COUNTY	59	59	59	59	59	59	
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	45	45	45	45	45	45	
MANUFACTURING	I   DIRECT REUSE	20	20	20	20	. 20	20	
MANUFACTURING	I   NECHES RUN-OF-RIVER	182	182	. 182	182	182	182	
MANUFACTURING	I   YEGUA-JACKSON AQUIFER   SABINE COUNTY	600	600	. 600	600	600	600	
MINING	I   TOLEDO BEND LAKE/RESERVOIR	320	319	319	319	320	320	
MINING	I   YEGUA-JACKSON AQUIFER   SABINE COUNTY	44	44	44	44	44	44	
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	8	. 8	8	8	8	. 8	
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	71	71	71	71	71	71	
LIVESTOCK	I   SPARTA AQUIFER   SABINE COUNTY	3	3	3	3	3	3	
NECHES BA	SIN TOTAL EXISTING SUPPLY	1,704	1,702	1,703	1,703	1,704	1,704	
SABINE BAS	SIN	'		_				
HEMPHILL	I   TOLEDO BEND LAKE/RESERVOIR	743	743	743	743	743	743	
G M WSC	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	270	270	270	270	270	270	
G M WSC	I   TOLEDO BEND LAKE/RESERVOIR	126	127	127	. 127	127	127	
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	85	85	85	85	85	8.5	
COUNTY-OTHER	I   OTHER AQUIFER   SABINE COUNTY	3	3	3	3	3		
COUNTY-OTHER	I   TOLEDO BEND LAKE/RESERVOIR	450	451	450	450	450	450	
MINING	I   OTHER AQUIFER   SABINE COUNTY	234	234	234	234	234	234	
MINING	I   TOLEDO BEND LAKE/RESERVOIR	1,680	1,681	1,681	. 1,681	1,680	1,680	
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   SABINE COUNTY	. 3	3	3	3	3	3	
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	634	634	634	634	634	634	
LIVESTOCK	I   SPARTA AQUIFER   SABINE COUNTY	3	3	3	3	3		
LIVESTOCK	I   YEGUA-JACKSON AQUIFER   SABINE COUNTY	10	10	10	10	( 10	10	
SABINE BAS	SIN TOTAL EXISTING SUPPLY	4,241	4,244	4,243	4,243	4,242	4,242	
SABINE COUNTY	Y TOTAL EXISTING SUPPLY	5,945	5,946	5,946	5,946	5,946	5,940	
SAN AUGUSTINI		·						
NECHES BA	III SAN AUGUSTINE LAKE/RESERVOIR	519	517	517	617	517	617	
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	1	1	1	517	1	511	
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	428	428	428	428	428	428	
COUNTY-OTHER	I   GULF COAST AQUIFER   JASPER COUNTY	2	2	2	2	2	2	
COUNTY-OTHER	I   OTHER AQUIFER   SAN AUGUSTINE COUNTY	156	156	156	156	156	150	
COUNTY-OTHER	I   SAN AUGUSTINE LAKE/RESERVOIR	98	100	100	100	100	100	
COUNTY-OTHER	I   SPARTA AQUIFER   SAN AUGUSTINE COUNTY	79	79	79	79	79	79	
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   SABINE COUNTY	4	4	4	4	4		
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   SAN AUGUSTINE COUNTY	231	231	231	231	231	23	
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	. 17	17	17	17	17	. 1′	
MINING	I   OTHER AQUIFER   SAN AUGUSTINE COUNTY	1,230	1,230	1,230	1,230	1,230	1,230	
MINING	I   SAN AUGUSTINE LAKE/RESERVOIR	468	518	594	609	624	63:	


REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME		2030	2040	2050	2060	2070		
SAN AUGUSTIN	E COUNTY					<u> </u>			
NECHES BA	ASIN		;		*				
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	339	427	527	644	772	77:		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	465	465	465	465	465	46:		
LIVESTOCK	I   SPARTA AQUIFER   SAN AUGUSTINE COUNTY	12	12	12	12	12	12		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	. 56	56	56	56	56	50		
NECHES BA	SIN TOTAL EXISTING SUPPLY	4,105	4,243	4,419	4,551	4,694	4,70		
SABINE BA	SIN	`							
G M WSC	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	26	26	26	26	· 26	20		
G M WSC	I   TOLEDO BEND LAKE/RESERVOIR	50	50	50	50	50	51		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	88	88	88	88	88	8		
MINING	I   SAN AUGUSTINE LAKE/RESERVOIR	200	150	74	59	44	3:		
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	16	25	36	48	. 62	6.		
LIVESTOCK	I   OTHER AQUIFER   SAN AUGUSTINE COUNTY	9	9	9	9	9			
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	71	71	71	71	71	7		
LIVESTOCK	I   YEGUA-JACKSON AQUIFER   SAN AUGUSTINE COUNTY	9	9	9	. 9	9			
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   SAN AUGUSTINE COUNTY	. 6	6	6	6	6			
SABINE BA	SIN TOTAL EXISTING SUPPLY	475	434	369	366	365	35		
SAN AUGUSTIN	E COUNTY TOTAL EXISTING SUPPLY	4,580	4,677	4,788	4,917	5,059	5,059		
SHELBY COUNT NECHES BA									
TIMPSON	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	7	7	7	8	8			
COUNTY-OTHER	I   PINKSTON LAKE/RESERVOIR	152	157	161	168	175	18		
COUNTY-OTHER	I   TIMPSON LAKE/RESERVOIR	350	350	350	350	350	35		
MINING	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	483	483	483	483	483	- 48		
MINING	I   TOLEDO BEND LAKE/RESERVOIR	448	364	280	280	0			
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	108	108	108	108	108	10		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	334	334	334	.334	334	33		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	16	16	16.	. 16	16	. 1		
NECHES BA	ASIN TOTAL EXISTING SUPPLY	1,898	1,819	1,739	1,747	1,474	1,48		
SABINE BA	SIN		,	^					
CENTER	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	8	. 8	8	8	. 8	17		
CENTER	I   CENTER LAKE/RESERVOIR	306	324	340	357	375	36		
CENTER	I   PINKSTON LAKE/RESERVOIR	1,541	1,634	1,716	1,801	1,887	1,82		
JOAQUIN	I   TOLEDO BEND LAKE/RESERVOIR	183	188	193	201	208	21		
TENAHA	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	442	442	442	442	442	44		
TIMPSON	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	558	558	558	558	558	55		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	1,614	1,666	1,716	1,783	1,863	1,94		
COUNTY-OTHER	I   CENTER LAKE/RESERVOIR	30	31	32	33	35			
COUNTY-OTHER	I   TOLEDO BEND LAKE/RESERVOIR	180	175	170	162	155	14		
			175	175					

REGION I			EXISTING	SUPPLY (AC	RE-FEET PE	R YEAR)	
	SOURCE REGION   SOURCE NAME		2030	2040	2050	2060	2070
SHELBY COUNT SABINE BAS						,	
MANUFACTURING	I   CENTER LAKE/RESERVOIR	248	269	290	308	331	356
MANUFACTURING	I   DIRECT REUSE	151	164	177	188	202	217
MANUFACTURING	I   PINKSTON LAKE/RESERVOIR	1,247	1,354	1,460	1,555	1,670	1,792
MINING	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	1,242	1,242	1,242	1,242	1,242	1,243
MINING	I   TOLEDO BEND LAKE/RESERVOIR	1,152	936	720	720	0	(
LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   SHELBY COUNTY	458	458	458	458	458	458
LIVESTOCK	I   SABINE LIVESTOCK LOCAL SUPPLY	2,998	2,998	2,998	2,998	2,998	2,998
IRRIGATION	I   DIRECT REUSE	82	82	82	82	82	82
SABINE BAS	SIN TOTAL EXISTING SUPPLY	12,615	12,704	12,777	13,071	12,689	13,028
	Y TOTAL EXISTING SUPPLY	14,513	14,523	14,516	14,818	14,163	14,509
SMITH COUNTY NECHES BA				•			
TYLER	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	2,228	2,370	2,522	2,703	2,905	3,115
TYLER	I   PALESTINE LAKE/RESERVOIR	8,353	8,888	9,456	10,138	10,892	11,679
TYLER	I   TYLER LAKE/RESERVOIR	9,468	10,073	10,718	11,490	12,344	13,23
ARP	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	164	168	. 171	178	185	194
BULLARD	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	16	16	16	16	16	10
BULLARD	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	587	588	589	590	591	59
CRYSTAL SYSTEMS INC	D   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	165	158	138	105	50	(
CRYSTAL SYSTEMS INC	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	83	67	46	20	0	(
DEAN WSC	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	765	774	786	808	836	86
JACKSON WSC	D   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	197	207	218	234	253	274
LINDALE	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	424	424	424	424	424	424
LINDALE RURAL WSC	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	221	229	239	253	271	290
NEW CHAPEL HILL	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	237	246	255	266	277	289
NOONDAY	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	189	. 221	254	291	330	369
OVERTON	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	33	40	48	56	65	74
SOUTHERN UTILITIES COMPANY	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	5,957	6,134	6,343	6,628	6,970	7,330
SOUTHERN UTILITIES COMPANY	I   PALESTINE LAKE/RESERVOIR	130	134	138	145	152	160
SOUTHERN UTILITIES COMPANY	I   TYLER LAKE/RESERVOIR	147	152	157	164	172	18
TROUP	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	398	428	459	497	539	582
WHITEHOUSE	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	501	666	839	1,035	1,245	. 1,463
WHITEHOUSE ·	I   PALESTINE LAKE/RESERVOIR	- 311	311	311	311	311	31
WHITEHOUSE	I   TYLER LAKE/RESERVOIR	353	353	-353	353	353	353
R-P-M WSC	D   CARRIZO-WILCOX AQUIFER   VAN ZANDT COUNTY	· 16	15	15	14	14	10
R-P-M WSC	D   QUEEN CITY AQUIFER   VAN ZANDT COUNTY	15	14	14	13	14	14

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070		
SMITH COUNTY NECHES BAS	SIN								
WALNUT GROVE WSC	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	593	593	593	593	593	593		
WALNUT GROVE WSC	I   JACKSONVILLE LAKE/RESERVOIR	13	13	13	13	13	13		
WALNUT GROVE WSC	I   PALESTINE LAKE/RESERVOIR	623	623	623	623	623	623		
WALNUT GROVE WSC	I   TYLER LAKE/RESERVOIR	706	706	706	706	706	706		
WRIGHT CITY WSC	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	403	403	403	403	403	415		
COUNTY-OTHER	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	26	26	26	26	26	26		
COUNTY-OTHER	I   PALESTINE LAKE/RESERVOIR	100	100	100	. 100	100	100		
COUNTY-OTHER	I   QUEEN CITY AQUIFER   SMITH COUNTY	584	761	941	1,143	1,356	1,577		
COUNTY-OTHER	I   TYLER LAKE/RESERVOIR	113	113	· 113	113	113	113		
MANUFACTURING	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	616	648	678	704	740	779		
MANUFACTURING	I   OTHER AQUIFER   SMITH COUNTY	209	209	209	209	209	209		
MANUFACTURING	I   PALESTINE LAKE/RESERVOIR	1,380	1,499	1,614	1,711	1,844	1,988		
MANUFACTURING	I   TYLER LAKE/RESERVOIR	1,451	1,586	1,716	1,826	1,977	2,140		
MINING	I   OTHER AQUIFER   SMITH COUNTY	26	26	26	26	26	26		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	605	605	, 605	605	605	605		
LIVESTOCK	I   QUEEN CITY AQUIFER   SMITH COUNTY	510	510	510	510	510	510		
IRRIGATION	I   BELLWOOD LAKE/RESERVOIR	400	400	400	400 -	400	400		
IRRIGATION	I   CARRIZO-WILCOX AQUIFER   SMITH COUNTY	225	225	225	225	225	(		
IRRIGATION	I   NECHES RUN-OF-RIVER	50	50	50	50	50	50		
IRRIGATION	I   PALESTINE LAKE/RESERVOIR	487	. 478	469	462	456	456		
IRRIGATION	I   QUEEN CITY AQUIFER   SMITH COUNTY	324	365	406	446	487	753		
NECHES BAS	SIN TOTAL EXISTING SUPPLY	40,402	42,615	44,935	47,626	50,671	53,909		
SMITH COUNTY	TOTAL EXISTING SUPPLY	40,402	42,615	44,935	47,626	50,671	53,909		
TRINITY COUNT	Y			•					
NECHES BAS	SIN	. •	*	•			t		
	H   LIVINGSTON-WALLISVILLE LAKE/RESERVOIR SYSTEM	283	281	283	285	283	28:		
GROVETON	H   YEGUA-JACKSON AQUIFER   TRINITY COUNTY	29	30	, 29	28	29	3		
	H   LIVINGSTON-WALLISVILLE LAKE/RESERVOIR SYSTEM	435	436	436	436	435	430		
COUNTY-OTHER	I   YEGUA-JACKSON AQUIFER   TRINITY COUNTY	560	560	560	560	560	560		
MINING	H   YEGUA-JACKSON AQUIFER   TRINITY COUNTY	5	. 5	5	5	5			
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	449	449	449	449	` 449	449		
LIVESTOCK	I   YEGUA-JACKSON AQUIFER   TRINITY COUNTY	29	29	29	29	29	25		
IRRIGATION	I   NECHES RUN-OF-RIVER	62	- 62	. 62	62	62	62		
IRRIGATION	I   YEGUA-JACKSON AQUIFER   TRINITY COUNTY	108	108	108	108	108	10		
NECHES BAS	SIN TOTAL EXISTING SUPPLY	1,960	1,960	1,961	1,962	1,960	1,96		
TRINITY COUNT	Y TOTAL EXISTING SUPPLY	1,960	1,960	1,961	1,962	1,960	1,96		
TYLER COUNTY	•								
NECHES BAS COLMESNEIL	I   GULF COAST AQUIFER   TYLER COUNTY	355	355	355	355	355	35:		

REGION I		EXISTING SUPPLY (ACRE-FEET PER YEAR)							
	SOURCE REGION   SOURCE NAME	2020	2030	2040	2050	2060	2070		
TYLER COUNTY		I							
NECHES BA	SIN								
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	I   GULF COAST AQUIFER   TYLER COUNTY	5	5	5	5	5	. 5		
TYLER COUNTY WSC	I   GULF COAST AQUIFER   TYLER COUNTY	1,051	1,051	1,051	1,051	1,051	1,051		
WOODVILLE	I   GULF COAST AQUIFER   TYLER COUNTY	1,159	1,159	1,159	1,159	1,159	1,159		
WOODVILLE	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	4,762	4,762	4,762	4,762	4,762	4,762		
IVANHOE	I   GULF COAST AQUIFER   TYLER COUNTY	217	217	217	217	217	217		
IVANHOE NORTH	I   GULF COAST AQUIFER   TYLER COUNTY	217	217	217	217	217	217		
COUNTY-OTHER	I   GULF COAST AQUIFER   TYLER COUNTY	1,494	1,448	1,404	1,380	1,376	1,376		
MANUFACTURING	I   GULF COAST AQUIFER   TYLER COUNTY	476	483	. 490	496	501	506		
MINING	I   GULF COAST AQUIFER   TYLER COUNTY	229	229	229	229	229	229		
MINING	I   NECHES OTHER LOCAL SUPPLY	8	8	8	8	8	8		
STEAM ELECTRIC POWER	I   GULF COAST AQUIFER   TYLER COUNTY	191	191	191	191	191	191		
STEAM ELECTRIC POWER	I   SAM RAYBURN-STEINHAGEN LAKE/RESERVOIR SYSTEM	838	838	838	838	838	838		
LIVESTOCK	I   GULF COAST AQUIFER   TYLER COUNTY	75	75	75	75	75	75		
LIVESTOCK	I   NECHES LIVESTOCK LOCAL SUPPLY	239	239	239	239	239	239		
IRRIGATION	I   GULF COAST AQUIFER   TYLER COUNTY	- 559	559	559	559	559	559		
IRRIGATION	I   NECHES RUN-OF-RIVER	123	123	123	123	123	123		
NECHES BA	SIN TOTAL EXISTING SUPPLY	11,998	11,959	11,922	11,904	11,905	11,910		
TYLER COUNTY	TOTAL EXISTING SUPPLY	11,998	11,959	11,922	11,904	11,905	11,910		
	REGION I TOTAL EXISTING SUPPLY	1,027,695	1,134,166	1,154,625	1,174,320	1,194,601	1,216,723		

#### This page intentionally left blank



#### **Appendix 3-C**

## Desired Future Conditions and Modeled Available Groundwater Report

The TWDB Groundwater Resources Division's Groundwater Availability Modeling Section has prepared GAM Run reports for each Groundwater Management Area (GMA) in Texas. The ETRWPA falls within two of these GMAs, GMA 11 and GMA 14. The reports related to these two GMAs are provided in this appendix.

#### This page intentionally left blank

# GAM Run 10-016 MAG (VERSION 2): MODEL RUN FOR THE YEGUA-JACKSON, SPARTA, QUEEN CITY, AND CARRIZO-WILCOX AQUIFERS IN GROUNDWATER MANAGEMENT AREA 11

by Ian C. Jones, Ph.D., P.G., Jerry Shi, Ph.D., P.G., and Oliver Wade, P.G.


Texas Water Development Board

Groundwater Resources Division

Groundwater Availability Modeling Section

(512) 463-6641

June 7, 2012



The seal appearing on this document was authorized by Ian C. Jones, P.G. 477, on June 7, 2012.

This page is intentionally blank.

## GAM RUN 10-016 MAG (VERSION 2): MODEL RUN FOR THE YEGUA-JACKSON, SPARTA, QUEEN CITY, AND CARRIZO-WILCOX AQUIFERS IN GROUNDWATER MANAGEMENT AREA 11

by Ian C. Jones, Ph.D., P.G., Jerry Shi, Ph.D., P.G., and Wade Oliver, P.G.

Texas Water Development Board

Groundwater Resources Division

Groundwater Availability Modeling Section

(512) 463-6641

June 7, 2012

#### **EXECUTIVE SUMMARY:**

The modeled available groundwater for Groundwater Management Area 11 is summarized for the Carrizo-Wilcox (Table 1), Queen City (Table 2), Sparta (Table 3), and Yegua-Jackson (Table 4) aquifers. Modeled available groundwater values for these aquifers are also summarized by county (Table 5), regional planning area (Table 6), river basin (Table 7), and groundwater conservation district (Table 8). The pumping estimates are based on Groundwater Availability Modeling Task 10-009. This previously completed model simulation meets the desired future condition adopted by the members of Groundwater Management Area 11 of an overall average drawdown of 17 feet.

The modeled available groundwater within the groundwater conservation districts that reflects the desired future conditions adopted by Groundwater Management Area 11 declines from approximately 195,000 acre-feet per year in 2010 to 189,000 acre-feet per year in 2060 (Table 8). When areas outside of groundwater conservation districts are considered, the modeled available groundwater is approximately 559,000 acre-feet per year in 2010 and declines to 543,000 acre-feet per year in 2060.

The total modeled available groundwater for each aquifer in Groundwater Management Area 11, including areas outside a groundwater conservation district, is also summarized by groundwater conservation district for each decade between 2010 and 2060 (Tables 9 through 15).

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 4 of 28

#### **REQUESTOR:**

Ms. Monique Norman, General Counsel, and Mr. Len Luscomb, General Manager, of Rusk County Groundwater Conservation District on behalf of Groundwater Management Area 11.

#### **DESCRIPTION OF REQUEST:**

In a letter dated May 4th, 2010 and received by the Texas Water Development Board (TWDB) on May 6th, 2010, Ms. Norman and Mr. Luscomb provided the Texas Water Development Board (TWDB) with the desired future condition (DFC) of the Carrizo-Wilcox, Queen City, Sparta, and Yegua-Jackson aquifers within Groundwater Management Area 11. The desired future condition for the aquifers, as described in Resolution No. 1 and adopted April 13, 2010 by the groundwater conservation districts (GCDs) within Groundwater Management Area 11, is described below:

The Desired Future Condition is defined as allowing up to an average draw down of 17 feet that applies throughout [Groundwater Management Area] 11. ... The Desired Future Condition of 17 feet average drawdown is based on 178 individual drawdowns by aquifer and county.

#### **METHODS:**

The aquifers referred to above are covered by two groundwater availability models: one for the northern portion of the Carrizo-Wilcox, Queen City, and Sparta aquifers (Fryar and others, 2003; Kelley and others, 2004) and one for the Yegua-Jackson Aquifer (Deeds and others, 2010). The aquifers covered by each of the groundwater availability models are shown in Figures 1 and 2.

In the previously completed Groundwater Availability Modeling Task 10-009, both of these models were run and achieved the above desired future condition (Oliver, 2010). The pumping results for Groundwater Management Area 11 presented here, taken directly from the simulations documented in Oliver (2010), have been divided by county, regional water planning area, river basin, and groundwater conservation district. These areas are shown in Figure 3. See Oliver (2010) for a full description of the methods, assumptions, and results for the groundwater availability model run.

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 5 of 28

The model results presented in this report were extracted from all areas of the model representing the units of the Carrizo-Wilcox, Queen City, Sparta, and Yegua-Jackson aquifers. This includes some areas outside the "official" boundaries of the aquifers shown in the 2007 State Water Plan (TWDB, 2007). For this reason, the area over which the average drawdown that meets the desired future condition was calculated may reflect water of quality ranging from fresh to brackish and saline.

#### PARAMETERS AND ASSUMPTIONS:

#### Northern Portion of the Carrizo-Wilcox, Queen City, and Sparta Aquifers

The parameters and assumptions for the groundwater availability model run for the northern portion of the Carrizo-Wilcox, Queen City, and Sparta Aquifers are described below:

- Version 2.01 of the groundwater availability model for the northern portion of the Carrizo-Wilcox, Queen City, and Sparta Aquifers was used for this analysis.
   See Fryar and others (2003) and Kelley and others (2004) for assumptions and limitations of the groundwater availability model for the northern part of the Carrizo-Wilcox, Queen City, and Sparta Aquifers.
- The model includes eight layers, representing:
  - 1. Sparta Aquifer (Layer 1)
  - 2. Weches confining unit (Layer 2)
  - 3. Queen City Aquifer (Layer 3)
  - 4. Reklaw confining unit (Layer 4)
  - 5. Carrizo Aquifer (Layer 5)
  - 6. Upper Wilcox Aquifer (Layer 6)
  - 7. Middle Wilcox Aquifer (Layer 7)
  - 8. Lower Wilcox Aguifer (Layer 8)
- In the Sabine Uplift area, a portion of Layer 8, though active in the model, is outside the extent of the Lower Wilcox unit of the Carrizo-Wilcox Aquifer as described in Kelley and others (2004). Because of this, results for Layer 8 in

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 6 of 28

this area were not included when determining the average drawdown over Groundwater Management Area 11.

- Cells were assigned to individual counties and groundwater conservation districts as shown in the September 14, 2009 version of the cell assignment model grid for the northern portion of the Carrizo-Wilcox, Queen City, and Sparta aquifers.
- Recharge rates are based on average (1961 to 1990) precipitation (Kelley and others, 2004).

#### Yegua-Jackson Aquifer

The parameters and assumptions for the model run using the groundwater availability model for the Yegua-Jackson Aquifer are described below:

- Version 1.01 of the groundwater availability model for the Yegua-Jackson Aquifer was used for this analysis. See Deeds and others (2010) for assumptions and limitations of the groundwater availability model.
- The model includes five layers representing the Yegua-Jackson Aquifer and the overlying Catahoula unit.
- Cells were assigned to individual counties and groundwater conservation districts as shown in the March 23, 2010 version of the cell assignment model grid for the Yegua-Jackson Aquifer.
- The recharge used for the model run represents average recharge as described in Deeds and others (2010).

#### MODELED AVAILABLE GROUNDWATER AND PERMITTING:

As defined in Chapter 36 of the Texas Water Code, "modeled available groundwater" is the estimated average amount of water that may be produced annually to achieve a desired future condition. This is distinct from "managed available groundwater", which was a permitting value and accounted for the estimated use of the aquifer exempt from permitting. This change was made to reflect changes in statute by the 82<sup>nd</sup> Texas Legislature, effective September 1, 2011.

Groundwater conservation districts are required to consider modeled available groundwater, along with several other factors, when issuing permits in order to

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 7 of 28

manage groundwater production to achieve the desired future condition(s). The other factors districts must consider include annual precipitation and production patterns, the estimated amount of pumping exempt from permitting, existing permits, and a reasonable estimate of actual groundwater production under existing permits. The estimated amount of pumping exempt from permitting, which the TWDB is now required to develop after soliciting input from applicable groundwater conservation districts, will be provided in a separate report.

#### **RESULTS:**

The modeled available groundwater in Groundwater Management Area 11 from the Carrizo-Wilcox, Queen City, Sparta, and Yegua-Jackson aquifers that achieves the desired future condition declines from approximately 559,000 acre-feet per year in 2010 to 543,000 acre-feet per year in 2060. Tables 1 through 4 contain the estimates of total pumping for the Carrizo-Wilcox, Queen City, Sparta, and Yegua-Jackson aquifers, respectively. In these tables, results have been subdivided by county, regional water planning area, and river basin for use in the regional water planning process.

Tables 5 through 7 show the modeled available groundwater for all aquifers summarized by county, regional water planning area, and river basin, respectively, within Groundwater Management Area 11. The modeled available groundwater for all aquifers within and outside the groundwater conservation districts in Groundwater Management Area 11 are presented in Table 8. Tables 9 through 15 show the modeled available groundwater for each model layer—Lower Wilcox Formation, Middle Wilcox Formation, Upper Wilcox Formation, Carrizo Formation, Queen City Aquifer, Sparta Aquifer, and Yegua-Jackson Aquifer— within and outside the groundwater conservation districts in Groundwater Management Area 11.

#### LIMITATIONS:

The groundwater model used in completing this analysis is the best available scientific tool that can be used to meet the stated objective(s). To the extent that this analysis will be used for planning purposes and/or regulatory purposes related to pumping in the past and into the future, it is important to recognize the assumptions and limitations associated with the use of the results. In reviewing the use of models in environmental regulatory decision-making, the National Research Council (2007) noted:

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 8 of 28

"Models will always be constrained by computational limitations, assumptions, and knowledge gaps. They can best be viewed as tools to help inform decisions rather than as machines to generate truth or make decisions. Scientific advances will never make it possible to build a perfect model that accounts for every aspect of reality or to prove that a given model is correct in all respects for a particular regulatory application. These characteristics make evaluation of a regulatory model more complex than solely a comparison of measurement data with model results."

A key aspect of using the groundwater model to evaluate historic groundwater flow conditions includes the assumptions about the location in the aquifer where historic pumping was placed. Understanding the amount and location of historic pumping is as important as evaluating the volume of groundwater flow into and out of the district, between aquifers within the district (as applicable), interactions with surface water (as applicable), recharge to the aquifer system (as applicable), and other metrics that describe the impacts of that pumping. In addition, assumptions regarding precipitation, recharge, and streamflow are specific to a particular historic time period.

Because the application of the groundwater model was designed to address regional scale questions, the results are most effective on a regional scale. The TWDB makes no warranties or representations relating to the actual conditions of any aquifer at a particular location or at a particular time.

It is important for groundwater conservation districts to monitor groundwater pumping and overall conditions of the aquifer. Because of the limitations of the groundwater model and the assumptions in this analysis, it is important that the groundwater conservation districts work with the TWDB to refine this analysis in the future given the reality of how the aquifer responds to the actual amount and location of pumping now and in the future. Historic precipitation patterns also need to be placed in context as future climatic conditions, such as dry and wet year precipitation patterns, may differ and affect groundwater flow conditions.

#### REFERENCES:

Deeds, N.E., Yan, T., Singh, A., Jones, T.L., Kelley, V.A., Knox, P.R., Young, S.C., 2010, Groundwater availability model for the Yegua-Jackson Aquifer: Final report prepared for the Texas Water Development Board by INTERA, Inc., 582 p.

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 9 of 28

- Fryar, D., Senger, R., Deeds, N., Pickens, J., Jones, T., Whallon, A. J., and Dean, K. E., 2003, Groundwater Availability Model for the Northern Carrizo-Wilcox Aquifer: contract report to the Texas Water Development Board, 529 p.
- Kelley, V. A., Deeds, N. E., Fryar, D. G., and Nicot, J. P., 2004, Groundwater availability models for the Queen City and Sparta aquifers: contract report to the Texas Water Development Board, 867 p.
- National Research Council, 2007, Models in Environmental Regulatory Decision Making. Committee on Models in the Regulatory Decision Process, National Academies Press, Washington D.C., 287 p.
- Oliver, W., 2010, Texas Water Development Board, GAM Task 10-009 Model Run Report, 11 p.
- Texas Water Development Board, 2007, Water for Texas 2007—Volumes I-III; Texas Water Development Board Document No. GP-8-1, 392 p.

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 10 of 28

TABLE 1. MODELED AVAILABLE GROUNDWATER FOR THE CARRIZO-WILCOX AQUIFER IN GROUNDWATER MANAGEMENT AREA 11. RESULTS ARE IN ACRE-FEET PER YEAR AND ARE DIVIDED BY COUNTY, REGIONAL WATER PLANNING AREA, AND RIVER BASIN.

	ть		***************************************	***************************************	Yea	ar				
County	Region	Basin	2010	2020	2030	2040	2050	2060		
	*	Neches	4,393	4,393	4,393	4,393	4,393	4,393		
Anderson	I	Trinity	5,684	5,684	5,684	5,684	5,684	5,684		
Angelina	Ī	Neches	26,414	26,414	26,414	26,414	26,414	26,414		
Bowie	D	Sulphur	11,126	8,216	7,976	7,533	7,533	7,083		
Camp	D	Cypress	4,041	4,041	4,041	4,041	4,041	4,041		
Const	'n	Cypress	2,955	2,955	2,955	2,955	2,955	2,955		
Cass	D	Sulphur	578	578	578	578	578	578		
Cherokee	1	Neches	11,222	11,222	11,222	11,222	11,222	11,222		
100 a t.#1	'n	Cypress	7,794	7,736	7,736	7,736	7,736	7,736		
Franklin	D	Sulphur	1,952	1,748	1,748	1,748	1,748	1,748		
^	_	Cypress	820	820	820	820	820	820		
Gregg	D	Sabine	6,829	6,829	6,829	6,829	6,829	6,829		
TT	D	Cypress	4,892	4,873	4,839	4,787	4,772	4,728		
Harrison	D	Sabine	4,019	3,964	3,947	3,911	3,911	3,911		
Henderson	C	Trinity	5,254	5,187	5,187	5,187	5,187	5,187		
nenderson	I	Neches	3,999	3,999	3,999	3,999	3,999	3,999		
	D	Cypress	253	253	253	253	253	253		
Hopkins		Sabine	2,043	2,001	2,001	2,001	2,001	2,001		
		Sulphur	1,137	1,137	1,137	1,137	1,137	1,13		
T.T. venden m	ı	Neches	1,924	1,924	1,924	1,924	1,924	1,92		
Houston	ī	Trinity	3,432	3,432	3,432	3,432	3,432	3,432		
Marion	D	Cypress	2,077	2,077	2,077	2,077	2,077	2,07		
Mamia	D	Cypress	2,196	2,196	2,174	2,174	2,174	2,17		
Morris	D	Sulphur	420	420	384	384	384	38-		
Nacogdoches	1	Neches	21,385	21,385	21,385	21,385	21,385	21,38		
Panola	I	Cypress	6	6	6	6	6	ì		
ranoia	1	Sabine	9,091	8,221	8,221	8,063	8,063	8,06		
Rains	D	Sabine	1,703	1,703	1,620	1,620	1,620	1,58		
Red River	D	Sulphur	0	0	0	0	0	(		
David		Neches	11,776	11, <i>7</i> 76	11, <b>76</b> 6	11,766	11,766	11,74		
Rusk	I	Sabine	9,067	9,067	9,067	9,067	9,067	9,06		
Sabine		Neches	1,254	1,254	1,254	1,254	1,254	1,25		
Saome	1	Sabine	5,612	5,604	5,604	5,604	5,604	5,60		
C. A. A	,	Neches	1,490	1,490	1,490	1,490	1,490	1,49		
San Augustine	I	Sabine	291	291	291	291	291	29		
Shelby	,	Neches	2,900	2,736	2,578	2,288	2,152	2,01		
эпеюу	I	Sabine	9,144	8,481	8,323	8,159	8,159	7,71		
C '41.	D	Sabine	12,245	12,245	12,245	12,235	12,221	12,22		
Smith	ī	Neches	21,004	21,004	21,004	21,004	21,004	21,00		

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 11 of 28

#### TABLE 1. CONTINUED.

C	D	D			Yea	ır		
County	Region	Basin	2010	2020	2030	2040	2050	2060
7P14		Cypress	8,051	7,516	7,214	7,063	6,833	6,833
Titus	D	Sulphur	2,805	2,805	2,805	2,805	2,805	2,805
	Н	Trinity	1,101	1,101	1,101	1,101	1,101	1,10
Trinity	1	Neches	1,114	1,114	1,114	1,114	1,114	1,114
***	D	Cypress	5,426	5,426	5,426	5,426	5,426	5,420
Upshur		Sabine	1,689	1,689	1,689	1,689	1,689	1,689
		Neches	4,288	4,288	4,288	4,288	4,288	4,288
Van Zandt	D	Sabine	4,942	4,611	4,611	4,611	4,611	4,379
		Trinity	1,384	1,384	1,384	1,384	1,384	1,384
112 - 1		Cypress	2,053	2,053	2,053	2,053	2,053	2,053
Wood	D	Sabine	19,663	19,486	19,398	19,355	19,280	19,25
P	l'otal		274,938	268,835	267,687	266,340	265,870	264,484

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 12 of 28

TABLE 2. MODELED AVAILABLE GROUNDWATER FOR THE QUEEN CITY AQUIFER IN GROUNDWATER MANAGEMENT AREA 11. RESULTS ARE IN ACRE-FEET PER YEAR AND ARE DIVIDED BY COUNTY, REGIONAL WATER PLANNING AREA, AND RIVER BASIN.

C	D!	D!			Yea	r		
County	Region	Basin	2010	2020	2030	2040	2050	2060
	•	Neches	9,762	9,762	9,762	9,762	9,762	9,762
Anderson	1	Trinity	9,039	9,039	9,039	9,039	9,039	9,039
Angelina	1	Neches	1,093	1,093	1,093	1,093	1,093	1,093
Camp	D	Cypress	3,705	3,542	3,542	3,542	3,542	3,542
	Б	Cypress	35,970	35,970	35,970	35,970	35,970	35,970
Cass	D	Sulphur	3,223	3,223	3,223	3,223	3,223	3,223
Cherokee	I	Neches	22,396	22,396	22,396	22,396	22,396	22,396
	_	Cypress	1,359	1,359	1,359	1,359	1,359	1,359
Gregg	D	Sabine	6,214	6,214	6,214	6,214	6,214	6,214
Harrison D Henderson I Houston I Marion D	_	Cypress	7,890	7,890	7,890	7,890	7,890	7,890
Harrison	ע	Sabine	2,483	2,483	2,483	2,483	2,483	2,483
******	С	Trinity	3,533	3,533	3,533	3,533	3,533	3,533
Henderson	I	Neches	12,316	12,316	12,316	12,316	12,316	12,316
Transfer	¥	Neches	131	131	131	131	131	131
Houston	i	Trinity	279	2 <b>7</b> 9	279	279	279	279
Marion	D	Cypress	15,549	15,549	15,549	15,549	15,549	15,549
Morris	D	Cypress	9,652	9,652	9,652	9,652	9,537	9,537
Nacogdoches	I	Neches	5,002	5,002	5,002	5,002	5,002	5,002
Panola	I	Sabine	0	0	0	0	0	0
n	¥	Neches	40	40	40	40	40	40
Rusk	I	Sabine	18	18	18	18	18	18
0.15	•	Neches	0	0	0	0	0	C
Sabine	1	Sabine	0	0	0	0	0	C
C	,	Neches	7	7	7	7	7	7
San Augustine	I	Sabine	0	0	0	0	0	0
Shelby	I	Sabine	0	0	0	0	0	Ç
6. 1.1	D	Sabine	25,994	25,994	25,994	25,994	25,994	25,994
Smith	1	Neches	28,259	28,259	28,259	28,259	28,259	28,259
Titus	D	Cypress	138	138	138	138	138	138
***************************************	Н	Trinity	0	0	0	0	0	(
Trinity	I	Neches	0	0	0	Ò	0	(
		Cypress	18,324	18,324	18,324	18,324	18,143	18,143
Upshur	D	Sabine	7,246	7,246	7,246	7,246	7,246	7,240
Van Zandt	D	Neches	3,814	3,814	3,814	3,814	3,814	3,814
		Cypress	1,009	1,009	1,009	1,009	1,009	1,009
Wood	D	Sabine	9,103	9,103	9,103	9,103	9,103	9,10
τ	otal		243,548	243,385	243,385	243,385	243,089	243,089

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 13 of 28

TABLE 3. MODELED AVAILABLE GROUNDWATER FOR THE SPARTA AQUIFER IN GROUNDWATER MANAGEMENT AREA 11. RESULTS ARE IN ACRE-FEET PER YEAR AND ARE DIVIDED BY COUNTY, REGIONAL WATER PLANNING AREA, AND RIVER BASIN.

~ .		<b>1</b> 1			Ye	ar		
County	Region	Basin	2010	2020	2030	2040	2050	2060
Andres	¥	Neches	344	344	344	344	344	344
Anderson	1	Trinity	272	272	272	272	272	272
Angelina	1	Neches	689	689	689	689	689	<b>68</b> 9
Cherokee	1	Neches	359	359	359	359	359	359
Llanatan	1	Neches	302	302	302	302	302	302
Houston 1	Trinity	594	594	594	594	594	594	
Nacogdoches	1	Neches	409	409	409	409	409	409
Rusk	1	Neches	4,362	0	0	0	0	0
Sabine	I	Neches	61	61	61	61	61	61
Saome	1	Sabine	235	235	235	235	235	235
Con Association	I	Neches	202	202	202	202	202	202
San Augustine		Sabine	3	3	3	3	3	3
Smith	I	Neches	0	0	0	0	0	0
Sman	D	Sabine	0	0	0	0	0	0
Tois it.	1	Neches	313	313	313	313	313	313
Trinity	Н	Trinity	302	302	302	302	302	302
Upshur	D	Sabine	0	0	Q	0	0	0
Wood	D	Sabine	0	0	Ó	0	0	0
T	otal		8,447	4,085	4,085	4,085	4,085	4,085

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 14 of 28

TABLE 4. MODELED AVAILABLE GROUNDWATER FOR THE YEGUA-JACKSON AQUIFER IN GROUNDWATER MANAGEMENT AREA 11. RESULTS ARE IN ACRE-FEET PER YEAR AND ARE DIVIDED BY COUNTY, REGIONAL WATER PLANNING AREA, AND RIVER BASIN.

C	m			***************************************	Yea	r		
County	Region	Basin -	2010	2020	2030	2040	2050	2060
Angelina	I	Neches	16,890	16,890	16,890	16,890	16,890	16,507
***	1	Neches	1,324	1,324	1,324	1,324	1,324	1,324
Houston	1	Trinity	4,061	4,061	4,061	4,061	4,061	4,061
Nacogdoches	I	Neches	235	235	235	235	235	235
Charles I.	¥	Neches	3,724	3,724	3,724	3,724	3,724	3,724
Sabine	1	Sabine	575	575	575	575	575	575
C	4	Neches	2,102	2,102	2,102	2,102	2,102	2,102
San Augustine	1	Sabine	9	9	9	9	9	9
on the	Н	Trinity	2,191	2,191	2,191	2,191	2,191	2,191
Trinity	I	Neches	700	700	700	700	700	700
T	otal		31,811	31,811	31,811	31,811	31,811	31,428

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 15 of 28

TABLE 5. MODELED AVAILABLE GROUNDWATER FOR THE CARRIZO-WILCOX, QUEEN CITY, SPARTA, AND YEGUA-JACKSON AQUIFERS BY COUNTY FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR.

			Ye	ar		<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>
County	2010	2020	2030	2040	2050	2060
Anderson	29,494	29,494	29,494	29,494	29,494	29,494
Angelina	45,086	45,086	45,086	45,086	45,086	44,703
Bowie	11,126	8,216	7,976	7,533	7,533	7,083
Camp	7,746	7,583	7,583	7,583	7,583	7,583
Cass	42,726	42,726	42,726	42,726	42,726	42,726
Cherokee	33,977	33,977	33,977	33,977	33,977	33,977
Franklin	9,746	9,484	9,484	9,484	9,484	9,484
Gregg	15,222	15,222	15,222	15,222	15,222	15,222
Harrison	19,284	19,210	19,159	19,071	19,056	19,012
Henderson	25,102	25,035	25,035	25,035	25,035	25,035
Hopkins	3,433	3,391	3,391	3,391	3,391	3,391
Houston	12,047	12,047	12,047	12,047	12,047	12,047
Marion	17,626	17,626	17,626	17,626	17,626	17,626
Morris	12,268	12,268	12,210	12,210	12,095	12,095
Nacogdoches	27,031	27,031	27,031	27,031	27,031	27,031
Panola	9,097	8,227	8,227	8,069	8,069	8,069
Rains	1,703	1,703	1,620	1,620	1,620	1,583
Red River	0	0	0	0	0	0
Rusk	25,263	20,901	20,891	20,891	20,891	20,872
Sabine	11,461	11,453	11,453	11,453	11,453	11,453
San Augustine	4,104	4,104	4,104	4,104	4,104	4,104
Shelby	12,044	11,217	10,901	10,447	10,311	9,729
Smith	87,502	87,502	87,502	87,492	87,478	87,478
Titus	10,994	10,459	10,157	10,006	9,776	9,776
Trinity	5,721	5,721	5,721	5,721	5,721	5,721
Upshur	32,685	32,685	32,685	32,685	32,504	32,504
Van Zandt	14,428	14,097	14,097	14,097	14,097	13,865
Wood	31,828	31,651	31,563	31,520	31,445	31,423
Total	558,744	548,116	546,968	545,621	544,855	543,086

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 16 of 28

TABLE 6. MODELED AVAILABLE GROUNDWATER FOR THE CARRIZO-WILCOX, QUEEN CITY, SPARTA, AND YEGUA-JACKSON AQUIFERS BY REGIONAL WATER PLANNING AREA FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR.

p:			Yea	r		
Region	2010	2020	2030	2040	2050	2060
C	8,787	8,720	8,720	8,720	8,720	8,720
D	269,054	264,560	263,738	263,003	262,373	261,588
Н	3,594	3,594	3,594	3,594	3,594	3,594
I	277,309	271,242	270,916	270,304	270,168	269,184
Total	558,744	548,116	546,968	545,621	544,855	543,086

TABLE 7. MODELED AVAILABLE GROUNDWATER FOR THE CARRIZO-WILCOX, QUEEN CITY, SPARTA, AND YEGUA-JACKSON AQUIFERS BY RIVER BASIN FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR.

******			Yea	ır		
Basin	2010	2020	2030	2040	2050	2060
Cypress	134,160	133,385	133,027	132,824	132,283	132,239
Neches	227,999	223,473	223,305	223,015	222,879	222,344
Sabine	138,218	136,072	135,726	135,315	135,226	134,486
Sulphur	21,241	18,127	17,851	17,408	17,408	16,958
Trinity	37,126	37,059	37,059	37,059	37,059	37,059
Total	558,744	548,116	546,968	545,621	544,855	543,086

TABLE 8. MODELED AVAILABLE GROUNDWATER FOR THE CARRIZO-WILCOX, QUEEN CITY, SPARTA, AND YEGUA-JACKSON AQUIFERS BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

	Year							
District	2010	2020	2030	2040	2050	2060		
Anders on County UWCD	1,361	1,361	1,361	1,361	1,361	1,361		
Neches & Trinity Valleys GCD	87,212	87,145	87,145	87,145	87,145	87,145		
Panola GCD	9,097	8,227	8,227	8,069	8,069	8,069		
Pineywoods GCD	72,117	72,117	72,117	72,117	72,117	71,734		
Rusk County GCD	25,263	20,901	20,891	20,891	20,891	20,872		
Total (excluding non-district areas)	195,050	189,751	189,741	189,583	189,583	189,181		
No District	363,694	358,365	357,227	356,038	355,272	353,905		
Total (including non-district areas)	558,744	548,116	546,968	545,621	544,855	543,086		

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 17 of 28

TABLE 9. MODELED AVAILABLE GROUNDWATER FOR THE LOWER WILCOX FORMATION BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

Distalet	Year								
District	2010	2020	2030	2040	2050	2060			
Anderson County UWCD	7	7	7	7	7	7			
Neches & Trinity Valleys GCD	1,886	1,886	1,886	1,886	1,886	1,886			
Panola GCD	725	725	725	725	725	725			
Pineywoods GCD	0	0	0	0	0	C			
Rusk County GCD	0	0	0	0	0	(			
Total (excluding non-district areas)	2,618	2,618	2,618	2,618	2,618	2,618			
No District	2,717	2,717	2,717	2,717	2,717	2,717			
Total (including non-district areas)	5,335	5,335	5,335	5,335	5,335	5,335			

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 18 of 28

TABLE 10. MODELED AVAILABLE GROUNDWATER FOR THE MIDDLE WILCOX FORMATION BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

District	Year								
District	2010	2020	2030	2040	2050	2060			
Anderson County UWCD	15	15	15	15	15	15			
Neches & Trinity Valleys GCD	1,719	1,719	1,719	1,719	1,719	1,719			
Panola GCD	5,764	5,764	5,764	5,764	5,764	5,764			
Pineywoods GCD	678	678	678	678	678	678			
Rusk County GCD	8,731	8,731	8,731	8,731	8,731	8,731			
Total (excluding non-district areas)	16,907	16,907	16,907	16,907	16,907	16,907			
No District	44,427	44,223	44,194	44,179	44,179	44,165			
Total (including non-district areas)	61,334	61,130	61,101	61,086	61,086	61,072			

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 19 of 28

TABLE 11. MODELED AVAILABLE GROUNDWATER FOR THE UPPER WILCOX FORMATION BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

District	Year								
District	2010	2020	2030	2040	2050	2060			
Anderson County UWCD	107	107	107	107	107	107			
Neches & Trinity Valleys GCD	9,652	9,652	9,652	9,652	9,652	9,652			
Panola GCD	770	770	770	770	770	770			
Pineywoods GCD	12,581	12,581	12,581	12,581	12,581	12,581			
Rusk County GCD	5,156	5,156	5,156	5,156	5,156	5,156			
Total (excluding non-district areas)	28,266	28,266	28,266	28,266	28,266	28,266			
No District	45,600	42,690	42,396	41,968	41,968	41,495			
Total (including non-district areas)	73,866	70,956	70,662	70,234	70,234	69,761			

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 20 of 28

TABLE 12. MODELED AVAILABLE GROUNDWATER FOR THE CARRIZO FORMATION BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

District			Ye	ar		
wisti iit	2010	2020	2030	2040	2050	2060
Anderson County UWCD	281	281	281	281	281	281
Neches & Trinity Valleys GCD	16,885	16,818	16,818	16,818	16,818	16,818
Panola GCD	1,838	968	968	810	810	810
Pineywoods GCD	34,540	34,540	34,540	34,540	34,540	34,540
Rusk County GCD	6,956	6,956	6,946	6,946	6,946	6,927
Total (excluding non-district areas)	60,500	59,563	59,553	59,395	59,395	59,376
No District	73,903	71,851	71,036	70,290	69,820	68,940
Total (including non-district areas)	134,403	131,414	130,589	129,685	129,215	128,316

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 21 of 28

TABLE 13. MODELED AVAILABLE GROUNDWATER FOR THE QUEEN CITY AQUIFER BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

District			Ye	ar		
۷.	2010	2020	2030	2040	2050	2060
Anderson County UWCD	951	951	951	951	951	951
Neches & Trinity Valleys GCD	56,095	56,095	56,095	56,095	56,095	56,095
Panola GCD	0	0	0	0	0	0
Pineywoods GCD	6,095	6,095	6,095	6,095	6,095	6,095
Rusk County GCD	58	58	58	58	58	58
Total (excluding non-district areas)	63,199	63,199	63,199	63,199	63,199	63,199
No District	180,349	180,186	180,186	180,186	179,890	179,890
Total (including non-district areas)	243,548	243,385	243,385	243,385	243,089	243,089

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 22 of 28

TABLE 14. MODELED AVAILABLE GROUNDWATER FOR THE SPARTA AQUIFER BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

District	Year								
District	2010	2020	2030	2040	2050	2060			
Anderson County UWCD	0	0	0	0	0	0			
Neches & Trinity Valleys GCD	975	975	975	975	975	975			
Panola GCD	0	0	0	0	0	0			
Pineywoods GCD	1,098	1,098	1,098	1,098	1,098	1,098			
Rusk County GCD	4,362	0	0	0	0	0			
Total (excluding non-district areas)	6,435	2,073	2,073	2,073	2,073	2,073			
No District	2,012	2,012	2,012	2,012	2,012	2,012			
Total (including non-district areas)	8,447	4,085	4,085	4,085	4,085	4,085			

GAM Run 10-016 MAG (Version 2): Model Run for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers in Groundwater Management District 11
June 7, 2012
Page 23 of 28

TABLE 15. MODELED AVAILABLE GROUNDWATER FOR THE YEGUA-JACKSON AQUIFER BY GROUNDWATER CONSERVATION DISTRICT (GCD) FOR EACH DECADE BETWEEN 2010 AND 2060. RESULTS ARE IN ACRE-FEET PER YEAR. UWCD REFERS TO UNDERGROUND WATER CONSERVATION DISTRICT.

District			Yea	ır		
District	2010	2020	2030	2040	2050	2060
Anderson County UWCD	0	0	0	0	0	0
Neches & Trinity Valleys GCD	0	0	0	0	0	0
Panola GCD	0	0	0	0	0	0
Pineywoods GCD	17,125	17,125	17,125	17,125	17,125	16,742
Rusk County GCD	0	0	0	0	0	0
Total (excluding non-district areas)	17,125	17,125	17,125	17,125	17,125	16,742
No District	14,686	14,686	14,686	14,686	14,686	14,686
Total (including non-district areas)	31,811	31,811	31,811	31,811	31,811	31,428

GAM Run 10-016 MAG: Modeled Available Groundwater for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers

May 11, 2012

Page 24 of 28




FIGURE 1. MAP SHOWING THE BOUNDARY OF THE CARRIZO-WILCOX AQUIFER ACCORDING TO THE 2007 STATE WATER PLAN (TWDB, 2007).

GAM Run 10-016 MAG: Modeled Available Groundwater for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers

May 11, 2012

Page 25 of 28




FIGURE 2. MAP SHOWING THE BOUNDARIES OF THE QUEEN CITY, SPARTA, AND YEGUA-JACKSON AQUIFERS ACCORDING TO THE 2007 STATE WATER PLAN (TWDB, 2007).

GAM Run 10-016 MAG: Modeled Available Groundwater for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers
May 11, 2012
Page 26 of 28




FIGURE 3. MAP SHOWING REGIONAL WATER PLANNING AREAS, GROUNDWATER CONSERVATION DISTRICTS, COUNTIES, AND RIVER BASINS IN AND NEIGHBORING OF GROUNDWATER MANAGEMENT AREA 11.

GAM Run 10-016 MAG: Modeled Available Groundwater for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers
May 11, 2012
Page 27 of 28

**Appendix** 

GAM Run 10-016 MAG: Modeled Available Groundwater for the Yegua-Jackson, Sparta, Queen City, and Carrizo-Wilcox Aquifers

May 11, 2012

Page 28 of 28

TABLE A1. AVERAGE DRAWDOWN OVER THE 51-YEAR PREDICTIVE GROUNDWATER AVAILABILITY MODEL RUN IN GROUNDWATER MANAGEMENT AREA 11 FOR THE CARRIZO-WILCOX, QUEEN CITY, AND SPARTA AQUIFERS AND WECHES AND REKLAW CONFINING UNITS. ALL VALUES ARE IN FEET. "ANDERSON (ACUWCD)" REFERS TO THE ANDERSON COUNTY UNDERGROUND WATER CONSERVATION DISTRICT WITHIN ANDERSON COUNTY. "ANDERSON (NTVGCD)" REFERS TO THE PORTION OF NECHES AND TRINITY VALLEYS GROUNDWATER CONSERVATION DISTRICT IN ANDERSON COUNTY. NEGATIVE VALUES INDICATE A RISE IN WATER LEVELS.


County	Sparta	Weches (CU)	Queen City	Reklaw (CU)	Carrizo		Middle Wilcox		Overall
Anderson			1	12	35	26	12	5	15
(ACUWCD)			*	.1 /		0	1.4-	3	1.5
Anderson	-2	1	7	15	36	26	11	4	16
(NTVGCD)		-							
Angelina	10	11	16	22	42	5	-18	-3	11
Bowie						21	0	0	1
Camp			12	0	18	17	39	0	19
Cass			8	6	10	7	7	0	8
Cherokee	7	14	11	11	32	32	15	1.0	18
Franklin				-16	-3	7	19	0	11
Gregg			7	11	42	49	56	79	35
Harrison			0	2	24	13	5	4	9
Henderson			4	15	41	32	27	15	23
Hopkins				-22	-12	-15	-28	0	-26
Houston	2	1	2	15	35	12	2	-2	8
Marion			17	11	21	15	15	0	16
Morris			13	10	29	25	23	0	21
Nacogdoches	3	3	11	10	14	11	-10	-6	4
Panola			-11	-19	11	2	I	4	2
Rains						7	-10	-5	-8
Rusk	0	-46	-15	-2	6	6	23	21	12
Sabine	5	5	7	15	24	13	6	5	10
San Augustine	-4	-4	-3	11	20	9	-3	-2	3
Shelby			-18	-19	23	-3	3	1	1
Smith	-5	-5	11	34	103	118	92	76	68
Titus			-1	-3	31	14	5	0	9
Trinity	5	4	4	12	33	-3	-7	-1	6
Upshur	-5	-5	5	17	56	66	66	97	44
Van Zandt			7	11	31	13	17	11	14
Wood	-5	-7	-2	36	110	83	55	114	59
Total	3	4	7	15	38	26	15	11	17

# GAM Run 10-038 MAG


By Mohammad Masud Hassan, P.E.

Edited and finalized by Shirley Wade to reflect statutory changes effective September 1, 2011

Texas Water Development Board Groundwater Availability Modeling Section (512) 936-0883 November 18, 2011



Cynthia K. Ridgeway, the Manager of the Groundwater Availability Modeling Section and Interim Director of the Groundwater Resources Division, is responsible for oversight of work performed by employees under her direct supervision. The seal appearing on this document was authorized by Cynthia K. Ridgeway, P.G. 471 on November 18, 2011.



#### **EXECUTIVE SUMMARY:**

The modeled available groundwater for the Gulf Coast Aquifer as a result of the desired future conditions adopted by the members of Groundwater Management Area 14 declines from approximately 978,000 acre-feet per year to 844,000 acre-feet per year between 2010 and 2060. This is shown divided by county, regional water planning area, and river basin in Table 2 for use in the regional water planning process. Modeled available groundwater is summarized by county, regional water planning area, river basin, and groundwater conservation district for each unit of the Gulf Coast Aquifer in tables 3 through 18. The estimates were extracted from Groundwater Availability Modeling Run 10-023, Scenario 3, which meets the desired future conditions adopted by Groundwater Management Area 14.

# **REQUESTOR:**

Mr. Lloyd Behm of the Bluebonnet Groundwater Conservation District on behalf of Groundwater Management Area 14

# **DESCRIPTION OF REQUEST:**

In a letter dated August 25, 2010, Mr. Lloyd Behm provided the Texas Water Development Board (TWDB) with the desired future conditions of the Gulf Coast Aquifer adopted by the members of Groundwater Management Area 14. As shown in Resolution No. 2010-01, the desired future conditions for the Gulf Coast Aquifer within Groundwater Management Area 14 were stated as average water-level declines (drawdowns) over a specified time period. The average drawdowns (in feet) specified as desired future conditions for Groundwater Management Area 14 are shown in Table 1.

Table 1: Desired future conditions (average drawdown in feet) for the Gulf Coast Aquifer in Groundwater Management Area 14. Negative values indicate a water level rise.

County	Austin	Brazoria	Brazos	Chambers	Grimes	Hardin	Jasper	Jefferson	Liberty
Duration (years)	52	52	52	52	52	52	52	52	52
•				Bas	e year 2008				
Chicot Aquifer	17	45	*	43	0	17	10	25	32
Evangeline Aquifer	10	40		36	5	27	23	26	37
Burkeville Confining Unit	11		+	+	10	23	24	*	28
Jasper Aquifer	20	-	7	-	28	37	21	-	64

GAM Run 10-038 MAG Report November 18, 2011

Page 4 of 19

Table 1: Continued.

County	Montg	gomery	Newtown	Orange	Polk	San Jacinto	Tyler	Walker	Waller	Washington
Duration (years)	8	44	52	52	52	52	52	52	52	52
	Base year 2008	Base year 2016	Base year 2008							
Chicot Aquifer	3	6	9	14	4	5	3	-	7	
Evangeline Aquifer	13	25	20	19	4	7	16	10	8	1
Burkeville Confining Unit	10	23	22	-	20	18	19	5	9	17
Jasper Aquifer	61	-38	18	-	41	72	33	33	25	20

In response to receiving the adopted desired future conditions, the Texas Water Development Board has estimated the modeled available groundwater in Groundwater Management Area 14. Since the desired future conditions were divided by unit within the Gulf Coast Aquifer (Chicot Aquifer, Evangeline Aquifer, Burkeville Confining Unit, and Jasper Aquifer), modeled available groundwater is presented separately for each unit.

## **METHODS:**

The Texas Water Development Board previously completed several predictive groundwater availability model simulations of the Gulf Coast Aquifer to assist the members of Groundwater Management Area 14 in developing desired future conditions. The location of Groundwater Management Area 14, the Gulf Coast Aquifer, and the groundwater availability model cells that represent the aquifer are shown in Figure 1. As described in Resolution No. 2010-01, the management area considered Scenario 3 of GAM Run 10-023 when developing desired future conditions for the Gulf Coast Aquifer (Oliver, 2010). Since each of the above desired future conditions is met in Scenario 3 of GAM Run 10-023, the estimated pumping for Groundwater Management Area 14 presented here was taken directly from that simulation. The pumping was then divided by county, regional water planning area, river basin, and groundwater conservation district (Figure 2).

#### PARAMETERS AND ASSUMPTIONS:

The parameters and assumptions for the model run using the groundwater availability model for the northern portion of the Gulf Coast Aquifer are described below:

- The results presented in this report are based on Scenario 3 in GAM Run 10-023 (Oliver, 2010). See GAM Run 10-023 for a full description of the methods, assumptions, and results for the groundwater availability model run.
- We used version 2.01 of the groundwater availability model for the northern portion of the Gulf Coast Aquifer. See Kasmarek and Robinson (2004) and Kasmarek and others (2005) for assumptions and limitations of the model.
- The model includes four layers representing the Chicot Aquifer (Layer 1), the Evangeline Aquifer (Layer 2), the Burkeville Confining Unit (Layer 3), and the

GAM Run 10-038 MAG Report November 18, 2011 Page 5 of 19

Jasper Aquifer, which includes the more transmissive portions of the Catahoula Formation (Layer 4).

 Cells were assigned to individual counties, river basins, regional water planning areas, and groundwater conservation districts as shown in the August 12, 2010 version of the file that associates the model grid with political and natural boundaries for the Gulf Coast Aquifer.

## Modeled Available Groundwater and Permitting

As defined in Chapter 36 of the Texas Water Code, "modeled available groundwater" is the estimated average amount of water that may be produced annually to achieve a desired future condition. This is distinct from "managed available groundwater," shown in the draft version of this report dated December 29, 2010, which was a permitting value and accounted for the estimated use of the aquifer exempt from permitting. This change was made to reflect changes in statute by the 82<sup>nd</sup> Texas Legislature, effective September 1, 2011.

Groundwater conservation districts are required to consider modeled available groundwater, along with several other factors, when issuing permits in order to manage groundwater production to achieve the desired future condition(s). The other factors districts must consider include annual precipitation and production patterns, the estimated amount of pumping exempt from permitting, existing permits, and a reasonable estimate of actual groundwater production under existing permits. The estimated amount of pumping exempt from permitting, which the Texas Water Development Board is now required to develop after soliciting input from applicable groundwater conservation districts, will be provided in a separate report.

## **RESULTS:**

The modeled available groundwater for the Gulf Coast Aquifer in Groundwater Management Area 14 as a result of the desired future conditions declines from approximately 978,000 acrefeet per year in 2010 to 844,000 acrefeet per year in 2060. This has been divided by county, regional water planning area, and river basin for each decade between 2010 and 2060 for use in the regional water planning process (Table 2).

The modeled available groundwater for the four units of the Gulf Coast Aquifer is also summarized by county (tables 3 through 6), regional water planning area (tables 7 through 10), river basin (tables 11 through 14), and groundwater conservation district (tables 15 through 18). In tables 15 through 18, the modeled available groundwater both excluding and including areas outside of a groundwater conservation district is shown.

#### LIMITATIONS:

The groundwater model used in developing estimates of modeled available groundwater is the best available scientific tool that can be used to estimate the pumping that will achieve the desired future conditions. Although the groundwater model used in this analysis is the best available scientific tool for this purpose, it, like all models, has limitations. In reviewing the use of models in environmental regulatory decision-making, the National Research Council (2007) noted:

GAM Run 10-038 MAG Report November 18, 2011 Page 6 of 19

"Models will always be constrained by computational limitations, assumptions, and knowledge gaps. They can best be viewed as tools to help inform decisions rather than as machines to generate truth or make decisions. Scientific advances will never make it possible to build a perfect model that accounts for every aspect of reality or to prove that a given model is correct in all respects for a particular regulatory application. These characteristics make evaluation of a regulatory model more complex than solely a comparison of measurement data with model results."

A key aspect of using the groundwater model to develop estimates of modeled available groundwater is the need to make assumptions about the location in the aquifer where future pumping will occur. As actual pumping changes in the future, it will be necessary to evaluate the amount of that pumping as well as its location in the context of the assumptions associated with this analysis. Evaluating the amount and location of future pumping is as important as evaluating the changes in groundwater levels, spring flows, and other metrics that describe the condition of the groundwater resources in the area that relate to the adopted desired future condition(s).

Given these limitations, users of this information are cautioned that the modeled available groundwater numbers should not be considered a definitive, permanent description of the amount of groundwater that can be pumped to meet the adopted desired future condition. Because the application of the groundwater model was designed to address regional scale questions, the results are most effective on a regional scale. The TWDB makes no warranties or representations relating to the actual conditions of any aquifer at a particular location or at a particular time.

It is important for groundwater conservation districts to monitor future groundwater pumping as well as whether or not they are achieving their desired future conditions. Because of the limitations of the model and the assumptions in this analysis, it is important that the groundwater conservation districts work with the TWDB to refine the modeled available groundwater numbers given the reality of how the aquifer responds to the actual amount and location of pumping now and in the future.

## REFERENCES:

- Oliver, W., 2010, GAM Run 10-023: Texas Water Development Board, GAM Run 10-023 Report, 32 p.
- Kasmarek, M.C., and Robinson, J.L., 2004, Hydrogeology and simulation of groundwater flow and land-surface subsidence in the northern part of the Gulf Coast aquifer system, Texas: U.S. Geological Survey Scientific Investigations Report 2004-5102, 111 p.
- Kasmarek, M.C., Reece, B.D., and Houston, N.A., 2005, Evaluation of groundwater flow and land-surface subsidence caused by hypothetical withdrawals in the northern part of the northern part of the Gulf Coast aquifer system, Texas: U.S. Geological Survey Scientific Investigations Report 2005-5024, 70 p.
- National Research Council, 2007, Models in Environmental Regulatory Decision Making.

  Committee on Models in the Regulatory Decision Process, National Academies Press, Washington D.C., 287 p.
- Texas Water Development Board, 2007, Water for Texas 2007-Volumes I-III; Texas Water Development Board Document No. GP-8-1, 392 p.

GAM Run 10-038 MAG Report November 18, 2011 Page 7 of 19

Table 2: Modeled available groundwater for the Gulf Coast Aquifer in Groundwater Management Area 14. Results are in acre-feet per year and are divided by county, regional water planning area, and river basin.

Comment	Regional Water	n:			Ye	ar		
County	Planning Area	River Basin	2010	2020	2030	2040	2050	2060
. <del></del>		Brazos	6,585	6,585	6,585	6,585	6,585	6,585
Austin	н	Brazos-Colorado	15,608	15,608	15,608	15,608	15,608	15,608
	And the second s	Colorado	121	121	121	121	121	121
		Brazos	6,658	6,658	6,658	6,658	6,658	6,658
Brazoria	Н	Brazos-Colorado	11,648	11,648	11,648	11,648	11,648	11,648
	-	San Jacinto-Brazos	32,090	32,090	32,090	32,090	32,090	32,090
Brazos	G	Brazos	1,189	1,189	1,189	1,189	1,189	1,189
		Neches-Trinity	9,527	9,527	9,527	9,527	9,527	9,527
Chamban.		San Jacinto-Brazos	0	0	0	0	0	0
Chambers	H	Trinity	10,112	10,112	10,112	10,112	10,112	10,112
	The state of the s	Trinity-San Jacinto	2,068	2,068	2,068	2,068	2,068	2,068
		Brazos	60,217	52,923	43,673	43,189	42,862	42,953
Park Dan S	***	Brazos-Colorado	20,633	22,023	18,095	17,715	17,043	17,077
Fort Bend	H	San Jacinto	9,723	9,524	9,043	8,809	8,642	8,650
		San Jacinto-Brazos	23,356	24,235	21,265	22,457	23,765	23,810
		Neches-Trinity	0	0	0	0	0	0
Galveston	н	San Jacinto-Brazos	4,774	5,257	5,867	5,841	5,814	5,815
		Trinîty-San Jacinto	0	0	0	0	0	0
		Brazos	10,889	10,889	10,889	10,889	10,889	10,889
Grimes	G	San Jacinto	2,197	2,197	2,197	2,197	2,197	2,197
		Trinity	764	764	223			
T.Y		Neches	34,821	34,821	34,821	34,821	34,821	34,821
Hardin	1	Trinity	138	138	138	138	138	138
		San Jacinto	293,855	249,851	197,553	197,326	196,992	197,270
Harris	н	San Jacinto-Brazos	4,801	7,202	6,798	7,563	8,428	8,440
	and the second s	Trinity-San Jacinto	6,894	5,893	5,025	5,141	5,259	5,266
*	•	Neches	37,659	37,620	37,541	37,541	37,541	37,541
Jasper	I	Sabine	29,953	29,953	29,953	29,953	29,953	29,953
Y 00		Neches	804	804	804	804	804	804
Jefferson	I	Neches-Trinity	1,641	1,641	1,641	1,641	1,641	1,641
		Neches	5,074	5,074	5,074	5,074	5,074	5,074
		Neches-Trinity	364	364	364	364	364	364
Liberty	н	San Jacinto	5,852	5,852	5,852	5,852	5,852	5,852
		Trinity	22,887	22,887	22,887	22,887	22,887	22,887
		Trinity-San Jacinto	8,856	8,856	8,856	8,856	8,856	8,856

GAM Run 10-038 MAG Report November 18, 2011 Page 8 of 19

Table 2: Continued.

County	Regional Water	River Basin			Ye	ar		
County	Planning Area	River basin	2010	2020	2030	2040	2050	2060
Montgomery	H	San Jacinto	73,264	61,629	61,629	61,629	61,629	61,629
Newton	*	Neches	176	176	175	176	176	176
Newton	Ĭ.	Sabine	34,001	34,001	33,963	33,963	33,963	33,963
		Neches	3,925	3,925	3,925	3,925	3,925	3,925
Orange	I [	Neches-Trinity	256	256	255	256	256	256
		Sabine	15,832	15,832	15,832	15,832	15,832	15,832
D. II	**	Trinity	21,830	21,830	21,830	21,783	21,783	21,783
Polk	H	Neches	14,912	11,886	11,885	11,886	11,276	11,224
***************************************	**	San Jacinto	10,368	10,368	10,368	10,368	10,368	10,368
San Jacinto	H	Trinity	10,611	8,811	8,811	8,811	8,811	8,811
Tyler	I	Neches	38,199	38,199	38,155	38,156	38,156	38,156
Walker	**	San Jacinto	9,139	9,116	9,116	9,116	9,116	9,116
waiker	H	Trinity	8,873	8,873	8,873	8,797	8,797	8,797
W/aHam	H	Brazos	14,933	14,933	14,933	14,933	14,933	14,933
Waller	11	San Jacinto	26,694	26,694	26,694	26,694	26,694	26,694
Washington	6	Brazos	12,972	12,972	12,972	12,604	12,604	12,604
Washington	G	Colorado	73	73	73	73	73	73
Total			977,816	913,948	843,660	843,666	843,820	844,244

GAM Run 10-038 MAG Report November 18, 2011 Page 9 of 19

Table 3: Modeled available groundwater for the Chicot Aquifer portion of the Gulf Coast Aquifer summarized by county in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

			Year			
County	2010	2020	2030	2040	2050	2060
Austin	1,300	1,300	1,300	1,300	1,300	1,300
Brazoria	48,125	48,125	48,125	48,125	48,125	48,125
Chambers	21,328	21,328	21,328	21,328	21,328	21,328
Fort Bend	83,006	75,916	61,657	61,004	60,061	60,177
Galveston	4,303	4,697	5,233	5,194	5,152	5,153
Grimes	0	0	0	0	0	0
Hardin	1,263	1,263	1,263	1,263	1,263	1,263
Harris	70,219	68,839	56,850	58,641	61,185	61,272
Jasper	10,835	10,835	10,835	10,835	10,835	10,835
Jefferson	2,345	2,345	2,345	2,345	2,345	2,345
Liberty	14,576	14,576	14,576	14,576	14,576	14,576
Montgomery	1,482	1,722	1,722	1,722	1,722	1,722
Newton	501	501	501	501	501	501
Orange	18,809	18,809	18,809	18,809	18,809	18,809
Polk	0	0	0	0	0	0
San Jacinto	0	о	0	0	0	0
Tyler	0	0	0	0	0	· 0
Walker	0	0	0	0	0	0
Waller	300	300	300	300	300	300
Total	278,392	270,556	244,844	245,943	247,502	247,706

GAM Run 10-038 MAG Report November 18, 2011 Page 10 of 19

Table 4: Modeled available groundwater for the Evangeline Aquifer portion of the Gulf Coast Aquifer summarized by county in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

			Year	*		
County	2010	2020	2030	2040	2050	2060
Austin	20,013	20,013	20,013	20,013	20,013	20,013
Brazoria	2,271	2,271	2,271	2,271	2,271	2,271
Chambers	379	379	379	379	379	379
Fort Bend	30,923	32,789	30,420	31,166	32,251	32,313
Galveston	471	560	634	647	662	662
Grimes	3,002	3,002	3,002	3,002	3,002	3,002
Hardin	33,696	33,696	33,696	33,696	33,696	33,696
Harris	234,977	193,759	152,256	151,126	149,225	149,435
Jasper	40,755	40,755	40,755	40,755	40,755	40,755
Jefferson	100	100	100	100	100	100
Liberty	27,669	27,669	27,669	27,669	27,669	27,669
Montgomery	39,381	38,293	38,293	38,293	38,293	38,293
Newton	21,288	21,288	21,288	21,288	21,288	21,288
Orange	1,204	1,204	1,204	1,204	1,204	1,204
Polk	8,311	8,311	8,311	8,311	8,311	8,311
San Jacinto	8,178	8,178	8,178	8,178	8,178	8,178
Tyler	20,592	20,592	20,592	20,592	20,592	20,592
Walker	2,001	2,001	2,001	2,001	2,001	2,001
Waller	41,027	41,027	41,027	41,027	41,027	41,027
Washington	3,239	3,239	3,239	3,239	3,239	3,239
Total	539,477	499,126	455,328	454,957	454,156	454,428

GAM Run 10-038 MAG Report November 18, 2011 Page 11 of 19

Table 5: Modeled available groundwater for the Burkeville Confining Unit portion of the Gulf Coast Aquifer summarized by county in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

			,	Year		
County	2010	2020	2030	2040	2050	2060
Austin	0	0	0	0	0	0
Fort Bend	0	0	0	0	0	0
Grimes	0	0	0	0	0	0
Hardin	0	0	0	0	0	0
Harris	335	329	256	249	254	254
Jasper	1	1	1	1	1	1
Liberty	0	0	0	0	0	0
Montgomery	0	0	0	0	0	0
Newton	0	0	0	0	0	0
Polk	744	744	744	744	744	744
San Jacinto	2,699	899	899	899	899	899
Tyler	1	1	1	1	1	1
Walker	0	0	0	0	0	0
Waller	0	0	0	0	0	0
Washington	368	368	368	0	0	0
Total	4,148	2,342	2,269	1,894	1,899	1,899

GAM Run 10-038 MAG Report November 18, 2011 Page 12 of 19

Table 6: Modeled available groundwater for the Jasper Aquifer portion of the Gulf Coast Aquifer summarized by county in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

			Year	•		
County	2010	2020	2030	2040	2050	2060
Austin	1,001	1,001	1,001	1,001	1,001	1,001
Brazos	1,189	1,189	1,189	1,189	1,189	1,189
Fort Bend	0	0	0	0	0	0
Grimes	10,848	10,848	10,307	10,084	10,084	10,084
Hardin	0	0	0	0	0	0
Harris	19	19	15	14	15	15
Jasper	16,021	15,982	15,903	15,903	15,903	15,903
Liberty	788	788	788	788	788	788
Montgomery	32,401	21,614	21,614	21,614	21,614	21,614
Newton	12,388	12,388	12,350	12,350	12,350	12,350
Polk	27,687	24,661	24,661	24,614	24,004	23,952
San Jacinto	10,102	10,102	10,102	10,102	10,102	10,102
Tyler	17,606	17,606	17,563	17,563	17,563	17,563
Walker	16,011	15,988	15,988	15,912	15,912	15,912
Waller	300	300	300	300	300	300
Washington	9,438	9,438	9,438	9,438	9,438	9,438
Total	155,799	141,924	141,219	140,872	140,263	140,211

Table 7: Modeled available groundwater for the Chicot Aquifer portion of the Gulf Coast Aquifer summarized by regional water planning area in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Regional Water	Year								
Planning Area	2010	2020	2030	2040	2050	2060			
G	0	0	0	0	О	0			
Н	244,639	236,803	211,091	212,190	213,749	213,953			
Ĩ	33,753	33,753	33,753	33,753	33,753	33,753			
Total	278,392	270,556	244,844	245,943	247,502	247,706			

Table 8: Modeled available groundwater for the Evangeline Aquifer portion of the Gulf Coast Aquifer, summarized by regional water planning area in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Regional Water			Year	•		
Planning Area	2010	2020	2030	2040	2050	2060
G	6,241	6,241	6,241	6,241	6,241	6,241
H	412,014	371,663	327,865	327,494	326,693	326,965
I	121,222	121,222	121,222	121,222	121,222	121,222
Total	539,477	499,126	455,328	454,957	454,156	454,428

Table 9: Modeled available groundwater for the Burkeville Confining Unit portion of the Gulf Coast Aquifer summarized by regional water planning area in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Regional Water			Year	•		
Planning Area	2010	2020	2030	2040	2050	2060
G	368	368	368	0	0	0
H	3,660	1,854	1,781	1,774	1,779	1,779
r	120	120	120	120	120	120
Total	4,148	2,342	2,269	1,894	1,899	1,899

Table 10: Modeled available groundwater for the Jasper Aquifer portion of the Gulf Coast Aquifer, summarized by regional water planning area in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Regional Water		Year									
Planning Area	2010	2020	2030	2040	2050	2060					
G	21,475	21,475	20,934	20,711	20,711	20,711					
Ħ	77,102	66,292	66,288	66,164	66,165	66,165					
I	57,222	54,157	53,997	53,997	53,387	53,335					
Total	155,799	141,924	141,219	140,872	140,263	140,211					

GAM Run 10-038 MAG Report November 18, 2011 Page 14 of 19

Table 11: Modeled available groundwater for the Chicot Aquifer portion of the Gulf Coast Aquifer, summarized by river basin in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Dian Baria		Year								
River Basin	2010	2020	2030	2040	2050	2060				
Brazos	56,046	48,386	40,433	39,803	39,240	39,305				
Brazos-Colorado	33,286	34,676	30,748	30,368	29,696	29,730				
Colorado	0	0	0	0	0	0				
Neches	15,293	15,293	15,293	15,293	15,293	15,293				
Neches-Trinity	11,751	11,751	11,751	11,751	11,751	11,751				
Sabine	19,368	19,368	19,368	19,368	19,368	19,368				
San Jacinto	66,403	63,365	51,927	52,931	54,591	54,665				
San Jacinto-Brazos	50,045	51,558	49,627	50,634	51,578	51,604				
Trinity	17,646	17,646	17,646	17,646	17,646	17,646				
Trinity-San Jacinto	8,554	8,513	8,051	8,149	8,339	8,344				
Total	278,392	270,556	244,844	245,943	247,502	247,706				

Table 12: Modeled available groundwater for the Evangeline Aquifer portion of the Gulf Coast Aquifer, summarized by river basin in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

179.7		Year								
River Basin	2010	2020	2030	2040	2050	2060				
Brazos	36,717	37,083	35,786	35,932	36,168	36,194				
Brazos-Colorado	14,527	14,527	14,527	14,527	14,527	14,527				
Colorado	23	23	23	23	23	23				
Neches	78,653	78,653	78,653	78,653	78,653	78,653				
Neches-Trinity	37	37	37	37	37	37				
Sabine	44,700	44,700	44,700	44,700	44,700	44,700				
San Jacinto	317,937	275,930	234,666	233,209	231,042	231,254				
San Jacinto-Brazos	14,976	17,226	16,394	17,317	18,519	18,551				
Trinity	22,643	22,643	22,643	22,643	22,643	22,643				
Trinity-San Jacinto	9,264	8,304	7,899	7,916	7,844	7,846				
Total	539,477	499,126	455,328	454,957	454,156	454,428				

GAM Run 10-038 MAG Report November 18, 2011 Page 15 of 19

Table 13: Modeled available groundwater for the Burkeville Confining Unit portion of the Gulf Coast Aquifer, summarized by river basin in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

***			Yea	ar		
River Basin	2010	2020	2030	2040	2050	2060
Brazos	368	368	368	0	0	0
Brazos-Colorado	. 0	0	0	0	0	0
Colorado	0	0	0	0	0	0
Neches	119	119	119	119	119	119
Sabine	1	1	1	1	1	1
San Jacinto	335	329	256	249	254	254
San Jacinto-Brazos	0	0	0	0	0	0
Trinity	3,325	1,525	1,525	1,525	1,525	1,525
Trinity-San Jacinto	0	0	0	0	0	0
Total	4,148	2,342	2,269	1,894	1,899	1,899

Table 14: Modeled available groundwater for the Jasper Aquifer portion of the Gulf Coast Aquifer, summarized by river basin in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Diam Basis		Year								
River Basin	2010	2020	2030	2040	2050	2060				
Brazos	20,312	20,312	20,312	20,312	20,312	20,312				
Brazos-Colorado	- 76	76	76	76	76	76				
Colorado	171	171	171	171	171	171				
Neches	41,505	38,440	38,318	38,318	37,708	37,656				
Sabine	15,717	15,717	15,679	15,679	15,679	15,679				
San Jacinto	46,417	35,607	35,603	35,602	35,603	35,603				
San Jacinto-Brazos	0	0	0	0	0	0				
Trinity	31,601	31,601	31,060	30,714	30,714	30,714				
Trinity-San Jacinto	0	0	0	0	0	0				
Total	155,799	141,924	141,219	140,872	140,263	140,211				

GAM Run 10-038 MAG Report November 18, 2011 Page 16 of 19

Table 15: Modeled available groundwater for the Chicot Aquifer portion of the Gulf Coast Aquifer, summarized by groundwater conservation district (GCD) in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

Committee Committee Northing			Yea	ar		
Groundwater Conservation District	2010	2020	2030	2040	2050	2060
Bluebonnet GCD	1,600	1,600	1,600	1,600	1,600	1,600
Brazoria County GCD	48,125	48,125	48,125	48,125	48,125	48,125
Brazos Valley GCD	0	0	0	0	0	0
Lone Star GCD	1,482	1,722	1,722	1,722	1,722	1,722
Lower Trinity GCD	0	0	0	0	0	0
Southeast Texas GCD	12,599	12,599	12,599	12,599	12,599	12,599
Total (groundwater conservation districts)	63,806	64,046	64,046	64,046	64,046	64,046
Fort Bend Subsidence District	83,006	75,916	61,657	61,004	60,061	60,177
Harris-Galveston Coastal Subsidence District	74,522	73,536	62,083	63,835	66,337	66,425
No District	57,058	57,058	57,058	57,058	57,058	57,058
Total (all areas)	278,392	270,556	244,844	245,943	247,502	247,706

Table 16: Modeled available groundwater forthe Evangeline Aquifer portion of the Gulf Coast Aquifer, summarized by groundwater conservation district (GCD) in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

	Year								
Groundwater Conservation District	2010	2020	2030	2040	2050	2060			
Bluebonnet GCD	66,043	66,043	66,043	66,043	66,043	66,043			
Brazoria County GCD	2,271	2,271	2,271	2,271	2,271	2,271			
Brazos Valley GCD	0	0	0	0	0	0			
Lone Star GCD	39,381	38,293	38,293	38,293	38,293	38,293			
Lower Trinity GCD	16,489	16,489	16,489	16,489	16,489	16,489			
Southeast Texas GCD	116,331	116,331	116,331	116,331	116,331	116,331			
Total (groundwater conservation districts)	240,515	239,427	239,427	239,427	239,427	239,427			
Fort Bend Subsidence District	30,923	32,789	30,420	31,166	32,251	32,313			
Harris-Galveston Coastal Subsidence District	235,448	194,319	152,890	151,773	149,887	150,097			
No District	32,591	32,591	32,591	32,591	32,591	32,591			
Total (all areas)	539,477	499,126	455,328	454,957	454,156	454,428			

GAM Run 10-038 MAG Report November 18, 2011 Page 17 of 19

Table 17: Modeled available groundwater for the Burkeville Confining Unit portion of the Gulf Coast Aquifer, summarized by groundwater conservation district (GCD) in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

			Yes	r		
Groundwater Conservation District	2010	2020	2030	2040	2050	2060
Bluebonnet GCD	0	0	0	0	0	0
Brazoria County GCD	0	0	0	0	0	0
Brazos Valley GCD	0	0	0	0	0	0
Lone Star GCD	0	0	0	0	0	0
Lower Trinity GCD	3,443	1,643	1,643	1,643	1,643	1,643
Southeast Texas GCD	2	2	2	2	2	2
Total (groundwater conservation districts)	3,445	1,645	1,645	1,645	1,645	1,645
Fort Bend Subsidence District	0	0	0	0	0	0
Harris-Galveston Coastal Subsidence District	335	329	256	249	254	254
No District	368	368	368	0	0	0
Total (all areas)	4,148	2,342	2,269	1,894	1,899	1,899

Table 18: Modeled available groundwater for the Jasper Aquifer portion of the Gulf Coast Aquifer, summarized by groundwater conservation district (GCD) in Groundwater Management Area 14 for each decade between 2010 and 2060. Results are in acre-feet per year.

	Year							
Groundwater Conservation District	2010	2020	2030	2040	2050	2060		
Bluebonnet GCD	28,160	28,137	27,596	27,297	27,297	27,297		
Brazoria County GCD	0	0	0	0	0	0		
Brazos Valley GCD	1,189	1,189	1,189	1,189	1,189	1,189		
Lone Star GCD	32,401	21,614	21,614	21,614	21,614	21,614		
Lower Trinity GCD	37,789	34,763	34,763	34,716	34,106	34,054		
Southeast Texas GCD	46,015	45,976	45,816	45,816	45,816	45,816		
Total (groundwater conservation districts)	145,554	131,679	130,978	130,632	130,022	129,970		
Fort Bend Subsidence District	0	0	0	0	0	0		
Harris-Galveston Coastal Subsidence District	19	19	15	14	15	15		
No District	10,226	10,226	10,226	10,226	10,226	10,226		
Total (all areas)	155,799	141,924	141,219	140,872	140,263	140,211		




Figure 1: Map showing the areas covered by the groundwater availability model for the northern portion of the Gulf Coast Aquifer.





Figure 2: Map showing regional water planning areas (RWPAs), groundwater conservation districts (GCDs), subsidence districts, counties, and river basins in Groundwater Management Area 14.

# This page intentionally left blank



# Appendix 3-D

# Water Availability Model Technical Memorandum

The memorandum included as attachment 3-D describes the method used to determine available supplies from the Neches River for the City of Beaumont for regional water planning. Water availability modeling was used to analyze the supply from the Neches run-of-river and the natural flows of the Neches River.

This page intentionally left blank

# **MEMORANDUM**



Innovative approaches Practical results **Outstanding service** 

4055 International Plaza, Suite 200 • Fort Worth, Texas 76109 • 817-735-7300

www.freese.com

TO:

File

CC:

Simone Kiel

FROM:

Jon Albright

**SUBJECT:** 

**Beaumont Supplies from Neches River** 

DATE:

November 21, 2013

PROJECT: Region | PLU12102

#### Summary

- 1. This memorandum describes the method used to determine available supplies from the Neches River for the City of Beaumont for regional water planning. The method is based on a daily analysis of flows in 1956 made by Tom Gooch of Freese and Nichols as part of the negotiations between the City of Beaumont and the Lower Neches Valley Authority (LNVA) in 2011. The 2011 analysis was provided to the TCEQ in response to a priority call by the LNVA. A comparison of results using the Neches WAM is part of the analysis.
- 2. The calculations for the available supply to Beaumont for regional water planning are preliminary. These calculations will be refined once the City of Beaumont and LNVA demands have been finalized.
- 3. The City of Beaumont owns Certificate of Adjudication (CA) 06-4415, which authorizes 56,467 acre-feet per year of diversion from the Neches River. The City also has supplies of 9,000 acrefeet per year from the Gulf Coast aquifer and a contract with the Lower Neches Valley Authority (LNVA) for 6,000 acre-feet of water from the Neches River and the Steinhagen/Rayburn system.
- 4. Table 1 compares the available supplies to preliminary demands for the City of Beaumont for the years 2020 and 2070. Table 1a uses supplies from the Neches WAM Run 3 for 1956, the year with the minimum supply available under the City of Beaumont's water rights. Table 1b shows the same analysis using the results of the daily analysis. Note that the daily analysis shows greater shortages than the WAM analysis.
- 5. In order to properly calculate the need in the database, Beaumont's supply from the Neches River will need to change from year to year. For example, instead of the maximum supply of 22,234 acre-feet per year, the year 2020 Neches River supply will be 15,934 acre-feet per year and the 2070 Neches River supply will be 21,588 acre-feet per year. This is necessary because the analysis uses a shorter time step (monthly) than the database (yearly).

Table 1a: 2020 and 2070 Supply and Demand – Worst Year Supplies from WAM Run 3

Values in Acre-Feet

	CA 4415		2020 Con	ditions			2070 Con	ditions	
Month	Available Supplies from WAM	Beaumont Demand	CA4415 Supplies Used to Meet Demand	Supplies from Other Sources	Shortage	Beaumont Demand	CA4415 Supplies Used to Meet Demand	Supplies from Other Sources	Shortage
Jan-56	4,669	2,723	2,723	0	0	3,962	3,962	0	0
Feb-56	4,132	2,419	2,419	0	0	3,518	3,518	0	0
Mar-56	4,495	2,623	2,623	0	0	3,816	3,816	0	0
Apr-56	4,390	2,579	2,579	0	0	3,749	3,749	0	0
May-56	4,832	2,842	2,842	0	0	4,131	4,131	0	0
Jun-56	26	2,817	26	2,791	0	4,098	26	4,072	0
Jul-56	8	3,034	8	3,026	0	4,409	8	4,401	0
Aug-56	6	3,006	6	3,000	0	4,370	6	4,364	0
Sep-56	5	2,886	5	2,881	0	4,197	5	2,163	2,029
Oct-56	484	2,874	484	2,390	0	4,177	484	0	3,693
Nov-56	4,485	2,621	2,621	0	. 0	3,812	3,812	0	0
Dec-56	4,579	2,678	2,678	0	0	3,900	3,900	0	0
Total	32,111	33,102	19,014	14,088	0	48,139	27,417	15,000	5,722

Table 1b: 2020 and 2070 Supply and Demand – Worst Year Supplies from Daily Analysis
Values in Acre-Feet

	CA 4415		2020 Cor	ditions		2070 Conditions				
Month	Available Supplies from Daily Analysis	Beaumont Demand	CA4415 Supplies Used to Meet Demand	Supplies from Other Sources	Shortage	Beaumont Demand	CA4415 Supplies Used to Meet Demand	Supplies from Other Sources	Shortage	
Jan-56	3,901	2,723	2,723	0	0	3,962	3,901	61	0	
Feb-56	4,164	2,419	2,419	0	0	3,518	3,518	0	0	
Mar-56	3,765	2,623	2,623	0	0	3,816	3,765	51	0	
Apr-56	3,701	2,579	2,579	0	0	3,749	3,701	48	0	
May-56	3,955	2,842	2,842	0	0	4,131	3,955	176	0	
Jun-56	775	2,817	775	2,042	0	4,098	775	3,323	0	
Jul-56	0	3,034	0	3,034	0	4,409	0	4,409	0	
Aug-56	0	3,006	0	3,006	0	4,370	0	4,370	0	
Sep-56	0	2,886	0	2,886	0	4,197	0	2,562	1,635	
Oct-56	0	2,874	0	2,874	0	4,177	0	0	4,177	
Nov-56	116	2,621	116	1,158	1,347	3,812	116	0	3,696	
Dec-56	1,857	2,678	1,857	0	821	3,900	1,857	0	2,043	
Total	22,234	33,102	15,934	15,000	2,168	48,139	21,588	15,000	11,551	

6. The remainder of this memorandum describes the calculations in more detail. Attachment 1 contains the actual daily calculations of available supply.

#### **Water Rights**

7. Table 2 is a summary of the Beaumont (CA 06-4415) and LNVA water rights (CA 06-4411). These two water rights are the primary run-of-the-river diversions from the lower Neches River. LNVA rights are for diversions from both the Neches River and Pine Island Bayou. A canal connects the main stem of the Neches River to the LNVA diversion point on Pine Island Bayou. The LNVA right contains a complex set of maximum diversion rates for the various priorities which vary by location which are discussed in the section on the daily analysis. The LNVA rights also include authorization for Steinhagen and Rayburn Reservoirs, which are not included in Table 2.

**Table 2: Beaumont and LNVA Water Rights** 

Number	Owner	Priority Date	Diversion Amount	Type of Use
		5-Apr-15	6,570	Municipal
CA 06-4415	City of Beaumont	8-Jan-25	49,897	Municipal and Industrial
	Deaumont	Total	56,467	
		12-Aug-13	107,108	
CA OC 4411	LNIVA	8-Nov-13	219,252	Municipal, Industrial, Irrigation,
CA 06-4411	LNVA	31-Dec-24	55,516	Mining
		Total	326,360	

#### **Available Supplies Using WAM**

- 8. Figure 2 shows the annual diversions from the Neches River under the Beaumont water right from the Neches WAM plus the 15,000 acre-feet per year available from other sources (LNVA contract and groundwater). The Beaumont 2020 and 2070 annual demands are included for reference. The Beaumont diversion of 56,567 acre-feet per year is approximately 89% reliable.
- 9. Figures 3a and 3b are annual summaries comparing 2020 and 2070 Beaumont demands to available supplies, using the monthly availability from the WAM. For this analysis, each month in the WAM simulation is compared to the projected Beaumont demand for that month. If there is not enough water available from the Neches River, then the 15,000 acre-feet per year

from alternative sources is used if available. Once this supply is used up there is a shortage. In 2020 the three sources are sufficient to meet all Beaumont demands. In 2070, there are shortages in 1966, 1967 and 1971. The maximum shortage of 5,722 acre-feet is in 1956.

80,000 70,000 60,000 acre-feet per year 50,000 40,000 30,000 20,000 10,000 1958 1956 1972 Other Sources CA4415 Diversions 2020 Demand ≈2070 Demand

Figure 2: Annual Available Supply from Beaumont Sources Based on Neches WAM

Figure 3a: Annual Source of Supply Based on Monthly Analysis using WAM - 2020 Conditions





Figure 3b: Annual Source of Supply Based on Monthly Analysis using WAM - 2070 Conditions



DRAFT Beaumont Supplies from the Neches River November 21, 2013 Page 6 of 12

#### **Daily Analysis**

10. The preferred method for calculating availability for Beaumont is based on an analysis performed during the negotiations between LNVA and Beaumont in 2011. These negotiations were overseen by TCEQ. Attachment 1 contains a detailed description of the calculations performed as part of the negotiations. The analysis uses daily historical flows for the years 1956, 1967, 2000, 2010 and 2011. 1956 had the lowest availability for Beaumont and was selected for the basis of water availability for Region I.

DRAFT Beaumont Supplies from the Neches River November 21, 2013 Page 7 of 12

#### **ATTACHMENT 1: DESCRIPTION OF DAILY ANALYSIS SPREADSHEET**

The daily analysis spreadsheet includes the following worksheets:

Worksheet 1 (Analysis of Available Flow at the Salt Water Barrier) – This worksheet estimates the natural flows for the Neches River at the Salt Water Barrier based on inflow and outflow data from Sam Rayburn and B.A. Steinhagen Reservoirs and USGS streamflow data.

Worksheet 2 (Adjusted LNVA Analysis of Diversions Assigned to Water Rights) – This worksheet assigns diversions to various water rights using a modified version of the analysis performed by LNVA. The analysis preserves LNVA's logic and philosophy for allocating flow and diversions by water right. However, the analysis substitutes Freese and Nichols' calculations for available flow (see Worksheet 1, above); uses actual daily diversions by the City of Beaumont (Worksheet 5) instead of the hypothetical diversion in the original LNVA analysis; and divides Beaumont's diversions between 1915 and 1925 priority.

Worksheet 3 (Corps Data) – presents the raw inflow and outflow data for Sam Rayburn Reservoir and inflow data for B.A. Steinhagen Reservoir, as extracted from the Corps of Engineers' website: <a href="http://www.swf-wc.usace.army.mil/cgi-in/rcshtml.pl?page=Hydrologic">http://www.swf-wc.usace.army.mil/cgi-in/rcshtml.pl?page=Hydrologic</a>. These data are provided as backup for calculations in Worksheet 1.

**Worksheet 4 (USGS Data)** – presents gage flow in cubic feet per second, as extracted from the U.S. Geological Survey website: <a href="http://waterdata.usgs.gov/tx/nwis/current/?type=flow">http://waterdata.usgs.gov/tx/nwis/current/?type=flow</a>. These data are provided as backup for calculations in Worksheet 1.

**Worksheet 5 (Beaumont Diversions)** – presents the daily diversions by the City of Beaumont from the Neches River. This data was provided by Karin Warren of the City of Beaumont to Freese and Nichols, Inc. by Beaumont. Worksheet 5 converts the raw data, provided in million gallons per day, to cubic feet per second (cfs) using the factor 1 MGD = 1.55 cfs. These data are presented as backup for calculations in Worksheet 2.

Worksheets 1 and 2 are discussed in greater detail below.

#### **WORKSHEET 1 - ANALYSIS OF AVAILABLE FLOW AT THE SALT WATER BARRIER**

This table estimates natural flows above the Salt Water Barrier. The columns in the worksheet are developed as follows:

- (A) Date. This is the date to which the data apply.
- (B) <u>Inflow to Sam Rayburn Reservoir.</u> Obtained from the U.S. Army Corps of Engineers' website. "Adjusted" inflows in cubic feet per second are used for 1 January 2010 through 30 September

- 2010. Adjusted inflows are not available for dates later than 30 September 2010; calculated inflows from the same data set are used for the period 1 October 2010 through 14 November 2011.
- (C) Flow at the Rockland USGS Gage. Daily flow in cfs from the U.S. Geological Survey website.
- (D) Estimated Inflow to BA Steinhagen Reservoir (Not Including Releases from Sam Rayburn). This is the estimated inflow to B.A. Steinhagen Reservoir downstream from Sam Rayburn Reservoir and is based on the flow at the Rockland USGS gage multiplied by the drainage area ratio. The drainage area of B.A. Steinhagen Reservoir downstream from Sam Rayburn Reservoir is 4,124 square miles, and the drainage area of the Rockland gage is 3,636 square miles, resulting in a ratio of 1.1342.
- (E) <u>Total Natural Inflow above Dams.</u> Calculated in the spreadsheet as the sum of Column B and Column D. This value, expressed in cfs, represents inflow from the portion of the Neches River watershed above Sam Rayburn Reservoir and B. A. Steinhagen Reservoirs.
- (F) Natural Inflow above Dams with Negatives set to Zero. As noted previously, natural inflow may be zero during dry periods but cannot be negative. Negative numbers in the spreadsheet represent inconsistent data. This column replicates Column G with the difference that any negative value has been reset to zero.
- (G) Flow at Town Bluff Gage. Daily flow in cfs from the U.S. Geological Survey website. Data points after 7/25/2011 are provisional; all prior data are approved. Note that the datum for 10/5/2011 is missing. We have filled in 598 cfs, which is the average of flows for 10/4 and 10/6.
- (H) Flow at Evadale Gage. Daily flow in cfs from the U. S. Geological Survey website. Data points after 7/25/2011 are provisional; all prior data are approved. Note that the datum for 10/5/2011 is missing. We have filled in 635 cfs, which is the average of flows for 10/4 and 10/6.
- (I) Evadale less Town Bluff (Lagged 1.5 days). Calculated in the spreadsheet as Column H minus the average of the Column G value from one and two days prior. This use of previous days' values for Town Bluff flows represents travel time between the two gages. Scenarios of 1, 1.5, 2, 2.5, and 3 days travel time were tested; 1.5 days travel time produced the fewest negative values and appears to be the best fit.
- (J) Corrected Flow from Town Bluff to Evadale. In certain cases, Column I contains negative numbers (highlighted in pink). While flow between the two gages may be zero under some conditions, it should not be negative. We believe these negative numbers are an artifact of varying travel times. Column J represents a manual adjustment to Column I to remove negative inflows by adjusting the inflows of adjacent dates such that no entry is less than zero and the total volume remains unchanged.
- (K) Flow at Village Creek near Kountze Gage. Daily flow in cfs from the U.S. Geological Survey website. Data from 10/4/2010 on are provisional. All prior data are approved. Note that the datum for 10/5/2011 is missing. We have filled in 15 cfs, which is the average of flows for 10/4 and 10/6.

DRAFT Beaumont Supplies from the Neches River November 21, 2013 Page 9 of 12

- (M) Flow at Pine Island Bayou near Sour Lake Gage. Daily flow in cfs from the U.S. Geological Survey website. Data from 10/5/2010 on are provisional; all prior data are approved.
- (N) Ungaged Flow. Estimates the ungaged flow between Lake B.A. Steinhagen and the Salt Water Barrier by using a drainage area ratio and flows for the gaged portion of the watershed. The watershed above B.A. Steinhagen Reservoir (7,574 square miles) reflects 2,215 square miles of total watershed below B.A. Steinhagen Reservoir. The gaged portion of this drainage area is the gaged portion of the Pine Island Bayou watershed (336 square miles) plus the gaged portion of the Village Creek watershed (860 square miles) plus the gaged portion of the main stem watershed between the Evadale and Town gages (7,951 square miles minus 7,574 square miles, or 377 square miles). The total gaged portion of the watershed below B.A. Steinhagen is therefore 1,573 square miles (336 + 860 + 377). The ungaged portion of the watershed is 642 square miles (2,215 total 1,573 gaged). The ratio of 642 square miles (ungaged area) to the gaged portion (1,573 square miles) is 0.41. (The drainage area of each gage is taken from the USGS website.) The spreadsheet accordingly multiplies (Column (H) + Column (K) + Column (L)) by 0.41 to calculate Column N.
- (O) Flow Between BA Steinhagen and Neches at the Salt Water Barrier. Computes the total flow between Lake B.A. Steinhagen and the Salt Water Barrier by adding gaged and ungaged flow and is equal to Column (J) + Column (K) + Column (L) + Column (M).
- (P) Estimated Natural Flow on Neches at Salt Water Barrier (O + F (Lagged 1.5 Days)). Estimates the total natural flow in the Neches River at the Salt Water Barrier by adding the estimated natural flow from the portion of the watershed below B.A. Steinhagen Reservoir (Column O) to estimated natural flow above the dams (Column F) with a 1.5 day lag for the flow values from the upper portion of the watershed (average of Column F values for 1 and 2 days prior).

#### **WORKSHEET 2 - ADJUSTED LNVA ANALYSIS OF DIVERSIONS ASSIGNED TO WATER RIGHTS**

Unless otherwise indicated, the procedures used to divide available flows among water rights and priorities are the same as the procedures followed by the LNVA in its spreadsheet.

- (A) Date. This is the date to which the data apply.
- (B) Estimated Natural Flow in the Neches River at the Salt Water Barrier from Worksheet 1. Calculated by FNI as described in Worksheet 1. Data from Column Q, Worksheet 1, is copied to Column B, Worksheet 2. The computations are described under Worksheet 1 above. The data are different from the data used by LNVA.
- (C) <u>LNVA Pumpage at Neches First.</u> Actual LNVA pumping at the Neches First Lift Pump Station, as reported by LNVA on a daily basis, in cfs.
- (D) Neches First Year to Date. Cumulative pumping by LNVA at Neches First Pump Station for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying diversions in cfs by 1.98347 (to convert to acre-feet) and adding each day's value to the prior

day's to determine a cumulative running total.


- (E) LNVA Pumpage at Neches BI First. Actual LNVA pumping at the BI First Lift Pump Station, as reported by LNVA on a daily basis, in cfs.
- (F) BI First Year to Date. Cumulative pumping by LNVA at BI First Lift Pump Station for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying diversions in cfs by 1.98347 (to convert to acre-feet) and adding each day's value to the prior day's to determine a cumulative running total.
- (G) 8/12/1913 BI First Run-of-the-River Right (up to 450 cfs). Allocates LNVA's diversion at BI First (in cfs) to the most senior water right for that location, limited by the available flow (Column B), the total diversion at BI First lift (Column E), the maximum allowable diversion rate at this priority, and the maximum annual diversion at this location and priority.
- (H) Year to Date Use of 1913 BI (Ac-Ft). Cumulative pumping by LNVA at BI First Lift Pump Station at the 1913 priority for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying diversions in cfs by 1.98347 (to convert to acre-feet) and adding each day's value to the prior day's to determine a cumulative running total. It is used to assure that diversions at the 1913 priority cease when the maximum annual diversion at that priority is reached.
- (I) 11/8/1913 Neches First Run-of-the-River Right (up to 588 cfs). Allocates LNVA's diversion at Neches First (in cfs) to the most senior water right for that location, limited by the available flow less flow allocated to BI First 1913 (Column B Column G), the total diversion at Neches First lift (Column C), the maximum allowable diversion rate at this priority, and the maximum annual diversion at this location and priority.
- Year to Date Use of 1913 Neches (Ac-Ft). Cumulative pumping by LNVA at Neches First Lift Pump Station at the 1913 priority for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying diversions in cfs by 1.98347 (to convert to acre-feet) and adding each day's value to the prior day's to determine a cumulative running total. It is used to assure that diversions at the 1913 priority cease when the maximum annual diversion at that priority is reached.
- (K) Beaumont Diversion from Neches (cfs). Actual diversion by the City of Beaumont, expressed in cfs. Data for diversions in mgd were provided by the City of Beaumont by email from Karen Warren to Tom Gooch, FNI, dated 14 November 2011. The original data are included in Worksheet 5 as Column B. This column was on in LNVA's computations.
- (L) 4/15/1915 City of Beaumont Right Diversion. The portion of Beaumont's diversion that can be made with available water at a 1915 priority. It is limited to the lesser of actual diversions; available flow less diversions by LNVA under their 1913 rights (The lesser of Column K and Column B Column G Column I); the maximum allowable diversion rate at this priority; and the maximum annual diversion at this priority. In their computations, LNVA used an assumed 50 cfs diversion by LNVA rather than actual diversions (which were always less than 50 cfs) in this column.

- (M) Year to Date Use of 1915 Beaumont (Ac-Ft) (Acre-feet). Cumulative pumping by Beaumont at Neches First Lift Pump Station at the 1913 priority for the year. This value is expressed in acrefeet. It is computed in the spreadsheet by multiplying cumulative diversions in cfs by 1.98347 (to convert to acre-feet). It is used to assure that diversions at the 1915 priority cease when the maximum annual diversion at that priority is reached.
- (N) 12/31/1924 BI First Right. These are diversions by LNVA at the BI First Lift Pump Station that are allocated to LNVA's 1924 water right. They are limited by the difference between total diversions at BI First Lift (Column E) and diversions allocated to the 1913 priority (Column G), the difference between total available flow (Column B) and flows allocated to prior water rights (Columns G, I, and L), the 30 cfs diversion rate available under this right, and the total annual amount available under this right. There is a slight difference from the LNVA spreadsheet in this column. Rather than limiting diversions to (Column B Column G Column I Column L), LNVA limited diversions to (Column B Column G Column I). This difference (correcting what appears to be a minor miscalculation by LNVA) does not significantly affect the results.
- (O) 12/31/1924 Neches First Right. These are diversions by LNVA at the Neches First Lift Pump Station that are allocated LNVA's 1924 water right. They are limited by the difference between total diversions at BI First Lift (Column C) and diversions allocated to the 1913 priority (Column I), the difference between total available flow (Column B) and flows allocated to prior water rights (Columns G, I, L, and N), the 45 cfs diversion rate available under this right, and the total annual amount available under this right.
- (P) Total of 1924 Bl and Neches First Lift Year to Date Diversions. Cumulative pumping by LNVA at Bl and Neches First Lift Pump Stations at the 1924 priority for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying 1924 priority diversions in cfs at both pump stations by 1.98347 (to convert to acre-feet) and adding each day's value to the prior day's to determine a cumulative running total. It is used to assure that diversions at the 1924 priority cease when the maximum annual diversion at that priority is reached.
- (Q) 1/8/1925 City of Beaumont Right Diversion. The portion of Beaumont's diversion that can be made with available water at a 1925 priority. It is limited to the lesser of actual diversions less diversions at the 1915 priority (Column K Column L); available flow less diversions by LNVA under their 1913 and 1924 rights and by Beaumont at its 1915 right (Column B Column G Column I Column L Column N Column O); and the maximum allowable diversion rate less diversions at the 1915 priority.
- (R) <u>Diversions by Beaumont in Excess of Available Flow.</u> This is equal to Column K Column L Column Q. These diversions could be taken from channel storage or, as LNVA points out, could come from LNVA's releases from upstream reservoirs.
- (S) 11/12/1963 Actual Diversions of Water from Storage. The amount of water LNVA diverts from releases of stored water on the day in question. It is equal to LNVA's total diversions (Column C + Column E) less the diversions allocated to run-of-the-river water rights (Column G + Column I + Column N + Column O).
- (T) Total Year to Date Diversions from Storage. Cumulative diversions by LNVA of water released

DRAFT Beaumont Supplies from the Neches River November 21, 2013 Page 12 of 12

from reservoir storage for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying diversions of water released from storage (Column S) in cfs by 1.98347 (to convert to acre-feet) and adding each day's value to the prior day's to determine a cumulative running total. It is used to assure that diversions of water released from storage do not exceed the maximum annual amount.

- (U) <u>11/12/1963 Called Releases of Water from Storage.</u> The amount of water that was released from storage in upstream reservoirs for the day. This was provided by LNVA.
- (V) Total Year to Date Diversions from Storage. Cumulative water released from reservoir storage for the year. This value is expressed in acre-feet. It is computed in the spreadsheet by multiplying water released from storage (Column U) in cfs by 1.98347 (to convert to acre-feet) and adding each day's value to the prior day's to determine a cumulative running total. It is used to assure that water released from storage does not exceed the maximum annual amount.



# Appendix 4-A

# Identified Water Needs/Surplus DB17 Report

The following appendix includes a copy of the Water User Group Identified Needs/Surplus data from the TWDB Data Web Interface known as the DB17. The summary is divided by Water User Group, county, and basin.

# This page intentionally left blank

REGION I		WUG (NEE	DS)/SURPLUS	(ACRE-FEET PEI	R YEAR)	
	2020	2030	2040	2050	2060	2070
ANDERSON COUNTY				-		
NECHES BASIN					*	
BRUSHY CREEK WSC	147	150	155	158	158	15
FRANKSTON	149	142	140	136	130	12
PALESTINE	0	0	0	0	0	
WALSTON SPRINGS WSC	8	11	16	22	23	2
COUNTY-OTHER	48	48	48	48	48	4
MANUFACTURING	0	0	0	. 0	0	
MINING	0	0	0	0	0	
STEAM ELECTRIC POWER	(11,306)	(13,218)	(15,549)	(18,390)	(21,853)	(25,96
LIVESTOCK	0	0	0	0	. 0	
IRRIGATION	263	263	263	263	263	26
TRINITY BASIN		•				
BRUSHY CREEK WSC	293	295	298	300	301	30
ELKHART	179	177	178	181	182	18
FOUR PINES WSC	213	213	218	222	223	. 22
PALESTINE	0	. 0	0	0	0	
THE CONSOLIDATED WSC	167	169	172	174	173	17
WALSTON SPRINGS WSC	0	0	0	0	0	
COUNTY-OTHER	260	260	260	260	260	20
MANUFACTURING	0	0	0	0	-0	
MINING	53	33	29	50	72	
LIVESTOCK	21	21	21	21	21	
IRRIGATION	1,104	1,104	1,104	1,104	1,104	1,10
ANGÈLINA COUNTY						· · · · · · · · · · · · · · · · · · ·
NECHES BASIN						
ANGELINA WSC	272	272	268	258	248	23
BURKE	0	0	0	0	0	
CENTRAL WCID OF ANGELINA COUNTY	397	382	355	330	308	28
DIBOLL	2,042	2,024	2,007	1,976	1,948	1,92
FOUR WAY SUD	726	707	689	670	650	63
HUDSON	254	245	236	224	209	, 2
HUDSON WSC	750	722	698	676	657	6:
· HUNTINGTON	826	821	816	810	800	79
LUFKIN	· 0	0	0	0	0	
REDLAND WSC	577	579	570	561	553	54
ZAVALLA	0	0	0	0	0	
COUNTY-OTHER	397	359	313	224	144	
MANUFACTURING	(10,722)	(12,009)	(13,313)	(14,470)	(15,705)	(17,03
MINING	(473)	(572)	(397)	(299)	(224)	(17,05
STEAM ELECTRIC POWER	15,802	15,802	15,802	15,802	15,802	15,80
LIVESTOCK	89	89	89	89	89	15,6
IRRIGATION	331	331	331	331	331	3:
CHEROKEE COUNTY	331	331	, 331	331	331	3.
NECHES BASIN						
NECHES BASIN ALTO	259	242		200	172	
ALTO RURAL WSC	98	58	224		(127)	14
BULLARD			2	(66)	(137)	(21:
	15	13	11	. 9	7	
CRAFT-TURNEY WSC	0	0	0	0	0	

REGION I	WUG (NEEDS)/SURPLUS (ACRE-FEET PER YEAR)								
	2020	2030	2040	2050	2060	2070			
CHEROKEE COUNTY		•							
NECHES BASIN									
JACKSONVILLE	0	0	0	0	0	0			
NEW SUMMERFIELD	97	. 87	76	61	44	25			
NORTH CHEROKEE WSC	. 0	0	0	. 0	0	C			
RUSK	383	314	241	143	31	8			
RUSK RURAL WSC	192	174	155	124	87	45			
SOUTHERN UTILITIES COMPANY	0	. 0	0	0	0	0			
TROUP	0	0	0	0	0	0			
WELLS	243	234	225	212	197	181			
WRIGHT CITY WSC	33	. 29	24	18	11	C			
COUNTY-OTHER	675	625	571	495	404	304			
MANUFACTURING	- 11	11	11	11	11	11			
MINING	(238)	(247)	(210)	(147)	(84)	(40)			
STEAM ELECTRIC POWER	3,210	2,907	2,538	2,088	1,540	1,165			
LIVESTOCK	132	- 132	132	132	132	132			
IRRIGATION	81	76	72	68	65	65			
HARDIN COUNTY									
NECHES BASIN									
KOUNTZE	786	795	803	807	807	807			
LUMBERTON	0	0	0	0	0	C			
LUMBERTON MUD	3,601	3,392	3,246	3,130	3,021	2,937			
NORTH HARDIN WSC	1,362	1,345	1,320	1,301	1,287	1,276			
SILSBEE	724	736	748	753	748	742			
SOUR LAKE	654	649	645	642	637	633			
WEST HARDIN WSC	502	498	495	491	488	485			
COUNTY-OTHER	11	11	11	11	11	11			
MANUFACTURING	6	6	. 6	6	6				
MINING	0	0	0	0	0	(			
LIVESTOCK	63	63	63	63	63	63			
f IRRIGATION	0	0	0	0	0	(			
TRINITY BASIN									
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE	. 0	0	0	0	0	(			
COMPANY WEST HARDIN WSC			. 0	0	0	,			
	0	0	0	0	0				
COUNTY-OTHER LIVESTOCK	0	0	0	0	0				
·	·	U	0	. 0	0				
HENDERSON COUNTY									
NECHES BASIN	, (2)			,,, [		**			
ATHENS	(2)	(3)	(2)	(1)	(17)	(33)			
BERRYVILLE	0	0	0	0	0	(			
BETHEL-ASH WSC	334	283	245	201	161	12:			
BROWNSBORO	0	0	0	0	0	(			
BRUSHY CREEK WSC	0	0	0	0	0	(212			
CHANDLER	269	154	57	(77)	(196)	(312			
FRANKSTON	6	8	9	11	13	1:			
MURCHISON	0	0	0	0	0				
R-P-M WSC	(3)	(17)	(26)	(39)	· (52)	(63			
VIRGINIA HILL WSC	104	87	72	50	27	···········			
COUNTY-OTHER	540	540	540	. 540	540	54			

REGION I		WUG (NEI	EDS)/SURPLUS	(ACRE-FEET PEI	R YEAR)	***
	2020	2030	2040	2050	2060	2070
HENDERSON COUNTY	N. 11					
NECHES BASIN		·	3			
MANUFACTURING	24	. 16	8	1	1	
MINING	42	33	42	60	79	91
LIVESTOCK	1,612	1,539	1,481	1,406	1,016	765
IRRIGATION	388	372	366	362	310	278
HOUSTON COUNTY						
NECHES BASIN						,
GRAPELAND	202	203	207	208	209	208
THE CONSOLIDATED WSC	561	570	579	583	580	577
COUNTY-OTHER	12	15	16	16	16	16
MANUFACTURING	12	10	9	8	7	
MINING	0	0	0	. 0	0	(
LIVESTOCK	608	566	521	472	419	351
IRRIGATION TRINITY BASIN	6	(22)	(51)	(84)	(121)	(170
CROCKETT	727	742	755	757	743	725
GRAPELAND	311	314	315	317	316	310
LOVELADY	105	105	107	108	109	10:
THE CONSOLIDATED WSC	800	826	850	861	855	84
COUNTY-OTHER	179	182	181	181	181	18
MANUFACTURING	24	25	26	26	. 27	2
MINING	0	0	0	0	0	
LIVESTOCK	0	0	. 0	0	0	
IRRIGATION	(756)	(974)	(1,213)	(1,478)	(1,770)	(2,169
JASPER COUNTY					· · · · · · · · · · · · · · · · · · ·	
NECHES BASIN						
JASPER	3,091	3,091	3,114	3,130	3,133	3,133
COUNTY-OTHER	0	0	0	0	0	
MANUFACTURING	352	. (3,049)	(6,021)	(8,250)	(8,335)	(8,420
MINING	0	0	0	0	0	(
LIVESTOCK	217	217	217	217	217	217
IRRIGATION	58	58	58	58	58	
SABINE BASIN					· ·	
JASPER COUNTY WCID #1	849	861	866	866	866	. 86
KIRBYVILLE	. 182	183	189	194	194	19
MAURICEVILLE SUD	43	43	41	39	38	3
COUNTY-OTHER	192	233	310	353	362	36
MANUFACTURING	4	3	1	0	0	
MINING	0	0	0	0	0	
LIVESTOCK	217	217	217	217	217	21′
IRRIGATION	33	33	33	33	33	3:
JEFFERSON COUNTY						
NECHES BASIN			···········			
BEAUMONT	0	0	(169)	(759)	(1,488)	(2,331
BEVIL OAKS	0	0	0	0	0	
CHINA	0	0	. 0	0	. 0	
GROVES	0	0	0	0	. 0	
JEFFERSON COUNTY WCID #10	0	0	0	0	0	-

REGION I		WUG (NEE	DS)/SURPLUS	(ACRE-FEET PEF	R YEAR)	
	2020	2030	2040	2050	2060	2070
JEFFERSON COUNTY						
NECHES BASIN			**			
MEEKER MUD	20	17	13	6	3	
. NEDERLAND	0	0	0	0	0	
NOME	0	0	0	0	0	
PORT ARTHUR	0	0	. 0	0	0	
PORT NECHES	. 0	0	0	0	0	
COUNTY-OTHER	18	18	15	(22)	(57)	(89
MANUFACTURING	(93,772)	(135,897)	(141,948)	(148,018)	(154,093)	(160,406
MINING	0	0	0	0	0	
STEAM ELECTRIC POWER	(13,426)	(15,696)	(18,464)	(21,838)	(25,951)	(30,839
LIVESTOCK	0	.0	0	0	0	
IRRIGATION	3,253	2,608	2,166	2,009	2,172	2,42
NECHES-TRINITY BASIN			· ·			
. BEAUMONT	0	. 0	(331)	(1,486)	(2,914)	(4,565
CHINA	0	0	0	0	0	
GROVES	0	0	0	0	0	
JEFFERSON COUNTY WCID #10	0	0	0	0	0	
MEEKER MUD	61	50	38	19	8	
NEDERLAND	0	0	0	0	0	
NOME	. 0	0	0	0	0	
PORT ARTHUR	0	0	0	0	0	
PORT NECHES	0	0	0	0	0	-
WEST JEFFERSON COUNTY MWD	0	0	0	0	0	
COUNTY-OTHER	359	414	412	(658)	(1,867)	(3,207
MANUFACTURING	(86,689)	(125,576)	(131,158)	(136,761)	(142,368)	(148,197
MINING	0	0	0	0	0	
LIVESTOCK	63	63	63	63	63	6
IRRIGATION	43,228	34,660	28,777	26,689	28,867	32,17
NACOGDOCHES COUNTY	•	iI				
NECHES BASIN		•				
APPLEBY WSC	285	222	157	82	o	· · ·
CUSHING	105	94	82	69	53	3
D&M WSC	289	200	108	4	(112)	(234
GARRISON	340	318	296	270	241	21
LILLY GROVE SUD	332	292	250	202	148	9
MELROSE WSC	304	259	213	158	95	
NACOGDOCHES	0	. 0	0	3 0	0	
SWIFT WSC	238	201	163	116	63	
WODEN WSC	440	414	386	352	312	26
COUNTY-OTHER	0	0	. 0	0	0	
MANUFACTURING	10,000	10,000	10,000	10,000	10,000	10,00
MINING	(5,475)	(2,975)	(118)	226	567	81
STEAM ELECTRIC POWER	369	(799)	(2,224)	(3,961)	(6,078)	(8,594
LIVESTOCK	(1,644)	(1,837)	(2,061)	(2,320)	(2,617)	(3,059
IRRIGATION	109	109	109	109	109	10
NEWTON COUNTY	107	107	109	109	109	10
	e <sup>n e</sup>					
SABINE BASIN  MAURICEVILLE SUD	40	38	37	35	35	

REGION I		WUG (NEE	DS)/SURPLUS	(ACRE-FEET PEI	R YEAR)	
	2020	2030	2040	2050	2060	2070
NEWTON COUNTY						
SABINE BASIN						
NEWTON	40	49	57	62	63	6
SOUTH NEWTON WSC	144	144	144	144	144	14
COUNTY-OTHER	456	500	538	547	550	55
MANUFACTURING	Ó	٠ 0	0	0	0	
MINING	(115)	(59)	35	105	168	20
STEAM ELECTRIC POWER	(690)	(3,080)	(5,994)	(9,545)	(13,875)	(19,02
LIVESTOCK	138	138	138	138	138	13
IRRIGATION	5	5	5	5	5	
ORANGE COUNTY						
NECHES BASIN						
BRIDGE CITY	10	11	13	12	11	
MAURICEVILLE SUD	71	71	69	68	68	(
ORANGEFIELD WSC	0	0	0	0	0	
PORT ARTHUR	0	0	0	0	0	
ROSE CITY	498	497	1 497	495	494	49
VIDOR	0	0	0	0	0	
COUNTY-OTHER	0	0	0	0	0	
MANUFACTURING	0	(89)	(208)	(314)	(433)	(56
MINING	10	8	8	8	5	(30
STEAM ELECTRIC POWER	825	(14)	(1,038)	(2,286)	(3,807)	(4,84
LIVESTOCK	102	102	102	102	102	1
IRRIGATION	(932)	(996)	(1,039)	(1,054)	(1,038)	(1,01
NECHES-TRINITY BASIN	(932)	(990)	(1,039)	(1,034)	(1,038)	(1,01
BRIDGE CITY	4	5	7	6	5	
COUNTY-OTHER	0	0	0	0	0	
SABINE BASIN		- 01	. 0	<u> </u>	- 0	
BRIDGE CITY	0	9	18	13	7	<del></del>
MAURICEVILLE SUD	838	838				
ORANGE	030	0	823	815	806	8
ORANGEFIELD WSC	0	0	0	0		
PINEHURST	0	0	0		0	
SOUTH NEWTON WSC				0		
	0	0	0	0	0	
VIDOR WEST ORANGE	0	0	0	0	0	
	0					
COUNTY-OTHER MANUFACTURING		(8.200)	(14.221)	(10.416)	(25.247)	<del></del>
	(2,532)	(8,390)	(14,231)	(19,416)	(25,247)	(31,55
MINING		5	6	5	3	
LIVESTOCK	16	16	16	16	16	
IRRIGATION	(1,500)	(1,689)	(1,819)	(1,866)	(1,817)	(1,74
PANOLA COUNTY						
CYPRESS BASIN						
COUNTY-OTHER	1	0	. 0	0	0	
MINING	2	. 2	·2	2	4	·
LIVESTOCK	15	15	15	15	15	
SABINE BASIN		,				
, . BECKVILLE	448	437	431	425	419	4
CARTHAGE	. 0	.0	0	0	. 0	·

REGION I		WUG (NEEDS)/SURPLUS (ACRE-FEET PER YEAR)						
•		2020	2030	2040	2050	2060	2070	
PANOLA COUNTY			•				1	
SABINE BASIN								
	GILL WSC	74	75	. 77	. 76	75	7	
	TATUM	0	0	0	0	0	è	
	COUNTY-OTHER	. 179	165	171	155	125	9	
	MANUFACTURING	, (134)	(156)	(176)	(194)	(230)	(309	
-	MINING	3,317	3,639	4,263	4,576	5,833	5,70	
	LIVESTOCK	175	175	175	175	175	17	
	IRRIGATION	510	510	510	510	510	51	
POLK COUNTY			•			•		
NECHES BASIN								
	CORRIGAN	67	51	39	23	11		
	COUNTY-OTHER	0	. 0	0	0	0		
·	MANUFACTURING	9	9	9	9	9		
-	MINING	63	89	114	140	166	17	
	LIVESTOCK	277	277	277	277	277	27	
	IRRIGATION	341	341	341	341	341	34	
RUSK COUNTY						t_		
NECHES BASIN								
	HENDERSON	2,682	2,371	2,062	1,710	1,325	92	
	NEW LONDON	118	98	. 76	52	27		
	OVERTON	39	34	28	. 22	15		
	WRIGHT CITY WSC	27	22	18	12	6		
	COUNTY-OTHER	. 753	647	534	379	195		
·	MANUFACTURING	31	31	31	31	31	3	
,	MINING	(1,075)	(1,814)	(1,742)	(1,666)	(1,603)	(1,598	
	LIVESTOCK	289	· 280	267	255	242	24	
	IRRIGATION	245	245	245	245	245	24	
SABINE BASIN			'			Т		
	CHALK HILL SUD	720	700	679	650	615	57	
	CROSS ROADS SUD	407	395	383	363	336	30	
	EASTON	0	0	· 0	0	0	···	
	ELDERVILLE WSC	73	61	48	34	18		
·	HENDERSON	447	394	340	278	. 212	14	
	KILGORE	148	422	356	277	182	7	
,	NEW LONDON	95	77	61	42	21		
	OVERTON	79	33	(12)	(65)	(123)	(184	
	TATUM	118	87	59	28	0	•	
	WEST GREGG SUD	. 10	10	9	7	5		
	COUNTY-OTHER	689	614	535	426	297	15	
	MANUFACTURING	1	1	1.	1	1		
	MINING	0	(278)	(213)	(143)	(83)	. (7	
STE	AM ELECTRIC POWER	16,743	12,099	6,439	(462)	(8,873)	(18,86	
	LIVESTOCK	0	. 0	0	0	0		
· · · · · · · · · · · · · · · · · · ·	IRRIGATION	253	253	253	253	253	25	
SABINE COUNTY						1		
NECHES BASIN	•		•					
NECHES BASIN	G M WSC	4	3	٦١	3	3		
	PINELAND	5	10	. 13	14	14		


REGION I			WUG (NEE	DS)/SURPLUS	(ACRE-FEET PE	R YEAR)	
		2020	2030	2040	2050	2060	2070
SABINE COUNTY				·			
NECHES BASIN							
	COUNTY-OTHER	214	214	215	215	215	21:
	MANUFACTURING	380	311	241	179	123	6.
	MINING	124	145	171	196	222	24
	LIVESTOCK	57	48	37	25	11	1
SABINE BASIN			·				
	. G M WSC	. 0	0	0	0	0	4
	HEMPHILL	437	441	445	448	448	44
	COUNTY-OTHER	398	408	413	414	414	414
	MINING	654	768	904	1,036	1,168	1,26
AP)v	LIVESTOCK	516	467	410	344	273	27.
SAN AUGUSTINE COUNTY							
NECHES BASIN	·····				,		
	SAN AUGUSTINE	0	9	17	18	19	1
	COUNTY-OTHER	417	442	462	472	475	47:
	MANUFACTURING	9	8	7	6	5	
	MINING	(2,102)	(1,102)	419	718	1,014	1,23
	LIVESTOCK	0	0	0	0	0	
CA PAND -	IRRIGATION	0	0	0	. 0	0	
SABINE BASIN		1					
	G M WSC	28	28	28	28	28	. 2
	COUNTY-OTHER	81	82	82	82	82	8
	MINING	0	0 .	0	0	0	
	LIVESTOCK	18	. 18	18	18	18	1
SHELBY COUNTY	IRRIGATION		01	U	·	· •	
NECHES BASIN	TIMPSON	0	. 0	0	0	0	
	COUNTY-OTHER	188	183	177	171	163	15
	MINING	12	24	64	209	72	173
	LIVESTOCK	(564)	(756)	(991)	(1,276)	(1,625)	(1,625
	IRRIGATION	9	9	9	9	9	(1,023
SABINE BASIN	Industrion		1	<del> 1</del>	1		
SADI (I) DAGI(	CENTER	8	8	8	8	8	
	JOAQUIN	46	46	46	46	46	4
	TENAHA	215	204	194	183	171	15
	TIMPSON	386	379	372	365	356	34
	COUNTY-OTHER	117	110	103	93	82	7
	MANUFACTURING	311	323	334	344	357	37
	MINING	30	63	165	536	186	46
	LIVESTOCK	(803)	(1,619)	(2,611)	(3,823)	(5,299)	(5,299
	IRRIGATION	63	63	63	63	63	6
SMITH COUNTY			······································				· · · · · · · · · · · · · · · · · · ·
NECHES BASIN							
	ARP	0	0	0	0	0	
	BULLARD	(51)	(223)	(397)	(587)	(783)	(985
	CRYSTAL SYSTEMS INC	(12)	(105)	(219)	(356)	(510)	(642
	DEAN WSC	0	0	0	. 0	0	

REGION I		R YEAR)				
	2020	2030	2040	2050	2060	2070
SMITH COUNTY			· · · · ·			
NECHES BASIN		ч				
JACKSON WSC	0	0	0	0	0	
LINDALE	(52)	(180)	(310)	(451)	(596)	(74
LINDALE RURAL WSC	0	0	. 0	0	0	
NEW CHAPEL HILL	0	.0	. 0	0	0	
NOONDAY	0	. 0	0	0	0	
OVERTON	0	. 0	0	0	0	,
R-P-M WSC	(1)	(6)	(10)	(15)	(19)	(2:
SOUTHERN UTILITIES COMPANY	0	0	. 0	0	0	<u> </u>
TROUP	0	0	. 0	0	0	<del></del>
TYLER	0	0	0	0	0	······································
WALNUT GROVE WSC	917	773	622	449	264	7
WHITEHOUSE	0	0	0	0	0	
WRIGHT CITY WSC	130	108	84	. 55	22	
COUNTY-OTHER	0	0	. 0	0	0	
MANUFACTURING	(1,464)	(1,655)	(1,838)	(1,993)	(2,206)	(2,43
MINING	(108)	(113)	(114)	(83)	(54)	(32
LIVESTOCK	0	0.	0	0	0	
IRRIGATION	0	. 0	0	0	0	
TRINITY COUNTY		, .		<u> </u>	<u> </u>	
NECHES BASIN						
GROVETON	254	252	254	257	254	25
COUNTY-OTHER	765	762	761	767	756	74
MINING	0	0	. 0	0	0	
LIVESTOCK	0	0	0	0	. 0	
IRRIGATION	(330)	(330)	(330)	(330)	(330)	(33
TYLER COUNTY						
NECHES BASIN						
COLMESNEIL	207	209	212	213	213	21
IVANHOE	125	127	129	130	130	13
IVANHOE NORTH	155	157	158	159	159	15
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	. 0	0	. 0	0	0	
. TYLER COUNTY WSC	390	412	433	445	447	44
WOODVILLE	5,013	5,021	5,031	5,037	5,038	5,03
COUNTY-OTHER	0	0	0	. 0	0	
MANUFACTURING	0	0	0	0	0	
MINING	. 77	. 39	87	134	182	20
STEAM ELECTRIC POWER	0	. 0	.0	. 0	0	
LIVESTOCK	26	26	26	. 26	26	
IRRIGATION	7	. 7	. 7	7	7	

#### WWP (NEEDS)/SURPLUS

	WW	/P (NEEDS).	/SURPLUS (	ACRE-FEE	T PER YEAI	R)
WHOLESALE WATER PROVIDER	2020	2030	2040	2050	2060	2070
ANGELINA NECHES RIVER AUTHORITY	(68,492)	(72,629)	(73,386)	(73,032)	(72,831)	(128,775
ANGELINA NACOGDOCHES WCID #1	7,077	6,250	(2,866)	(3,692)	(4,519)	(5,305
ATHENS MUNICIPAL WATER AUTHORITY	1,283	920	599	170	(2,597)	(5,986
CITY OF BEAUMONT	0	0	(578)	(2,570)	(4,994)	(7,754
CITY OF CARTHAGE	2,839	2,799	2,767	2,730	2,653	2,570
CITY OF CENTER	756	511	278	55	(196)	(450
HOUSTON COUNTY WCID #1	(1,813)	(1,843)	(2,122)	(2,147)	(2,429)	(2,463
CITY OF JACKSONVILLE	2,915	2,635	2,344	1,947	1,475	955
LOWER NECHES VALLEY AUTHORITY	642,968	514,337	498,421	482,660	466,462	449,560
CITY OF LUFKIN	8,894	8,307	7,757	7,213	6,627	6,035
CITY OF NACOGDOCHES	13,415	12,163	10,898	9,562	8,066	6,510
PANOLA COUNTY FRESH WATER SUPPLY DISTRICT	4,201	3,648	3,546	3,425	3,226	2,464
CITY OF PORT ARTHUR	0	0	0	0	0	0
SABINE RIVER AUTHORITY	642,875	624,319	346,838	124,727	86,754	9,196
CITY OF TYLER	12,394	10,178	7,861	5,238	2,204	(1,014
UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY	(4,831)	(6,849)	(8,869)	(10,892)	(60,169)	(62,190
TOTAL WWP NEEDS/SURPLUS	1,264,481	1,104,746	793,488	545,394	429,732	263,353

# This page intentionally left blank



# **Appendix 4-B**

## **Second-Tier Identified Water Need DB17 Report**

This appendix will include a copy of the Second-Tier Identified Water Need data from the TWDB Data Web Interface known as the DB17. The summary will be divided by Wholesale Water Provider and Wholesale Water Provider, county, and river basin after implementation of conservation and direct reuse water management strategies. The TWDB will make this DB17 report available to RWPGs after submittal of the 2016 Initially Prepared Plan.

# This page intentionally left blank

#### Water User Group (WUG) Second-Tier Identified Water Need

REGION I	WUG SECOND-TIER NEEDS (ACRE-FEET PER YEAR)						
.,	2020	2030	2040	2050	2060	2070	
ANDERSON COUNTY							
NECHES BASIN							
BRUSHY CREEK WSC	. 0	0	0	0	0	(	
FRANKSTON	. 0	. 0	0	. 0	0	(	
PALESTINE	0	0	. 0	0	0		
WALSTON SPRINGS WSC	0	0	0	0	. 0	1	
COUNTY-OTHER	0	0	. 0	0	0	ı	
MANUFACTURING	0	0	0	0	0	ı	
MINING	. 0	0	0.	. 0	. 0		
STEAM ELECTRIC POWER	11,306	13,218	15,549	18,390	21,853	25,96	
LIVESTOCK	0	0	0	0	0		
IRRIGATION	0	0	0	. 0	0		
TRINITY BASIN							
BRUSHY CREEK WSC	0	0	0	0	0		
ELKHART	0	. 0	0	0	0		
FOUR PINES WSC	0	0	0	0	0		
PALESTINE	0	0	0	0	0		
· THE CONSOLIDATED WSC	0	. 0	. 0	0	. 0		
WALSTON SPRINGS WSC	0	0	0	0	0		
COUNTY-OTHER	0	. 0	0	0	0		
MANUFACTURING	0	0	. 0	0	0		
MINING	0	0	0	0	0		
LIVESTOCK	0	0	0	0	0		
IRRIGATION	0	0	0	0	0		
ANGELINA COUNTY  NECHES BASIN  ANGELINA WSC	0	0	0	ol	0		
BURKE	0	0	0	0	0		
CENTRAL WCID OF ANGELINA COUNTY	0	0	0	0	0		
DIBOLL	0	0	0	0	0		
FOUR WAY SUD	0	0	0	0	. 0	·	
HUDSON	0	. 0	0	0	0		
HUDSON WSC	0	0	0	0	0		
HUNTINGTON	0,	0	0	0	. 0		
LUFKIN	0	0	0	. 0	0	<del></del>	
REDLAND WSC	0	0	0	0	0		
ZAVALLA	0	0	0	0	0		
COUNTY-OTHER	0	0	0	, 0	0		
MANUFACTURING	10,722	12,009	13,313	14,470	15,705	17,03	
MINING	473	572	397	299	224	16	
STEAM ELECTRIC POWER	0	0	. 0	0	0	10	
LIVESTOCK	0	0	0	0	0		
IRRIGATION	0	0	0	0	0		
CHEROKEE COUNTY  NECHES BASIN				0	VV_	<u> </u>	
ALTO	0	0	0	0	0		
ALTO RURAL WSC	0	0	0	59	128	20	
BULLARD	0	0	0	0	0		
CRAFT-TURNEY WSC	0	0	0	0	0		
JACKSONVILLE	0				0		
JACKSUNVILLE	الا	0	0	. 0	0		

REGION I	WUG SECOND-TIER NEEDS (ACRE-FEET PER YEAR)					
	2020	2030	2040	2050	2060	2070
CHEROKEE COUNTY						
NECHES BASIN						
NEW SUMMERFIELD	0	0	0	0	. 0	
NORTH CHEROKEE WSC	0	. 0	0	0	0	
RUSK	0	0	0	0	0	
RUSK RURAL WSC	. 0	0	0	0	0	<del> </del>
SOUTHERN UTILITIES COMPANY	0	0	. 0	0	0	
TROUP	0	. 0	0	0	0	
WELLS	0	0	0	0	0	
WRIGHT CITY WSC	0	0	0	0	0	
COUNTY-OTHER	0	0	0	0	0	
MANUFACTURING	0	0	. 0	0	0	
MINING	238	247	210	147	84	
STEAM ELECTRIC POWER	0	0	0	0	0	
LIVESTOCK	. 0	0	0	0	0	
IRRIGATION	0	0	. 0	0	0	.,
HARDIN COUNTY		<u> </u>			<u> </u>	
NECHES BASIN						
KOUNTZE	ما	<u> </u>	ام			
	0	0	0	0	0	
LUMBERTON	0		. 0		0	
LUMBERTON MUD	0	0	0	0	0	
NORTH HARDIN WSC	0	0	0	0	0	
SILSBEE	0	0	0	0	0	-
SOUR LAKE	0	0	0	0	0	····
WEST HARDIN WSC	0	0	. 0	0	0	
COUNTY-OTHER	0	0	0	0	0	
MANUFACTURING	0	0	0	. 0	0	
MINING	. 0	0-	0	0	0	
LIVESTOCK	0	0	0	0	0	
IRRIGATION	0	. 0	0	0	0	
TRINITY BASIN						
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	0	. 0	. 0	. 0	0	
WEST HARDIN WSC	0	0	0	. 0	. 0	
COUNTY-OTHER	. 0	0	0	. 0	0	
LIVESTOCK	0	0	. 0	0	. 0	· · ·
HENDERSON COUNTY	<u> </u>	٠	<u></u>	- 01	<u> </u>	
and the second s		-				
NECHES BASIN	<u> </u>					
ATHENS	1	2	0	0	. 14	
BERRYVILLE	. 0	0	0	0	0	
BETHEL-ASH WSC	0	0	0	. 0	0	
BROWNSBORO	0	0	0	0	0	
BRUSHY CREEK WSC	0	0	. 0	0	0	
CHANDLER	0	0	0	61	166	
FRANKSTON	0	0	0	0	0	
. MURCHISON	0	0	. 0	. 0	0	
R-P-M WSC	3	17	. 26	39	52	
VIRGINIA HILL WSC	0	0	. 0	0	0	
COUNTY-OTHER	0	0	0	0	0	
MANUFACTURING	0	0	; 0	. 0	0	

MINING

REGION I		oup (WUG) Second-Tier Identified Water Need  WUG SECOND-TIER NEEDS (ACRE-FEET PER YEAR)						
REGION I	-	2020	2030	2040	2050	2060	2070	
HENDERSON COUNTY	l							
NECHES BASIN								
LIV	ESTOCK	0	0	0	0	0		
. IRR	IGATION	0	0	. 0	0	0		
HOUSTON COUNTY				•		•		
NECHES BASIN		1						
<del></del>	PELAND	0	0	0	0	0		
THE CONSOLIDA		0	0	. 0	0	0		
	Y-OTHER	0	0	. 0	0	, 0	<del></del>	
MANUFA	-	0	0	0	. 0	0		
	MINING /ESTOCK	. 0	0	0	0	0		
	IGATION	. 0	22	51	84	121	1'	
TRINITY BASIN	ionnon	<u> </u>				121		
	ROCKETT	0	0	0	0	0		
	PELAND	0	0	0	0	0		
***************************************	VELADY	0	0	0	0	0		
THE CONSOLIDA	TED WSC	0	0	0	0	0		
COUNT	Y-OTHER	0	0	0	0	-0		
MANUFA	CTURING	0	0	0	0	0		
	MINING	0	0	0	0	0		
LIV	/ESTOCK	0	0	0	0	0		
<del></del>	IGATION	756	974	1,213	1,478	1,770	2,1	
JASPER COUNTY								
NECHES BASIN								
	JASPER	.0	0	0	. 0	. 0		
	Y-OTHER	0	0	0	0	0	·	
MANUFA		0	3,049	6,021	8,250	8,335	8,4	
TIX	MINING	0	0	0	0	0	-	
	/ESTOCK IGATION	0	0	0	0	0		
SABINE BASIN	IGATION	۷]				0		
JASPER COUNTY	WCID#1	0	0	ا م	0	ما	<u> </u>	
	BYVILLE	0	0	0	0	. 0		
MAURICEV		0	0	0	0	0	· · · · · ·	
COUNT	Y-OTHER	0	0	0	0	0	· ·	
MANUFA	CTURING	0	0	0	0	. 0	_	
	MINING	0	0	. 0	0	0		
LIV	/ESTOCK	0	0	0	0	0	1	
	IGATION	0	0	0	0	0		
JEFFERSON COUNTY					,		-	
NECHES BASIN							·	
	AUMONT	0	0	0	0	0		
BEV	/IL OAKS	0	0	0	. 0	0		
	CHINA	. 0	0	. 0	0	0	<del></del>	
	GROVES	0	0	0	0	0		
JEFFERSON COUNTY		0	0	0	0	0		
	ERLAND	0	0	0	0	. 0		
NEL	NOME	- 0	- U	0	0	0		

NOME

REGION I		WUG SECOND-TIER NEEDS (ACRE-FEET PER YEAR)						
		2020	2030	2040	2050	2060	2070	
IEFFERSON COUNTY	· · · · · · · · · · · · · · · · · · ·	·			L.C.			
NECHES BASIN								
	PORT ARTHUR	0	0	0	0	0		
	PORT NECHES	. 0	0	0	0	0		
	COUNTY-OTHER	. 0	0	0	22	57		
	MANUFACTURING	93,772	135,897	141,948	148,018	154,093	160,4	
	MINING	0	0	0	0	0		
S	TEAM ELECTRIC POWER	13,426	15,696	18,464	21,838	25,951	30,8	
	LIVESTOCK	0	0	0	0	. 0		
	IRRIGATION	0	0	0	0	0		
NECHES-TRINITY	BASIN							
	BEAUMONT	. 0	0	0	. 0	.0		
	CHINA	0	0	0	0	0		
	GROVES	0	0	. 0	0	0		
JEFFE	RSON COUNTY WCID #10	. 0	0	. 0	0	0		
	MEEKER MUD	0	0	0	0	0		
	NEDERLAND	0	0	0	0	0		
	NOME	. 0	0	0	0	0		
	PORT ARTHUR	0	0	0	. 0	0		
	PORT NECHES	. 0	0	0	0	0		
WEST JE	FFERSON COUNTY MWD	0	0	0	0	0		
	COUNTY-OTHER	0	0	0	658	1,867	3,2	
	MANUFACTURING	86,689	125,576	131,158	136,761	142,368	148,1	
	MINING ·	. 0	0	0	0	0		
	LIVESTOCK	0	0	0	0	0		
	IRRIGATION	0	0	0	0	. 0		
NACOGDOCHES COUNTY	1	•	<u> </u>		<del></del>			
NECHES BASIN								
	APPLEBY WSC	0	0	0	0	0		
	CUSHING	0	0	0	. 0	0		
W. Marke	D&M WSC	0	0	0	0	112	2	
· · · · · · · · · · · · · · · · · · ·	GARRISON	0	0	0	0	0		
	LILLY GROVE SUD	0	0	0	0	0		
· · · · · · · · · · · · · · · · · · ·	MELROSE WSC	0	0	0	0	0		
	NACOGDOCHES	0	0	0	0	0		
	SWIFT WSC		. 0	0	0	0		
	WODEN WSC	0	0	0	0	0	-	
	COUNTY-OTHER	0	0	0	0	0		
	MANUFACTURING	0	. 0	. 0	0	0	<del> </del>	
	MINING	5,475	2,975	118	0	0	<i></i>	
	STEAM ELECTRIC POWER	0	799	2,224	3,961	6,078	8,	
	LIVESTOCK	1,644	1,837	2,061	2,320	2,617	3,	
	IRRIGATION	0	0	2,001	0	0		
NEWTON COUNTY	IRRIGATION	<u></u> <u>.</u>		<u>·</u> Υ		<u> </u>		
					•			
SABINE BASIN	MALIDICEVILLEGIS	ام	ام	ام			·	
- wyw.ruw.	MAURICEVILLE SUD	. 0	0	0	0	. 0		
	NEWTON	0	0	0	0	0		
	SOUTH NEWTON WSC	0	0	. 0	0	0		
	COUNTY-OTHER	0	. 0	0	0	0		

0

MANUFACTURING

Water User Group (WUG) Second-Tier Identified Water Need

NEWTON COUNTY   SABINE BASIN   MININO   111   39	REGION I		WUG SECON	ND-TIER NEED	S (ACRE-FEET F	PER YEAR)	
SABINE BASIN   MININO		2020	2030	2040	2050	2060	2070
MINNO	NEWTON COUNTY			<u> </u>		•	
STEAM ELECTRIC POWER   690   3,080   5,994   9,545   13,875	SABINE BASIN						
LIVESTOCK   0   0   0   0   0   0   0   0   0	MINING	115	59	0	0	0	
ORANGE COUNTY   NECHES BASIN   BRIDGE CITY   O	STEAM ELECTRIC POWER	690	3,080	5,994	9,545	13,875	19,02
DRANGE COUNTY   NECHES BASIN   BRIDGE CITY   0	LIVESTOCK	0	0	0	0	. 0	
NECHES BASIN   BRIDGE CITY	IRRIGATION	. 0	0	0	0	0	
BRIDGE CITY	ORANGE COUNTY	•		· · · · · · · · · · · · · · · · · · ·		· · · ·	
MAURICEVILLE SUD	NECHES BASIN						
ORANGEFIELD WSC   O   O   O   O   O   O   O   O   O	BRIDGE CITY	0	0	0	0	0	
PORT ARTHUR	MAURICEVILLE SUD	0	0	. 0	0	0	
ROSE CITY	ORANGEFIELD WSC	0	0	0	0	0	
VIDOR	PORT ARTHUR	0	. 0	0	0	0	
COUNTY-OTHER   O   O   O   O   O   O   O   O   O	ROSE CITY	0	0	0	0	0	
MANUFACTURING	VIDOR	0	0	0	0	0	***
MANUFACTURING		0	0	. 0	0		
MINING		0	89	208	314	433	56
LIVESTOCK   0   0   0   0   0   0   0   0   0	MINING	0	. 0	0	. 0	0	
RRIGATION   932   996   1,039   1,054   1,038   NECHES-TRINITY BASIN	STEAM ELECTRIC POWER	0	14	1,038	2,286	3,807	4,84
NECHES-TRINITY BASIN	LIVESTOCK	0	. 0	0	0	0	
BRIDGE CITY   O   O   O   O   O   O   O   O   O	IRRIGATION	932	996	1,039	1,054	1,038	1,01
COUNTY-OTHER   O   O   O   O   O   O   O   O   O	NECHES-TRINITY BASIN			<u></u> -			
COUNTY-OTHER   O   O   O   O   O   O   O   O   O	BRIDGE CITY	0	0	0	0	o	
BRIDGE CITY		0	0				
BRIDGE CITY	SABINE BASIN	I		·	<u></u>		
MAURICEVILLE SUD		0	. 0	. 0	0	0	
ORANGE         0         0         0         0         0           ORANGEFIELD WSC         0         0         0         0         0         0           PINEHURST         0         0         0         0         0         0         0           SOUTH NEWTON WSC         0         0         0         0         0         0         0         0           WIDOR         0							
ORANGEFIELD WSC   O   O   O   O   O   O   O   O   O			0	0			-
PINEHURST   0   0   0   0   0   0   0   0   0							
VIDOR   0   0   0   0   0   0   0   0   0	PINEHURST	0	0	0	0	0	
VIDOR   0   0   0   0   0   0   0   0   0		0	0	-			
COUNTY-OTHER   0   0   0   0   0   0   0   0   0	VIDOR	0	0	0	0		
MANUFACTURING   2,532   8,390   14,231   19,416   25,247     MINING   0   0   0   0   0   0     LIVESTOCK   0   0   0   0   0   0     IRRIGATION   1,500   1,689   1,819   1,866   1,817     PANOLA COUNTY	WEST ORANGE	0	0	. 0	0	0	
MANUFACTURING   2,532   8,390   14,231   19,416   25,247     MINING   0   0   0   0   0   0     LIVESTOCK   0   0   0   0   0   0     IRRIGATION   1,500   1,689   1,819   1,866   1,817     PANOLA COUNTY	COUNTY-OTHER	0	0	0	0	0	
MINING		2,532	8,390	14,231	19,416	25,247	31,55
IRRIGATION   1,500   1,689   1,819   1,866   1,817	MINING					<del></del>	
IRRIGATION   1,500   1,689   1,819   1,866   1,817	LIVESTOCK	0	0	. 0	0	0	
CYPRESS BASIN   COUNTY-OTHER   0   0   0   0   0   0   0   0   0	IRRIGATION	1,500		1,819	1,866		1,74
COUNTY-OTHER   0   0   0   0   0   0   0   0   0				-,	-, -, -, -, -, -, -, -, -, -, -, -, -, -		-,
COUNTY-OTHER         0         0         0         0         0           MINING         0         0         0         0         0         0           LIVESTOCK         0         0         0         0         0         0           SABINE BASIN           BECKVILLE         0         0         0         0         0         0           CARTHAGE         0         0         0         0         0         0           GILL WSC         0         0         0         0         0         0           TATUM         0         0         0         0         0         0           COUNTY-OTHER         0         0         0         0         0         0	CYPRESS BASIN						
MINING         0         0         0         0         0           LIVESTOCK         0         0         0         0         0         0           SABINE BASIN           BECKVILLE         0         0         0         0         0         0         0           CARTHAGE         0 </td <td></td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>0</td> <td></td>		0	0	0		0	
LIVESTOCK         0         0         0         0         0         0           SABINE BASIN           BECKVILLE         0							
SABINE BASIN           BECKVILLE         0         0         0         0         0           CARTHAGE         0         0         0         0         0           GILL WSC         0         0         0         0         0           TATUM         0         0         0         0         0           COUNTY-OTHER         0         0         0         0         0	The state of the s						-
BECKVILLE         0         0         0         0         0           CARTHAGE         0         0         0         0         0         0           GILL WSC         0         0         0         0         0         0         0           TATUM         0         0         0         0         0         0         0           COUNTY-OTHER         0         0         0         0         0         0         0		7		<u> </u>		·	
CARTHAGE         0         0         0         0         0           GILL WSC         0         0         0         0         0         0           TATUM         0         0         0         0         0         0         0           COUNTY-OTHER         0         0         0         0         0         0         0		0	0	0	n	0	<del></del>
GILL WSC 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						·	
TATUM         0         0         0         0         0           COUNTY-OTHER         0         0         0         0         0							
COUNTY-OTHER 0 0 0 0 0	·						
	The state of the s						
1701 174 174 174 174 174 174 174 174 174 17							30
MINING 0 0 0 0 0							

REGION I		WUG SECON	D-TIER NEED	R NEEDS (ACRE-FEET PER YEAR)					
· · · · · · · · · · · · · · · · · · ·	2020	2030	2040	2050	2060	2070			
PANOLA COUNTY									
SABINE BASIN			·						
LIVESTOCK	0	0	0	0	0				
IRRIGATION	. 0	0	0	0	0				
POLK COUNTY									
NECHES BASIN		·		•					
CORRIGAN	0 -	0	0	0	0				
COUNTY-OTHER	0	0	0	0	0				
MANUFACTURING	0	0	. 0	0	. 0				
MINING	0	0	0	0	0				
LIVESTOCK	0	0	0	. 0	0				
IRRIGATION	. 0	0	0	. 0	0				
RUSK COUNTY									
NECHES BASIN	·								
HENDERSON	0	0	0	0	0				
NEW LONDON	. 0	0	0	0	0				
OVERTON	0	0	0	0	0				
WRIGHT CITY WSC	0	0	0	. 0	0				
COUNTY-OTHER	0	0	0	0	0				
MANUFACTURING	0	0	0	0	. 0				
MINING	1,075	1,814	1,742	1,666	1,603	1,59			
LIVESTOCK	0	0	0	0	0				
IRRIGATION	0	0	0	0	0				
SABINE BASIN					<del></del>				
CHALK HILL SUD	0	0	0	0	0				
CROSS ROADS SUD	0	0	0	0	0				
EASTON	0	0	0	. 0	0				
ELDERVILLE WSC	0	0	0	0	0				
HENDERSON	0	0	0	0	0				
KILGORE	0	0	0	0	. 0				
NEW LONDON	0	. 0	0	0	0	*			
OVERTON	0	. 0	0	0					
TATUM					. 0				
WEST GREGG SUD	0	0	0	0	0				
COUNTY-OTHER MANUFACTURING	0	0	0	0	0				
MINING	0	278	213	143	83				
STEAM ELECTRIC POWER	0	0	0	462	8,873	18,8			
LIVESTOCK	0	0	0	0	0,873	10,0			
IRRIGATION	0	0	0	0	0				
SADINE COUNTRY	<u> </u>	<u>*</u> L	<u> </u>		*1				
NECHES BASIN	*	•							
NECHES BASIN  G M WSC	0	. 0	0	0	. 0				
PINELAND	0	0	. 0	0	0				
COUNTY-OTHER	0	0	0	. 0	0				
MANUFACTURING	0	0	0	0	0				
MINING	0	0	0	0	0				
LIVESTOCK	0	0	0	0		<del></del>			
	<u></u>	۷	<u>,                                </u>		<u> </u>				
SABINE BASIN G M WSC	0	0	0	0		***			

Water User Group (WUG) Second-Tier Identified Water Need

REGION I		WUG SECOND-TIER NEEDS (ACRE-FEET PER YEAR)								
	·	2020	2030	2040	2050	2060	2070			
SABINE COUNTY										
SABINE BASIN										
H	IEMPHILL	0	0	0	. 0	0	-			
COUNT	Y-OTHER	0	0	0	0	0				
	MINING	. 0	0	0	0	. 0				
LI	VESTOCK	0	0	0	0	0				
SAN AUGUSTINE COUNTY										
NECHES BASIN				•						
SAN AU	JGUSTINE	0	0	0	. 0	0				
COUNT	Y-OTHER	0	0	0	0	. 0				
MANUFA	CTURING	Ö	0	0	. 0	0				
·	MINING	2,102	1,102	0	0	0				
LI	VESTOCK	0	0	0	0	0				
IRI	RIGATION ·	0	0	0	0	. 0				
SABINE BASIN										
	G M WSC	0	0	0	0	0				
COUNT	Y-OTHER	. 0	0	0	0	0				
	MINING	0	0	0	0	0				
LI	VESTOCK	0	0	0	0	0				
IRI	RIGATION	0	0	0	. 0	0				
SHELBY COUNTY										
NECHES BASIN						•				
	TIMPSON	0	0	. 0	0	. 0				
COUNT	ry-other	0	. 0	0	0	. 0				
	MINING	0	0	0	0	0				
Ll	VESTOCK	564	756	991	1,276	1,625	1,62			
IR	RIGATION	. 0	0	0	0	0.				
SABINE BASIN	•									
,	CENTER	0	0	0	0	0				
	JOAQUIN	0	0	0	0	0				
	TENAHA	0	0	0	0	. 0				
	TIMPSON	0	0	0	0	.0				
COUN	TY-OTHER	0	. 0	0	0	0				
MANUFA	ACTURING	0	0	0	0	0				
	MINING	0	. 0	0	0	0				
LI	IVESTOCK	803	1,619	2,611	3,823	5,299	5,29			
IR	RIGATION	0	0	0	0	0				
SMITH COUNTY	•									
NECHES BASIN		<u> </u>								
	ARP	. 0	0	0	0	0				
•	BULLARD	40	199	367	549	736	9:			
. CRYSTAL SYS	STEMS INC	10	102	215	351	504	6.			
Γ	DEAN WSC	0	0	0	0	0				
JACK	KSON WSC	0	0	0	0	0				
	LINDALE	49	174	302	440	584	7			
LINDALE RU	JRAL WSC	0	0	0	0	0				
NEW CHA	APEL HILL	0	0	0	0	0				
	NOONDAY	0	0	0	0	0				
	OVERTON	0	0	0	0	0				
·	R-P-M WSC	1	6	10	. 15	19				

Water User Grou	p (WUG) Second-Tier Identified Water Nee	þ

REGION I	WUG SECOND-TIER NEEDS (ACRE-FEET PER YEAR)									
	2020	2030	2040	2050	2060	2070				
SMITH COUNTY		L.			·					
NECHES BASIN	•									
SOUTHERN UTILITIES COMPANY	. 0	0	0	0	0					
TROUP	0	0	· 0	0	0					
TYLER	0	0	0	0	0					
WALNUT GROVE WSC	0	0	0	0	0					
WHITEHOUSE	0	0	0	0	0					
WRIGHT CITY WSC	0	0	0	0	0	****				
· COUNTY-OTHER	0	0	0	0	0					
MANUFACTURING	1,464	1,655	1,838	1,993	2,206	2,43				
MINING	108	113	114	83	54	3				
LIVESTOCK	0	0	0	0	0					
· IRRIGATION	. 0	0	0	0	0					
TRINITY COUNTY	-									
NECHES BASIN										
GROVETON	0	0	0	0	0	····				
COUNTY-OTHER	0	0	0	0	0	·				
MINING	0	0	0	0	. 0					
LIVESTOCK	.0	0	0	. 0	0					
IRRIGATION	330	330	330	330	330	33				
TYLER COUNTY										
NECHES BASIN	•									
COLMESNEIL	0	0	0	0	0					
. IVANHOE	. 0	0	0	0	0	,				
IVANHOE NORTH	0	0	0	0	0	·				
LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	0	. 0	0	0	0					
TYLER COUNTY WSC	0	0	0	0	0					
WOODVILLE	0	0	0	0	0					
COUNTY-OTHER	0	. 0	0	0	0					
MANUFACTURING	0	0	0	0	. 0	•				
MINING	0	, . o	0	0	0					
STEAM ELECTRIC POWER	0	0	0	0	0					
LIVESTOCK	0	0	. 0	0	0	ř				
IRRIGATION	0	0	0	0	0					


<sup>\*</sup>Second-tier needs are WUG split needs adjusted to include the implementation of recommended demand reduction and direct reuse water management strategies.

### Water User Group (WUG) Second-Tier Identified Water Need Summary

#### **REGION I**.

	2020	2030	2040	2050	2060	2070
MUNICIPAL	104	500	920	1,514	2,315	3,124
COUNTY-OTHER	0	0	0	680	1,924	3,296
MANUFACTURING	195,313	286,821	308,893	329,416	348,617	368,917
MINING	9,586	7,160	2,794	2,338	2,048	1,916
STEAM ELECTRIC POWER	25,422	32,807	43,269	56,482	80,437	108,136
LIVESTOCK	3,011	4,212	5,663	7,419	9,541	9,983
IRRIGATION	3,518	4,011	4,452	4,812	5,076	5,427

<sup>\*</sup>Second-tier needs are WUG split needs adjusted to include the implementation of recommended demand reduction and direct reuse water management strategies.



# Appendix 4-C

# **Source Water Balance DB17 Report**

The following appendix includes a copy of the Source Water Balance data from the TWDB Data Web Interface known as the DB17. The summary is divided by source, county, basin, and salinity.

REGION I	1	1	т т	COLID	·	EAD)			
GROUNDWATER	COUNTY	BASIN	SALINITY	2020	2030 Z	2040	2050	2060 Z	2070
CARRIZO-WILCOX AQUIFER	ANDERSON	NECHES	FRESH	2,564	2,504	2,517	2,564	2,589	2,601
CARRIZO-WILCOX AQUIFER	ANDERSON	TRINITY	FRESH	976	932	977	1,035	1,045	1,044
CARRIZO-WILCOX AQUIFER	ANGELINA	NECHES	FRESH	3,152	2,808	2,485	2,166	1,820	1,760
CARRIZO-WILCOX AQUIFER	CHEROKEE	NECHES	FRESH	4,910	4,791	4,669	4,502	4,307	3,995
CARRIZO-WILCOX AQUIFER	HENDERSON	NECHES	FRESH	243	282	311	279	239	195
CARRIZO-WILCOX AQUIFER	HOUSTON	NECHES	FRESH	522	522	522	522	522	522
CARRIZO-WILCOX AQUIFER	HOUSTON	TRINITY	FRESH	1,709	1,602	1,487	1,362	1,227	1,054
CARRIZO-WILCOX AQUIFER	NACOGDOCHES	NECHES	FRESH	11,867	11,465	11,023	10,544	9,994	9,312
CARRIZO-WILCOX AQUIFER	PANOLA	CYPRESS	FRESH	0	0	0	0	0	0
CARRIZO-WILCOX AQUIFER	PANOLA	SABINE	FRESH	3,534	3,533	3,374	3,373	3,371	3,369
CARRIZO-WILCOX AQUIFER	RUSK	NECHES	FRESH	5,558	5,524	5,504	5,486	5,440	5,411
CARRIZO-WILCOX AQUIFER	RUSK	SABINE	FRESH	2,389	2,380	2,370	2,359	2,343	2,306
CARRIZO-WILCOX AQUIFER	SABINE	NECHES	FRESH	1,236	1,236	1,236	1,236	1,236	1,236
CARRIZO-WILCOX AQUIFER	SABINE	SABINE	FRESH	5,113	5,113	5,113	5,113	5,113	5,113
CARRIZO-WILCOX AQUIFER	SAN AUGUSTINE	NECHES	FRESH	629	541	441	324	196	196
CARRIZO-WILCOX AQUIFER	SAN AUGUSTINE	SABINE	FRESH	176	167	156	144	130	130
CARRIZO-WILCOX AQUIFER	SHELBY	NECHES	FRESH	877	719	429	292	159	159
CARRIZO-WILCOX AQUIFER	SHELBY	SABINE	FRESH	5,229	5,019	4,805	4,738	4,209	3,959
CARRIZO-WILCOX AQUIFER	SMITH	NECHES	FRESH	6,868	6,250	5,577	4,580	2,672	98
CARRIZO-WILCOX AQUIFER	TRINITY	NECHES	FRESH	1,114	. 1,114	1,114	1,114	1,114	1,114
GULF COAST AQUIFER	HARDIN	NECHES	FRESH	7,609	7,309	7,099	6,964	6,955	6,98
GULF COAST AQUIFER	HARDIN	TRINITY	FRESH	104	103	102	102	101	101
GULF COAST AQUIFER	JASPER	NECHES	FRESH	60	0	5	19	33	39
GULF COAST AQUIFER	JASPER	SABINE	FRESH	26,688	26,703	26,719	26,735	26,751	26,759
GULF COAST AQUIFER	JEFFERSON	NECHES	FRESH	443	426	406	365	331	293
GULF COAST AQUIFER	JEFFERSON	NECHES- TRINITY	FRESH	829	819	805	780	739	687
GULF COAST AQUIFER	NEWTON	NECHES	FRESH	176	176	176	176	176	176
GULF COAST AQUIFER	NEWTON	SABINE	FRESH	30,749	30,635	30,558	30,488	30,421	30,348
GULF COAST AQUIFER	ORANGE	NECHES	FRESH	. 222	183	161	132	54	, (
GULF COAST AQUIFER	ORANGE	NECHES- TRINITY	FRESH	162	162	162	162	162	162
GULF COAST AQUIFER	ORANGE	SABINE	FRESH	279	232	134	40	0	(
GULF COAST AQUIFER	POLK	NECHES	FRESH	10,054	9,917	9,787	9,055	8,892	8,782


REGION I						•			
•				SOURC	E WATER	BALANCE	(ACRE-FI	EET PER Y	EAR)
GROUNDWATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
GULF COAST AQUIFER	TYLER	NECHES	FRESH	32,171	32,167	32,204	32,222	32,221	32,216
OTHER AQUIFER   UNDIFFERENTIATED	ANDERSON	TRINITY	FRESH	0	0	0	0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	ANGELINA	NECHES	FRESH	.0	. 0	. 0	0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	CHEROKEE	NECHES	FRESH	0	0	0	0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	HENDERSON	NECHES	FRESH	0	0	0	. 0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	HENDERSON	TRINITY	FRESH	81	81	81	81	81	81
OTHER AQUIFER   UNDIFFERENTIATED	HOUSTON	NECHES	FRESH	196	220	244	267	291	301
OTHER AQUIFER   UNDIFFERENTIATED	HOUSTON	TRINITY	FRESH	518	562	605	650	694	. 713
OTHER AQUIFER   UNDIFFERENTIATED	NACOGDOCHES	NECHES	FRESH	0	. 0	0	0	0	Ò
OTHER AQUIFER   UNDIFFERENTIATED	POLK	NECHES	FRESH	287	287	287	287	287	28
OTHER AQUIFER   UNDIFFERENTIATED	RUSK	NECHES	FRESH	0	0	0	0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	RUSK	SABINE	FRESH	. 0	0	0	0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	SABINE	SABINE	FRESH	99	99	99	99	99	9
OTHER AQUIFER   UNDIFFERENTIATED	SAN AUGUSTINE	NECHES	FRESH	0	0	0	0	0	(
OTHER AQUIFER   UNDIFFERENTIATED	SMITH	NECHES	FRESH	687	687	687	687	687	68′
OTHER AQUIFER   UNDIFFERENTIATED	TRINITY	NECHES	FRESH	700	700	700	700	700	700
QUEEN CITY AQUIFER	ANDERSON	NECHES	FRESH	8,846	8,846	8,846	8,846	8,846	8,84
QUEEN CITY AQUIFER	ANDERSON	TRINITY	FRESH	8,405	8,405	8,405	8,405	8,405	8,40
QUEEN CITY AQUIFER	ANGELINA	NECHES	FRESH	1,093	1,093	1,093	1,093	1,093	1,09
QUEEN CITY AQUIFER	CHEROKEE	NECHES	FRESH	21,337	21,337	21,337	21,337	21,337	21,33
QUEEN CITY AQUIFER	HENDERSON	NECHES	FRESH	12,103	12,103	12,103	12,103	12,103	12,10
QUEEN CITY AQUIFER	HOUSTON	NECHES	FRESH	117	117	117	117	117	11
QUEEN CITY AQUIFER	HOUSTON	TRINITY	FRESH	216	216	216	216	216	21
QUEEN CITY AQUIFER	NACOGDOCHES	NECHES	FRESH	4,697	4,697	4,697	4,697	4,697	4,69
QUEEN CITY AQUIFER	RUSK	NECHES	FRESH	40	40	40	40	40	4
QUEEN CITY AQUIFER	RUSK	SABINE	FRESH	18	18	18	18	18	1
QUEEN CITY AQUIFER	SAN AUGUSTINE	NECHES	FRESH	7	7	.7	7	7	<del></del>
QUEEN CITY AQUIFER	SAN AUGUSTINE	SABINE	FRESH	0	0	. 0	0	0	
QUEEN CITY AQUIFER	SMITH .	NECHES	FRESH	26,841	26,623	26,402	26,160	25,906	25,41
QUEEN CITY AQUIFER	TRINITY	NECHES	FRESH	0	, 0	0	0	0	
SPARTA AQUIFER	ANDERSON	NECHES	FRESH	181	181	181	181	181	18
SPARTA AQUIFER	ANDERSON	TRINITY	FRESH	· 144	144	144	144	144	14
SPARTA AQUIFER	ANGELINA	NECHES	FRESH	501	501	501	501	501	. 50
SPARTA AQUIFER	CHEROKEE	NECHES	FRESH	202	202	202	202	202	20
SPARTA AQUIFER	HOUSTON	NECHES	FRESH	243	243	243	243	243	24

							1		
REGION I									,
			<u> </u>	SOURG	CE WATER	R BALANCI	E (ACRE-F	EET PER Y	EAR)
GROUNDWATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
SPARTA AQUIFER	HOUSTON	TRINITY	FRESH	494	494	494	494	494	494
SPARTA AQUIFER	NACOGDOCHES	NECHES	FRESH	253	253	253	253	253	253
SPARTA AQUIFER	SABINE	NECHES	FRESH	18	18	18	18	18	18
SPARTA AQUIFER	SABINE	SABINE	FRESH	232	232	232	232	232	232
SPARTA AQUIFER	SAN AUGUSTINE	NECHES	FRESH	111	111	` 111	. 111	111	111
SPARTA AQUIFER	SAN AUGUSTINE	SABINE	FRESH	3	3	3	3	3	3
SPARTA AQUIFER	TRINITY	NECHES	FRESH	313	313	313	313	313	313
YEGUA-JACKSON AQUIFER	ANGELINA	NECHES	FRESH .	12,024	12,013	12,005	11,995	11,603	11,593
YEGUA-JACKSON AQUIFER	HOUSTON	NECHES	FRESH	1,324	1,324	1,324	1,324	1,324	1,324
YEGUA-JACKSON AQUIFER	HOUSTON	TRINITY	FRESH	3,810	3,810	3,810	3,810	3,810	3,810
YEGUA-JACKSON AQUIFER	NACOGDOCHES	NECHES	FRESH	209	209	209	209	209	209
YEGUA-JACKSON AQUIFER	POLK	NECHES	FRESH	354	354	354	354	354	, 354
YEGUA-JACKSON AQUIFER	SABINE	NECHES	FRESH	3,017	3,017	3,017	3,017	3,017	3,017
YEGUA-JACKSON AQUIFER	SABINE	SABINE	FRESH	565	565	565	565	565	565
YEGUA-JACKSON AQUIFER	SAN AUGUSTINE	NECHES	FRESH	1,871	1,871	1,871	1,871	1,871	1,871
YEGUA-JACKSON AQUIFER	SAN AUGUSTINE	SABINE	FRESH	0	0	0	0	0.	0
YEGUA-JACKSON AQUIFER	TRINITY	NECHES	FRESH	. 3	. 3	3	. 3	31	3
GRO	UNDWATER TOTA	L SOURCE WA	TER BALANCE	280,372	277,333	274,265	270,626	265,637	261,608
REGION I									
				SOUR	CE WATER	RALANC	E (ACRE-F	EET PER Y	EAR)
REUSE	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
DIRECT REUSE	ORANGE	SABINE	FRESH	0	0	0	· 0	0	0
DIRECT REUSE   IRRIGATION/MANUFACT URING	SHELBY	SABINE	FRESH	0	0	0	0	0	0
DIRECT REUSE   MANUFACTURING	SABINE	SABINE	FRESH	0	0	0	0	0	0
INDIRECT REUSE   IRRIGATION	JEFFERSON	NECHES- TRINITY	FRESH	0	. 0	0	0	. 0	0
	REUSE TOTA	L SOURCE WA	TER BALANCE	0	0	0	0	0	0
REGION I							· · · · · · · · · · · · · · · · · · ·		
				SOUR	CE WATE	R BALANC	E (ACRE-F	EET PER Y	EAR)
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
ATHENS LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	1,911	1,693	1,574	1,441	1,000	673
BELLWOOD LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	550	550	550	550	550	550
CENTER LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	1,290	1,250	1,212	1,176	1,133	1,120
CHEROKEE LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	8,684	8,440	8,195	7,947	7,710	7,477

REGION I			•							
				SOUR	CE WATER	BALANCI	E (ACRE-FI	EET PER Y	EAR)	
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070	
CYPRESS LIVESTOCK LOCAL SUPPLY	PANOLA	CYPRESS	FRESH	0	0	• 0	0	0	0	
HOUSTON COUNTY LAKE/RESERVOIR	RESERVOIR	TRINITY	FRESH	3,500	3,500	3,500	, 3,500	3,500	3,500	
JACKSONVILLE LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	.3,068	2,872	2,668	2,390	2,060	1,695	
KURTH LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	7,487	7,253	7,033	6,815	6,581	6,035	
LAKE NACONICHE/RESERVOIR	RESERVOIR	NECHES	FRESH	4,500	4,500	4,500	4,500	4,500	4,500	
MARTIN LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	0	0	0	0	0	0	
MURVAUL LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	14,882	14,290	14,157	14,000	13,725	12,923	
NACOGDOCHES LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	9,656	8,698	7,742	6,741	5,645	4,521	
NECHES LIVESTOCK LOCAL SUPPLY	ANDERSON	NECHES	FRESH	0	0	. 0	0	0	0	
NECHES LIVESTOCK LOCAL SUPPLY	ANGELINA	NECHES	FRESH	0	0	0	. 0	. 0	Ò	
NECHES LIVESTOCK LOCAL SUPPLY	CHEROKEE	NECHES	FRESH	0	0	0	0	. 0	0	
NECHES LIVESTOCK LOCAL SUPPLY	HARDIN	NECHES	FRESH	0	. 0	0	. 0	0	0	
NECHES LIVESTOCK LOCAL SUPPLY	HENDERSON	NECHES	FRESH	0	0	0	0	0	C	
NECHES LIVESTOCK LOCAL SUPPLY	HOUSTON	NECHES	FRESH	0	0	0.	0	0	C	
NECHES LIVESTOCK LOCAL SUPPLY	JASPER	NECHES	FRESH	0	0	0	0	0	C	
NECHES LIVESTOCK LOCAL SUPPLY	NACOGDOCHES	NECHES	FRESH	0	0	0	0	0		
NECHES LIVESTOCK LOCAL SUPPLY	ORANGE	NECHES	FRESH	Ó	. 0	0	0	0		
NECHES LIVESTOCK LOCAL SUPPLY	POLK	NECHES	FRESH	. 0	0	0	0	. 0	. (	
NECHES LIVESTOCK LOCAL SUPPLY	RUSK	NECHES	FRESH	. 0	0	. 0	. 0	0	(	
NECHES LIVESTOCK LOCAL SUPPLY	SABINE	NECHES	FRESH	0	0	0	0	0	(	
NECHES LIVESTOCK LOCAL SUPPLY	SAN AUGUSTINE	NECHES	FRESH	. 0	.0.	0	0	0	(	
NECHES LIVESTOCK LOCAL SUPPLY	SHELBY	NECHES	FRESH	0	0	0	. 0	0	(	
NECHES LIVESTOCK LOCAL SUPPLY	SMITH	NECHES	FRESH	0	0	. 0	0	0	(	
NECHES LIVESTOCK LOCAL SUPPLY	TRINITY	NECHES	FRESH	, 0	0	0	0	0	(	
NECHES LIVESTOCK LOCAL SUPPLY	TYLER	NECHES	FRESH	0	. 0	0	0	. 0	(	
NECHES OTHER LOCAL SUPPLY	CHEROKEE	NECHES	FRESH	0	0	0	. 0	0	(	
NECHES OTHER LOCAL SUPPLY	JEFFERSON	NECHES	FRESH	0	0	0	0	.0	(	
NECHES OTHER LOCAL SUPPLY	NACOGDOCHES	NECHES	FRESH	0	0	. 0	0	0	(	
NECHES OTHER LOCAL SUPPLY	POLK	NECHES	FRESH	0	0	0	0	0	(	

REGION I									
		-		SOURC	CE WATER	R BALANCE	(ACRE-FI	EET PER Y	EAR)
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
NECHES OTHER LOCAL SUPPLY	TYLER	NECHES	FRESH	0	0	0	0	0	0
NECHES RUN-OF-RIVER	ANDERSON	NECHES	FRESH	0	0	0	. 0	0	0
NECHES RUN-OF-RIVER	ANGELINA	NECHES	FRESH	74	74	74	74	74	74
NECHES RUN-OF-RIVER	CHEROKEE	NECHES	FRESH	0	0	0	0	. 0	0
NECHES RUN-OF-RIVER	HARDIN	NECHES	FRESH	0	0	0	0	. 0	0
NECHES RUN-OF-RIVER	HOUSTON	NECHES	FRESH	0	Õ	0	0	0	0
NECHES RUN-OF-RIVER	JASPER	NECHES	FRESH	0	0	0	0	0	0
NECHES RUN-OF-RIVER	JEFFERSON	NECHES	BRACKISH	752,152	752,152	752,152	752,152	752,152	752,152
NECHES RUN-OF-RIVER	NACOGDOCHES	NECHES	FRESH	. 0	0	0	0	0	0
NECHES RUN-OF-RIVER	ORANGE	NECHES	BRACKISH	17,310	17,310	17,310	17,310	17,310	17,310
NECHES RUN-OF-RIVER	RUSK	NECHES	FRESH	0	0	0	0	0	0
NECHES RUN-OF-RIVER	SABINE	NECHES	FRESH	0	0	.0	0	0	0
NECHES RUN-OF-RIVER	SMITH	NECHES	FRESH	0	0	0	0	0	. 0
NECHES RUN-OF-RIVER	TRINITY	NECHES	FRESH	0	0	0	. 0	0	0
NECHES RUN-OF-RIVER	TYLER	NECHES	FRESH	0	0	0	0	0	0
NECHES RUN-OF-RIVER   ANGELINA & NECHES RIVER AUTHORITY	SHELBY	NECHES	FRESH	1,000	1,000	1,000	1,000	1,000	1,000
NECHES RUN-OF-RIVER   BEAUMONT	JEFFERSON	NECHES	FRESH	. 0	0	0	0	0	0
NECHES RUN-OF-RIVER   PINE ISLAND BAYOU	JASPER	NECHES	FRESH	9,084	0	0	.0	0	0
NECHES-TRINITY LIVESTOCK LOCAL SUPPLY	JEFFERSON	NECHES- TRINITY	FRESH	0	. 0	0	0	0	
NECHES-TRINITY OTHER LOCAL SUPPLY	JEFFERSON	NECHES- TRINITY	FRESH	1,000	1,000	1,000	1,000	1,000	1,000
NECHES-TRINITY RUN- OF-RIVER	JEFFERSON	NECHES- TRINITY	FRESH	1,160	1,160	1,160	1,160	1,160	1,160
PALESTINE LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	189,452	186,766	184,049	181,225	178,289	175,309
PINKSTON LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	860	655	463	276	68	0
RUSK CITY LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	0	0	0	0	0	. 0
SABINE LIVESTOCK LOCAL SUPPLY	JASPER	SABINE	FRESH	0	. 0	0	0	. 0	0
SABINE LIVESTOCK LOCAL SUPPLY	NEWTON	SABINE	FRESH	0	0	0	. 0	0	0
SABINE LIVESTOCK LOCAL SUPPLY	ORANGE	SABINE	FRESH	0	0	0	0	0	0
SABINE LIVESTOCK LOCAL SUPPLY	PANOLA	SABINE	FRESH	0	0	0	0	0	0
SABINE LIVESTOCK LOCAL SUPPLY	RUSK	SABINE	FRESH	0	0	0	0	0	0
SABINE LIVESTOCK LOCAL SUPPLY	SABINE	SABINE	FRESH	0	0	0	0	0	
SABINE LIVESTOCK LOCAL SUPPLY	SAN AUGUSTINE	SABINE	FRESH	0	, 0	0	0	0	
SABINE LIVESTOCK LOCAL SUPPLY	SHELBY	SABINE	FRESH	0	0	. 0	0	0	0

4		İ		SOURC	E WATER	BALANCE	(ACRE-FE	EET PER Y	EAR)
SURFACE WATER	COUNTY	BASIN	SALINITY	2020	2030	2040	2050	2060	2070
SABINE OTHER LOCAL SUPPLY	NEWTON	SABINE	FRESH	0	. 0	0	0	. 0	
SABINE OTHER LOCAL SUPPLY	ORANGE	SABINE	FRESH	0	. 0	. 0	0	0	•
SABINE OTHER LOCAL SUPPLY	RUSK	SABINE	FRESH	0	0	0	. 0	. 0	
SABINE RUN-OF-RIVER	NEWTON	SABINE	FRESH	0	0	0	0	0	
SABINE RUN-OF-RIVER	ORANGE	SABINE	FRESH	0	0	. 0	0	0	
SABINE RUN-OF-RIVER	ORANGE	SABINE	BRACKISH	267,000	267,000	267,000	267,000	267,000	267,00
SABINE RUN-OF-RIVER	PANOLA	SABINE	FRESH	0	0	0	0	0	····
SABINE RUN-OF-RIVER	RUSK	SABINE	FRESH	0	. 0	0	0	0	
SABINE RUN-OF-RIVER   SRA CANAL	NEWTON	SABINĖ	FRESH	70,364	70,364	70,364	70,364	70,364	70,36
SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	RESERVOIR	NECHES	FRESH	661,066	569,519	554,181	540,411	526,638	512,02
SAN AUGUSTINE LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	0	0	0	0	. 0	
STRIKER LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	7,077	6,250	5,423	4,597	3,770	2,98
TIMPSON LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	0	0	0	0	0	
TOLEDO BEND LAKE/RESERVOIR	RESERVOIR	SABINE	FRESH	723,022	723,021	723,021	723,021	723,021	723,02
TOLEDO BEND LAKE/RESERVOIR   LOUISIANA PORTION	RESERVOIR	SABINE- LOUISIANA	FRESH	0	0	0	0	0	
TRINITY LIVESTOCK LOCAL SUPPLY	ANDERSON	TRINITY	FRESH	0	0	0	0	. 0	
TRINITY LIVESTOCK LOCAL SUPPLY	HOUSTON	TRINITY	FRESH	. 0	0	. 0	0	0	
TRINITY RUN-OF-RIVER	ANDERSON	TRINITY	FRESH	0	. 0	0	0	. 0	
TRINITY RUN-OF-RIVER	HOUSTON	TRINITY	FRESH	0	. 0	.0	0	0	
TYLER LAKE/RESERVOIR	RESERVOIR	NECHES	FRESH	18,571	17,791	16,974	16,045	14,988	13,8
SURF	ACE WATER TOTA	L SOURCE WAT	TER BALANCE	2,774,720	2,667,108	2,645,302	2,624,695	2,603,238	2,580,20



# **Appendix 4-D**

## Supply vs Demand


The following appendix includes a copy of the Water User Group (WUG)
Category summary report data from the TWDB Data Web Interface known as the DB17.
The summary presents supply, demand, and population (where applicable) for each of the seven summary WUGs.

- 1. Municipal
- 2. County-Other
- 3. Manufacturing
- 4. Mining
- 5. Steam Electric Power
- 6. Livestock
- 7. Irrigation

### Water User Group (WUG) Category Summary

REGION I		2020	2030	2040	2050	2060	2070
MUNICIPAL				<u> </u>	L		··· · · · · · · · · · · · · · · · · ·
	POPULATION	887,998	950,261	1,007,610	1,068,183	1,129,870	1,193,676
	DEMANDS (acre-feet per year)	158,273	164,784	171,262	179,762	189,621	200,182
	EXISTING SUPPLIES (acre-feet per year)	199,616	204,378	208,309	212,559	217,462	222,918
	NEEDS (acre-feet per year)*	(121)	(534)	(1,476)	(3,902)	(6,947)	(10,333
COUNTY-OTH	IER .						
	POPULATION	263,558	283,712	302,071	320,684	339,973	359,976
	DEMANDS (acre-feet per year)	30,373	31,518	32,895	34,778	37,001	39,425
<del>-</del>	EXISTING SUPPLIES (acre-feet per year)	37,322	38,350	39,563	39,947	40,397	40,88
	NEEDS (acre-feet per year)*	0	0	0	(680)	(1,924)	(3,296
MANUFACTU	RING				<u>-</u>		
	DEMANDS (acre-feet per year)	608,667	800,989	838,639	874,546	909,373	945,886
	EXISTING SUPPLIES (acre-feet per year)	424,528	524,922	540,430	555,752	571,334	587,49
<u> </u>	NEEDS (acre-feet per year)*	(195,313)	(286,821)	(308,893)	(329,416)	(348,617)	(368,917
MINING							
,	DEMANDS (acre-feet per year)	27,523	24,547	18,169	15,488	12,986	12,09
	EXISTING SUPPLIES (acre-feet per year)	22,329	22,235	21,684	21,151	20,679	20,85
	NEEDS (acre-feet per year)*	(9,586)	(7,160)	(2,794)	(2,338)	(2,048)	(1,916
STEAM ELEC	TRIC POWER			,			
	DEMANDS (acre-feet per year)	82,018	95,544	112,035	132,137	156,640	184,71
	EXISTING SUPPLIES (acre-feet per year)	93,545	93,545	93,545	93,545	93,545	93,54
	NEEDS (acre-feet per year)*	(25,422)	(32,807)	(43,269)	(56,482)	(80,437)	(108,136
LIVESTOCK							
	DEMANDS (acre-feet per year)	24,027	25,549	27,361	29,521	32,081	32,76
	EXISTING SUPPLIES (acre-feet per year)	25,667	25,806	25,983	26,173	26,070	25,99
	NEEDS (acre-feet per year)*	(3,011)	(4,212)	(5,663)	(7,419)	(9,541)	(9,983
IRRIGATION			(		•		
	DEMANDS (acre-feet per year)	177,919	187,894	194,851	197,546	195,445	192,18
	EXISTING SUPPLIES (acre-feet per year)	224,688	224,930	225,111	225,193	225,114	225,03
	NEEDS (acre-feet per year)*	(3,518)	(4,011)	(4,452)	(4,812)	(5,076)	(5,427
REGION TOTA	ALS						
	POPULATION	1,151,556	1,233,973	1,309,681	1,388,867	1,469,843	1,553,65
	DEMANDS (acre-feet per year)	1,108,800	1,330,825	1,395,212	1,463,778	1,533,147	1,607,25
	EXISTING SUPPLIES (acre-feet per year)	1,027,695	1,134,166	1,154,625	1,174,320	1,194,601	1,216,72
	NEEDS (acre-feet per year)*	(236,971)	(335,545)	(366,547)	(405,049)	(454,590)	(508,008


<sup>\*</sup>WUG supplies and projected demands are entered for each of a WUG's region-county-basin divisions. The needs shown in the WUG Category Summary report are calculated by first deducting the WUG split's projected demand from its total existing water supply volume. If the WUG split has a greater existing supply volume than projected demand in any given decade, this amount is considered a surplus volume. Before aggregating the difference between supplies and demands to the WUG category level, calculated surpluses are updated to zero so that only the WUGs with needs in the decade are included with the Needs totals.



# **Appendix 4-E**

# **Socioeconomic Impact Analysis**

A socioeconomic impact analysis of not meeting identified water needs has been conducted by the TWDB. The following appendix includes the full report and analysis from the TWDB.



#### Water User Group (WUG) Unmet Needs

REGION I		WUG UNMET NEEDS (ACRE-FEET PER YEAR)							
		2020	2030	2040	2050	2060	2070		
ANDERSON COUNTY			•			·			
NECHES BASIN	•								
	STEAM ELECTRIC POWER	0	0	. 0		0	4,336		
ANGELINA COUNTY	,		•						
NECHES BASIN									
	MANUFACTURING	4,722	0	0	(	0	. 0		
HENDERSON COUNTY									
NECHES BASIN									
	ATHENS	0	0	0		0	15		
TRINITY COUNTY			-						
NECHES BASIN				•					
	IRRIGATION	330	330	330	330	330	330		

<sup>\*</sup>WUG supplies and projected demands are entered for each of a WUG's region-county-basin divisions. The unmet needs shown in the WUG Unmet Needs report are calculated by first deducting the WUG split's projected demand from the sum of its total existing water supply volume and all associated recommended water management strategy water volumes. If the WUG split has a greater future supply volume than projected demand in any given decade, this amount is considered a surplus volume. In order to display only unmet needs associated with the WUG split, these surplus volumes are updated to a zero and the unmet needs water volumes are shown as absolute values.

#### Water User Group (WUG) Unmet Needs Summary

#### **REGION I**

	2020	2030	2040	2050	2060	2070
MUNICIPAL	0	0	0	. 0	0	15
COUNTY-OTHER	0	0	0	0	0	0
MANUFACTURING	4,722	0	0	0	0	0
MINING	0	0	0	0	. 0	0
STEAM ELECTRIC POWER	0	0	0	0	0	4,336
LIVESTOCK	0	0	0	0	0	0
IRRIGATION	330	330	330	330	330	330

<sup>\*</sup>WUG supplies and projected demands are entered for each of a WUG's region-county-basin divisions. The unmet needs shown in the WUG Unmet Needs Summary report are calculated by first deducting the WUG split's projected demand from the sum of its total existing water supply volume and all associated recommended water management strategy water volumes. If the WUG split has a greater future supply volume than projected demand in any given decade, this amount is considered a surplus volume. Before aggregating the difference between supplies and demands to the WUG category level, calculated surpluses are updated to zero so that only the WUGs with unmet needs in the decade are included with the Needs totals. Unmet needs water volumes are shown as absolute values.

# Socioeconomic Impacts of Projected Water Shortages for the Region I Regional Water Planning Area

Prepared in Support of the 2016 Region I Regional Water Plan



Dr. John R. Ellis Water Use Projections & Planning Division Texas Water Development Board

Yun Cho, Team Lead Water Use Projections & Planning Division Texas Water Development Board

Kevin Kluge, Manager Water Use Projections & Planning Division Texas Water Development Board

September, 2015

## **Table of Contents**

Executiv	e Summary	1
l Intr	oduction	3
1.1	Identified Regional Water Needs (Potential Shortages)	3
2 Eco	nomic Impact Assessment Methodology Summary	4
2.1	Impact Assessment Measures	5
2.1.	1 Regional Economic Impacts	6
2.1.	2 Financial Transfer Impacts	6
2.1.	3 Social Impacts	7
2.2	Analysis Context	8
2.2.	.1 IMPLAN Model and Data	8
2.2.	.2 Elasticity of Economic Impacts	9
2.3	Analysis Assumptions and Limitations	10
3 Ana	alysis Results	13
3.1	Overview of the Regional Economy	13
3.2	Impacts for Irrigation Water Shortages	13
3.3	Impacts for Livestock Water Shortages	14
3.4	Impacts for Municipal Water Shortages	14
3.5	Impacts of Manufacturing Water Shortages	15
3.6	Impacts of Mining Water Shortages	16
3.7	Impacts of Steam-Electric Water Shortages	16
3.8	Regional Social Impacts	17
Appendi	ix A - County Level Summary of Estimated Economic Impacts for Region I	18

### **Executive Summary**

Evaluating the social and economic impacts of not meeting identified water needs is a required part of the regional water planning process. The Texas Water Development Board (TWDB) estimates those impacts for regional water planning groups, and summarizes the impacts in the state water plan. The analysis presented is for the Region I Regional Water Planning Group.

Based on projected water demands and existing water supplies, the Region I planning group identified water needs (potential shortages) that would occur within its region under a repeat of the drought of record for six water use categories. The TWDB then estimated the socioeconomic impacts of those needs—if they are not met—for each water use category and as an aggregate for the region.

The analysis was performed using an economic modeling software package, IMPLAN (Impact for Planning Analysis), as well as other economic analysis techniques, and represents a snapshot of socioeconomic impacts that may occur during a single year during a drought of record within each of the planning decades. For each water use category, the evaluation focused on estimating income losses and job losses. The income losses represent an approximation of gross domestic product (GDP) that would be foregone if water needs are not met.

The analysis also provides estimates of financial transfer impacts, which include tax losses (state, local, and utility tax collections); water trucking costs; and utility revenue losses. In addition, social impacts were estimated, encompassing lost consumer surplus (a welfare economics measure of consumer wellbeing); as well as population and school enrollment losses.

It is estimated that not meeting the identified water needs in Region I would result in an annually combined lost income impact of approximately \$20.4 billion in 2020, increasing to \$28.1 billion in 2070 (Table ES-1). In 2020, the region would lose approximately 92,000 jobs, and by 2070 job losses would increase to approximately 111,000.

All impact estimates are in year 2013 dollars and were calculated using a variety of data sources and tools including the use of a region-specific IMPLAN model, data from the TWDB annual water use estimates, the U.S. Census Bureau, Texas Agricultural Statistics Service, and Texas Municipal League.

Table ES-1: Region I Socioeconomic Impact Summary

Regional Economic Impacts	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$20,408	\$24,297	\$23,015	\$24,409	\$26,065	\$28,108
Job losses	92,203	102,185	93,660	98,990	105,134	111,205
Financial Transfer Impacts	2020	2030	2040	2050	2060	2070
Tax losses on production and imports (\$ millions)*	\$1,779	\$1,772	\$1,410	\$1,454	\$1,504	\$1,568
Water trucking costs (\$ millions)*	-	-	-	-	\$0	\$0
Utility revenue losses (\$ millions)*	\$0	\$1	\$4	\$12	\$20	\$34
Utility tax revenue losses (\$ millions)*	\$0	\$0	\$0	\$0	\$0	\$0
Social Impacts	2020	2030	2040	2050	2060	2070
Consumer surplus losses (\$ millions)*	\$0	\$0	\$1	\$2	\$5	\$9
Population losses	16,928	18,761	17,196	18,175	19,303	20,417
School enrollment losses	3,132	3,471	3,181	3,362	3,571	3,777

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.

#### 1 Introduction

Water shortages during a repeat of the drought of record would likely curtail or eliminate certain economic activity in businesses and industries that rely heavily on water. Insufficient water supplies could not only have an immediate and real impact on existing businesses and industry, but they could also adversely and chronically affect economic development in Texas. From a social perspective, water supply reliability is critical as well. Shortages could disrupt activity in homes, schools and government and could adversely affect public health and safety. For these reasons, it is important to evaluate and understand how water supply shortages during drought could impact communities throughout the state.

Administrative rules (31 Texas Administrative Code §357.33 (c)) require that regional water planning groups evaluate the social and economic impacts of not meeting water needs as part of the regional water planning process, and rules direct the TWDB staff to provide technical assistance upon request. Staff of the TWDB's Water Use, Projections, & Planning Division designed and conducted this analysis in support of the Region I Regional Water Planning Group.

This document summarizes the results of the analysis and discusses the methodology used to generate the results. Section 1 summarizes the water needs calculation performed by the TWDB based on the regional water planning group's data. Section 2 describes the methodology for the impact assessment and discusses approaches and assumptions specific to each water use category (i.e., irrigation, livestock, mining, steam-electric, municipal and manufacturing). Section 3 presents the results for each water use category with results summarized for the region as a whole. Appendix A presents details on the socioeconomic impacts by county.

### 1.1 Identified Regional Water Needs (Potential Shortages)

As part of the regional water planning process, the TWDB adopted water demand projections for each water user group (WUG) with input from the planning groups. WUGs are composed of cities, utilities, combined rural areas (designated as county-other), and the county-wide water use of irrigation, livestock, manufacturing, mining and steam-electric power. The demands are then compared to the existing water supplies of each WUG to determine potential shortages, or needs, by decade. Existing water supplies are legally and physically accessible for immediate use in the event of drought. Projected water demands and existing supplies are compared to identify either a surplus or a need for each WUG.

Table 1-1 summarizes the region's identified water needs in the event of a repeat of drought of the record. Demand management, such as conservation, or the development of new infrastructure to increase supplies are water management strategies that may be recommended by the planning group to meet those needs. This analysis assumes that no strategies are implemented, and that the identified needs correspond to future water shortages. Note that projected water needs generally increase over time, primarily due to anticipated population and economic growth. To provide a general sense of proportion, total projected needs as an overall percentage of total demand by water use category are presented in aggregate in Table 1-1. Projected needs for individual water user groups within the aggregate vary greatly, and may reach 100% for a given WUG and water use category. Detailed water needs by WUG and county appear in Chapter 4 of the 2016 Region I Regional Water Plan.

Table 1-1 Regional Water Needs Summary by Water Use Category

Water Use Categ	ory	2020	2030	2040	2050	2060	2070
Irrigation	Water Needs (acre-feet per year)	3,518	4,011	4,452	4,812	5,076	5,427
	% of the category's total water demand	2%	2%	2%	2%	3%	3%
	Water Needs (acre-feet per year)	3,011	4,212	5,663	7,419	9,541	9,983
Livestock	% of the category's total water demand	13%	16%	21%	25%	30%	30%
Manufacturing	Water Needs (acre-feet per year)	196,450	287,997	310,077	330,608	349,817	370,080
	% of the category's total water demand	32%	36%	37%	38%	38%	39%
	Water Needs (acre-feet per year)	9,796	7,160	2,794	2,338	2,048	1,916
Mining	% of the category's total water demand	36%	29%	15%	15%	16%	16%
	Water Needs (acre-feet per year)	120	535	1,483	4,597	8,889	13,646
Municipal	% of the category's total water demand	<0.5%	<0.5%	1%	2%	4%	6%
Steam-electric	Water Needs (acre-feet per year)	25,422	33,529	44,283	57,789	82,036	110,014
power	% of the category's total water demand	31%	35%	40%	44%	52%	60%
Total water need	ls (acre-feet per year)	238,317	337,444	368,752	407,563	457,407	511,066

### 2 Economic Impact Assessment Methodology Summary

This portion of the report provides a summary of the methodology used to estimate the potential economic impacts of future water shortages. The general approach employed in the analysis was to obtain estimates for income and job losses on the smallest geographic level that the available data would support, tie those values to their accompanying historic water use estimate (volume), and thereby determine a maximum impact per acre-foot of shortage for each of the socioeconomic measures. The calculations of economic impacts were based on the overall composition of the economy using many underlying economic "sectors." Sectors in this analysis refer to one or more of the 440 specific production sectors of the economy designated within IMPLAN (Impact for Planning Analysis), the economic impact modeling software used for this assessment. Economic impacts within this report are

estimated for approximately 310 of those sectors, with the focus on the more water intense production sectors. The economic impacts for a single water use category consist of an aggregation of impacts to multiple related economic sectors.

#### 2.1 Impact Assessment Measures

A required component of the regional and state water plans is to estimate the potential economic impacts of shortages due to a drought of record. Consistent with previous water plans, several key variables were estimated and are described in Table 2-1.

**Table 2-1 Socioeconomic Impact Analysis Measures** 

Regional Economic Impacts	Description				
Income losses - value added	The value of output less the value of intermediate consumption; it is a measure of the contribution to GDP made by an individual producer, industry, sector, or group of sectors within a year. For a shortage, value added is a measure of the income losses to the region, county, or WUG and includes the direct, indirect and induced monetary impacts on the region.				
Income losses - electrical power purchase costs	Proxy for income loss in the form of additional costs of power as a result of impacts of water shortages.				
Job losses	Number of part-time and full-time jobs lost due to the shortage.				
Financial Transfer Impacts	Description				
Tax losses on production and imports	Sales and excise taxes (not collected due to the shortage), customs duties, property taxes, motor vehicle licenses, severance taxes, other taxes, and special assessments less subsidies.				
Water trucking costs	Estimate for shipping potable water.				
Utility revenue losses	Foregone utility income due to not selling as much water.				
Utility tax revenue losses	Foregone miscellaneous gross receipts tax collections.				
Social Impacts	Description				
Consumer surplus losses	A welfare measure of the lost value to consumers accompanying less water use.				
Population losses	Population losses accompanying job losses.				
School enrollment losses	School enrollment losses (K-12) accompanying job losses.				

#### 2.1.1 Regional Economic Impacts

Two key measures were included within the regional economic impacts classification: income losses and job losses. Income losses presented consist of the sum of value added losses and additional purchase costs of electrical power. Job losses are also presented as a primary economic impact measure.

#### Income Losses - Value Added Losses

Value added is the value of total output less the value of the intermediate inputs also used in production of the final product. Value added is similar to Gross Domestic Product (GDP), a familiar measure of the productivity of an economy. The loss of value added due to water shortages was estimated by input-output analysis using the IMPLAN software package, and includes the direct, indirect, and induced monetary impacts on the region.

#### Income Losses - Electric Power Purchase Costs

The electrical power grid and market within the state is a complex interconnected system. The industry response to water shortages, and the resulting impact on the region, are not easily modeled using traditional input/output impact analysis and the IMPLAN model. Adverse impacts on the region will occur, and were represented in this analysis by the additional costs associated with power purchases from other generating plants within the region or state. Consequently, the analysis employed additional power purchase costs as a proxy for the value added impacts for that water use category, and these are included as a portion of the overall income impact for completeness.

For the purpose of this analysis, it was assumed that power companies with insufficient water will be forced to purchase power on the electrical market at a projected higher rate of 5.60 cents per kilowatt hour. This rate is based upon the average day-ahead market purchase price of electricity in Texas from the recent drought period in 2011.

#### **lob Losses**

The number of jobs lost due to the economic impact was estimated using IMPLAN output associated with the water use categories noted in Table 1-1. Because of the difficulty in predicting outcomes and a lack of relevant data, job loss estimates were not calculated for the steam-electric power production or for certain municipal water use categories.

#### 2.1.2 Financial Transfer Impacts

Several of the impact measures estimated within the analysis are presented as supplemental information, providing additional detail concerning potential impacts on a sub-portion of the economy or government. Measures included in this category include lost tax collections (on production and imports), trucking costs for imported water, declines in utility revenues, and declines in utility tax revenue collected by the state. Many of these measures are not solely adverse, with some having both positive and negative impacts. For example, cities and residents would suffer if forced to pay large costs for trucking in potable water. Trucking firms, conversely, would benefit from the transaction. Additional detail for each of these measures follows.

#### Tax Losses on Production and Imports

Reduced production of goods and services accompanying water shortages adversely impacts the collection of taxes by state and local government. The regional IMPLAN model was used to estimate reduced tax collections associated with the reduced output in the economy.

#### Water Trucking Costs

In instances where water shortages for a municipal water user group were estimated to be 80 percent or more of water demands, it was assumed that water would be trucked in to support basic consumption and sanitation needs. For water shortages of 80 percent or greater, a fixed cost of \$20,000 per acre-foot of water was calculated and presented as an economic cost. This water trucking cost was applied for both the residential and non-residential portions of municipal water needs and only impacted a small number of WUGs statewide.

#### **Utility Revenue Losses**

Lost utility income was calculated as the price of water service multiplied by the quantity of water not sold during a drought shortage. Such estimates resulted from city-specific pricing data for both water and wastewater. These water rates were applied to the potential water shortage to determine estimates of lost utility revenue as water providers sold less water during the drought due to restricted supplies.

#### **Utility Tax Losses**

Foregone utility tax losses included estimates of uncollected miscellaneous gross receipts taxes. Reduced water sales reduce the amount of utility tax that would be collected by the State of Texas for water and wastewater service sales.

#### 2.1.3 Social Impacts

#### Consumer Surplus Losses of Municipal Water Users

Consumer surplus loss is a measure of impact to the wellbeing of municipal water users when their water use is restricted. Consumer surplus is the difference between how much a consumer is willing and able to pay for the commodity (i.e., water) and how much they actually have to pay. The difference is a benefit to the consumer's wellbeing since they do not have to pay as much for the commodity as they would be willing to pay. However, consumer's access to that water may be limited, and the associated consumer surplus loss is an estimate of the equivalent monetary value of the negative impact to the consumer's wellbeing, for example, associated with a diminished quality of their landscape (i.e., outdoor use). Lost consumer surplus estimates for reduced outdoor and indoor use, as well as residential and commercial/institutional demands, were included in this analysis. Consumer surplus is an attempt to measure effects on wellbeing by monetizing those effects; therefore, these values should not be added to the other monetary impacts estimated in the analysis.

Lost consumer surplus estimates varied widely by location and type. For a 50 percent shortage, the estimated statewide consumer surplus values ranged from \$55 to \$2,500 per household (residential use), and from \$270 to \$17,400 per firm (non-residential).

#### Population and School Enrollment Losses

Population losses due to water shortages, as well as the related loss of school enrollment, were based upon the job loss estimates and upon a recent study of job layoffs and the resulting adjustment of the labor market, including the change in population. The study utilized Bureau of Labor Statistics data regarding layoffs between 1996 and 2013, as well as Internal Revenue Service data regarding migration, to model an estimate of the change in the population as the result of a job layoff event. Layoffs impact both out-migration, as well as in-migration into an area, both of which can negatively affect the population of an area. In addition, the study found that a majority of those who did move following a layoff moved to another labor market rather than an adjacent county. Based on this study, a simplified ratio of job and net population losses was calculated for the state as a whole: for every 100 jobs lost, 18 people were assumed to move out of the area. School enrollment losses were estimated as a proportion of the population lost.

#### 2.2 Analysis Context

The context of the economic impact analysis involves situations where there are physical shortages of surface or groundwater due to drought of record conditions. Anticipated shortages may be nonexistent in earlier decades of the planning horizon, yet population growth or greater industrial, agricultural or other sector demands in later decades may result in greater overall demand, exceeding the existing supplies. Estimated socioeconomic impacts measure what would happen if water user groups experience water shortages for a period of one year. Actual socioeconomic impacts would likely become larger as drought of record conditions persist for periods greater than a single year.

#### 2.2.1 IMPLAN Model and Data

Input-Output analysis using the IMPLAN (Impact for Planning Analysis) software package was the primary means of estimating value added, jobs, and taxes. This analysis employed county and regional level models to determine key impacts. IMPLAN is an economic impact model, originally developed by the U.S. Forestry Service in the 1970's to model economic activity at varying geographic levels. The model is currently maintained by the Minnesota IMPLAN Group (MIG Inc.) which collects and sells county and state specific data and software. The year 2011 version of IMPLAN, employing data for all 254 Texas counties, was used to provide estimates of value added, jobs, and taxes on production for the economic sectors associated with the water user groups examined in the study. IMPLAN uses 440 sector-specific Industry Codes, and those that rely on water as a primary input were assigned to their relevant planning water user categories (manufacturing, mining, irrigation, etc.). Estimates of value added for a water use category were obtained by summing value added estimates across the relevant IMPLAN sectors

<sup>&</sup>lt;sup>1</sup> Foote, Andrew, Grosz, Michel, Stevens, Ann. "Locate Your Nearest Exit: Mass Layoffs and Local Labor Market Response." University of California, Davis. April 2015. http://paa2015.princeton.edu/uploads/150194

associated with that water use category. Similar calculations were performed for the job and tax losses on production and import impact estimates.

Note that the value added estimates, as well as the job and tax estimates from IMPLAN, include three components:

- Direct effects representing the initial change in the industry analyzed;
- Indirect effects that are changes in inter-industry transactions as supplying industries respond to reduced demands from the directly affected industries; and,
- Induced effects that reflect changes in local spending that result from reduced household income
  among employees in the directly and indirectly affected industry sectors.

#### 2.2.2 Elasticity of Economic Impacts

The economic impact of a water need is based on the relative size of the water need to the water demand for each water user group (Figure 2-1). Smaller water shortages, for example, less than 5 percent, were anticipated to result in no initial negative economic impact because water users are assumed to have a certain amount of flexibility in dealing with small shortages. As a water shortage deepens, however, such flexibility lessens and results in actual and increasing economic losses, eventually reaching a representative maximum impact estimate per unit volume of water. To account for such ability to adjust, an elasticity adjustment function was used in estimating impacts for several of the measures. Figure 2-1 illustrates the general relationship for the adjustment functions. Negative impacts are assumed to begin accruing when the shortage percentage reaches the lower bound b1 (10 percent in Figure 2-1), with impacts then increasing linearly up to the 100 percent impact level (per unit volume) once the upper bound for adjustment reaches the b2 level shortage (50 percent in Figure 2-1 example).

Initially, the combined total value of the three value added components (direct, indirect, and induced) was calculated and then converted into a per acre-foot economic value based on historical TWDB water use estimates within each particular water use category. As an example, if the total, annual value added for livestock in the region was \$2 million and the reported annual volume of water used in that industry was 10,000 acre-feet, the estimated economic value per acre-foot of water shortage would be \$200 per acre-foot. Negative economic impacts of shortages were then estimated using this value as the maximum impact estimate (\$200 per acre-foot in the example) applied to the anticipated shortage volume in acre-feet and adjusted by the economic impact elasticity function. This adjustment varied with the severity as percentage of water demand of the anticipated shortage. If one employed the sample elasticity function shown in Figure 2-1, a 30% shortage in the water use category would imply an economic impact estimate of 50% of the original \$200 per acre-foot impact value (i.e., \$100 per acre-foot).

Such adjustments were not required in estimating consumer surplus, nor for the estimates of utility revenue losses or utility tax losses. Estimates of lost consumer surplus relied on city-specific demand curves with the specific lost consumer surplus estimate calculated based on the relative percentage of the city's water shortage. Estimated changes in population as well as changes in school enrollment were indirectly related to the elasticity of job losses.

Assumed values for the bounds b1 and b2 varied with water use category under examination and are presented in Table 2-2.

Figure 2-1 Example Economic Impact Elasticity Function (as applied to a single water user's shortage)




Table 2-2 Economic Impact Elasticity Function Lower and Upper Bounds

Water Use Category	Lower Bound (b1)	Upper Bound (b2)
Irrigation	5%	50%
Livestock	5%	10%
Manufacturing	10%	50%
Mining	10%	50%
Municipal (non-residential water intensive)	50%	80%
Steam-electric power	20%	70%

## 2.3 Analysis Assumptions and Limitations

Modeling of complex systems requires making assumptions and accepting limitations. This is particularly true when attempting to estimate a wide variety of economic impacts over a large geographic area and into future decades. Some of the key assumptions and limitations of the methodology include:

The foundation for estimating socioeconomic impacts of water shortages resulting from a drought are
the water needs (potential shortages) that were identified as part of the regional water planning
process. These needs have some uncertainty associated with them, but serve as a reasonable basis for
evaluating potential economic impacts of a drought of record event.

- 2. All estimated socioeconomic impacts are snapshot estimates of impacts for years in which water needs were identified (i.e., 2020, 2030, 2040, 2050, 2060, and 2070). The estimates are independent and distinct "what if" scenarios for each particular year, and water shortages are assumed to be temporary events resulting from severe drought conditions. The evaluation assumed that no recommended water management strategies are implemented. In other words, growth occurs, future shocks are imposed on an economy at 10-year intervals, and the resulting impacts are estimated. Note that the estimates presented were not cumulative (i.e., summing up expected impacts from today up to the decade noted), but were simply an estimate of the magnitude of annual socioeconomic impacts should a drought of record occur in each particular decade based on anticipated supplies and demands for that same decade.
- 3. Input-output models such as IMPLAN rely on a static profile of the structure of the economy as it appears today. This presumes that the relative contributions of all sectors of the economy would remain the same, regardless of changes in technology, supplies of limited resources, and other structural changes to the economy that may occur into the future. This was a significant assumption and simplification considering the 50-year time period examined in this analysis. To presume an alternative future economic makeup, however, would entail positing many other major assumptions that would very likely generate as much or more error.
- 4. This analysis is not a cost-benefit analysis. That approach to evaluating the economic feasibility of a specific policy or project employs discounting future benefits and costs to their present value dollars using some assumed discount rate. The methodology employed in this effort to estimate the economic impacts of future water shortages did not use any discounting procedures to weigh future costs differently through time.
- 5. Monetary figures are reported in constant year 2013 dollars.
- 6. Impacts are annual estimates. The estimated economic model does not reflect the full extent of impacts that might occur as a result of persistent water shortages occurring over an extended duration. The drought of record in most regions of Texas lasted several years.
- 7. Value added estimates are the primary estimate of the economic impacts within this report. One may be tempted to add consumer surplus impacts to obtain an estimate of total adverse economic impacts to the region, but the consumer surplus measure represents the change to the wellbeing of households (and other water users), not an actual change in the flow of dollars through the economy. The two categories (value added and consumer surplus) are both valid impacts but should not be summed.
- 8. The value added, jobs, and taxes on production and import impacts include the direct, indirect and induced effects described in Section 2.2.1. Population and school enrollment losses also indirectly include such effects as they are based on the associated losses in employment. The remaining measures (consumer surplus, utility revenue, utility taxes, additional electrical power purchase costs, and potable water trucking costs), however, do not include any induced or indirect effects.

- 9. The majority of impacts estimated in this analysis may be considered smaller than those that might occur under drought of record conditions. Input-output models such as IMPLAN only capture "backward linkages" on suppliers (including households that supply labor to directly affected industries). While this is a common limitation in these types of economic impact modeling efforts, it is important to note that "forward linkages" on the industries that use the outputs of the directly affected industries can also be very important. A good example is impacts on livestock operators. Livestock producers tend to suffer substantially during droughts, not because there is not enough water for their stock, but because reductions in available pasture and higher prices for purchased hay have significant economic effects on their operations. Food processors could be in a similar situation if they cannot get the grains or other inputs that they need. These effects are not captured in IMPLAN, which is one reason why the impact estimates are likely conservative.
- 10. The methodology did not capture "spillover" effects between regions or the secondary impacts that occur outside of the region where the water shortage is projected to occur.
- 11. The model did not reflect dynamic economic responses to water shortages as they might occur, nor does the model reflect economic impacts associated with a recovery from a drought of record including:
  - a. The likely significant economic rebound to the landscaping industry immediately following a drought;
  - b. The cost and years to rebuild liquidated livestock herds (a major capital item in that industry);
  - c. Direct impacts on recreational sectors (i.e., stranded docks and reduced tourism); or,
  - d. Impacts of negative publicity on Texas' ability to attract population and business in the event that it was not able to provide adequate water supplies for the existing economy.
- 12. Estimates for job losses and the associated population and school enrollment changes may exceed what would actually occur. In practice, firms may be hesitant to lay off employees, even in difficult economic times. Estimates of population and school enrollment changes are based on regional evaluations and therefore do not accurately reflect what might occur on a statewide basis.
- 13. The results must be interpreted carefully. It is the general and relative magnitudes of impacts as well as the changes of these impacts over time that should be the focus rather than the absolute numbers. Analyses of this type are much better at predicting relative percent differences brought about by a shock to a complex system (i.e., a water shortage) than the precise size of an impact. To illustrate, assuming that the estimated economic impacts of a drought of record on the manufacturing and mining water user categories are \$2 and \$1 million, respectively, one should be more confident that the economic impacts on manufacturing are twice as large as those on mining and that these impacts will likely be in the millions of dollars. But one should have less confidence that the actual total economic impact experienced would be \$3 million.

#### 3 Analysis Results

This section presents a breakdown of the results of the regional analysis for Region I. Projected economic impacts for six water use categories (irrigation, livestock. municipal, manufacturing, mining, and steam-electric power) are also reported by decade.

#### 3.1 Overview of the Regional Economy

Table 3-1 presents the 2011 economic baseline as represented by the IMPLAN model and adjusted to 2013 dollars for Region I. In year 2011, Region I generated about \$53 billion in gross state product associated with 552,000 jobs based on the 2011 IMPLAN data. These values represent an approximation of the current regional economy for a reference point.

**Table 3-1 Region I Economy** 

Income (\$ millions)*	Jobs	Taxes on production and imports (\$ millions)*	
\$53,483	552,206	\$4,030	

Year 2013 dollars based on 2011 IMPLAN model value added estimates for the region.

The remainder of Section 3 presents estimates of potential economic impacts for each water use category that could reasonably be expected in the event of water shortages associated with a drought of record and if no recommended water management strategies were implemented.

#### 3.2 Impacts for Irrigation Water Shortages

Three of the 20 counties in the region are projected to experience water shortages in the irrigated agriculture water use category for one or more decades within the planning horizon. Estimated impacts to this water use category appear in Table 3-2. Note that tax collection impacts were not estimated for this water use category. IMPLAN data indicates a negative tax impact (i.e., increased tax collections) for the associated production sectors, primarily due to past subsidies from the federal government. Two factors led to excluding any reported tax impacts: 1) Federal support (subsidies) has lessened greatly since the year 2011 IMPLAN data was collected, and 2) It was not considered realistic to report increasing tax revenue collections for a drought of record.

Table 3-2 Impacts of Water Shortages on Irrigation in Region

Impact Measure	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$0	\$0	\$1	\$1	\$1	\$1
Job losses	11	15	19	24	30	38

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.

#### 3.3 Impacts for Livestock Water Shortages

Two of the 20 counties in the region are projected to experience water shortages in the livestock water use category for one or more decades within the planning horizon. Estimated impacts to this water use category appear in Table 3-3. Note that tax impacts are not reported for this water use category for similar reasons that apply to the irrigation water use category described above.

Table 3-3 Impacts of Water Shortages on Livestock in Region

Impact Measures	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$78	\$109	\$147	\$193	\$248	\$260
Jobs losses	1,790	2,474	3,299	4,296	5,500	5,777

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000

## 3.4 Impacts for Municipal Water Shortages

Six of the 20 counties in the region are projected to experience water shortages in the municipal water use category for one or more decades within the planning horizon. Impact estimates were made for the two subtypes of use within municipal use: residential, and non-residential. The latter includes commercial and institutional users. Consumer surplus measures were made for both residential and non-residential demands. In addition, available data for the non-residential, water-intensive portion of municipal demand allowed use of IMPLAN and TWDB Water Use Survey data to estimate income loss, jobs, and taxes. Trucking cost estimates, calculated for shortages exceeding 80 percent, assumed a fixed cost of \$20,000 per acre-foot to transport water for municipal use. The estimated impacts to this water use category appear in Table 3-4.

Table 3-4 Impacts of Water Shortages on Municipal Water Users in Region

Impact Measures	2020	2030	2040	2050	2060	2070
Income losses <sup>1</sup> (\$ millions)*			\$0	\$2	\$11	\$22
Job losses <sup>1</sup>		laring Nasabatan	4	38	217	443
Tax losses on production and imports <sup>1</sup> (\$ millions)*			\$0	\$0	\$1	\$2
Consumer surplus losses (\$ millions)*	\$0	\$0	\$1	\$2	\$5	\$9
Trucking costs (\$ millions)*					\$0	\$0
Utility revenue losses (\$ millions)*	\$0	\$1	\$4	\$12	\$20	\$34
Utility tax revenue losses (\$ millions)*	\$0	\$0	\$0	\$0	\$0	\$0

<sup>&</sup>lt;sup>1</sup> Estimates apply to the water-intensive portion of non-residential municipal water use.

#### 3.5 Impacts of Manufacturing Water Shortages

Manufacturing water shortages in the region are projected to occur in 7 of the 20 counties in the region for at least one decade of the planning horizon. Estimated impacts to this water use category appear in Table 3-5.

Table 3-5 Impacts of Water Shortages on Manufacturing in Region

Impacts Measures	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$13,586	\$19,631	\$20,688	\$21,742	\$22,837	\$24,006
Job losses	58,545	80,644	85,926	91,069	96,554	102,535
Tax losses on production and Imports (\$ millions)*	\$849	\$1,222	\$1,289	\$1,356	\$1,426	\$1,501

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.

#### 3.6 Impacts of Mining Water Shortages

Mining water shortages in the region are projected to occur in 7 of the 20 counties in the region for at least one decade of the planning horizon. Estimated impacts to this water use type appear in Table 3-6.

Table 3-6 Impacts of Water Shortages on Mining in Region

Impact Measures	2020	2030	2040	2050	2060	2070
Income losses (\$ millions)*	\$5,778	\$3,428	\$765	\$615	\$486	\$410
Job losses	31,856	19,052	4,411	3,562	2,832	2,413
Tax losses on production and Imports (\$ millions)*	\$930	\$551	\$121	\$98	\$77	\$65

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.

#### 3.7 Impacts of Steam-Electric Water Shortages

Steam-electric water shortages in the region are projected to occur in 6 of the 20 counties in the region for at least one decade of the planning horizon. Estimated impacts to this water use category appear in Table 3-7.

Note that estimated economic impacts to steam-electric water users:

- Are reflected as an income loss proxy in the form of the estimated additional purchasing costs for power from the electrical grid that could not be generated due to a shortage;
- Do not include estimates of impacts on jobs. Because of the unique conditions of power generators during drought conditions and lack of relevant data, it was assumed that the industry would retain, perhaps relocating or repurposing, their existing staff in order to manage their ongoing operations through a severe drought.
- Does not presume a decline in tax collections. Associated tax collections, in fact, would likely
  increase under drought conditions since, historically, the demand for electricity increases during
  times of drought, thereby increasing taxes collected on the additional sales of power.

Table 3-7 Impacts of Water Shortages on Steam-Electric Power in Region

Impact Measures	2020	2030	2040	2050	2060	2070
Income Losses (\$ millions)*	\$965	\$1,129	\$1,414	\$1,856	\$2,482	\$3,409

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.

### 3.8 Regional Social Impacts

Projected changes in population, based upon several factors (household size, population, and job loss estimates), as well as the accompanying change in school enrollment, were also estimated and are summarized in Table 3-8.

Table 3-8 Region-wide Social Impacts of Water Shortages in Region

Impact Measures	2020	2030	2040	2050	2060	2070
Consumer surplus losses (\$ millions)*	\$0	\$0	\$1	\$2	\$5	\$9
Population losses	16,928	18,761	17,196	18,175	19,303	20,417
School enrollment losses	3,132	3,471	3,181	3,362	3,571	3,777

<sup>\*</sup> Year 2013 dollars, rounded. Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000.


## Appendix A - County Level Summary of Estimated Economic Impacts for Region I

County level summary of estimated economic impacts of not meeting identified water needs by water use category and decade (in 2013 dollars, rounded). Values presented only for counties with projected economic impacts for at least one decade.

\* Entries denoted by a dash (-) indicate no economic impact. Entries denoted by a zero (\$0) indicate income losses less than \$500,000

			ln	come losse	s (Million \$	i)*			Job losses							Surplus	osses (N	/lillion \$	)*
County	Water Use Category	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070
ANDERSON	STEAM ELECTRIC POWER	\$441	\$516	\$607	\$718	\$853	\$1,014	-			-	-		-	-	-	-	-	
ANDERSON Total	I	\$441	\$516	\$607	\$718	\$853	\$1,014	-	-	-		-	-	-		•	-	-	
ANGELINA	MANUFACTURING	\$1,256	\$1,406	\$1,559	\$1,695	\$1,839	\$1,995	16,159	18,099	20,064	21,808	23,669	25,677	-	-	-	-	-	
ANGELINA	MINING	\$318	\$384	\$267	\$201	\$150	\$112	1,745	2,110	1,464	1,103	826	616	<b>4</b> -	-			-	-
ANGELINA Total		\$1,573	\$1,790	\$1,826	\$1,895	\$1,990	\$2,107	17,904	20,209	21,529	22,911	24,495	26,293	-		-	-	-	-
CHEROKEE	MINING	\$160	\$166	\$141	\$99	\$56	\$21	878	911	775	542	310	115	-	-	-	-	-	-
CHEROKEE	MUNICIPAL	-	-		- 2	\$0	\$0	-	-			1	2	\$0	\$0	\$0	\$0	\$0	\$0
CHEROKEE Total		\$160	\$166	\$141	\$99	\$56	\$21	878	911	775	542	311	117	\$0	\$0	\$0	\$0	\$0	\$0
HENDERSON	MANUFACTURING	-	-	-	\$0	\$2	\$10	-	-	-	1	13	73	-	-	-	-	-	-
HENDERSON	MUNICIPAL	-		-	- 15	-	\$0	-	- III		484		1	\$0	\$0	\$0	\$0	\$0	\$0
HENDERSON Tot	al	-	-	-	\$0	\$2	\$10	-	-	-	1	13	74	\$0	\$0	\$0	\$0	\$0	\$0
HOUSTON	IRRIGATION	\$0	\$0	\$0	\$0	\$0	\$1	4	7	11	16	22	29	-	-	-	-	-	-
<b>HOUSTON Total</b>		\$0	\$0	\$0	\$0	\$0	\$1	4	7	11	16	22	29	-	-	•	•	•	
JEFFERSON	MANUFACTURING	\$12,206	\$18,066	\$18,909	\$19,757	\$20,607	\$21,489	41,483	61,399	64,262	67,146	70,032	73,032	-	-	-	-	-	-
JEFFERSON	MUNICIPAL	-	- 7	-	- 121		- 11 -	-		- 2	4	- 110	-	W		\$0	\$0	\$1	\$2
JEFFERSON	STEAM ELECTRIC POWER	\$524	\$613	\$721	\$852	\$1,013	\$1,204	3-3-	-				7				1		-
JEFFERSON Total		\$12,730	\$18,679	\$19,630	\$20,610	\$21,620	\$22,693	41,483	61,399	64,262	67,146	70,032	73,032	-	-	\$0	\$0	\$1	\$2
NACOGDOCHES	LIVESTOCK	\$42	\$47	\$53	\$59	\$67	\$78	1,027	1,148	1,288	1,449	1,635	1,911	-	-		-	-	-
NACOGDOCHES	MINING	\$3,677	\$1,998	-		-	-	20,195	10,974	-			-	-	-			1	-
NACOGDOCHES	MUNICIPAL		111111111111111111111111111111111111111	2	367 -	46 11 12	-	-	- 10 D			14.0	de me		-			\$0	\$0
NACOGDOCHES	STEAM ELECTRIC POWER	-		\$36	\$110	\$225	\$376		- A		4150				-		1.	-	-
NACOGDOCHES	Total	\$3,719	\$2,045	\$88	\$170	\$292	\$454	21,222	12,121	1,288	1,449	1,635	1,911		-	•	-	\$0	\$0
NEWTON	MINING	\$15	\$3	-	-	-	-	87	15	-	-	-	-	-	-	- 1	-	-	_
NEWTON	STEAM ELECTRIC POWER	1	40 -	\$51	\$160	\$334	\$573	_	100		-				-	-	-	-	-

			Inc	come losse	s (Million \$	)*				Job I	osses			Consumer Surplus losses (Million \$)*					
County	Water Use Category	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070	2020	2030	2040	2050	2060	2070
NEWTON Total		\$15	\$3	\$51	\$160	\$334	\$573	87	15	-	-	-	-	-	-	-	-	-	
ORANGE	IRRIGATION	\$0	\$0	\$0	\$0	\$0	\$0	7	8	8	9	8	8	-		-	-	-	
ORANGE	MANUFACTURING	-	\$11	\$51	\$103	\$175	\$267	-	81	374	750	1,279	1,946	-	- 2	- 1-	-	- 1	
ORANGE	STEAM ELECTRIC POWER	-			\$15	\$58	\$97	i i e	- - 1 1986			-	7	-		-		-	
ORANGE Total		\$0	\$11	\$52	\$118	\$234	\$364	7	89	382	759	1,287	1,954	-			-	-	
PANOLA	MANUFACTURING	-	\$0	\$1	\$1	\$2	\$5	- 1	4	9	15	28	74	-	-	-	_	-	
PANOLA Total		-	\$0	\$1	\$1	\$2	\$5	-	4	9	15	28	74	-	-	-	-	-	
RUSK	MINING	\$190	\$376	\$351	\$313	\$279	\$276	1,156	2,283	2,133	1,904	1,694	1,679		-	-	Wag -	100	
RUSK	MUNICIPAL	- 100		-	-	-		40	14.5	i - 1-1	100 m		-	-		\$0	\$0	\$0	\$0
RUSK	STEAM ELECTRIC POWER		9 4	31, 967	1	144 -	\$146	-	-	-	-	771-6	-	-	-	-	100	-	
RUSK Total		\$190	\$376	\$351	\$313	\$279	\$422	1,156	2,283	2,133	1,904	1,694	1,679	-	-	\$0	\$0	\$0	\$(
SAN AUGUSTINE	MINING	\$1,412	\$495	-	-	-	-	7,753	2,717	-	-	-1	-	-	-	-	-	-	
SAN AUGUSTINE	Total	\$1,412	\$495	-	-	-	_	7,753	2,717	-	-	-	-	-	-	-	-	-	
SHELBY	LIVESTOCK	\$36	\$62	\$94	\$133	\$181	\$181	763	1,326	2,011	2,847	3,866	3,866	-	-	-	J	-	
SHELBY Total		\$36	\$62	\$94	\$133	<b>\$1</b> 81	\$181	763	1,326	2,011	2,847	3,866	3,866	-	-	-	-	-	
SMITH	MANUFACTURING	\$125	\$147	\$168	\$186	\$212	\$240	903	1,062	1,217	1,349	1,533	1,734	-	-	-		-	
SMITH	MINING	\$7	\$7	\$6	\$2	\$0	\$0	42	43	39	13	3	3	-	-		-	-	
SMITH	MUNICIPAL	-	-	\$0	\$2	\$11	\$22			4	38	216	440	\$0	\$0	\$0	\$2	\$5	\$7
SMITH Total		\$131	\$154	\$175	\$190	\$223	\$262	945	1,104	1,260	1,401	1,752	2,177	\$0	\$0	\$0	\$2	\$5	\$7
Regional Total		\$20,408	\$24,297	\$23,015	\$24,409	\$26,065	\$28,108	92,203	102,185	93,660	98,990	105,134	111,205	\$0	\$0	\$1	\$2	\$5	\$9



## Appendix 4-F

## Socioeconomic Impact Analysis Letter

This appendix includes the letter from the ETRWPG requesting that the TWDB conduct a socioeconomic impact analysis of not meeting identified water needs for the region. The letter is signed by Mr. Kelley Holcomb, the Chair of the ETRWPG.



July 13, 2015

Mr. Kevin Patteson Executive Administrator Texas Water Development Board 1700 North Congress Austin, Texas 78711-3231

Re: Request for the Texas Water Development Board to Conduct a Socioeconomic Impact Analysis for the East Texas Regional Water Planning Area (Region I)

Dear Mr. Patteson:


At the Region I, East Texas Regional Water Planning Group (RWPG) regular meeting held on January 28, 2015, the RWPG discussed and approved a request for the Texas Water Development Board (TWDB) to provide technical assistance in conducting a socioeconomic impact analysis for the 2016 East Texas Regional Water Plan. The RWPG respectfully requests that the analysis be conducted utilizing information specific to Region I East Texas Regional Water Planning Area and that the models correspond to the needs of region.

If you have questions or need additional information, please don't hesitate to call me at 936-633-7543.

Respectfully,

East Texas Regional Water Planning Group

cc: Lann Bookout, Texas Water Development Board
Temple McKinnon, Texas Water Development Board
Lila Fuller, City of Nacogdoches
Rex Hunt, Alan Plummer Associates, Inc.



## Appendix 5A-A

# Screening Criteria for Potentially Feasible Water Management Strategies

The screening criteria used to assess the feasibility of potential strategies in the ETRWPA are provided as follows. These criteria were adopted as guidelines, and strategies could be retained or dismissed at the discretion of the ETRWPG.

#### 5A-A.1 General

- Feasible strategy must have an identified sponsor or authority.
- Feasible strategy must consider the end use. This includes water quality, distance to end use, etc. For example, long transmission systems with pumping are not likely to be economically feasible for irrigation use.
- Strategy should provide a reasonable percentage of the projected need (except conservation, which will be evaluated for all needs).
- Strategy must meet existing federal and state regulations.
- Strategies must be based on proven technology.
- Strategy must be able to be implemented.
- Strategy must be appropriate for regional water planning.

## 5A-A.2 Evaluation by Water Strategy Type

In accordance with 31 TAC Chapter 357.7, the ETRWPG must evaluate all WMSs the regional water planning group determines to be potentially feasible. The types of WMSs to be evaluated are described below.

**5A-A.2.1 Water Conservation.** The guidelines for water planning require that water conservation be considered as a strategy for every identified need. If water conservation is not adopted, the reason must be documented. Water conservation in the ETRWPA is driven more by economics than lack of readily available supply, and therefore, not every user will have the need to implement conservation. Additional screening criteria for conservation strategies were adopted to comply with this general policy. The criteria are outlined below.

- Municipal conservation strategies will be evaluated for municipal WUGs that have a need identified during the planning period and a current per capita water use greater than 140 gpcd. This is the TWDB recommended goal for municipal users based on the Conservation Task Force recommendations. Municipal conservation will not be evaluated for WUGs with current usage less than 140 gpcd.
- Industrial, commercial and institutional (ICI) conservation strategies will be considered for cities with ICI use that exceeds 20 percent of the city's total water use.
- Industrial conservation will be evaluated for counties with manufacturing demands greater than 1,000 ac-ft per year and/or have identifiable industries with water use greater than 500 ac-ft per year.
- Steam-electric power water demands consider a high level of conservation in the development of the projections. No additional conservation measures will be considered for steam-electric power.
- Irrigation conservation measures will be considered by crop type and water source.
- Conservation will not be considered for livestock or mining water demands. The cost of water in these industries comprises a small percentage of the overall business cost, and it is not expected that these industries will see an economic benefit to water conservation.

**5A-A.2.2 Drought Management Measures.** Drought management WMSs are implemented in response to drought conditions. These strategies provide a safety factor for water users during drought. Drought management measures will not be adopted as strategies to meet long-range needs.

**5A-A.2.3 Wastewater Reuse.** Reuse projects will be considered on a case-by-case basis. Both direct and indirect reuse will be considered, as appropriate.

**5A-A.2.4 Expanded Use of Existing Supplies.** Use of existing supplies should be optimized, where possible, to meet new demands. Following is a discussion of how various types of existing supplies might be expanded.

Connection of Existing Supplies. The connection of existing supplies will be considered on a case-by-case basis. In general, supplies should be owned by the water group with a need for additional supply or available to that group for purchase or permitting.

**System Operation.** New or additional system operations may be considered if they are feasible and the owner wishes to adopt such strategies. Existing operating policies will be considered during evaluation of available supplies.

Conjunctive Use of Groundwater and Surface Water. The conjunctive use of groundwater and surface water supplies may be considered when groundwater supplies are available. Applicable groundwater conservation district rules will be considered for such conjunctive systems.

**Reallocation of Reservoir Storage.** Reallocation of reservoir storage will be considered if the owner is amenable to reallocation and, where reallocation in federal reservoirs is being considered (such as from flood to conservation storage), an appropriate and willing local sponsor can be found to sponsor a federal study.

Voluntary Redistribution of Water Resources. Voluntary redistribution with the involved parties will be considered and the ETRWPG will come to a consensus on an approach. If the involved parties are not interested, this option will not be pursued.

**Voluntary Subordination of Existing Water Rights.** Voluntary subordination of existing water rights will be considered if the involved parties are amenable to the strategy. Alternatively, the ETRWPG may recommend that the water right holder consider selling water under their water right to the willing buyer.

**Yield Enhancement.** ETRWPG will consider yield enhancement projects, as appropriate, for the water source and identified need.

Water Quality Improvement. Water quality improvement projects will be considered for municipal supplies that bring the existing water supply into compliance with state and federal regulations. General water quality projects may be considered if they improve the usability of the water source to help meet demands.

**5A-A.2.5 New Supply Development.** The development of new water supplies may be necessary to meet new water demands. A discussion of the development of new water supplies follows.

**Surface Water Resources.** New surface water resources that can be permitted will be considered, provided a reasonable amount of supply to meet the identified need is located within a reasonable distance of the end users, and recommended new sources would be expected to provide water supplies at a reasonable cost.

**Groundwater Resources.** The ETRWPG will consider groundwater supplies in areas where additional groundwater is available.

**Brush Control.** Brush control is not considered a cost effective water supply strategy in the ETRWPA due to the large amount of rainfall and lack of invasive brush species, and will not be considered as a WMS.

**Precipitation Enhancement.** The ETRWPA has an abundance of precipitation. Precipitation enhancement will not be considered as a WMS.


**Desalination.** The ETRWPG will consider desalination on a case-by-case basis.

Water Right Cancellation. The ETRWPG will generally not pursue water right cancellation as a means of obtaining additional water supplies. Instead, the ETRWPG will recommend that the water right holder consider selling water under their water right to the willing buyer.

Aquifer Storage and Recovery. Aquifer storage and recovery (ASR) will be considered where the structure of the aquifer is such that this method is applicable. An ASR study must have already been performed to consider an area feasible for an ASR project.

**5A-A.2.6 Interbasin Transfers**. The ETRWPG will recommend interbasin transfers when necessary to transport water from the source to its destination. Interbasin transfers will be evaluated in accordance with current regulations. The process for selection of the WMSs is described as follows:

- 1. Define groupings or common areas with supply deficiencies.
- 2. Develop comprehensive list of potentially feasible strategies, per screening process.
- 3. Contact potential suppliers/WUGs to determine current strategies under consideration.
- 4. Prepare qualitative rating based on cost, reliability, environmental impact, impacts on other water resources, impacts on agricultural and natural resources, and political acceptability for the various strategies.
- 5. Select one or more strategies as appropriate for each need or group.
- 6. Contact each WUG with a need and confirm the selected strategies are acceptable.
- 7. Present proposed WMSs to the ETRWPG in a public meeting for discussion, modification, and approval.



## **Appendix 5A-B**

## **Potentially Feasible Water Management Strategies**

Appendix 5A-B includes a summary of potentially feasible water management strategies considered and a list of Potentially Feasible Strategies identified for all WUGs with needs.

# ETRWPA - Potentially Feasible Water Management Strategies Considered for WUGs and WWPs with Identified Needs

	Every WUG Entity and WWP with	th an Identified N	eed	<u> </u>		W	MSs REOI	UIRED TO	D BE CONS	SIDERED	BY STAT	UTE			ADDITIONAL						
		T	T		1 12	T	1	1	1	1	JISIAI	<u> </u>	Ē								
Number	Water User Group Name/WWP Name	County	Maximum Need 2020-2070 (acf/yr)	Conservation	Drought Management	Reuse	Reallocation of Storage	Voluntary Transfers	Conjunctive Use	Existing	Vew Supplies	Regional Water Supply	Improvement of Water Quality	Emergency Transfer of Water	System Optimization, Subordination, & Precip. Enhancement	3rush Control	Weather Modification	Oesalination	Aquifer Storage and Recovery	Cancellation of Water Rights	Interbasin Transfers
1	Steam Electric Power	Anderson	25,968	ă						<u> </u>				<u> </u>	SSA						1
2	Manufacturing	Angelina	17,195			<del>                                     </del>	+ =			1 =											
	Mining	Angelina	573							<del>                                     </del>							<del>                                     </del>		-		
4	Alto Rural WSC	Cherokee	215			<del>                                     </del>		<del>                                     </del>		<del>                                     </del>											
	Mining	Cherokee	247					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>								-		
	Steam Electric Power	Cherokee	20,000					<del>                                     </del>			+ -								-		
7	Athens	Henderson	33					-			<del>/                                    </del>						<del>                                     </del>				
8	Chandler	Henderson	312			-	<del>                                     </del>														
	Irrigation	Houston	2,340			+		-													
	Manufacturing	Jasper	8,420				<del>                                     </del>	<del>                                     </del>		一一											
	Beaumont	Jefferson	6,896				<del>                                     </del>				1		. 🗆								
12	County Other	Jefferson	3,413								+ =								1		
13	Manufacturing	Jefferson	309,322				+	<del>                                     </del>			<del>                                     </del>										
	Steam Electric Power	Jefferson	30,839		-			<del>                                     </del>	+ -												
	D&M WSC	Nacogdoches	234			<del>                                     </del>		-			+ = -										
16	Livestock	Nacogdoches	3,059								<del>                                     </del>										
	Mining	Nacogdoches	5,475					<del>                                     </del>	+ =	H	-				-		<del>                                     </del>		-		
18	Steam Electric Power	Nacogdoches	10,472				<del>                                     </del>	-	1 =		<del>                                     </del>					<u> H</u>					
	Mining	Newton	115		-		<del>                                     </del>		1 -		<del>                                     </del>					<del></del>					
20	Steam Electric Power	Newton	19,021				<del>                                     </del>				+										
21	Irrigation	Orange	2,758							<del>                                     </del>	<del>                                     </del>										
	Manufacturing	Orange	31,850								十一										
	Steam Electric Power	Orange	4,846							<del>                                     </del>	1 -										
24	Manufacturing	Panola	309			-															
	Overton	Rusk	215			<del></del>	<del>                                     </del>														
	Mining	Rusk	2,092					-													
27	Steam Electric Power	Rusk	18,868								<del>                                     </del>		급								
28	Mining	San Augustine	2,102		<del></del>																
29	Livestock	Shelby	6,925			<del></del>								$\overline{}$	h						
	Bullard	Smith	995				<del>                                     </del>			౼౼	<del>                                     </del>										<del>-</del>
	Crystal Systems Inc	Smith	642										<del>-    </del>								
	Lindale	Smith	826				<del>                                     </del>														
	R-P-M WSC	Smith	23			<u> </u>					<del>  -</del>										
	Manufacturing	Smith	2,712																		
	Mining	Smith	32																		
36	Irrigation	Trinity	331											<del>-</del>							
	Angelina Neches River Authority	Angelina	102,826								<del>                                     </del>										
	Athens MWA	Trinity	5,986								<u> </u>										
	Angelina Nacogdoches WCID #1	Henderson	5,305																		
	City of Center	Shelby	2,242																		
	Houston County WCID #1	Houston	2,463																		
	City of Jacksonville	Cherokee	1,700											<del></del>							
	Lower Neches Valley Authority	Cherokee	200,000							-											
	City of Lufkin	Angelina	28,000								<del>-</del>										
	City of Nacogdoches	Nacogdoches	8,500			<del></del>															
	Sabine River Authority	Orange	89,680																		
THE RESERVE	City of Tyler	Orange	16,815										<del>  </del>								
	Upper Neches River Municipal Water Authority	Orange	62,190			<del></del>								<u> </u>							
-10	opport to choos to to the interior traditionity	- Tango	02,170		LJ.				<u> </u>									U			


4. Act 1

# ETRWPA - Potentially Feasible Water Management Strategies for WUGs and WWPs with Identified Needs

Sponsor	WMS	
Multiple Entities	Municipal conservation	
Multiple Entities	Irrigation conservation	
Multiple Entities	Reuse (Direct and Indirect, Potable and Non-Potable)	
Multiple Entities	Purchase from Provider (Voluntary Transfer)	
Anderson County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
Angelina County Manufacturing	Purchase from Provider (Voluntary Transfer)	
Angelina County Mining	Purchase from Provider (Voluntary Transfer)	
Cherokee County Alto Rural WSC	Municipal conservation	
Cherokee County Alto Rural WSC	News Wells in Carrizo Wilcox	
Cherokee County Mining	Purchase from Provider (Voluntary Transfer)	
Cherokee County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
Henderson County Athens	Municipal conservation	
Henderson County Athens	Purchase from Provider (Voluntary Transfer)	
Henderson County Chandler	Municipal conservation	
Henderson County Chandler	Purchase from Provider (Voluntary Transfer)	
Houston County Irrigation	New Wells in Yegua-Jackson	
Jasper County Manufacturing	Purchase from Provider (Voluntary Transfer)	
Jefferson County Beaumont	Municipal conservation	
Jefferson County Other	Purchase from Provider (Voluntary Transfer)	
Jefferson County Manufacturing	Purchase from Provider (Voluntary Transfer)	
Jefferson County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
Jefferson County Port Arthur	Municipal conservation	
Nacogdoches County D&M WSC	New Supply (Regional Water System)	
Nacogdoches County Livestock	New Wells in Carrizo Wilcox	
Nacogdoches County Mining	Purchase from Provider (Voluntary Transfer)	
Nacogdoches County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
Nacogdoches County Steam Electric Power	New Wells in Carrizo Wilcox	
Newton County Mining	Purchase from Provider (Voluntary Transfer)	
Newton County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
Orange County Irrigation	Purchase from Provider (Voluntary Transfer)	
Orange County Manufacturing	Purchase from Provider (Voluntary Transfer)	
Orange County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
Panola County Manufacturing	Purchase from Provider (Voluntary Transfer)	
Rusk County Overton	Municipal conservation	
Rusk County Overton	Purchase from Provider (Voluntary Transfer)	
Rusk County Mining	Purchase from Provider (Voluntary Transfer)	
Rusk County Steam Electric Power	Purchase from Provider (Voluntary Transfer)	
San Augustine County Mining	Purchase from Provider (Voluntary Transfer)	
Shelby County Livestock	Purchase from Provider (Voluntary Transfer)	
Smith County Bullard	Municipal conservation	
	New Wells in Carrizo Wilcox	
Smith County Bullard Smith County Bullard	Purchase from Provider (Voluntary Transfer)	
	Municipal conservation	
Smith County Crystal Systems Inc	New Wells in Carrizo Wilcox	
Smith County Crystal Systems Inc	Purchase from Provider (Voluntary Transfer)	
Smith County Crystal Systems Inc Smith County Lindale	Municipal conservation	
Smith County Lindale	New Wells in Carrizo Wilcox  Divides from Provider (Voluntary Transfer)	
Smith County Lindale	Purchase from Provider (Voluntary Transfer)	
Smith County R-P-M WSC	Municipal conservation	
Smith County R-P-M WSC	New Wells in Carrizo Wilcox	
Smith County R-P-M WSC	Purchase from Provider (Voluntary Transfer)	
Smith County Manufacturing	New Wells in Carrizo Wilcox	
Smith County Manufacturing	Purchase from Provider (Voluntary Transfer)	

# ETRWPA - Potentially Feasible Water Management Strategies for WUGs and WWPs with Identified Needs (cont)

Sponsor	WMS	
Smith Count Mining	New Wells in Carrizo Wilcox	
Smith Count Mining	Purchase from Provider (Voluntary Transfer)	
Trinity County Irrigation	Purchase from Provider (Voluntary Transfer)	
Angelina Neches River Authority	New Supplies (Lake Columbia)	
Angelina Neches River Authority	Regional Water Treatment Plant and Distribution System	
Angelina Neches River Authority	New Supplies (Groundwater Wells)	
Angelina Neches River Authority	New Supplies (Run-of-River)	
Athens MWA	Reuse (Direct and Indirect, Potable and Non-Potable)	
Athens MWA	New Supplies (Groundwater Wells)	
Athens MWA	Pump Station Improvements	
Angelina Nacogdoches WCID #1	Rreallocation of Storage	
Angelina Nacogdoches WCID #1	New Supplies (Dredging)	
City of Center	Reuse (Direct and Indirect, Potable and Non-Potable)	
City of Center	Purchase from Provider (Voluntary Transfer)	
Houston County WCID #1	New Supplies (Permit Amendment)	
Houston County WCID #1	New Supplies (Groundwater Wells)	
City of Jacksonville	Purchase from Provider (Voluntary Transfer)	
Lower Neches Valley Authority	Purchase from Provider (Voluntary Transfer)	
Lower Neches Valley Authority	New Supplies (Permit Amendment)	
City of Lufkin	Purchase from Provider (Voluntary Transfer)	
City of Nacogdoches	Purchase from Provider (Voluntary Transfer)	
Sabine River Authority	New Supplies (Permit Amendment)	
Sabine River Authority	Pump Station	
City of Tyler	Raw Water and Treated Water Transmission	
Upper Neches River Municipal Water Authority	New Supplies (Run-of-River)	



## Appendix 5B-A

# Technical Memorandums of Water Management Analysis

Table of Contents	
Description	5B-A-2
WUG/WWP WMS Tech Memo	
Anderson Steam Electric Power	5B-A-6
Angelina Manufacturing	5B-A-8
Angelina Mining	5B-A-12
Cherokee Alto Rural WSC	5B-A-15
Cherokee Mining	5B-A-18
Cherokee Steam Electric Power	5B-A-21
Henderson City of Chandler	5B-A-24
Houston Irrigation	5B-A-27
Jasper Manufacturing	5B-A-30
Jefferson County-Other	5B-A-33
Jefferson Manufacturing	5B-A-36
Jefferson Steam Electric Power	5B-A-39
Nacogdoches Lake Naconiche	5B-A-42
Nacogdoches D&M WSC	5B-A-46
Nacogdoches Livestock	5B-A-49
Nacogdoches Mining	5B-A-52
Nacogdoches Steam Electric Power 1	5B-A-56
Nacogdoches Steam Electric Power 2	5B-A-59
Newton Mining	5B-A-62
Newton Steam Electric Power	5B-A-65
Orange Irrigation	5B-A-68
Orange Manufacturing	5B-A-71
Orange Steam Electric Power	5B-A-74
Panola Manufacturing	5B-A-77
Rusk Mining	5B-A-80
Rusk Steam Electric Power	5B-A-83
San Augustine Mining	5B-A-86
Shelby Livestock	5B-A-89
Smith Bullard	5B-A-92
Smith Crystal Systems Inc	5B-A-97
Smith Lindale	5B-A-99
Smith Manufacturing	5B-A-102
Smith Mining	5B-A-105

Trinity Irrigation	5B-A-108
Conservation Strategies	5B-A-111
ANRA Lake Columbia	5B-A-114
ANRA Water Treatment Plant	5B-A-120
ANRA Groundwater Wells	5B-A-124
ANRA Run-of-River Supplies	5B-A-127
Athens MWA Fish Hatcheries	5B-A-129
Athens MWA Groundwater Wells	5B-A-131
Athens MWA Pump Station	5B-A-134
Angelina Nacogdoches WCID #1 Lake Striker Volumetric Survey	5B-A-137
Angelina Nacogdoches WCID #1 Lake Striker Dredging	5B-A-139
Angelina Nacogdoches WCID #1 Lake Striker Normal Pool Elevation Adjustment	5B-A-141
City of Beaumont Conservation	5B-A-143
City of Center Reuse Pipeline	5B-A-145
City of Center Toledo Bend Pipeline	5B-A-148
City of Center Volumetric Surveys	5B-A-151
Houston County WCID #1 Permit Amendment	5B-A-153
Houston County WCID #1 Groundwater Wells	5B-A-155
City of Jacksonville Raw Water Transmission System	5B-A-158
LNVA Purchase from SRA	5B-A-161
LNVA Sam Rayburn Permit Amendment	5B-A-164
LNVA Transfer to Region H	5B-A-166
LNVA Constructed Levy	5B-A-169
City of Lufkin Raw Water Transmission	5B-A-172
Nacogdoches Raw Water Transmission	5B-A-177
City of Port Arthur Conservation	5B-A-180
SRA Toledo Bend Permit Amendment	5B-A-182
SRA Pump Station	5B-A-184
City of Tyler Lake Palestine Expansions	5B-A-186
UNRMWA Run-of-River Supplies	5B-A-189

# **DESCRIPTION**

The 2016 Plan includes a total of 72 recommended water management strategies (WMS) developed to ensure the East Texas Regional Water Planning Area continues to appropriately plan for water demands for the area's citizens, industries, and communities. Appendix 5B-A provides the required evaluation of each proposed WMS, contained in a technical memorandum for each strategy. As required, each technical memorandum addresses the following elements:

- Project Description
- Supply Development
- Environmental Considerations

- Permitting and Development
- Planning-Level Opinion of Cost
- Project Evaluation

The planning-level opinion of cost (PLOC) is a critical element of the regional water planning process. The PLOC is important to project prioritization, which is one of a number of considerations in the TWDB's funding evaluation. For the 2016 Plan, PLOCs have been analyzed using the TWDB's costing tool, except where more detailed costs analysis has been provided by the WUG or WWP. In accordance with TWDB Guidance (Exhibit C, First Amended General Guidelines for Regional Water Planning Development – October 2012), the analysis of costs for recommended and alternative WMSs includes capital costs, debt service, and annual operating and maintenance expenses over the planning horizon.

Costs include expenses associated with infrastructure needed to convey water from sources and treat water for end user requirements. Capital costs consist of construction, engineering, contingencies, financial, legal, administration, environmental, permitting and mitigation, land acquisition and easements, and interest on loans. Water transmission lines were assumed to take the shortest route, following existing highways or roads where possible. Profiles were developed using GIS mapping software and USGS topographic maps. Pipes were sized to deliver peak-day flows within reasonable pressure and velocity ranges. Water losses associated with transmission were assumed to be negligible for regional planning purposes.

The annual costs for operation and maintenance infrastructure are generally based on percentages of estimated construction cost of the infrastructure. In addition, purchased water costs, power costs are included.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANDERSON STEAM ELECTRIC POWER

Water User Group Name:

Anderson County - Steam Electric Power

**Strategy Name:** 

Purchase from City of Palestine

**Strategy ID:** 

AND-SEP1

**Strategy Type:** 

New Surface Water Source

**Potential Supply Quantity:** 

11,306 – 21,632 ac-ft per year (Varies)

(10.08 - 19.3 MGD)

**Implementation Decade:** 

2020

**Development Timeline:** 

2020

**Project Capital Cost:** 

\$44,576,000 (September, 2013)

Annual Cost:

\$12,367,000

**Unit Water Cost** 

\$522 per ac-ft

(Rounded):

(\$1.6 per 1,000 gallons)

# PROJECT DESCRIPTION

Steam Electric Power demand is expected to grow significantly over the planning period and two recommended strategies were identified to meet this need. This strategy is a recommended strategy for steam electric power water users in Anderson County and involves a contract between individual steam electric power users and the City of Palestine from Neches run-of-river and Lake Palestine supplies. The cost for supply from the source of supply includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the City of Palestine and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

# SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the steam electric power need projected for Anderson County by the East Texas Regional Water Planning Group. A contract with City of Palestine for their share for supplies in Lake Palestine is the recommended strategy. However, City of Palestine's share of Lake Palestine supplies does not address all the need for steam electric power demand in Anderson County. The WUG will have an unmet need in 2070 but no strategies were proposed to address this unmet need because the ETRWPG believes that the demands for this decade are over estimated. The strategy discussed in this technical memorandum is developed for the maximum amount available from City of Palestine for water management strategies, after current commitments have been addressed. The reliability of this water supply is considered high due to the availability of water projected in the Neches River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the City of Palestine. The quantity of supply from this strategy represents a contract of 11,306 acre feet per year in 2020 and increasing to a maximum amount of 21,632 ac-ft per year for 2070.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between Anderson County and the City of Palestine should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity Anderson County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 21 miles of pipeline (the approximate distance from the Neches River to the center of Anderson County), a pump station with an intake, and one terminal storage tank with 4 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan.

	Anderson Steam Electric Power  New Pipeline from Lake Palestine to Anderson County (City of Palestine)				
VOL 21,63		19.3 MGD	<i>1</i> 013011 (	county (City of	1 alestine)
CAPITAL COSTS	Size	Quantity	Units	<b>Unit Price</b>	Cost
Transmission Facilities	46 %	110.000	0	Φ 220	#05.065.114
Pipeline Right of Way Easements	46 in.	110,880 110,880	ft ft	\$ 228 \$ 16	\$25,265,114 \$1,906,080
Storage Tanks	4.00 MG	110,000	LS	\$ 1,267,691	\$1,267,691
Contingencies (30%, engineering done)				, ,	\$8,595,050
Pipeline Subtotal	21	Miles			\$37,033,935
			1763		
Pump Station		32 MG	HP	\$ 4,060,515	\$4,060,515
Contingencies (35%, engineering done)					\$1,421,180
Pump Station Subtotal					\$5,481,695
Environmental and Permitting	•				\$553,000
Construction Total					\$43,069,000
Interest During Construction			12	Months	\$1,507,000
TOTAL CAPITAL COST					\$44,576,000
ANNUAL COSTS Debt Service (5.5% for 20	Size	Quantity	Units	Unit Price	Cost
years)					\$3,730,000
Operational Costs*					\$8,636,645
<b>Total Annual Costs</b>			•		\$12,367,000
UNIT COSTS (Until Amortized)					
Cost per acre-ft					\$522
Cost per 1000 gallons				•	\$1.60
UNIT COSTS (After Amortization)					
Cost per acre-ft					\$365
Cost per 1000 gallons					\$1.12

SMILE

# \* Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

# PROJECT EVALUATION

This strategy benefits steam electric power water users in Anderson County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Neches River will reduce demands on other water supplies in Anderson County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Anderson County Steam Electric Power recommended strategy to purchase water from the City of Palestine supplies was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	3	21,632 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Medium Cost
<b>Environmental Factors</b>	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship Unknown
Implementation Issues	4	No known risks

# REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANGELINA MANUFACTURING

Water User Group Name: Ange

Angelina Manufacturing

**Strategy Name:** 

Purchase from Lufkin (Lake Kurth/Sam Rayburn)

**Strategy ID:** 

ANGL-MFG

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

6,000 – 17,195 ac-ft per year (Varies)

·

(5.4 - 15.4 MGD)

Implementation Decade:

2020 2020-2070

**Development Timeline:** 

\$1,955,000 (Lake Kurth) (September, 2013)

**Project Annual Cost:** 

\$3,648,000 (Sam Rayburn to Kurth) (September, 2013)

Capital Cost:

\$0

**Unit Water Cost** 

\$326 per ac-ft

(Rounded):

(\$1.00 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for Manufacturing in Angelina County and involves a contract between individual manufacturers and the City of Lufkin for raw water from Lake Kurth. Beginning in 2030, the City of Lufkin will begin transferring water from Sam Rayburn Lake to Lake Kurth, making more water available to meet manufacturing demands near Lake Kurth. Since 2011, The City of Lufkin installed a transmission system from Lake Kurth to multiple manufacturing water users. Therefore, the only cost for additional supply from the City of Lufkin is the cost of raw water. Ultimately, this cost will need to be negotiated with the City of Lufkin and will reflect the City's wholesale water rates at that time. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

# SUPPLY DEVELOPMENT

The City of Lufkin currently supplies approximately 3,000 ac-ft per year to meet manufacturing demands in Angelina County. The quantity of supply from this strategy represents a contract increase of 6,000 ac-ft per year, beginning in 2020, and increases to 17,195 ac-ft per year, beginning in 2070. The supply available in 2020 is limited by the available supply of Lake Kurth to the City of Lufkin. In 2030 through 2070, the supply is limited to the manufacturing need projected by the East Texas Regional Water Planning Group. These supplies are considered highly reliable in 2020; however, the supply beginning in 2030 is dependent on the City of Lufkin implementing their water management strategies.

# **ENVIRONMENTAL CONSIDERATIONS**

There are not any significant environmental considerations associated with this strategy. A contract between manufacturers and the City of Lufkin should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity to Lake Kurth.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. No capital costs were assumed, but an annual cost was estimated using the East Texas Regional . Water Planning Area regional rate for raw surface water. Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

**WUGNAME:** 

**Angelina Manufacturing** 

Purchase from

STRATEGY:

Lufkin

Raw Water

Quantity:

6,000 AF/Y

5.35 MGD

**Treated Water** 

Quantity:

0 AF/Y

0.00 MGD

**CONSTRUCTION COSTS** 

**ANNUAL CONTRACT COSTS** 

Size

Quantity Unit

Cost

1,955,000 1000 gal \$1,955,000

Operational Costs\*

ANNUAL COSTS

**Total Annual** 

Costs

\$1,955,000

**UNIT COSTS (Until Amortized)** 

Per Acre-Foot of water

\$326

Per 1,000 Gallons

\$1.00

**UNIT COSTS (After Amortization)** 

Per Acre-Foot Per 1,000 Gallons NA

NA

\* Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

**WUGNAME:** 

Angelina Manufacturing

Purchase from

**STRATEGY:** 

Lufkin

Raw Water

**Ouantity:** 

11,195 AF/Y

9.99 MGD

**Treated Water** 

Quantity:

AF/Y

0.00 MGD

**CONSTRUCTION COSTS** 

ANNUAL CONTRACT COSTS

Size

Unit

Cost

Operational Costs\*

Quantity 3,648,000

1000 gal

\$3,648,000

**ANNUAL COSTS** 

**Total Annual** 

Costs

\$3,648,000

**UNIT COSTS (Until Amortized)** 

Per Acre-Foot of water

\$326

Per 1,000 Gallons

\$1.00

**UNIT COSTS (After Amortization)** 

Per Acre-Foot

NA

Per 1,000 Gallons

NA

#### PROJECT EVALUATION

This strategy benefits manufacturers in Angelina County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from Lake Kurth will reduce demands on other water supplies in Angelina County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Angelina Manufacturing recommended strategy to purchase water from the City of Lufkin was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

Criteria	Rating	Explanation
Quantity	4	17,195 ac-ft per year
Reliability	5	Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsor unknown
Implementation Issues	4	No known risks

# **REFERENCES**

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANGELINA MINING

Water User Group Name: Angelina Mining

Strategy Name: Purchase from Angelina Neches River Authority (Angelina

River)

Strategy ID: ANGL-MIN

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 168 – 573 ac-ft per year (Varies)

(0.1 - 0.5 MGD)

Implementation Decade: 2020 Development Timeline: 2020

Project Capital Cost: \$4,005,000 (September, 2013)

**Annual Cost:** \$942,000

Unit Water Cost . \$1,644 per ac-ft

(**Rounded**): (\$5.05 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Mining in Angelina County and involves a contract between individual mining water users and the Angelina Neches River Authority for raw water from the Angelina River as their permit allows. The cost for supply from the Angelina River includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

# SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the mining need projected in Angelina County by the East Texas Regional Water Planning Group. The reliability of this water supply is considered medium due to the availability of water projected in the Angelina River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the Angelina Neches River Authority and their application for 10,000 acft per year from the Angelina River (Strategy ID: ANRA-ROR). The quantity of supply from this strategy represents a contract of 573 ac-ft per year, beginning in 2020, and decreases to 168 ac-ft per year, beginning in 2070. In 2030 through 2070, the supply is limited to the mining need projected by the East Texas Regional Water Planning Group.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between mining water users in Angelina County and the Angelina Neches River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity Angelina County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 8 miles of pipeline (the approximate distance from the Angelina River to the center of Angelina County), a pump station with an intake, a booster pump station, and one terminal storage tank with one day of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to high cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME:	Angelina Mining Purchase from ANRA (Angelina River)					
STRATEGY:						
Quantity: CAPITAL COSTS	573	AF/Y		0.77 MGD		
Pipeline Pipeline Rural Right of Way Easements Rural (ROV Subtotal of Pipeline	V)	<b>Size</b> 10 in.	<b>Quantity</b> 42,240 42,240 miles	Unit LF LF	Unit Price \$31 \$16	Cost \$1,322,167 \$726,110 \$2,445,277
Pump Station(s) Pump with intake Booster Pump Station Engineering and Contingencies (35% Subtotal of Pump Station(s)	)	34 HP	1	LS LS	\$766,000	\$766,000 \$268,100 <b>\$1,034,100</b>
Storage Tanks Engineering and Contingencies (35% Subtotal of Storage Tanks	)	0.10 MG	1	LS	\$169,549	\$169,549 \$59,342 <b>\$228,891</b>
Permitting and Mitigation  Construction Total  Interest During Construction				6	Months	\$228,000 <b>\$3,936,000</b> \$69,000
TOTAL COST ANNUAL COSTS Debt Service (5.5% for 20						\$4,005,000
years) Operational Costs* Total Annual Costs UNIT COSTS (Until Amortized)						\$335,000 \$607,000 <b>\$942,000</b>
Per Acre-Foot of treated water Per 1,000 Gallons UNIT COSTS (After Amortization	)					\$1,644 \$5.05
Per Acre-Foot Per 1,000 Gallons * Labeled acres in the company of	<b></b>					\$1,059 \$3.25

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits mining users in Angelina County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands on other water supplies in Angelina County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Angelina Mining recommended strategy to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	573 ac-ft per year
Reliability	3	Moderate Reliable Supply
Cost	2	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsor unknown
Implementation Issues	4	No known risks

#### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CHEROKEE ALTO RURAL WSC

Water User Group Name: Cherokee County Alto Rural WSC

Strategy Name: New wells in Carrizo-Wilcox Aquifer

Strategy ID: CHER-ALT

Strategy Type: New Groundwater Source

**Potential Supply Quantity:** 66 - 215 ac-ft per year (0.05 - 0.19 MGD)

Implementation Decade: 2050

**Development Timeline:** 2050

Project Capital Cost: \$2,682,000 (September 2013)
Annual Cost: \$303.000

Annual Cost: \$303,000 Unit Water Cost \$1,212 per ac-ft

(Rounded): (\$3.72 per 1,000 gallons)

# PROJECT DESCRIPTION

Alto Rural WSC is a municipal water user in Cherokee County. This water user currently relies on groundwater in the Carrizo Wilcox aquifer in Cherokee County. Alto Rural WSC has a small need starting in 2050 and the maximum need is approximately 215 ac-ft per year. To meet this need, it is recommended that Alto Rural WSC continue to use supplies from Carrizo Wilcox by drilling additional wells. This strategy is a recommended strategy for Alto Rural WSC in Cherokee County and involves the development of one well located within the Carrizo-Wilcox Aquifer as this aquifer has been identified as a potential source of water in Cherokee County. This well will provide approximately 400 ac-ft per year and are assumed to have a water depth of 300 feet. A peaking factor of two was assumed for the well, and the cost estimate includes conveyance infrastructure in order to capture the peak annual supply.

# SUPPLY DEVELOPMENT

The supply is required only in the later part of the planning cycle, for decades 2050 to 2070. Currently, all of the existing needs are being met by supplies from the Carrizo Wilcox aquifer. There are sufficient supplies available in the Cherokee County Carrizo Wilcox to develop the supply needed for this water management strategy. It is assumed that the well will provide 400 ac-ft per year to meet Alto Rural WSC's needs in Cherokee County providing a total yield required for the strategy. Overall, the reliability of this supply is considered high, based on the proven use of this source and groundwater availability models.

# **ENVIRONMENTAL CONSIDERATIONS**

The environmental impacts from this strategy are expected to be low. However, groundwater development from this source should be evaluated for potential impacts on spring flows and base flows of surface water in close proximity. The impact to the environment due to pipeline construction is expected to be temporary and minimal. New wells have a potential decrease in the groundwater-surface water nexus, which could reduce base flows. Impacts to environmental water needs, habitat, and cultural resources are expected to be low. There are no bays or estuaries

in close proximity of Cherokee County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 1.2 miles of pipeline, one well, a peaking factor of two, and a maximum well yield of 500 gpm for each well. This equates to \$1,212 per acre-foot (\$3.72 per 1,000 gallons); after the infrastructure is fully paid (30 years), the cost drops to \$318 per acre-foot (\$0.98 per 1,000 gallons). Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG:	Cherokee	County	Alto	Rural	WSC
------	----------	--------	------	-------	-----

WMS: Cherokee County - GW Wells

,			Acre-feet		
	C1	250		155	
	Supply	250	per year	155	gpm
	Depth to Water	300	ft		
	Well Depth	800	ft		
	Well Size	12	in		
	Wells Needed	1			
Construction Costs		Number	•	Unit Cost	Total Cost
Water Wells		1		\$597,327	\$597,327
Connection to Transmission		1		\$50,000	\$50,000
Engineering and Continger	ncies (30% for pipes	s, 35% for ot	hers)		\$224,000
Subtotal of Well(s)					\$871,327
Transmission System	Size	Quantity	Unit	Unit Cost	Total Cost
Pipeline - Rural	6 in.	6,336	LF	\$18	\$115,000
Pump Station	36 HP	1	EA	\$913,000	\$913,000
Ground Storage Tank	0.06 MG	1	EA	\$124,984	\$124,984
Easement - Rural		6,336	LF	\$16	\$108,900
Engineering and Continger	ncies (30% for pipes	s, 35% for ot	hers)		\$398,000
Subtotal for Transmissio		1	miles		\$1,659,884
Permitting and Mitigation					\$60,000
Construction Total					\$2,591,000
Interest During Construction	on		12	Months	\$91,000
TOTAL CAPITAL COS					\$2,682,000
22-22-22	_				4-,00-,000
Debt Service (5.5% for 20	years)				\$224,000
Operational Costs*	,				\$79,400
Total Annual Cost					\$303,000
		•			•
UNIT COSTS (Until Am	ortized)				
Cost per ac-ft					\$1,212
Cost per 1000 gallons					\$3.72
UNIT COSTS (After Amortization)					
Cost per ac-ft	,				\$318
Cost per 1000 gallons					\$0.98
the state of the s					\$5.50

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits municipal user Alto Rural WSC in Cherokee County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. New wells in the county will reduce demands on other water supplies in Cherokee County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the recommended strategy to drill new wells in Cherokee County for Alto Rural WSC's use was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	250 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	2	Moderate to High Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	Local Sponsorship by Alto Rural WSC
Implementation Issues	4	No known risks

# REFERENCES

Discussions with Regional Water Planning Group.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CHEROKEE MINING

Water User Group Name: Cherokee Mining

Strategy Name: Purchase from Angelina Neches River Authority (Angelina River)

Strategy ID: CHER-MIN

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 238 – 40 ac-ft per year (Varies)

(0.2 - 0.03 MGD)

Implementation Decade:2020Development Timeline:2020

**Project Capital Cost:** \$4,214,000 (September, 2013)

**Annual Cost:** \$640,000

Unit Water Cost \$2,560 per ac-ft

(Rounded): (\$7.86 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Mining in Cherokee County and involves a contract between individual mining water users and the Angelina Neches River Authority for raw water from the Angelina River as their permit allows. The cost for supply from the Angelina River includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the mining need projected in Angelina County by the East Texas Regional Water Planning Group. The reliability of this water supply is considered medium due to the availability of water projected in the Angelina River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the Angelina Neches River Authority and their application for 30,000 ac-ft per year from the Angelina River (Strategy ID: ANGL-ROR). The quantity of supply from this strategy represents a contract of 238 ac-ft per year, beginning in 2020, and decreases to 40 ac-ft per year, beginning in 2070. In 2030 through 2070, the supply is limited to the mining need projected by the East Texas Regional Water Planning Group.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between mining water users in Cherokee County and the Angelina Neches River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity Cherokee County.

Ilmit

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 7 miles of pipeline (the approximate distance from the Angelina River to the center of Cherokee County), a pump station with an intake, and one terminal storage tank with 0.2 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to high cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME: STRATEGY:	Cherokee Mining Purchase from ANRA (Angelina River)				
Quantity: CAPITAL COSTS	<b>250</b> AF/Y	. 5	0.22 MGD		
Pipeline	Size	Quantity	Unit		

				Unit	
Pipeline	Size	Quantity	Unit	Price	Cost
Pipeline Rural	12 in.	36,960	LF	\$35	\$1,306,000
Right of Way Easements Rural (ROW)		36,960	LF	\$26	\$1,043,790
Subtotal of Pipeline	7	miles			\$2,741,790
					, ,
Pump Station(s)					
Pump with intake	8 HP	1	LS	\$663,040	\$663,000
Booster Pump Station	0 HP	1	LS	\$0	\$0
Engineering and Contingencies (35%)				• •	\$232,050
Subtotal of Pump Station(s)					\$895,050
Subtotal of Lamp Station(s)					40,000
Storage Tanks	0.20 MG	1	LS	\$224,165	\$224,165
Engineering and Contingencies (35%)	0.201.10	•	20	Ψ22 1,103	\$78,458
Subtotal of Storage Tanks					\$302,623
Subtotal of Storage Tanks					ΦΕ 02,020
Permitting and Mitigation					\$203,000
Construction Total					\$4,142,000
Interest During Construction				6 Months	\$72,000
TOTAL COST				o monuis	\$4,214,000
TOTAL COST					\$4,214,000
ANNUAL COSTS					
Debt Service (5.5% for 20					
years)					\$353,000
Operational Costs*					\$287,000
Total Annual Costs					\$640,000
Total Annual Costs					\$040,000
UNIT COSTS (Until Amortized)					
Per Acre-Foot of treated water					\$2,560
Per 1,000 Gallons					\$7.86
UNIT COSTS (After Amortization)					Ψ7.00
Per Acre-Foot					\$1,148
Per 1,000 Gallons					\$3.52
1 of 1,000 Gallons					φ3.32

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits mining users in Cherokee County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands on other water supplies in Cherokee County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Cherokee Mining recommended strategy to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	250 ac-ft per year
Reliability	4	Medium Reliable Supply
Cost	2	Moderate to High Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	Sponsor identified
Implementation Issues	4	No known risks

# REFERENCES

Discussions with Angelina Neches River Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CHEROKEE STEAM ELECTRIC POWER

Water User Group Name:

Cherokee SEP

**Strategy Name:** 

Purchase from Angelina Neches River Authority (Angelina River)

**Strategy ID:** 

**CHER-SEP** 

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

8,000 - 20,000 ac-ft per year (Varies)

Supply Quantity.

(0.2 - 0.03 MGD)

Implementation Decade:

2020

**Development Timeline:** 

2020

**Project Capital Cost:** 

\$16,735,000 (September, 2013)

**Annual Cost:** 

\$21,514,000

**Unit Water Cost** 

\$1,076 per ac-ft

(Rounded):

(\$3.09 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for Steam Electric Power users in Cherokee County and involves a contract between individual steam electric power water users and the Angelina Neches River Authority for raw water from the Angelina River as their permit allows. The cost for supply from the Angelina River includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water. There is no identified need for steam electric power user in the Cherokee Count of ETRWPA. However, few prospective steam electric power users have expressed interest in securing water supply and communicated with Angelina Neches River Authority for a potential connection. The purpose of this strategy is to discuss the water management strategy to meet that prospective need.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the need to meet the potential interest expressed by the steam electric power users in Cherokee County by the East Texas Regional Water Planning Group. The reliability of this water supply is considered medium due to the availability of water projected in the Angelina River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the Angelina Neches River Authority and their application for 30,000 ac-ft per year from the Angelina River (Strategy ID: ANGL-ROR). The quantity of supply from this strategy represents a contract of 8,000 ac-ft per year, beginning in 2020, and increases to 20,000 ac-ft per year, beginning in 2070.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between steam electric power water users in Cherokee County and the Angelina Neches River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in

close proximity Cherokee County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 7 miles of pipeline (the approximate distance from the Angelina River to the center of Cherokee County), a pump station with an intake, and one terminal storage tank with 3.35 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to high cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME: STRATEGY:	Cherokee Steam Electric Power Purchase from ANRA (Angelina River) 17.84						
Quantity: CAPITAL COSTS	20,000	AF/Y		MGI	-		
Pipeline Pipeline Rural Right of Way Easements Rural (RO Subtotal of Pipeline	W)	<b>Size</b> 40 in.	<b>Quantity</b> 36,960 36,960 miles	Unit LF LF	Unit Price \$194 \$26	Cost \$7,153,000 \$1,043,790 \$10,342,790	
Pump Station(s) Pump with intake Booster Pump Station Engineering and Contingencies (35° Subtotal of Pump Station(s)	%)	1050 HP 0 HP	1 1	LS LS	\$3,251,948 \$0	\$3,252,000 \$0 \$1,138,020 \$4,390,200	
Storage Tanks Engineering and Contingencies (35) Subtotal of Storage Tanks	%)	3.35 MG	1	LS	\$1,119,227	\$1,119,227 \$391,729 <b>\$1,510,956</b>	
Permitting and Mitigation Construction Total Interest During Construction TOTAL COST					6 Months	\$203,000 <b>\$16,447,000</b> \$288,000 <b>\$16,735,000</b>	
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs						\$1,400,000 \$20,114,000 <b>\$21,514,000</b>	
UNIT COSTS (Until Amortized) Per Acre-Foot of treated water Per 1,000 Gallons UNIT COSTS (After Amortization Per Acre-Foot Per 1,000 Gallons	n)					\$1,056 \$3.30 \$1,006 \$3.09	

pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

\* Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well

This strategy benefits steam electric power users in Cherokee County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands on other water supplies in Cherokee County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Cherokee steam electric power recommended strategy to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	20,000 ac-ft per year
Reliability	4	Medium Reliable Supply
Cost	2	Moderate to High Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	Sponsor identified
Implementation Issues	4	No known risks

# REFERENCES

Discussions with Angelina Neches River Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR HENDERSON CHANDLER

Water User Group Name:

Henderson County - City of Chandler

**Strategy Name:** 

Purchase from City of Tyler

**Strategy ID:** 

**HDSN-CHN** 

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

77–312 ac-ft per year (Varies)

(0.06-0.3 MGD)

Implementation Decade: Development Timeline:

2050 2050

Project Capital Cost:

\$1,866,000 (September, 2013)

**Annual Cost:** 

\$302,000

**Unit Water Cost** 

\$863 per ac-ft

(Rounded):

(\$2.65 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for City of Chandler in Henderson County and involves a contract between City of Chandler and the City of Tyler from Lake Palestine supplies. The cost for supply from the Lake Palestine includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the the City of Tyler and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the municipal need projected for City of Chandler in Henderson County by the East Texas Regional Water Planning Group. The reliability of this water supply is considered high due to the availability of water projected in the City of Tyler contracted portion of Lake Palestine using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the City of Tyler. The quantity of supply from this strategy represents a contract of 77 ac-ft per year, beginning in 2050, and increasing to 312 ac-ft per year by 2070.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between City of Chandler in Henderson County and the City of Tyler should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity Angelina County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 2 miles of pipeline (the approximate distance from the Lake Palestine to the center of Henderson County), a pump station with an intake, and one terminal storage tank with 0.1 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to high cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG	Henderson - City of Chandler								
WMS	Purchase from City of Tyler								
		ac-ft per							
VOL	350	year	0.3 MGD						
					Unit				
CAPITAL COSTS		Size	Quantity	Units	Price	Cost			
Transmission Facilities									
Pipeline		8 in.	10,560	ft	\$28	\$298,554			
Right of Way Easements			10,560	ft	\$16	\$181,500			
Storage Tanks		0.10 MG	1	LS	\$174,179	\$174,179			
Contingencies (30%, engineering	ng done	e)				\$150,529			
Pipeline Subtotal		2	miles			\$804,761			
			MGD	HPW					
Pump Station			0.37	14	\$695,964	\$695,964			
Contingencies (35%, engineering	ng done	e)				\$243,587			
Pump Station Subtotal						\$939,551			
Environmental and Permitting						\$78,000			
Construction Total						\$1,822,000			
Interest During Construction				12	Months	\$64,000			
TOTAL CAPITAL COST						\$1,886,000			
ANNUAL COSTS									
Debt Service (5.5% for 20									
years)						\$158,000			
Operational Costs*						\$144,287			
TOTAL ANNUAL COST						\$302,000			
UNIT COSTS (Until Amortiz	ed)								
Cost per acre-ft	/					\$863			
Cost per 1000 gallons						\$2.65			
UNIT COSTS (After Amortiz	zation)								
Cost per acre-ft	<i></i> )					\$411			
Cost per 1000 gallons						\$1.26			

\* Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated

annual operating costs.

This strategy benefits municipal water users in Henderson County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the City of Chandler recommended strategy to purchase water from the City of Tyler was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	350 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	Local Sponsorship by City of Chandler
Implementation Issues	4	No known risks

# REFERENCES

Discussions with Regional Water Planning Group and City of Tyler.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR HOUSTON IRRIGATION

Water User Group Name:

**Houston Irrigation** 

**Strategy Name:** 

New wells in Yegua-Jackson Aquifer

**Strategy ID:** 

**HOUS-IRR** 

**Strategy Type:** 

New Groundwater Source

**Potential Supply Quantity:** 

2,340 ac-ft per year (2.16 MGD)

Implementation Decade:

2020

**Development Timeline:** 

2020

**Project Capital Cost:** 

\$12,926,000 (September, 2013)

**Annual Cost:** 

\$1,647,000

**Unit Water Cost** 

\$704 per ac-ft

(Rounded):

(\$2.16 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Irrigation in Houston County and involves the development of six wells located within the Yegua-Jackson Aquifer as this aquifer has been identified as a potential source of water in Houston County. These wells will provide approximately 2,420 ac-ft per year and are assumed to have a water depth of 300 feet. A peaking factor of two was assumed for the wells, and the cost estimate includes conveyance infrastructure in order to capture the peak annual supply.

# SUPPLY DEVELOPMENT

It is assumed that each well will provide 500 ac-ft per year to meet irrigation demands in Houston County providing a total strategy yield of 2,420 ac-ft per year for every decade in the planning period (2020-2070). A target yield for this strategy was set to the highest need projected by the East Texas Regional Water Planning Group; the highest need occurs in 2070. Overall, the reliability of this supply is considered high, based on the proven use of this source and groundwater availability models.

#### **ENVIRONMENTAL CONSIDERATIONS**

The environmental impacts from this strategy are expected to be low. However, groundwater development from this source should be evaluated for potential impacts on spring flows and base flows of surface water in close proximity. The impact to the environment due to pipeline construction is expected to be temporary and minimal. New wells have a potential decrease in the groundwater-surface water nexus, which could reduce base flows. Impacts to environmental water needs, habitat, and cultural resources are expected to be low. There are no bays or estuaries in close proximity of Houston County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 3 miles of pipeline, 20 wells, a peaking factor of two, and a maximum well yield of 150 gpm for each well. This equates to \$704 per acre-foot (\$2.16 per 1,000 gallons); after the infrastructure is fully paid (30 years), the cost drops to \$241 per acre-foot (\$0.74 per 1,000 gallons). Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

**WUG: Houston County Irrigation** 

WMS: Houston County Vocas							
WMS: Houston County, Yegua-Jackson Aquifer							
	Supply	2,340	Ac-ft/yr	1,451	gpm		
	Depth to Water	300					
	Well Depth	820	_				
	Well Size	12	in				
	Wells Needed	20					
<b>Construction Costs</b>		Number		Unit Cost	Total Cost		
Water Wells		20		\$191,607	\$3,832,146		
Connection to Transmission Sys		20		\$50,000	\$1,000,000		
Engineering and Contingencies	(30% for pipelines	s, 35% for o	ther items)		\$1,641,000		
Subtotal of Well(s)					\$6,473,146		
Transmission System	Size	Quantity	Unit	Unit Cost	Total Cost		
Pipeline - Rural	18 in.	15,840	LF	\$69	\$1,088,000		
Pump Station	327 HP	1	$\mathbf{E}\mathbf{A}$	\$2,716,000	\$2,716,000		
Ground Storage Tank	0.52 MG	1	$\mathbf{E}\mathbf{A}$	\$385,028	\$385,028		
•				•	\$		
Easement - Rural		15,840	LF	\$16	272,250		
Engineering and Contingencies	(30% for pipelines	s, 35% for o	ther items)		\$1,412,000		
Subtotal for Transmission	` 11	3	miles		5,873,278		
					- <b>,</b> - · - <b>,</b> - · -		
Permitting and Mitigation					\$143,000		
Construction Total					\$12,489,000		
Interest During Construction			12	Months	\$437,000		
TOTAL CAPITAL COST			12	1110111110	\$12,926,000		
TOTAL CANTIAL COST					\$12,720,000		
Debt Service (5.5% for							
20 years)					\$1,082,000		
Operational Costs*					\$564,700		
Total Annual Cost					\$1,647,000		
Total Augual Cost					\$1,047,000		
LINIT COSTS (Until Amoutin	~ <i>d</i> )						
UNIT COSTS (Until Amortiz	eu)				\$704		
Cost per ac-ft							
Cost per 1000 gallons					\$2.16		
TINITE COCCEC (A.C	-4*. X						
UNIT COSTS (After Amortiz	ation)						
Cost per ac-ft					\$241		
	Cost per 1000 gallons \$0.74						
* Includes, as appropriate, oper							
treatment chemicals, well pump		ter), ongoir	ng regulator	y support (as:	needed) and		
other anticipated annual operati	ng costs.						

This strategy benefits irrigation users in Houston County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. New wells in the county will reduce demands on other water supplies in Houston County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the recommended strategy to drill new wells in Houston County for irrigation use was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,340 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to Medium Impacts
Impact on Other State Water Resources	4	No Known Impacts.
Threat to Agricultural Resources/Rural Areas	5	No Impacts to Rural Areas. Positively benefits Agricultural Resources.
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

# REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR JASPER MANUFACTURING

Water User Group Name: Jasp

Jasper Manufacturing

**Strategy Name:** 

Purchase from Lower Neches Valley Authority (Sam Rayburn)

Strategy ID:

JASP-MFG

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

3,046 - 8,420 ac-ft per year

(2.7 - 7.5 MGD)

Implementation Decade:

2030 2030

**Development Timeline: Project Capital Cost:** 

\$33,497,000 (September 2013)

**Annual Cost:** 

\$6,059,000

Unit Water Cost

\$720 per ac-ft

(Rounded):

(\$2.21 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for Manufacturing in Jasper County and involves a contract between individual manufacturing water users and the Lower Neches Valley Authority for raw water from Sam Rayburn as their permit allows. The cost for supply from Sam Rayburn includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Lower Neches Valley Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the highest manufacturing need projected in Jasper County by the East Texas Regional Planning Group during the planning period (2020-2070). The reliability of this water supply is considered high due to the availability of water projected in Sam Rayburn using the Texas Water Development Board's Water Availability Models. In addition, this strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan. The quantity of supply from this strategy represents a contract of 3,046 ac-ft per year, beginning in 2030, and increases to 8,420 ac-ft per year, beginning in 2070.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between manufacturing water users in Jasper County and the Lower Neches Valley Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity Jasper County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 22 miles of pipeline (the approximate distance from Sam Rayburn to the center of Jasper County), a pump station with an intake, a booster pump station, and one terminal storage tank with one day of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME: STRATEGY:	<u>.</u>					.h)
Raw Water Quantity:	8,420	AF/Y	ower neches	7.51 MGI		yburn)
CAPITAL COSTS	0,420	AI/I		7.31 WIGE	,	
Pipeline		Size	Quantity	Unit	<b>Unit Price</b>	Cost
Pipeline Rural		30 in.	116,160	LF	\$137	\$15,951,000
Pipeline Urban		30 in.	0	LF	\$192	\$0
Right of Way Easements Rural (ROW)			116,160	LF	\$26	\$3,280,530
Right of Way Easements Urban (ROW)			0.0	LF		\$0
Engineering and Contingencies (30%)						\$4,785,000
Subtotal of Pipeline		22	miles			\$24,016,530
Pump Station(s)						
Pump with intake		356 HP	1	LS	\$2,105,000	\$2,105,000
Booster Pump Station		356 HP	1	LS	\$2,863,000	\$2,863,000
Engineering and Contingencies (35%)						\$1,738,800
Subtotal of Pump Station(s)						\$6,706,800
Storage Tanks		1.9 MG	1	LS	\$772,596	\$772,596
Engineering and Contingencies (35%)						\$270,409
Subtotal of Storage Tanks						\$1,043,005
Permitting and Mitigation						\$598,000
Construction Total						\$32,364,000
Interest During Construction				13	2 Months	\$1,133,000
TOTAL CAPITAL COST						\$33,497,000
Debt Service (5.5% for 20						
years)						\$2,803,000
Electricity (\$0.09 kWh)						\$209,000
Operational Costs*						\$3,256,000
Total Annual Costs						\$6,059,000
UNIT COSTS (Until Amortized)						
Per Acre-Foot of treated water						\$720
Per 1,000 Gallons						\$2.21
UNIT COSTS (After Amortization)						
Per Acre-Foot						\$387
Per 1,000 Gallons						\$1.19

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits manufacturing users in Jasper County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from Sam Rayburn will reduce demands on other water supplies in Jasper County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Jasper Manufacturing recommended strategy to purchase water from the Lower Neches Valley Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	8,420 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to Medium Impacts
Impact on Other State Water Resources	4	No Known Impacts.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR JEFFERSON COUNTY-OTHER

Water User Group Name: Jefferson County-Other

Strategy Name: Purchase from Lower Neches Valley Authority (Sam Rayburn)

Strategy ID: JEFF-CTR

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 797 – 3,413 ac-ft per year

(0.7 – 3.0 MGD)

**Implementation Decade:** 2050 **Development Timeline:** 2050

Project Capital Cost: \$14,236,000 (September, 2013)

Annual Cost: \$2,521,000 Unit Water Cost \$739 per ac-ft

(**Rounded**): (\$2.27 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for County-Other in Jefferson County and involves a contract between individual municipal water users and the Lower Neches Valley Authority for raw water from Sam Rayburn, as their permit allows. The cost for supply from Sam Rayburn includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Lower Neches Valley Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

# SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for County-Other in Jefferson County by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 797 ac-ft per year, beginning in 2050, and increases over time to 3,413 ac-ft per year, beginning in 2070. The reliability of this water supply is considered high due to the availability of water projected in Sam Rayburn using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Lower Neches Valley Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between municipal water users in Jefferson County, categorized by the Texas Water Development Board as County-Other, and the Lower Neches Valley Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. This analysis was performed assuming that a project site would be chosen that had minimal impact to bays or

estuaries in Jefferson County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 12 miles of pipeline (25% of the approximate distance across Jefferson County), a pump station with an intake, a booster pump station, and one terminal storage tank with one day of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to low cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME: STRATEGY: Raw Water Quantity:	Jefferson County-Other Purchase from Lower Neches Valley Authority 3,413 AF/Y 4.6 MGD						
CAPITAL COSTS Pipeline Pipeline Rural Pipeline Urban Right of Way Easements Rura Engineering and Contingencie		Quantity 63,360 0 63,360	Unit LF LF LF	Unit Price \$81 \$112 \$26	Cost \$5,118,000 \$0 \$1,789,370 \$1,535,000		
Pump Station(s) Pump with intake Booster Pump Station Engineering and Contingencie Subtotal of Pump Station(s)	120 HP 120 HP s (35%)	1	LS LS	\$1,000,000 \$1,651,000	\$1,000,000 \$1,651,000 \$927,850 <b>\$3,578,850</b>		
Storage Tanks Engineering and Contingencie Subtotal of Storage Tanks	3.0 MG s (35%)	1	LS	\$1,040,950	\$1,040,950 \$364,332 <b>\$1,405,282</b>		
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction TOTAL CAPITAL COST	1		12	Months	\$328,000 \$13,754,502 \$481,000 \$14,236,000		
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs					\$1,191,000 \$1,330,000 <b>\$2,521,000</b>		
UNIT COSTS (Until Amorti Per Acre-Foot of treated water Per 1,000 Gallons					\$739 \$2.27		
UNIT COSTS (After Amort Per Acre-Foot Per 1,000 Gallons * Includes, as appropriate, operation	on and mainten	ance, power, water					

chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits municipal users in Jefferson County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from Sam Rayburn will reduce demands on other water supplies in Jefferson County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Jefferson County-Other recommended strategy to purchase water from the Lower Neches Valley Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	3,413 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No Known Impacts.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

# **REFERENCES**

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR JEFFERSON MANUFACTURING

Water User Group Name: Jefferson Manufacturing

Strategy Name: Purchase from Lower Neches Valley Authority (Sam Rayburn)

Strategy ID: JEFF-MFG

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 181,181 – 309,322 ac-ft per year

(162 - 276 MGD)

Implementation Decade:2020Development Timeline:2020

Project Capital Cost: \$312,255,000 Annual Cost: \$139,694,000 Unit Water Cost \$452 per ac-ft

(Rounded): (\$1.39 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for Manufacturing in Jefferson County and involves a contract between individual manufacturers and the Lower Neches Valley Authority for raw water from their Sam Rayburn system, as their permit allows. The Lower Neches Valley Authority currently supplies water to manufacturing water users in Jefferson County. Therefore, the only cost for additional supply from is the contractual cost of raw water. Ultimately, this cost will need to be negotiated with the Lower Neches Valley Authority and will reflect their wholesale water rates at that time. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

# SUPPLY DEVELOPMENT

The Lower Neches Valley Authority is projected to supply Jefferson Manufacturing with over 230,000 ac-ft per year beginning in 2020; this supplies increases through 2070. The strategy recommended for Jefferson Manufacturing is equal to the need projected for this entity during the planning period (2020-2070). The contract required for this strategy increases their supply by 181,181 ac-ft per year beginning in 2020 and increases over time to 309,322 ac-ft per year beginning in 2070. These supplies are considered highly reliable; however, the supply is dependent on coordination with the Lower Neches Valley Authority.

# **ENVIRONMENTAL CONSIDERATIONS**

There are not any significant environmental considerations associated with this strategy. A contract between manufacturers in Jefferson County and the Lower Neches Valley Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. Since this strategy does not include any new construction, there is no impact expected to bays or estuaries located in Jefferson County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. A regional rate for raw surface water was used for the purchase costs. Overall, this strategy has a low unit cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG NAME:	Jefferson Mar	nufacturing			
STRATEGY:	Purchase fron	n Lower Neches	Valley A	uthority (Sam	Rayburn)
Raw Water Quantity:	309,322	AF/Y	-	414 MGD	
CAPITAL COSTS					
Pipeline	Size	Quantity	Unit	<b>Unit Price</b>	Cost
Pipeline Rural	102 in.	89,760	2	\$867	\$155,706,000
Pipeline Urban	102 in.	0	LF	\$1,215	\$0
Right of Way Easements Rural	(ROW)	89,760	2	\$26	\$2,534,950
Right of Way Easements Urban	n (ROW)	0	0	\$0	\$0
Subtotal of Pipeline	17	miles			\$204,952,950
Pump Station(s)					
Pump with intake	17737 HP	1	LS	\$22,175,000	\$22,175,000
Booster Pump Station	17737 HP	1	LS	\$26,293,000	\$26,293,000
Engineering and Contingencies	s (35%)		•		\$16,963,800
Subtotal of Pump Station(s)	` '				\$65,431,800
•					
Storage Tanks	8.6 MG	6	LS	\$2,588,768	\$15,532,607
Engineering and Contingencies	s (35%)				\$5,436,412
Subtotal of Storage Tanks	, ,				\$20,969,019
G					
Permitting and Mitigation					\$473,000
CONSTRUCTION TOTAL					\$291,827,000
<b>Interest During Construction</b>	i		24	Months	\$20,428,000
TOTAL CAPITAL COST					\$312,255,000
					, ,
ANNUAL COSTS					
Debt Service (5.5% for 20					
years)					\$26,129,000
Operational Costs*					\$113,565,060
<b>Total Annual Costs</b>					\$139,694,000
					. ,
UNIT COSTS (Until Amortiz	zed)				
Per Acre-Foot of treated water	•				\$452
Per 1,000 Gallons					\$1.39
-					
UNIT COSTS (After Amortis	zation)				
Per Acre-Foot	-				\$398
Per 1,000 Gallons					\$1.22
				45	

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits manufacturers in Jefferson County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Lower Neches Valley Authority's Sam Rayburn system will reduce demands on other water supplies in Angelina County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Jefferson Manufacturing recommended strategy to purchase water from the Lower Neches Valley Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	309,322 ac-ft per year
Reliability	4	Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No Known Impacts.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

#### REFERENCES

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR JEFFERSON STEAM ELECTRIC POWER

Water User Group Name: Jefferson Steam Electric Power

Strategy Name: Purchase from Lower Neches Valley Authority (Sam Rayburn)

Strategy ID: JEFF-SEP

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 13,426 – 30,839 ac-ft per year

(12.0 - 27.5 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

Project Capital Cost: \$54,518,000 (September)

Annual Cost: \$15,645,000 Unit Water Cost \$507 per ac-ft

(Rounded): (\$1.56 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Steam Electric Power in Jefferson County and involves a contract between individual steam electric power water users and the Lower Neches Valley Authority for raw water from their Sam Rayburn system, as their permit allows. The cost for supply from Sam Rayburn includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Lower Neches Valley Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

## SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Steam Electric Power in Jefferson County by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 13,426 acft per year, beginning in 2020, and increases over time to 30,839 ac-ft per year, beginning in 2070. The reliability of this water supply is considered high due to the availability of water projected in Sam Rayburn using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Lower Neches Valley Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

### ENVIRONMENTAL CONSIDERATIONS

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between steam electric power water users in Jefferson County and the Lower Neches Valley Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. This analysis was performed assuming that a project site would be chosen that had minimal impact to bays or estuaries in Jefferson County.

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 17 miles of pipeline (25% of the approximate distance across Jefferson County), a pump station with an intake, and a booster pump station. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to low cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME: STRATEGY:	Jefferson Steam Electric Power Purchase from Lower Neches Valley Authority 41.27				
Raw Water Quantity: CAPITAL COSTS	30,839	AF/Y		MGD	
Pipeline Pipeline Rural Right of Way Easements Rural Engineering and Contingencies Subtotal of Pipeline		Quantity 89,760 89,760 miles	Unit LF LF	Unit Price \$307 \$26	Cost \$27,552,000 \$2,534,950 \$8,266,000 \$38,352,950
Pump Station(s)					*, <b>-,</b>
Pump with intake Booster Pump Station Engineering and Contingencies Subtotal of Pump Station(s)	733 HP 733 HP 5 (35%)	1	LS LS	\$2,666,000 \$4,806,000	\$2,666,000 \$4,806,000 \$2,615,200 <b>\$10,087,200</b>
Storage Tanks Engineering and Contingencies Subtotal of Storage Tanks	5.2 MG s (35%)	1	LS	\$1,509,159	\$1,509,159 \$528,206 <b>\$2,037,365</b>
Permitting and Mitigation Construction Total Interest During Construction TOTAL CAPITAL COST			24	Months	\$473,000 <b>\$50,951,000</b> \$3,567,000 <b>\$54,518,000</b>
Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs					\$4,562,000 \$11,083,000 <b>\$15,645,000</b>
UNIT COSTS (Until Amortiz Per Acre-Foot of treated water Per 1,000 Gallons UNIT COSTS (After Amortic	·				\$507 \$1.56
Per Acre-Foot Per 1,000 Gallons	Lauvii)				\$377 \$1.16

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits municipal users in Jefferson County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from Sam Rayburn will reduce demands on other water supplies in Jefferson County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Jefferson County-Other recommended strategy to purchase water from the Lower Neches Valley Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	30,839 ac-ft per year
Reliability	4	Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No Known Impacts.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

#### REFERENCES

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES LAKE NACONICHE

Water User Group Name:

Nacogdoches County Multiple Water Users

**Strategy Name:** 

Lake Naconiche Regional Water System

**Strategy ID:** 

NACN-LK

**Strategy Type:** 

New Surface Water Source

**Potential Supply Quantity:** 

1,700 ac-ft per year

otential Supply Quantity:

(1.5 MGD)

**Implementation Decade: Development Timeline:** 

20302030

**Project Capital Cost:** 

\$34,492,000 (September, 2013)

**Annual Cost:** 

\$5,273,000

**Unit Water Cost** 

\$3,102 per ac-ft

(Rounded):

(\$9.52 per 1,000 gallons)

#### PROJECT DESCRIPTION

Lake Naconiche has recently been completed. This lake was built by NRCS for flood storage and recreation, but there are plans to develop water supply from the lake for rural communities. A study was completed in 1992 that evaluated a potential regional water system using water from Lake Naconiche. To provide water to Nacogdoches County-Other users and several rural WSCs, it is recommended to develop this source for water supply. A brief description of the proposed strategy is presented below.

### SUPPLY DEVELOPMENT

Lake Naconiche is located in northeast Nacogdoches County on Naconiche Creek. It is permitted to store 9,072 ac-ft of water. To use water from Lake Naconiche for water supply, the County must seek a permit amendment for diversions for municipal use. According to the Neches WAM, the firm yield of the lake would be approximately 3,239 ac-ft per year. It is assumed that the regional water system would serve County-Other entities in Nacogdoches County (including Caro WSC, Lilbert-Looneyville, Libby and others), Appleby WSC, Lily Grove WSC and Swift WSC. At this time the primary sponsor of the system has not been confirmed. It could possibly be one of the entities served or a new water provider dedicated to the operation of this system.

The project is initially sized for 3 MGD peak capacity. This includes a lake intake, new water treatment plant located near Lake Naconiche, pump station and a distribution system of pipelines in the northeast part of the county. Overall unit costs are estimated at \$9.52 per 1,000 gallons during amortization. After amortization, costs will decrease to \$4.31 per 1,000 gallons. The costs for each participant are based on the unit cost of water for the strategy and capital costs are proportioned by strategy amounts. Actual costs would be negotiated by each user.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. The project should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in Nacogdoches County.

#### PERMITTING AND DEVELOPMENT

The water right permit for Lake Naconiche has to be changed from recreational use to multipurpose use.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 28 miles of pipeline (serving all the potential customers for this source of supply), a pump station with an intake, a booster pump station, a 3 MGD treatment plant, and one terminal storage tank with 0.38 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has moderate to high cost compared to other strategies in the 2016 East Texas Regional Water Plan.

	s County-Othe iche Regional		ı - Phase	1	
AMOUNT (ac-ft per year): 1,700	•	1.5 MGD	3.0	MGD	
CAPITAL COSTS Pipeline	Size	Quantity	Unit	Unit Price	Cost
Right of Way Easements Rural (ROW) Engineering and Contingencies (30%) Subtotal of Pipeline		147,840	LF	\$26	\$4,175,270 \$1,612,000 <b>\$11,159,270</b>
Pump Station(s) Pump					
Station	188 HP	1	LS	\$1,997,000	\$1,997,000
Lake Intake Engineering and Contingencies (35%) Subtotal of Pump	188 HP	1	LS	\$1,561,000	\$500,000 \$874,000
Station(s)					\$3,371,000
Storage Tanks Engineering and Contingencies (35%) Subtotal of Storage	0.38 MG	1	LS	\$314,000	<b>\$314,000</b> \$110,000
Tanks					\$424,000
Water Treatment Plant Water Treatment Plant Engineering and Contingencies (35%) Subtotal of Pump	3.0 MGD	1	LS	\$11,896,000	<b>\$11,896,000</b> \$4,164,000
Station(s)	T.				\$16,060,000
Permitting and Mitigation - infrastructure  Construction Total  Water rights Permitting					\$754,066 <b>\$31,768,000</b>
Interest During Construction TOTAL COST			24	Months	\$500,000 \$2,224,000 <b>\$34,492,000</b>
ANNUAL COSTS Operational Costs* Total Annual Costs					\$2,387,000 <b>\$5,273,000</b>
UNIT COSTS (Until Amortized) Per Acre-Foot of treated water Per 1,000 Gallons					\$3,102 \$9.52
UNIT COSTS (After Amortization) Per Acre-Foot Per 1,000 Gallons					\$1,431 \$4.39

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits multiple municipal users in Nacogdoches County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. Using supplies from this source will reduce demands on other water supplies in Nacogdoches County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Lake Naconiche Regional System is identified as a recommended strategy for Nacogdoches County and it was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	1,700 ac-ft per year
Reliability	4	Reliable Supply
Cost	2	Medium to Moderate High Cost
Environmental Factors	4	Low to Medium Impacts
Impact on Other State Water Resources	4	Low Impacts.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Sponsor identified and committed.
Implementation Issues	4	No known risks

# **REFERENCES**

2011 East Texas Regional Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES D&M WSC

Water User Group Name: Nacogdoches County D&M WSC

Strategy Name: New wells in Carrizo-Wilcox Aquifer

Strategy ID: NACW-DMW

Strategy Type: New Groundwater Source

Potential Supply Quantity: 250 ac-ft per year

(0.22 MGD)

Implementation Decade: 2060

Development Timeline: 2060

Project Capital Cost: \$3,484,000 (September 2013)

**Annual Cost:** \$384,000

Unit Water Cost \$1,536 per ac-ft

(**Rounded**): (\$4.71 per 1,000 gallons)

#### PROJECT DESCRIPTION

D&M WSC is a municipal water user in Nacogdoches County. This water user currently relies on groundwater in the Carrizo Wilcox aquifer in Nacogdoches County. D&M WSC has a small need starting in 2060 and the maximum need is approximately 234 ac-ft per year. To meet this need, it is recommended that D&M WSC continue to use supplies from Carrizo Wilcox by drilling additional wells. This strategy is a recommended strategy for D&M WSC in Nacogdoches County and involves the development of two wells located within the Carrizo-Wilcox Aquifer as this aquifer has been identified as a potential source of water in Nacogdoches County. These wells will provide approximately 400 ac-ft per year and are assumed to have a water depth of 600 feet. A peaking factor of two was assumed for the wells, and the cost estimate includes conveyance infrastructure in order to capture the peak annual supply.

#### SUPPLY DEVELOPMENT

The supply is required only in the later part of the planning cycle, for decades 2060 and 2070. Currently, all of the existing needs are being met by supplies from the Carrizo Wilcox aquifer. There are sufficient supplies available in the Nacogdoches County Carrizo Wilcox to develop the supply needed for this water management strategy. It is assumed that each well will provide 200 ac-ft per year to meet D&M WSC's needs in Nacogdoches County providing a total yield required for the strategy. Overall, the reliability of this supply is considered high, based on the proven use of this source and groundwater availability models.

# **ENVIRONMENTAL CONSIDERATIONS**

The environmental impacts from this strategy are expected to be low. However, groundwater development from this source should be evaluated for potential impacts on spring flows and base flows of surface water in close proximity. The impact to the environment due to pipeline construction is expected to be temporary and minimal. New wells have a potential decrease in the groundwater-surface water nexus, which could reduce base flows. Impacts to environmental water needs, habitat, and cultural resources are expected to be low. There are no bays or estuaries in close proximity of Nacogdoches County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed four miles of pipeline, two wells, a peaking factor of two, and a maximum well yield of 250 gpm for each well. This equates to \$1,538 per acre-foot (\$4.72 per 1,000 gallons); after the infrastructure is fully paid (30 years), the cost drops to \$370 per acre-foot (\$1.14 per 1,000 gallons). Overall, this strategy has a moderate to high cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG: Nacogdoches Cou WMS: Nacogdoches Cou			1			
·	Supply	250	Ac-ft/yr	(155	gpm)	
	Depth to Water	300	•	`	01 )	
	Well Depth	600				
	Well Size	12	in			
	Wells Needed	2				
<b>Construction Costs</b>		Number		Unit Cost		Total Cost
Water Wells		2		\$394,954		\$789,908
Connection to Transmission	on System	2		\$50,000		\$100,000
Engineering and Continge		elines, 35%	for other i	items)		\$306,000
Subtotal of Well(s)	•			-		\$1,195,908
.,				TT **		
<b>—</b>	a.	0 "	TT *4	Unit		m + 1.0. +
Transmission System	Size	Quantity	Unit	Cost		Total Cost
Pipeline - Rural	6 in.	21,120	LF	\$18		\$384,000
Pump Station	49 HP	1	EA	\$789,000		\$789,000
Ground Storage Tank	0.06 MG		EA	\$124,984		\$124,984
Easement - Rural	: (200/ 5:-	21,120	LF	\$16		\$363,110
Engineering and Continge	, , ,			items)		\$435,000
Subtotal for Transmission	)n	4	miles			2,096,094
Permitting and Mitigation	•					\$132,000
Construction Total						\$3,424,000
Interest During Constructi	on		6	Months		\$60,000
TOTAL CAPITAL COS						\$3,484,000
Debt Service (5.5% for 20	vears)	,				\$292,000
Operational Costs*	,					\$92,400
Total Annual Cost						\$384,000
				•		**** <b>,</b> ****
UNIT COSTS (Until Am	ortized)					<b>.</b>
Cost per ac-ft						\$1,536
Cost per 1000 gallons						\$4.71
UNIT COSTS (After An	nortization)					
Cost per ac-ft						\$370
Cost per 1000 gallons						\$1.14

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits municipal user D&M WSC in Nacogdoches County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. New wells in the county will reduce demands on other water supplies in Nacogdoches County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the recommended strategy to drill new wells in Nacogdoches County for D&M WSC's use was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	250 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Moderate to High Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	2	Sponsor identified but uncommitted.
Implementation Issues	4	No known risks

# REFERENCES

Discussions with Regional Water Planning Group.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES LIVESTOCK

Water User Group Name: Nacogdoches County Livestock

Strategy Name: New wells in Carrizo-Wilcox Aquifer

Strategy ID: NACW-LTK

Strategy Type: New Groundwater Source

Potential Supply Quantity: 3,059 ac-ft per year

(2.7 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

Development Timeline: 2020

Project Capital Cost: \$23,770,000 (September 2013)

**Annual Cost:** \$2,766,000

Unit Water Cost \$904 per ac-ft

(**Rounded**): (\$2.77 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for livestock users in Nacogdoches County and involves the development of 22 wells located within the Carrizo-Wilcox Aquifer as this aquifer has been identified as a potential source of water in Nacogdoches County. These wells will provide approximately 3,000 ac-ft per year and are assumed to have a water depth of 300 feet. A peaking factor of two was assumed for the wells, and the cost estimate includes conveyance infrastructure in order to capture the peak annual supply.

#### SUPPLY DEVELOPMENT

The supply is required for all decades of the planning cycle to help meet the needs. Currently, local supply provides half of the supply for the livestock needs and the remainder is taken from the Carrizo Wilcox aquifer. There are sufficient supplies available in the Nacogdoches County Carrizo Wilcox to develop the supply needed for this water management strategy. It is assumed that each well will provide 200 ac-ft per year to meet livestock demands in Nacogdoches County providing a total yield required for the strategy. Overall, the reliability of this supply is considered high, based on the proven use of this source and groundwater availability models.

#### **ENVIRONMENTAL CONSIDERATIONS**

The environmental impacts from this strategy are expected to be low. However, groundwater development from this source should be evaluated for potential impacts on spring flows and base flows of surface water in close proximity. The impact to the environment due to pipeline construction is expected to be temporary and minimal. New wells have a potential decrease in the groundwater-surface water nexus, which could reduce base flows. Impacts to environmental water needs, habitat, and cultural resources are expected to be low. There are no bays or estuaries in close proximity of Nacogdoches County.

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 10 miles of pipeline, 22 wells, a peaking factor of two, and a maximum well yield of 250 gpm for each well. This equates to \$904 per acre-foot (\$2.77 per 1,000 gallons); after the infrastructure is fully paid (30 years), the cost drops to \$254 per acre-foot (\$0.78 per 1,000 gallons). Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WMS: Nacogdoches County - Carrizo Aquifer Wells

Wiles I wooguoones county current		Ac-			
Supply Depth to Water	3,059 300	ft/yr	1,897	gpm	
Well Depth	500	·			
Well Size Wells Needed	6 22	in			
Construction Costs Water Wells Connection to Transmission System Engineering and Contingencies (30% for pip Subtotal of Well(s)	Number 22 22	for other	Unit Cost \$365,789 \$50,000 ritems)		Total Cost \$8,047,359 \$1,100,000 \$3,147,000 \$12,294,359
Transmission System Size	Quantity	Unit	Unit Cost		Total Cost
Pipeline - Rural 20 in. 553	52,800	LF	\$81		\$4,265,000
Pump Station HP 0.68	1	EA	\$2,423,000		\$2,423,000
Ground Storage Tank MG	1	EA	\$463,432		\$463,432
Easement - Rural	52,800	LF	\$16		\$907,720
Engineering and Contingencies (30% for pi			items)		\$2,290,000
Subtotal for Transmission	10	miles			10,349,152
Permitting and Mitigation  Construction Total  Interest During Construction  TOTAL CAPITAL COST		12	Months		\$322,000 <b>\$22,966,000</b> \$804,000 <b>\$23,770,000</b>
Debt Service (5.5% for 20 years) Operational Costs*					\$1,989,000 \$777,000
Total Annual Cost					\$2,766,000
UNIT COSTS (Until Amortized) Cost per ac-ft Cost per 1000 gallons					\$904 \$2.77
UNIT COSTS (After Amortization) Cost per ac-ft Cost per 1000 gallons * Includes as appropriate energiage and maintee			shaga (mayy cz tz	antad) wat	\$254 \$0.78

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits livestock users in Nacogdoches County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. New wells in the county will reduce demands on other water supplies in Nacogdoches County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the recommended strategy to drill new wells in Nacogdoches County for livestock use was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	3,059 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

#### REFERENCES

2011 East Texas Regional Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES MINING

Water User Group Name: Nacogdoches County Mining

Strategy Name: Purchase from Angelina Neches River Authority (Angelina River)

Strategy ID: NACW-MIN

Strategy Type: New Surface Water Source

Potential Supply Quantity: 5,475–118 ac-ft per year (Varies)

(4.88 - 0.15 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

Project Capital Cost: \$12,465,000 (September, 2013)

Annual Cost: \$6,650,000 Unit Water Cost \$1,209 per ac-ft

(Rounded): (\$3.71 per 1,000 gallons)

#### PROJECT DESCRIPTION

Mining users in Nacogdoches County show a projected need in the early decades of the planning cycle. This strategy is a recommended strategy for Mining in Nacogdoches County and involves a contract between individual mining water users and the Angelina Neches River Authority for raw water from the Angelina River, as their permit allows. Potential mining customers in Nacogdoches County have reached out to Angelina Neches River Authority for a contract to sell water. It is assumed that the individual mining customers will develop the infrastructure required to access supplies from Angelina River to the project location. The cost for supply from the Angelina River includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the mining need projected in Nacogdoches County by the East Texas Regional Water Planning Group. Currently mining needs are met by local supplies in Nacogdoches County and groundwater supplies from other aquifers in the County. The recommended source of supply for the future mining needs will be the run-of-river supplies from Angelina River that Angelina Neches River Authority is applying for. The reliability of this water supply is considered medium due to the availability of water projected in the Angelina River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the Angelina Neches River Authority and their application for 30,000 ac-ft per year from the Angelina River (Strategy ID: ANRA-ROR). The quantity of supply from this strategy represents a contract of 5,475 ac-ft per year, beginning in 2020 and decreases to 118 ac-ft per year by 2040.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between mining water users in Nacogdoches County and the Angelina Neches River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in Nacogdoches County.

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 9.5 miles of pipeline (approximate distance from the potential location for run-of-river diversions on Angelina River to the center of Nacogdoches County), a pump station with an intake and one terminal storage tank with 1.2 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME: STRATEGY: Raw Water Quantity: CAPITAL COSTS		es County Minin om ANRA (Ang Ac-ft/yr		<b>OR)</b> 9.81 MGD	
Pipeline	Size	Quantity	Unit	Unit Price	Cost
Pipeline Rural Pipeline Urban	24 in. 24 in.	50,160	LF	\$103	\$5,166,000
Right of Way Easements Rural		0 50,160	LF LF	\$144 \$26	\$0 \$1,416,580
Engineering and Contingencies		30,100	LI	\$20	\$1,550,000
Subtotal of Pipeline	9.5	miles			\$8,132,580
Pump Station(s)					
Pump with intake	345 HP	1	LS	\$2,056,000	\$2,056,000
Booster Pump Station	0 HP	Ô	LS	\$0	\$0
Engineering and Contingencies	(35%)			* -	\$719,600
Subtotal of Pump Station(s)					\$2,775,600
Storage Tanks	1.2 MG	1	LS	\$643,607	\$643,607
Engineering and Contingencies	(35%)				\$225,262
Subtotal of Storage Tanks					\$868,869
Permitting and Mitigation					\$265,500
Construction Total					\$12,043,000
Interest During Construction			12	Months	\$422,000
TOTAL CAPITAL COST					\$12,465,000
ANNUAL COSTS					
Debt Service (5.5% for 20 years	s)				\$1,043,000
Operational Costs*					\$5,607,000
<b>Total Annual Costs</b>					\$6,650,000
<b>UNIT COSTS (Until Amortiz</b>	ed)				
Per Acre-Foot of treated water					\$1,209
Per 1,000 Gallons					\$3.71
UNIT COSTS (After Amortiz	ation)				
Per Acre-Foot					\$1,019
Per 1,000 Gallons					\$3.13

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits mining users in Nacogdoches County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands on other water supplies in Nacogdoches County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Nacogdoches Mining recommended strategy to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	5,475 ac-ft per year
Reliability	3	Medium Reliable Supply
Cost	3	Medium Cost
<b>Environmental Factors</b>	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Sponsor identified and committed to the strategy
Implementation Issues	4	No known risks

# **REFERENCES**

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES STEAM ELECTRIC POWER

Water User Group Name: Nacogdoches County Steam Electric Power

Strategy Name: Purchase from Angelina Neches River Authority (Angelina River)

Strategy ID: NACW-SEP1

Strategy Type: New Surface Water Source

Potential Supply Quantity: 799–8,594 ac-ft per year (Varies)

(0.7–7.6 MGD)

Implementation Decade: 2030 Development Timeline: 2030

Project Capital Cost: \$25,805,000 (September, 2013)

Annual Cost: \$5,264,000 Unit Water Cost \$619 per ac-ft

(Rounded): (\$1.9 per 1,000 gallons)

## PROJECT DESCRIPTION

There is significant growth in the steam electric power water use in Nacogdoches County. Currently, the steam electric power needs in this County are being met by supplies from Lake Striker. Since the increase in demand is significant, starting at 799 ac-ft per year in 2030 and increasing to 8,594 ac-ft per year, multiple water management strategies are proposed to address this need. This strategy is a recommended strategy for steam electric power users in Nacogdoches County and involves a contract between individual steam electric power water users and the Angelina Neches River Authority for raw water from Angelina River, as their permit allows. It is assumed that the individual steam electric power customers will develop the infrastructure required to access supplies from Angelina River to the project location. The cost for supply from the Angelina River includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the steam electric power need projected in Nacogdoches County by the East Texas Regional Water Planning Group. Currently steam electric power needs are met by surface water supplies from Lake Striker. Lake Striker supplies are contracted out for the planning cycle and there are no additional supplies currently available to help meet the needs for steam electric power users in Nacogdoches County. The recommended source of supply for the future steam electric power needs will be the transmission system connection to Lake Columbia supply that Angelina Neches River Authority is developing. The reliability of this water supply is considered medium to high due to the availability of water projected for Lake Columbia using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the Angelina Neches River Authority and their plan for developing Lake Columbia supplies. The quantity of supply from this strategy represents a contract of 799 ac-ft per year, beginning in 2020 and increasing to a maximum amount of 8,500 ac-ft per year by 2070. The additional needs for steam electric power will be addressed by a second strategy discussed in another technical memorandum.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between steam electric power water users in Nacogdoches County and the Angelina Neches River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in Nacogdoches County.

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 9.5 miles of pipeline (approximate distance from the potential location for releases from Lake Columbia on Angelina River to the center of Nacogdoches County), a pump station with an intake, and one terminal storage tank with 0.9 MG of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has low to medium cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG NAME:	Nacogdoc	Nacogdoches County Steam Electric Power				
STRATEGY:	Purchase	Purchase from ANRA				
Raw Water Quantity:	8,500	Ac-ft/yr		15.17 MGD		
CAPITAL COSTS						
Pipeline	Size	Quantity	Unit	Unit Price	Cost	
Pipeline Rural	60 in.	50,160	LF	\$307	\$15,397,000	
Pipeline Urban	60 in.	0	LF	\$430	\$0	
Right of Way Easements Rural		50,160	LF	\$26	\$1,416,580	
Right of Way Easements Urban	ı (ROW)	0.0	LF	\$0	\$0	
Subtotal of Pipeline	9.5	miles			\$21,432,580	
Pump Station(s)						
Pump with intake	282 HP	1	LS	\$1,802,000	\$1,802,000	
Booster Pump Station	$0~\mathrm{HP}$	0	LS	\$0	\$0	
Engineering and Contingencies	s (35%)				\$630,700	
Subtotal of Pump Station(s)					\$2,432,700	
Storage Tanks	0.9 MG	1	LS	\$593,305	\$593,305	
Engineering and Contingencies	s (35%)				\$207,657	
Subtotal of Storage Tanks					\$800,962	
Permitting and Mitigation					\$265,500	
CONSTRUCTION TOTAL					\$24,931,742	
<b>Interest During Construction</b>			12	Months	\$873,000	
TOTAL CAPITAL COST					\$25,805,000	
ANNUAL COSTS						
Debt Service (5.5% for 20				,		
years)					\$2,159,000	
Operational Costs*					\$3,105,000	
<b>Total Annual Costs</b>					\$5,264,000	
UNIT COSTS (Until Amortiz	zed)					
Per Acre-Foot of treated water					\$619	
Per 1,000 Gallons					\$1.90	

**UNIT COSTS (After Amortization)** 

Per Acre-Foot Per 1,000 Gallons

\$365

\$1.12

#### PROJECT EVALUATION

This strategy benefits mining users in Nacogdoches County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands on other water supplies in Nacogdoches County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth. Based on the analyses provided above, the Nacogdoches Steam Electric Power recommended strategy to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results are in table below.

Criteria	Rating	Explanation
Quantity	4	8,500 ac-ft per year
Reliability	3	Medium Reliable Supply
Cost	3	Low to Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	Low Impacts.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

#### REFERENCES

2011 East Texas Regional Plan.

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES STEAM ELECTRIC POWER

Water User Group Name: Nacogdoches County Steam Electric Power

Strategy Name: New wells in Carrizo-Wilcox Aquifer/Transfer from Houston

County WCID#1

Strategy ID: NACW-SEP2

Strategy Type: New Groundwater Source

Potential Supply Quantity: 3,989 ac-ft per year /1,000 ac-ft per year

(1.78 MGD)

Implementation Decade: 2070 Development Timeline: 2070

Project Capital Cost: \$16,021,000 (September 2013)

Annual Cost: \$1,875,000 Unit Water Cost \$938 per ac-ft

(**Rounded**): (\$2.88 per 1,000 gallons)

### PROJECT DESCRIPTION

This strategy is a recommended strategy for Steam Electric Power users in Nacogdoches County and involves the development of ten wells located within the Carrizo-Wilcox Aquifer as this aquifer has been identified as a potential source of water in Nacogdoches County. These wells will provide approximately 4,000 ac-ft per year and are assumed to have a water depth of 300 feet. A peaking factor of two was assumed for the wells, and the cost estimate includes conveyance infrastructure in order to capture the peak annual supply. Additionally, this strategy also assumes a 1,000 ac-ft transfer of groundwater supplies from Houston County WCID #1 to Nacogdoches Steam Electric Power users.

#### SUPPLY DEVELOPMENT

The supply is only required in 2070 as other water management strategies help meet the need in the interim years. It is assumed that each well will provide 250 ac-ft per year to meet steam electric power demands in Nacogdoches County providing a total strategy yield of 3,989 ac-ft per year for 2070. An additional 1,000 ac-ft per year was also supplied from Houston County WCID#1 as a surplus in all decades. A target yield for this strategy was set to the highest need projected by the East Texas Regional Water Planning Group in 2070. Overall, the reliability of this supply is considered high, based on the proven use of this source and groundwater availability models.

#### ENVIRONMENTAL CONSIDERATIONS

The environmental impacts from this strategy are expected to be low. However, groundwater development from this source should be evaluated for potential impacts on spring flows and base flows of surface water in close proximity. The impact to the environment due to pipeline construction is expected to be temporary and minimal. New wells have a potential decrease in the groundwater-surface water nexus, which could reduce base flows. Impacts to environmental water needs, habitat, and cultural resources are expected to be low. There are no bays or estuaries in close proximity of Nacogdoches County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 9.5 miles of pipeline, ten wells, a peaking factor of two, and a maximum well yield of 250 gpm for each well. This equates to \$938 per acre-foot (\$2.88 per 1,000 gallons); after the infrastructure is fully paid (30 years), the cost drops to \$267 per acre-foot (\$0.82 per 1,000 gallons). Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG: Nacogdoches County Steam	n Electri	c Power				
WMS: Nacogdoches County - Carris	zo Aquife	r Wells				
	Supply			et per year	1,240	gpm
	o Water	300				
We	ll Depth	600				
W	ell Size	12	in			
Wells	Needed	10				
<b>Construction Costs</b>		Number		Unit Cost		Total Cost
Water Wells		10		\$394,954		\$3,949,539
Connection to Transmission System		10		\$50,000		\$500,000
Engineering and Contingencies (30%)	% for pipe	lines, 35%	for other	items)		\$1,532,000
Subtotal of Well(s)						\$5,981,539
Transmission System	Size	Quantity	Unit	Unit Cost		Total Cost
Pipeline - Rural	16 in.	50,160	LF	\$58		\$2,887,000
Pump Station	393 HI	1	EA	\$3,057,000		\$3,057,000
Ground Storage Tank	0.45 M	G 1	EA	\$347,345		\$347,345
Easement - Rural		50,160	LF	\$16		\$862,290
Engineering and Contingencies (30%)	% for pipe	elines, 35%	for other	items)		\$2,058,000
Subtotal for Transmission		9.5	miles			9,211,635
Permitting and Mitigation						\$285,500
Construction Total			*			\$15,479,000
Interest During Construction			12	Months		\$542,000
TOTAL CAPITAL COST						\$16,021,000
Debt Service (5.5% for 20 years)						\$1,341,000
Operational Costs*						\$533,500
Total Annual Cost						\$1,875,000
•						41,070,000
UNIT COSTS (Until Amortized)						
Cost per ac-ft						\$938
Cost per 1000 gallons						\$2.88
UNIT COSTS (After Amortization	n)					
Cost per ac-ft						\$267
Cost per 1000 gallons						\$0.82
* Includes, as appropriate, operation and	d maintena	nce, power,	water purc	hase (raw or treated)	), water t	treatment chemicals, well

pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits steam electric users in Nacogdoches County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. New wells in the county will reduce demands on other water supplies in Nacogdoches County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the recommended strategy to drill new wells in Nacogdoches County for steam electric power use was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,000 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

#### REFERENCES

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NEWTON MINING

Water User Group Name: Newton Mining

Strategy Name: Purchase from Sabine River Authority (Toledo Bend)

Strategy ID: NEWT-MIN

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 59-115 ac-ft per year

(0.05 - 0.10 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

**Project Capital Cost:** \$0 (May 2015)

Annual Cost: \$111,000
Unit Water Cost \$965 per ac-ft

(**Rounded**): (\$2.96 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Mining in Newton County and involves a contract between individual mining water users and the Sabine River Authority from their Toledo Bend system, as their permit allows. The Sabine River Authority currently supplies water to mining water users in Newton County. Therefore, the only cost for additional supply from is the contractual cost of raw water. Ultimately, this cost will need to be negotiated with the Sabine River Authority and will reflect their wholesale water rates at that time. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

## SUPPLY DEVELOPMENT

Currently, the Sabine River Authority is the only provider of water to mining users in Newton County. Therefore, this recommended strategy calls for a contract amendment equal to the projected need of Newton Mining during the planning period. The contract required for this strategy increases their supply by 115 ac-ft per year beginning in 2020 and decreases to 59 ac-ft per year beginning in 2030. Newton mining is not projected to have a need from 2040 through 2070. These supplies are considered highly reliable because the supply is available in Toledo Bend and the infrastructure is already in place; however, the supply is dependent on coordination with the Sabine River Authority.

# **ENVIRONMENTAL CONSIDERATIONS**

There are not any significant environmental considerations associated with this strategy. A contract between mining water users in Newton County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries located in Newton County.

### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. No capital costs were assumed, but an annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water equal to \$3.00 per 1,000 gallons. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan.

**WUG NAME:** 

**Newton Mining** 

**STRATEGY:** 

Purchase from Sabine River Authority (Toledo Bend)

0.15

Raw Water Quantity:

115 AF/Y

MGD

**CONSTRUCTION** 

**COSTS** 

ANNUAL CONTRACT COSTS

**ANNUAL COSTS** 

Operational Costs\*

\$111,000

**UNIT COSTS (Until Amortized)** 

Per Acre-Foot of treated water Per 1,000 Gallons \$965

\$2.96

**UNIT COSTS (After Amortization)** 

Per Acre-Foot

NA

Per 1,000 Gallons

NA

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits mining water users in Newton County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Sabine River Authority's Toledo Bend system will reduce demands on other water supplies in Newton County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Newton Mining recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	115 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4 -	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	Limited Risk

#### REFERENCES

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NEWTON STEAM ELECTRIC POWER

Water User Group Name: Newton Steam Electric Power

Strategy Name: Purchase from Sabine River Authority (Toledo Bend)

Strategy ID: NEWT-SEP

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 690 – 19,021 ac-ft per year

(0.6 - 17.0 MGD)

Implementation Decade: 2020 Development Timeline: 2020

**Project Capital Cost:** \$38,170,000 (May 2015)

Annual Cost: \$10,091,000 Unit Water Cost \$531 per ac-ft

(**Rounded**): (\$1.63 per 1,000 gallons)

### PROJECT DESCRIPTION

This strategy is a recommended strategy for Steam Electric Power in Newton County and involves a contract between individual steam electric power water users and the Sabine River Authority for raw water from their Toledo Bend system, as their permit allows. The cost for supply from the Toledo Bend system includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

## SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Steam Electric Power in Newton County by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 690 ac-ft per year, beginning in 2020, and increases over time to 19,021 ac-ft per year, beginning in 2070. The reliability of this water supply is considered high due to the availability of water projected in the Toledo Bend system using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Sabine River Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between steam electric power water users in Newton County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Newton County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 15 miles of pipeline (50% of the approximate distance across Newton County), a pump station with an intake, and a booster pump station. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium to low cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME:	Newton S	Newton Steam Electric Power Purchase from Sabine River Authority (Toledo Bend)						
STRATEGY:	Purchase							
Raw Water Quantity:	19,021	Ac-ft/yr		34.0 MGD	•			
CAPITAL COSTS								
Pipeline	Size	Quantity	Unit	Unit Price	Cost			
Pipeline Rural	48 in.	79,200	LF	\$239	\$18,953,000			
Subtotal of Pipeline	15	miles			\$26,875,740			
Pump Station(s)								
Pump with intake	463 HP	1	LS	\$2,364,000	\$2,364,000			
Booster Pump Station	463 HP	1	LS	\$3,417,000	\$3,417,000			
Engineering and Contingenci	es (35%)			, ,	\$2,023,350			
Subtotal of Pump Station(s)	)				\$7,804,350			
Storage Tanks	4.2 MG	1	LS	\$1,315,816	\$1,315,816			
Engineering and Contingenci				· -,,	\$460,536			
Subtotal of Storage Tanks	,				\$1,776,352			
Permitting and Mitigation					\$423,000			
Construction Total					\$36,879,000			
Interest During Construction			12	Months	\$1,291,000			
TOTAL CAPITAL COST					\$38,170,000			
ANNUAL COSTS								
Debt Service (5.5% for 20								
years)					\$3,194,000			
Operational Costs*					\$6,897,000			
Total Annual Costs					\$10,091,000			
UNIT COSTS (Until Amor	tized)							
Per Acre-Foot of treated water					\$531			
Per 1,000 Gallons	<b>.</b>				\$1.63			
,					φ1.03			
UNIT COSTS (After Amor	tization)							
Per Acre-Foot					\$380			
Per 1,000 Gallons					\$1.17			

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits steam electric power water users in Newton County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Toledo Bend system will reduce demands on other water supplies in Newton County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Newton Steam Electric Power recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	19,021 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Low to Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

### REFERENCES

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ORANGE IRRIGATION

Water User Group Name: Orange Irrigation

Strategy Name: Purchase from Sabine River Authority (Sabine River)

Strategy ID: ORAN-IRR

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 2,432 - 2,758 ac-ft per year

(2.17-2.46 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

Project Capital Cost: \$13,281,000 (September 2013)

Annual Cost: \$2,293,000 Unit Water Cost \$764 per ac-ft

(**Rounded**): (\$2.35 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for irrigation water users in Orange County and involves a contract between individual irrigators and the Sabine River Authority for raw water from the Sabine River, as their permit allows. The cost for supply from the Sabine River includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for irrigation users in Orange County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 2,432 ac-ft per year, beginning in 2020, and increases over time to 2,758 ac-ft per year by 2070. The reliability of this water supply is considered high due to the availability of water projected in the Sabine River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Sabine River Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between irrigators in Orange County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. Sabine River Authority already supplies to some irrigation users in Orange County. The strategy is highly reliable since some of the transmission connections may be already in place.

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 13 miles of pipeline (the approximate distance from the Sabine River to the center of Orange County), a pump station with an intake, a booster pump station, and a terminal storage tank (0.7 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required and the large supply volume.

WUG NAME: STRATEGY: Raw Water Quantity: CAPITAL COSTS	Orange County Irrigation Purchase from Sabine River Authority (Sabine River) 3,000 Ac-ft/yr 5.4 MGD						
Pipeline Pipeline Rural Right of Way Easements Rural Engineering and Contingencies Subtotal of Pipeline		Quantity 68,640 68,640 miles	Unit LF LF	Unit Price \$69 \$26	Cost \$4,713,000 \$1,938,530 \$1,414,000 \$8,065,530		
Pump Station(s) Pump with intake Booster Pump Station Engineering and Contingencies Subtotal of Pump Station(s)	131 HP 131 HP 3 (35%)	1	LS LS	\$1,091,000 \$1,707,000	\$1,091,000 \$1,707,000 \$979,300 \$3,777,300		
Storage Tanks Engineering and Contingencies Subtotal of Storage Tanks	0.7 MG s (35%)	1	LS	\$456,706	\$456,706 \$159,847 <b>\$616,553</b>		
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction TOTAL CAPITAL COST			12	Months	\$373,000 <b>\$12,832,000</b> \$449,000 <b>\$13,281,000</b>		
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs					\$1,111,000 \$1,182,000 <b>\$2,293,000</b>		
UNIT COSTS (Until Amortic Per Acre-Foot of treated water Per 1,000 Gallons	zed)				\$764 \$2.35		
UNIT COSTS (After Amorti Per Acre-Foot Per 1,000 Gallons * Includes as appropriate one	ŕ	intananaa nawar	water musch	nga (************************************	\$419 \$1.29		

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits irrigation water users in Orange County and is expected to have a positive impact on their water supply security. Sabine River Authority currently supplies water to some irrigators in Orange County. Therefore, this strategy is highly reliable as some of the connections may already be in place and the strategy may be just an extension of current contracts. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Sabine River will reduce demands on other water supplies in Orange County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Orange Irrigation recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	3,000 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	5	Positive Impacts to Agricultural Resources
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

#### REFERENCES

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ORANGE MANUFACTURING

Water User Group Name: Orange Manufacturing

Strategy Name: Purchase from Sabine River Authority (Sabine River)

Strategy ID: ORAN-MFG

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 2,532–32,111 ac-ft per year (2.56–29.8 MGD)

Implementation Decade: 2020 Development Timeline: 2020

Project Capital Cost: \$42,621,000 (September 2013)

Annual Cost: \$14,949,000 Unit Water Cost \$467 per ac-ft

(**Rounded**): (\$1.43 per 1,000 gallons)

#### PROJECT DESCRIPTION

Manufacturing demands in Orange County are projected to increase significantly over the planning period in ETRWPA. This strategy is a recommended strategy for Manufacturing in Orange County and involves a contract between individual manufacturing water users and the Sabine River Authority for raw water from the Sabine River, as their permit allows. The cost for supply from the Sabine River includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for manufacturing users in Orange County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 2,532 ac-ft per year, beginning in 2020, and increases over time to 32,111 ac-ft per year by 2070. The reliability of this water supply is considered high due to the availability of water projected in the Sabine River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Sabine River Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between manufacturing water users in Orange County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. Sabine River Authority already supplies to some manufacturing users in Orange County so the strategy is highly reliable since some of the transmission connections may be already in place.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 13 miles of pipeline (the approximate distance from the Sabine River to the center of Orange County), a pump station with an intake, a booster pump station, and a terminal storage tank (3.6 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required and the large supply volume.

WUG NAME:	Orange County Manufacturing					
STRATEGY:	Purchase from Sabine River Authority (Sabine River)					
Raw Water Quantity:	33,477	AF/Y		42.8 MGD		
CAPITAL COSTS						
Pipeline	Size	Quantity	Unit	Unit Price	Cost	
Pipeline Rural	60 in.	68,640	LF	\$307	\$21,069,000	
Right of Way Easements Rura	l (ROW)	68,640	LF	\$26	\$1,938,530	
Engineering and Contingencie	s (30%)			•	\$6,321,000	
Subtotal of Pipeline	13	miles			\$29,328,530	
Pump Station(s)						
Pump with intake	718 HP	1	LS	\$2,601,000	\$2,601,000	
Booster Pump Station	718 HP	1	LS	\$4,731,000	\$4,731,000	
Engineering and Contingencie		•	25	Ψ1,751,000	\$2,566,200	
Subtotal of Pump Station(s)	2 (22 / 4)			•	\$9,898,200	
•		e .			•	
Storage Tanks	3.6 MG	1	LS	\$1,170,516	\$1,170,516	
Engineering and Contingencie	es (35%)				\$409,681	
Subtotal of Storage Tanks					\$1,580,197	
Permitting and Mitigation					\$373,000	
Construction Total					\$41,180,000	
Interest During Construction			12	Months	\$1,441,000	
TOTAL CAPITAL COST					\$42,621,000	
AND THE COOKES						
ANNUAL COSTS		<i>e</i>		•		
Debt Service (5.5% for 20 years)					\$3,566,000	
Operational Costs*					\$11,383,000	
Total Annual Costs						
Total Alliual Costs					\$14,949,000	
UNIT COSTS (Until Amorti						
Per Acre-Foot of treated water	r				\$467	
Per 1,000 Gallons					\$1.43	
UNIT COSTS (After Amorti	ization)					
Per Acre-Foot					\$372	
Per 1,000 Gallons					\$1.14	
,000 Omitons					ΨΙ,1Τ	

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits manufacturing water users in Orange County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Sabine River will reduce demands on other water supplies in Orange County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Orange Manufacturing recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	33,477 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	2	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers	·	No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

### REFERENCES

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ORANGE STEAM ELECTRIC POWER

Water User Group Name:

Orange Steam Electric Power

**Strategy Name:** 

Purchase from Sabine River Authority (Sabine River)

**Strategy ID:** 

**ORAN-SEP** 

**Strategy Type:** 

Existing Surface Water Source

**Potential Supply Quantity:** 

1,038 – 4,846 ac-ft per year (0.92– 4.3 MGD)

Implementation Decade:

2040

**Development Timeline:** 

2040

**Project Capital Cost:** 

\$15,847,000 (September 2013)

**Annual Cost:** 

\$3,077,000

**Unit Water Cost** 

\$686 per ac-ft

(Rounded):

(\$2.1 per 1,000 gallons)

## PROJECT DESCRIPTION

This strategy is a recommended strategy for Steam Electric Power in Orange County and involves a contract between individual steam electric power water users and the Sabine River Authority for raw water from the Sabine River, as their permit allows. The cost for supply from the Sabine River includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Steam Electric Power in Orange County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 1,038 ac-ft per year, beginning in 2040, and increases over time to 4,846 ac-ft per year by 2070. The reliability of this water supply is considered high due to the availability of water projected in the Sabine River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Sabine River Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between steam electric power water users in Orange County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 13 miles of pipeline (the approximate distance from the Sabine River to the center of Orange County), a pump station with an intake, a booster pump station, and a terminal storage tank (0.5 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required and the large supply volume.

**Orange Steam Electric** 

**WUG NAME:** 

Power

STRATEGY:

Purchase from Sabine River Authority (Sabine River)

Raw Water Quantity:

4.486 AF/Y

6.0 MGD

CAPITAL COSTS

TRANSMISSION FACILITIES

Pipeline	Size	Quantity	Unit	Unit Price	Cost
Pipeline Rural	20 in.	68,640	LF	\$81	\$5,545,000
Right of Way Easements Rura		68,640	LF	\$26	\$1,938,530
Engineering and Contingencie	` '				\$1,664,000
Subtotal of Pipeline	13	miles			\$9,147,530
Pump Station(s)					
Pump with intake	228 HP	1	LS	\$1,712,000	\$1,712,000
Booster Pump Station	228 HP	1	LS	\$2,203,000	\$2,203,000
Engineering and Contingencie	s (35%)				\$1,370,250
Subtotal of Pump Station(s)					\$5,285,250
Storage Tanks	0.5 MG	1	LS	\$374,451	\$374,451
Engineering and Contingencie	es (35%)			·	\$131,058
Subtotal of Storage Tanks	, ,				\$505,509
Permitting and Mitigation					\$373,000
CONSTRUCTION TOTAL					\$15,311,289
Interest During Construction	n		12	Months	\$536,000
TOTAL CAPITAL COST					\$15,847,000
ANNUAL COSTS					
Debt Service (5.5% for 20					
years)					\$1,326,000
Operational Costs*					\$1,751,000
<b>Total Annual Costs</b>					\$3,077,000
UNIT COSTS (Until Amorti	ized)				
Per Acre-Foot of treated water					\$686
Per 1,000 Gallons					\$2.10
·					¥2•
UNIT COSTS (After Amort Per Acre-Foot	ization)				\$419
					* : = -
Per 1,000 Gallons					\$1.28

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits steam electric power water users in Orange County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Sabine River will reduce demands on other water supplies in Orange County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Orange Steam Electric Power recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	4,846 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risks

## REFERENCES

2011 East Texas Regional Water Plan.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR PANOLA MANUFACTURING

Water User Group Name:

Panola County Manufacturing

**Strategy Name:** 

Purchase from City of Carthage

Strategy ID:

PANL-MFG

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

134 - 309 ac-ft per year

(0.12 - 0.27 MGD)

Implementation Decade:

2020

Development Timeline:

2020

**Project Capital Cost:** 

\$0

Unit Water Cost

\$101,000

\$327 per ac-ft

(Rounded):

**Annual Cost:** 

(\$1.00 per 1,000 gallons)

## PROJECT DESCRIPTION

This strategy is a recommended strategy for manufacturing water users in Panola County and involves a contract between individual manufacturing water users and the City of Carthage from their supplies in Carrizo Wilcox or Lake Murvaul. The City of Carthage currently supplies water to manufacturing water users in Panola County. Therefore, the only cost for additional supply from is the contractual cost of raw water. Ultimately, this cost will need to be negotiated with the City of Carthage and will reflect their wholesale water rates at that time. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

Currently, the City of Carthage is the only provider of water to manufacturing users in Panola County. There are some self-supplied groundwater used by some manufacturing water users in the County. Therefore, this recommended strategy calls for a contract amendment equal to the projected need of Panola County manufacturing demand during the planning period. The contract required for this strategy increases their supply by 134 ac-ft per year beginning in 2020 to 309 ac-ft per year by 2070. These supplies are considered highly reliable because the supply is available in City of Carthage sources of supply and the infrastructure is already in place; however, the supply is dependent on coordination with the City of Carthage. The supply source may be any of the existing supply sources available for City of Carthage.

## **ENVIRONMENTAL CONSIDERATIONS**

There are not any significant environmental considerations associated with this strategy. A contract between manufacturing water users in Panola County and the City of Carthage should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries located in Newton County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. No capital costs were assumed, but an annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

**WUG NAME:** 

Panola Manufacturing

Purchase from

STRATEGY:

Carthage

Raw Water Quantity:

309 AF/Y

0.41 MGD

**CONSTRUCTION** 

**COSTS** 

ANNUAL CONTRACT COSTS

**ANNUAL COSTS** 

Operational Costs\*

\$101,000

**UNIT COSTS (Until Amortized)** 

Per Acre-Foot of treated water

\$327

Per 1,000 Gallons

\$1.00

**UNIT COSTS (After Amortization)** 

Per Acre-Foot

NA

Per 1,000 Gallons

NA

\* Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

#### PROJECT EVALUATION

This strategy benefits manufacturing water users in Panola County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the City of Carthage supply sources will reduce demands on other water supplies in Panola County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Panola County Manufacturing recommended strategy to purchase water from the City of Carthage was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	309 ac-ft per year
Reliability	4	Very Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low to No Impacts
Interbasin Transfers		No
Other Natural Resources	4	Low to No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	No Local Sponsor identified
Implementation Issues	4	No known risks

#### REFERENCES

Discussions with Regional Water Planning Group and Groundwater Management Areas.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR RUSK MINING

Water User Group Name:

**Rusk Mining** 

**Strategy Name:** 

Purchase from Angelina Neches River Authority (Angelina River)

**Strategy ID:** 

**RUSK-MIN** 

**Strategy Type:** 

Existing Surface Water Source

**Potential Supply Quantity:** 

1,075 - 2,092 ac-ft per year (Varies)

(1.0 - 1.9 MGD)

**Implementation Decade:** 

2020 2020

Development Timeline: Project Capital Cost:

\$14,158,000 (May 2015)

Annual Cost:

\$3,420,000

**Unit Water Cost** 

\$1,635 per ac-ft

(Rounded):

(\$5.02 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Mining in Ruck County and involves a contract between individual mining water users and the Angelina Neches River Authority for raw water from the Angelina River, as their permit allows. The cost for supply from the Angelina River includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the mining need projected in Rusk County by the East Texas Regional Water Planning Group. The reliability of this water supply is considered medium due to the availability of water projected in the Angelina River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on sales with the Angelina Neches River Authority and their application for 10,000 ac-ft per year from the Angelina River (Strategy ID: ANRA-ROR). The quantity of supply from this strategy represents a contract of 1,075 ac-ft per year, beginning in 2020, increases to 2,092 ac-ft per year, beginning in 2030, and decreases over the next four decades to 1,677 ac-ft per year, beginning in 2070.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between mining water users in Rusk County and the Angelina Neches River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in Rusk County.

#### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 16 miles of pipeline (50% of the approximate distance across Rusk County), a pump station with an intake, a booster pump station, and one terminal storage tank with one day of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required.

WUG NAME:	Rusk Mining				
STRATEGY:	Purchase fron	n Angelina N	eches R	liver Authori	ty
Raw Water Quantity:	2,092	AF/Y		3.7 MGD	
CAPITAL COSTS					
Pipeline	Size	Quantity	Unit	<b>Unit Price</b>	Cost
Pipeline Rural	16 in.	84,480	LF	\$58	\$4,862,000
Right of Way Easements Rural	(ROW)	84,480	LF	\$26	\$2,385,900
Engineering and Contingencies	(30%)				\$1,459,000
Subtotal of Pipeline	16	miles			\$8,706,900
Pump Station(s)					
Pump with intake	98 HP	1	LS	\$828,000	\$828,000
Booster Pump Station	98 HP	î	LS	\$1,529,000	\$1,529,000
Engineering and Contingencies		•		\$1,0 <b>2</b> 3,000	\$824,950
Subtotal of Pump Station(s)	()				\$3,181,950
•					
Storage Tanks	2.8 MG	1	LS	\$993,963	\$993,963.22
Engineering and Contingencies	(35%)				\$347,887
Subtotal of Storage Tanks					\$1,341,850
Permitting and Mitigation					\$448,000
CONSTRUCTION TOTAL					\$13,678,700
Interest During Construction			12	Months	\$479,000
TOTAL CAPITAL COST					\$14,158,000
ANNUAL COSTS					
Debt Service (5.5% for 20					
years)					\$1,185,000
Operational Costs*					\$2,235,000
<b>Total Annual Costs</b>					
I COMI I IIII MANI CODED					\$3,420,000
	. Char				\$3,420,000
UNIT COSTS (Until Amortiz	ed)				
UNIT COSTS (Until Amortiz Per Acre-Foot of treated water	ed)				\$1,635
UNIT COSTS (Until Amortiz	ed)				
UNIT COSTS (Until Amortiz Per Acre-Foot of treated water					\$1,635
UNIT COSTS (Until Amortiz Per Acre-Foot of treated water Per 1,000 Gallons					\$1,635

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits mining users in Rusk County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands

on other water supplies in Rusk County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Rusk Mining recommended strategy to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,092 ac-ft per year
Reliability	3	Medium Reliable Supply
Cost	2	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Sponsor Identified and committed.
Implementation Issues	4	No known risk

## REFERENCES

Discussions with Angelina River Water Authority.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR RUSK STEAM ELECTRIC POWER

Water User Group Name: Rusk Steam Electric Power

Strategy Name: Purchase from Sabine River Authority (Sabine River)

Strategy ID: RUSK-SEP

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 462-18,868 ac-ft per year (0.4-16.8 MGD)

**Implementation Decade:** 2050 **Development Timeline:** 2050

Project Capital Cost: \$57,718,000 (September 2013)

Annual Cost: \$11,855,000
Unit Water Cost \$628 per ac-ft

(**Rounded**): (\$1.93 per 1,000 gallons)

### PROJECT DESCRIPTION

This strategy is a recommended strategy for Steam Electric Power in Rusk County and involves a contract between individual steam electric power water users and the Sabine River Authority for raw water from the Sabine River, as their permit allows. The cost for supply from the Sabine River includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Steam Electric Power in Rusk County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 462 ac-ft per year, beginning in 2020, and increases over time to 18,868 ac-ft per year, beginning in 2070. The reliability of this water supply is considered high due to the availability of water projected in the Sabine River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Sabine River Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between steam electric power water users in Rusk County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Rusk County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 25 miles of pipeline (the approximate distance from the Sabine River to the center of Rusk County), a pump station with an intake, a booster pump station, and a terminal storage tank (14 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required and the large capacity of the terminal storage.

WUG NAME:	Rusk Stear	n Electric Powe	r		
STRATEGY:	Purchase f	rom Sabine Riv	er Auth	ority (Sabine River)	
Raw Water Quantity:	18,868	AF/Y		33.7 MGD	
CAPITAL COSTS					
Pipeline	Size	Quantity	Unit	Unit Price	Cost
Pipeline Rural	48 in.	132,000	LF	\$239	\$31,588,000
Right of Way Easements Rural		132,000	LF	\$26	\$3,727,900
Engineering and Contingencies	(30%)				\$9,476,000
Subtotal of Pipeline	25	miles			\$44,791,900
Pump Station(s)					
Pump with intake	556 HP	1	LS	\$2,425,000	\$2,425,000
Booster Pump Station	556 HP	1	LS	\$3,897,000	\$3,897,000
Engineering and Contingencies		_		4-,	\$2,212,700
Subtotal of Pump Station(s)	(== )				\$8,534,700
•	40340	1	T C	M1 200 202	
Storage Tanks	4.2 MG	1	LS	\$1,308,393	\$1,308,393
Engineering and Contingencies	(33%)				\$457,937
Subtotal of Storage Tanks					\$1,766,330
Permitting and Mitigation					\$673,000
CONSTRUCTION TOTAL					\$55,765,930
<b>Interest During Construction</b>			12	Months	\$1,952,000
TOTAL CAPITAL COST					\$57,718,000
ANINULAI COCEC					, ,
ANNUAL COSTS Debt Service (5.5% for 20)					
Debt Service (5.5% for 20					£4 020 000
years)					\$4,830,000
Operational Costs*					\$7,025,000
Total Annual Costs					\$11,855,000
UNIT COSTS (Until Amortiz	zed)				
Per Acre-Foot of treated water					\$628
Per 1,000 Gallons					\$1.93
LINIT COSTS (After Amendi	zation)				
UNIT COSTS (After Amortiz Per Acre-Foot	tativii)				\$392
Per 1,000 Gallons					\$1.20
i vi 1,000 Ganons					Ψ1.∠U

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits steam electric power water users in Rusk County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Sabine River will reduce demands on other water supplies in Rusk County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Rusk Steam Electric Power recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	18,868 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Local Sponsorship unknown
Implementation Issues	4	No known risk

## REFERENCES

Discussions with Sabine River Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SAN AUGUSTINE MINING

Water User Group Name: San Augustine County Mining

Strategy Name: Purchase from Angelina Neches River Authority

Strategy ID: SAUG-MIN

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 2,102 – 1,102 ac-ft per year

(1.87 - 0.98 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

Project Capital Cost: \$21,064,000 (September 2013)

**Annual Cost:** \$4,035,000

Unit Water Cost \$1,920 per ac-ft

(\$5.89 per 1,000 gallons)

#### PROJECT DESCRIPTION

San Augustine County shows shortages for mining users for the decades 2020 and 2030. The mining water users have a contract with Angelina Neches River Authority to use Angelina Neches River Authority's supplies to meet the water needs. Current supply is from other aquifer and San Augustine City Lake. This strategy is a recommended strategy for mining users in San Augustine County and involves a contract between mining water users and the Angelina Neches River Authority for raw water from the run-of-river supplies on Angelina River. The cost for supply from the Angelina River includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Angelina Neches River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for mining in Shelby County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The shortage manifests for decades 2020 and 2030. The quantity of supply from this strategy represents a contract of 2,102 ac-ft per year, beginning in 2020, and drops to 1,102 ac-ft per year in 2030. Angelina Neches River Authority put in an application for 10,000 ac-ft per year of run-of-river supplies and the application is administratively complete. Angelina Neches River Authority has a water management strategy in the 2016 Plan to apply for additional run-of-river supplies to address the mining demands in the region. Because of the nature of the application and the process involved in securing the water rights, this supply is not considered very reliable at this time. Therefore, this strategy is dependent on successful execution of Angelina Neches River Authority's water management strategies in the 2016 East Texas Regional Water Plan to secure additional run-of-river supplies.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between mining water users in San Augustine County and the Angelina Neches River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area.

#### PERMITTING AND DEVELOPMENT

There are permitting and supply development issues associated with this strategy. Angelina Neches River Authority has to work with Texas Commission on Environmental Quality to furnish all the required documentation required for the successful procurement of the new and currently pending run-of-river water right applications. Also, the availability of this supply is potentially limited to the environmental flow requirements and supply availability in the Angelina River in that region.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 30 miles of pipeline (the approximate distance from Angelina River to the center of San Augustine County), a pump station with an intake, and a terminal storage tank (0.4 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water equal to \$3.00 per 1,000 gallons. Overall, this strategy has a medium to high cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required and the quantity of supply delivered for the infrastructure.

WUG NAME:	San Augustine Mining					
STRATEGY:	Angeli	ina River		0.01		
Quantity: CAPITAL COSTS	2,102	AF/Y		2.81 MGD		
Pipeline Pipeline Rural Right of Way Easements Rural (ROW) Subtotal of Pipeline	)	Size 18 in.	<b>Quantity</b> 158,400 158,400	Unit LF LF	<b>Unit Price</b> \$69 \$16	Cost \$10,876,000 \$2,723,050 \$16,862,050
Pump Station(s) Pump with intake Engineering and Contingencies (35%) Subtotal of Pump Station(s)		207 HP	1	LS	\$1,678,000	\$1,678,000 \$587,300 <b>\$2,265,300</b>
Storage Tanks Engineering and Contingencies (35%) Subtotal of Storage Tanks		0.4 MG	1	LS	\$331,000	\$331,000 \$115,850 \$446,850
Permitting and Mitigation CONSTRUCTION TOTAL						\$778,000 <b>\$20,352,200</b>
Interest During Construction				12	Months	\$712,000
TOTAL COST						\$21,064,000
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs			·			\$1,763,000 \$2,272,000 <b>\$4,035,000</b>

UNIT COSTS (Until Amortized)	
Per Acre-Foot of treated water	\$1,920
Per 1,000 Gallons	\$5.89
UNIT COSTS (After Amortization)	
Per Acre-Foot	\$1,108
Per 1,000 Gallons	\$3.40

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits mining water users in San Augustine County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Angelina River will reduce demands on other water supplies in San Augustine County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the recommended strategy for mining users in San Augustine County to purchase water from the Angelina Neches River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,102 ac-ft per year
Reliability	4	Reliable Supply
Cost	2	Medium to Moderate Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Local Sponsor Identified
Implementation Issues	4	No known risks

## REFERENCES

Discussions with Angelina Neches River Authority.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SHELBY LIVESTOCK

Water User Group Name: Shelby County Livestock

**Strategy Name:** Purchase from Sabine River Authority (Sabine River)

Strategy ID: SHEL-LTK

**Strategy Type: Existing Surface Water Source** 

1,368 - 6,925 ac-ft per year **Potential Supply Quantity:** 

(1.22 - 6.17 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

**Project Capital Cost:** \$25,238,000 (September 2013)

**Annual Cost:** \$4,893,000 **Unit Water Cost** 

\$699 per ac-ft

(Rounded): (\$2.15 per 1,000 gallons)

## PROJECT DESCRIPTION

Livestock water demands are projected to increase significantly in Shelby County, partially due to the growing poultry industry. Current supply is from Carrizo-Wilcox aquifer and local surface water supplies. It is recommended that any large-scale user should obtain surface water from Toledo Bend Reservoir through a contract with Sabine River Authority. This strategy is a recommended strategy for livestock users in Shelby County and involves a contract between livestock water users and the Sabine River Authority for raw water from the Sabine River, as their permit allows. The cost for supply from the Sabine River includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

## SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Livestock in Shelby County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 1,368 ac-ft per year, beginning in 2020, and increases over time to 6,925 ac-ft per year, beginning in 2070. The reliability of this water supply is considered high due to the availability of water projected in the Sabine River using the Texas Water Development Board's Water Availability Models. However, this strategy is dependent on coordination with the Sabine River Authority. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between livestock water users in Rusk County and the Sabine River Authority should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Rusk County.

### PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 19 miles of pipeline (the approximate distance from the Sabine River to the center of Shelby County), a pump station with an intake, a booster pump station, and a terminal storage tank (1.2 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the length of pipeline required and the large quantity of supply.

WUG NAME: STRATEGY:	Shelby County - Livestock Purchase from Toledo Bend, SRA					
Quantity:	7,000	AF/Y		9.37 MGD		
CAPITAL COSTS  Pipeline Pipeline Rural Pipeline Urban Right of Way Easements Rural (ROW Right of Way Easements Urban (ROW Engineering and Contingencies (30%) Subtotal of Pipeline	, () (V)	<b>Size</b> 24 in. 24 in.	Quantity 100,320 0 100,320	Unit LF LF LF	Unit Price \$103 \$144 \$16	Cost \$10,332,000 \$0 \$1,724,580 \$0 \$3,100,000 \$15,156,580
Pump Station(s) Pump with intake Booster Pump Station Engineering and Contingencies (35%) Subtotal of Pump Station(s)	)	444 HP 444 HP	1 1	LS LS	\$2,352,000 \$3,320,000	\$2,352,000 \$3,320,000 \$1,985,200 <b>\$7,657,200</b>
Storage Tanks Engineering and Contingencies (35%) Subtotal of Storage Tanks	)	1.2 MG	1	LS	\$791,000	\$791,000 \$276,850 <b>\$1,067,850</b>
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction TOTAL COST				12	Months	\$503,000 <b>\$24,384,630</b> \$853,000 <b>\$25,238,000</b>
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs						\$2,112,000 \$2,781,000 <b>\$4,893,000</b>
UNIT COSTS (Until Amortized) Per Acre-Foot of treated water Per 1,000 Gallons						\$699 \$2.15
UNIT COSTS (After Amortization) Per Acre-Foot Per 1,000 Gallons	)					\$431 \$1.32

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits livestock water users in Shelby County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Sabine River will reduce demands on other water supplies in Shelby County and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the recommended strategy for livestock users in Shelby County to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	7,000 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
<b>Environmental Factors</b>	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	No Local Sponsor identified
Implementation Issues	4	No known Risks

## REFERENCES

Discussions with Sabine River Authority.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SMITH BULLARD

Water User Group Name: Smith County Bullard

Strategy Name: Purchase from City of Tyler

Strategy ID: SMTH-BLD

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 51-985 ac-ft per year (0.05-0.88 MGD)

Implementation Decade: 2020

**Development Timeline:** 2020

Project Capital Cost: \$5,260,000 (September 2013)

Annual Cost: \$848,000 Unit Water Cost \$852 per ac-ft

(**Rounded**): (\$2.62 per 1,000 gallons)

## PROJECT DESCRIPTION

This strategy is a recommended strategy for municipal water user Bullard in Smith County and involves a contract between individual Bullard and the City of Tyler for raw water. Bullard is located in ETRWPA region of Smith County. Bullard currently obtains most of its supply from Carrizo Wilcox and sales from North Cherokee WSC. A feasible strategy would be to continue using groundwater from Carrizo Wilcox. However, this cannot be recommended because of the MAG limitations in Smith County. Therefore, a contract to use City of Tyler's supplies is the recommended strategy for Bullard. In addition to this, municipal conservation is another recommended strategy. Discussion on Conservation strategies is included in a separate technical memorandum. The cost for supply from the City of Tyler includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the City of Tyler and will reflect the wholesale water rates of this entity at the time a contract is made. City of Tyler may have existing infrastructure near the service area for this water user and that can be used to deliver supplies to Bullard's customers. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Bullard in Smith County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 57 ac-ft per year in 2020, increasing to 995 ac-ft per year in 2070. The reliability of this water supply is considered high due to the availability of water in City of Tyler's sources of supply. City of Tyler owns Lake Tyler and has contract for water from Lake Palestine. In addition to this, the City also has groundwater supplies in the Smith County Carrizo Wilcox. City of Tyler will decide the appropriate source of supply that is in close proximity to the water user location. However, this strategy is dependent on coordination with the City of Tyler. Depending on the source of supply City of Tyler choses for this water user, this strategy may be dependent on the completion of Tyler's construction of transmission system to access the full amount of Lake Palestine supplies. This is a recommended water management strategy for City of Tyler in 2016 Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between Bullard and the City of Tyler should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Smith County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed ten miles of pipeline (the approximate distance from the City of Tyler supplies to Bullard's service area in Smith County), a pump station with an intake, and a terminal storage tank (0.2 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a moderate cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the yield generated by the infrastructure required.

WUG NAME:	Smith County - E				
STRATEGY:	Purchase from C	ity of Tyler			* * *
Quantity:	985 AF/Y		(	).88 MGD	
CAPITAL COSTS	~•				
Pipeline	Size 10 in.	Quantity	Unit	Unit Price	Cost
Pipeline Rural Right of Way Easements Rural (ROW)	· ·	52,800	LF	\$31 \$16	\$1,653,000
Engineering and Contingencies (30%)		52,800	LF	\$10	\$907,720 \$496,000
Subtotal of Pipeline					\$3,056,720
•	•		-		φ5,030,720
Pump Station(s)				*	
Pump with intake	128 HP	1	LS	\$1,065,000	\$1,065,000
Booster Pump Station	0 HP	· 1	LS	\$0	\$0
Engineering and Contingencies (35%)  Subtotal of Pump Station(s)					\$372,750
Subtotal of Fump Station(s)	÷		·		\$1,437,750
Storage Tanks	0.2 MG	1	LS	\$229,000	\$229,000
Engineering and Contingencies (35%)					\$80,150
Subtotal of Storage Tanks					\$309,150
Permitting and Mitigation		•			\$278,000
CONSTRUCTION TOTAL					\$5,081,620
Interest During Construction		•	12	Months	\$178,000
TOTAL COST					\$5,260,000
ANNUAL COSTS					
Debt Service (5.5% for 20					
years)					\$440,000
Operational Costs*					\$408,000
Total Annual Costs					\$848,000
UNIT COSTS (Until Amortized)					
Per Acre-Foot of treated water					\$852
Per 1,000 Gallons					\$2.62
UNIT COSTS (After Amortization) Per Acre-Foot				•	<b>©</b> 4 4 4
I G AGG-FOOL					\$444

Per 1,000 Gallons \$1.36

\* Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits municipal water users in Smith County and is expected to have a positive impact on their water supply security. The Carrizo Wilcox aquifer is currently over-allocated in Smith County and City of Tyler's supplies provide relief to the Carrizo Wilcox aquifer as more entities switch from groundwater to purchase water from City of Tyler. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the City of Tyler's supplies will reduce demands on other water supplies in Smith and Anderson Counties and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the recommended strategy for Bullard to purchase water from the City of Tyler was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	985 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Moderate Cost
<b>Environmental Factors</b>	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	2	Sponsor identified but uncommitted
Implementation Issues	4	Limited Risk

### REFERENCES

Discussions with City of Tyler.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SMITH CRYSTAL SYSTEMS INC.

Water User Group Name: Smith County Crystal Systems Inc.

Strategy Name: Purchase from City of Tyler

Strategy ID: SMTH-CYS

Strategy Type: Existing Surface Water Source

**Potential Supply Quantity:** 12-642 ac-ft per year (0.01-0.57 MGD)

Implementation Decade: 2020

**Development Timeline:** 2020

Project Capital Cost: \$2,021,000 (September 2013)

Annual Cost: \$417,000
Unit Water Cost \$650 per ac-ft

(**Rounded**): (\$1.99 per 1,000 gallons)

## PROJECT DESCRIPTION

This strategy is a recommended strategy for municipal water user Crystal Systems Inc. in Smith County and involves a contract between individual Crystal Systems Inc. and the City of Tyler for raw water. Lindale is located both in Region D and ETRWPA. Crystal Systems Inc. currently obtains most of its supply from Carrizo Wilcox in Region D and ETRWPA. A feasible strategy would be to continue using groundwater from Carrizo Wilcox. However, this cannot be recommended because of the MAG limitations in Smith County. Therefore, a contract to use City of Tyler's supplies is the recommended strategy for Crystal Systems Inc. In addition to this, municipal conservation is another recommended strategy. Discussion on Conservation strategies is included in a separate technical memorandum. The cost for supply from the City of Tyler includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the City of Tyler and will reflect the wholesale water rates of this entity at the time a contract is made. City of Tyler may have existing infrastructure near the service area for this water user and that can be used to deliver supplies to Crystal System Inc. customers. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

## SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Crystal Systems Inc. in Smith County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 12 ac-ft per year in 2020, increasing to 642 ac-ft per year in 2070. The reliability of this water supply is considered high due to the availability of water in City of Tyler's sources of supply. City of Tyler owns Lake Tyler and has contract for water from Lake Palestine. In addition to this, the City also has groundwater supplies in the Smith County Carrizo Wilcox. City of Tyler will decide the appropriate source of supply that is in close proximity to the water user location. However, this strategy is dependent on coordination with the City of Tyler. Depending on the source of supply City of Tyler choses for this water user, this strategy may be dependent on the completion of Tyler's construction of transmission system to access the full amount of Lake Palestine supplies. This is a recommended water management strategy for City of Tyler in 2016 Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between Crystal System Inc. and the City of Tyler should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Smith County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed two miles of pipeline (the approximate distance from the City of Tyler supplies to Crystal Systems Inc. service area in Smith County), a pump station with an intake, and a terminal storage tank (0.1 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a moderate cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the yield generated by the infrastructure required.

WUG NAME: STRATEGY: Quantity:	Smith County - Purchase from 642 AF/Y		ms Inc. 0.86 MGD		
CAPITAL COSTS  Pipeline  Pipeline Rural  Right of Way Easements Rural (ROW)  Engineering and Contingencies (30%)  Subtotal of Pipeline	Size 8 in.	<b>Quantity</b> 10,560 10,560	Unit LF LF	<b>Unit Price</b> \$28 \$16	Cost \$299,000 \$181,500 \$90,000 \$570,500
Pump Station(s) Pump with intake Engineering and Contingencies (35%) Subtotal of Pump Station(s)	37 HP	1	LS	\$769,000	\$769,000 \$269,150 <b>\$1,038,150</b>
Storage Tanks Engineering and Contingencies (35%) Subtotal of Storage Tanks	0.1 MG	1	LS	\$197,000	\$197,000 \$68,950 \$265,950
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction TOTAL COST			12	Months	\$78,000 \$1,952,600 \$68,000 \$2,021,000
Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs					\$169,000 \$248,000 <b>\$417,000</b>
UNIT COSTS (Until Amortized) Per Acre-Foot of treated water Per 1,000 Gallons					\$650 \$1.99
UNIT COSTS (After Amortization) Per Acre-Foot Per 1,000 Gallons * Includes as appropriate	ointonono novem	water mirchess	mary an twasta A	water treatment	\$405 \$1.24

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits municipal water users in Smith County and is expected to have a positive impact on their water supply security. The Carrizo Wilcox aquifer is currently over-allocated in Smith County and City of Tyler's supplies provide relief to the Carrizo Wilcox aquifer as more entities switch from groundwater to purchase water from City of Tyler. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the City of Tyler's supplies will reduce demands on other water supplies in Smith and Anderson Counties and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the recommended strategy for Crystal Systems Inc. to purchase water from the City of Tyler was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results are in the table below.

## 2016 Water Plan East Texas Region

Criteria	Rating	Explanation
Quantity	3	642 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Moderate Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Sponsor unidentified
Implementation Issues	4	No known Risk

## REFERENCES

Discussions with City of Tyler.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SMITH LINDALE

Water User Group Name: Smith Lindale

Strategy Name: Purchase from City of Tyler

Strategy ID: SMTH-LDL

**Strategy Type:** Existing Surface Water Source

Potential Supply Quantity: 52 - 797 ac-ft per year

(0.04 - 0.72MGD)

Implementation Decade: 2020 Development Timeline: 2020

Project Capital Cost: \$5,803,000 (September 2013)

**Annual Cost:** \$862,000

Unit Water Cost \$1,044 per ac-ft

(Rounded): (\$3.20 per 1,000 gallons)

### PROJECT DESCRIPTION

This strategy is a recommended strategy for municipal water user Lindale in Smith County and involves a contract between individual Lindale and the City of Tyler for raw water. Lindale is located both in Region D and ETRWPA. Lindale currently obtains most of its supply from Carrizo Wilcox. A feasible strategy would be to continue using groundwater from Carrizo Wilcox. However, this cannot be recommended because of the MAG limitations in Smith County. Therefore, a contract to use City of Tyler's supplies is the recommended strategy for Lindale. In addition to this, municipal conservation is another recommended strategy. Discussion on Conservation strategies is included in a separate technical memorandum. The cost for supply from the City of Tyler includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the City of Tyler and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for Lindale in Smith County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 46 ac-ft per year in 2020, increasing to 797 ac-ft per year in 2070. The reliability of this water supply is considered high due to the availability of water in City of Tyler's sources of supply. City of Tyler owns Lake Tyler and has contract for water from Lake Palestine. In addition to this, the City also has groundwater supplies in the Smith County Carrizo Wilcox. City of Tyler will decide the appropriate source of supply that is in close proximity to the water user location. However, this strategy is dependent on coordination with the City of Tyler. Depending on the source of supply City of Tyler choses for this water user, this strategy may be dependent on the completion of Tyler's construction of transmission system to access the full amount of Lake Palestine supplies. This is a recommended water management strategy for City of Tyler in 2016 Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between Lindale and the City of Tyler should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Smith County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

**WUG NAME:** 

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 10 miles of pipeline (the approximate distance from the City of Tyler supplies to Lindale service area in Smith County), a pump station with an intake, and a terminal storage tank (0.1 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a moderate cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the yield generated by the infrastructure required.

**Smith County - Lindale** 

		ounty - Lin					
STRATEGY:	Purchase	e from City	of Tyler				
Quantity:	797	AF/Y		0.72 MG	ìD	•	
CAPITAL COSTS							
		(	Quantit				
Pipeline		Size	y	Unit		<b>Unit Price</b>	Cost
Pipeline Rural		8 in.	52,800	LF		\$28	\$1,493,000
Pipeline Urban		8 in.	0	LF		\$39	\$0
Right of Way Easements Rural (ROW)			52,800	LF		\$16	\$907,720
Right of Way Easements Urban (ROW)			•				\$0
Engineering and Contingencies (30%)	*		•				\$448,000
Subtotal of Pipeline							\$2,848,720
-							<del></del>
Pump Station(s)							
		195				\$1,623,00	
Pump with intake	*	· HP	1	LS		0	\$1,623,000
Booster Pump Station		0 HP	1	LS		\$0	\$0
Engineering and Contingencies (35%)			•				\$568,050
Subtotal of Pump Station(s)							\$2,191,050
Storage Tanks		0.1 MG	1	LS		\$214,000	\$214,000
Engineering and Contingencies (35%)		0.1 1.10	•	20		<b>421</b> 1,000	\$74,900
Subtotal of Storage Tanks							\$288,900
· ·				1			ŕ
Permitting and Mitigation							\$278,000
CONSTRUCTION TOTAL						*	\$5,606,670
Interest During Construction					12	Months	\$196,000
TOTAL COST		٠.					\$5,803,000
ANNIAL COSTS	71						
							\$486,000
				,			\$376,000
•							\$862,000
i otal familial Costs							Φ002,000
UNIT COSTS (Until Amortized)					,		
Per Acre-Foot of treated water					,		\$1,044
CONSTRUCTION TOTAL Interest During Construction TOTAL COST  ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs  UNIT COSTS (Until Amortized)					12	Months	\$5,606, \$196, \$5,803, \$486, \$376, \$862,

Per 1,000 Gallons \$3.20

#### **UNIT COSTS (After Amortization)**

Per Acre-Foot \$511
Per 1,000 Gallons \$1.57

### PROJECT EVALUATION

This strategy benefits Lindale in Smith County and is expected to have a positive impact on their water supply security. The Carrizo Wilcox aquifer is currently overallocated in Smith County and City of Tyler's supplies provide relief to the Carrizo Wilcox aquifer as more entities switch from groundwater to purchase water from City of Tyler. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the City of Tyler's supplies will reduce demands on other water supplies in Smith and Anderson Counties and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the recommended strategy for Lindale to purchase water from the City of Tyler was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	797 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	2	Moderate Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	No Sponsor identified
Implementation Issues	4	No known risks

#### REFERENCES

Discussions with City of Tyler.

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SMITH MANUFACTURING

Water User Group Name: Smith Manufacturing

Strategy Name: Purchase from City of Tyler

Strategy ID: SMTH-MFG

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 1,764–2,879 ac-ft per year

(1.55 - 2.4 MGD)

**Implementation Decade:** 2020

**Development Timeline:** 2020

Project Capital Cost: \$7,204,000 (September 2013)

**Annual Cost:** \$1,698,000

Unit Water Cost \$590 per ac-ft

(Rounded): (\$1.81 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Manufacturing in Smith County and involves a contract between individual manufacturing water users and the City of Tyler for raw water. City of Tyler already supplies to most of the manufacturing users in the Smith County so in some cases, it might just be an extension of the contract with current customers. This strategy will serve both the East Texas Region and North East Texas Region (Region D) manufacturing demand in Smith County. The cost for supply from the City of Tyler includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the City of Tyler and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for manufacturing in Smith County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 1,764 ac-ft per year in 2020, increasing to 2,879 ac-ft per year in 2070. The reliability of this water supply is considered high due to the availability of water in City of Tyler's sources of supply. City of Tyler owns Lake Tyler and has contract for water from Lake Palestine. In addition to this, the City also has groundwater supplies in the Smith County Carrizo Wilcox. City of Tyler will decide the appropriate source of supply that is in close proximity to the water user location. However, this strategy is dependent on coordination with the City of Tyler. Depending on the source of supply City of Tyler choses for this water user, this strategy may be dependent on the completion of Tyler's construction of transmission system to access the full amount of Lake Palestine supplies. This is a recommended water management strategy for City of Tyler in 2016 Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between manufacturing water users in Smith County and the City of Tyler should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Smith County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed eight miles of pipeline (the approximate distance from the City of Tyler supplies to center of Smith County), a pump station with an intake, and a terminal storage tank (0.5 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a high cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the yield generated by the infrastructure required.

WUG NAME:	Smith County - Manufacturing							
STRATEGY:	Purchase from City of Tyler							
				3.85				
Quantity:	2,879	AF/Y		MGD	1			
CAPITAL COSTS								
Pipeline		Size	Quantity	Unit	<b>Unit Price</b>	Cost		
Pipeline Rural		16 in.	42,240	LF	\$58	\$2,431,000		
Pipeline Urban		16 in.	0.	LF	\$81	\$0		
Right of Way Easements Rural (ROW)			42,240	LF	\$16	\$726,110		
Right of Way Easements Urban (ROW)	)					\$0		
Engineering and Contingencies (30%)						\$729,000		
Subtotal of Pipeline						\$3,886,110		
Pump Station(s)								
1		254						
Pump with intake		HP	1	LS	\$1,755,000	\$1,755,000		
Booster Pump Station		0 HP	1	LS	\$0	\$0		
Engineering and Contingencies (35%)						\$614,250		
Subtotal of Storage Tanks						\$2,369,250		
<u> </u>		۰. ۳				, , ,		
Cr. Th. N		0.5		Y 0	<b># 402</b> 000			
Storage Tanks		MG	1	LS	\$402,000	\$402,000		
Engineering and Contingencies (35%)						\$140,700		
Subtotal of Pump Station(s)						\$542,700		
Permitting and Mitigation						\$228,000		
CONSTRUCTION TOTAL						\$7,026,060		
Interest During Construction				12	Months	\$246,000		
TOTAL COST						\$7,272,000		
ANIMILIAL COSTS						, ,		
ANNUAL COSTS Debt Service (5.5% for 20.								
Debt Service (5.5% for 20						¢<00.000		
years) Operational Costs*						\$609,000		
Total Annual Costs						\$1,089,000		
I OTAL ANNUAL COSTS						\$1,698,000		

\$1.24

Per 1,000 Gallons

Per Acre-Foot of treated water Per 1,000 Gallons	\$590 \$1.81
UNIT COSTS (After Amortization) Per Acre-Foot	\$404

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits manufacturing water users in Smith County and is expected to have a positive impact on their water supply security. Since Tyler is already supplying to Smith County's manufacturing demands, it would be easy to set up contracts with City of Tyler. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the City of Tyler's supplies will reduce demands on other water supplies in Smith and Anderson Counties and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Smith County Manufacturing recommended strategy to purchase water from the City of Tyler was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,879 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	No sponsor identified
Implementation Issues	4	No known risks

## REFERENCES

Discussions with City of Tyler.

## ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SMITH MINING

Water User Group Name: Smith Mining

**Strategy Name:** Purchase from City of Tyler

Strategy ID: SMTH-MIN

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 114 ac-ft per year

(0.1 MGD)

**Implementation Decade:** 2020 **Development Timeline:** 2020

Project Capital Cost: \$3,103,000 (September)

**Annual Cost:** \$402,000

Unit Water Cost \$3,526 per ac-ft

(**Rounded**): (\$10.82 per 1,000 gallons)

### PROJECT DESCRIPTION

This strategy is a recommended strategy for Mining in Smith County and involves a contract between individual mining water users and the City of Tyler for raw water from the Sabine River, as their permit allows. The cost for supply from the City of Tyler includes the contractual cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the City of Tyler and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water need projected for mining in Smith County projected by the East Texas Regional Planning Group during the planning period (2020-2070). The quantity of supply from this strategy represents a contract of 114 ac-ft per year. It should be noted that mining demands for this county reduce over the course of the planning cycle and drop to 32 ac-ft per year by 2070. The reliability of this water supply is considered high due to the availability of water in City of Tyler's sources of supply. City of Tyler owns Lake Tyler and has contract for water from Lake Palestine. In addition to this, the City also has groundwater supplies in the Smith County Carrizo Wilcox. City of Tyler will decide the appropriate source of supply that is in close proximity to the water user location. However, this strategy is dependent on coordination with the City of Tyler. Depending on the source of supply City of Tyler choses for this water user, this strategy may be dependent on the completion of Tyler's construction of transmission system to access the full amount of Lake Palestine supplies. This is a recommended water management strategy for City of Tyler in 2016 Regional Water Plan.

## **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between mining water users in Smith County and the City of Tyler should have a minimal impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries within Smith County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed eight miles of pipeline (the approximate distance from the City of Tyler supplies to center of Smith County), a pump station with an intake, and a terminal storage tank (0.1 million gallon). The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw surface water equal to \$3.00 per 1,000 gallons. Overall, this strategy has a high cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the yield generated by the infrastructure required.

WUG NAME: STRATEGY:	Smith Coun Purchase fr	ty - Mining om City of Tyler			
Quantity: CAPITAL COSTS	114 AF/Y	· ·	0.15 MGD		
CAITALCOSIS				Unit	
Pipeline Pipeline Rural Pipeline Urban Right of Way Easements Rural (ROW) Right of Way Easements Urban (ROW) Engineering and Contingencies (30%) Subtotal of Pipeline	<b>Siz</b> 6 i 6 i	n. 42,240	Unit LF LF LF	Price \$18 \$25 \$16	Cost \$768,000 \$0 \$726,110 \$0 \$230,000 \$1,724,110
Pump Station(s) Pump with intake Booster Pump Station Engineering and Contingencies (35%) Subtotal of Pump Station(s)	5 F 0 F		LS LS	\$620,000 \$0	\$620,000 \$0 \$217,000 \$837,000
Storage Tanks Engineering and Contingencies (35%) Subtotal of Storage Tanks	0.1	MG 1	LS	\$193,000	\$193,000 \$67,550 \$260,550
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction TOTAL COST			6	Months	\$228,000 \$3,049,660 \$53,000 \$3,103,000
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs					\$260,000 \$142,000 <b>\$402,000</b>
UNIT COSTS (Until Amortized) Per Acre-Foot of treated water Per 1,000 Gallons					\$3,526 \$10.82
UNIT COSTS (After Amortization) Per Acre-Foot Per 1,000 Gallons					\$1,263 \$3.88

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

## PROJECT EVALUATION

This strategy benefits mining water users in Smith County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the City of Tyler's supplies will reduce demands on other water supplies in Smith and Anderson Counties and will have no other apparent impact on other State water resources.

Based on the analyses provided above, the Smith County Mining recommended strategy to purchase water from the City of Tyler was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	114 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	2	Moderate to High Cost
<b>Environmental Factors</b>	4	Low to No Impacts
Impact on Other State Water Resources	4	No known impacts to other projects.
Threat to Agricultural Resources/Rural Areas	4	Low Impact
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	No Sponsor identified
Implementation Issues	4	No known risks

## **REFERENCES**

Discussions with City of Tyler.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR TRINITY IRRIGATION

Water User Group Name: Trinity Irrigation

Alternative Strategy Name: Purchase from County-Other (Yegua-Jackson Aquifer)

Alternative Strategy ID: TRTY-IRR1

Alternative Strategy Type: Existing Groundwater Source

Potential Supply Quantity: 331 ac-ft per year

(0.3 MGD)

Implementation Decade:2020Development Timeline:2020

Project Capital Cost: \$2,174,000 (September 2013)

Annual Cost: \$327,000 Unit Water Cost \$988 per ac-ft

(Rounded): (\$3.03 per 1,000 gallons)

#### PROJECT DESCRIPTION

This Fourth Planning Cycle of regional water planning is the first cycle where the Texas Water Development Board projects an Irrigation demand (500 ac-ft per year) in Trinity County. The East Texas Regional Water Planning Group believes this demand may have been overestimated and has decided to leave 331 ac-ft per year of the projected demand unmet.

In the event that this demand is not overestimated, the group has decided to create an *alternative strategy* for Irrigation in Trinity County. The strategy involves a contract between individual irrigation water users and individual entities aggregated together by the Texas Water Development Board as Trinity County-Other. The cost for supply from Trinity County-Other includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the individual County-Other entities and will reflect the wholesale water rates of the entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw ground water.

## SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the irrigation need projected in Trinity County by the East Texas Regional Water Planning Group. The reliability of this water supply is considered medium because the wells required to pump groundwater are already in place and the water is available from the Yegua-Jackson aquifer according to the Texas Water Development Board's groundwater availability models. However, this strategy is dependent upon coordination with individual County-Other entities and assumes that these entities would be willing to sell their unused groundwater supplies to irrigation water users. This strategy is not dependent on any other water management strategies in the 2016 East Texas Regional Water Plan. The quantity of supply from this strategy represents a contract of 331 ac-ft per year, beginning in 2020, and remains constant through the end of the planning period, 2070.

### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be temporary and minimal. In addition, a contract between irrigation water users in Trinity County and individual County-Other entities

have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in Trinity County.

## PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

## PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs include 3 miles of pipeline (assumed water would be purchased within close proximity to where it will be used), a pump station with an intake, and one terminal storage tank with one day of storage. The annual cost was estimated using the East Texas Regional Water Planning Area regional rate for raw ground water. Overall, this strategy has a medium cost compared to other strategies in the 2016 East Texas Regional Water Plan due to the small rate of water associated with the strategy.

WUG NAME: Alternative Strategy:	Trinity Irrigation Purchase from County-Other (Groundwater)				
Groundwater Quantity: CAPITAL COSTS	<b>331</b> AF/Y		0.44 MGD		
Pipeline Pipeline Rural Right of Way Easements Rural Engineering and Contingencies Subtotal of Pipeline		<b>Quantity</b> 15,840 15,840.0  miles	Unit LF LF	Unit Price \$18 \$16	Cost \$288,000 \$272,250 \$86,000 \$646,250
Pump Station(s) Booster Pump Station Engineering and Contingencies Subtotal of Pump Station(s)	26 HP (35%)	1	LS	\$754,000	\$754,000 \$263,900 <b>\$1,017,900</b>
Storage Tanks Engineering and Contingencies Subtotal of Storage Tanks	0.3 MG (35%)	1	LS	\$274,151	\$274,151 \$95,953 \$370,104
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction				6 Months	\$103,000 <b>\$2,137,254</b> \$37,000
TOTAL CAPITAL COST					\$2,174,000
ANNUAL COSTS Debt Service (5.5% for 20 years) Operational Costs* Total Annual Costs					\$182,000 \$145,000 <b>\$327,000</b>
UNIT COSTS (Until Amortiz Per Acre-Foot of treated water Per 1,000 Gallons	ed)				\$988 \$3.03
UNIT COSTS (After Amortiz Per Acre-Foot Per 1,000 Gallons	·			D. C.	\$462 \$1.42

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This alternative strategy benefits irrigation users in Trinity County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to purchase groundwater from individual County-Other entities will reduce demands on other water supplies in Trinity County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Trinity Irrigation *alternative strategy* to purchase water from the Trinity County-Other was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	3	331 acre feet per year
Reliability	4	Reliable Supply
Cost	3	Low to Medium Cost
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	No Impacts
Threat to Agricultural Resources/Rural Areas	4	No Impacts
Interbasin Transfers		No
Other Natural Resources	4	No Impacts
Major Impacts on Key Water Quality Parameters	4	No Impacts
Political Feasibility	1	Sponsor Unknown at this time.
Implementation Issues	4	No known risks

### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CONSERVATION

**Project Name:** Municipal Conservation – Multiple Water Users

Project ID: WUG\_CONS
Project Type: Conservation

Potential Supply Quantity Varies, Specific to WUG

(Rounded):

**Implementation Decade:** 2020 (Project Year)

**Development Timeline:** 1 years

Project Capital Cost: \$0 (Sept. 2013)

Annual Cost: Varies, Specific to WUG

**Unit Water Cost** 

(Rounded): Varies, Specific to WUG

### PROJECT DESCRIPTION

Water Conservation best management practices were evaluated for municipal water user groups that have a projected per capita water use greater than 140 gpcd and have either demonstrated needs in the planning period or recommended water management strategies that involve interbasin transfer. Evaluated water conservation practices included enhanced public and school education, water conservation pricing, and an enhanced water loss control program. In ETRWPA, water conservation strategies are identified for the following list of municipal water user groups.

- 1) Alto Rural WSC, Cherokee County
- 2) City of Bullard, Smith County
- 3) City of Chandler, Henderson County
- 4) City of Crystal Systems Inc., Smith County
- 5) City of Lindale, Smith County
- 6) City of Overton, Rusk County
- 7) R-P-M WSC, Smith County
- 8) Woodville, Tyler County

Discussion of the basic conservation measures, conservation savings, and the corresponding annual costs for these municipal water user groups is discussed in this technical memorandum.

In addition to this basic and advanced conservation strategies are proposed for the following wholesale water providers with municipal customers.

- 1) City of Beaumont Advanced Conservation
- 2) City of Port Arthur Advanced Conservation
- 3) Athens Municipal Water Authority Municipal Conservation for City of Athens in Region C

The conservation strategies for City of Beaumont and City of Port Arthur are also discussed in separate technical memorandums for wholesale water providers. Discussion of City of Athens conservation strategy can be found in the 2016 Region C Water Plan.

# SUPPLY DEVELOPMENT

The supply for this strategy represents conservation savings due to enhanced public and school education, water conservation pricing implementation, and an enhanced water loss control program. Below is a table showing the conservation savings for the municipal water user groups.

Total Supply Savings from Conservation Strategy (Acre Feet per Year)							
Water User Group Name	2020	2030	2040	2050	2060	2070	
ALTO RURAL WSC	0	0	5	7	. 9	11	
ATHENS MWA	,	See City o	f Athens C	onservatio	n Strategy		
			2016 Regi	on C Plan			
BEAUMONT	0	3,238	5,341	7,047	8,579	9,966	
BULLARD	11	- 24	30	38	47	56	
CHANDLER	0	0	0	16	30	36	
CRYSTAL SYSTEMS INC	4	9	. 12	15	19	22	
LINDALE	8	17	22	28	34	41	
OVERTON	17	18	106	181	241	289	
PORT ARTHUR	4,992	7,450	8,516	9,616	10,340	9,767	
WOODVILLE	0 0 10 16 18						
R-P-M WSC	4 23 36 54 71 86						
Grand Total	5,033	10,762	14,150	17,147	19,559	20,499	

# **ENVIRONMENTAL CONSIDERATIONS**

No environmental considerations associated with this strategy.

# PERMITTING AND DEVELOPMENT

No additional permitting required for this strategy

# PLANNING LEVEL OPINION OF COST

No capital costs were identified for the conservation strategies. Below is a summary of annual costs and the unit costs for the water users with conservation strategies.

	Capital Cost (\$)	Annual Cost (\$)	Unit Cost (S per acre feet)	Unit Cost (\$ per 1,000 gallons)
ALTO RURAL WSC	-	\$4,648	\$423	\$1.30
ATHENS MWA	-	See City	of Athens Cons	ervation Strategy
			2016 Region	C Plan
BEAUMONT	\$52,623,000	\$2,271,000	\$317	\$0.97
BULLARD	-	\$11,789	\$489	\$1.50
CHANDLER	-	\$5,812	\$489	\$1.50
CRYSTAL SYSTEMS INC	-	\$3,129	\$325	\$1.00
LINDALE	-	\$7,967	\$454	\$1.39
OVERTON	\$2,105,000	\$111,298	\$914	\$2.81
PORT ARTHUR	\$50,075,000	\$2,169,000	\$367	\$1.13
R-P-M WSC	-	\$7,967	\$454	\$1.39
WOODVILLE	-	\$3,992	\$489	\$1.50

# PROJECT EVALUATION

Based on the analysis provided above, the municipal conservation project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity		Varies, Specific to Entities
Reliability	4	Reliable Supply
Cost	3-4	Low to Medium Cost
Environmental Factors	5	Low Impacts
Impact on Other State Water Resources	5	No Impacts
Threat to Agricultural Resources/Rural Areas	5	No Impacts
Interbasin Transfers		No
Other Natural Resources	5	No Impacts
Major Impacts on Key Water Quality Parameters	5	No Impacts
Political Feasibility	2	Sponsor identified but not committed
Implementation Issues	4	Limited Risk

# REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANRA LAKE COLUMBIA

Project Name: Lake Columbia
Project ID: ANRA-COL

**Project Type:** New Surface Water Source

Potential Supply Quantity 75,600 ac-ft per year

**(Rounded):** (67.4 MGD)

Implementation Decade: 2030 (Project Year)

**Development Timeline:** 5-10 years

**Project Capital Cost:** \$344,498,000 (Sept. 2013)

Unit Water Cost \$333 per ac-ft (during loan period)
(Rounded): \$13 per ac-ft (after loan period)

### PROJECT DESCRIPTION

Project Description for the Lake Columbia Strategy is based on the information provided by Angelina and Neches River Authority (ANRA) and summarized in the October 2014 Draft Dallas Long Range Water Supply Plan. Angelina Neches River Authority is the sponsor for the Lake Columbia project on Mud Creek in Cherokee and Rusk Counties. Lake Columbia is a recommended strategy in the 2011 East Texas Regional Water Plan (ETRWP). Angelina Neches River Authority has been granted a water right permit (Permit No. 4228) by the TCEQ to impound 195,500 acre feet per year and to divert 85,507 acre feet per year (76.3 MGD) for municipal and industrial purposes. Angelina Neches River Authority currently has contracted with customers for 53 percent of the 85,507 ac-ft per year permit of the proposed Lake Columbia reservoir. The City of Dallas is also considering Lake Columbia as a recommended strategy. After considering the local needs in the East Texas Region, Dallas' projected share of the proposed Lake Columbia project is 56,000 ac-ft per year by 2070. This water management strategy for Angelina Neches River Authority was developed to address the total current contracted and potential future customer demand through the construction of Lake Columbia. Angelina Neches River Authority holds the water right for the supply source and will be the project sponsor. It was specified in the 2014 Draft Dallas Long Range Supply Plan that Dallas will be responsible for 70 percent of the dam, reservoir land acquisition, and relocations, and Angelina Neches River Authority will be responsible for the remaining 30 percent of the reservoir construction and land acquisitions costs. This cost split is subject to change during the potential negotiations between Dallas and Angelina Neches River Authority. The Lake Columbia dam site is located two to three miles downstream of Highway 79 on Mud Creek in Cherokee County. The contributing drainage area for the reservoir is approximately 384 square miles. The total conservation pool volume is 195,500 acre feet per year and the top of conservation pool is at the elevation of 315 ft MSL. The conservation pool covers an area of approximately 10,133 acres and the flood pool covers an additional area of 1,367 acres.

### **CURRENT CONTRACTED AND POTENTIAL CUSTOMERS**

Angelina Neches River Authority has contracts with several customers in East Texas Regional Planning Area. The water suppliers currently under contract with Angelina Neches River Authority are listed in Table 1 below along with the current participation percentage. Also included below is Table 2 showing the potential future customers for Angelina Neches River Authority and their corresponding demands. The contract amounts are based on the full permitted diversion. The development of infrastructure to deliver the water to the end users is discussed in separate strategies.

Customers for Lake Columbia							
Recipient	County	Basin	Percent Participation in Columbia	Contract Amount (ac-ft per year)			
	Current Co	ntracted C	ustomers				
Afton Grove WSC, Stryker Lake WSC	Cherokee	Neches	4.5%	3,848			
Jacksonville	Cherokee	Neches	5.0%	4,275			
New Summerfield	Cherokee	Neches	3.0%	2,565			
North Cherokee WSC	Cherokee	Neches	5.0%	4,275			
Rusk	Cherokee	Neches	5.0%	4,275			
Rusk Rural WSC	Cherokee	Neches	1.0%	855			
City of Alto	Cherokee	Neches	0.5%	428			
Caro WSC	Nacogdoches	Neches	0.5%	428			
Nacogdoches	Nacogdoches	Neches	10.0%	8,551			
New London	Rusk	Sabine	1.0%	855			
Troup	Smith	Neches	5.0%	4,275			
Arp	Smith	Neches	0.5%	428			
Blackjack WSC	Smith	Neches	1.0%	855			
Jackson WSC	Smith	Neches	1.0%	855			
Whitehouse	Smith	Neches	10.0%	8,551			
	Additional Customers for Lake Columbia						
City of Dallas		Trinity		56,050			

Table 2. Potential Future Customer Demand (ac-ft per year) for Lake Columbia

Recipient	2020	2030	2040	2050	2060	2070
Holmwood Utility	65	70	70	70	70	70
Steam Electric Demand –	8,000	15,000	20,000	20,000	20,000	20,000
Cherokee						
Manufacturing – Rusk	5,600	5,600	5,600	5,600	5,600	5,600
County Refinery						
Mining - Angelina	474	573	398	300	225	168
Mining - Cherokee	238	247	210	147	84	40
Mining - Nacogdoches	5,475	2,975	118	0	0	0
Mining – San Augustine	2,102	1,102	0	0	0	0
Mining – Rusk	1,075	2,092	1,955	1,809	1,686	1,677
Total Future Customer	23,028	27,658	28,350	27,926	27,665	27,555
Demand		,				

# SUPPLY DEVELOPMENT

Firm yield for Lake Columbia was determined by means of the water availability analysis using the Neches Basin Water Availability Model (WAM). This model was downloaded from TCEQ website in 2009. The firm yield of the Lake was estimated to be 75,600 acre feet per year in 2020 and reducing to 75,350 acre feet per year in 2070. It should be noted that the water management strategies for the reservoir development and the transmission connections were all based on the firm supplies available

from Lake Columbia. The firm yield reported in the October, 2014 Draft Dallas Long Range Water Supply Plan is very similar to the firm yield generated using the WAM models.

### **ENVIRONMENTAL CONSIDERATIONS**

The summary of environmental considerations was developed based on the known environmental factors that have been discussed in the Draft Environmental Impact Study (DEIS).

<u>Habitat</u> – The footprint of Lake Columbia will impact approximately 5,746.5 acres of waters of the U.S., including 3,689 acres of forested wetlands and the remainder comprised of shrub and emergent wetlands (144 and 1,518 acres, respectively), open water, streams and a hillside bog.

<u>Environmental Flows</u> – The current TCEQ Permit No. 4228 allowing the construction and operation of Lake Columbia does not require any instream flow releases. However, if Dallas wants to move water from Lake Columbia in Neches Basin to Trinity River Basin, an amendment to the Permit is required to allow interbasin transfers. Amendments to the Permit may be subject to recently adopted instream flow standards.

Bays and Estuaries – Lake Columbia project is over 280 river miles upstream from the Neches estuary at Sabine Lake and is therefore expected to have no measureable effect on the fresh water inflows into Sabine Lake and Sabine Lake estuary. Recognizing the diminishing effect of upstream distance on bay and estuary inflows, the Texas Water Code (Section 11.147) requires consideration of such effects only if a proposed project is within 200 river miles of the coast.

<u>Threatened and Endangered Species</u> - The Lake Columbia project area includes six federally listed species, five of which are also listed by the state. The state lists fourteen additional species within Smith and Cherokee Counties where the lake would be developed.

Environmental Factors	Level of Concern
Habitat	High
Environmental Water Needs	Medium Impact
Bay and Estuaries	Low Impact
Threatened and Endangered Species	Low Impact
Wetlands	High (5,351.5 acres of wetlands)

#### PERMITTING AND DEVELOPMENT

Angelina Neches River Authority has a water right for Lake Columbia and is currently seeking a 404 permit for construction. A draft environmental impact study (DEIS) has been prepared for Lake Columbia by the USACE. The DEIS was published on January 29, 2010 and public and agency comments were provided on March 30, 2010. Currently, the Lake Columbia project is subject to completion of the EIS and issuance of a 404 permit from the U.S Army Corps of Engineers (USACE).

Lake Columbia is in the permitting phase, and has contracts with several local participants. According to Angelina Neches River Authority, the participants have the right of first refusal to contract for water in the next phase of the project. The Texas Water Development Board is a 47% participant and has the right of refusal for 35.9 MGD (40,188 acre feet per year) of supply. Process for water contracts will be initiated after the issuance of the Section 404 permit from the USACE.

If Dallas were to participate in the Lake Columbia project, the current permit no. 4228 has to be amended

for an interbasin transfer from the Neches to the Trinity basin. There is a potential that the authorized diversions from Lake Columbia project may be subject to some reductions due to the environmental flow standards that may be applied during the amendment process.

Permit	Regulatory Entity	Potential Challenges
Water Right Permit Amendment	TCEQ	May require interbasin transfer authorization for Dallas to transfer water from Neches to Trinity basin.
404	USACE	Required to proceed with construction in waters of the US.

### PLANNING LEVEL OPINION OF COST

Both Angelina Neches River Authority and participating entities will share in the costs associated with the Lake Columbia water management strategy. Construction costs are divided into three separate categories: reservoir, water treatment plant and transmission system. A planning level opinion of cost (PLOC) for the construction of the reservoir is included below. A planning level opinion of cost (PLOC) for the water treatment plant and distribution system is included in a separate Tech Memo. For reservoir construction, unit costs are based on the WAM Run 3 yield estimate of 75,600 ac-ft per year. The detailed cost estimate below represents the total cost for the construction of the project. It was noted in the Dallas Long Range Supply Plan that Dallas will bear responsibility for 70 percent of reservoir construction and relocation costs and Angelina Neches River Authority will be responsible for the remaining 30 percent. However, the actual percent distribution of the project cost will be determined based on the future negotiations between Angelina Neches River Authority and other participants.

WWP NAME:
STRATEGY:
Lake Columbia
AMOUNT (ac-ft per year):
75,600

Dam	Cost
Embankment	\$27,396,279
Internal Drainage	\$657,684
Slope Protection & Crest Roadway	\$4,627,905
Service Spillway	\$6,393,169
Outlet Works	\$1,310,317
Instrumentation	\$694,686
Miscellaneous Items	\$5,324,652
Engineering	\$7,573,517
Contingencies	\$9,280,959
Sub Total For Dam	\$63,259,169
Transportation Conflicts	
Roads	\$3,292,439
Highways	\$35,969,978
Railroads	\$30,452,793
Erosion Protection	\$4,432,898
Engineering	\$11,632,584
Contingencies	\$14,829,581
Subtotal for Transportation Conflicts	\$100,610,273

**Utility Conflicts** 

	2016 Water Plan East Texas Region
Communications	\$2,701,029
Electric Utilities	\$16,200,606
Oil and Gas	\$4,049,069
Water Utilities	\$170,992
Engineering	\$69,365
Contingencies	\$4,624,298
Subtotal for Utility Conflicts	\$27,815,358
Project Site Acquisition	
Property Purchase	\$24,540,441
Conservation Easement	\$1,778,251
Survey and Appraisal	\$1,391,536
Professional Fees	\$807,856
Engineering	\$876,500
Contingencies	\$5,703,637
Sub Total for Project Site Acquisition	\$35,098,220
Mitigation	
Mitigation	\$91,804,133
Contingencies	\$7,780,067
Sub Total for Mitigation	\$99,584,200
Cultural Resources	
Archeological/Historical Resources	\$14,861,326
Engineering	\$297,251
Contingencies	\$2,972,306
Sub Total for Cultural Resources	\$18,130,884
TOTAL CONSTRUCTION COST	\$344,498,000
ANNUAL COSTS	
Debt Service for Reservoirs (5.5% for 40 years)	\$13,465,711
Debt Service for Relocations (5.5% for 20 years)	\$10,746,571
Operation & Maintenance	\$948,900
Total Annual Costs	\$25,161,000
UNIT COSTS (Until Amortized)	
Per Acre-Foot of treated water	\$332.8
Per 1,000 Gallons	\$1.02
UNIT COSTS (After Amortization)	
Per Acre-Foot	\$12.6
Per 1,000 Gallons	\$0.04

Based on the analysis provided above, the Lake Columbia Reservoir Construction project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation		
Quantity	4	75,600 acre feet per year		
Reliability	4	Reliable Supply		
Cost	4	Medium Cost		
Environmental Factors	3	Medium Impacts		
Impact on Other State Water Resources	4	No Impacts		
Threat to Agricultural Resources/Rural Areas	4	No Impacts		
Interbasin Transfers		Yes, if Dallas uses the Supplies		
Other Natural Resources	4	No Impacts		
Major Impacts on Key Water Quality Parameters	4	No Impacts		
Political Feasibility	4	Local Sponsor is ANRA		
Implementation Issues	3	Contract with City of Dallas		

# **REFERENCES**

October 2014 Draft Dallas Long Range Water Supply Plan.

2011 East Texas Regional Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANRA WTP

**Project Name:** 

ANRA Treatment Plant and Distribution System

**Project ID:** 

ANR A-WTP

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

22,232 ac-ft per year

(Rounded):

(10 MGD)

**Implementation Decade:** 

2020

**Development Timeline:** 

5 years

**Project Capital Cost:** 

\$117,250,000 (Sept. 2013)

Unit Water Cost

\$1,883per ac-ft (during loan period)

(Rounded):

\$5.78 per 1,000 gallons

### PROJECT DESCRIPTION

Project Description for the Lake Columbia Strategy is based on the information summarized in the October 2014 Draft Dallas Long Range Water Supply Plan. Angelina Nacogdoches River Authority Angelina Neches River Authority is the sponsor for the Lake Columbia project on Mud Creek in Cherokee and Rusk Counties. Lake Columbia is a recommended strategy in the 2011 East Texas Regional Water Plan (ETRWP). Angelina Neches River Authority has been granted a water right permit (Permit No. 4228) by the TCEQ to impound 195,500 acre feet per year and to divert 85,507 acre feet per year (76.3 MGD) for municipal and industrial purposes. Angelina Neches River Authority currently has contracted customers for 53 percent of the 85,507 ac-ft per year permit of the proposed Lake Columbia reservoir. This water management strategy for Angelina Neches River Authority was developed to address the current contracted demand for the customers receiving treated water from this wholesale provider.

Angelina Neches River Authority has contracts with several customers in East Texas Regional Planning Area. The water suppliers currently under contract with Angelina Neches River Authority are listed in Table below along with the current participation percentage. It is assumed that Afton Grove WSC, Stryker Lake WSC, New Summerfield, and all municipal customers in Smith County will purchase treated water from Angelina Neches River Authority. Therefore, a recommended water management strategy for Angelina Neches River Authority is to construct a Water Treatment Plant and the distribution system to supply treated water to these customers. Transmission system costs are shared among the contracted suppliers that receive treated water.

Customers for Lake Columbia							
Recipient	County	Basin	Percent Participation in Columbia	Contract Amount (ac-ft per year)			
Current Contracted Customers							
Afton Grove WSC, Stryker Lake WSC	Cherokee	Neches	4.5%	3,848			
Jacksonville Cherokee Neches 5.0% 4,275							
New Summerfield	Cherokee	Neches	3.0%	2,565			
North Cherokee WSC	Cherokee	Neches	5.0%	4,275			

Rusk	Cherokee	Neches	5.0%	4,275				
Rusk Rural WSC	Cherokee	Neches	1.0%	855				
City of Alto	Cherokee	Neches	0.5%	428				
Caro WSC	Nacogdoches	Neches	0.5%	428				
Nacogdoches	Nacogdoches	Neches	10.0%	8,551				
New London	Rusk	Sabine	1.0%	855				
Troup	Smith	Neches	5.0%	4,275				
Arp	Smith	Neches	0.5%	428				
Blackjack WSC	Smith	Neches	1.0%	855				
Jackson WSC	Smith	Neches	1.0%	855				
Whitehouse	Smith	Neches	10.0%	8,551				
Additional Customers for Lake Columbia								
City of Dallas		Trinity		56,050				

### SUPPLY DEVELOPMENT

The supply for this strategy comes from Lake Columbia. The firm yield for Lake Columbia was determined by means of the water availability analysis using the Neches Basin Water Availability Model (WAM). This model was downloaded from TCEQ website in 2009. The firm yield of the Lake was estimated to be 75,600 acre feet per year in 2020 and dropping down to 75,350 acre feet per year in 2070. The water management strategies for the water treatment plant and transmission connections were all based on the firm supplies available from Lake Columbia.

### STRATEGY DESCRIPTION

The purpose of this water management strategy is to develop a treatment facility to treat the supplies delivered to potential municipal customers purchasing treated water from Angelina Neches River Authority. The municipal customers are Stryker WSC, Afton Grove WSC, Jackson WSC, Blackjack WSC, City of New Summerfield, City of New London, City of Troup, City of Arp, and City of Whitehouse.

#### ENVIRONMENTAL CONSIDERATIONS

There are no significant environmental considerations associated with the treatment plant construction and the transmission system strategy.

### PERMITTING AND DEVELOPMENT

There are no permitting issues associated with the construction of the water treatment facilities and the transmission facilities.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for the water treatment plant and distribution system is included below. Construction costs include the construction of water treatment plant, pipeline segments, pump station and storage tank to deliver the supplies. The annual costs were estimated assuming 5.5% interest rate over a period of 20 years. The planning level opinion of probable construction cost estimates also include cost of purchase of raw water and treated water from Angelina Neches River Authority.

	gelina Neches Rive gional Water Treat 22,232 AF/Y	ment Facilitie	es 30 MGD	Peak	
CONSTRUCTION CO Pipeline Pipeline Subtotal		Quantity	Unit	Unit Price	Cost \$14,768,000
Engineering and Contin Subtotal of Pipeline	gencies (30%)				\$4,430,000 <b>\$24,269,440</b>
Pump Station(s) Pump with intake & bui Engineering and Contin Subtotal of Pump Stat	gencies (35%)	2	LS	\$5,641,000	\$11,282,000 \$3,948,700 \$15,230,700
Water Treatment Plan Storage Tanks Engineering and Contin Subtotal	3.7 MG	1	LS LS	\$52,792,000 \$1,154,320	\$52,792,000 \$1,154,000 \$18,881,100 \$72,827,100
Permitting and Mitigatic Construction Total Interest During Constru TOTAL COST		•	12	Months	\$957,746 <b>\$113,284,986</b> \$3,965,000 <b>\$117,250,000</b>
ANNUAL COSTS Debt Service (5.5% for Electricity (\$0.09 kWh) Operational Costs* UNIT COSTS (Until A Per Acre-Foot of treater Per 1,000 Gallons	Amortized)				\$9,811,000 \$1,292,000 \$41,859,000 \$1,883 \$5.78
UNIT COSTS (After A Per Acre-Foot Per 1,000 Gallons	Amortization)				\$1,442 \$4.42

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

Based on the analysis provided above, the Angelina Neches River Authority Regional Water Treatment Facilities project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	22,232 ac-ft per year
Reliability	3	Highly Reliable Supply
Cost	2	Medium to High Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Local Sponsorship by ANRA
Implementation Issues	3	Dependent on Lake Columbia Construction

# REFERENCES

2011 East Texas Regional Plan

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANRA GW WELLS

**Project Name:** 

ANRA Groundwater Wells

Project ID:

ANRA-GW

**Project Type:** 

New Groundwater Source

**Potential Supply Quantity** 

5,600 ac-ft per year

(Rounded):

(5 MGD)

Implementation Decade:

2020

**Development Timeline:** 

3 years

**Project Capital Cost:** 

\$26,023,000 (Sept. 2013)

**Unit Water Cost** 

\$578 per ac-ft (during loan period)

(Rounded):

\$1.78 per 1,000 gallons

# PROJECT DESCRIPTION

Angelina Neches River Authority will plan to develop groundwater wells in Cherokee and Rusk counties to supply water to manufacturing demand in Rusk County. The list of customers is presented in the table below. Angelina Neches River Authority will develop approximately 5,600 ac-ft per year.

### SUPPLY DEVELOPMENT

The supply for this strategy comes from Carrizo Wilcox aquifer in Cherokee and Rusk counties. Based on the supplies reported in the Modeled Available Groundwater (MAG) reports, there are sufficient groundwater supplies available in Cherokee and Rusk counties for this strategy. It was noted that developing this strategy will not result in over allocation of groundwater supplies in those counties.

### **ENVIRONMENTAL CONSIDERATIONS**

There are no significant environmental considerations associated with the treatment plant construction and the transmission system strategy.

### PERMITTING AND DEVELOPMENT

There are no permitting issues associated with the construction of the water treatment facilities and the transmission facilities.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for the water treatment plant and distribution system is included below. Construction costs include the construction of water treatment plant, pipeline segments, pump station and storage tank to deliver the supplies. The annual costs were estimated assuming 5.5% interest rate over a period of 20 years.

WWP NAME: ANRA - New Ground Water Wells

**Total Annual Cost** 

WMS: New Wells in Cherokee an	d Rusk Cou	ınties			
	Supply	5,600	Ac-ft/yr	3,472	gpm
Depti	h to Water	300	ft		
V	Vell Depth	1,000	ft		
7	Well Yield	200	gpm		
	Well Size	12	in		
<b>Construction Costs</b>		Number		Unit Cost	<b>Total Cost</b>
Water Wells		18		\$478,389	\$8,611,003
Connection to Transmission Syste	m	18		\$50,000	\$900,000
Engineering and Contingencies (3	0% for pipe	elines, 35%	for other ite	ms)	\$3,284,000
Subtotal of Well(s)					\$12,795,003
Transmission System	Size	Quantity	Unit	Unit Cost	Total Cost
Pipeline - Rural	24 in.	26,400	LF	\$103	\$2,719,000
Pump Station	890 HP	1	$\mathbf{E}\mathbf{A}$	\$5,617,000	\$5,617,000
-	0.63				
Ground Storage Tank	MG	1	$\mathbf{E}\mathbf{A}$	\$435,189	\$435,189
Easement - Rural		26,400	LF	\$16	\$453,860
Engineering and Contingencies (3	0% for pipe	elines, 35%	for other ite	ms)	\$2,934,000
Subtotal for Transmission	• •	5	miles		12,159,049
Permitting and Mitigation					\$189,000
Construction Total					\$25,143,052
Interest During Construction			12	Months	\$880,000
TOTAL CAPITAL COST					\$26,023,000
Debt Service (5.5% for 20 years)					\$2,178,000
Operational Costs*					\$1,061,490

UNIT COSTS (Until Amortized)	
Cost per ac-ft	\$578
Cost per 1000 gallons	\$1.78

UNIT COSTS (After Amortization)
Cost per ac-ft
Cost per 1000 gallons
\$190
\$0.58

\$3,239,000

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

Based on the analysis provided above, the ANRA Groundwater Wells project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	5,600 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Low to Medium Costs
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Local Sponsorship by ANRA
Implementation Issues	4	No known Implementation Risks

# **REFERENCES**

Discussions with Angelina Neches River Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANRA RUN-OF-RIVER SUPPLIES

**Project Name:** 

ANRA Run-of-River Supplies

Project ID:

ANRA-ROR

**Project Type:** 

New Surface Water Source

**Potential Supply Quantity** 

30,000 ac-ft per year

(Rounded):

(27 MGD)

**Implementation Decade:** 

2020

**Development Timeline:** 

5 years

**Project Capital Cost:** 

NA

**Unit Water Cost** 

NA

(Rounded):

### PROJECT DESCRIPTION

In addition, Angelina Neches River Authority has been approached to supply water for mining purposes Angelina, Cherokee, Nacogdoches, Shelby, San Augustine, Rusk, and Sabine counties. The mining demand will be met with run-of-the-river diversions. Additional potential customer are the steam electric power plant owners in Cherokee county. Angelina Neches River Authority has already applied for 10,000 ac-ft per year of run-of-the-river supplies from Mud Creek in Cherokee County. The application process for this permit is administratively complete. Angelina Neches River Authority is planning to apply for additional 20,000 ac-ft per year of run-of-the-river supplies in Cherokee County. With the additional supplies from these two sources, Angelina Neches River Authority can meet the mining and steam electric power customer demand. A table summarizing the potential demands for these customers is provided below.

Recipient	. 2020	2030	2040	2050	2060	2070
Holmwood Utility	65	70	70	70	70	70
Steam Electric Demand –	8,000	15,000	20,000	20,000	20,000	20,000
Cherokee						
Manufacturing – Rusk County	5,600	5,600	5,600	5,600	5,600	5,600
Refinery						
Mining - Angelina	474	573	398	300	225	168
Mining - Cherokee	238	247	210	147	84	40
Mining - Nacogdoches	5,475	2,975	118	0	0	0
Mining – San Augustine	2,102	1,102	0	0	0	0
Mining – Rusk	1,075	2,092	1,955	1,809	1,686	1,677
Total Future Customer Demand	23,028	27,658	28,350	27,926	27,665	27,555

### SUPPLY DEVELOPMENT

The supply for this strategy comes from run-of-the-river supplies in Cherokee County. Angelina Neches River Authority will submit a permit application to TCEQ for the new run-of-river supplies of 20,000 acft per year and will monitor the application status for the current permit for run-of-river supplies of 10,000 ac-ft per year.

### **ENVIRONMENTAL CONSIDERATIONS**

The environmental flow rules for Neches basin may impact the supply available to Angelina Neches River Authority for the run-of-river water rights. Other than the process required to complete the application process, there are no significant environmental considerations for this strategy.

### PERMITTING AND DEVELOPMENT

Angelina Neches River Authority will apply for a water right permit for the new run-of-river supplies in Cherokee County. The permitting process is dependent on the TCEQ guidelines for granting run-of-river application requests

### PLANNING LEVEL OPINION OF COST

Other than the planning levels costs and the lawyer fees for tracking the permit applications, there are not additional costs involved with this strategy. It is assumed that the customers contracted for this supply will develop the infrastructure to access the supplies from the run-of-river supply source in Cherokee County.

### PROJECT EVALUATION

Based on the analysis provided above, the Angelina Neches River Authority Run-of-River Supplies project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	30,000 ac-ft per year (Permit Application for 10,000 ac-ft per year already administratively complete, 20,000 ac-ft per year new run-of-river supplies)
Reliability	3	Medium Reliable Supply
Cost	5	No Cost (Other than Administrative and Lawyer Fees)
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	Low Impacts
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Local Sponsorship by ANRA
Implementation Issues	4	No known risks

# REFERENCES

2011 East Texas Regional Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ATHENS MWA FISH HATCHERIES

Water User Group Name:

Athens MWA

**Strategy Name:** 

Indirect Reuse of Flows from Fish Hatcheries

Strategy ID:

AMWA-FH

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

2,872 ac-ft per year

(2.6 MGD)

**Implementation Decade:** 

2020 2020

Development Timeline: Project Capital Cost:

\$0 (September 2013)

**Annual Cost:** 

\$0 per ac-ft

Unit Water Cost

\$0 per ac-ft

(Rounded):

(\$0 per 1,000 gallons)

# PROJECT DESCRIPTION

This strategy is a recommended strategy for Athens MWA. The strategy involves an indirect reuse project from the flows returned by the Fish Hatcheries to Lake Athens.

Athens MWA has a contract to supply 3,023 acre feet per year to the Fish Hatcheries. The Fish Hatcheries have a separate intake on Lake Athens to access the lake supplies. Currently, approximately 95 to 100 percent of the diverted water for the Fish Hatchery is returned to Lake Athens; however, the Fish Hatchery is under no contractual obligations to continue this practice. To assure adequate supplies for the fish hatchery and other uses, Athens MWA should work with the fish hatchery to assure that the hatchery continues to return diverted water to Lake Athens for subsequent reuse. For purposes of this plan, it is assumed that 95 percent of the contracted water will be returned. This equates to 2,872 ac-ft per year of additional supply. Athens MWA has to apply for a permit amendment on their permit to provide water to fish hatcheries to be able to utilize the flows returned by the fish hatcheries.

### SUPPLY DEVELOPMENT

The fish hatcheries return approximately 95 to 100 percent of the water diverted from Lake Athens. Assuming that 95% of the water is returned, approximately 2,872 acre feet per year of supplies can be developed from this strategy.

### **ENVIRONMENTAL CONSIDERATIONS**

The yield of this strategy will be dependent upon negotiations with the TCEQ regarding environmental flow requirements. Environmental flow requirements will be set so the new permit has a minimum impact to environmental water needs and the surrounding habitat. No impacts to cultural resources in the area are expected.

# PERMITTING AND DEVELOPMENT

Athens MWA has to apply for an amendment to their permit to supply water to the fish hatcheries. This amendment will allow them to utilize the water returned by the fish hatcheries to Lake Athens. Previous

attempts of working with TCEQ on the permit amendment have not been successful. Athens MWA is hopeful that the amendment will be approved during the planning period. This permit amendment is dependent upon coordination with the TCEQ.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not prepared for this strategy because costs associated with the permit amendment are considered minimal. Any costs incurred by Athens MWA will be related to engineering and lawyer fees.

### PROJECT EVALUATION

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,872 acre feet per year
Reliability	4	Highly Reliable Supply
Cost	5	No Cost (Excluding Administrative and Lawyer Fees)
Environmental Factors	4	Low to No Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Major Impacts
Political Feasibility	4	Athens MWA is the Local Sponsor. Sponsor is committed.
Implementation Issues	3	Requires agreement with Fish Hatcheries

### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ATHENS MWA GROUNDWATER WELLS

Water User Group Name:

Athens MWA

Alternative Strategy Name:

Additional Groundwater Wells in Carrizo Wilcox

Alternative Strategy ID:

AMWA-GW

Alternative Strategy Type:

New Groundwater Source

**Potential Supply Quantity:** 

4,840 ac-ft per year

(4.3 MGD)

**Implementation Decade:** 

20202020

**Development Timeline: Project Capital Cost:** 

\$9,456,000 (September 2013)

**Annual Cost:** 

\$1,340,000 per ac-ft

**Unit Water Cost** 

\$277 per ac-ft

(Rounded):

(\$0.85 per 1,000 gallons)

### PROJECT DESCRIPTION

This strategy is an alternate strategy for Athens MWA. The strategy involves addition of new groundwater wells in the Carrizo Wilcox aquifer in Henderson County.

Athens MWA is currently pursuing developing groundwater from Carrizo Wilcox aquifer on the property near Lake Athens. It is anticipated that eight new wells (@ 750 gpm each) would be drilled to provide a total of 4.3 MGD of groundwater supply. The water would be transported directly from the well field to the distribution system. The first well will be online in 2016. It should be noted that although Athens MWA has permits to develop the wells, this strategy cannot be included in the 2016 Regional Plan as a recommended strategy for this entity because of the MAG limitations. The Carrizo Wilcox in Henderson County (both in Region C and I) is severely limited by its availability for additional wells. Therefore, the groundwater wells is included as an alternate strategy for Athens MWA in the 2016 Regional Plan. The strategy will be changed to a recommended strategy if the MAG volumes are updated in the near future. Since this is the primary strategy for Athens MWA and the construction is already under-way, the 2016 Regional Plan will show shortages for Athens MWA, which in reality will be addressed by the well field development.

### SUPPLY DEVELOPMENT

The project involves drilling eight new wells @ 750 gpm each to produce a total supply of 4.3 MGD or 4,840 acre feet per year. The project will be developed in phases and the first well is expected to be online by 2016. The additional wells will be added over the planning period as and when required.

# **ENVIRONMENTAL CONSIDERATIONS**

No environmental issues identified.

# PERMITTING AND DEVELOPMENT

Athens MWA already has permits to drill the wells. The yield from the new wells is above the MAG limits for Henderson County in Regions C and I. If and when the MAG numbers are updated, the yield from the wells will be compared with the MAG availability and the project will be converted to a recommended strategy.

### PLANNING LEVEL OPINION OF COST

Acre-

A planning level opinion of cost (PLOC) is provided below.

# WWP: Athens MWA - Groundwater Wells WMS: New Wells in Carrizo-Wilcox Aquifer

**UNIT COSTS (After 30 Years)** 

Cost per ac-ft Cost per 1000 gallons

\$114

\$0.35

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	4,840 acre feet per year
Reliability	2	No reliable because of MAG overallocation
Cost	2	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Major Impacts
Political Feasibility	4	Athens MWA is the local sponsor committed to implement the strategy
Implementation Issues	1	Supply from this strategy exceeds MAG limits for Henderson County in Regions C and I.

# **REFERENCES**

Discussions with Athens Municipal Water Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ATHENS MWA PUMP STATION

Water User Group Name:

Athens MWA

**Strategy Name:** 

**Pump Station Improvements** 

Strategy ID:

AMWA-WTP

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

1,121 ac-ft per year

(0 MGD)

**Implementation Decade:** 

2020 2020

**Development Timeline: Project Capital Cost:** 

\$2,900,000 (September 2013)

Annual Cost:

\$399,000 per ac-ft

**Unit Water Cost** 

\$59 per ac-ft

(Rounded):

(\$0.18 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Athens MWA. The strategy involves infrastructure improvements at the water treatment plant owned by Athens MWA. The improvements will be applied to the existing booster pump station located at the water treatment plant.

Existing treatment capacity for City of Athens is 8 MGD, with a 7.5 MGD treated water pipeline to the city of Athens. The total yield from Lake Athens and the groundwater well at the WTP property is approximately 6 MGD. The WTP has sufficient capacity to treat the current supplies. Since the future supply from the groundwater wells will be directly added to the distribution system, there is no need for WTP capacity improvements. However, the Booster pump station at the WTP is limited by its capacity (5 MGD) and age. Athens MWA plans to replace the existing pump station with a new 8 MGD pump station. Therefore, the recommended water management strategy for Athens MWA is to address the booster pump station infrastructure improvements at the WTP.

In this strategy, the existing booster pump station will be replaced by a new booster pump station of 6 MGD average capacity and 9 MGD peak capacity.

### SUPPLY DEVELOPMENT

No additional supplies associated with this strategy. This strategy will ensure access to the permitted supply from Lake Athens and the amount that is treated at the water treatment plant.

### **ENVIRONMENTAL CONSIDERATIONS**

No known environmental impacts associated with this strategy.

### PERMITTING AND DEVELOPMENT

No permitting issues associated with this strategy

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for the infrastructure improvements is provided below.

WWP: Athens MWA

WMS: Booster PS Improvements at Athens WTP

				1.5		
Amount:	6,726	Acre- Feet/Year		6	MGD	Average
	0,720	1 000 1 001		9	MGD	Peak
CONSTRUCTION COSTS						X 0411
Pump Station(s)						
Booster PS @ WTP	HP	217	1	LS	\$2,061,286	\$2,061,286
Engineering and Contingencies (35%)						\$721,000
Subtotal of Pump Station(s)						\$2,782,286
Permitting and Mitigation			1	LS		\$20,000
CONSTRUCTION TOTAL						\$2,802,286
Interest During Construction				12	Months	\$98,000
TOTAL CAPITAL COST						\$2,900,000
ANNUAL COSTS TREATED WATER						
Debt Service (5.5% for 20 years)						\$243,000
Operational Costs*						\$156,317
<b>Total Annual Costs</b>						\$399,000
UNIT COSTS (During Amortization)						
Per Acre-Foot of treated water						\$59
Per 1,000 Gallons of treated water						\$0.18
UNIT COSTS (After Amortization)						
Per Acre-Foot of treated water						\$37
Per 1,000 Gallons of treated water						\$0.11
		_				

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	1,121 acre-feet per year
Reliability	4	Highly Reliable Supply
Cost	5	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Major Impacts
Political Feasibility	5	Athens MWA is the identified sponsor committed to the strategy
Implementation Issues	4	No known risk

# **REFERENCES**

Discussions with Athens Municipal Water Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR ANWCID#1 LAKE STRIKER

**Project Name:** 

Volumetric Surveys of Lake Striker

Project ID:

ANCD-VOL

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

NA

(Rounded):

2020

**Implementation Decade: Development Timeline:** 

2 years

**Project Capital Cost:** 

NA

**Unit Water Cost** 

» T A

(Rounded):

NA

### PROJECT DESCRIPTION

Internal studies conducted by Angelina Nacogdoches WCID #1 resulted in higher yield estimates for Lake Striker than those obtained from the Water Availability Model. Angelina Nacogdoches WCID #1 believes that the additional yield in Lake Striker is sufficient to meet the shortages manifested for this entity in this planning cycle. To address this inconsistency, Angelina Nacogdoches WCID #1 is considering a recommended strategy to conduct volumetric survey of Lake Striker to determine the Lake yield. Angelina Nacogdoches WCID #1 will coordinate with TWDB to get on a schedule for the lake volumetric survey.

### SUPPLY DEVELOPMENT

There may be some potential for additional yield at Lake Striker. At this time it is not known how much (if any) additional yield will be realized.

### **ENVIRONMENTAL CONSIDERATIONS**

No known environmental considerations at this time but these would be studied in further details during the volumetric survey process.

# PERMITTING AND DEVELOPMENT

Texas Water Development Board conducts the volumetric surveys so Angelina Nacogdoches WCID #1 will coordinate with the Board on the timing of the volumetric surveys. No additional permitting issues known at this time.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy. TWDB will charge a fixed fee for conducting volumetric surveys. A cost estimate is not included for this strategy, as this cost will be determined by Angelina Nacogdoches WCID #1 during their negotiations with TWDB.

The addition of the additional yield from Lake Striker will help address the shortages in Angelina Nacogdoches WCID #1's customer demands.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity		NA
Reliability		NA
Cost	5	No Significant Costs
Environmental Factors	4	No Impacts
Impact on Other State Water Resources	4	No Impacts
Threat to Agricultural Resources/Rural Areas	4	No Impacts
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Impacts
Political Feasibility	4	AN WCID#1 is local sponsor committed to the strategy
Implementation Issues	4	No known risks

# **REFERENCES**

Discussions with Angelina Nacogdoches WCID #1.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR AN WCID#1 LAKE STRIKER DREDGING

**Project Name:** 

Hydraulic Dredging of Lake Striker

Project ID:

ANCD-DRE

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

2,100 ac-ft per year

(Rounded):

2040

Implementation Decade: Development Timeline:

2 years

**Project Capital Cost:** 

\$23,716,000

**Unit Water Cost** 

(Rounded):

NA

### PROJECT DESCRIPTION

Angelina Nacogdoches WCID #1 believes that the volumetric survey will result in an additional yield that will address shortages in the first two decades. To address the shortages in the later decades, a recommended strategy was proposed. The strategy is to conduct hydraulic dredging of Lake Striker to address the Lake sedimentation issues and increase Lake Yield. The timing for the dredging operation is expected to be in 2040.

### SUPPLY DEVELOPMENT

At this time it is not known how much (if any) additional yield will be realized from the hydraulic dredging. Angelina Nacogdoches WCID #1 expects to develop approximately 2,100 ac-ft per year of additional supplies from the dredging operations

### ENVIRONMENTAL CONSIDERATIONS

No known environmental considerations at this time but these would be studied in further details during the dredging.

### PERMITTING AND DEVELOPMENT

The process for conducting hydraulic dredging does not have too many permitting issues.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy. Angelina Nacogdoches WCID #1 provided an estimate of the total cost for the hydraulic dredging strategy. The planning level capital cost estimate for the dredging operations is approximately \$23,716,000.

The addition of the additional yield from Lake Striker will help address the shortages in Angelina Nacogdoches WCID #1's customer demands.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	3	2,100 acre-feet per year
Reliability	3	Moderate Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impact
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Impacts
Political Feasibility	5	AN WCID #1 is the local sponsor committed to the strategy
Implementation Issues	4	No known risks

# **REFERENCES**

Discussions with Angelina Nacogdoches WCID #1.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR AN WCID#1 FOR LAKE STRIKER NORMAL POOL ADJUSTMENT

**Project Name:** 

Normal Pool Elevation Adjustment of Lake Striker

Project ID:

ANCD-NPA

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

(Rounded):

3,500 acre-feet per year

**Implementation Decade:** 

2070

**Development Timeline:** 

5 years

**Project Capital Cost:** 

NA

**Unit Water Cost** 

(Rounded):

NA

### PROJECT DESCRIPTION

Angelina Nacogdoches WCID #1 believes that the volumetric survey will result in an additional yield that will address shortages in the first two decades. To address the shortages in the later decades, a recommended strategy was proposed. The strategy is to work with the Texas Water Development Board on the Normal Pool Elevation Adjustment of Lake Striker. It is not clear at this stage the additional yield associated with the normal pool elevation adjustment. The timing for the potential normal pool elevation adjustment is 2070.

### SUPPLY DEVELOPMENT

At this time it is not known how much (if any) additional yield will be realized from the normal pool elevation adjustment but for planning purposes it is assumed to be 3,500 acre-feet per year.

### **ENVIRONMENTAL CONSIDERATIONS**

No known environmental considerations at this time but these would be studied in further details during the normal pool elevation adjustment process.

### PERMITTING AND DEVELOPMENT

The process for adjusting of the normal pool elevation may require some significant coordination with the Texas Water Development Board and Texas Council on Environmental Quality on permitting and development issues.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy. Angelina Nacogdoches WCID #1 will incur some costs in the form of engineering consulting fees and lawyer fees when they begin working on the normal pool elevation adjustment process. Other than that, no additional costs are anticipated for this strategy.

The addition of the additional yield from Lake Striker will help address the shortages in Angelina Nacogdoches WCID #1's customer demands.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	3,500 acre-feet per year
Reliability	3	Medium Reliable Supply
Cost	5	No Cost (Excluding Administrative and Lawyer Fees)
Environmental Factors	4	Low Impact
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No ·
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Impacts
Political Feasibility	3	AN WCID #1 is the local sponsor
Implementation Issues	3	Limited Risk

# **REFERENCES**

Discussions with Angelina Nacogdoches WCID #1.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF BEAUMONT

**Project Name:** 

City of Beaumont – Municipal Conservation

Project ID:

**BEAU-CONS** 

**Project Type:** 

Conservation

**Potential Supply Quantity** 

9,966 ac-ft per year

(Rounded):

**Implementation Decade:** 

2020

**Development Timeline:** 

1 years

**Project Capital Cost:** 

\$52,623,000 (Sept. 2013)

**Unit Water Cost** 

\$317 per ac-ft (during loan period)

(Rounded):

\$0.97 (per 1,000 gallons)

### PROJECT DESCRIPTION

The City of Beaumont is projected to have a water shortage beginning in 2040. In 2011, the City had an average per capita consumption of 219 gpcd, well over the statewide goal of 140 gpcd. After performing a conservation cost estimate, the ETRWPG believes a water conservation strategy for the City is economically achievable. This recommended strategy includes planning level opinion of probable construction cost estimates related to enhanced public and school education, water conservation pricing implementation, and an enhanced water loss control program. The proposed municipal conservation strategy would reduce Beaumont's demand by more than their projected need; therefore, municipal conservation is the only recommended WMS for the City.

### SUPPLY DEVELOPMENT

The supply for this strategy represents conservation savings due to enhanced public and school education, water conservation pricing implementation, and an enhanced water loss control program.

# **ENVIRONMENTAL CONSIDERATIONS**

No environmental considerations associated with this strategy.

### PERMITTING AND DEVELOPMENT

No additional permitting required for this strategy

### PLANNING LEVEL OPINION OF COST

No capital costs were assumed for Beaumont's Conservation strategy. The annual cost for this strategy is \$2,271,000. The unit cost is \$317 per ac-ft of supply and \$0.97 per 1,000 gallons of supply.

### PROJECT EVALUATION

Based on the analysis provided above, the City of Beaumont Municipal Conservation project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the

# table below.

Criteria	Rating	Explanation
Quantity	4	9,966 ac-ft per year
Reliability	4	Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No <sup>1</sup>
Other Natural Resources	4	No Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	City of Beaumont is the local sponsor
Implementation Issues	4	No known risks

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF CENTER REUSE PIPELINE

**Project Name:** 

City of Center Reuse Pipeline from WWTP to Lake Center

**Project ID:** 

**CENT-REU** 

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

1,120 ac-ft/yr

(Rounded):

(1 MGD)

Implementation Decade:

2020

Development Timeline: Project Capital Cost:

5 years \$13,579,000 (Sept. 2013)

Project Annual Cost:

\$1,672,000 (Sept. 2013)

**Unit Water Cost** 

(Rounded):

\$1,493 per ac-ft (during loan period)

\$4.58 per 1,000 gallons.

# PROJECT DESCRIPTION

City of Center owns water rights for supplies in Lake Center and Lake Pinkston. Currently the City has sufficient supplies to meet the demand in decades 2020 to 2060 and a small shortage in 2070. The City is planning water management strategies to proactively prepare for satisfying any additional demand in the decades through 2060 and also to address the shortage in 2070. One of the recommended water management strategies is to add the return flows from City's WWTP to Lake Center. The City is permitted to use the return flows from the East Bank WWTP. The discharge point for the treated effluent from the WWTP is on a tributary to Mill Creek upstream of Lake Center. The City is planning an indirect reuse project by means of a reuse pipeline from East Bank WWTP to Lake Center. The total capacity for the indirect reuse project will be approximately 1 MGD (1,121 ac-ft per year) and the project will be online in 2020.

### SUPPLY DEVELOPMENT

Supply is readily available at the East Bank WWTP owned and operated by the City. City has a permit to use the return flows origination from the WWTP.

#### ENVIRONMENTAL CONSIDERATIONS

Impacts of the return flows on the receiving water body's water quality parameters needs to be analyzed in detail. Additional environmental considerations may apply during the permitting process.

### PERMITTING AND DEVELOPMENT

The City needs to apply for a bed and banks permit to put the supplies in Lake Center.

# PLANNING LEVEL OPINION OF COST

Included below is a planning level opinion of cost (PLOC) for the Phase I of the pipeline from City of Center's East Bank WWTP to Lake Center. The transmission system cost estimate also includes a 90 HP pump station, expansion of the treatment plant to treat the additional supplies.

	City of Cer					
STRATEGY: For Example 2		om East B \F/Y	ank WWTP	to Lake Cent 1.50 MGD	er	
CAPITAL COSTS	1,120 1	11/1		1.50 MOD		
Pipeline to Lake Nacogdoche	es	Size	Qty	Unit	<b>Unit Price</b>	Cost
Pipeline Rural		10 in.	2,000	LF	\$31	\$63,000
Pipeline Urban		10 in.	19,164	LF	\$44	\$851,000
Right of Way Easements Rura	l (ROW)		2,000	LF	\$26	\$56,430
Right of Way Easements Urba	n (ROW)		19,164.0	ACRE	\$65	\$1,241,000
Right of Way Easements Urba	n (ROW)		19,164	LF	\$154	\$3,247,420
Engineering and Contingencie	s (30%)					\$274,000
Pump Station(s)						
Pump with intake & building		90 HP	1	LS	\$821,000	\$821,000
Ground Storage Tank			0.19 MG	1	\$63,438	\$63,438
Engineering and Contingencie	s (35%)					\$309,553
Subtotal of Pump Station(s)						\$1,193,991
Water Treatment Facility					Λ,	
<b>Expand Existing Water Treatn</b>	nent					
Plant		1 MGD	1	LS	\$4,490,000	\$4,490,000
Engineering and Contingencie	s (35%)					\$1,571,500
Subtotal of WTP						\$6,061,500
Permitting and Mitigation						\$131,206
Construction Total						\$13,120,000
Interest During Construction				12	Months	\$459,000
TOTAL COST						\$13,579,000
ANNUAL COSTS						
Debt Service (5.5% for 20 year	rs)					\$1,136,000
Operational Costs*						\$536,000
Total Annual Costs						\$1,672,000
UNIT COSTS (Until Amorti	zed)					
Per Acre-Foot of treated water	7					\$1,493
Per 1,000 Gallons						\$4.58
UNIT COSTS (After Amort	ization)					
Per Acre-Foot						\$479
Per 1,000 Gallons						\$1.47

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

City of Center already has a permit to use the return flows so this project has the benefit of providing a renewable source of supply that is readily available in the close proximity of Lake Center. The addition of the additional 1,120 ac-ft per year will help City of Center supply to the increasing manufacturing demand in Shelby County. City of Center believes that the manufacturing demand reflected in the regional plan is not reflective of the more aggressive growth in the manufacturing use in the region. This strategy will help meet some of the needs in the region.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	1,120 ac-ft per year.
Reliability	5	Highly Reliable Supply
Cost	2	Medium Cost
Environmental Factors	3	Medium Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	3	Impact of the return flows on the quality of the receiving bodies
Political Feasibility	4	City of Center is the local sponsor committed to this strategy
Implementation Issues	4	No known risks

#### REFERENCES

Discussions with City of Center.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF CENTER TOLEDO BEND PIPELINE

**Project Name:** 

Pipeline from Toledo Bend to Lake Center

**Project ID:** 

**CENT-TOL** 

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

2,242 ac-ft per year

(Rounded):

(5 MGD)

**Implementation Decade:** 

2020

**Development Timeline:** 

5 years

**Project Capital Cost:** 

\$27,775,000 (Sept. 2013)

**Project Annual Cost:** 

\$3,462,000 (Sept. 2013)

**Unit Water Cost** 

(Rounded):

\$1,544 per ac-ft (during loan period) \$4.74 per ac-ft (1,000 gallons of water)

#### PROJECT DESCRIPTION

To meet the current demands and higher expected future demands, the City has proposed this water management strategy for the planning period. The City is planning to purchase water from Sabine River Authority to transfer water from Toledo Bend Lake to Lake Center. The City will construct the raw water transmission pipeline from Toledo Bend Reservoir to Lake Center. At this time, it is not clear the total amount of water that will be transferred through this pipeline. For planning purposes, it is assumed that the pipeline will be delivering approximately 2 MGD (2,242 ac-ft per year).

### SUPPLY DEVELOPMENT

Supply is available from the Toledo Bend Reservoir owned and operated by Sabine River Authority. After honoring the current contracted amounts, SRA has sufficient supplies to provide the amount requested by City of Center.

#### **ENVIRONMENTAL CONSIDERATIONS**

There may be some minor impacts of adding water from SRA's Toledo Bend Reservoir to Lake Center. There are not additional environmental considerations known at this time.

#### PERMITTING AND DEVELOPMENT

No additional permitting issues associated with the project. City of Center will need to sign a contract with Sabine River Authority for the purchase of the water.

#### PLANNING LEVEL OPINION OF COST

Included below is a planning level opinion of cost for the transmission system from Toledo Bend to Lake Center. Planning level opinion of probable construction cost estimates include a 16-inch pipeline from Toledo Bend to Lake Center, an intake and a booster pump station, and storage tanks. The annual costs are calculated assuming 5.5% interest rate and 20 years of return period. The estimate includes the cost for the purchase of raw water from SRA. For purposes of developing costs for purchasing water, costs were estimated at the regional rate chosen for the ETRWPA. Actual costs will be determined during contract negotiations.

WWP NAME: STRATEGY:	City of Center Pipeline from Toledo Bend to Lake Center 3.00					
Quantity:	2,242	AF/Y		MGD		
CAPITAL COSTS		C:	04	TT 24	Tii4 Di	Cart
Pipeline Pipeline Rural		Size 16 in.	<b>Qty</b> 100,529	Unit LF	Unit Price \$58	<b>Cost</b> \$5,786,000
Right of Way Easements Ru	ıral (ROW)	10 ш.	100,529	LF	\$26	\$2,839,100
Engineering and Contingend			100,020		<b>42</b> 0	\$1,736,000
Subtotal of Pipeline	,	19	Miles			\$10,361,100
Pump Station(s)						
Pump with intake & buildir	ıg	130 HP	1	LS	\$1,076,000	\$1,076,000
Booster Pump Station		130 HP	1	LS	\$1,698,000	\$1,698,000
Storage Tanks		0.38 MG	1	EA	\$126,990	\$127,000
Engineering and Contingen	cies (35%)					\$1,015,350
Subtotal of Pump Station(	s)					\$3,916,350
Water Treatment Facility Expand Existing Water Treatment	atment					
Plant		3 MGD	1	LS	\$8,260,000	\$8,260,000
Engineering and Contingen	cies (35%)					\$2,891,000
Subtotal of WTP						\$11,151,000
Permitting and Mitigation						\$529,990
Construction Total	•					\$25,958,440
Interest During Construction	n			24	Months	\$1,817,000
TOTAL COST						\$27,775,000
Debt Service (5.5% for 20 y	ears)					\$2,324,000
Operational Costs*						\$1,138,000
<b>Total Annual Costs</b>						\$3,462,000
UNIT COSTS (Until Amo						
Per Acre-Foot of treated wa	ter					\$1,544
Per 1,000 Gallons						\$4.74
UNIT COSTS (After Amo	rtization)					
Per Acre-Foot						\$865
Per 1,000 Gallons		• .		,		\$2.65

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

The addition of the additional 2,242 ac-ft per year will help City of Center supply to the increasing manufacturing demand in Shelby County. City of Center believes that the manufacturing demand reflected in the regional plan is not reflective of the more aggressive growth in the manufacturing use in the region. This strategy will help meet some of the needs in the region.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	2,242 ac-ft per year.
Reliability	4	Highly Reliable Supply
Cost	2	Medium Cost
Environmental Factors	4	Low Impact
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	Minor Impact of the addition of raw water on the quality of the receiving bodies
Political Feasibility	4	City of Center is the local sponsor committed to this strategy
Implementation Issues	4	No known risks

# **REFERENCES**

Discussions with City of Center.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF CENTER VOLUMETRIC SURVEYS

**Project Name:** 

Volumetric Surveys of Lake Center and Lake Pinkston

Project ID:

**CENT-VOL** 

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

NA

(Rounded):

1 11 1

**Implementation Decade:** 

2020 2 years

**Development Timeline: Project Capital Cost:** 

NA

Unit Water Cost

. . .

(Rounded):

NA

#### PROJECT DESCRIPTION

To meet the current demands and higher expected future demands, the City has proposed a feasible water management strategy. City of Center is considering a strategy to conduct volumetric survey of Lake Center and Pinkston Reservoir to develop an accurate estimate of the lake yields. City of Center will coordinate with the Texas Water Development Board to get on a schedule for the lake volumetric survey. TWDB will charge a fixed fee for conducting volumetric surveys. This is not a recommended or alternative strategy in the 2016 regional water plan.

#### SUPPLY DEVELOPMENT

There may be some potential for additional yield at Lake Pinkston but it is not expected to see any additional supplies at Lake Center.

#### **ENVIRONMENTAL CONSIDERATIONS**

No known environmental considerations at this time but these would be studied in further details during the volumetric survey process.

#### PERMITTING AND DEVELOPMENT

Texas Water Development Board conducts the volumetric surveys so City of Center coordinate with the Board on the timing of the volumetric surveys. No additional permitting issues known at this time.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy. TWDB charges a nominal fee for conducting the volumetric surveys but it is not clear what that amount would be in early planning stages.

The addition of the additional yield from Lake Center and Lake Pinkston will help City of Center supply to the increasing demand in Shelby County. City of Center believes that the manufacturing demand reported in the regional plan is not reflective of the more aggressive growth in the manufacturing use in the region. This strategy will help meet some of the needs in the region.

The recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity		NA
Reliability		NA
Cost	4	Low Cost
Environmental Factors	4	Low Impact
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Impacts
Political Feasibility	4	City of Center is the local sponsor committed to this strategy
Implementation Issues	4	No known risks

#### REFERENCES

Discussions with City of Center.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR HOUSTON COUNTY WCID #1 PERMIT AMENDMENT

Water User Group Name:

Houston County WCID #1

**Strategy Name:** 

Permit Amendment for Houston County Lake

**Strategy ID:** 

**HCWC-PA** 

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

3,500 ac-ft per year

Implementation Decade:

(3.1 MGD)

Development Timeline

2020

**Development Timeline: Project Capital Cost:** 

2020 \$0

**Annual Cost:** 

\$0 per ac-ft

**Unit Water Cost** 

\$0 per ac-ft

(Rounded):

(\$0 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for Houston County WCID #1 located in Houston County. The strategy involves a permit amendment to take 3,500 ac-ft per year from Houston County Lake in addition to the 3,500 ac-ft per year included in their existing permit.

# SUPPLY DEVELOPMENT

Houston County WCID #1 was originally permitted for 7,000 ac-ft per year from Houston County Lake; in 1987, this supply was reduced by the Texas Commission on Environmental Quality (TCEQ) to 3,500 ac-ft per year. Houston County WCID #1 has applied for a permit amendment to return their permitted diversion to the firm yield of the lake, 7,000 ac-ft per year, and add industrial use to the permit. The reliability of this water supply is considered medium because while the firm yield of the lake allows for this permit amendment, the amendment is dependent upon decisions made by the TCEQ.

#### **ENVIRONMENTAL CONSIDERATIONS**

The yield of this strategy will be dependent upon negotiations with the TCEQ regarding environmental flow requirements. Environmental flow requirements will be set so the new permit has a minimum impact to environmental water needs and the surrounding habitat. No impacts to cultural resources in the area are expected. There are no bays or estuaries in close proximity Houston County.

#### PERMITTING AND DEVELOPMENT

This permit amendment is dependent upon coordination with the TCEQ.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy because costs associated with the permit amendment are considered minimal. Any costs incurred by Houston County WCID #1 will be related to engineering and lawyer fees.

This strategy benefits both municipal and non-municipal users in Houston County and would have a positive impact on their water supply security. Since 2007, Houston County WCID #1 has received multiple requests for additional water supplies from entities and business including the City of Crockett, the Crockett Economic & Industrial Development Corporation, The Consolidated WSC, Nacogdoches Power, LLC, and the Houston County Judge, Erin Ford.

This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from Houston County Lake will reduce demands on other water supplies in Houston County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this permit amendment for existing surface water supplies will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Houston County WCID #1 recommended strategy for a permit amendment was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	3,500 acre feet per year
Reliability	3	Medium Reliable Supply
Cost	5	No Cost (Excluding Administrative and Lawyer Fees)
Environmental Factors	4	Low Impact
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No Impacts
Political Feasibility	4	Sponsored by Houston County WCID #1
Implementation Issues	4	No known risks

#### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR HOUSTON COUNTY WCID #1 GROUNDWATER WELLS

Water User Group Name:

Houston County WCID #1

Alternative Strategy Name:

New wells in Carrizo-Wilcox Aquifer

Alternative Strategy ID:

**HCWC-GW** 

**Strategy Type:** 

New Groundwater Source

**Potential Supply Quantity:** 

3,500 ac-ft per year (3.1 MGD)

**Implementation Decade:** 

2020

**Development Timeline:** 

2020

Project Capital Cost:

\$22,793,000 (September, 2013)

**Annual Cost:** 

\$2,613,000 per ac-ft

**Unit Water Cost** 

\$747 per ac-ft

(Rounded):

(\$2.29 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is an *alternative* strategy for Houston County WCID #1 to develop 22 wells in Houston County within the Carrizo-Wilcox Aquifer. This aquifer has been identified as a potential source of water in Houston County. These wells will have a maximum total yield of 4,500 gpm, and a water depth of 300 feet was assumed. A peaking factor of two was assumed for the wells, and the cost estimate includes conveyance infrastructure in order to capture the peak annual supply. This project will only be implemented if Houston County WCID #1 is unable to attain a permit amendment for 3,500 ac-ft per year from Houston County Lake (Strategy ID: HCWC-PA).

#### SUPPLY DEVELOPMENT

It is assumed that each well will have a maximum yield of 200 ac-ft per year to meet both municipal and non-municipal demands in Houston County providing a total strategy yield of 3,500 ac-ft per year for every decade in the planning period (2020-2070). A target yield for this strategy was set by Houston County WCID #1; this value corresponds to the amount listed in their recommended strategy for a permit amendment (Strategy ID: HCWC-PA). Overall, the reliability of this supply is considered high, based on the proven use of this source and groundwater availability models.

#### ENVIRONMENTAL CONSIDERATIONS

The environmental impacts from this strategy are expected to be low. However, groundwater development from this source should be evaluated for potential impacts on spring flows and base flows of surface water in close proximity. The impact to the environment due to pipeline construction is expected to be temporary and minimal. New wells have a potential decrease in the groundwater-surface water nexus, which could reduce base flows. Impacts to environmental water needs, habitat, and cultural resources are expected to be low. In addition, there are no bays or estuaries in close proximity of Houston County.

# PERMITTING AND DEVELOPMENT

There are no permitting or development issues associated with this strategy.

# PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 3 miles of pipeline, nine wells, a peaking factor of two, and a maximum well yield of 200 gpm for each well. This equates to \$747 per acre-foot (\$2.29 per 1,000 gallons); after the infrastructure if fully paid for (30 years), the cost drops to \$202per acre-foot (\$0.62 per 1,000 gallons). Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

# WWP: Houston County WCID #1 - New Wells in Carrizo-Wilcox Aquifer

WMS: Houston County, Carrizo-W.	ilcox Aquife	r		•		
•	•		Ac-			
	Supply	3,500	ft/yr.	2,170	gpm	
Depth t	o Water	300	ft			
We	ll Depth	820	ft			
	ell Yield	200	gpm			
V	/ell Size	10	in			
Wells	Needed	22				
Construction Costs		Number		Unit Cost		Total Cost
Water Wells		22		\$410,587		\$9,032,913
Connection to Transmission System		22		\$50,000		\$1,100,000
Engineering and Contingencies (30°	% for pipelin	es, 35% for	other item	s)		\$3,492,000
Subtotal of Well(s)						\$13,624,913
Transmission System	Size	Quantity	Unit	Unit Cost		Total Cost
Pipeline - Rural	20 in.	15,840	LF	\$81		\$1,280,000
Pump Station	505 HP	1	EA	\$3,632,000		\$3,632,000
Ground Storage Tank	0.78 MG	1	EA	\$511,521		\$511,521
Easement - Rural		15,840	LF	\$16		\$272,250
Engineering and Contingencies (30)	% for pipelin	es, 35% for	other item	s)		\$1,834,000
Subtotal for Transmission		3	miles			7,529,771
Permitting and Mitigation						\$147,000
Construction Total						\$21,301,684
Interest During Construction			24	Months		\$1,491,000
TOTAL CAPITAL COST			21	Wionans		\$22,793,000
Debt Service (5.5% for 20 years)						\$1,907,000
Operational Costs*						\$705,863
Total Annual Cost						\$2,613,000
UNIT COSTS (First 30 Years)						
Cost per ac-ft						\$747
Cost per 1000 gallons						\$2.29
UNIT COSTS (After 30 Years)						<b>#</b> 202
Cost per ac-ft						\$202
Cost per 1000 gallons						\$0.62

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits both municipal and non-municipal users in Houston County and would have a positive impact on their water supply security. Since 2007, Houston County WCID #1 has received multiple requests for additional water supplies from entities and business including the City of Crockett, the Crockett Economic & Industrial Development Corporation, The Consolidated WSC, Nacogdoches Power, LLC, and the Houston County Judge, Erin Ford.

This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. New wells in the county will reduce demands on other water supplies in Houston County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this strategy will provide water for economic growth.

Based on the analyses provided above, the *alternative* strategy to drill new wells in Houston County for the customers of Houston County WCID #1 was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	3,500 acre feet per year
Reliability	3	Medium Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impact
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No Impacts on other natural resources
Major Impacts on Key Water Quality Parameters	4	No known impacts to water quality
Political Feasibility	4	Sponsored by Houston County WCID #1
Implementation Issues	3	Dependent on HC WCID #1 permit amendment application and the TCEQ

#### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF JACKSONVILLE RAW WATER TRANSMISSION

Project Name: Lake Columbia to Jacksonville Raw Water Transmission

System

Project ID: JACK-COL

Project Type: Existing Surface Water Source

Potential Supply Quantity 1,700 ac-ft per year

(Rounded): (3 MGD)

Implementation Decade:2040Development Timeline:5 years

**Project Capital Cost:** \$20,645,000 (Sept. 2013)

**Project Annual Cost:** \$2,645,000 (Sept. 2013)

Unit Water Cost \$1,556 per ac-ft (during loan period)

(Rounded): \$4.77 (per 1,000 gallons)

#### PROJECT DESCRIPTION

Lake Columbia is a water management strategy for Angelina Nacogdoches River Authority. Angelina Neches River Authority has contracts with several customers that are participants in the project development. City of Jacksonville is included in the list, participating at five percent contribution. It is assumed that Jacksonville will be purchasing raw water from Angelina Neches River Authority. City of Jacksonville will need a transmission project to transfer supplies from Lake Columbia to the City. The water management strategy associated with the transmission project is discussed in this tech memo. The current contract amount for City of Jacksonville is 4,275 acre feet. However, City of Jacksonville currently does not have any supply shortages and is also not expecting tremendous growth in the recent future. For these reasons, it is assumed that the transmission strategy will be developed in phases with the first phase for a potential supply of 1,700 acre feet per year (3 MGD). The tech memo discussion is associated with the Phase I of the transmission project. Additional phases will be developed at a later stage. The transmission project will include a 5-mile pipeline from Lake Columbia to the City, an intake pump station, and a 3-MGD water treatment plant to treat the supplies before delivery. Figure included at the end of the tech memo show the location map of the project and a preliminary pipeline corridor for the transmission system.

#### PERMITTING AND DEVELOPMENT

No additional permitting issues associated with the project. The project will commence after the commencement of the Lake Columbia project by Angelina Neches River Authority.

# PLANNING LEVEL OPINION OF COST

Included below is a planning level opinion of cost (PLOC) for Phase I of the pipeline from Lake Columbia to City of Jacksonville. Costs are estimated for half-mile of pipeline in urban areas and 4.5 miles of pipeline in rural areas. The transmission system cost estimate also includes the cost of 100 HP intake pump station and a 3 MGD water treatment plant for treating the raw water. The annual costs are calculated assuming 5.5% interest rate and 20 years of return period. The estimate includes the cost for the purchase of raw water from Angelina Neches River Authority.

WWPNAME: Quantity for Phase I CAPITAL COSTS	Jacksonville 1,700 AF/Y	STRATEGY		Lake Columbia I .27 MGD	Pipeline
Pipeline	Size	Quantity	Unit	Unit Price	Cost
Pipeline Rural	16 in.	23,544	LF	\$58	\$1,355,000
Pipeline Urban	16 in.	3,000	LF	\$81	\$242,000
Right of Way Easements Ru		23,544	LF	\$16	\$404,690
Right of Way Easements Ur		3,000	LF	\$26	\$84,700
Engineering and Contingend		,			\$479,000
Subtotal of Pipeline	,				\$2,565,390
Pump Station(s)					
Pump with intake & building	ng 100 HP	1	LS	\$829,000	\$829,000
Storage Tanks	0.28 MG	1	EA	\$96,290	\$96,000
Engineering and Contingend					\$323,750
Subtotal of Pump Station(	s)				\$1,248,750
Water Treatment Facility					
New Water Treatment Plant		1	LS	\$11,833,000	\$11,833,000
Engineering and Contingend	cies (35%)				\$4,141,550
Subtotal of WTP					\$15,974,550
Permitting and Mitigation					\$158,231
CONSTRUCTION TOTA			10	3.6 .1	\$19,947,000
Interest During Construct	ion		12	Months	\$698,000
TOTAL COST					\$20,645,000
ANNUAL COSTS					#1 #G# 000
Debt Service (5.5% for 20 y	ears)				\$1,728,000
Operational Costs*					\$917,000
Total Annual Costs					\$2,645,000
UNIT COSTS (Until Amor					<b></b>
Per Acre-Foot of treated war	ter				\$1,556
Per 1,000 Gallons	4. 4				\$4.77
UNIT COSTS (After Amo	rtization)				Φ.7.3.3
Per Acre-Foot					\$539
Per 1,000 Gallons					\$1.66

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

Based on the analysis provided above, the Lake Columbia to Jacksonville Raw Water Transmission System project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	1,700 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	2	Medium to Moderate High Costs
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	City of Jacksonville is the local sponsor committed to this project
Implementation Issues	3	Dependent on the completion of Lake Columbia construction

# **REFERENCES**

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR LNVA PURCHASE FROM SRA

Water User Group Name:

Lower Neches Valley Authority

**Strategy Name:** 

Purchase from Sabine River Authority (Toledo Bend)

**Strategy ID:** 

LNVA-SRA

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

200,000 ac-ft per year

(178.4 MGD)

**Implementation Decade:** 

2040 2040

Development Timeline:
Project Capital Cost:

\$399,955,000 (September, 2013) - LNVA estimates \$350 million

Annual Cost:

\$105,144,000

**Unit Water Cost** 

\$526 per ac-ft

(Rounded):

(\$1.61 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for the Lower Neches Valley Authority and involves a contract to take raw surface water from the Sabine River Authority's Toledo Bend system as their permit allows. The cost for supply from the Sabine River Authority includes the cost of raw water and infrastructure related to water conveyance. Ultimately, the cost for raw water will need to be negotiated with the Sabine River Authority and will reflect the wholesale water rates of this entity at the time a contract is made. The cost estimate included in this technical memorandum utilizes an assumed rate for the East Texas Regional Water Planning Area regional rate for raw surface water.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water requested by the Lower Neches Valley Authority as part of their long term planning. This is equal to 200,000 ac-ft per year beginning in 2040 and continuing through the end of the planning period, 2070. The reliability of this water supply is considered medium to high due to the availability of water from the Toledo Bend system. However, this project is dependent on coordination with the Sabine River Authority.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be moderate. In addition, a contract between the Lower Neches Valley Authority and Sabine River Authority should have a minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity to the project area located in Jefferson and Orange Counties. Before this project could be pursued, the Lower Neches Valley Authority would need to perform a site selection study to identify environmental impacts associated with the project.

#### PERMITTING AND DEVELOPMENT

This strategy is dependent on the Sabine River Authority completing a project to move the location of one of their existing pump stations.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 13 miles of pipeline and 17 miles of open canals (distance determined by the Lower Neches Valley Authority), one pump station with an intake, and two booster pump station. The annual cost was estimated assuming a debt service of 6% for 20 years and using the East Texas Regional Water Planning Area regional rate for raw surface water. Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG NAME:	Lower Neches Valley Authority					
STRATEGY:			e River Auth			
Raw Water Quantity: CONSTRUCTION COSTS	200,000	AF/Y		356.8	MGD	
Pipeline		Size	Quantity	Unit	Unit Price	Cost
Pipeline/Canal Rural		144 in.	158,400	LF	\$1,527	\$241,829,000
Right of Way Easements Rural (RC	)W)		158,400	LF	\$26	\$4,473,480
Engineering and Contingencies (30	%)		•			\$72,549,000
Subtotal of Pipeline/Canal		30	miles			\$318,851,480
Pump Station(s)						
Pump with intake		2953 HP	1	LS	\$5,410,000	\$5,410,000
Booster Pump Station		2953 HP	2	LS	\$9,934,000	\$19,868,000
Engineering and Contingencies (35	%)					\$8,847,300
Subtotal of Pump Station(s)						\$34,125,300
Storage Tanks		7.0 MG	3	LS	\$2,009,754	\$6,029,262
Engineering and Contingencies (35	%)					\$2,110,242
Subtotal of Storage Tanks	•					\$8,139,504
Permitting and Mitigation						\$834,000
Construction Total						\$361,950,284
Interest During Construction				36	Months	\$38,005,000
TOTAL CAPITAL COST						\$399,955,000
ANNUAL COSTS						
Debt Service (5.5% for 20	٠					
years)						\$33,468,000
Operational Costs*						\$71,676,000
<b>Total Annual Costs</b>						\$105,144,000
UNIT COSTS (Until Amortized)						
Per Acre-Foot of treated water						\$526
Per 1,000 Gallons						\$1.61
UNIT COSTS (After Amortization	on)					
Per Acre-Foot	•					\$358
Per 1,000 Gallons						\$1.10

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits customers of the Lower Neches Valley Authority and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. A contract to pull water from the Toledo Bend system will reduce demands on Toledo Bend and the Sabine River and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Lower Neches Valley recommended strategy to purchase water from the Sabine River Authority was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	200,000 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low to Medium Impacts to the environment
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Local sponsorship by Lower Neches Valley Authority
Implementation Issues	3	Contract with SRA

#### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR LNVA PERMIT AMENDMENT

Water User Group Name:

Lower Neches Valley Authority

**Strategy Name:** 

Permit Amendment for Lake Sam Rayburn

**Strategy ID:** 

LNVA-PA

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

28,000 ac-ft per year

(25 MGD)

Implementation Decade:

2020

**Development Timeline:** 

2020

**Project Capital Cost:** 

\$0 (May 2015)

**Annual Cost:** 

\$0

**Unit Water Cost** 

\$0 per ac-ft

(Rounded):

(\$0 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for the Lower Neches Valley Authority to apply to the Texas Commission on Environmental Quality (TCEQ) for additional yield from Lake Sam Rayburn.

#### SUPPLY DEVELOPMENT

The volume associated with this strategy is 28,000 ac-ft per year, beginning in 2020, and continuing through the planning period, 2070. The volume of water is the supply created by the Corps of Engineers when they raised the conservation pool from 164.0 ft msl to 164.4 ft msl in 1969. The reliability of this water supply is considered high because the firm yield of the lake allows for this permit amendment; however, the amendment is dependent upon decisions made by the TCEQ.

#### **ENVIRONMENTAL CONSIDERATIONS**

The implementation of this strategy would not require construction of additional infrastructure; therefore, the environmental impacts associated with this projected are expected to be minimal. In addition, the project should have minimum impacts to environmental water needs and the surrounding habitat, and no impacts to cultural resources in the area are expected. There are no bays or estuaries in close proximity to Lake Sam Rayburn.

# PERMITTING AND DEVELOPMENT

The implementation of this strategy would not require additional infrastructure or studies. However, this permit amendment is dependent upon coordination with the TCEQ.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy because costs associated with the permit amendment are considered minimal. Any costs incurred by the Lower Neches Valley Authority will be related to engineering and lawyer fees.

This strategy benefits both municipal and non-municipal customers of the Lower Neches Valley Authority and would have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. An amendment to allow the Lower Neches Valley Authority to pull water from Lake Sam Rayburn will reduce demands on other water supplies in Jefferson County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this permit amendment for existing surface water supplies will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Lower Neches Valley Authority recommended strategy for a permit amendment was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	28,000 ac-ft per year
Reliability	5 .	Highly Reliable Supply
Cost	5	No Cost (Excluding Administrative and Lawyer Fees)
Environmental Factors	4	Low to Medium Impacts to the environment
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Sponsorship by Lower Neches Valley Authority
Implementation Issues	4	Limited risk; dependent on TCEQ

#### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR LNVA TRANSFER TO REGION H

Water User Group Name: Lower Neches Valley Authority

Strategy Name: Transfer to Region H (Sam Rayburn)

Strategy ID: LNVA-RGH

Strategy Type: Existing Surface Water Source

Potential Supply Quantity: 55,000 ac-ft per year

(44.6 MGD)

Implementation Decade: 2040 Development Timeline: 2040

Project Capital Cost: \$48,949,000 (September, 2013)

Annual Cost: \$23,905,000
Unit Water Cost \$435 per ac-ft

(Rounded): (\$1.33 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for the Lower Neches Valley Authority to provide conveyance from their Sam Rayburn system to Irrigation customers located in Liberty County (Region H) and represents replacement water for the Devers Canal System from water sold to SJRA in the 1990s. Delivery will occur during the 6-month irrigation season. The cost for this project includes terminal storage and infrastructure related to water conveyance. Ultimately, individual irrigation water users will make contracts with the Lower Neches Valley Authority to purchase the water supply created by this project. The cost for raw water will need to be negotiated with the Lower Neches Valley Authority and will reflect the wholesale water rates of this entity at the time a contract is made.

#### SUPPLY DEVELOPMENT

The quantity of supply from this strategy represents the water requested by the Lower Neches Valley Authority as part of their long term planning. This is equal to 55,000 ac-ft per year beginning in 2040 and continuing through the end of the planning period, 2070. The reliability of this water supply is considered high due to the availability of water from the Sam Rayburn system.

#### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline and canal construction is expected to be moderate, but the conveyance of water from Sam Rayburn to Liberty County should have a minimum impact to environmental water needs in Jefferson County, no impact to the surrounding habitat, and a low impact to cultural resources in the area. There are no bays or estuaries in close proximity to the project area located in Jefferson and Liberty Counties. Before this project could be pursued, the Lower Neches Valley Authority would need to perform a site selection study to identify environmental impacts associated with the project.

# PERMITTING AND DEVELOPMENT

The development of this strategy is dependent on the long term planning goals of the Lower Neches Valley Authority and irrigation customers in Liberty County.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed 8 miles of pipeline, 5 miles of canals (distances determined by the Lower Neches Valley Authority), one pump station with an intake, one booster pump station, and one ground storage tank. The annual cost was estimated assuming a debt service of 6% for 20 years. Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUG NAME: STRATEGY:	Lower Neches Valley Authority Transfer to Region H (Sam Rayburn)						
Raw Water Quantity:	55,000	AF/Y	Kaybu	49.1	MGD		
CAPITAL COSTS	22,000				1.102		
Pipeline	Size	Quantity	Unit	<b>Unit Price</b>		Cost	
Pipeline Rural	54 in.	42,240	LF	\$274		\$11,558,000	
Canals Rural	54 in.	26,400	LF	\$383		\$10,103,000	
Right of Way Easements Rural	l (ROW)	42,240	LF	\$26		\$1,192,950	
Right of Way Easements Urba	n (ROW)	26,400	LF	\$154		\$4,473,480	
Engineering and Contingencies	s (30%)					\$6,498,000	
Subtotal of Pipeline/Canal	8	miles				\$33,825,000	
Pump Station(s)							
Pump with intake	4904 HP	1	LŞ		\$7,622,000	\$7,622,000	
Engineering and Contingencies	s (35%)					\$2,667,700	
Subtotal of Pump Station(s)						\$10,290,000	
Storage Tanks	6 MG	1	LS		\$2,078,705	\$2,078,705	
Engineering and Contingencie	s (35%)					\$727,547	
Subtotal of Storage Tanks	, ,					\$2,806,000	
Permitting and Mitigation						\$373,000	
Construction Total						\$47,294,000	
Interest During Construction			12	Months		\$1,655,000	
TOTAL CAPITAL COST						\$48,949,000	
ANNUAL COSTS							
Debt Service (5.5% for 20							
years)						\$4,096,000	
Operational Costs*						\$19,809,000	
Total Annual Costs						\$23,905,000	
UNIT COSTS (Until Amorti	zed)						
Per Acre-Foot of treated water						\$435	
Per 1,000 Gallons						\$1.33	
UNIT COSTS (After Amorti	ization)						
Per Acre-Foot	•					\$360	
Per 1,000 Gallons						\$1.11	

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits irrigation water users in eastern Liberty County who may become customers of the Lower Neches Valley Authority; this strategy is expected to have a positive impact on the water supply security of these future customers. In the future, this supply could also serve municipal and manufacturing demands in Liberty County. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. This project will reduce demands on water resources located in Liberty County and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this voluntary redistribution of water will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Lower Neches Valley recommended strategy to transfer water to irrigation water users in Liberty County was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	55,000 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low to Medium Impacts to the environment
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	5	No Negative Impacts (Benefits Agricultural Users)
Interbasin Transfers		Yes
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	3	Potential Impacts due to IBT
Political Feasibility	4	Sponsorship by Lower Neches Valley Authority
Implementation Issues	3	Potential implementation issues due to IBT

# REFERENCES

Discussions with Lower Neches Valley Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR LNVA CONSTRUCTED LEVY

Water User Group Name:

Lower Neches Valley Authority

**Strategy Name:** 

**Constructed Levy** 

Strategy ID:

LNVA-JEFF

**Strategy Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity:** 

1,600 ac-ft per year

(0.7 MGD)

Implementation Decade:

2020 2020

**Development Timeline: Project Capital Cost:** 

\$34,989,000 (September, 2013)

Annual Cost:

\$3,055,000

**Unit Water Cost** 

\$1,909 per ac-ft

(Rounded):

(\$5.86 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for the Lower Neches Valley Authority to provide conveyance from their Sam Rayburn system to Irrigation customers located in Liberty County (Region H). The cost for this project includes terminal storage and infrastructure related to water conveyance. Ultimately, individual irrigation water users will make contracts with the Lower Neches Valley Authority to purchase the water supply created by this project. The cost for raw water will need to be negotiated with the Lower Neches Valley Authority and will reflect the wholesale water rates of this entity at the time a contract is made.

#### SUPPLY DEVELOPMENT

As requested by the Lower Neches Valley Authority, the quantity of supply from this strategy represents a one day supply of all of their municipal and industrial customers in Jefferson County. This is equal to 1,600 ac-ft per year beginning in 2020 and continuing through the end of the planning period, 2070. The reliability of this water supply is considered high due to the availability of water from the Sam Rayburn system. In addition, the Lower Neches Valley Authority would be not be dependent on the sponsorship of another entity.

# **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to the installation of a terminal storage reservoir would be minimal. In addition, the project would have minimal to no impacts on environmental water needs in Jefferson County, the surrounding habitat, and the cultural resources in the area. There are no bays or estuaries in close proximity to the project area located in Jefferson County. However, before this project could be pursued, the Lower Neches Valley Authority would need to perform a site selection study to identify environmental impacts associated with the project.

#### PERMITTING AND DEVELOPMENT

The development of this strategy is dependent on the long term planning goals of the Lower Neches Valley Authority.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The capital costs assumed a storage capacity of 500 million gallons and one pump station to fill the reservoir. The proposed reservoir capacity is equal to a 3-day supply of municipal and industrial customers in South Jefferson County. The annual cost was estimated assuming a debt service of 6% for 20 years as well as electrical and operation and maintenance costs. Overall, this strategy has a high cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WUGNAME: STRATEGY: Raw Water Quantity:		ches Valley Au Storage Reser acre-feet		y Jefferson County ( 521 N	
TERMINAL STORAGE RI			ge = 52		
Construction	`	Quantity	Unit	Unit Price	Cost
Excavation		168,600	CY	\$5	\$860,000
Compacted Fill		875,700	CY	\$8	\$7,181,000
Gravel (Drain)		6,400	CY	\$103	\$658,000
Soil Cement (1 foot)		92,600	CY	\$87	\$8,093,000
Flex Road Base (8 inches)		3,400	CY	\$93	\$315,000
HDPE Liner		2,482,000	SF	\$1	\$2,978,000
Inlet and Outlet Structures		1	LS	\$1,540,000	\$1,540,000
Electrical Building and Control		1	LS	\$1,540,000	\$1,540,000
Engineering and Contingencie	es (30%)				\$6,950,000
Subtotal of Construction					\$30,115,000
Pump Station(s)					
Pump with intake	932 HP	1	LS	\$3,118,000	\$3,118,000
Booster Pump Station	0 HP	0	LS	\$0	\$0
Engineering and Contingencie	es (35%)				\$1,091,300
Subtotal of Pump Station(s)					\$4,209,300
Permitting and Mitigation					\$63,000
Construction Total					\$34,387,300
Interest During Construction			6	Months	\$602,000
TOTAL CAPITAL COST			U	Monuis	\$34,989,000
ANNUAL COSTS					\$37,767,000
Debt Service (5.5% for 20					
years)					\$2,928,000
Operational Costs*					\$127,000
Total Annual Costs					\$3,055,000
				•	\$5,055,000
UNIT COSTS (Until Amort	ized)				
Per Acre-Foot of treated					
water					\$1,909
Per 1,000 Gallons					\$5.86
UNIT COSTS (After Amort	tization)				***
Per Acre-Foot					\$86
Per 1,000 Gallons					\$0.26

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits municipal and industrial customers of the Lower Neches Valley Authority in Jefferson County and is expected to have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. This project will have no impact to the demands on water resources in Jefferson County or to any other State water resources.

Based on the analyses provided above, the Lower Neches Valley recommended strategy to store water from their Sam Rayburn system in Jefferson County was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	1,600 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	2	Medium to High Cost
Environmental Factors	4	Low impacts to the environment from construction
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	1	Sponsorship by Lower Neches Valley Authority
Implementation Issues	4	No known risks

#### REFERENCES

Discussions with Lower Neches Valley Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF LUFKIN

Water User Group Name:

City of Lufkin

**Strategy Name:** 

Conveyance from Sam Rayburn to Kurth Lake

Strategy ID:

**LUFK-RAY** 

**Strategy Type:** 

**Existing Surface Water Source** 

Potential Supply Quantity:

28,000 ac-ft per year

(25 MGD)

**Implementation Decade:** 

2030

**Development Timeline:** 

2030-2050

Phase 1: \$49,368,000

**Project Capital Cost:** 

Phase 2: \$37,863,000

Phase 3: \$2,760,000 (September, 2013)

Phase 1: \$12,503,000

**Annual Cost:** 

Phase 2: \$23,373,000

Phase 3: \$22,797,000

**Unit Water Cost** 

Phase 1: \$1,115 per ac-ft (\$3.42 per 1,000 gallons)

(Rounded):

Phase 2: \$1,051 per ac-ft (\$3.23 per 1,000 gallons)

Phase 3: \$814 per ac-ft (\$2.50 per 1,000 gallons)

#### PROJECT DESCRIPTION

This strategy is a recommended strategy for the City of Lufkin to provide conveyance from Sam Rayburn to Kurth Lake as their permit allows. The cost of the project will occur in three phases and includes the cost of a water treatment plant and infrastructure related to water conveyance. This is a supply that will provide water to both municipal and non-municipal customers in Angelina County; manufacturing in Angelina County is projected to have a need and has a strategy to contract water from this supply. Ultimately, manufacturing water users in Angelina County will make contracts with the City of Lufkin to purchase the water supply created by this project. The cost for raw water will need to be negotiated with the City of Lufkin and will reflect the wholesale water rates of this entity at the time a contract is made.

# SUPPLY DEVELOPMENT

As requested by the City of Lufkin, the supply from this strategy represents their water right from Sam Rayburn for 28,000 ac-ft per year. However, since the strategy will be implemented in phases, the full supply will not be available until 2050, pending the demands of potential future customers. The supply in 2030 will be 11,210 ac-ft per year (10 MGD), 22,420 ac-ft per year (20 MGD) in 2040, and 28,000 ac-ft per year (25 MGD) in 2050. The reliability of this water supply is considered high due to the availability of water from the Sam Rayburn system and because the City of Lufkin already has the water right in place to access this water. In addition, the City of Lufkin would not be dependent on sponsorship from another entity

### **ENVIRONMENTAL CONSIDERATIONS**

A specific location for the new water treatment plant has not been determined. Before this strategy could be pursued, a site selection study would need to be performed, in addition to other studies to identify and quantity potential environmental impacts associated with the projected. For the purposes of this analysis, it is assumed that a site could be selected that would have acceptable impacts. Once the water treatment plant is constructed, expanding the water treatment plant will have minimum environmental impacts.

During the construction of the pipeline, impacts to the environment and other natural resources are expected to be minimal and temporary.

#### PERMITTING AND DEVELOPMENT

Additional study and mitigation may be required before construction of the transmission pipeline.

#### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below; an estimate was prepared for each phase of this strategy. The total capital cost assumes a pipeline length of 12.4 miles, and the water treatment plant would include a 5 million gallon storage tank. The annual cost was estimated assuming a debt service of 6% for 20 years as well as electrical and operation and maintenance costs. Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

PHASE 1 - 2030 DECADE	Total Capa	city (ac-ft p	11,210		
Treated Water Quantity	11,210	AF/Y		10	MGD
Pipeline & Treatment Facility	Size	Quantity	Unit	Unit Price	Cost
Pipeline from Sam Rayburn	36 in.	65,500	LF	\$171	\$11,177,000
Right of Way Easements Rural (RO)	W)	65,500	LF	\$26	\$1,849,870
Engineering and Contingencies (30%)	6)				\$3,353,000
Subtotal of Pipeline	12.4	Miles			\$16,379,870
Pump Station(s)					
Lake Intake and Pump Station	600 HP	1	LS	\$2,454,000	\$2,454,000
Booster Pump Station	500 HP	0	LS	\$3,607,000	\$0
Engineering and Contingencies (35%)	6)				\$858,900
Subtotal of Pump Station(s)					\$3,312,900
Water Treatment Facility					
Storage	5.00 MG	1	EA	\$1,464,000	\$1,464,000
Water Treatment Facility	10 MGD	1	LS	\$17,860,000	\$17,860,000
Engineering and Contingencies (35%)	<b>6</b> )				\$6,763,400
Subtotal of WTP					\$26,087,400
Permitting and Mitigation					\$358,133
CONSTRUCTION TOTAL					\$46,138,000
Interest During Construction			24	Months	\$3,230,000
PHASE I TOTAL CAPITAL COS	ST				\$49,368,000
Debt Service (5.5% for 20 years)					\$4,131,000
Debt Service from Previous Phase					\$0
Operational Costs*					\$4,514,000
Total Annual Costs					\$12,503,000
					• , ,

UNIT COSTS (Until Amortized)	
Per Acre-Foot of treated water	\$1,115
Per 1,000 Gallons	\$3.42
UNIT COSTS (After Amortization)	
Per Acre-Foot	\$747
Per 1,000 Gallons	\$2.29

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

PHASE 2 - 2040 DECADE Treated Water Quantity	11,210	Total Cap: AF/Y	acity (ac-ft per	year)	<b>22,240</b> MGD
Upgrades to Pump Stations Lake Intake and Pump Station Booster Pump Station Engineering and Contingencies (Subtotal of Pump Station(s)	600 HP 500 HP 35%)	1 0	LS LS	\$2,454,000 \$3,607,000	\$2,454,000 \$0 \$858,900 <b>\$3,312,900</b>
Water Treatment Facility Storage Upgrade Treatment Facility Engineering and Contingencies (Subtotal of WTP	0.00 MG 15 MGD 35%)	0 1	EA LS	\$0 \$23,491,000	\$0 \$23,491,000 \$8,221,850 \$31,712,850
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction PHASE 2 TOTAL CAPITAL C	COST		24	Months	\$360,409 \$35,386,000 \$2,477,000 \$37,863,000
Debt Service (5.5% for 20 years) Debt Service from Previous Phas Operational Costs* Total Annual Costs	e				\$3,168,000 \$4,131,000 \$8,417,000 <b>\$23,373,000</b>
UNIT COSTS (Until Amortized Per Acre-Foot of treated water Per 1,000 Gallons UNIT COSTS (After Amortiza Per Acre-Foot Per 1,000 Gallons					\$1,051 \$3.23 \$723 \$2.22

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

PHASE 3 - 2050 DECADE Treated Water Quantity	Total Capaci 5,760	ity (ac-ft <sub>l</sub> AF/Y	per year)	5	<b>28,000</b> MGD
Pump Station(s)					
Lake Intake and Pump Station	200 HP	1	LS	\$1,666,000	\$1,666,000
Booster Pump Station	500 HP	0	LS	\$3,607,000	\$0
Engineering and Contingencies	(35%)				\$583,100
Subtotal of Pump Station(s)					\$2,249,100
Water Treatment Facility Storage Water Treatment Facility	5.00 MG 10 MGD	0 0	EA LS	\$1,464,000 \$17,860,000	\$0 \$0

# 2016 Water Plan East Texas Region

Engineering and Contingencies (35%) Subtotal of WTP		\$0 <b>\$0</b>
Permitting and Mitigation CONSTRUCTION TOTAL Interest During Construction PHASE 3 TOTAL CAPITAL COST	24 Months	\$330,133 <b>\$2,579,000</b> \$181,000 <b>\$2,760,000</b>
Debt Service (5.5% for 20 years) Debt Service from Previous Phase Operational Costs* Total Annual Costs		\$231,000 \$3,168,000 \$9,776,000 <b>\$22,797,000</b>
UNIT COSTS (Until Amortized) Per Acre-Foot of treated water Per 1,000 Gallons UNIT COSTS (After Amortization) Per Acre-Foot Per 1,000 Gallons		\$814 \$2.50 \$693 \$2.13

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

This strategy benefits both municipal and non-municipal customers in Angelina County, specifically manufacturing water users. Angelina Manufacturing has a recommended strategy to purchase water from Lufkin created by this new supply (Strategy ID: ANGL-MFG1). Overall, providing conveyance from Sam Rayburn to Kurth Lake will have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. This project may reduce demands on other water resources in Angelina County; however, the project is not expected to impact any other State water resources.

Based on the analyses provided above, the City of Lufkin recommended strategy to develop supplies from Sam Rayburn in Angelina County was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	28,000 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Minimum to moderate impacts to the environment from construction
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	Sponsorship by City of Lufkin
Implementation Issues	4	No known risks

#### REFERENCES

2011 East Texas Regional Water Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR NACOGDOCHES RAW WATER TRANSMISSION

Project Name: Lake Columbia to Nacogdoches Raw Water Transmission System

Project ID: NACP-COL

Project Type: Existing Surface Water Source

Potential Supply Quantity 8,500 ac-ft per year

(Rounded): (7.6 MGD)

Implementation Decade: 2030

Development Timeline: 2 years

**Project Capital Cost:** \$35,829,000 (Sept. 2013)

**Project Annual Cost:** \$5,995,000 (Sept. 2013)

Unit Water Cost \$705 per ac-ft (during loan period)

(Rounded): \$2.16 (per 1,000 gallons)

# PROJECT DESCRIPTION

Lake Columbia is a water management strategy for Angelina Nacogdoches River Authority. Angelina Neches River Authority has contracts with several customers that are participants in the project development. City of Nacogdoches is included in the list, participating at 10 percent contribution respectively. It is assumed that Nacogdoches will be purchasing raw water from Angelina Neches River Authority. City of Nacogdoches will need a transmission project to transfer supplies from Lake Columbia to the City.

The water management strategy associated with the transmission project is discussed in this technical memorandum. The total current contract amount for City of Nacogdoches is 8,500 acre feet. It is assumed that the transmission strategy will be developed for a potential supply of 8,500 acre feet per year (7.6 MGD). The transmission project will include a 3.5-mile pipeline from Lake Columbia to the City, an intake pump station, and a 12-MGD water treatment plant to treat the supplies before delivery.

#### PERMITTING AND DEVELOPMENT

No additional permitting issues associated with the project. The project will commence after the commencement of the Lake Columbia project by Angelina Neches River Authority.

#### PLANNING LEVEL OPINION OF COST

Included below is a planning level opinion of cost (PLOC) for the pipeline from Lake Columbia to City of Nacogdoches. Costs are estimated for 3.5 miles of pipeline in urban areas and 4.5 miles of pipeline in rural areas. The transmission system cost estimate also includes the cost of 400 HP intake pump station and a 12 MGD water treatment plant for treating the raw water. The annual costs are calculated assuming 5.5% interest rate and 20 years of return period. The estimate includes the cost for the purchase of raw water from Angelina Neches River Authority.

WWP NAME: STRATEGY:	Nacogd Lake C		ansmission S	System 11.37		
Quantity:	8,500	AF/Y		MGD		
CAPITAL COSTS  Pipeline to Lake Nacogdoch  Pipeline Rural  Right of Way Easements Rura  Engineering and Contingencie	al (ROW)	Size 30 in.	Quantity 18,117 18,117	Unit LF LF	<b>Unit Price</b> \$137 \$16	Cost \$2,488,000 \$311,410 \$746,000
Subtotal of Pipeline Pump Station(s)	, ,					\$3,545,410
Pump with intake & building Booster Pump Station Engineering and Contingencie Subtotal of Pump Station(s)		344 HP 0 HP	1	LS LS	\$2,048,000 \$0	\$2,048,000 \$0 \$716,800 <b>\$2,764,800</b>
Water Treatment Facility Expand Existing Water Treatr	nent					
Plant Storage Tanks Engineering and Contingencie Subtotal of WTP	es (35%)	11 MGD 1.42 MG	1	LS LS	\$19,363,000 \$665,000	\$19,363,000 \$665,000 \$7,009,800 <b>\$27,037,800</b>
Permitting and Mitigation Construction Total Interest During Construction TOTAL COST				24	Months	\$136,529 <b>\$33,485,000</b> \$2,344,000 <b>\$35,829,000</b>
ANNUAL COSTS Debt Service (5.5% for 20 year Operational Costs* Total Annual Costs	ars)					\$2,998,000 \$2,997,000 <b>\$5,995,000</b>
UNIT COSTS (Until Amort Per Acre-Foot of treated wate Per 1,000 Gallons						\$705 \$2.16
UNIT COSTS (After Amort Per Acre-Foot Per 1,000 Gallons	ization)					\$353 \$1.08

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

Based on the analysis provided above, the Lake Columbia to Nacogdoches Raw Water Transmission System project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	8,500 ac-ft per year
Reliability	4	Highly Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	City of Nacogdoches is the local sponsor
Implementation Issues	3	Dependent on the completion of Lake Columbia project

# **REFERENCES**

2011 East Texas Regional Water Plan

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF PORT ARTHUR CONSERVATION

**Project Name:** City of Port Arthur – Municipal Conservation

Project ID: PORT-CONS
Project Type: Conservation

Potential Supply Quantity 10,340 ac-ft per year

(Rounded):

Implementation Decade:2020Development Timeline:1 years

**Project Capital Cost:** \$50,075,000 (Sept. 2013)

Unit Water Cost \$333 per ac-ft (during loan period)

(Rounded): \$1.02(per 1,000 gallons)

#### PROJECT DESCRIPTION

The City provides treated water to municipal users both inside and outside their city limits and industrial users including Cheniere LNG and Motiva Enterprises. Port Arthur is not projected to have a water shortage within the planning period. However, the City had an average per capita consumption of 320 gpcd in 2011. This value is well over the statewide goal of 140 gpcd. In addition, their 2013 Water Loss Report submitted to the TWDB had a total percent loss of over 66%. After performing a conservation analysis, the ETRWPG believes a water conservation strategy for the City is economically achievable. The recommended water management strategy for Port Arthur is water conservation, which includes planning level opinion of probable construction cost estimates related to enhanced public and school education, water conservation pricing implementation, and an enhanced water loss control program.

#### SUPPLY DEVELOPMENT

The supply for this strategy represents conservation savings due to enhanced public and school education, water conservation pricing implementation, and an enhanced water loss control program.

#### **ENVIRONMENTAL CONSIDERATIONS**

No environmental considerations associated with this strategy.

#### PERMITTING AND DEVELOPMENT

No additional permitting required for this strategy

#### PLANNING LEVEL OPINION OF COST

The planning level opinion of cost (PLOC) for this strategy includes no capital costs; the annual cost for this strategy is \$2,150,000. The unit cost is \$333 per ac-ft of supply and \$1.02 per 1,000 gallons of supply.

Based on the analysis provided above, the City of Port Arthur Municipal Conservation project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	10,340 ac-ft per year
Reliability	4	Reliable Supply
Cost	4	Low Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	4	City of Port Arthur is the local sponsor
Implementation Issues	4	No known risks

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SRA TOLEDO BEND PERMIT AMENDMENT

**Project Name:** 

Sabine River Authority - Toledo Bend Permit Amendment

**Project ID:** 

SRA-TB

**Project Type:** 

New Surface Water Source

**Potential Supply Quantity** 

293,300 ac-ft per year

(Rounded):

**Implementation Decade:** 

2020

**Development Timeline:** 

1 years

**Project Capital Cost:** 

\$0 (Sept. 2013)

**Unit Water Cost** 

\$0 per ac-ft (during loan period)

(Rounded):

\$0 (per 1,000 gallons)

### PROJECT DESCRIPTION

To support the increased use of water from Toledo Bend reservoir, the SRA has submitted a permit amendment to TCEQ to fully utilize Texas' share of the reservoir's firm yield. The application requested an additional 293,300 ac-ft per year of supply based on the TCEQ-approved Sabine River Basin WAM. The application has been declared administratively complete and TCEQ is currently reviewing the permit request. For planning purposes, the supply available from the permit amendment is based on the unpermitted yield for Toledo Bend as determined by the Sabine WAM that was used for regional water planning. The actual amount will be determined through the permitting process.

### SUPPLY DEVELOPMENT

The volume associated with this strategy is the amount SRA is planning to request from Toledo Bend Reservoir. Water Availability Modeling using Sabine WAM (without environmental flows) has indicated that the actual supplies available are less than the amount requested for the permit. The actual supplies are approximately 215,300 ac-ft per year in 2020, reducing to 195,000 ac-ft per year due to sedimentation issues.

### ENVIRONMENTAL CONSIDERATIONS

The implementation of this strategy would not require construction of additional infrastructure; therefore, the environmental impacts associated with this projected are expected to be minimal. In addition, the project should have minimum impacts to environmental water needs and the surrounding habitat, and no impacts to cultural resources in the area are expected.

### PERMITTING AND DEVELOPMENT

The implementation of this strategy would not require additional infrastructure or studies. However, this permit amendment is dependent upon coordination with the TCEQ.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) was not developed for this strategy because costs associated with the permit amendment are considered minimal. Any costs incurred by the Lower Neches Valley Authority will be related to engineering and lawyer fees.

### PROJECT EVALUATION

This strategy benefits both municipal and non-municipal customers of the Sabine River Authority and would have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. An amendment to allow the Sabine River Authority to pull water from Toledo Bend Reservoir will reduce demands on other water supplies in the region and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this permit amendment for existing surface water supplies will be beneficial because it provides water for economic growth.

Based on the analyses provided above, the Sabine River Authority recommended strategy for a permit amendment was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	293,300 ac-ft per year
Reliability	3	Moderately Reliable Supply
Cost	5	No Cost (Excluding Administrative and Lawyer Fees)
<b>Environmental Factors</b>	4	Low to No Impacts
Impact on Other State Water Resources	4	Low to No Impacts
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known risks
Major Impacts on Key Water Quality Parameters	4	No known risks
Political Feasibility	5	Sabine River Authority is the local sponsor
Implementation Issues	3	Permit Approval by TCEQ

#### REFERENCES

2011 East Texas Regional Plan.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR SRA PUMP STATION

**Project Name:** 

Sabine River Authority - Pump Station

**Project ID:** 

**SRA-PS** 

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

89,680 ac-ft per year

(Rounded):

**Implementation Decade:** 

2020

**Development Timeline:** 

**Project Capital Cost:** 

2 years \$72,832,675 (Sept. 2013)

Unit Water Cost

\$812.2 per ac-ft

(Rounded):

## PROJECT DESCRIPTION

SRA is also considering another water management strategy for a new raw water Pump Station. SRA intends to construct a new raw water Pump Station along the Sabine River, approximately 7 miles upstream of the existing raw water pump station. A water management strategy for developing the raw water Pump Station infrastructure is included in the list of strategies for SRA. The infrastructure improvements will include a 80 MGD raw water intake Pump Station, settling basin for the Sabine River supplies, and pipeline connecting the proposed Pump Station to the existing SRA canal system.

### SUPPLY DEVELOPMENT

Additional supply available from this water management strategy is approximately 89,680 ac-ft per year. The implementation of this strategy restores access to SRA's supplies from Toledo Bend.

### **ENVIRONMENTAL CONSIDERATIONS**

The impact to the environment due to pipeline construction is expected to be moderate. The strategy will have minimum impact to environmental water needs, no impact to the surrounding habitat, and a low impact to cultural resources in the area. Before this project could be pursued, Sabine River Authority would need to perform a site selection study to identify environmental impacts associated with the project.

### PERMITTING AND DEVELOPMENT

No known issues identified.

### PLANNING LEVEL OPINION OF COST

A detailed cost estimate was provided by SRA based on a detailed preliminary engineering study that was conducted for the Sabine River pump station and pipelines associated with this strategy. The recommended infrastructure configuration assumes construction of a pump station structure capable of future expansion by addition of pumps. The pump station, pipeline, and intake structure will contain enough capacity for potential transfer of Toledo Bend supplies to Jefferson County. An 80 MGD pump station with structure constructed for 285 MGD, a 72-inch pipeline and power supply to accommodate 285 MGD were considered for the cost estimate.

- Pump Station Cost \$27,729,100
- Pipeline Cost \$45,103,575
- Total Construction Cost \$72,832,675

### PROJECT EVALUATION

This strategy benefits both municipal and non-municipal customers of the Sabine River Authority and would have a positive impact on their water supply security. This analysis did not identify any impacts to agricultural or natural resources or to key parameters of water quality. Infrastructure Improvements will allow the Sabine River Authority to pull water from Toledo Bend Reservoir, will reduce demands on other water supplies in the region, and will have no other apparent impact on other State water resources. From a third party social and economic perspective, this infrastructure improvement strategy allows better access to existing surface water supplies and will be beneficial to the region because it provides water for economic growth.

Based on the analyses provided above, the Sabine River Authority recommended strategy for infrastructure improvements was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the 2016 East Texas Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	89,680 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	5	Sabine River Authority is the local sponsor.
Implementation Issues	4	No known risks

### REFERENCES

Discussions with Sabine River Authority.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR CITY OF TYLER LAKE PALESTINE EXPANSION

**Project Name:** 

City of Tyler – Lake Palestine Expansion

**Project ID:** 

TYLR-PAL

**Project Type:** 

**Existing Surface Water Source** 

**Potential Supply Quantity** 

16,815 ac-ft per year

(Rounded):

**Implementation Decade:** 

2020

**Development Timeline:** 

1 years

**Project Capital Cost:** 

\$93,050,000 (Sept. 2013)

**Project Annual Cost:** 

\$15,135,000 (Sept. 2013)

**Unit Water Cost** 

(Rounded):

\$900 per ac-ft (during loan period)

\$2.76 (per 1,000 gallons)

### PROJECT DESCRIPTION

The current supplies for the City include 34 MGD from Lake Tyler, 30 MGD from Lake Palestine, 0.4 MGD from Bellwood Lake, and 12 groundwater wells in Carrizo Wilcox aquifer producing approximately 8 MGD. The City of Tyler is shown to have sufficient supplies through the planning period using the TWDB approved demand projections.

In addition, there is considerable interest in other users in Smith County contracting with the City of Tyler for water supplies. There are recommended strategies for Tyler to provide additional water to Bullard, Crystal Systems Inc., Lindale, Walnut Grove WSC, Mining, and Manufacturing in Smith County. Until 2060, City of Tyler has sufficient supplies to meet the proposed demands for the potential future customers. City of Tyler has a small shortage in 2070 when current and future customer demands are taken into consideration.

City of Tyler proposed the following recommended strategies for the 2016 regional plan. City of Tyler will develop the additional 30 MGD of Lake Palestine water. The City has developed about half of its contracted supply in Lake Palestine and plans to develop the remaining supply by 2030, as part of its long-term water supply plan.

### SUPPLY DEVELOPMENT

The supply for this strategy represents City of Tyler's contract with Upper Neches River Municipal Water Authority for 67,200 ac-ft per year supplies from Lake Palestine. City of Tyler has transmission capacity to access half of the supplies and plans to develop this recommended strategy to access the other half. The reliability of this water supply is not considered high due to reduction in Lake Palestine yield due to sedimentation issues.

### **ENVIRONMENTAL CONSIDERATIONS**

A specific location for the new water treatment plant has been determined. The new water treatment plant will be at the same location as the current plant and the process train will be a mirror image of the current process train. For the purposes of this analysis, it is assumed that the current site would have acceptable

impacts. Once the water treatment plant is constructed, expanding the water treatment plant will have minimum environmental impacts.

During the construction of the pipeline, impacts to the environment and other natural resources are expected to be minimal and temporary.

### PERMITTING AND DEVELOPMENT

Additional study and mitigation may be required before construction of the transmission pipeline.

### PLANNING LEVEL OPINION OF COST

A planning level opinion of cost (PLOC) for this strategy is included in the table below. The total capital cost assumes a pipeline length of 5 miles, and 30 MGD water treatment plant would include a 2 million gallon storage tank. The annual cost was estimated assuming a debt service of 5.5% for 20 years as well as electrical and operation and maintenance costs. Overall, this strategy has a low cost compared to other strategies in the 2016 East Texas Regional Water Plan.

WWP NAME: STRATEGY:	City of Tyler Lake Palestine	e Expansion			
			30		
Quantity:	16,815 AF/Y	•	MGD		
CAPITAL COSTS					
Pipeline		ize Quantity	Unit	Unit Price	Cost
Pipeline Rural		in. 23,400	LF	\$171	\$3,993,000
Pipeline Urban	36	in. 3,000	LF	\$239	\$718,000
Right of Way Easem	ents Rural (ROW)	23,400	LF	\$26	\$660,880
Right of Way Easem	ents Urban (ROW)	3,000	LF	\$154	\$508,310
Engineering and Con	tingencies (30%)				\$1,413,000
Subtotal of Pipeline					\$7,293,190
Pump Station(s)					
Ground Storage Tanl		S MG 1	LS	\$771,000	\$771,000
Booster Pump Station		0 HP 1	LS	\$7,173,000	\$7,173,000
Engineering and Con	tingencies (35%)				\$2,780,400
Subtotal of Pump S	tation(s)				\$10,724,400
Water Treatment F					
Expand Water Treatr		MGD 1	LS	\$53,135,000	\$53,135,000
Engineering and Con	itingencies (35%)				\$18,597,250
Subtotal of WTP					\$71,732,250
Permitting and Mitig					\$153,000
CONSTRUCTION					\$89,903,000
Interest During Cons	truction		12	Months	\$3,147,000
TOTAL COST					\$93,050,000
Debt Service (5.5%	for 20 years)				\$7,786,000
Operational Costs*					\$7,349,000
Total Annual Costs					\$15,135,000
UNIT COSTS (Unt					
Per Acre-Foot of trea	ated water				\$900
Per 1,000 Gallons					\$2.76

**UNIT COSTS (After Amortization)** 

Per Acre-Foot \$780 Per 1,000 Gallons \$2.40

### PROJECT EVALUATION

Based on the analysis provided above, the City of Tyler Lake Palestine Expansion project was evaluated across eleven different criteria for the purpose of quick comparison against alternative projects that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.

Criteria	Rating	Explanation
Quantity	4	16,815 ac-ft per year
Reliability	4	Moderately Reliable Supply
Cost	3	Medium Cost
Environmental Factors	4	Low Impacts
Impact on Other State Water Resources	4	Low Impact
Threat to Agricultural Resources/Rural Areas	4	Low
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	City of Tyler is the local sponsor
Implementation Issues	4	No known risks

#### REFERENCES

2011 East Texas Regional Water Plan.

<sup>\*</sup> Includes, as appropriate, operation and maintenance, power, water purchase (raw or treated), water treatment chemicals, well pumping (for groundwater), ongoing regulatory support (as needed) and other anticipated annual operating costs.

# ETRWPA WATER MANAGEMENT STRATEGY ANALYSIS TECHNICAL MEMORANDUM FOR UNRMWA RUN-OF-RIVER SUPPLIES

WMS Name:

Neches River Run-of-River Diversion

WMS Project ID:

**UNM-ROR** 

WMS Type:

New Surface Water Source

**Potential Supply Quantity** 

68,625 ac-ft/yr

(Rounded):

(61.2 MGD)

**Implementation Decade:** 

2020 (2020)

**Development Timeline:** 

2-4 years

**Strategy Capital Cost:** 

\$444,085,000 (Sept. 2011)

**Strategy Annual Cost:** 

\$41,285,000 (Sept 2011)

**Unit Water Cost** (Rounded):

\$1.85 per 1,000 gallons (during loan period)

### STRATEGY DESCRIPTION

Lake Fastrill was a recommended water management strategy for Upper Neches River MWA in the approved 2006 ETRWPA Water Plan and the 2007 State Water Plan and was designated by the Texas Legislature as a unique site for reservoir development. The lake was intended to meet projected water supply needs for the Dallas and water user groups in Anderson, Cherokee, Henderson, and Smith counties in Region I. A decision of the United States Supreme Court on February 22, 2010 not to hear the appeals of the State of Texas and Dallas has effectively supported the creation of the Neches River National Wildlife Refuge (NRNWR) and rendered the development of Lake Fastrill extremely unlikely.

The Neches Run-of-the-River Diversion strategy is one potential alternative to Lake Fastrill and recommended strategy for Upper Neches River MWA in the 2016 ETRWPA Regional Plan. It would involve run-of-the-river diversions from the Neches River in Anderson and Cherokee Counties downstream of Lake Palestine and the Neches River National Wildlife Refuge and upstream of the Weches Dam site. The run-of-the-river diversions would be subject to senior water rights and environmental flow restrictions and would not be available at all times. Hence, the run-of-the-river project would include one or more "off-channel" storage reservoirs located on tributaries of the Neches River in Anderson and Cherokee counties which would be refilled during periods when water is available for diversion from the Neches River.

Using the run-of-river diversions operated as a system with Lake Palestine is the recommended strategy. Run-of-river diversions operated as a system with off-channel tributary storage and as conjunctive use along with groundwater are proposed as alternative strategies. All the potentially feasible WMSs for UNRMWA and City of Dallas are discussed in the 2015 Report *Upper Neches River Water Supply Project Feasibility Study*.

It was stated in the feasibility study that "The selected Upper Neches Project strategy includes a new river intake and pump station for a run-of-river diversion from the Neches River near the SH 21 crossing. Facilities include a small diversion dam on the Neches River, a river intake and pump station, and a transmission pipeline and booster pump station with delivery to the IPL pump station site near Lake Palestine." It is anticipated that this project will be online by 2060 and will provide 62 MGD (68,625).

acre-feet/year) of supply. Hence, the run-of-river project would be operated as a system with Lake Palestine using available storage capacity therein during drought.

#### STRATEGY DEVELOPMENT

Neches Run-of-River Diversions with Lake Palestine (Recommended). This recommended strategy includes run-of-river diversions near SH 21 on Neches River operated as a system with storage in Lake Palestine. UNRMWA will be the project sponsor for this WMS. The run-of-river diversions will be taken from the river segment between the existing Rocky Point diversion and the Weches Dam site below the SH21 crossing, between the Neches River National Wildlife Refuge and upstream of the Weches Dam site. The run-of-the-river diversions will be authorized under a new appropriation of surface water, subject to senior water rights and environmental flows. New facilities required for this WMS include a small diversion dam on the Neches River, a river intake and pump station, and a transmission pipeline and booster pump station supporting transmission to Lake Palestine. The run-of-river diversions are an interruptible supply and the firm yield associated with the WMS is the incremental increase in the firm yield of Lake Palestine resulting from the system operation of the new diversions and the transmission facilities with the Lake Palestine.

The feasibility report includes multiple infrastructure alternatives for the recommended strategy, each resulting in a different amount of firm yield at Lake Palestine. It should be noted that the project configuration for the recommended WMS for UNRMWA in the 2016 ETRWPA Regional Plan is different from the configuration discussed in Dallas' October 2014 Draft Long Range Water Supply Plan (Draft LRWSP). The project configuration discussed in the City of Dallas Draft LRWSP resulted in a firm yield of 47,250 ac-ft per year (42 MGD) that is projected to meet Dallas needs starting 2060, whereas the project configuration developed for UNRMWA in the 2016 ETRWPA Regional Plan resulted in a firm yield of 68,625 ac-ft per year (61.2 MGD) and it is projected to meet both Dallas demands and the ETRWPA water needs. The unit cost of this strategy is approximately \$602/acft/yr during the debt service period.

Neches Run-of-River Diversions with Tributary Storage (Alternative). The first alternate strategy for DWU includes new run-of-river diversions from the Neches River segment between the existing Rocky Point diversion dam and the Weches dam site with storage in a new tributary or off-channel reservoir. This alternative strategy includes system operations with Lake Palestine. System operations of this alternate strategy with Lake Palestine could result in a firm yield of 75,000 acft/yr (67 MGD) at a unit cost of \$434/acft/yr during the debt service period. Facilities for implementation of this WMS include a small diversion dam on the Neches River, a high capacity river intake pump station, a transmission pipeline to the reservoir, and a tributary or off-channel reservoir. The interruptible run-of-river diversions will be backed up using stored water in the tributary or off-channel reservoir. Run-of-river diversions and any impoundment of local runoff in a tributary or off-channel reservoir are subject to inflow passage for senior water rights and environmental protection.

Neches Run-of-River Diversions with Groundwater (Alternative). A conjunctive use WMS is the second proposed alternative strategy for DWU. The WMS includes new run-of-river diversions from the Neches River segment between the existing Rocky Point diversion dam and the Weches dam site with groundwater supplies from new wells in Carrizo, Wilcox, and Queen City aquifers in Anderson and Cherokee Counties. System operations of this alternate strategy with Lake Palestine could result in a firm yield of 84,875 acft/yr (76 MGD) at a unit cost of \$414/acft/yr during the debt service period. This alternative strategy includes system operations with Lake Palestine. New facilities for the implementation of this WMS include a small diversion dam on the Neches River, a river intake and pump station, wells located on properties controlled by Campbell Timberland Management, LLC and Forestar (USA) Real Estate Group, Inc., and a transmission system for the delivery of the supplies to the potential customers.

The interruptible run-of-river supplies will be backed up using groundwater delivered to the run-of-river diversion point using bed and banks of the Neches River and several tributary streams. The run-of-river diversions are subject to inflow passage for senior water rights and environmental protection, but the groundwater supplies are not.

### SUPPLY DEVELOPMENT

Availability of the Run-of-River supplies was determined using the Neches Basin Water Availability Model and reported in the 2014 Report *Upper Neches River Water Supply Project Feasibility Study*.

### PERMITTING AND DEVELOPMENT

The Neches River Run-of-the-River Diversion would require a new water rights permit and an interbasin transfer permit.

### **Cost Analysis**

The cost estimates for the Run-of-River strategy were obtained from the 2014 Report *Upper Neches River Water Supply Project Feasibility Study*. Additional details of the cost estimates can be obtained from the report.

### WATER MANAGEMENT STRATEGY EVALUATION

Based on the analysis provided above, the Neches River Run-of-the-River Diversion strategy was evaluated across eleven different criteria for the purpose of quick comparison against alternative strategies that may be incorporated into the Regional Water Plan. The results of this evaluation can be seen in the table below.


Criteria	Rating	Explanation
Quantity	4	68,625 ac-ft per year
Reliability	4	Reliable Supply
Cost	3	Low – Medium Cost
Environmental Factors	3	Medium Impacts
Impact on Other State Water Resources	4	Low Impacts
Threat to Agricultural Resources/Rural Areas	4	Low Impacts
Interbasin Transfers		No
Other Natural Resources	4	No known Impacts
Major Impacts on Key Water Quality Parameters	4	No known Impacts
Political Feasibility	3	UNRMWA is the local sponsor for this strategy
Implementation Issues	2	Need to secure the run-of-river rights

### WATER USER GROUP APPLICATION

The Neches River Run-of-the-River Diversion strategy was evaluated on a basis of several criteria to determine the Water User Groups (WUGs) to which it may be applied. Consideration was given to the proximity of the project to identified needs, the volume of the supply made available, the quality of the water provided, and the unit cost of the strategy as well as other factors that may relate to the auditability of the strategy to the WUGs served.

### REFERENCES

Discussions with Upper Neches River Municipal Water Authority.



## Appendix 5B-B

# **Quantification of Environmental Impacts of Water Management Strategies and Strategy Evaluation Matrix**

In accordance with TWDB rules and guidelines pursuant to TAC 357.5 (e)(4), the East Texas Regional Planning Group (ETRWPG) is required to summarize the approach used for identifying and selecting Water Management Strategies (WMS) for development of the 2016 Regional Water Plan (RWP). This approach classifies the strategies using the TWDB's standard categories developed for regional water planning.

Potential WMSs were developed based on the needs identified for Water User Groups (WUGs) from a comparison of projected demands and existing supplies. Similarly, Wholesale water providers (WWP) supplies and existing contracts were reviewed to determine the needs. Appropriate WMSs were developed for the WWPs to address the needs. In some cases, WMSs were developed for WUGs and WWPs that wanted to increase their system reliability and develop additional supplies even if there was no immediate need.

The viability of the WMS for a given WUG or WWP was determined by using the following considerations:

- Is it preferable to identify a groundwater or surface water or reuse or demand reduction strategy for the WUG/WWP?
- Does this strategy alone meet the entire need for the WUG/WWP or does it need to be paired with other strategy?
- Is the strategy within the reasonable proximity to the location of the water need?
- Is this the most preferred strategy for the WUG/WWP?
- Is the unit cost supportable by the WUG/WWP?

• Are there any flaws identified with the implementation or formulation of the strategy for the WUG/WWP?

After the strategies are developed based on the initial screening process, each WMS was evaluated based on the matrix criteria listed below. Each WMS was given a score from one to five for each analysis criterion and a matrix of rated WMS was developed. The analysis criteria include the following:

- Quantity
- Reliability
- Cost
- Environmental Factors
- Impact on Other State Water Resources
- Threat to Agricultural Resources/Rural Areas
- Interbasin Transfers
- Other Natural Resources
- Major Impacts on Key Water Quality Parameters
- Political Feasibility
- Implementation Issues

Included below is a discussion of the analysis criterion. A summary of the scoring used for ranking the strategies for each one of the criterion in the evaluation matrix is included in Table 5B-B.2. The evaluation matrix with the ranks for the WMSs is included in Table 5B-B.3.

**Quantity** is evaluated and scored based on the percentage of the WUG/WWP need the given WMS is expected to meet.

**Reliability** is evaluated based on the potential for the water to be available during drought. Strategies in which there is considerable competition for water or temporary supplies are rated as low reliability. Strategies that use water from a source that would not

exceed 90% of available supply is rated as medium reliability. Strategies that use water from a source that would not exceed 80% of available supply is rated as high reliability. The reliability ranges are presented in Table 5B-B.2.

**Cost** is evaluated based on the gradation of the unit cost for the given WMS compared to the range defining the scores 1 to 5. The ranges are presented in Table 5B-B.2 below.

Environmental impacts from the WMS to the existing conditions were quantified using the environmental matrix to determine the score of the 'Environmental Factors' category on the Evaluation Matrix. Each category is quantitatively assessed and assigned a ranking from 1 to 5. The Overall Environmental Impacts column averages all of the rankings assigned to the strategy. This value is also illustrated in the Evaluation Matrix as the Environmental Factors rank. Table 5B-B.1 shows the correlation between the rank assigned within each category. The Environmental Matrix takes into consideration the following categories:

- Total Acres Impacted
- Total Wetland Acres Impacted
- Environmental Water Needs
- Habitat
- Threatened and Endangered Species
- Cultural Resources
- Bays & Estuaries

Table 5B-B.1 - Environmental Matrix Category Ranking Correlation

Rank	Acres Impacted	Threatened and Endangered Species	All Remaining Categories
1	Greater than 500 Acres and/or Wetlands	Greater than 20	High Impact
2	100-500 Acres	Between 15-20	Medium Impact
3	50-100 Acres	Between 10-15 or 'varies'	Low Impact
4	0-50 Acres	Between 5-10	No Impact to Low Impact
5	None	Between 0-5 (or n/a)	No Impact

**Acres Impacted** refers to the total amount of area that will be impacted due to the implementation of a strategy. The following conservative assumptions were made (unless more detailed information was available):

- Each well will impact approximately 1 acre of land
- The acres impacted for pipelines is equivalent to the right of way easements required
- Reservoirs will impact an area equal to their surface area
- A conventional water treatment plant will impact 5 acres

Wetland Acres refers to the number of acres that are classified as wetlands are impacted by implementation of the strategy. The only strategy that had an impact on surrounding wetlands was the Lake Columbia strategy.

Environmental Water Needs refers to how the strategy will impact the area's overall environmental water needs. Water is vital to the environmental health of a region, and so it is important to take into account how strategies will impact the amount of water that will be available to the environment. It was conservatively assumed that majority of the strategies will have a low impact on the environmental water needs (unless more detailed information was available).

**Habitat** refers to how the strategy will impact the habitat of the local area. The more area that is impacted due to the implementation of the strategy, the more the area's habitat will be disrupted. It was assumed that strategies with less than 100 acres impacted will have a low impact and strategies above 100 acres impacted will have a medium impact.

Threatened and Endangered Species refers to how the strategy will impact those species in the area once implemented. The following conservative assumptions were made (unless more detailed information was available);

- Only applicable to strategies implementing infrastructure
- Rankings were based on the amount of threatened and endangered species located within the county. This amount was found using the Texas Parks and Wildlife Database located at <a href="http://tpwd.texas.gov/gis/rtest/">http://tpwd.texas.gov/gis/rtest/</a> and the U.S. Fish and Wildlife Service Database located at <a href="http://www.fws.gov/endangered/">http://www.fws.gov/endangered/</a>.
- This ranking only includes threatened and endangered species as defined
  in the TWDB guidelines and does not include species without official
  protection such as those proposed for listing or species that are considered
  rare or otherwise of special concern.

Cultural Resources refers to how the strategy will impact cultural resources located within the area. Cultural resources are defined as the collective evidence of the past activities and accomplishments of people. Locations, buildings and features with scientific, cultural or historic value are considered to be cultural resources. It was conservatively assumed that all strategies implementing infrastructure will have a low impact on cultural resources.

Bays and Estuaries Impact to Bays and Estuaries (if any) due to the WMSs was identified and quantified accordingly.

Threat to Agricultural Resources/Rural Areas is quantified based on the impacts to water supplies to these users. If a strategy will reduce the available water to agricultural or rural areas by the greater of 10% current use or 5,000 ac-ft/yr, the strategy is determined to have high impacts. If the entity already holds water rights for the strategy, the impacts would be low.

**Interbasin Transfer** is quantified by means of a yes or no qualifier. If there is an interbasin transfer triggered because of the WMS then the impact is quantified as a "yes" and if there is no interbasin transfer triggered, then the impact is quantified as a "no".

Other Natural Resources is quantified based on the impact of the WMS to other natural resources in the region. If the strategy significantly alters the natural condition of other resources, the strategy is determined to have high impacts. If the strategy does not alter the natural condition of other resources, the strategy is determined to have no impacts.

Major Impacts on Key Water Quality Parameters is quantified based on the impact that the implementation of the strategy will have on the area's applicable water quality.

**Political Feasibility** evaluates the local preference and likelihood for public support or opposition created by the WMS. This evaluation also takes into consideration if a local sponsor is identifiable and committed to implementing the WMS.

**Implementation Issues** evaluates the potential for factors such as permitting and land acquisition to affect the WMS. It also evaluates the risk to the strategy's ability to deliver water from natural or man-made disasters such as hurricanes, climate change, or terrorism.

### **Table 5B-B.2 – ETRWPA WMS Evaluation Matrix Rating Criteria**

Category			Rating Criteria				
Category	1	2	3	4	5		
Quantity	Meets 0-25% Shortage	Meets 25-50% of Shortage	Meets 50-75% of Shortage	Meets 75-100% of Shortage	Exceeds Shortage		
Reliability	Low	Low to Medium	Medium	Medium to High	High		
Cost	>\$5,000/ac-ft (High)	\$1,000 to \$5,000/ac-ft (Medium-High)	\$500 to \$1,000/ac-ft (Medium)	\$0 to \$500/ac-ft (Low)	No Cost		
Environmental Factors	Significant Negative Impacts	Medium Negative Impacts	Low Negative Impacts	Low Negative Impacts/Some Positive Impacts	High Positive Impacts		
Impact on Other State Water Resources	Significant Negative Impacts	Medium Negative Impacts	Low Negative Impacts	Low Negative Impacts/Some Positive Impacts	High Positive Impacts		
Threat to Agricultural Resources/Rural Areas	Significant Negative Impacts	Medium Negative Impacts	Low Negative Impacts	Low Negative Impacts/Some Positive Impacts	High Positive Impacts		
Interbasin Transfers	· ·		Yes/No	•			
Other Natural Resources	Significant Negative Impacts	Medium Negative Impacts	Low Negative Impacts	Low Negative Impacts/Some  Positive Impacts	High Positive Impacts		
Major Impacts on Key Water Quality Parameters	Significant Negative Impacts	Medium Negative Impacts	Low Negative Impacts	Low Negative Impacts/Some Positive Impacts	High Positive Impacts		
Political Feasibility	No sponsor readily identifiable.	Sponsor identifiable, but uncommitted.	Sponsor(s) identified, commitment level uncertain.	Sponsor(s) are identified and committed to strategy.	Sponsors identified and strategy is in development.		
Implementation Issues	High implementation Issues.	Medium High Implementation Issues	Low Implementation Issues	Low Implementation Issues	Low to No Implementation Issues		

													Impacts of Str	ategy on:				
Number	County	Entity	Basin Used	Strategy	Strategy Key	Quantity (Ac- Ft/Yr)	Quantity	Reliability	Cost (\$/Ac- Ft)	Cost	Environmental Factors	Water Resources and Other WMS	Agricultural Resources/ Rural Areas	Interbasin Transfers	Other Natural Resources	Key Water Quality Parameters	Political Feasibility	Implementation Issues
#	Name	Name(s)	Name	Name	Name	(Ac- Ft/Yr)	(1-5)	(1-5)	\$	(1- 5)	(1-5)	(1-5)	(1-5)		(1-5)	(1-5)	(1-5)	(1-5)
1	Anderson	Steam Electric Power	Neches	Purchase from City of Palestine	AND- SEP1	23,669	3	4	\$522	3	4	4	4	No	4	4	1	4
2	Angelina	Manufacturing	Neches	Purchase from Lufkin	ANGL- MFG	17,195	4	5	\$326	4	4	4	4	No	4	4	1	4
3	Angelina	Mining	Neches	Purchase from ANRA	ANGL- MIN	573	4	3	\$1,644	2	4	4	4	No	4	4	1	4
4	Cherokee	Alto Rural WSC	Neches	New wells in Carrizo-Wilcox Aquifer	CHER- ALT	250	4	4	\$1,212	2	4	4	4	No	4	4	3	4
5	Cherokee	Mining	Neches	Purchase from ANRA	CHER- MIN	250	4	4	\$2,560	2	4	4	4	No	4	4	3	4
6	Cherokee	Steam Electric Power	Neches	Purchase from ANRA	CHER- SEP	20,000	4	4	\$1,056	2	4	4	4	No	4	4	3	4
7	Henderson	Chandler	Neches	Purchase from City of Tyler	HDSN- CHN	350	4	4	\$863	3	4	4	4	No	4	4	3	4
8	Houston	Irrigation	Neches	New wells in Yegua-Jackson Aquifer	HOUS- IRR	2,340	4	4	\$704	3	4	4	5	No	4	4	1	4
9	Jasper	Manufacturing	Neches	Purchase from LNVA	JASP- MFG	8,420	4	4	\$720	3	4	4	4	No	4	4	1	4
10	Jefferson	County-Other	Neches	Purchase from LNVA	JEFF- CTR	3,413	4	4	\$739	3	4	4	4	No	4	4	1	4
11	Jefferson	Manufacturing	Neches	Purchase from LNVA	JEFF- MFG	309,322	4	4	\$452	4	4	4	4	No	4	4	1	4
12	Jefferson	Steam Electric Power	Neches	Purchase from LNVA	JEFF- SEP	30,839	4	4	\$507	4	4	4	4	No	4	4	1	4
13	Nacogdoches	County-Other	Neches	Lake Naconiche Regional Water System	NACN- LK	1,700	4	4	\$3,102	2	4	4	4	No	4	4	4	4
14	Nacogdoches	D&M WSC	Neches	New wells in Carrizo-Wilcox Aquifer	NACW- DMW	250	4	4	\$1,536	3	4	4	4	No	4	4	2	4
15	Nacogdoches	Livestock	Neches	New wells in Carrizo-Wilcox Aquifer	NACW- LTK	3,059	4	4	\$904	3	4	4	4	No	4	4	1	4
16	Nacogdoches	Mining	Neches	Purchase from ANRA	NACW- MIN	5,475	4	3	\$1,209	3	4	4	4	No	4	4	4	4


													Impacts of Str	ategy on:				
Number	County	Entity	Basin Used	Strategy	Strategy Key	Quantity (Ac- Ft/Yr)	Quantity	Reliability	Cost (\$/Ac- Ft)	Cost	Environmental Factors	Water Resources and Other WMS	Agricultural Resources/ Rural Areas	Interbasin Transfers	Other Natural Resources	Key Water Quality Parameters	Political Feasibility	Implementation Issues
#	Name	Name(s)	Name	Name	Name	(Ac- Ft/Yr)	(1-5)	(1-5)	\$	(1- 5)	(1-5)	(1-5)	(1-5)		(1-5)	(1-5)	(1-5)	(1-5)
17	Nacogdoches	Steam Electric Power	Neches	Purchase from ANRA	NACW- SEP1	8,500	4	3	\$619	3	4	4	4	No	4	4	1	4
18	Nacogdoches	Steam Electric Power	Neches	New wells in Carrizo-Wilcox Aquifer	NACW- SEP2	2,000	4	4	\$938	3	4	4	4	No	4	4	1	. 4
19	Newton	Mining	Neches	Purchase from SRA	NEWT- MIN	115	4	4	\$965	3	4	4	4	No	4	4	1	4
20	Newton	Steam Electric Power	Neches	Purchase from SRA	NEWT- SEP	19,021	4	4	\$531	3	4	4	4	No	4	4	1	4
21	Orange	Irrigation	Sabine	Purchase from SRA	ORAN- IRR	2,758	4	4	\$764	3	4	4	5	No	4	4	1	4
22	Orange	Manufacturing	Sabine	Purchase from SRA	ORAN- MFG	31,850	4	4	\$467	2	4	4	4	No	4	4	1	4
23	Orange	Steam Electric Power	Sabine	Purchase from SRA	ORAN- SEP	4,486	4	4	\$686	3	4	4	4	No	4	4	1	4
24	Panola	Manufacturing	Sabine	Purchase from City of Carthage	PANL- MFG	309	4	4	\$327	4	4	4	4	No	4	4	1	4
25	Rusk	Mining	Neches	Purchase from ANRA	RUSK- MIN	2,092	4	3	\$1,635	2	4	4	4	No	4	4	4	4
26	Rusk	Steam Electric Power	Neches	Purchase from SRA	RUSK- SEP	18,868	4	4	\$628	3	4	4	4	No	4	4	1	4
27	San Augustine	Mining	Neches	Purchase from ANRA	SAUG- MIN	2,012	4	4	\$1,920	2	4	4	4	No	4	4	4	4
28	Shelby	Livestock	Sabine	Purchase from SRA	SHEL- LTK	6,925	4	4	\$699	3	4	4	4	No	4	4	1	4
29	Smith	Bullard	Neches/Trinity	Purchase from City of Tyler	SMTH- BLD	995	4	4	\$852	3	4	4	4	No	4	4	2	4
30	Smith	Crystal Systems Inc.	Neches/Trinity	Purchase from City of Tyler	SMTH- CYS	642	3	4	\$650	3	4	4	4	No	4	4	1	4
31	Smith	Lindale	Neches/Trinity	Purchase from City of Tyler	SMTH- LDL	826	4	4	\$1,044	2	4	4	4	No	4	4	1	4
32	Smith	Manufacturing	Neches/Trinity	Purchase from City of Tyler	SMTH- MFG	2,879	4	4	\$590	3	4	4	4	No	4	4	1	4
33	Smith	Mining	Neches/Trinity	Purchase from City of Tyler	SMTH- MIN	114	4	4	\$3,526	2	4	4	4	No	4	4	1	4

											1		Impacts of Str	ategy on:				
Number	County	Entity	Basin Used	Strategy	Strategy Key	Quantity (Ac- Ft/Yr)	Quantity	Reliability	Cost (\$/Ac- Ft)	Cost	Environmental Factors	Water Resources and Other WMS	Agricultural Resources/ Rural Areas	Interbasin Transfers	Other Natural Resources	Key Water Quality Parameters	Political Feasibility	Implementation Issues
#	Name	Name(s)	Name	Name	Name	(Ac- Ft/Yr)	(1-5)	(1-5)	\$	(1- 5)	(1-5)	(1-5)	(1-5)		(1-5)	(1-5)	(1-5)	(1-5)
34	Trinity	Irrigation	Trinity	Purchase from County Other (Yegua- Jackson Aquifer)	TRTY- IRRI	331	3	4	\$988	3	4	4	4	No	4	4	1	4
35	Multiple	Multiple	-	Conservation	WUG- CONS	_	-	4	-	3	5	5	5	No	5	5	2	4
36	Angelina	Angelina Neches River Authority	Neches	Lake Columbia	ANRA- COL	75,600	4	4	\$333	4	3	4	4	No	4	4	4	3
37	Angelina	Angelina Neches River Authority	Neches	ANRA Water Treatment Plant and Distribution System	ANRA- WTP	22,232	4	3	\$1,883	2	4	4	4	No	4	4	4	3
38	Angelina	Angelina Neches River Authority	Neches	ANRA Groundwater wells	ANRA- GW	5,600	4	4	\$578	3	4	4	4	No	4	4	4	4
39	Angelina	Angelina Neches River Authority	Neches	ANRA Run of River Supplies	ANRA- ROR	30,000	4	3	-	5	4	4	4	No	4	4	4	4
40	Henderson	Athens MWA	Trinity	Indirect Reuse of Flows from Fish Hatcheries	AMWA- FH	2,872	4	4	-	5	4	4	4	No	4	4	4	3
41	Henderson	Athens MWA	Trinity	Additional Groundwater wells in Carrizo Wilcox	AMWA- GW	4,840	4	2	\$277	2	4	4	4	No	4	4	4	1
42	Henderson	Athens MWA	Trinity	Pump Station Improvements	AMWA- WTP	1,121	4	4	\$59	5	4	4	4	No	4	4	5	4
43	Henderson	Angelina Nacogdoches WCID#1	Neches	Volumetric Surveys of Lake Striker	ANCD- VOL	-	-	-	-	5	4	4	4	No	4	4	4	4
44	Henderson	Angelina Nacogdoches WCID#1	Neches	Hydraulic Dredging of Lake Striker	ANCD- DRE	2,100	3	3	-	4	4	. 4	4	No	4	4	5	4
45	Henderson	Angelina Nacogdoches WCID#1	Neches	Normal Pool Elevation Adjustment of Lake Striker	ANCD- NPA	3,500	4	3	•	5	4	4	4	No	4	4	3	3
46	Jefferson	Beaumont	Neches- Trinity	Municipal Conservation	BEAU- CONS	9,966	4	4	\$317	4	4	4	4	No	4	4	3	4

													Impacts of Str	ategy on:		1.7 t t . 7 m		
Number	County	Entity	Basin Used	Strategy	Strategy Key	Quantity (Ac- Ft/Yr)	Quantity	Reliability	Cost (\$/Ac- Ft)	Cost	Environmental Factors	Water Resources and Other WMS	Agricultural Resources/ Rural Areas	Interbasin Transfers	Other Natural Resources	Key Water Quality Parameters	Political Feasibility	Implementation Issues
#	Name	Name(s)	Name	Name	Name	(Ac- Ft/Yr)	(1-5)	(1-5)	\$	(1- 5)	(1-5)	(1-5)	(1-5)		(1-5)	(1-5)	(1-5)	(1-5)
47	Shelby	Center	Sabine	Reuse Pipeline from WWTP to Lake Center	CENT- REU	1,120	. 4	5	\$1,493	2	3	4	4	No	4	3	4	4
48	Shelby	Center	Sabine	Pipeline from Toledo Bend to Lake Center	CENT- TOL	2,242	4	4	\$1,544	2	4	4	4	No	4	4	4	4
49	Shelby	Center	Sabine	Volumetric Surveys	CENT- VOL	-	NA	NA	-	4	4	4	4	No	4	4	4	4
50	Houston	Houston County WCID#1	Neches	Permit Amendment for Houston County Lake	HCWC- PA	3,500	4	3	-	5	4	4	4	No	4	4	4	4
51	Houston	Houston County WCID#1	Neches	New wells in Carrizo-Wilcox Aquifer	HCWC- GW	3,500	4	3	\$747	3	4	4	4	No	4	4	4	3
. 52	Cherokee	Jacksonville	Neches	Lake Columbia to Jacksonville Raw Water Transmission System	JACK- COL	1,700	4	4	\$1,556	2	4	4	4	No	4	4	4	3
53	Jefferson	Lower Neches Valley Authortiy	Neches- Trinity	Purchase from SRA	LNVA- SRA	200,000	4	4	\$526	4	4	4	4	No	4	4	4	3
54	Jefferson	Lower Neches Valley Authortiy	Neches- Trinity	Permit Amendment for Lake Sam Rayburn	LNVA- PA	28,000	4	5	-	5	4	4	4	No	4	4	4	4
55	Jefferson	Lower Neches Valley Authortiy	Neches- Trinity	Transfer to Region H (Sam Rayburn)	LNVA- RGH	55,000	4	. 4	\$435	4	4	4	5	Yes	4	3	4	3
56	Jefferson	Lower Neches Valley Authortiy	Neches- Trinity	Constructed Levy	LNVA- JEFF	1,600	4	4	\$1,909	2	4	4	4	No	4	4	1	4
57	Angelina	Lufkin	Neches	Conveyance from Sam Rayburn to Kurth Lake	LUFK- RAY	28,000	. 4	4	\$814	3	4	4	4	No	4	4	4	4

						1							Impacts of Str	ategy on:				
Number	County	Entity	Basin Used	Strategy	Strategy Key	Quantity (Ac- Ft/Yr)	Quantity	Reliability	Cost (\$/Ac- Ft)	Cost	Environmental Factors	Water Resources and Other WMS	Agricultural Resources/ Rural Areas	Interbasin Transfers	Other Natural Resources	Key Water Quality Parameters	Political Feasibility	Implementation Issues
#	Name	Name(s)	Name	Name	Name	(Ac- Ft/Yr)	(1-5)	(1-5)	\$	(1- 5)	(1-5)	(1-5)	(1-5)		(1-5)	(1-5)	(1-5)	(1-5)
58	Nacogdoches	Nacogdoches	Neches	Lake Columbia to Nacogdoches Raw Water Transmission System	NACP- COL	8,500	4	4	\$705	3	4	4	4	No	4	4	4	3
59	Jefferson	Port Arthur	Neches- Trinity	Municipal Conservation	PORT- CONS	10,340	4	4	\$333	4	4	4	4	No	4	4	4	4
60	Orange	Sabine River Authority	Sabine	SRA Toledo Bend Amendment	SRA-TB	293,300	4	3	-	5	4	4	4	No	4	4	5	3
61	Orange	Sabine River Authority	Sabine	SRA Pump Station	SRA-PS	89,680	4	4	\$812	3	4	4	4	No	4	4	5	4
62	Smith	Tyler	Neches	City of Tyler - Lake Palestine Expansion	TYLR- PAL	16,815	4	4	\$900	3	4	4	4	No	4	4	3	4
63	Anderson	Upper Neches River Municipal Water Authority	Neches	Neches Run-of- River Diversion	UNM- ROR	68,625	4	4	\$602	3	3	4	4	No	4	4	3	2

•



# Appendix 5B-C

# Recommended Water Management Strategies by WUG DB17 Report

This appendix includes a copy of the Water User Group Recommended Water Management Strategy data from the TWDB Data Web Interface known as the DB17. The summary is divided by Water User Group.

# This page intentionally left blank

## Recommended Water User Group (WUG) Water Management Strategies (WMS)

## UG Entity Primary Region: I

### Water Management Strategy Supplies

		Water Management Strategy Supplies									
WUG Entity Name	WMS Sponsor Region	WMS Name	Source Name	2020	2030	2040	2050	2060	2070	Unit Cost 2020	Unit Cost 2070
ALTO	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	428	428	428	428	85	N/A	\$333
ALTO RURAL WSC	I	ALRU ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND, REDUCTION	0	0	5	7	. 9	11	N/A	\$489
ALTO RURAL WSC	I	CHE-ALT - ALTO RURAL WSC	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	0	0	0	61	130	250	N/A	\$13
ARP	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	. 0	428	428	428	428	85	N/A	\$13
BEAUMONT	I	BEAU ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND REDUCTION	0	413	540	688	859	1,055	N/A	\$57
BEAUMONT	I	BEAU ENHANCED WATER LOSS CONTROL PROGRAM	DEMAND REDUCTION	0	2,670	4,477	6,015	7,353	8,516	N/A	\$260
BEAUMONT	I	BEAU WATER CONSERVATION PRICING	DEMAND REDUCTION	. 0	155	324	344	368	.395	N/A	\$0
BETHEL-ASH WSC	С	CONSERVATION - BETHEL-ASH WSC	DEMAND REDUCTION	1	2	, 3	4	5	7	\$0	. \$0
BETHEL-ASH WSC	С	CONSERVATION, WATER LOSS CONTROL - BETHEL-ASH WSC	DEMAND REDUCTION	1	. 1	. 0	0	0	0	\$397	Ņ/A
BULLARD	, I	BULL ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND REDUCTION	4	7	10	14	19	24	\$489	\$489
BULLARD	I	BULL WATER CONSERVATION PRICING	DEMAND REDUCTION	7	1,7	20	24	28	32	\$0	\$0
BULLARD	1	TYL-PAL-EXISTING SURPLUS FOR TYLER	I   PALESTINE LAKE/RESERVOIR	49	215	385	570	760	955	\$896	\$896
CENTER	I	CENT-REU-CITY OF CENTER REUSE	I   CENTER LAKE/RESERVOIR	1,120	1,120	1,120	1,120	1,120	1,120	\$1493	\$479
CENTER	I	CENT-TOL - TOLEDO BEND PIPELINE	I   TOLEDO BEND LAKE/RESERVOIR	0	0	2,242	2,242	2,242	2,242	N/A	. \$865
CHANDLER	I	CHAN ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND REDUCTION	0	0	0	6	9	12	N/A	\$489
CHANDLER	I	CHAN WATER CONSERVATION PRICING	DEMAND REDUCTION	0	0	0	10	21	24	N/A	\$0
CHANDLER	I	TYL-PAL-EXISTING SURPLUS FOR TYLER	I   PALESTINE LAKE/RESERVOIR	0	0	0	350	350	350	N/A	\$411
COUNTY-OTHER, CHEROKEE	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0 .	3,848	3,848	3,848	3,848	767	· N/A	\$13
COUNTY-OTHER, HENDERSON	С	CONSERVATION - HENDERSON COUNTY	DEMAND REDUCTION	1	2	2	3	3	3	\$0	\$0
COUNTY-OTHER, HENDERSON	С	CONSERVATION, WATER LOSS CONTROL - HENDERSON	DEMAND REDUCTION	2	2	0	0	0	. 0	\$456	N/A
COUNTY-OTHER, HENDERSON	С	DWU - MAIN STEM REUSE	C   TRINITY INDIRECT REUSE	0	0	0	0	11	0	N/A	N/A
COUNTY-OTHER, HENDERSON	С	SULPHUR BASIN SUPPLY	D   MARVIN NICHOLS LAKE/RESERVOIR	0	0 -	0	0	, 0	14	N/A	\$1131
COUNTY-OTHER, HENDERSON	С	SULPHUR BASIN SUPPLY	D   WRIGHT PATMAN LAKE/RESERVOIR	Ó	0	0	4	5	5	N/A	\$1131
COUNTY-OTHER, HENDERSON	c	TRWD - ADDITIONAL CEDAR CREEK AND RICHLAND- CHAMBERS	C   TRINITY INDIRECT REUSE	. 0	5	8	3	3	2	N/A	\$239
COUNTY-OTHER, HENDERSON	С	TRWD - ADDITIONAL CEDAR CREEK AND RICHLAND- CHAMBERS	C   TRWD LAKE/RESERVOIR SYSTEM	0	. 1	1	1	1	1	N/A	\$239
COUNTY-OTHER, HENDERSON	С	TRWD - CEDAR CREEK WETLANDS	C   TRINITY INDIRECT REUSE	0	8	13	16	- 10	6	N/A	\$114
COUNTY-OTHER, HENDERSON	С	TRWD - TEHUACANA	C   TEHUACANA LAKE/RESERVOIR	0	0	6	8	3	3	N/A	\$149
COUNTY-OTHER, JEFFERSON	ľ	JEFF-CTR CONTRACT EXPANSION	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	0	.0	0	797	2,041	3,413	N/A	\$390
COUNTY-OTHER, JEFFERSON - UNASSIGNED WATER VOLUMES	I	CONSTRUCTED LEVY	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	1,600	1,600	1,600	1,600	1,600	1,600	\$1909	\$86

## Recommended Water User Group (WUG) Water Management Strategies (WMS)

Water Management Strategy Supplies

			Water Management Strategy Supplies									
WUG Entity Name	WMS Sponsor Region	WMS Name	Source Name	2020	2030	2040	2050	2060	2070	Unit Cost 2020	U Cost 2070	
COUNTY-OTHER, NACOGDOCHES	I	ANRA-COL - LAKE COLUMBIA	I  COLUMBIA LAKE/RESERVOIR	0	428	428	428	428	85	N/A	\$13	
COUNTY-OTHER, NACOGDOCHES - UNASSIGNED WATER VOLUMES	I	LK-NACN-LAKE NACONICHE REGIONAL WATER SYSTEM	I   LAKE NACONICHE/RESERVOI R	1,700	1,700	1,700	1,700	1,700	1,700	\$3102	\$1431	
COUNTY-OTHER, TRINITY	Н	WATER LOSS REDUCTION, COUNTY-OTHER - TRINITY COUNTY	DEMAND REDUCTION	7	13	19	24	30	35	\$555	\$554	
D&M WSC	I	NACW-DMW - NACOGDOCHES D&M WSC	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	0	0	0	0	112	250	N/A	\$370	
G M WSC	I	GM-WSC	I   TOLEDO BEND LAKE/RESERVOIR	284	283	283	283	283	283	\$2215	\$2215	
HENDERSON	I	LAKE STRIKER DREDGING	I   STRIKER LAKE/RESERVOIR	0	0	5,600	5,600	5,600	5,600	N/A	\$476	
HOUSTON COUNTY WCID #1 - UNASSIGNED WATER VOLUMES	I	HCWC PERMIT AMENDMENT	I   HOUSTON COUNTY LAKE/RESERVOIR	1,978	1,978	1,728	1,728	1,478	1,478	<b>\$</b> 0	\$0	
IRRIGATION, HENDERSON	·I	AMWA ATHENS FISH HATCHERY REUSE	I   NECHES INDIRECT REUSE	0	0	. 0	0	29	32	N/A	\$0	
IRRIGATION, HENDERSON	I	AMWA-BOOSTER PUMPSTATION IMPROVEMENTS	I   ATHENS LAKE/RESERVOIR	2	9	6	3	1	0	\$59	N/A	
IRRIGATION, HOUSTON	I	HOUS-IRR NEW WELLS	I   YEGUA-JACKSON AQUIFER   HOUSTON COUNTY	757	997	1,265	1,563	1,892	2,340	\$704	\$241	
IRRIGATION, ORANGE	I	SRA-INF-PUMPSTATION	I   TOLEDO BEND LAKE/RESERVOIR	2,432	2,685	2,858	2,920	2,855	2,758	\$764	\$419	
JACKSON WSC	1	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	855	855	855	855	855	N/A	\$	
JACKSONVILLE	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	4,275	4,275	4,275	4,275	4,275	N/A	\$13	
LIVESTOCK, HENDERSON	I	AMWA ATHENS FISH HATCHERY REUSE	I   NECHES INDIRECT REUSE	2,145	2,183	2,215	2,250	1,482	902	\$0	\$0	
LIVESTOCK, HENDERSON	I	AMWA-BOOSTER PUMPSTATION IMPROVEMENTS	I   ATHENS LAKE/RESERVOIR	33	152	106	63	18	0	\$59	N/A	
LIVESTOCK, NACOGDOCHES	I	NACW-LTK - NACOGDOCHES LIVESTOCK	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	1,644	1,837	2,061	2,320	2,617	3,059	\$904	\$254	
LIVESTOCK, SHELBY	I	SHEL-LTK NEW CONTRACT	I   TOLEDO BEND LAKE/RESERVOIR	1,367	2,375	3,602	5,099	6,924	6,924	\$699	\$431	
LOWER NECHES VALLEY AUTHORITY - UNASSIGNED WATER VOLUMES	I	LNVA PERMIT AMENDMENT	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	28,000	28,000	28,000	28,000	28,000	28,000	\$0	\$0	
LOWER NECHES VALLEY AUTHORITY - UNASSIGNED WATER VOLUMES	1	LNVA-SRA NEW CONTRACT	I  TOLEDO BEND LAKE/RESERVOIR	0	0	0	200,000	200,000	200,000	N/A	\$526	
LUFKIN	Ι.	LUFK-RAY SAM RAYBURN INFRASTRUCTURE	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	0	5,043	14,949	19,372	18,137	16,805	N/A	\$693	
MANUFACTURING, ANGELINA	I	ANGL-MFG CONTRACT EXPANSION	I   KURTH LAKE/RESERVOIR	6,000	6,000	6,000	6,000	6,000	6,000	\$326	\$326	
MANUFACTURING, ANGELINA	I	LUFK-RAY SAM RAYBURN INFRASTRUCTURE	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	0	6,167	7,471	8,628	9,863	11,195	N/A	\$326	
MANUFACTURING, JASPER	I	JASP-MFG CONTRACT EXPANSION	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	0	3,049	6,021	8,250	8,335	8,420	N/A	\$387	
MANUFACTURING, JEFFERSON	I	JEFF-MFG CONTRACT EXPANSION	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	181,181	262,193	273,826	285,499	297,181	309,323	\$452	\$398	

## Recommended Water User Group (WUG) Water Management Strategies (WMS)

### Water Management Strategy Supplies

		Water Management Strategy Supplies									
UG Entity Name	WMS Sponsor Region	WMS Name	Source Name	2020	2030	2040	2050	2060	2070	Unit Cost 2020	Unit Cost 2070
MANUFACTURING, ORANGE	I	SRA-INF-PUMPSTATION	I   TOLEDO BEND LAKE/RESERVOIR	3,943	9,890	15,850	21,141	27,092	33,477	\$467	\$372
MANUFACTURING, PANOLA	I	PANL-MFG-INFRASTRUCTURE	I   CARRIZO-WILCOX AQUIFER   PANOLA COUNTY	İ34	156	176	194	230	309	\$327	\$327
MANUFACTURING, RUSK	I	ANRA-GW-NEW WELLS IN CARRIZO WILCOX AQUIFER IN RUSK COUNTY	I   CARRIZO-WILCOX AQUIFER   CHEROKEE COUNTY	1,600	1,600	1,600	1,600	1,600	1,600	\$578	\$190
MANUFACTURING, RUSK	. I	ANRA-GW-NEW WELLS IN CARRIZO WILCOX AQUIFER IN RUSK COUNTY	I   CARRIZO-WILCOX AQUIFER   RUSK COUNTY	4,000	4,000	4,000	4,000	4,000	4,000	\$578	\$190
MANUFACTURING, SMITH	I	TYL-PAL-EXISTING SURPLUS FOR TYLER	I   PALESTINE LAKE/RESERVOIR	2,039	2,257	2,467	2,645	2,889	3,154	\$590	\$404
MINING, ANGELINA	· I	ANRA-RUN-OF-RIVER (SUBMITTED APPLICATION)	I   NECHES RUN-OF- RIVER	474	573	398	300	225	168	\$1644	\$1059
MINING, CHEROKEE	I	ANRA-RUN-OF-RIVER (NEW APPLICATION)	I   NECHES RUN-OF- RIVER	238	247	210	147	84	40	\$2560	\$1148
MINING, HOUSTON	I	HCWC PERMIT AMENDMENT	I   HOUSTON COUNTY LAKE/RESERVOIR	0	0	250	250	500	500	N/A	\$0
MINING, NACOGDOCHES	I	ANRA-RUN-OF-RIVER (SUBMITTED APPLICATION)	I   NECHES RUN-OF- RIVER	5,475 .	2,975	118	0	. 0	0	\$1209	N/A
MINING, NEWTON	I	SRA-INF-PUMPSTATION	I   TOLEDO BEND LAKE/RESERVOIR	115	59	0 .	0	0	0	\$965	N/A
MINING, RUSK	1	ANRA-RUN-OF-RIVER (SUBMITTED APPLICATION)	I   NECHES RUN-OF- RIVER	1,075	2,092	1,955	1,809	1,774	1,765	\$1635	\$1095
MINING, SAN AUGUSTINE	I	ANRA-RUN-OF-RIVER (SUBMITTED APPLICATION)	I   NECHES RUN-OF- RIVER	2,102	1,102	0	. 0	0	0	\$1920	N/A
MINING, TRINITY	Н	EXPANDED USE OF GROUNDWATER, TRINITY COUNTY	H   CARRIZO-WILCOX AQUIFER   TRINITY COUNTY	100	100	100	100	100	100	\$2188	\$1283
NACOGDOCHES	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	8,551	8,551	8,551	8,551	8,551	N/A	\$13
NEW LONDON	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	855	855	855	855	170	N/A	\$1442
NEW SUMMERFIELD	I ·	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	2,565	2,565	2,565	2,565	511	N/A	\$1442
NORTH CHEROKEE WSC	1 .	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	4,275	4,275	4,275	4,275	852	N/A	\$539
OVERTON	I	OVER ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND REDUCTION	0	0	5	6	9	11	N/A	\$489
OVERTON	I	OVER ENHANCED WATER LOSS CONTROL PROGRAM	DEMAND REDUCTION	17	18	97	167	223	269	\$0	\$425
OVERTON	I	OVER WATER CONSERVATION PRICING	DEMAND REDUCTION	0	0	4	8	9 .	9	N/A	\$0
PORT ARTHUR	I	PORT ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND REDUCTION	266	331	392	456	521	585	\$227	\$103
PORT ARTHUR	I	PORT ENHANCED WATER LOSS CONTROL PROGRAM	DEMAND REDUCTION	4,629	6,922	7,929	8,966	9,626	8,988	\$182	\$135
PORT ARTHUR	1	PORT WATER CONSERVATION PRICING	DEMAND REDUCTION	99	198	196	195	195	195	\$0	\$0
RUSK	I	ANRĄ-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	4,275	4,275	4,275	4,275	852	· N/A	\$13
RUSK RURAL WSC	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	<sup>'</sup> 0	855	855	855	855	170	N/A	\$13
SABINE RIVER AUTHORITY - UNASSIGNED WATER VOLUMES	. I	SRA-INF-PUMPSTATION	I   TOLEDO BEND LAKE/RESERVOIR	82,500	73,952	63,940	53,788	42,051	29,578	\$1443	\$1443
SABINE RIVER AUTHORITY - UNASSIGNED WATER VOLUMES	I	SRA-TOL - PERMIT AMENDMENT FOR TOLEDO BEND	I   TOLEDO BEND LAKE/RESERVOIR	215,300	210,800	206,200	201,600	197,000	195,000	\$0	\$0
STEAM ELECTRIC WER, ANDERSON	I	ANDE-SEP1 ANDERSON STEAM ELECTRIC POWER	I   PALESTINE LAKE/RESERVOIR	11,306	13,218	15,549	18,390	21,853	21,632	\$522	\$365
TEAM ELECTRIC POWER, CHEROKEE	I	ANRA-RUN-OF-RIVER (NEW APPLICATION)	I   NECHES RUN-OF- RIVER	8,000	15,000	20,000	20,000	20,000	20,000	\$1076	\$1006

## Recommended Water User Group (WUG) Water Management Strategies (WMS)

Water Management Strategy Supplies

Water Management Strategy Supplies											
WUG Entity Name	WMS Sponsor Region	WMS Name	Source Name	2020	2030	2040	2050	2060	2070	Unit Cost 2020	U Cost- 2070
STEAM ELECTRIC POWER, JEFFERSON	I	JEFF-SEP NEW CONTRACT	I   SAM RAYBURN- STEINHAGEN LAKE/RESERVOIR SYSTEM	13,426	15,696	18,464	21,838	25,951	30,839	\$507	\$377
STEAM ELECTRIC POWER, NACOGDOCHES	I	HCWC PERMIT AMENDMENT	I   HOUSTON COUNTY LAKE/RESERVOIR	1,000	1,000	1,000	1,000	1,000	1,000	\$0	\$0
STEAM ELECTRIC POWER, NACOGDOCHES	1	NACW-SEPI - NACOGDOCHES STEAM ELECTRIC POWER PURCHASE FROM ANRA	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	2,000	2,000	2,000	2,000	2,000	1,989	\$938	\$267
STEAM ELECTRIC POWER, NACOGDOCHES	I	NACW-SEPI - NACOGDOCHES STEAM ELECTRIC POWER PURCHASE FROM ANRA	I   NACOGDOCHES LAKE/RESERVOIR	8,500	8,500	7,742	6,741	5,645	4,521	\$619	\$365
STEAM ELECTRIC POWER, NACOGDOCHES	I	NACW-SEP2 - NEW WELLS IN CARRIZO WILCOX	I   CARRIZO-WILCOX AQUIFER   NACOGDOCHES COUNTY	0	0	0	0	0	2,000	N/A	\$938
STEAM ELECTRIC POWER, NEWTON	I	SRA-INF-PUMPSTATION	I   TOLEDO BEND LAKE/RESERVOIR	690	3,080	5,994	9,545	13,875	19,021	\$531	\$380
STEAM ELECTRIC POWER, ORANGE	I	SRA-INF-PUMPSTATION	I   TOLEDO BEND LAKE/RESERVOIR	0	14	1,038	2,286	3,807	4,846	N/A	\$419
STEAM ELECTRIC POWER, RUSK	· I	RUSK-SEP NEW CONTRACT	I   SABINE RUN-OF- RIVER	0	0	0	462	8,873	18,868	N/A	\$628
THE CONSOLIDATED WSC	Н	EXPANDED USE OF GROUNDWATER, WALKER COUNTY	H   YEGUA-JACKSON AQUIFER   WALKER COUNTY	100	100	100	100	100	100	\$2188	\$1283
THE CONSOLIDATED WSC	I	HCWC PERMIT AMENDMENT	I   HOUSTON COUNTY LAKE/RESERVOIR	522	522	522	522	522	522	\$0	\$0
TROUP	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	4,275	4,275	4,275	4,275	852	N/A	\$1442
WEST HARDIN WSC	н	WATER LOSS REDUCTION, WEST HARDIN WSC	DEMAND REDUCTION	1	3	5	7	8	11	\$555	\$
WHITEHOUSE	I	ANRA-COL - LAKE COLUMBIA	I   COLUMBIA LAKE/RESERVOIR	0	8,551	8,551	8,551	8,551	1,704	N/A	\$1442
WOODVILLE	I	WOOD ENHANCED PUBLIC AND SCHOOL EDUCATION	DEMAND REDUCTION	0	0	6	7	. 9	10	N/A	\$387
WOODVILLE	I	WOOD WATER CONSERVATION PRICING	DEMAND REDUCTION	0	0	4	9	9	9	N/A	\$0
		Region I Total Recon	nmendedWMS Supplies	599,966	751,751	791,241	1,017,93 2	1,045,73 1	1,050,07 4		

## Recommended Projects Associated with Water Management Strategies

## roject Sponosr Region: I

Sponsor Name	Is Sponsor a	Project Name	Project Description	Capital Cost	Online Decade
	WWP?	· :		*	
ALTO RURAL WSC	N	CHE-ALT - NEW WELLS IN CARRIZO WILCOX	CONVEYANCE/TRANSMISSION PIPELINE; LOWER GROUNDWATER WELL PUMP; MULTIPLE WELLS/WELL FIELD; STORAGE TANK	\$2,682,000	2050
ANGELINA & NECHES RIVER AUTHORITY	Y	ANRA-COL - LAKE COLUMBIA CONSTRUCTION	RESERVOIR CONSTRUCTION	\$344,498,000	2030
ANGELINA & NECHES RIVER AUTHORITY	. Y	ANRA-GW-NEW GROUNDWATER WELLS INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$26,023,000	2020
ANGELINA & NECHES RIVER AUTHORITY	Y	ANRA-WTP-WTP CONSTRUCTION	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK; WATER TREATMENT PLANT EXPANSION	\$117,250,000	2030
ANGELINA & NECHES RIVER AUTHORITY	• Ү	CHER-MIN-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE, PUMP STATION; STORAGE TANK	\$4,214,000	2020
ANGELINA NACOGDOCHES WCID #1	Y	LAKE-STRIKER-DREDGING	DREDGE TO RECOVER CAPACITY	\$23,716,000	2040
ANGELINA NACOGDOCHES WCID #1	Y	STRIKER-VOLUMETRIC SURVEY	NEW AGREEMENT	\$25,000	2020
ATHENS MUNICIPAL WATER AUTHORITY	Y	AMWA-WTP - ATHENS MWA BOOSTER PS IMPROVEMENTS	PUMP STATION	\$2,900,000	2020
BEAUMONT	Y	BEAU ENHANCED WATER LOSS CONTROL PROGRAM	WATER LOSS CONTROL	\$52,623,000	2030
BULLARD	N	SMTH-BLD-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$5,260,000	2020
CENTER	, Y	CENT-REU-PIPELINE FROM WWTP TO LAKE CENTER	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK; WATER TREATMENT PLANT EXPANSION	\$13,579,000	2020
CENTER	Y	CENT-TOL-TOLEDO BEND TO CENTER	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK; WATER TREATMENT PLANT EXPANSION	\$27,775,000	2040
CHANDLER	N	HDSN-CHN - PURCHASE FROM TYLER	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION	\$1,886,000	2020
COUNTY-OTHER, JEFFERSON	N	JEFF-CTR INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$14,236,000	2050
COUNTY-OTHER, NACOGDOCHES	N	NACN-LK - LAKE NACONICHE INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK; WATER TREATMENT PLANT EXPANSION	\$34,492,000	2040
CRYSTAL SYSTEMS INC	N	SMTH-CYS - INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$2,021,000	2020
D&M WSC	N	NACW-DMW - NEW WELLS IN CARRIZO AQUIFER	CONVEYANCE/TRANSMISSION PIPELINE; LOWER GROUNDWATER WELL PUMP; MULTIPLE WELLS/WELL FIELD; STORAGE TANK	\$3,484,000	2020
G M WSC	N .	GM-WSC-ELEVATED TANK	STORAGE TANK	\$745,500	2020
G M WSC	N	GM-WSC-SURFACE WATER PLANT IMPROVEMENTS	WATER TREATMENT PLANT EXPANSION	\$2,483,000	2020
G M WSC	N	GM-WSC-WATER SYSTEM EXPANSION	CONVEYANCE/TRANSMISSION PIPELINE	\$1,990,490	2020
G M WSC	N	GM-WSC-WATERLINE IMPROVEMENTS	CONVÉYANCE/TRANSMISSION PIPELINE	\$2,680,400	2020
HOUSTON COUNTY WCID #1	Y	HCWC-GW INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; MULTIPLE WELLS/WELL FIELD	\$22,793,000	2020
IRRIGATION, HOUSTON	N	HOUS-IRR INFRASTRUCTURE	MULTIPLE WELLS/WELL FIELD; CONVEYANCE/TRANSMISSION PIPELINE	\$12,926,000	2020
IRRIGATION, ORANGE	N .	ORAN-IRR-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$13,281,000	2020
IRRIGATION, TRINITY	N	TRTY-IRR INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	. \$2,174,000	2020
JACKSONVILLE	Y	JACK-COL	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK; WATER TREATMENT PLANT EXPANSION	\$20,645,000	2030
LINDALE	N	SMTH-LDL-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$5,803,000	2020

## Recommended Projects Associated with Water Management Strategies


				·		
Sponsor Name	Is Sponsor a	Project Name	Project Description	Capital Cost	Online Decade	
LIVESTOCK, NACOGDOCHES	N N	NACW-LTK - NEW WELLS IN CARRIZO WILCOX	CONVEYANCE/TRANSMISSION PIPELINE; LOWER GROUNDWATER WELL PUMP; MULTIPLE WELLS/WELL FIELD; STORAGE	\$23,770,000	2020	
LIVESTOCK, SHELBY	N	SHEL-LTK INFRASTRUCTURE	TANK CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$25,238,000	2020	
LOWER NECHES VALLEY AUTHORITY	Y	LNVA-JEFF - CONSTRUCTED LEVY	PUMP STATION; RESERVOIR CONSTRUCTION	\$34,989,000	2020	
LOWER NECHES VALLEY AUTHORITY	Y	LNVA-SRA INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$399,955,000	2040	
LUFKIN	Y	LUFK-RAY PHASE 1	CONVEYANCE/TRANSMISSION PIPELINE; NEW WATER TREATMENT PLANT; PUMP STATION; STORAGE TANK	\$49,368,000	2030	
LUFKIN	Y	LUFK-RAY PHASE 2	PUMP STATION; WATER TREATMENT PLANT EXPANSION	\$37,863,000	2040	
LUFKIN	Y	LUFK-RAY PHASE 3	PUMP STATION	\$2,760,000	2050	
MANUFACTURING, JASPER	N	JASP-MFG INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$33,497,000	2030	
MANUFACTURING, JEFFERSON	N	JEFF-MFG INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$312,255,000	2020	
MANUFACTURING, ORANGE	N	ORAN-MFG	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$42,621,000	2020	
MANUFACTURING, SMITH	N	SMTH-MFG-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$7,272,000	2020	
MINING, ANGELINA	N	ANGL-MIN-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$4,005,000	2020	
MINING, NACOGDOCHES	N .	NACW-MIN-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$12,465,000	2020	
MINING, RUSK	N	RUSK-MIN	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK			
MINING, SAN AUGUSTINE	N	SAUG-MIN-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$21,064,000	2020	
MINING, SMITH	N	SMTH-MIN-INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$3,103,000	2020	
NACOGDOCHES	Y.	NACP-COL	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK; WATER TREATMENT PLANT EXPANSION	\$35,829,000	2040	
OVERTON	N	OVER ENHANCED WATER LOSS CONTROL PROGRAM	WATER LOSS CONTROL	\$2,105,000	2040	
PORT ARTHUR	Y	PORT ENHANCED WATER LOSS CONTROL PROGRAM	WATER LOSS CONTROL	\$50,075,000	2020	
SABINE RIVER AUTHORITY	Y	SRA-INF - PUMPSTATION FOR SRA	CANAL LINING; CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$72,832,675	2020	
STEAM ELECTRIC POWER, ANDERSON	N	AND-SEP1 - PIPELINE FROM LAKE PALESTINE - CONTRACT WITH CITY OF PALESTINE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION	\$44,576,000	2020	
STEAM ELECTRIC POWER, CHEROKEE	N .	CHER-SEP INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$16,735,000	2020	
STEAM ELECTRIC POWER, JEFFERSON	N	JEFF-SEP INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$54,518,000	2020	
STEAM ELECTRIC POWER, NACOGDOCHES	· N	NACW-SEPI - LAKE COLUMBIA INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$25,805,000	2030	
STEAM ELECTRIC POWER, NACOGDOCHES	N	NACW-SEP2 - NEW WELLS IN CARRIZO WILCOX	CONVEYANCE/TRANSMISSION PIPELINE; LOWER GROUNDWATER WELL PUMP; MULTIPLE WELLS/WELL FIELD; STORAGE TANK	\$16,021,000	2070	
STEAM ELECTRIC POWER, NEWTON	N .	NEWT-SEP INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$38,170,000	2020	
STEAM ELECTRIC POWER, ORANGE	N	ORAN-SEP	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$15,847,000	2020	
STEAM ELECTRIC POWER, RUSK	N	RUSK-SEP INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$57,718,000	2050	
TYLER	Y	TYL-PAL - PALESTINE INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; WATER TREATMENT PLANT EXPANSION	\$93,050,000	2030	
UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY	Y	UNM-ROR-NECHES RUN OF RIVER INFRASTRUCTURE	CONVEYANCE/TRANSMISSION PIPELINE; PUMP STATION; STORAGE TANK	\$444,085,000	2020	

## Recommended Projects Associated with Water Management Strategies

Region I Total Recommended Capital Cost	\$2,753,935,065

<sup>\*</sup>Projects with a capital cost of zero are excluded from the report list.

## This page intentionally left blank



## Appendix 5B-D

# Alternate Water Management Strategies by WUG DB17 Report

This appendix includes a copy of the Water User Group Alternate Water Management Strategy data from the TWDB Data Web Interface known as the DB17. The summary is divided by Water User Group.

## This page intentionally left blank

## Alternative Water User Group (WUG) Water Management Strategies (WMS)

## UG Entity Primary Region: I

#### Water Management Strategy Supplies


WUG Entity Name	WMS Sponsor Region	WMS Name	Source Name	2020	2030	2040	2050	2060	2070	Unit Cost 2020	Unit Cost 2070
ATHENS MUNICIPAL WATER AUTHORITY - UNASSIGNED WATER VOLUMES	С	ALTERNATIVE - ATHENS MWA NEW WELLS	C   CARRIZO-WILCOX AQUIFER   HENDERSON COUNTY	0 .	0	0	0	0	0	N/A	N/A
HOUSTON COUNTY WCID #1 - UNASSIGNED WATER VOLUMES	I	HCWC-GW1 NEW WELLS	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	1,054	1,054	1,054	1,054	1,054	1,054	\$225	\$225
HOUSTON COUNTY WCID #1 - UNASSIGNED WATER VOLUMES	I	HCWC-GW2 AVAILABILITY INCREASE	I   CARRIZO-WILCOX AQUIFER   HOUSTON COUNTY	2,446	2,446	2,446	2,446	2,446	2,446	\$522	\$522
IRRIGATION, TRINITY	. I	TRTY-IRR NEW CONTRACT	I   YEGUA-JACKSON AQUIFER   TRINITY COUNTY	331	331	331	331	331	331	\$988	\$988
		Region I Total Alt	ernative WMS Supplies	3,831	3,831	3,831	3,831	3,831	3,831		

## Alternative Projects Associated with Water Management Strategies

#### Project Sponsor Region: I

Sponsor Name	Is Sponsor a WWP?	Project Name	Project Description	Capital Cost	Online Decade
	,		Region I Total Alternative Capital Cost		TIP 8.70

<sup>\*</sup>Projects with a capital cost of zero are excluded from the report list.



## Appendix 5B-E

## **Management Supply Factor DB17 Report**

This appendix will include a copy of the Management Supply Factor data from the TWDB Data Web Interface known as the DB17. The summary will be divided by Water User Group and Wholesale Water Provider by decade. Management supply factors may be used to take into account uncertainties associated with:

- Projections of populations;
- Projections of water demands;
- Climate variability;
- Yield of recommended WMSs;
- Permitting or other uncertainties impacting implementation of projects;
   and/or
- Other uncertainties.

The TWDB will make this DB17 report available to RWPGs after submittal of the 2016 Initially Prepared Plan.

## This page intentionally left blank

REGION I	*	WUG N	MANAGEMEN	Γ SUPPLY FAC	TOR	
	2020	2030	2040	2050	2060	2070
ALTO	2.0	3.5	3.3	3.0	2.8	1.6
ALTO RURAL WSC	1.2	1.1	1.0	1.0	1.0	1.0
ANGELINA WSC	2.1	2.1	2.1	2.0	1.9	1.8
APPLEBY WSC	1.4	1.3	1.2	. 1.1	1.0	1.0
ARP	1.0	- 3.5	3.5	3.4	3.3	1.4
BEAUMONT	1.0	1.1	1.1	1.1	1.1	1.1
BECKVILLE	4.4	4.0	3.9	3.7	3.6	3.5
BERRYVILLE	1.0	1.0	1.0	1.0	. 1.0	1.0
BETHEL-ASH WSC	1.8	1.7	1.5	- 1.4	1.3	1.2
BEVIL OAKS	1.0	1.0	1.0	1.0	1.0	1.0
BRIDGE CITY	1.0	1.0	1,1	1.0	1.0	1.0
BROWNSBORO	1.0	1.0	1.0	1.0	1.0	1.0
BRUSHY CREEK WSC	2.5	2.5	. 2.6	. 2.6	2.6	2.5
BULLARD	1.0	- 1.0	1.0	1.0	1.0	1.0
BURKE	1.0	. 1.0	1.0	1.0	1.0	1.0
CARTHAGE	1.0	1.0	. 1.0	1.0	1.0	1.0
CENTER	1.6	1.6	2.6	2.6	2.5	2.4
CENTRAL WCID OF ANGELINA COUNTY	1.8	1.8	1.7	1.6	1.5	1.:
CHALK HILL SUD	3.2	3.0	2.9	2.7	2.4	2.3
CHANDLER	1.4	1.2	- 1.1	1.3	1.2	1.
CHINA	1.0	1.0	1.0	1.0	1.0	1.
COLMESNEIL	2.4	2.4	2.5	, 2.5	2.5	2.
CORRIGAN	1.3	1.2	1.2	1,1	1.0	1.
COUNTY-OTHER, ANDERSON	1.1	1.1	1.1	1,1	1.1	1,
COUNTY-OTHER, ANGELINA	1.2	1.2	1,2	1.1	1.1	1.
COUNTY-OTHER, CHEROKEE	1.6	4.7	4.5	4.1	3.8	1.
COUNTY-OTHER, HARDIN	1.0	1.0	1.0	1.0	1.0	1.
COUNTY-OTHER, HENDERSON	1.4	1.5	1.5	1.5	1.5	1.
COUNTY-OTHER, HOUSTON	2,0	2.1	2.2	2.2	2.2	2.
COUNTY-OTHER, JASPER	1,1	1.1	1.1	1.2	1.2	1.
COUNTY-OTHER, JEFFERSON	1.1	1.1	1.1	1.0	1.0	1.
COUNTY-OTHER, NACOGDOCHES	1.0	1.3	1.3	1.3	1.2	1.
COUNTY-OTHER, NEWTON	1.5	1.5	1.6	1.6	1.6	1.
COUNTY-OTHER, ORANGE	1.0	1.0	1.0	1.0	1.0	1.
COUNTY-OTHER, PANOLA	, 1.1	1.1	1.1	1.1	1.1	1.
COUNTY-OTHER, RUSK	1.5	1.4	1.3	1.2	1.1	1.
COUNTY-OTHER, SABINE	5.1	5.5	5.7	5.8	5.8	5.
COUNTY-OTHER, SAN AUGUSTINE	1.8	1.9	2.0	2.0	2.0	2.
COUNTY-OTHER, SHELBY	1.2	1.1	1.1	1.1	1.1	1.
COUNTY-OTHER, TRINITY	3.2	3.1	3.1	3.2	3.1	3.
COUNTY-OTHER, TYLER	1.0	1.0	1.0	1.0	1.0	1.
CRAFT-TURNEY WSC	1.0	1.0	1.0	1.0	1.0	1.
CROCKETT	1.6	1.6	1.6	1.6	1.6	1.
CROSS ROADS SUD	2.7	2.6	2.4	2.3	2.1	1.
CUSHING	1.8	1.7	1.6		1.3	1.
D&M WSC	1.8	1.7		1.4		
DEAN WSC	1.3		1.1	1.0	1.0	1.
		1.0	1.0	1.0	1.0	
DIBOLL	4.0	3.9	3.8		3.5	3.
ELKHART FOUR PINES WSC	1.7	1.7	1.7	1.7	1.7	1.

REGION I	WUG MANAGEMENT SUPPLY FACTOR								
	2020	2030	2040	2050	2060	2070			
FOUR WAY SUD	2.5	2.4	2.3	2.2	2.1	. 2.			
FRANKSTON	1.6	1.6	1.6	1.6	1.6	1.			
G M WSC	1.6	1.6	1.6	1.6	1.6	1.			
GARRISON	2.5	2.3	2.1	1.9	1.7	1.			
GRAPELAND	3,4	3.5	3.6	3.7	3.7	3.			
GROVES	1.0	1.0	1.0	1.0	1.0	1.			
HEMPHILL	2.4	2.5	2.5	2.5	2.5	2.			
HENDERSON	1.8	1.7	2.8	2.5	2,3	2.			
HUDSON	1.7	1.6	1.6	1.5	1.5	1.			
HUDSON WSC	2.8	2.7	2.5	2.4	2.3	2.			
HUNTINGTON	4.6	4.5	4.4	4.3	4.1	4.			
IRRIGATION, ANDERSON	4.0	4.0	4.0	4.0	4.0	4.			
IRRIGATION, ANGELINA	1.7	1.7	1.7	1.7	1.7	1.			
IRRIGATION, CHEROKEE	1.2	1.2	1.2	1.2	1.2	1.			
IRRIGATION, HARDIN	1.0	1.0	1.0	1.0	1.0	1.			
IRRIGATION, HENDERSON	2.0	2.0	2.0	2.0	1.9	1.			
IRRIGATION, HOUSTON	1.0	1.0	1.0	1.0	1.0	1.			
IRRIGATION, JASPER	3.5	3.5	3.5	3.5	3.5	3.			
IRRIGATION, JEFFERSON	1.3	1.2	1.2	1.2	1.2	1.			
IRRIGATION, NACOGDOCHES	1.3	1.3	1.3	1.3	1.3	1.			
IRRIGATION, NEWTON	1.0	1.0	1.0	1.0	1.0	. 1.			
IRRIGATION, ORANGE	1.0	. 1.0	1.0	1.0	1.0	1.			
IRRIGATION, PANOLA	9.0	9.0	9.0	9.0	9.0	9.			
IRRIGATION, POLK	1.8	1.8	1.8	1.8	1.8	1.			
IRRIGATION, RUSK	6.0	6.0	6.0	6.0	6.0	· 6.			
IRRIGATION, SAN AUGUSTINE	1.0	1.0	1,0	1.0	1.0	1,			
IRRIGATION, SHELBY	3.8	3.8	3.8	3.8	3.8	3.			
IRRIGATION, SMITH	1.0	1.0	1.0	1.0	1.0	1.			
IRRIGATION, TRINITY	0.3	0.3	0.3	0.3	0.3	0.			
IRRIGATION, TYLER	1.0	1.0	1.0	1.0	1.0	1.			
IVANHOE	2.4	2.4	2.5	2.5	2.5	2			
IVANHOE NORTH	3.5	3.6	3.7	. 3.7	3.7	3.			
JACKSON WSC	1.0	3.0	2.9	2.7	2.5	2.			
JACKSONVILLE	1.0	2.5	2.4	2.3	2.2	2			
JASPER	2.8	2.8	2.9	2.9	2.9	, 2			
JASPER COUNTY WCID #1	4.8	5.1	5.2	5.2	5.2	5			
JEFFERSON COUNTY WCID #10	1.0	1.0	1.0	1.0	1.0	1			
JOAQUIN	1.3	1.3	1.3	1.3	1.3	1			
KIRBYVILLE	1.5	1.5	1.5	. 1.5	1.5	1			
KOUNTZE	4.1	4.2	4.4	4.4	4.4	4			
LILLY GROVE SUD	1.8	1.6	1.5	1.4	1.2	1			
LIVESTOCK, ANDERSON	1.0	1.0	1.0	1.0	1.0				
LIVESTOCK, ANGELINA	1.1	1.1	1.1	1.1	1.1				
LIVESTOCK, CHEROKEE	1.1	1.1	1.1	1.1	1,1	1			
LIVESTOCK, CHEKOKLE  LIVESTOCK, HARDIN	1.4	1.4	1.4	1.4	1.4	1			
LIVESTOCK, HENDERSON	3.4	3.4	3.4	3.3	2.7				
LIVESTOCK, HOUSTON	1.4	1.3	1.3	1.2	1.2				
LIVESTOCK, INOUSTON	2,2	2.2	2.2	2.2	2.2				
LIVESTOCK, JASPER LIVESTOCK, JEFFERSON	1,1	1.1	1.1	1.1	1.1				
LIVESTOCK, NACOGDOCHES	1.0	1.1	1.1	1.1	1.1				


REGION I		TOR				
	2020	2030	2040	2050	2060	2070
LIVESTOCK, NEWTON	2.1	2.1	2.1	2.1	2.1	2.1
LIVESTOCK, ORANGE	1.6	1.6	1.6	1.6	1.6	1.6
LIVESTOCK, PANOLA	1,1	1,1	1,1	1,1	1,1	1,1
LIVESTOCK, POLK	1.6	1.6	1.6	1.6	1.6	1.6
LIVESTOCK, RUSK	1.2	1.2	1.2	1.2	1.2	1.2
LIVESTOCK, SABINE	4.6	3.4	2.6	2.0	1.6	1.6
LIVESTOCK, SAN AUGUSTINE	1.0	1.0	1.0	1.0	1.0	1.0
LIVESTOCK, SHELBY	1.0	1.0	1.0	1.0	1.0	1.0
LIVESTOCK, SMITH	1.0	1.0	1.0	1.0	1.0	1.0
LIVESTOCK, TRINITY	1.0	1.0	. 1.0	1.0	1.0	1.0
LIVESTOCK, TYLER	1.1	1.1	- 1.1	1.1	1.1	· 1.1
LOVELADY	1.8	1.8	1.8	1.9	1.9	1.9
LUFKIN	1.0	1.8	. 3.2	3.8	3.5	3.2
LUMBERTON	1.0	1.0	1.0	1.0	1.0	1.0
LUMBERTON MUD	5.6	5.3	5.0	4.9	4.7	4.5
MANUFACTURING, ANDERSON	1.0	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, ANGELINA	. 0.7	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, CHEROKEE	1.0	1.0	1.0	1.0	1.0	. 1.0
MANUFACTURING, HARDIN	1.0	1.0	. 1.0	1.0	.1.0	1.0
MANUFACTURING, HOUSTON	1.1.	1,1	1,1	1,1	1.1	1.3
MANUFACTURING, JASPER	1.0	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, JEFFERSON	1.0	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, NACOGDOCHES	4.9	4.6	4.3	4.1	3.9	3.′
MANUFACTURING, NEWTON	1.0	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, ORANGE	1.0	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, PANOLA	1.0	1.0	1:0	1.0	1.0	1.0
MANUFACTURING, POLK	1.0	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, RUSK	18.8	17.5	16,5	15.8	14.8	13.5
MANUFACTURING, SABINE	1.8	1.6	1.4	1.3	1.2	1.
MANUFACTURING, SAN AUGUSTINE	2.1	1.9	1.7	1.5	1.4	1.3
MANUFACTURING, SHELBY	1.2	1.2	1.2	1.2	1.2	1.3
MANUFACTURING, SMITH	1.1	1.0	1.0	1.0	1.0	1.0
MANUFACTURING, TYLER	1.0	1.0	1.0	1.0	1.0	1.0
MAURICEVILLE SUD	2.4	2.4	2.4	2.3	2.3	2.:
MEEKER MUD	1.2	1.2	1.1	1.1	1.0	1.0
MELROSE WSC	1.6	1.5	1.4	1.2	1.1	1.1
MINING, ANDERSON	1.4	1.2	1.2	1.3	1.7	2.:
MINING, ANGELINA	1.0	1.0	1.0	1.0	1.0	1.0
MINING, CHEROKEE	1.0	1.0	1.0	1.0	1.0	1.
MINING, HARDIN	1.0	1.0	1.0	1.0	1.0	1.0
MINING, HOUSTON	1.0	1.0	2.3	- 3.1	10.8	23.
MINING, JASPER	1.0	1.0	1.0	1.0	1.0	1.0
MINING, JEFFERSON	1.0	1.0	1.0	1.0	1.0	1.0
MINING, NACOGDOCHES	1.0	1.0	1.0	1.0	1.6	2.3
MINING, NACOGDOCHES  MINING, NEWTON	1.0	1.0	1.0	1.5	2.2	2.:
MINING, NEW FON MINING, ORANGE	1.1	1.0	1.1		1.0	1.
			1.8	1.0		
MINING, PANOLA MINING PLISE	1.6	1.6		2.1	2.6	2.4
MINING, RUSK	1.0	1.0	1.0	1.0	1.0	1,
MINING, SABINE	1.5	1.7	1.9	2.2	2.6	2.9

REGION I	WUG MANAGEMENT SUPPLY FACTOR								
	2020	2030	2040	2050	2060	2070			
MINING, SHELBY	1.0	1.0	1.1	1.4	1.2	1.0			
MINING, TRINITY	10.5	10.5	10.5	10.5	10.5	10.:			
MINING, TYLER	1.5	1.2	. 1.6	2.3	4.3	8.2			
MURCHISON	1.0	1.0	1.0	1.0	1.0	1.0			
NACOGDOCHES	1.0	2.2	2.1	2.0	1.9	1.5			
NEDERLAND	1.0	1.0	1.0	1.0	1.0	1.0			
NEW CHAPEL HILL	. 1.0	1.0	1.0	1.0	1.0	1.0			
NEW LONDON	1.5	3.4	3.1	2.9	2.6	1.3			
NEW SUMMERFIELD	1.6	17.0	15.9	14.7	13.5	3.4			
NEWTON	1.1	1.1	1.1	1.1	1.2	1.3			
NOME	1.0	1.0	1.0	1.0	1.0	1.0			
NOONDAY	1.0	1.0	1.0	. 1.0	1.0	1.0			
NORTH CHEROKEE WSC	1.0	7.7	7.3	6.8	6.3	2.0			
NORTH HARDIN WSC	3.5	3.4	3.3	3.2	3.1	3.0			
ORANGE	· 1.0	1.0	· 1.0	1.0	1.0	1.0			
ORANGEFIELD WSC	1.0	1.0	1.0	1.0	1.0	1.0			
OVERTON	1.2	1.1	1.1	1.1	1.1	1.			
PALESTINE	- 1.0	1.0	1.0	. 1.0	1.0	1.0			
PINEHURST	1,0	1.0	1.0	1.0	1.0	1.0			
PINELAND	1.1	1.1	1.2	1.2	1.2	1.2			
PORT ARTHUR	1.3	1.4	1.4	1.5	1.5	1.:			
PORT NECHES	1.0	1.0	1.0	. 1.0	1.0	1.0			
REDLAND WSC	3.9	3.9	3.7	3.6	3.5	3.4			
ROSE CITY	6.8	6.7	6.7	6.6	6.5	6.4			
RUSK	1.4	5.2	4.9	4.5	4.1	1,0			
RUSK RURAL WSC	1.5	3.7	3.5	3.3	3.0	1.			
SAN AUGUSTINE	1.0	1.0	1.0	1.0	1.0	1,4			
SILSBEE	1.8	1.8	1.9	1.9	1.9	1.3			
SOUR LAKE	3.3	3.3	3.2	. 3.2	3.1	3.			
SOUTH NEWTON WSC	1.5	1.5	1.5	1.5	1.5	1.:			
SOUTHERN UTILITIES COMPANY	1.0	1.0	1.0	1.0	1.0	1.9			
STEAM ELECTRIC POWER, ANDERSON	. 1,0	1.0	1.0	1.0	1.0	0.			
STEAM ELECTRIC POWER, ANGELINA	16.8	16.8	16.8	16.8	16.8	16.			
STEAM ELECTRIC POWER, CHEROKEE	7.3	9.6	10.2	8.6	7.2	6.			
STEAM ELECTRIC POWER, JEFFERSON	1.0	1.0	1.0	1.0	1.0	1.			
STEAM ELECTRIC POWER, NACOGDOCHES	2.7	2.3	1.9	1.5	1.2	1.			
STEAM ELECTRIC POWER, NEWTON	1.0	1.0	1.0	1.0	1.0	1.			
STEAM ELECTRIC POWER, ORANGE	1.2	1.0	1.0	· 1.0	1.0	1.			
STEAM ELECTRIC POWER, RUSK	1.6	1.4	. 1.2	1.0	1.0	· 1.			
STEAM ELECTRIC POWER, TYLER	1.0	1.0	1.0	1.0	1.0	1.			
SWIFT WSC	1.6	1.4	1.3	1.2	1.1	1.			
TATUM	1.4	1.3	1.2	1.1	1.0	. 1.			
TENAHA	1.9	1.9	1.8	1.7	1.6	1.			
THE CONSOLIDATED WSC	2.2	2.3	. 2.3	2.4	2.3	2.			
TIMPSON	3.2	3.0	2.9	2.8	2.7	2			
TROUP	1.0	10.7	10.0	9.3	8.7	2			
TYLER	1.0	1.0	1.0	1.0	1.0	1			
TYLER COUNTY WSC	1.6	1.6	. 1.7	1.7	1.7	1			
VIDOR	1.0	1.0	1.0	1.0	1.0	1			
WALNUT GROVE WSC	1.9	1.7	1.5	1.3	1.2	1			

REGION I	WUG MANAGEMENT SUPPLY FACTOR								
	2020	2030	2040	2050	2060	2070			
WALSTON SPRINGS WSC	1.0	1.0	1.0	1.1	1.1	1.1			
WELLS	2.7	2.6	2.4	2.2	- 2.1	1.9			
WEST HARDIN WSC	2.7	2.7	2.6	2.6	2.6	2.6			
WEST JEFFERSON COUNTY MWD	1.0	1.0	1.0	1.0	1,0	1.0			
WEST ORANGE	1.0	1.0	1.0	1.0	1,0	1.0			
WHITEHOUSE	1.0	7.4	6.7	6.0	5.5	1.8			
WODEN WSC	2.3	2.2	2.0	1.8	1.7	1.5			
WOODVILLE	6.5	6.6	6.7	6.7	6.7	6.7			
WRIGHT CITY WSC	1.5	1.4	1.3	1.2	1.1	1.0			
ZAVALLA	1.0	1.0	1.0	1.0	1.0	1.0			

<sup>\*</sup>WUG supplies and projected demands are entered for each of a WUG's region-county-basin divisions. To calculate the Management Supply Factor for each WUG as a whole, not split by region-county-basin the combined total of existing and future supply is divided by the total projected demand.

## This page intentionally left blank



## **Appendix 5C-A**

# **Model Water Conservation Plan for Public Water Suppliers**

This appendix includes a Model Water Conservation Plan for Municipal Water Users in the ETRWPA. The model plan addresses the latest Texas Commission on Environment Quality requirements and is intended to be modified by each user to best reflect the activities appropriate to the entity. The model plan also includes sample appendices required:

- Appendix A List of References
- Appendix B Texas Commission on Environmental Quality Rules on Municipal Water Conservation Plans
- Appendix C TCEQ Utility Profile
- Appendix D TCEQ Water Conservation Implementation Report
- Appendix E TWDB Annual Water Conservation Report
- Appendix F City Council Resolution Adopting Plan

## This page intentionally left blank

## Water Conservation Plan for [Entity]

#### Date

#### TABLE OF CONTENTS

1	INTRODUCTION	AND OBJECTIVES
1.	INTRODUCTION	AND ODJECTIVES

- 2. TEXAS COMMISSION ON ENVIRONMENTAL QUALITY RULES
- 3. WATER UTILITY PROFILE
- 4. RECORD MANAGEMENT SYSTEM
- 5. SPECIFICATION OF WATER CONSERVATION GOALS
- 6. METERING, WATER USE RECORDS, CONTROL OF UNACCOUNTED WATER, AND LEAK DETECTION AND REPAIR
  - 6.1 Metering of Customer and Public Uses and Meter Testing, Repair, and Replacement
  - 6.2 Determination and Control of Unaccounted Water
  - 6.3 Leak Detection and Repair
  - 6.4 Monitoring of Effectiveness and Efficiency Annual Water Conservation Implementation Report
- 7. CONTINUING PUBLIC EDUCATION AND INFORMATION CAMPAIGN
- 8. WATER RATE STRUCTURE
- 9. OTHER WATER CONSERVATION MEASURES
  - 9.1 Ordinances, Plumbing Codes, or Rules on Water-Conserving Fixtures
  - 9.2 Reservoir System Operation Plan
  - 9.3 Considerations for Landscape Water Management Regulations (Optional)
  - 9.4 Requirement for Water Conservation Plans by Wholesale Customers
  - 9.5 Coordination with Regional Water Planning Group
- 10. IMPLEMENTATION AND ENFORCEMENT OF THE WATER CONSERVATION PLAN

#### **APPENDICES**

APPENDIX A List of References

APPENDIX B Texas Commission on Environmental Quality Rules on Municipal Water Conservation Plans

APPENDIX C TCEQ Utility Profile

APPENDIX D TCEQ Water Conservation Implementation Report

APPENDIX E TWDB Annual Water Conservation Report

APPENDIX F City Council Resolution Adopting Plan

## Water Conservation Plan for [Entity]

#### 1. INTRODUCTION AND OBJECTIVES

Recognizing the need for efficient use of existing water supplies, the Texas Commission on Environmental Quality (TCEQ) has developed guidelines and requirements governing the development of water conservation plans for public water suppliers.

The objectives of this water conservation plan are as follows:

- To reduce water consumption from the levels that would prevail without conservation efforts.
- To reduce the loss and waste of water.
- To improve efficiency in the use of water.
- To document the level of recycling and reuse in the water supply.
- To extend the life of current water supplies by reducing the rate of growth in demand.

The water conservation plan presented in this document is a model water conservation plan intended for use as a template by retail public water suppliers in Region I. This model plan includes all of the elements required by TCEQ. In order to modify this plan, each water supplier will need to do the following:

- Complete the TCEQ water utility profile (provided in Appendix C).
- Complete the TCEQ water conservation implementation report (provided in Appendix D).
- Complete the Texas Water Development Board (TWDB) annual water conservation report (provided in Appendix E).
- Set five- and ten-year goals for per capita water use.
- Adopt ordinance(s) or regulation(s) approving the model plan.

The final adopted version should be provided to the TCEQ and the TWDB.

#### 2. TEXAS COMMISSION ON ENVIRONMENTAL QUALITY RULES

#### 2.1 Conservation Plans

The TCEQ rules governing development of water conservation plans for public water suppliers are contained in Title 30, Part 1, Chapter 288, Subchapter A, Rule 288.2 of the Texas Administrative Code, which is included in Appendix B. For the purpose of these rules, a water conservation plan is defined as "A strategy or combination of strategies for reducing the volume of water withdrawn from a water supply source, for reducing the loss or waste of water, for maintaining or improving the efficiency in the use of water, for increasing the recycling and reuse of water, and for preventing the pollution of water." The elements in the TCEQ water conservation rules covered in this conservation plan are listed below.

#### Minimum Conservation Plan Requirements

The minimum requirements in the Texas Administrative Code for Water Conservation Plans for Public Water Suppliers are covered in this report as follows:

- 288.2(a)(1)(A) Utility Profile Section 3 and Appendix C
- 288.2(a)(1)(B) Record Management System Section 4
- 288.2(a)(1)(C) Specification of Goals Section 5
- 288.2(a)(1)(D) Accurate Metering Section 6.1
- 288.2(a)(1)(E) Universal Metering Section 6.1
- 288.2(a)(1)(F) Determination and Control of Water Loss Section 6.2
- 288.2(a)(1)(G) Public Education and Information Program Section 7
- 288.2(a)(1)(H) Non-Promotional Water Rate Structure Section 8
- 288.2(a)(1)(I) Reservoir System Operation Plan Section 9.2

<sup>&</sup>lt;sup>1</sup> Title 30 of the Texas Administrative Code, Part 1, Chapter 288, Subchapter A, Rules 288.1 and 288.2, and Subchapter B, Rule 288.20, downloaded from <a href="http://www.tnrcc.state.tx.us/oprd/rules/pdflib/288a.pdf">http://www.tnrcc.state.tx.us/oprd/rules/pdflib/288a.pdf</a>, May 2014.

- 288.2(a)(1)(J) Means of Implementation and Enforcement Section 10
- 288.2(a)(1)(K) Coordination with Regional Water Planning Group Section 9.5
- 288.2(c) Review and Update Plan Section 10

#### Conservation Additional Requirements (Population over 5,000)

The Texas Administrative Code includes additional requirements for water conservation plans for cities with a population over 5,000:

- 288.2(a)(2)(A) Leak Detection, Repair, and Water Loss Accounting Sections
   6.2, 6.3, and 6.4
- 288.2(a)(2)(B) Requirement for Water Conservation Plans by Wholesale
   Customers Section 9.4

#### Additional Conservation Strategies

TCEQ rules also list additional optional but not required conservation strategies, which may be adopted by suppliers. The following optional strategies are included in this plan:

- 288.2(a)(3)(A) Conservation Oriented Water Rates Section 8
- 288.2(a)(3)(B) Ordinances, Plumbing Codes or Rules on Water-Conserving
   Fixtures Section 9.1
- 288.2(a)(3)(F) Considerations for Landscape Water Management Regulations –
   Section 9.3
- 288.2(a)(3)(G) Monitoring Method Section 6.4

#### 3. WATER UTILITY PROFILE

Appendix C to this water conservation plan is a sample water utility profile based on the format recommended by the TCEQ.

[Water supplier is to complete the utility profile and provide information on the public water supply system and customers if appropriate for this section.]

#### 4. RECORD MANAGEMENT SYSTEM

As required by TAC Title 30, Part 1, Chapter 288, Subchapter A, Rule 288.2(a)(1)(B), the record management system allows for the separation of water sales and uses into single-family residential, multi-family residential, commercial, public/institutional, industrial, agricultural, and wholesale categories. This information will be included in an annual water conservation implementation report, as described in Section 6.4 below.

For those entities whose record management systems do not currently allow for the separation of water sales as described above, they will move to implement such a system upon the purchase of new billing software.

#### 5. SPECIFICATION OF WATER CONSERVATION GOALS

[Current TCEQ rules require the adoption of specific water conservation goals for a water conservation plan. As part of plan adoption, each water supplier will develop 5-year and 10-year targets for water savings to include goals for water loss programs and goals for municipal use in total gallons per capita per day (GPCD) and residential GPCD.]

The goals for this water conservation plan include the following:

- Strive to attain the total per capita municipal water use below the specified amount in gallons per capita per day shown in the "Targets and Goals" section of Appendix D using a 5-year rolling average calculation. (See 5-year and 10-year goals in Appendix D).
- Similarly, strive to attain residential per capita water use of [gpcd] by [5 years] and [gpcd] by [10 years].
- Conduct water audits as required by the TCEQ and maintain water loss to [insert amount] percent of the total water used through existing and new maintenance programs.
- Raise public awareness of water conservation and encourage responsible public

behavior by a public education and information program, as discussed in Section 7.

## 6. METERING, WATER USE RECORDS, CONTROL OF UNACCOUNTED WATER, AND LEAK DETECTION AND REPAIR

One of the key elements in water conservation is careful tracking of water use and control of losses through illegal diversions and leaks. Careful metering of water deliveries and water use, detection and repair of leaks in the distribution system and regular monitoring of unaccounted water are important in controlling losses. [Water suppliers serving a population of 5,000 people or more or a having a projected population of greater than 5,000 people or more within the next ten years must include the following elements in their water conservation plans:]

## 6.1 Metering of Customer and Public Uses and Meter Testing, Repair, and Replacement

All customers of wholesale or retail public water suppliers, including public and governmental users, should be metered. In many cases, water suppliers already meter all of their water users. For those water suppliers who do not currently meter all of their water uses, these entities will implement a program to meter all water uses within the next five years.

Most water suppliers test and replace their customer meters on a regular basis. All customer meters should be replaced on a 15-year cycle. Those who do not currently have a meter testing and replacement program will implement such a program over the next five years.

#### 6.2 Determination and Control of Water Loss

Total water loss is the volume of water diverted or purchased minus water delivered to customers minus authorized but unmetered uses. (Authorized but unmetered uses would include use for fire fighting, releases for flushing of lines, etc.) The TWDB water loss

audit worksheet divides total water loss into apparent losses and real losses:

- Apparent water loss is water which is used by customers but for which the utility is not compensated. Reducing apparent losses increases the city's utility revenue but does not reduce water usage. Apparent water losses include:
  - o Inaccuracies in customer meters. (Customer meters tend to run more slowly as they age and under-report actual use.)
  - o Losses due to illegal connections and theft.
  - Systematic data handling errors
- Real water loss is water which is physically lost from the water system before it can be used by customers. Identifying and preventing real losses decreases a utility's costs and decreases water usage. Real water losses include:
  - o Reported leaks.
  - Unreported leaks.

Measures to control water loss are part of the routine operations of water suppliers. Water audits are useful methods of accounting for water usage within a system. Water audits will be conducted by water suppliers in order to decrease water loss. Maintenance crews and personnel will look for and report evidence of leaks in the water distribution system. The leak detection and repair program is described in Section 6.3 below. Meter readers are asked to watch for and report signs of illegal connections, so they can be addressed quickly. Water loss is calculated as part of the water conservation implementation report (Appendix D) and the annual water conservation report (Appendix E).

#### 6.3 Leak Detection and Repair

City crews and personnel will look for and report evidence of leaks in the water distribution system. Areas of the water distribution system in which numerous leaks and line breaks occur are targeted for replacement as funds are available.

## 6.4 Monitoring of Effectiveness and Efficiency - Water Conservation Reports

[Entities that are required to submit a water conservation plan must also submit a water conservation implementation report with the plan (30 TAC 288.30(2). This report includes statistics from the previous five-year implementation period. The TCEQ has provided a template on its web site.<sup>5</sup>

The Texas Water Development Board (TWDB) also requires entities that serve 3,300 connections or more, that hold a surface water right, or that are applying for or receiving more than \$500,000 in financial assistance from the TWDB to file an annual water conservation report with the TWDB by May 1 each year. This report includes statistics from the previous year. The TWDB has provided a template on its web site. <sup>6</sup>]

A completed five-year water conservation implementation report is attached in Appendix D. The city will use this report to monitor the effectiveness and efficiency of the water conservation program and to plan conservation-related activities. In this report, the city has documented water use accounting, system data, per-capita water use and water loss, water conservation programs and activities, and estimated water savings for previous five years. In addition, the city has compared current per capita water use to the targets and goals established in this plan (Section 4.3).

An annual water conservation report will be completed by [insert date] of the following year and will be submitted to the TWDB. This report will record water use accounting, system data, targets and goals, per-capita water use and water loss, and water conservation programs and activities for the previous year. The report will be used to monitor the effectiveness and efficiency of the water conservation program and to plan conservation-related activities for the next year. The report for [last year] is attached in Appendix E.

#### 7. CONTINUING PUBLIC EDUCATION AND INFORMATION CAMPAIGN

The continuing public education and information campaign on water conservation includes the following elements: [Water provider is to select the appropriate measures for its system.]

- Insert water conservation information with water bills. Inserts will include material developed by the [water supplier] staff and material obtained from the TWDB, the TCEQ, and other sources.
- Encourage local media coverage of water conservation issues and the importance of water conservation.
- Make the *Texas Smartscape CD*, water conservation brochures, and other water conservation materials available to the public.
- Make information on water conservation available on its website (if any) and include links to the *Texas Smartscape* website and to information on water conservation on the TWDB and TCEQ web sites.
- Provide water conservation materials to schools and utilize existing ageappropriate education programs available through the TCEQ and TWDB.
- Support the State-initiated Water Conservation Awareness and Education Campaign.

#### 8. WATER RATE STRUCTURE

[If a water supplier has a decreasing block rate structure, it is recommended that a flat rate or increasing rate structure be adopted.]

An increasing block rate water structure that is intended to encourage water conservation and discourage excessive use and waste of water will be adopted upon completion of the next rate study or within five years. An example water rate structure is as follows:

#### Residential Rates

- 1. Monthly minimum charge. This can (but does not have to) include up to 2,000 gallons water use with no additional charge.
- 2. Base charge per 1,000 gallons up to the approximate average residential use.
- 3. 2<sup>nd</sup> tier (from the average to 2 times the approximate average) at 1.25 to 2.0 times the base charge.
- 4. 3<sup>rd</sup> tier (above 2 times the approximate average) at 1.25 to 2.0 times the 2<sup>nd</sup> tier.
- 5. The residential rate can also include a lower tier for basic household use up to 4,000 gallons per month or so.

#### Commercial/Industrial Rates

Commercial/industrial rates should include at least 2 tiers, with rates for the 2<sup>nd</sup> tier at 1.25 to 2.0 times the first tier.

[If a water supplier has an increasing rate structure, state the current rate structure as follows.]

The [water supplier] has adopted an increasing block rate water structure that is intended to encourage water conservation and discourage excessive use and waste of water. The water rate structure adopted on [insert date] is as follows:

#### Residential Rates

[To be completed by the supplier]

#### Commercial/Industrial Rates

[To be completed by the supplier]

#### 9. OTHER WATER CONSERVATION MEASURES

## 9.1 Ordinances, Plumbing Codes, or Rules on Water-Conserving Fixtures

The State of Texas has required water-conserving fixtures in new construction and renovations since 1992. The state standards call for flows of no more than 2.2 gallons per minute (gpm) for faucets, 2.5 gpm for showerheads, and 1.28 gallons per flush for toilets. These standards assure that all new construction and renovations will use water-conserving fixtures.

Federal rules require that all clothes washers manufactured by 2007 use 9.5 gallons of water per cubic foot per cycle or less. These standards became more stringent for commercial clothes washers in 2013 and are scheduled to become more stringent for residential clothes washers in 2015 and again in 2018.

Federal rules require that all residential dishwashers manufactured on or after May 30, 2013, must achieve water consumption of 5 gallons per cycle or less.

The potential savings from these efficient fixtures can be significant, but historically have been difficult to measure independently from other factors.

#### 9.2 Reservoir System Operation Plan

[Insert description of reservoir system operation plan if public supplier has such a plan.]

or

The [water supplier] purchases water from [name] and does not have surface water supplies for which to implement a reservoir system operation plan.

#### 9.3 Considerations for Landscape Water Management Regulations (Optional)

[The water supplier may choose to adopt landscape water management regulations as part of the development of this water conservation plan. These regulations are intended to minimize waste in landscape irrigation. The proposed regulations might include the following elements:

- Require that all new irrigation systems be in compliance with state design and installation regulations (TAC Title 30, Part 1, Chapter 344).
- Prohibit irrigation systems that spray directly onto impervious surfaces or onto other non-irrigated areas. (Wind-driven water drift will be taken into consideration.)
- Prohibit use of poorly maintained sprinkler systems that waste water.
- *Prohibit outdoor watering during any form of precipitation.*
- Enforce the regulations by a system of warnings followed by fines for continued or repeat violations.
- Implement other measures to encourage off-peak water use.]

#### 9.4 Requirement for Water Conservation Plans by Wholesale Customers

[Required for cities with populations over 5,000.]

Every contract for the wholesale sale of water by customers that is entered into, renewed, or extended after the adoption of this water conservation plan will include a requirement that the wholesale customer and any wholesale customers of that wholesale customer develop and implement a water conservation plan meeting the requirements of Title 30, Part 1, Chapter 288, Subchapter A, Rule 288.2 of the Texas Administrative Code. The requirement will also extend to each successive wholesale customer in the resale of the water.

#### 9.5 Coordination with Regional Water Planning Group

In accordance with TCEQ regulations, a copy of this adopted water conservation plan will be sent to the East Texas Region water planning group.

## 10. IMPLEMENTATION AND ENFORCEMENT OF THE WATER CONSERVATION PLAN

A copy of [an ordinance, order, or resolution] adopted by the [City Council or governing board] regarding this water conservation plan is attached to and made part of this plan

(Appendix F). The [ordinance, order, or resolution] designates responsible officials to implement and enforce the water conservation plan.

As required by TCEQ rules, the City will review this water conservation plan every five years, beginning in *[five years from date of plan]*. The plan will be updated as appropriate based on new or updated information. As the plan is reviewed and subsequently updated, a copy of the revised water conservation plan will be submitted to the TCEQ, the TWDB, and the East Texas Region water planning group for their records.

# Appendix A

List of References

### Appendix A List of References

(1) Title 30 of the Texas Administrative Code, Part 1, Chapter 288, Subchapter A, Rules 288.1 and 288.2, and Subchapter B, Rule 288.20, downloaded from <a href="http://www.tceq.texas.gov/assets/public/legal/rules/rules/pdflib/288a.pdf">http://www.tceq.texas.gov/assets/public/legal/rules/rules/pdflib/288a.pdf</a>, May 2014.

The following conservation plans and related documents were reviewed in the development of this plan.

- (2) Freese and Nichols, Inc.: Draft Model Water Conservation Plan for North Texas Municipal Water District Member Cities and Customers, prepared for the North Texas Municipal Water District, Fort Worth, February 2014.
- (3) Freese and Nichols, Inc.: Water Resource and Emergency Management Plan, prepared for the North Texas Municipal Water District, Fort Worth, April 2014.
- (4) Dallas Water Utilities: City of Dallas Drought Contingency Plan, adopted by the City Council, Dallas, February 26, 2014.
- (5) Texas Commission on Environmental Quality: *Drought Contingency Plan for a Retail Public Water Supplier*, accessed online at <a href="http://www.tceq.texas.gov/assets/public/permitting/watersupply/drought/20191.doc">http://www.tceq.texas.gov/assets/public/permitting/watersupply/drought/20191.doc</a>, June 2014.
- (6) Texas Commission on Environmental Quality: *Utility Profile and Water Conservation Plan Requirements for Municipal Use by Retail Public Water Suppliers*, TCEQ Form No. 10218, revised June 14, 2013, accessed online at <a href="http://www.tceq.texas.gov/assets/public/permitting/forms/10218.docx">http://www.tceq.texas.gov/assets/public/permitting/forms/10218.docx</a>, June 2014...
- (7) Texas Commission on Environmental Quality: Water Conservation Implementation Report Public Water Supplier, TCEQ Form No. 20646, revised September 18, 2013, accessed online at <a href="http://www.tceq.texas.gov/assets/public/permitting/watersupply/conservation/20646">http://www.tceq.texas.gov/assets/public/permitting/watersupply/conservation/20646</a> <a href="http://www.tceq.texas.gov/assets/public/permitting/watersupply/conservation/20646">http://www.tceq.texas.gov/assets/public/permitting/watersupply/conservation/20646</a> <a href="http://www.tceq.texas.gov/assets/public/permitting/watersupply/conservation/20646">http://www.tceq.texas.gov/assets/public/permitting/watersupply/conservation/20646</a>
- (8) Texas Water Development Board, *Water Conservation Plan Report Retail Water Supplier*, TWDB Form No. 1966, revised August 13, 2013, accessed online at <a href="http://www.twdb.texas.gov/conservation/municipal/plans/doc/RWS\_1966.pdf">http://www.twdb.texas.gov/conservation/municipal/plans/doc/RWS\_1966.pdf</a>, June 2014.
- (9) Texas Water Development Board: Report 362 Water Conservation Best Management Practices Guide, Austin, November 2004.

# Appendix B

Texas Commission on Environmental Quality Rules on Municipal Water Conservation Plans

#### **Texas Administrative Code**

TITLE 30

**ENVIRONMENTAL QUALITY** 

PART 1

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

WATER CONSERVATION PLANS, DROUGHT CONTINGENCY

**CHAPTER 288** 

PLANS, GUIDELINES AND REQUIREMENTS

**SUBCHAPTER A** 

WATER CONSERVATION PLANS

**RULE §288.2** 

Water Conservation Plans for Municipal Uses by Public

Water Suppliers

- (a) A water conservation plan for municipal water use by public water suppliers must provide information in response to the following. If the plan does not provide information for each requirement, the public water supplier shall include in the plan an explanation of why the requirement is not applicable.
  - (1) Minimum requirements. All water conservation plans for municipal uses by public water suppliers must include the following elements:
    - (A) a utility profile in accordance with the Texas Water Use Methodology, including, but not limited to, information regarding population and customer data, water use data (including total gallons per capita per day (GPCD) and residential GPCD), water supply system data, and wastewater system data;
    - (B) a record management system which allows for the classification of water sales and uses into the most detailed level of water use data currently available to it, including, if possible, the sectors listed in clauses (i) - (vi) of this subparagraph. Any new billing system purchased by a public water supplier must be capable of reporting detailed water use data as described in clauses (i) - (vi) of this subparagraph:
      - (i) residential;
      - (I) single family;
      - (II) multi-family;
      - (ii) commercial;
      - (iii) institutional;
      - (iv) industrial;
      - (v) agricultural; and,
      - (vi) wholesale.
    - (C) specific, quantified five-year and ten-year targets for water savings to include goals for water loss programs and goals for municipal use in total GPCD and residential GPCD. The goals established by a public water supplier under this subparagraph are not enforceable:
    - (D) metering device(s), within an accuracy of plus or minus 5.0% in order to measure and account for the amount of water diverted from the source of supply;
    - (E) a program for universal metering of both customer and public uses of water, for meter testing and repair, and for periodic meter replacement;

- (F) measures to determine and control water loss (for example, periodic visual inspections along distribution lines; annual or monthly audit of the water system to determine illegal connections; abandoned services; etc.);
- (G) a program of continuing public education and information regarding water conservation;
- (H) a water rate structure which is not "promotional," i.e., a rate structure which is cost-based and which does not encourage the excessive use of water;
- (I) a reservoir systems operations plan, if applicable, providing for the coordinated operation of reservoirs owned by the applicant within a common watershed or river basin in order to optimize available water supplies; and
- (J) a means of implementation and enforcement which shall be evidenced by:
  - (i) a copy of the ordinance, resolution, or tariff indicating official adoption of the water conservation plan by the water supplier; and
  - (ii) a description of the authority by which the water supplier will implement and enforce the conservation plan; and
- (K) documentation of coordination with the regional water planning groups for the service area of the public water supplier in order to ensure consistency with the appropriate approved regional water plans.
- (2) Additional content requirements. Water conservation plans for municipal uses by public drinking water suppliers serving a current population of 5,000 or more and/or a projected population of 5,000 or more within the next ten years subsequent to the effective date of the plan must include the following elements:
  - (A) a program of leak detection, repair, and water loss accounting for the water transmission, delivery, and distribution system;
  - (B) a requirement in every wholesale water supply contract entered into or renewed after official adoption of the plan (by either ordinance, resolution, or tariff), and including any contract extension, that each successive wholesale customer develop and implement a water conservation plan or water conservation measures using the applicable elements in this chapter. If the customer intends to resell the water, the contract between the initial supplier and customer must provide that the contract for the resale of the water must have water conservation requirements so that each successive customer in the resale of the water will be required to implement water conservation measures in accordance with the provisions of this chapter.
- (3) Additional conservation strategies. Any combination of the following strategies shall be selected by the water supplier, in addition to the minimum requirements in paragraphs (1) and (2) of this subsection, if they are necessary to achieve the stated water conservation goals of the plan. The commission may require that any of the following strategies be implemented by the water supplier if the commission determines that the strategy is necessary to achieve the goals of the water conservation plan:
  - (A) conservation-oriented water rates and water rate structures such as uniform or increasing block rate schedules, and/or seasonal rates, but not flat rate or decreasing block rates;

- (B) adoption of ordinances, plumbing codes, and/or rules requiring water-conserving plumbing fixtures to be installed in new structures and existing structures undergoing substantial modification or addition;
- (C) a program for the replacement or retrofit of water-conserving plumbing fixtures in existing structures;
- (D) reuse and/or recycling of wastewater and/or graywater;
- (E) a program for pressure control and/or reduction in the distribution system and/or for customer connections;
- (F) a program and/or ordinance(s) for landscape water management;
- (G) a method for monitoring the effectiveness and efficiency of the water conservation plan; and
- (H) any other water conservation practice, method, or technique which the water supplier shows to be appropriate for achieving the stated goal or goals of the water conservation plan.
- (b) A water conservation plan prepared in accordance with 31 TAC §363.15 (relating to Required Water Conservation Plan) of the Texas Water Development Board and substantially meeting the requirements of this section and other applicable commission rules may be submitted to meet application requirements in accordance with a memorandum of understanding between the commission and the Texas Water Development Board.
- (c) A public water supplier for municipal use shall review and update its water conservation plan, as appropriate, based on an assessment of previous five-year and ten-year targets and any other new or updated information. The public water supplier for municipal use shall review and update the next revision of its water conservation plan every five years to coincide with the regional water planning group.

**Source Note:** The provisions of this §288.2 adopted to be effective May 3, 1993, 18 TexReg 2558; amended to be effective February 21, 1999, 24 TexReg 949; amended to be effective April 27, 2000, 25 TexReg 3544; amended to be effective October 7, 2004, 29 TexReg 9384; amended to be effective December 6, 2012, 37 TexReg 9515

# Appendix C

TCEQ Utility Profile

# TCEQ

### **Texas Commission on Environmental Quality**

#### UTILITY PROFILE AND WATER CONSERVATION PLAN REQUIREMENTS FOR MUNICIPAL WATER USE BY RETAIL PUBLIC WATER SUPPLIERS

This form is provided to assist retail public water suppliers in water conservation plan development. If you need assistance in completing this form or in developing your plan, please contact the conservation staff of the Resource Protection Team in the Water Availability Division at (512) 239-4691.

Name:	Click to add text		
Address:			
Telephone Number:	( )	Fax: ( )	
Water Right No.(s):			
Regional Water Planning Group:			
Form Completed by:			
Title:			
Person responsible for implementing conservation program:		Phone: ( )	
Signature:		Date: / /	

NOTE: If the plan does not provide information for each requirement, include an explanation of why the requirement is not applicable.

#### UTILITY PROFILE

#### I. POPULATION AND CUSTOMER DATA

- A. Population and Service Area Data
  - 1. Attach a copy of your service-area map and, if applicable, a copy of your Certificate of Convenience and Necessity (CCN).
  - Service area size (in square miles):(Please attach a copy of service-area map)
  - 3. Current population of service area:
  - 4. Current population served for:

    Water \_\_\_\_\_
    Wastewater
  - 5. Population served for previous five years:

6. Projected population for service area in the following decades:

<u>Year</u>	Population	Year	Population
		2020	***
<del>.</del>		2030	
<del></del>		2040	
		2050	<del></del>
		2060	

7. List source or method for the calculation of current and projected population size.

#### B. Customers Data

Senate Bill 181 requires that uniform consistent methodologies for calculating water use and conservation be developed and available to retail water providers and certain other water use sectors as a guide for preparation of water use reports, water conservation plans, and reports on water conservation efforts. A water system must provide the most detailed level of customer and water use data available to it, however, any new billing system purchased must be capable of reporting data for each of the sectors listed below. http://www.tceq.texas.gov/assets/public/permitting/watersupply/water rights/sb181 guidance.pdf

Treated Water Users	Metered	Non-Metered	Totals
Residential			
Single-Family			
Multi-Family			
Commercial			
Industrial/Mining			
Institutional		-	
Agriculture			
Other/Wholesale			
Residential			
<u>Year</u>			
Treated Water Users			
			· · · · · · · · · · · · · · · · · · ·
Single-Family			
Multi-Family			<del></del>
Commercial Industrial/Mining			
, ,			
Institutional			
Agriculture			
Other/Wholesale			
T' . C 1	.1 (* 1 1	. 1	
List of annual water use fo	r the five highes	t volume customers.	
	174	Use (1,000 gal/year)	Treated or Rai Water
Custome	:I		
Custome			
· · · · · · · · · · · · · · · · · · ·			
1.		-	
1 2			

#### II. WATER USE DATA FOR SERVICE AREA

A. Water Accounting Data	
--------------------------	--

1.	List the	amount	of water	use fe	or the	previous	five	years	(in	1,000
	gallons).	Indicate	wheth <u>er</u> t	his is 「	□ di <u>ve</u> r	ted or $\square$	treate	ed wate	er.	

Year					
Month					
January					
February	·				
March	3.0.00				
April					
May					
June					
July					
August					
September		<del></del>			
October			•		
November			<del></del>		
December					
				***************************************	
Totals					

Describe how the above figures were determine (e.g, from a master meter located at the point of a diversion from the source, or located at a point where raw water enters the treatment plant, or from water sales).

2. Amount of water (in 1,000 gallons) delivered/sold as recorded by the following account types for the past five years.

· · · · · · · · · · · · · · · · · · ·			 
		<del></del>	 
<del></del>	· ····		 

		Year	Amount (gallons)	Dancont 0/		
		1eur ,	Amount (gallons)	Percent %		
			CAPACITOR CO.			
	•					
В.	Project	ed Water Demands				
	Plannin water u	ng Group for the ne	projected water supply demands from ext ten years using information such growth in the service area over the nation such growth.	n as population trends, historica		
II.	WATE	R SUPPLY SYST	EM DATA			
A.						
A.	Water :	Supply Sources				
<i>A</i> .		•••	y sources and the amounts authorize	ed (in acre feet) with each.		
<i>A</i> .		current water supp				
A.	List all	•••	y sources and the amounts authorize	ed (in acre feet) with each.  Amount Authorized		
<i>A</i> .	List all	current water supp				
A.	List all	current water supp <i>Water Type</i> Surface Water				
A.	List all	current water supp <i>Water Type</i> Surface Water  Groundwater				
	List all	current water suppl Water Type Surface Water Groundwater Contracts Other	Source			
	List all	current water supplement water Type Surface Water Groundwater Contracts Other  tent and Distribution	Source  Source			
	List all	current water supplement water Type Surface Water Groundwater Contracts Other  tent and Distribution	Source			
	List all	current water supplement water Type Surface Water Groundwater Contracts Other  tent and Distribution	Source  on System  ty of system (MGD):			
	List all  Treatm	Current water supplement Water Type Surface Water Groundwater Contracts Other  The ent and Distribution Design daily capacit	Source  on System ty of system (MGD):  IGD):			
	List all  Treatm	Current water supplement water Type Surface Water Groundwater Contracts Other  Ment and Distribution Design daily capacity Storage capacity (Material Storage Capacity)	Source  on System ty of system (MGD):  IGD):			

#### IV. WASTEWATER SYSTEM DATA

Α.	waste	ewater System Do	ata (if applicable)	
	1.	Design capacity	of wastewater treatment plant(s) (MGD):	
	2.		t is used for non-site irrigation, off-site irrigation, for plad or for chlorination/dechlorination.	ın
		If yes, approxin	nate amount (in gallons per month):	
	3.	Describe how tr plant(s) with th	the wastewater system(s) of the area serviced by the water utility. reated wastewater is disposed. Where applicable, identify treatment e TCEQ name and number, the operator, owner, and the receiving water is discharged.	
В.	Waste	ewater Data for S	Service Area (if applicable)	
	1.	Percent of water	r service area served by wastewater system:%	
	2.	Monthly volum	e treated for previous five years (in 1,000 gallons):	
		Year		
		Month		
		January	· · · · · · · · · · · · · · · · · · ·	
		February		
		March		
		April		
		May		
		June		
		July		
		August		
		September		
		October		
		November		
		December		
		Totals		

# Appendix D

TCEQ Water Conservation Implementation Report



#### Texas Commission on Environmental Quality

### Water Conservation Implementation Report Public Water Supplier

This five year report must be completed by entities that are required to submit a water conservation plan to the TCEQ in accordance with Title 30 Texas Administrative Code, Chapter 288. Please complete this report and submit it to the TCEQ. If you need assistance in completing this form, please contact the Resource Protection Team in the Water Availability Division at (512) 239-4691.

#### **CONTACT INFORMATION**

Name of Entity:
Public Water Supply Identification Number (PWS ID):Click here to enter text.  CCN numbers: Click here to enter text.  Water Right Permit numbers: Click here to enter text.  Wastewater ID numbers: Click here to enter text.
Check all that apply:  ☐ Retail Public Water Supplier  ☐ Wholesale Public Water Supplier
Address: Click here to enter text. City: Click here to enter text. Zip Code: Click here to enter text.
Email: Click here to enter text. Telephone Number: Click here to enter text.
Regional Water Planning Group: Click here to enter text. Map
Groundwater Conservation District: Click here to enter text. Map
Form Completed By: Click here to enter text. Title: Click here to enter text.
Signature: Date: Click here to enter a date.
Contact information for the person or department responsible for implementing the water conservation plan:
Name: Click here to enter text. Phone: Click here to enter text. Email: Click here to enter text.
Report Completed on Date: Click here to enter a date.
Reporting Period (check only one):    Fiscal   Period Begin: Click here to enter a date.   Period End: Click here to enter a date.

Please check all of the following that apply to your entity:
☐ A surface water right holder of 1,000 acre-feet/year or more for non-irrigation uses ☐ A surface water right holder of 10,000 acre-feet/year or more for irrigation uses
*Important*  If your entity meets the following description, please skip page 3 and go directly to page 4.

Your entity is a Wholesale Public Water Supplier that <u>ONLY</u> provides wholesale water services <u>for public consumption</u>. For example, you <u>only</u> provide <u>wholesale</u> <u>water</u> to other municipalities or water districts.

#### Water Use Accounting

#### **Retail Water Sold:** All retail water sold for public use and human consumption.

Helpful Hints: There are two options available for you to provide the requested information. Both options ask the same information; however, the level of detail and break down of information differs between the two options. Please select just one option that works best for your entity and fill in the fields as completely as possible.

Fields that are gray are entered by the user. Select fields that are white and press F9 to updated fields.

For the five-year reporting period, enter the gallons of **RETAIL water sold** in each major water use category. Use **only one** of the following options.

**Option 1** 

Water Use Category*	Gallons Sold
Single Family Residential	
Multi-Family Residential	
TOTAL Residential Use <sup>1</sup>	0
Industrial	
Commercial	
Institutional	
TOTAL Retail Water Sold <sup>2</sup>	0

- 1. [SF Res +MF Res = Residential Use]
- 2. [Res +Ind +Com +Ins = Retail Water Sold]

Option 2

Water Use Category *	Gallons Sold
Residential Select all of the sectors that your account for as "Residential".  Single Family  Multi-Family	
Commercial Please select all of the sectors that your account for as "Commercial".  □ Commercial □ Multi-Family □ Industrial □ Institutional	
Industrial  Please select all of the sectors that your account for as  "Industrial".  □ Industrial □ Commercial □ Institutional	
Other Please select all of the sectors that your account for as "Other".  Commercial Multi-Family Industrial Institutional	
TOTAL Retail Water Sold <sup>1</sup>	0.00

1. [Res +Com +Ind'+ Other = Retail Water Sold]

Wholesale Water Exported: Wholesale water sold or transferred out of the distribution system.

For the five-year reporting period, enter the gallons of **WHOLESALE water exported** to each major water use category.

Water Use Category*	Gallons of Exported Wholesale Water		
Municipal Customers			
Agricultural Customers			
Industrial Customers			
Commercial Customers			
Institutional Customers			
TOTAL Wholesale Water Exported 1	0.00		

<sup>1. [</sup>Mun +Agr +Ind +Com +Ins = Wholesale Water Exported]

### System Data

Fields that are gray are entered by the user. Select fields that are white and hit F9 to updated fields.

	Total Gallons During the Five-Year Reporting Period
Water Produced: Volume produced from own sources	
Wholesale Water Imported: Purchased wholesale water imported from other sources into the distribution system	
Wholesale Water Exported: Wholesale water sold or transferred out of the distribution system (Insert Total Volume calculated on Page 4)	
TOTAL System Input: Total water supplied to the infrastructure	0.00 [Produced + Imported – Exported = System Input]
Retail Water Sold: All retail water sold for public use and human consumption (Insert Total Residential Use from Option 1 or Option 2 calculated on Page 3)	
Other Consumption Authorized for Use but not Sold:  - back flushing water - line flushing - storage tank cleaning - golf courses - fire department use - parks - municipal government offices	
TOTAL Authorized Water Use: All water that has been authorized for use or consumption.	0.00 [Retail Water Sold + Other Consumption = Total Authorized]
Apparent Losses – Water that has been consumed but not properly measured (Includes customer meter accuracy, systematic data discrepancy, un- authorized consumption such as theft)	
Real Losses – Physical losses from the distribution system prior to reaching the customer destination (Includes physical losses from system or mains, reported breaks and leaks, storage overflow)	
Unidentified Water Losses	0.00
	[System Input- Total Authorized - Apparent Losses - Real Losses = Unidentified Water Losses]
TOTAL Water Loss	0.00 [Apparent + Real + Unidentified = Total Water Loss]

#### **Targets and Goals**

In the table below, please provide the specific and quantified five and ten-year targets for water savings listed in your water conservation plan.

Fields that are gray are entered by the user. Select fields that are white and hit F9 to update fields.

Date	Target for: Total GPCD	Target for: Water Loss (expressed in GPCD)	Target for: Water Loss Percentage (expressed in Percentage)
Five-year target date: dd/mm/yyyy			%
Ten-year target date: dd/mm/yyyy			%

Are targets in the water conservation plan being met? Yes  $\square$  No  $\square$  If these targets are not being met, provide an explanation as to why, including any progress on these targets: Click here to enter text.

#### Gallons per Capita per Day (GPCD) and Water Loss

Compare your current gpcd and water loss to the above targets and goals set in your previous water conservation plan.

Total System Input in Gallons	Permanent Population	Current GPCD
[Produced + Imported - Exported = System Input]		[ (System Input ÷ Permanent Population) /5/ 365 ]

Permanent Population is the total permanent population of the service area. This includes single family, multi-family, and group quarter populations.

Total Residential Use	Permanent Population	Residential GPCD
		[ (Residential Use ÷ Residential Population) / 5/ 365 ]

Residential Population is the total residential population of the service area including single & multi-family population.

Total Water Loss	Total System Input in Gallons	Permanent Population	Water Loss calculated in	
			GPCD 1	Percent <sup>2</sup>
				*******************************
	[Water Produced + Wholesale			

- 1. [Total Water Loss ÷ Permanent Population] / 5/365 = Water Loss GPCD]
- 2. [Total Water Loss ÷ Total System Input] x 100 = Water Loss Percentage]

#### Water Conservation Programs and Activities

As you complete this section, please review your water conservation plan to see if you are making progress towards meeting your stated goals.

Fields that are gray are entered by the user. Select fields that are white and hit F9 to updated fields.

#### 1. Water Conservation Plan

What year did your entity adopt, or revise, their most recent water conservation plan: Click here to enter text.

n	nes t	he nlan	incorporate	Rect	Management	Practices?	Vec 🗆	No □
v	oes i	me plan	micorporate	DESI	ivianagement	Tractices!	165	INO

#### 2. Water Conservation Programs

For the reporting period, please select the types of activities and programs that have been actively administered, and estimate the expense and savings that incurred in implementing the conservation activities and programs for the past five years. Leave the field blank if unknown:

Program or Activity	Estimated Expenses	Estimated Gallons Saved
Conservation Analysis & Planning		
☐ Conservation Coordinator		
☐ Water Survey for Single-Family and Multi- Family Customers		
Financial		
☐ Wholesale Agency Assistance Programs		
☐ Water Conservation Pricing/ Rate Structures		
System Operations  Water Loss Audits		
☐ Leak Detection		
☐ Universal Metering and Metering Repair		
Landscaping		
☐ Landscape Irrigation Conservation and		200

Incentives		S Escribboroses (Carrotte
☐ Athletic Fields Conservation		
☐ Golf Course Conservation		
☐ Park Conservation		
Education & Public Awareness		
☐ School Education		ACCOUNTS TO THE PROPERTY OF TH
☐ Public Information		
Rebate, Retrofit, and Incentive Programs		
☐ Conservation Programs for ICI Accounts		
Residential Clothes Washer Incentive	1000000	
Program		
☐ Water Wise Landscape Design and		History (Section )
Conversion Programs		
Showerhead, Aerator, and Toilet Flapper		
Retrofit		7652 cr772 3657 c 1
☐ Residential Toilet Replacement Programs		
☐ Rainwater Harvesting Incentive Program		
☐ ICI Incentive Programs		
Conservation Technology		
☐ Recycling and Reuse Programs (Water or		
Wastewater Effluent)		
☐ Rainwater Harvesting and Condensate Reuse		
Programs		等等。 中央的特殊等級機能可能的
Regulatory and Enforcement		
☐ Prohibition on Wasting Water	1996	The second second
TOTAL	\$ 0.00	

3. Reuse (Water or Wastewater Effluent)
For the reporting period, please provide the following data regarding the types of direct and indirect reuse activities that were administered for the past five years:

Reuse Activity	Estimated Volume (in gallons)
On-site irrigation	
Plant wash down	
Chlorination/de-chlorination	
Industrial	
Landscape irrigation (parks, golf courses)	
Agricultural	
Other, please describe:	
Estimated Volume of Recycled or Reuse	0

4.	W	ater	Sa	vin	gs

For the five-year reporting period, estimate the total savings that resulted from your overall water conservation activities and programs?

Estimated Gallons Saved (Total from Conservation Programs Table)	Estimated Gallons Recycled or Reused (Total from Reuse Table)	Total Volume of Water Saved <sup>1</sup>	Dollar Value of Water Saved <sup>2</sup>
		0	

<sup>1. [</sup>Estimated Gallons Saved + Estimated Gallons Recycled or Reused = Total Volume Saved]

#### 5. Conservation Pricing / Conservation Rate Structures

During the five-year reporting period.	have your rates or rate structure changed?	Yes $\square$	No 🗆
--	--	---------------	------

Please indicate the type of rate pr	Please indicate the type of rate pricing structures that you use.				
☐ Uniform rates	☐ Water Budget Based rates	☐ Surcharge - seasonal			
☐ Flat rates	☐ Excess Use Rates	☐ Surcharge - drought			
☐ Inclining/ Inverted Block	☐ Drought Demand rates	☐ Surcharge - usage demand			

## ☐ Declining Block rates ☐ Tailored rates ☐ Seasonal rates

#### 6. Public Awareness and Education Program

For the five-year reporting period, please check the appropriate boxes regarding any public awareness and educational activities that your entity has provided:

	Implemented	Number/Unit
Example: Brochures Distributed		10.000/year
Example: Educational School Programs		50 students/month
Brochures Distributed		
Messages Provided on Utility Bills		
Press Releases		
TV Public Service Announcements		
Radio Public Service Announcements		100 (E. N. 100 (E. N.
Educational School Programs		
Displays, Exhibits, and Presentations		
Community Events		

<sup>2.</sup> Estimate this value by taking into account water savings, the cost of treatment or purchase of your water, and any deferred capital costs due to conservation.

I otal Number	Total Testeu	I otal Kepaireu	
Total Number	Total Tested	Total Repaired	
		nformation regarding	g meter repair:
Metering and M	eter Repair		
iere to enter text.			
er problems			
problems			
tility or city uses			
aks			
	ing the main cause of	of water loss in you	ir system during the
	ow many leaks were	repaired in the s	ystem of at service
	yy many lanks yyara	rangized in the s	vetem or at comi
raigns			
	aks tility or city uses problems ter problems ter problems ter problems ter to enter text. tere to enter text.  Metering and M orting period, please pr	ection  r reporting period, how many leaks were bere to enter text.  bropriate boxes regarding the main cause of  aks tility or city uses problems ter problems ter problems tere to enter text.  here to enter text.  Metering and Meter Repair borting period, please provide the following in	ection  r reporting period, how many leaks were repaired in the serie to enter text.  propriate boxes regarding the main cause of water loss in you aks tility or city uses problems ter problems ter problems tere to enter text.  tere to enter text.  Metering and Meter Repair orting period, please provide the following information regarding

Production Meters	
Meters larger than 1 ½"	
Meters 1 ½ or smaller	

Does your system have automated meter reading? Yes  $\square$  No  $\square$ 

#### 9. Conservation Communication Effectiveness

In your opinion, how would you rank the effectiveness of your conservation activities in reaching the following types of customers for the past five years?

	Do not have activities or programs that target this type customer.	Less Than Effective	Somewhat Effective	Highly Effective
Residential Customers				
Industrial Customers				П
Institutional Customers				
Commercial Customers				
Agricultural Customers				

	Drought Contingency and Emer g the five-year reporting period, did you im	rgency Water Demand Management plement your Drought Contingency Plan?
		Yes □ No □
If yes	, indicate the number of days that your wate	er use restrictions were in effect: Click here to enter text.
If yes,	, please check all the appropriate reasons for	r your drought contingency efforts going into effect.
If yes,	, please check all the appropriate reasons for  Water Supply Shortage	
If yes,		r your drought contingency efforts going into effect.

If you have any questions on how to fill out this form or about the Water Conservation program, please contact us at 512/239-4691.

Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, contact us at 512-239-3282.

# Appendix E

TWDB Annual Water Conservation Report

### Water Conservation Plan Annual Report Retail Water Supplier

#### **CONTACT INFORMATION**

Name of Entity:		
Public Water Supply Identificat	tion Number (PWS ID):	
Certificate of Convenience and	Necessity (CCN) Number:	
Surface Water Rights ID Numb	er:	
Wastewater ID Number:		
Check all that apply:		
☐ Wholesale Water Si	applier	
☐ Wastewater Treatm	ent Utility	
Address:	City:	Zip Code:
Email:		Telephone Number:
Regional Water Planning Grou	p: <u>Map</u>	
Groundwater Conservation Dis	trict: Map	
Form Completed By:		Title:
Date:		
Reporting Period (check only o		Period End (mm/yyyy)
O Calendar Period Begin (	nm/yyyy)	Period End (mm/yyyy)
Check all of the following that	apply to your entity:	
☐ Receive financial as	sistance of \$500,000 or more	from TWDB
☐ Have 3,300 or more	retail connections	
☐ Have a water right \	vith TCEQ	

#### SYSTEM DATA

	Residential Single Family
	Residential Multi-family
	Industrial
	Commercial
	Institutional
	Agricultural
*Recommena	led Customer Categories for classifying your
customer wat	ter use. For definitions, refer to Guidance and
Methodology	on Water Conservation and Water Use.

. г	Residential Single Family	ategory(s) used to classify customer water use:
	Residential Multi-family	☐Institutional
	☐Industrial	☐Agricultural

2. For this reporting period, enter the gallons of **metered retail water** used by each customer category. If the Customer Category does not apply, enter zero or leave blank.

Retail Customer Category	Number of Connections	Gallons Metered
Residential Single Family		
Residential Multi-family		
Industrial		
Commercial		
Institutional		
Agricultural		
Total Retail Water Metered 1	0	

<sup>1.</sup> Residential + Industrial + Commercial + Institutional + Agricultural = Total Retail Water Metered

### Water Use Accounting

	Total Gallons During the Reporting Period
<b>Water Produced:</b> Water from permitted sources such as rivers, lakes, streams, and wells. <i>Same as line 14 of the water loss audit</i> .	
<b>Wholesale Water Imported:</b> Purchased wholesale water transferred into the system. <i>Same as line 15 of the water loss audit.</i>	
<b>Wholesale Water Exported:</b> Wholesale water sold or transferred out of the system. <i>Same as line 16 of the water loss audit</i> .	
System Input: Total water supplied to system and available for retail use.	Produced + Imported – Exported = System Input
Total Retail Water Metered	
Other Authorized Consumption: Water that is authorized for other uses such as the following: This water may be metered or unmetered. Same as the total of lines 19, 20, and 21 of the water loss audit.  - back flushing - line flushing - storage tank cleaning - municipal golf courses/parks C. fire department use D. municipal government offices	
<b>Total Authorized Use:</b> All water that has been authorized for use.	Total Retail Water + Other Authorized Consumption = Total Authorized Use
Apparent Losses: Water that has been consumed but not properly measured or billed. Same as line 28 of the water loss audit. (Includes losses due to customer meter accuracy, systematic data discrepancy, unauthorized consumption such as theft)	
Real Losses: Physical losses from the distribution system prior to reaching the customer destination. Same as line 29 of the water loss audit. (Includes physical losses from system or mains, reported breaks and leaks, or storage overflow)	
Unidentified Water Losses: Unreported losses not known or quantified.	System Input - Total Authorized Use - Apparent Losses - Real Losses = Unidentified Water Losses
Total Water Loss	Apparent + Real + Unidentified = Total Water Loss

#### **Targets and Goals**

Provide the **specific and quantified five and ten-year targets** <u>as listed in your current Water</u> <u>Conservation Plan</u>. Target dates and numbers should match your current Water Conservation Plan.

Target for Total GPCD	Target for Water Loss (expressed in GPCD)	Target for Water Loss Percentage (expressed in percentage)
		Total GPCD Water Loss

#### Gallons Per Capita per Day (GPCD) and Water Loss

Provide current GPCD and water loss totals. To see if you are making progress towards your stated goals, compare these totals to the above targets and goals. Provide the population and residential water use of your service area.

	Permanent	
Total System Input in Gallons	Population 1	Total GPCD
0		
Water Produced + Wholesale Imported - Wholesale Exported		(System Input ÷ Permanent Population) ÷ 365

<sup>1.</sup> Permanent Population is the total permanent population of the service area, including single family, multi-family, and group quarter populations.

Residential Use in Gallons	Residential	
(Single Family + Multi-family )	Population <sup>1</sup>	Residential GPCD
		(Residential Use ÷ Residential Population) ÷ 365

<sup>1.</sup> Residential Population is the total residential population of the service area, including only single family and multi-family populations.

Total Water Loss	Permanent Population	GPCD <sup>1</sup>	Water Loss Percent <sup>2</sup>
<b>0</b> Apparent + Real + Unidentified = Total Water Loss			0%

- 1. (Total Water Loss ÷ Permanent Population) ÷ 365 = Water Loss GPCD
- 2. (Total Water Loss ÷ Total System Input) x 100 = Water Loss Percentage

#### **Water Conservation Programs and Activities**

As you complete this section, review your utility's water conservation plan to see if you are making progress towards meeting your stated goals.

1. What year did your entity a	adopt or revise the most recent Wate	er Conservation Pla	an?
2. Does the Plan incorporate	Best Management Practices?	O Yes	ONo

3. Using the table below select the types of Best Management Practices or water conservation strategies actively administered during this reporting period and estimate the savings incurred in implementing water conservation activities and programs. Leave fields blank if unknown.

Methods and techniques for determining gallons saved are unique to each utility as they conduct internal effective cost analyses and long-term financial planning. Texas Best Management Practices can be found at TWDB's Water Conservation Best Management Practices webpage. The Alliance for Water Efficiency Water Conservation Tracking Tool may offer guidance on determining and calculating savings for individual BMPs.

Best Management Practice	Check if Implemented	Estimated Gallons Saved
Conservation Analysis and Planning		
Conservation Coordinator		
Cost Effective Analysis		
Water Survey for Single Family and Multi- family Customers		
Financial		
Wholesale Agency Assistance Programs		
Water Conservation Pricing		
System Operations		
Metering New Connections and Retrofitting Existing Connections		
System Water Audit and Loss Control		
Landscaping		
Landscape Irrigation Conservation and Incentives		
Athletic Fields Conservation		
Golf Course Conservation		
Park Conservation		
Education and Public Awareness		
School Education		
Public Information		
Rebate, Retrofit, and Incentive Programs		
Conservation Programs for ICI Accounts		
Residential Clothes Washer Incentive Program		
Water Wise Landscape Design and Conversion Programs		

Showerhead, Aerator, and Toilet Flapper Retrofit		
Residential Toilet Replacement Programs		
ICI Incentive Programs		
Conservation Technology		
Water Reuse		
New Construction Graywater		
Rainwater Harvesting and Condensate		
Reuse		
Regulatory and Enforcement		医性性炎 化特别图别特别 化甲基苯基
Prohibition on Wasting Water		
Other, please describe:		
Total Gallons of Water S	aved	0

4. For this reporting period, provide the estimated gallons of direct or indirect reuse activities.

Reuse Activity	Estimated Volume (in gallons)
On-site irrigation	
Plant wash down	
Chlorination/de-chlorination	
Industrial	
Landscape irrigation (parks, golf courses)	
Agricultural	
Other, please describe:	
Total Volume of Reuse	

5. For this reporting period, estimate the savings from water conservation activities and programs.

Gallons Saved/Conserved	Gallons	Total Volume of	Dollar Value
	Recycled/Reused	Water Saved <sup>1</sup>	of Water Saved <sup>2</sup>
	0	0	

<sup>1.</sup> Estimated Gallons Saved/Conserved + Estimated Gallons Recycled/Reused = Total Volume Saved

<sup>2.</sup> Estimate this value by taking into account water savings, the cost of treatment or purchase of water, and deferred capital costs due to conservation.

6. During this reporting period, did your rates or rate structure change?

Uniform Rates 🗆	Water Budget Based Rates 🗆	Surcharge - seasona
Flat Rates	Excess Use Rates 🗆	Surcharge - drough
Inclining/Inverted Block Rates	Drought Demand Rates	Other, please describe
Declining Block Rates 🗆	Tailored Rates	
Seasonal Rates	Surcharge - usage demand	
Example: Brochures Distributed	<b>V</b>	10,000/year
For this reporting period, select th		
	Implemented	Number/Unit
Example: Brochures Distributed	<b>√</b>	10,000/year
Example: Educational School Program	ms $\sqrt{}$	50 students/month
Brochures Distributed		
Messages Provided on Utility Bills		
Press Releases		
TV Public Service Announcements		
Radio Public Service Announcement	s 🗆	
Educational School Programs		
Educational School Programs Displays, Exhibits, and Presentations		
Displays, Exhibits, and Presentations		
Displays, Exhibits, and Presentations Community Events		

OYes

ONo

### **Leak Detection and Water Loss**

connections?				
Select the main	cause(s) of water loss	in your system.		
☐ Master m ☐ Customer	breaks ed utility or city uses eter problems meter problems d data problems			
□ Othe <u>r:</u> □ Oth <u>er:</u>	neriod provide the f	ollowing information	n regarding meter ren	air:
☐ Othe <u>r:</u> ☐ Othe <u>r:</u> ☐ Othe <u>r:</u>	g period, provide the fo			
☐ Othe <u>r:</u> ☐ Othe <u>r:</u>	g period, provide the formal Number	ollowing information  Total Tested	regarding meter reparted	air: Total Replaced
Othe <u>r:</u> Othe <u>r:</u> Othe <u>r:</u> Othe <u>r:</u> Type of Meter  Production				

### **Program Effectiveness and Drought**

1. In your opinion, how would you rank the effectiveness of your conservation activities?

Customer Classification	Less Than Effective	Somewhat Effective	Highly Effective	Does Not Apply
Residential Customers	0	0	0	0
Industrial Customers	0	0	0	0
Institutional Customers	0	О	0	0
Commercial Customers	0	Ο	0	0
Agricultural Customers	0	0	0	0


2. During the reporting period, did you imple O Yes O N		
If yes, how many days were water use	e restrictions in effect?	
If yes, check the reason(s) for implem  Water Supply Shortage	enting your Drought Contingency Plan.  ☐ Equipment Failure	
☐ High Seasonal Demand	☐ Impaired Infrastructure	
☐ Capacity Issues	☐ Other:	
3. Select the areas for which you would like t	to receive more technical assistance:	
☐ Best Management Practices	☐ Educational Resources	
☐ Drought Contingency Plans	☐ Water Conservation Annual Reports	
☐ Landscape Irrigation	☐ Water Conservation Plans	
☐ Leak Detection and Equipment	☐ Water IQ: Know Your Water	
☐ Rainwater Harvesting	☐ Water Loss Audits	
☐ Rate Structures	☐ Recycling and Reuse	

# Appendix F

City Council Resolution Adopting
Plan

[Insert copy of City Council Resolution adopting the Water Conservation Plan.]

## This page intentionally left blank



## **Appendix 5C-B**

## Model Water Conservation Plan for Industrial Entities

This appendix includes a Model Water Conservation Plan for Industrial water users in the ETRWPA. The model plan addresses the latest Texas Commission on Environment Quality requirements and is intended to be modified by each user to best reflect the activities appropriate to the entity. The model plan also includes sample appendices required:

- Appendix A List of References
- Appendix B Texas Commission on Environmental Quality Rules on Water Conservation Plans for Industrial or Mining Use
- Appendix C Water Conservation Implementation Report

## This page intentionally left blank

### Water Conservation Plan for [Industrial Entity]

### Date

### TABLE OF CONTENTS

- 1. Objectives
- 2. Description of Water Use
- 3. Specification of Water Conservation Goals
- 4. Metering of Industrial and Mining Water Users
- 5. Leak Detection and Repair and Water Loss Accounting
- 6. Improving, Modifying, and Auditing Processes and Equipment
- 7. Other Water Conservation Methods, Practices, or Techniques
- 8. Implementation and Modifications to Water Conservation Plan

### **APPENDICES**

Appendix A List of References

Appendix B Texas Commission on Environmental Quality Rules on Water

Conservation Plans for Industrial or Mining Use

Appendix C Water Conservation Implementation Report

## Water Conservation Plan for [Industrial Entity]

### 1. Objectives

The Texas Commission on Environmental Quality has developed guidelines and requirements governing the development of water conservation plans for industrial or mining use in Title 30, Part 1, Chapter 288, Subchapter A, Rule 288.4 of the Texas Administrative Code (TAC). The minimum requirements are:

TAC Reference	Subject	Plan Location
30 TAC §288.3(a)(1)	Water Use in the Production Process	Section 2
30 TAC §288.3(a)(2)	Water Conservation Goals	Section 3
30 TAC §288.3(a)(3)	Accurate Metering	Section 4
30 TAC §288.3(a)(4)	Leak Detection, Repair, and Water Loss	Section 5
	Accounting	
30 TAC §288.3(a)(5)	Water Use Efficiency Process and/or Equipment	Section 6
	Upgrades	
30 TAC §288.3(a)(6)	Other Conservation Practices	Section 7
30 TAC §288.3(b)	Review and Update of Plan	Section 8
30 TAC §288.30(1)	Water Conservation Implementation Report	Section 8

The purpose of this water conservation plan is to:

- To reduce water consumption from the levels that would exist without conservation efforts.
- To reduce the loss and waste of water.
- To encourage improvement of processes that inefficiently consume water.
- To extend the life of current supplies by reducing the rate of growth in demand.
- To document the level of recycling and reuse in the water supply.

This water conservation plan is intended to serve as a guide to [entity]. The following plan includes all conservation measures required by TCEQ.

### 2. Description of Water Use

The TCEQ requires that each mining or industrial water user must document how water is used in the production process.

- [Entity provides information including:
  - How water is diverted and transported from the source(s) of supply
  - o How water is utilized in the production process
  - How much water is consumed in the production process and not available for reuse, discharge, or other means of disposal]

### 3. Specification of Water Conservation Goals

The TCEQ regulations require that each industrial and mining user adopt quantifiable water conservation goals in their water conservation plan. [Entity] has specified a five-year and ten-year target for water savings. [Include quantifiable water savings targets and the details of the basis for the development of these goals. The goals established by industrial or mining water users under this paragraph are not enforceable.]

The goals for this water conservation plan include the following:

- [Name goals.] Potential goals are:
  - o Meter water use to decrease water loss through leaks
  - Regularly inspect systems for leaks and promptly repair in order to control unaccounted water
  - o Improve, modify, or audit processes in order to increase efficient water use

### 4. Metering of Industrial and Mining Water Users

[Entity]'s water use is metered at [description of location]. Submetering is a good strategy for some industrial water users. Processes or equipment that consume large quantities of water could

be usefully submetered. Submetering is an effective way to account for all water use by process, subprocess, or piece of equipment in a facility.

[Identify processes and/or equipment that are currently submetered. This section must include a description of the device(s) and/or method(s) within an accuracy of plus or minus five percent to be used to measure and account for the amount of water diverted from the source of supply.]

### 5. Leak Detection and Repair and Water Loss Accounting

[Describe leak-detection, repair, and accounting for water loss in the water distribution system.]

Careful metering of water use, detection, and repair of leaks in the distribution system and regular monitoring of water loss are important in controlling losses.

Water loss can be attributed to several things including:

- Inaccuracies in meters. Older meters tend to run slowly and therefore under-report actual use.
- Loss due to leaks and main breaks in the system.
- [Other].

In order to control water loss, personnel are asked to watch for and report water main breaks and leaks. Broken and leaking lines should be replaced or repaired in a timely manner.

[Entity] will implement and maintain a water loss program. This program will serve to reduce losses due to leakage. The measures of the water loss program include [select applicable measure]:

- Conducting regular inspections of aboveground piping and pump packing.
- Logging flowmeter readings on a daily basis.

- Metering individual pressure zones
- Controlling pressure just above the minimum standard-of-service level
- Limiting surges in pressure.
- [Other]

### 6. Improving, Modifying, and Auditing Processes and Equipment

[Entity] can increase water efficiency by improving, modifying, and auditing facility processes and equipment. Water can be conserved through the following measures

[select appropriate measure]:

- Implementing a Water Waste Reduction Program
- Optimizing the water-use efficiency of cooling systems (other than cooling towers)
- Reducing water loss in cooling towers

Water Waste Reduction Programs cause [Entity] personnel to be more aware of wasteful activities. Measures resulting from a Water Waste Reduction Program include:

- Install water saving devices on equipment.
- Replace current equipment with more water-efficient equipment.
- Recycle water within a process.
- Change to waterless equipment or process.

### 7. Other Water Conservation Methods, Practices, or Techniques

[This section must include any other water conservation practice, method, or technique which the user shows to be appropriate for achieving the stated goal(s) of the water conservation plan.

Other sections emphasize process water usage, equipment upgrades, and process modifications. This section should report on proposed conservation practices, methods, or techniques that address other water uses, such as domestic water use, housekeeping water use, and landscape irrigation. Potential

conservation methods include retrofit of water-efficient toilets, showerheads, and faucet aerators; water-wise landscaping; employee education; and other methods.]

### 8. Implementation and Modifications to Water Conservation Plan

Upon implementation of this water conservation plan, [Entity] will update the plan at least every five years. New goals will be based on previous five-year and ten-year goals and any new information.

[Entity] has prepared a water conservation implementation report that details its water conservation efforts and achievements. The implementation report is included in Appendix C. This report includes:

- The list of dates and descriptions of conservation measures implemented
- Amount of water saved
- Data about whether or not targets in the plan are met
- If targets are not met, an explanation as to why the target was not met and a discussion of the progress to meet the target.

## Appendix A

List of References

### APPENDIX A

### **List of References**

Title 30 of the Texas Administrative Code, Part 1, Chapter 288, Subchapter B, Rule 288.3, downloaded from <a href="http://www.sos.state.tx.us/tac">http://www.sos.state.tx.us/tac</a>, Effective December 6, 2012.

Texas Commission on Environmental Quality, *Water Conservation Implementation Report Non Public Water Supplier*, TCEQ Form No. 20645, Revised September 18, 2013.

## Appendix B

Texas Commission on Environmental Quality Rules on Water Conservation Plans for Industrial or Mining Use

### SUBCHAPTER A: WATER CONSERVATION PLANS §§288.1 - 288.7 Effective December 6, 2012

### §288.3. Water Conservation Plans for Industrial or Mining Use.

- (a) A water conservation plan for industrial or mining uses of water must provide information in response to each of the following elements. If the plan does not provide information for each requirement, the industrial or mining water user shall include in the plan an explanation of why the requirement is not applicable.
- (1) a description of the use of the water in the production process, including how the water is diverted and transported from the source(s) of supply, how the water is utilized in the production process, and the estimated quantity of water consumed in the production process and therefore unavailable for reuse, discharge, or other means of disposal;
- (2) specific, quantified five-year and ten-year targets for water savings and the basis for the development of such goals. The goals established by industrial or mining water users under this paragraph are not enforceable;
- (3) a description of the device(s) and/or method(s) within an accuracy of plus or minus 5.0% to be used in order to measure and account for the amount of water diverted from the source of supply;
- (4) leak-detection, repair, and accounting for water loss in the water distribution system;
- (5) application of state-of-the-art equipment and/or process modifications to improve water use efficiency; and
- (6) any other water conservation practice, method, or technique which the user shows to be appropriate for achieving the stated goal or goals of the water conservation plan.
- (b) An industrial or mining water user shall review and update its water conservation plan, as appropriate, based on an assessment of previous five-year and ten-year targets and any other new or updated information. The industrial or mining water user shall review and update the next revision of its water conservation plan every five years to coincide with the regional water planning group.

Adopted November 14, 2012

Effective December 6, 2012

## Appendix C

Water Conservation Implementation Report



### **Texas Commission on Environmental Quality**

### **Water Conservation Implementation Report**

### Non Public Water Supplier

This report must be completed by entities that are required to submit a water conservation plan to the TCEQ in accordance with Title 30 Texas Administrative Code, Chapter 288. Please complete this report and submit it to the TCEQ. If you need assistance in completing this form, please contact the Resource Protection Team in the Water Availability Division at (512) 239-4691.

### CONTACT INFORMATION

Name of Entity: Click here to enter text.	
Water Rights Permit numbers: Click here to	enter text.
Address: Click here to enter text.	City: Click here to enter text.
Zip Code: Click here to enter text.	
Email: Click here to enter text.	Telephone Number: Click here to enter text.
Regional Water Planning Group:Ma	<u>up</u>
Groundwater Conservation District:N	<u>//ap</u>
Form Completed By: Click here to enter text	Title: Click here to enter text.
Signature:	Date: Click here to enter a date.
Contact information for the person or departrimplementing the water conservation plan:	ment responsible for
Name: Click here to enter text. Phone: Center text.	lick here to enter text. Email: Click here to
Report Completed on Date: dd/mm/yyyy	
Reporting Period (check only one):	
☐ Fiscal Period Begin dd/mm/yyyy	Period End dd/mm/yyyy
☐ Calendar Period Begin dd/mm/yyyy	Period End dd/mm/yyyy
Please check all of the following that apply to  An entity that has a non-irrigation surfeet/year	o your entity: face water right greater than 1,000 acre-
☐ An entity that has an irrigation surfac	e water right greater than 10,000 acre-feet/year

TCEQ-20645 (09-18-2013) Appendix C, Page 1 of 5

## System Data

Fields that are gray are entered by the user. Highlight the O's that are in white and press F9 to populate these fields.

	Total Gallons During the Reporting Period.
Water Produced: Volume produced from own sources	
Wholesale Water Imported: Purchased wholesale water imported from other sources into the distribution system	
TOTAL System Input: Total water input into the system	0 [Produced + Imported = System Input]
TOTAL System Output: Water used, sold, exported or transferred out of the system	
TOTAL Authorized Water Use: All water that has been authorized for use or consumption.	0 [System Output ÷ 365 = Average Gallons per day]

In the table below please provide the specific and quantified five and ten-year targets for water savings as listed in your most current water conservation plan.

Date	Target for: Water Savings	Target for: Water Loss	
Five-year target date:			
dd/mm/yyyy			
Ten-year target date:			
dd/mm/yyyy			

Are targets in the water conservation plan being met? Yes  $\square$  No  $\square$ 

If these targets are not being met, provide an explanation as to why, including any progress on these targets. Click here to enter text.

TCEQ-20645 (09-18-2013)

## Water Conservation Programs and Activities

As you complete this section, please review your entity's water conservation plan to see if you are making progress towards meeting your stated goals.

Fields t	hat are gray are entered by the user.
Highlight	he 0's that are in white and press F9 to
	populate these fields.

### 1. Water Conservation Plan

What year did your entity adopt, or revise, their most red Click here to enter a date.	cent water	conservation plan?	
Does the plan incorporate <u>Best Management Practices</u> ?	Yes □	No □	
2. Water Conservation Programs			
Has your entity implemented any type of water conserva-	ation activi	ities or programs?	
Yes □ No □			

If yes: For this reporting period, please select the types of activities and programs that your entity actively administered and estimated volume of water conserved.

Agricultural Activities and Practices	Estimated Volume (in gallons)
☐ Irrigation Audit	
☐ Information Gathering and Education Practices	
☐ Cropping and Management Practices	
☐ Scheduling Practices	
☐ Land Management Systems	
☐ On-Farm Water Delivery Systems	
☐ Water District Delivery Systems	
Industrial	
Activities and Practices	
☐ Industrial Water Audit	
☐ Conservation Analysis and Planning	
☐ Education Practices	
☐ System Operations	
☐ Cooling System Management	
☐ Landscaping	
☐ Sector Specific Practices	
Estimated Volume of Water Conserved	0

Other Activities? Please list or describe: Click here to enter text.

TCEQ-20645 (09-18-2013) Appendix C, Page 3 of 5

### 3. Reuse (Water or Wastewater Effluent)

For this reporting period, please provide the following data regarding the types of direct and indirect reuse activities that were administered: Fields that are gray are entered by the user. Highlight the 0's that are in white and press F9 to conclute these fields.

Reuse Activity	Estimated Volume (in gallons)		
On-site irrigation	2-15020-0-100-0-2008-0-100-0-2008-0-100-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0		
Plant wash down			
Chlorination/de-chlorination			
Industrial			
Landscape irrigation (parks, golf courses)			
Agricultural			
Other, please describe:			
Estimated Volume of Recycled or Reuse	0		

### 4. Water Savings

For this reporting period, estimate the savings that resulted from your overall water conservation activities and programs?

Estimated Gallons Saved (Total from Conservation Programs Table)	Estimated Gallons Recycled or Reused (Total from Reuse Table)	Total Volume of Water Saved <sup>1</sup>	Dollar Value of Water Saved <sup>2</sup>
		0	

<sup>1. [</sup>Estimated gallons saved + Estimated gallons recycled or reused = Total Volume Saved]

TCEQ-20645 (09-18-2013) Appendix C, Page 4 of 5

<sup>2.</sup> Estimate this value by taking into account water savings, the cost of treatment or purchase of your water, and any deferred capital costs due to conservation.

**5.** In your opinion, how would you rank the overall effectiveness of your conservation programs and activities, if applicable? Click here to enter text.


Please List Activities and Practices listed in the Water Conservation Activities Tables	Less Than Effective	Somewhat Effective	Highly Effective

**6.** What might your entity do to expand water conservation efforts? Click here to enter text.

If you have any questions on how to fill out this form or about the Water Conservation program, please contact us at 512/239-4691.

Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, contact us at 512-239-3282.

TCEQ-20645 (09-18-2013) Appendix C, Page 5 of 5



## **Appendix 5C-C**

# **Model Water Conservation Plan for Irrigation Districts**

This appendix includes a Model Water Conservation Plan for Irrigation Districts in the ETRWPA. The model plan addresses the latest Texas Commission on Environment Quality requirements and is intended to be modified by each user to best reflect the activities appropriate to the entity. The model plan also includes sample appendices required:

- Appendix A List of References
- Appendix B Texas Commission on Environmental Quality Rules on Water Conservation Plans for Irrigation Use
- Appendix C TCEQ Rules for Water Conservation Plans for Agricultural Users
- Appendix D Letter to Chair of East Texas Region Water Planning Group
- Appendix E Sample Implementation Report

## This page intentionally left blank

## Water Conservation Plan for [Irrigation District]

### **Date**

### TABLE OF CONTENTS

- 1. Objectives
- 2. Inventory of Structural Facilities
- 3. Inventory of Management Practices
- 4. System Profile
- 5. Specification of Water Conservation Goals
- 6. Measurement of Diverted Water
- 7. Monitoring and Record Management Program
- 8. Leak Detection and Repair and Control of Water Loss
- 9. Customer Assistance Program
- 10. Wholesale Water Customer Contract Provisions
- 11. Adoption of Water Conservation Plan and Goals
- 12. Other Water Conservation Practices
- 13. Coordination with Regional Water Planning Group
- 14. Review and Update of Plan
- 15. Water Conservation Implementation Report

### **APPENDICES**

Appendix A	List of References
Appendix B	Texas Commission on Environmental Quality Rules on Water Conservation Plans for Irrigation Use
Appendix C	TCEQ Rules for Water Conservation Plans for Agricultural Users
Appendix D	Letter to Chair of East Texas Region Water Planning Group
Appendix E	Sample Implementation Report

### Water Conservation Plan for [Irrigation District]

### 1. Objectives

The Texas Commission on Environmental Quality has developed guidelines and requirements governing the development of water conservation plans for systems that provide agricultural water to more than one user in Title 30, Part 1, Chapter 288, Subchapter A, Rule 288.4 of the Texas Administrative Code (TAC). The minimum requirements are:

TAC Reference	Subject	Plan Location
30 TAC §288.4(a)(3)(A)(i)	Inventory of Structural Facilities	Section 2
30 TAC §288.4(a)(3)(A)(ii)	Inventory of Management Practices	Section 3
30 TAC §288.4(a)(3)(A)(iii)	System Profile	Section 4
30 TAC §288.4(a)(3)(B)	Specification of Conservation Goals	Section 5
30 TAC §288.4(a)(3)(C)	Measurement of Diverted Water	Section 6
30 TAC §288.4(a)(3)(D)	Monitoring and Record Management Program	Section 7
30 TAC §288.4(a)(3)(E)	Leak Detection and Repair and Water Loss Accounting	Section 8
30 TAC §288.4(a)(3)(F)	Customer Assistance Program	Section 9
30 TAC §288.4(a)(3)(G)	Wholesale Water Customer Contract Provisions	Section 10
30 TAC §288.4(a)(3)(H)	Adoption of Water Conservation Plan and  Goals	Section 11
30 TAC §288.4(a)(3)(I)	Other Water Conservation Practices	Section 12
30 TAC §288.4(a)(3)(J)	Coordination with Regional Water Planning Group	Section 13
30 TAC §288.4(c)	Review and Update of Plan	Section 14
30 TAC §288.30(3)	Water Conservation Implementation Report	Section 15

The purpose of this water conservation plan is to:

- To reduce water consumption from the levels that would exist without conservation efforts.
- To reduce the loss and waste of water.
- To encourage improvement of processes that inefficiently consume water.
- To extend the life of current supplies by reducing the rate of growth in demand.

This water conservation plan is intended to serve as a guide to [irrigation district]. The following plan includes all conservation measures required by TCEQ.

[The required elements of a water conservation plan are somewhat different for "agricultural users other than irrigation" and an "individual irrigation user." See 30  $TAC \S 288.4$  for guidance.]

### 2. Inventory of Structural Facilities

[Describe structural facilities, including water storage, conveyance, and delivery structures. This inventory should include the following information:

- Service area description
- Miles of main canals and pipelines
- Miles of lateral canals and pipelines
- Description of conveyance construction
  - o Miles of unlined canals
  - Miles of lined canals
  - o Miles of enclosed pipelines
- Description of canal conditions and recent or planned improvements
- Reservoir capacity
- Description of pumps and pumping stations
- Descriptions of meters and/or measuring devices
- Descriptions of customer gates and measuring devices
- Description of other structural facilities.]

### 3. Inventory of Management Practices

[Describe management practices, including operating rules and regulations, water pricing policy, and a description of practices and/or devices used to account for water deliveries. This inventory should include the following information:

- Total water available to the district
- Water rights
  - o Maximum water rights allocation to district
  - Water rights numbers
  - Other water contracted to be delivered to the district.
- Average annual water diverted by the district
- Average annual water delivered to customers
- Delivery efficiency
- Historical diversions and deliveries
- Practices and/or devices used to account for water deliveries
- Water pricing policy

### 4. System Profile

[Describe the system profile, including square miles of the service area, the number of customers taking delivery of water by the system, the types of crops, the types of irrigation

systems, the types of drainage systems, and total acreage under irrigation, both historical and projected. This profile should include the following information:

- Number of acres or square miles in service area
- Average number of acres irrigated annually
- Projected number of acres to be irrigated in 10 years
- Number of active irrigation customers
- Total irrigation water delivered annually
- Types of crops grown by customers
- Types of irrigation systems used by customers
- Types of drainage systems used by customers
- Further description of irrigation customers
- List of municipal customers and number of acre-feet allocated annually
- List of industrial and other large customers and number of acre-feet allocated annually]

### 5. Specification of Water Conservation Goals

[The Irrigation District must specify a five-year and ten-year target for water savings including maximum allowable losses for the storage and distribution system. The goals established by a system providing agricultural water to more than one user under this subparagraph are not enforceable]

The TCEQ regulations require that each irrigation user adopt quantifiable water conservation goals in their water conservation plan. The [Irrigation District] has adopted goals related to improving water use efficiency and water losses from its delivery system. The [Irrigation District] will strive to increase water efficiency per irrigated acre by [insert amount] percent within 5 years and [insert amount] percent within 10 years. In addition, the [Irrigation District] will strive to maintain losses from the storage and distribution system below [insert amount] percent annually over the next 10 years.

The goals for this water conservation plan will be achieved through the following:

[Select applicable measures and/or include additional measures and provide descriptions:

- Regular inspections of District storage, conveyance, and delivery structures to identify controllable losses or leaks.
- Timely repair of identified losses or leaks.
- Installation of meters within the system to help identify areas of loss or inefficient water use.
- *Increased metering of water deliveries.*

Other best management practices (BMPs) can be found in the Water Conservation Best Management Practices Guide developed by the statewide Water Conservation Implementation Task Force (see list of references).]

In addition, the District has a customer assistance program, as described in Section 9.

### 6. Measurement of Diverted Water

[Describe the practice(s) and/or device(s) which will be utilized to measure and account for the amount of water diverted from the source(s) of supply]

### 7. Monitoring and Record Management Program

[Describe the monitoring and record management program for water deliveries, sales, and losses.]

### 8. Leak Detection and Repair and Water Loss Accounting

[Describe any methods that will be used for leak detection and repair and water loss accounting and control.]

Canal riders and maintenance personnel watch for and report signs of leakage. Customers are also encouraged to report leaks. Drains are monitored for unusual flows. If leakage is detected, the corresponding section of the system can be isolated with shutoff gates while still allowing the rest of the system to function normally. District policy is to repair leaks within 24 hours of detection, and most leaks are repaired within 8 hours of detection.

In addition, the District will conduct an annual water audit of its system and adjust operations to minimize losses if applicable.

### 9. Customer Assistance Program

[Describe a program to assist customers in the development of on-farm water conservation and pollution prevention plans and/or measures.]

The District's Customer Assistance Program provides education on BMPs and encourages customers to improve volumetric measuring, improve land, and upgrade irrigation equipment to increase water efficiency of their irrigation systems.

### **Volumetric Measuring**

Measuring the volume of water being used to irrigate a crop is useful because it provides [irrigation district] with information needed to evaluate the efficiency of an irrigation system. With this information, [irrigation district] and customers can better manage their crops. Irrigation water users will employ a method of measuring how much irrigation water is used in their system.

The following methods may be used to directly measure amounts of irrigation water being used:

[Select applicable measures and/or include additional measures and provide descriptions:

- Propeller meters
- Orifice, venture or differential pressure meters
- Ultrasonic
- Stage Discharge Rating Tables
- Area/Point Velocity Measurements]

Indirect methods that may be used to measure irrigation water quantities include:

- Measurement of time of irrigation and size of irrigation delivery system
- Measurement of end-pressure in a sprinkler irrigation system
- Measurement of energy used by a pump supplying water to an irrigation system
- Change in the elevation of water stored in an irrigation water supply reservoir

### **Irrigation Scheduling**

Coordination of irrigation schedules of customers can reduce losses associated with conveying irrigation water. The *[irrigation district]* will implement an irrigation schedule for deliveries to customers to best meet the customers' water needs and minimize conveyance losses.

### **Land Improvement**

To reduce the amount of water required for irrigation, the following land improvement practices are encouraged for customers of the [irrigation district]:

- Creation of furrow dikes
- Crop residue management and conservation tillage
- Land leveling
- Contour farming

### **Irrigation Equipment Improvement**

The [irrigation district] encourages customers to utilize efficient irrigation equipment, including:

- Installation of a drip/micro-irrigation system
- Installation of gated and flexible pipe for field water distribution systems
- Replacement of on-farm irrigation ditches with pipelines
- Lining of on-farm irrigation ditches
- Installation of low pressure center pivot sprinkler irrigation systems

[Best management practices (BMPs) can be found in the Water Conservation Best Management Practices Guide developed by the statewide Water Conservation Implementation Task Force (see list of references).]

#### 10. Wholesale Water Customer Contract Provisions

Every wholesale water supply contract entered into or renewed after official adoption of this plan (by either ordinance, resolution, or tariff), and including any contract extension, will require that each successive wholesale customer develop and implement a water conservation plan or water conservation measures using the applicable elements in this 30 TAC §288.4. If the customer intends to resell the water, the contract between the initial supplier and customer must provide that the contract for the resale of the water must have water conservation requirements so that each successive customer in the resale of the water will be required to implement water conservation measures in accordance with applicable provisions of this chapter.

### 11. Adoption of Water Conservation Plan and Goals

The [Irrigation District] Board adopted this water conservation plan and its goals by resolution on [date]. A copy of the resolution is presented in Appendix C.

#### 12. Other Water Conservation Practices

[Describe any other water conservation practice, method, or technique which the District will use to achieve conservation.]

### 13. Coordination with Regional Water Planning Group

The [Irrigation District] submitted this water conservation plan to the East Texas Region Water Planning Group. A copy of the letter to the chair is presented in Appendix D.

### 14. Review and Update of Plan

As required by TCEQ rules, the [Irrigation District] will review and update this water conservation plan every five years, beginning in [year]. Goals for irrigation use will be reevaluated based on previous five-year and ten-year goals and any new information.

### 15. Water Conservation Implementation Report

The [Irrigation District] has completed a water conservation implementation report that details its water conservation efforts and achievements. The implementation report is presented in Appendix E.

[The plan must include a water conservation implementation report. At a minimum, this report must include the following information:

- The list of dates and descriptions of the conservation measures implemented;
- Data about whether or not targets in the plans are being met;
- The actual amount of water saved; and
- If the targets are not being met, an explanation as to why any of the targets are not being met, including any progress on that particular target.]

Appendix A
List of References

## Appendix A List of References

Title 30 of the Texas Administrative Code, Part 1, Chapter 3, Subchapter A, Rules 3.2 and Chapter 288, Subchapter A, Rule 288.4, downloaded from http://www.sos.state.tx.us/tac/index.shtml, effective December 6, 2012.

Texas Water Development Board: Report 362 Water Conservation Best Management Practices Guide, prepared for the Water Conservation Implementation Task Force, Austin, November 2004.

Texas Commission on Environmental Quality, System Inventory and Water Conservation Plan for Agricultural Water Suppliers Providing Water to More Than One User, TCEQ Form No. 10244, Revised April 17, 2013.

Texas Commission on Environmental Quality, Water Conservation Implementation Report Non Public Water Supplier, TCEQ Form No. 20645, Revised September 18, 2013.

Appendix B
TCEQ Rules for Water Conservation Plans for Agricultural Use

### SUBCHAPTER A: WATER CONSERVATION PLANS §§288.1 - 288.7 Effective December 6, 2012

### §288.4. Water Conservation Plans for Agricultural Use.

- (a) A water conservation plan for agricultural use of water must provide information in response to the following subsections. If the plan does not provide information for each requirement, the agricultural water user must include in the plan an explanation of why the requirement is not applicable.
  - (1) For an individual agricultural user other than irrigation:
- (A) a description of the use of the water in the production process, including how the water is diverted and transported from the source(s) of supply, how the water is utilized in the production process, and the estimated quantity of water consumed in the production process and therefore unavailable for reuse, discharge, or other means of disposal;
- (B) specific, quantified five-year and ten-year targets for water savings and the basis for the development of such goals. The goals established by agricultural water users under this subparagraph are not enforceable;
- (C) a description of the device(s) and/or method(s) within an accuracy of plus or minus 5.0% to be used in order to measure and account for the amount of water diverted from the source of supply;
- (D) leak-detection, repair, and accounting for water loss in the water distribution system;
- (E) application of state-of-the-art equipment and/or process modifications to improve water use efficiency; and
- (F) any other water conservation practice, method, or technique which the user shows to be appropriate for achieving the stated goal or goals of the water conservation plan.
  - (2) For an individual irrigation user:
- (A) a description of the irrigation production process which shall include, but is not limited to, the type of crops and acreage of each crop to be irrigated, monthly irrigation diversions, any seasonal or annual crop rotation, and soil types of the land to be irrigated;
- (B) a description of the irrigation method, or system, and equipment including pumps, flow rates, plans, and/or sketches of the system layout;
- (C) a description of the device(s) and/or methods, within an accuracy of plus or minus 5.0%, to be used in order to measure and account for the amount of water diverted from the source of supply;
- (D) specific, quantified five-year and ten-year targets for water savings including, where appropriate, quantitative goals for irrigation water use efficiency and a pollution

abatement and prevention plan. The goals established by an individual irrigation water user under this subparagraph are not enforceable;

- (E) water-conserving irrigation equipment and application system or method including, but not limited to, surge irrigation, low pressure sprinkler, drip irrigation, and nonleaking pipe;
  - (F) leak-detection, repair, and water-loss control;
- (G) scheduling the timing and/or measuring the amount of water applied (for example, soil moisture monitoring);
- (H) land improvements for retaining or reducing runoff, and increasing the infiltration of rain and irrigation water including, but not limited to, land leveling, furrow diking, terracing, and weed control;
  - (I) tailwater recovery and reuse; and
- (J) any other water conservation practice, method, or technique which the user shows to be appropriate for preventing waste and achieving conservation.
  - (3) For a system providing agricultural water to more than one user:
    - (A) a system inventory for the supplier's:
- (i) structural facilities including the supplier's water storage, conveyance, and delivery structures;
- (ii) management practices, including the supplier's operating rules and regulations, water pricing policy, and a description of practices and/or devices used to account for water deliveries; and
- (iii) a user profile including square miles of the service area, the number of customers taking delivery of water by the system, the types of crops, the types of irrigation systems, the types of drainage systems, and total acreage under irrigation, both historical and projected;
- (B) specific, quantified five-year and ten-year targets for water savings including maximum allowable losses for the storage and distribution system. The goals established by a system providing agricultural water to more than one user under this subparagraph are not enforceable:
- (C) a description of the practice(s) and/or device(s) which will be utilized to measure and account for the amount of water diverted from the source(s) of supply;
- (D) a monitoring and record management program of water deliveries, sales, and losses;
  - (E) a leak-detection, repair, and water loss control program;

(F) a program to assist customers in the development of on-farm water conservation and pollution prevention plans and/or measures;

(G) a requirement in every wholesale water supply contract entered into or renewed after official adoption of the plan (by either ordinance, resolution, or tariff), and including any contract extension, that each successive wholesale customer develop and implement a water conservation plan or water conservation measures using the applicable elements in this chapter. If the customer intends to resell the water, the contract between the initial supplier and customer must provide that the contract for the resale of the water must have water conservation requirements so that each successive customer in the resale of the water will be required to implement water conservation measures in accordance with applicable provisions of this chapter;

(H) official adoption of the water conservation plan and goals, by ordinance, rule, resolution, or tariff, indicating that the plan reflects official policy of the supplier;

- (I) any other water conservation practice, method, or technique which the supplier shows to be appropriate for achieving conservation; and
- (J) documentation of coordination with the regional water planning groups, in order to ensure consistency with appropriate approved regional water plans.
- (b) A water conservation plan prepared in accordance with the rules of the United States Department of Agriculture Natural Resource Conservation Service, the Texas State Soil and Water Conservation Board, or other federal or state agency and substantially meeting the requirements of this section and other applicable commission rules may be submitted to meet application requirements in accordance with a memorandum of understanding between the commission and that agency.
- (c) An agricultural water user shall review and update its water conservation plan, as appropriate, based on an assessment of previous five-year and ten-year targets and any other new or updated information. An agricultural water user shall review and update the next revision of its water conservation plan every five years to coincide with the regional water planning group.

Adopted November 14, 2012

Effective December 6, 2012

Appendix C
Board Resolution Adopting Water Conservation Plan

[Insert a copy of the Board resolution adopting this water conservation plan and its goals.]

Appendix D
Letter to Chair of East Texas Region Water Planning Group

[Insert a copy of the letter submitting this water conservation plan to the chair of the East Texas Region Water Planning Group.]

Appendix E
Water Conservation Implementation Report

# TCEQ

### Texas Commission on Environmental Quality

### Water Conservation Implementation Report

### Non Public Water Supplier

This report must be completed by entities that are required to submit a water conservation plan to the TCEQ in accordance with Title 30 Texas Administrative Code, Chapter 288. Please complete this report and submit it to the TCEQ. If you need assistance in completing this form, please contact the Resource Protection Team in the Water Availability Division at (512) 239-4691.

#### CONTACT INFORMATION

Name of Entity: Click here to enter text.	
Water Rights Permit numbers: Click here to enter to	ext.
Address: Click here to enter text.	City: Click here to enter text.
Zip Code: Click here to enter text.	
Email: Click here to enter text. Telepho	one Number: Click here to enter text.
Regional Water Planning Group: Map	
Groundwater Conservation District: Map	
Form Completed By: Click here to enter text.	Title: Click here to enter text.
Signature:	Date: Click here to enter a date.
Contact information for the person or department resimplementing the water conservation plan:	ponsible for
Name: Click here to enter text. Phone: Click her enter text.	e to enter text. Email: Click here to
Report Completed on Date: dd/mm/yyyy	
Reporting Period (check only one):	
☐ Fiscal Period Begin dd/mm/yyyy	Period End dd/mm/yyyy
☐ Calendar Period Begin dd/mm/yyyy	Period End dd/mm/yyyy
Please check all of the following that apply to your e  An entity that has a non-irrigation surface wa feet/year	-
☐ An entity that has an irrigation surface water	right greater than 10,000 acre-feet/year

### System Data

Fields that are gray are entered by the user. Highlight the O's that are in white and press F9 to populate these fields.

	Total Gallons During the Reporting Period.
Water Produced: Volume produced from own sources	
Wholesale Water Imported: Purchased wholesale water imported from other sources into the distribution system	
TOTAL System Input: Total water input into the system	0 [Produced + Imported = System Input]
TOTAL System Output: Water used, sold, exported or transferred out of the system	
TOTAL Authorized Water Use: All water that has been authorized for use or consumption.	0 [System Output ÷ 365 = Average Gallons per day]

In the table below please provide the specific and quantified five and ten-year targets for water savings as listed in your most current water conservation plan.

Date	Target for: Water Savings	Target for: Water Loss
Five-year target date:		
dd/mm/yyyy		
Ten-year target date:		
dd/mm/yyyy		

Are targets in the water conservation plan being met? Yes □ No □

If these targets are not being met, provide an explanation as to why, including any progress on these targets. Click here to enter text.

# Water Conservation Programs and Activities

As you complete this section, please review your entity's water conservation plan to see if you are making progress towards meeting your stated goals.

The second secon	***************************************			
Fields t	hat are gray	are entere	d by the	user.
Highlight	the 0's that a	are in white	and pr	ess F9 to
	populate	e these fiel	ds.	

### 1. Water Conservation Plan

What year did your entity adopt, or revise, their most recent water conservation plan?  Click here to enter a date.
Does the plan incorporate <u>Best Management Practices</u> ? Yes □ No □
2. Water Conservation Programs  Has your entity implemented any type of water conservation activities or programs?  Yes □ No □
If yes: For this reporting period, please select the types of activities and programs that your entity actively administered and estimated volume of water conserved.

Agricultural Activities and Practices	Estimated Volume (in gallons)
☐ Irrigation Audit	
☐ Information Gathering and Education	
Practices	
☐ Cropping and Management Practices	
☐ Scheduling Practices	
☐ Land Management Systems	
☐ On-Farm Water Delivery Systems	
☐ Water District Delivery Systems	
Industrial	
Activities and Practices	
☐ Industrial Water Audit	
☐ Conservation Analysis and Planning	
☐ Education Practices	
☐ System Operations	
☐ Cooling System Management	
☐ Landscaping	
☐ Sector Specific Practices	
Estimated Volume of Water Conserved	0

Other Activities? Please list or describe: Click here to enter text.

TCEQ-20645 (09-18-2013) Appendix E, Page 3 of 5

### 3. Reuse (Water or Wastewater Effluent)

For this reporting period, please provide the following data regarding the types of direct and indirect reuse activities that were administered: Fields that are gray are entered by the user. Highlight the O's that are in white and press F9 to populate these fields.

Reuse Activity	Estimated Volume (in gallons)			
On-site irrigation				
Plant wash down				
Chlorination/de-chlorination				
Industrial				
Landscape irrigation (parks, golf courses)				
Agricultural				
Other, please describe:				
Estimated Volume of Recycled or Reuse	0			

### 4. Water Savings

For this reporting period, estimate the savings that resulted from your overall water conservation activities and programs?

Estimated Gallons Saved (Total from Conservation Programs Table)	Estimated Gallons Recycled or Reused (Total from Reuse Table)	Total Volume of Water Saved <sup>1</sup>	Dollar Value of Water Saved <sup>2</sup>
		0	

<sup>1.[</sup>Estimated gallons saved + Estimated gallons recycled or reused = Total Volume Saved]

TCEQ-20645 (09-18-2013) Appendix E, Page 4 of 5

<sup>2.</sup> Estimate this value by taking into account water savings, the cost of treatment or purchase of your water, and any deferred capital costs due to conservation.

**5.** In your opinion, how would you rank the overall effectiveness of your conservation programs and activities, if applicable? Click here to enter text.


Please List Activities and Practices listed in the Water Conservation Activities Tables	Less Than Effective	Somewhat Effective	Highly Effective
		Q 10 10 10 10 10 10 10 10 10 10 10 10 10	

**6.** What might your entity do to expand water conservation efforts? Click here to enter text.

If you have any questions on how to fill out this form or about the Water Conservation program, please contact us at 512/239-4691.

Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, contact us at 512-239-3282.

TCEQ-20645 (09-18-2013) Appendix E, Page 5 of 5



# **Appendix 5C-D**

# **Plumbing Code Savings**

The water volume savings due to the future enhancement of plumbing fixtures and the proposed implementation of modified plumbing codes can be found in the following attachment.

# This page intentionally left blank

Appe 5C-D
Volumetric Savings for Municipal WUGs by County (acre feet)

County	Entity Name	2020	2030	2040	2050	2060	2070
ANDERSON	BRUSHY CREEK WSC	29.79	44.05	54.79	60.22	61.23	61.30
ANDERSON	COUNTY-OTHER, ANDERSON	272.93	400.36	496.07	545.21	554.60	554.91
ANDERSON	ELKHART	14.23	20.84	25.81	28.35	28.84	28.86
ANDERSON	FOUR PINES WSC	30.93	43.46	52.04	56.59	57.85	57.89
ANDERSON	FRANKSTON	13.72	20.33	25.22	27.69	28.14	28.18
ANDERSON	PALESTINE	205.87	305,49	381.70	420.79	427.65	427.65
ANDERSON	THE CONSOLIDATED WSC	16.68	24.31	30.28	33.42	34.03	34.05
ANDERSON	WALSTON SPRINGS WSC	40.34	59.13	73.20	80,46	81.87	81.91
ANGELINA	ANGELINA WSC	35.04	54.74	68.21	72.77	76.94	79.78
ANGELINA	BURKE	6.05	8.79	10.80	12.22	13.04	13.54
ANGELINA	CENTRAL WCID OF ANGELINA COUNTY	75.33	98.89	104.32	109.27	113.70	117.63
ANGELINA	COUNTY-OTHER, ANGELINA	197.96	310.85	392.03	418.23	442.36	458.90
ANGELINA	DIBOLL	59.15	91.98	118.59	126.53	133.80	138.71
ANGELINA	FOUR WAY SUD	43.48	62.00	75.50	85.09	90.89	94.42
ANGELINA	HUDSON	45.59	66.83	83.31	94.55	100.41	104.24
ANGELINA	HUDSON WSC	54.17	57.97	61.15	64.05	66.65	68.96
ANGELINA	HUNTINGTON	24.42	37.28	47.86	54.77	57.93	60.10
ANGELINA	LUFKIN	404.27	619.24	797.71	913.01	965.65	1.001.68
ANGELINA	REDLAND WSC	32.14	50.53	54.54	58.27	61.71	64.02
ANGELINA	ZAVALLA	8.25	12.68	16.36	18.73	19.82	20.54
CHEROKEE	ALTO	14.38	22.41	29.39	35.01	38.83	42.52
CHEROKEE	ALTO RURAL WSC	40.90	66.19	74.10	82.88	92.03	100.77
CHEROKEE	BULLARD	0.47	0.69	0.84	0.96	1.07	1.16
CHEROKEE	COUNTY-OTHER, CHEROKEE	94.58	147.24	192.49	229.09	254.75	279.16
CHEROKEE	CRAFT-TURNEY WSC	58,37	92.32	122.20	145.86	161.67	176.94
CHEROKEE	JACKSONVILLE	172.56	270.34	355.93	423.84	470.43	514.97
CHEROKEE	NEW SUMMERFIELD	11.17	16.69	21.26	25.12	28.00	30.70
CHEROKEE	NORTH CHEROKEE WSC	46.22	70.68	91.37	108.33	120.68	132.21
CHEROKEE	RUSK	62.80	97.44	127.34	151.39	168.13	184.21
CHEROKEE	RUSK RURAL WSC	37.82	59.02	77.46	92.19	102.32	112.10
CHEROKEE	SOUTHERN UTILITIES COMPANY	29.41	46.03	60.85	72.69	80.72	88.37
CHEROKEE	TROUP	0.77	1.21	1.59	1.91	2.09	2.29
CHEROKEE	WELLS	9.64	15.19	20.08	23.94	26.54	29.07
CHEROKEE	WRIGHT CITY WSC	5.98	9.19	11.87	14.04	15.59	17.08
HARDIN	COUNTY-OTHER, HARDIN	156.28	243.59	314.42	330.34	343.88	350.69
HARDIN	KOUNTZE	21.92	31.88	40.23	44.84	45.68	45.72
HARDIN	LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	1.40	1.70	1.85	1.96	2.05	2.12
HARDIN	LUMBERTON	140.78	221.53	280.09	318.30	338.70	351.29
HARDIN	LUMBERTON MUD	81.19	118.85	147.40	164.80	171.66	174.59
HARDIN	NORTH HARDIN WSC	78.76	102.81	107.39	110.78	113.43	115.42
HARDIN	SILSBEE	70.47	104.13	131.80	147.46	151.23	152.38
HARDIN	SOUR LAKE	19.93	29.92	37.88	42.57	44.14	44.81
HARDIN	WEST HARDIN WSC	36.31	36.49	36.63	36.73	36.81	36.87
HENDERSON	ATHENS	3.03	4.57	5.77	6.69	7.30	7.77
HENDERSON	BERRYVILLE	11.88	18.41	23.77	28.13	30.62	32.68
HENDERSON	BETHEL-ASH WSC	32.30	49.55	62.77	74.94	83.07	90.17
HENDERSON	BROWNSBORO	13.86	22.44	29.14	36.15	41.38	46.14
HENDERSON	BRUSHY CREEK WSC	8.13	12.49	16.25	19.15	20.61	21.71
HENDERSON	CHANDLER	39.60	65.15	85.47	106.27	121.32	135.15
HENDERSON	COUNTY-OTHER, HENDERSON	117.09	175.46	219.88	218.23	217.63	212.61
HENDERSON	FRANKSTON	0.48	1.04	1.64	2.33	2.84	3.29
HENDERSON	MURCHISON	6.12	8.88	11.22	12.52	12.78	12.82
HENDERSON	R-P-M WSC	7.68	12.45	16.16	19.85	22.48	24.86
HENDERSON	VIRGINIA HILL WSC	20,44	32.69	42.62	51.74	57.66	62.97


Appendix 5C-D
Volumetric Savings for Municipal WUGs by County (acre feet)

County	Entity Name	2020	2030	2040	2050	2060	2070
HOUSTON	COUNTY-OTHER, HOUSTON	11,18	15.74	18.04	18.46	18.91	18.91
HOUSTON	CROCKETT	74.55	108.08	135.69	150.02	152.57	152.57
HOUSTON	GRAPELAND	15.62	22.47	28.05	31.12	31.65	31.66
HOUSTON	LOVELADY	7.11	10.19	12.58	13.88	14.12	14.12
HOUSTON	THE CONSOLIDATED WSC	138.20	196.43	241.86	266,98	271.82	271.97
JASPER	COUNTY-OTHER, JASPER	233.04	338.41	418.10	460.87	469.22	469.22
JASPER	JASPER JASPER	83.59	123.04	153.56	169.87	172.66	172.66
JASPER	JASPER COUNTY WCID #1	34.89	52.99	58.54	58.54	58.54	58.54
JASPER	KIRBYVILLE	22.66	32.99	40.85	45.05	45.84	45.87
JASPER	MAURICEVILLE SUD	3.64	4.92	4.93	4.93	4.93	4.93
JEFFERSON	BEAUMONT	1,349.66	2,076.55	2,720.82	3,190.70	3,479.75	3,756.23
JEFFERSON	BEVIL OAKS	15.09	23.36	30.73	34.71	37.82	40.81
JEFFERSON	CHINA	13.28	20.44	26.81	31.42	34.27	37.00
JEFFERSON	COUNTY-OTHER, JEFFERSON	177.29	345.26	522.65	698.98	868.44	1,052.89
JEFFERSON	GROVES	167.99	245.75	311.58	336.89	342.68	342.68
JEFFERSON	JEFFERSON COUNTY WCID #10	52.29	79.30	102.88	120.38	131.40	141.90
JEFFERSON	MEEKER MUD	32.41	48.53	62.35	72.79	79.60	85.94
JEFFERSON	NEDERLAND	200.82	308.01	403.12	472.54	515.34	556.31
JEFFERSON	NOME	6.11	9.17	11.82	13.80	15.08	16.29
JEFFERSON	PORT ARTHUR	640.17	927.07	1,154.79	1,201.37	1,220.78	1,221.42
JEFFERSON	PORT NECHES	152.03	234.52	307.81	359.79	392.22	423.35
JEFFERSON	WEST JEFFERSON COUNTY MWD	83.46	125.55	161.97	189.25	206.81	223.38
NACOGDOCHES	APPLEBY WSC	38.31	60.38	79.67	94.95	106.19	116.86
NACOGDOCHES	COUNTY-OTHER, NACOGDOCHES	159.36	216.73	247.03	279.02	312.72	344.08
NACOGDOCHES	CUSHING	7.92	12.78	17.11	20.48	22.87	25.14
NACOGDOCHES	D&M WSC	53.04	82.12	106.33	126.31	141.97	156.45
NACOGDOCHES	GARRISON	11.30	18.27	24.41	29.21	32.62	35.86
NACOGDOCHES	LILLY GROVE SUD	29.45	45.77	59.73	71.01	79.66	87.66
NACOGDOCHES	MELROSE WSC	36.71	58.71	77.97	93.12	104.11	114.56
NACOGDOCHES	NACOGDOCHES	406.60	655.00	874.11	1,045.08	1,167.95	1,284.06
NACOGDOCHES	SWIFT WSC	32.47	52.55	70.40	83.15	92.81	102.06
NACOGDOCHES	WODEN WSC	29.75	47.66	63.46	75.80	84.73	93.16
NEWTON	COUNTY-OTHER, NEWTON	94.69	138.83	176.34	185.67	188.98	188.98
NEWTON	MAURICEVILLE SUD	3.31	4.37	4.37	4.37	4.37	4.37
NEWTON	NEWTON	23.59	33.25	41.11	45.47	46.38	46.38
NEWTON	SOUTH NEWTON WSC	-				420 May 10 10 10 10 10 10 10 10 10 10 10 10 10	
ORANGE	BRIDGE CITY	92.46	140.31	179.51	190.14	196.09	198.40
ORANGE	COUNTY-OTHER, ORANGE	308.32	480.18	505.46	525.16	542.44	548.84
ORANGE	MAURICEVILLE SUD	77.33	106.64	109.90	112.10	113.77	114.99
ORANGE	ORANGE	215.77	325.43	414.64	457.96	472.18	477.72
ORANGE	ORANGEFIELD WSC	38.47	51.66	60.14	65.71	68.56	69.49 51.79
ORANGE	PINEHURST	25.41	38.89	47.78	49.61	51.18	
ORANGE	PORT ARTHUR	0.06 5.94	0.08	0.10	0.10	0.11	0.11 12.69
ORANGE	ROSE CITY	5.94	9.01	11.53	12.16	12.55	12.09
ORANGE	SOUTH NEWTON WSC	124.01	187.63	239.66	258.20	266.26	269.38
ORANGE	VIDOR	42.03		A CONTRACTOR OF THE PROPERTY O	80.87	83.45	
ORANGE	WEST ORANGE	10.81	64.44 17.15	77.87 21.77	24.91	26.31	84.43 27.18
PANOLA	BECKVILLE	72.22	106.54	134.59	150.68	154.54	155.62
PANOLA	CARTHAGE COUNTY OTHER BANGLA	171.32	259.16	327.43	369.51	383.72	390.65
PANOLA PANOLA	COUNTY-OTHER, PANOLA	8.30	12.48	15.78	16.37	16.87	17.11
	GILL WSC	3.64	6.19	8.12	9.50	10.20	17.11
PANOLA	TATUM	21.85	34.85	8.12 45.46	49.72	52.95	55.11
POLK	CORRIGAN						
POLK	COUNTY-OTHER, POLK	73.48	114.32	146.97	169.07	180.52	187.85

App. 5C-D
Volumetric Savings for Municipal WUGs by County (acre feet)

County	Entity Name	2020	2030	2040	2050	2060	2070
RUSK	CHALK HILL SUD	37.95	59.23	77.59	92.06	102.34	111.84
RUSK	COUNTY-OTHER, RUSK	302.11	487.65	651.20	768.56	852.78	931.38
RUSK	CROSS ROADS SUD	29.89	47.67	63.16	75.20	83.59	91.32
RUSK	EASTON	0.58	0.66	0.72	0.79	0.86	0.94
RUSK	ELDERVILLE WSC						
RUSK	HENDERSON	157.91	250.02	329.85	392.38	435.93	476.34
RUSK	KILGORE	35.30	56.12	74.65	89.00	98.95	108.15
RUSK	NEW LONDON	12.67	20.28	27.00	32.16	35.67	38.97
RUSK	OVERTON	28.68	45.43	59.94	71.16	78.99	86.36
RUSK	TATUM	13.60	21.60	28.37	33.66	37.33	40.78
RUSK	WEST GREGG SUD	1.84	2.92	3,86	4.59	5.12	5.59
RUSK	WRIGHT CITY WSC	4.95	7.73	10.11	11.98	13.33	14.57
SABINE	COUNTY-OTHER, SABINE	19.10	28.18	34.43	35.07	35.75	35.75
SABINE	G M WSC	19.10	20.10	34.43	33.07	-	-
		14.07	19.78	24.31	26,80	27.24	27.26
SABINE	HEMPHILL PRICE AND	9.73	14.06	17.70	18.25	18.57	18.57
SABINE	PINELAND	58.31	82.50	102.26	113.16	115.41	115.41
SAN AUGUSTINE	COUNTY-OTHER, SAN AUGUSTINE						
SAN AUGUSTINE	G M WSC	- 22.05	- 22.02	40.50	42.20	- 44.05	44.05
	SAN AUGUSTINE	23.05	33.93	42.50	43.29	44.05	
SHELBY	CENTER	61.71	95.19	123.45	142.23	151.58	158.60
SHELBY	COUNTY-OTHER, SHELBY	193.43	294.98	379.43	436.30	465.49	486.97
SHELBY	JOAQUIN	10.23	15.95	20.84	22.49	23.98	25.07
SHELBY	TENAHA	13,31	20.54	26.56	30.59	32.63	34.14
SHELBY	TIMPSON	13.24	20.28	26.18	30.13	32.13	33.61
SMITH	ARP	10.43	15.67	20.13	23.16	24.67	25.88
SMITH	BULLARD	29.93	51.02	69.67	87.49	103.72	119.71
SMITH	COUNTY-OTHER, SMITH	69.33	121.60	171.76	217.67	256.54	294.08
SMITH	CRYSTAL SYSTEMS INC	11.45	18.40	23.13	28.26	33.52	38.65
SMITH	DEAN WSC	46.95	69.18	87.90	100.22	106.02	110.21
SMITH	JACKSON WSC	23.08	36.22	47.56	56.20	62.08	67.50
SMITH	LINDALE	20.15	35.26	49.22	62.39	74.10	85.61
SMITH	LINDALE RURAL WSC	26.51	40.77	52.53	61.35	67.30	72.64
SMITH	NEW CHAPEL HILL	6.11	9.03	11.50	13.19	14.05	14.72
SMITH	NOONDAY	9.48	15.55	20.91	25.66	29.57	33.35
SMITH	OVERTON	1.64	2.95	4.28	5.49	6.48	7.43
SMITH	R-P-M WSC	3.19	4.91	6.28	7.42	8.31	9.15
SMITH	SOUTHERN UTILITIES COMPANY	382.21	576.98	740.58	853.04	915.09	967.26
SMITH	TROUP	22.95	36.30	48.20	57.25	63.15	68.52
SMITH	TYLER	1,078.68	1,665.98	2,176.24	2,558.96	2,802.65	3,020.55
SMITH	WALNUT GROVE WSC	86.15	142.05	191.73	234.58	268.75	301.43
SMITH	WHITEHOUSE	93.56	152.62	204.86	250.00	286.23	320.77
SMITH	WRIGHT CITY WSC	23.71	37.22	49.04	58.55	65.38	71.65
TRINITY	COUNTY-OTHER, TRINITY	36.15	54.42	54.81	53.27	55.73	58.32
TRINITY	GROVETON	6.35	9.69	11.74	12.18	12.97	13.63
TYLER	COLMESNEIL	6.54	9.46	11.88	12.90	13.12	13.12
TYLER	COUNTY-OTHER, TYLER	121.27	175.36	219.53	243.75	247.87	248.01
TYLER	IVANHOE	7.31	9.76	11.48	12.51	12.83	12.83
TYLER	IVANHOE NORTH	4.67	6.44	7.76	8.51	8.71	8.71
TYLER	LAKE LIVINGSTON WATER SUPPLY & SEWER SERVICE COMPANY	0.68	0.73	0.73	0.73	0.73	0.73
TYLER	TYLER COUNTY WSC	59.15	84.76	105.68	117.13	119.18	119.18
TYLER	WOODVILLE	27.54	39.73	49.72	55.20	56.13	56.16
TOTAL	TOOD TEEDE	12,052.89	18,375.33	23,459.88	26,785,91	28,833.34	30,588.65

# This page intentionally left blank



# Appendix 6-A

# Title 31 Texas Administrative Code Chapters 357 and 358 Regulations Pertaining to the 2016 Plan

This appendix includes a matrix highlighting each regulation pertinent to the 2016 Plan in Chapters 357 and 358 of the Texas Administrative Code, Title 31. The matrix is used as a checklist to demonstrate compliance with these regulations.

# This page intentionally left blank



Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
31 TAC §357	11		
(d)(1)-(12)	RWPGs shall maintain at least one representative of the following interest categories as voting members: public, counties, municipalities, industries, agricultural interests, environmental interests, small businesses, electric generating utilities, river authorities, water districts, water utilities, and groundwater management areas.	Yes	Chapters 1 and 10 provide a list of current voting members of the RWPG.
(e)(1)-(5)	Non-voting members will receive the same meeting notifications and information as voting members. Non voting members are to include: staff members from the Board, from Texas Parks and Wildlife, from the Texas Department of Agriculture, and from each adjacent RWPG; persons to represent entities which are located in another RWPA but which diverts, supplies, or receives 1,000 acre-feet a year or more in , to, or from the RWPA.	Yes	Chapter 1 provides a list of current non-voting members of the RWPG.
31 TAC §357	.12		
(b)	A RWPG shall hold a public meeting to determine the process for identifying potentially feasible water management strategies. Input from the public meeting will be documented. All possible water management strategies that are potentially feasible for meeting needs in the region will be listed.	Yes	The process used to identify potentially feasible WMSs was addressed in two regularly scheduled meetings of the ETRWPG on February 1, 2012 and May 22, 2013. Appendix 5A-B lists all potentially feasible WMSs identified.
31 TAC §357	20		
	Development of RWPs shall be guided by the principles stated in Title 31 §358.3 (relating to Guidance Principles).	Yes	See 31 TAC §358.3 below.
31 TAC §357			
(b)	Public notice requirements for regular RWPG meetings and meetings where the following were considered: amendments to the RWP scope or budget, process for identification of potentially feasible water management strategies, member addition or replacement, and adoption of water plans.	Yes	Public notice requirements met and are addressed in Chapter 10.
(c)	Public notice requirements for meetings where the following items were considered: population projection and water demand projection revisions, substitution of alternative water management strategies, and minor amendments to the RWPs.	Yes	Public notice requirements met and are addressed in Chapter 10.

Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(d)	Public notice requirements for holding a preplanning public meeting to obtain public input on development of the next RWP; major amendments to RWPs; holding hearings for IPPs; and requesting research and planning funds from the Board.	Yes	Public notice requirements met and are addressed in Chapter 10.
31 TAC §357	22		
(a)	RWPGs shall consider existing local, regional, and state water planning efforts, including water plans, information and relevant local, regional, state and federal programs and goals when developing the regional water plan. RWPGs must also consider:	Yes	Relevant State and federal programs and goals are addressed primarily in Chapter 1. As appropriate, water plans of specific WUGs have been considered in the evaluation of WMSs in Chapter 5B.  Coordination with Regions D, C, and H (all adjacent to the ETRWPA) has occurred and planning efforts of these regions considered.
(a)(1)	water conservation plans;	Yes	Chapter 5C addresses water conservation efforts in the region and summarizes water conservation plans reviewed.
(a)(2)	drought management and drought contingency plans;	Yes	Chapter 7 addresses drought management and drought contingency within the region and summarizes drought management and drought contingency plans reviewed.
(a)(3)	information compiled by the Board from water loss audits performed by retail public utilities;	Yes	Chapter 1, Chapter 5C, and Appendix 1-B describe information on water loss audits.
(a)(4)	publicly available plans for major agricultural, municipal, manufacturing and commercial water users;	Yes	Publicly available plans for major agricultural, municipal, manufacturing, and commercial water users were not identified. However, Appendix 2-A contains a technical memorandum regarding rice production and water use in the region.
(a)(5)	local and regional water management plans;	Yes	Chapter 1 summarizes local and regional water management plans identified in the RWPA.
(a)(6)	water availability requirements;	Yes	Water availability is addressed primarily in Chapter 3.
(a)(7)	the Texas Clean Rivers Program;	Yes	Chapter 1 references the Texas Clean Rivers program. Where relevant, water quality data from the program were used.



Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(a)(8)	the U.S. Clean Water Act;	Yes	Chapter 1 references the CWA; the CWA is a cornerstone of the water planning process and central to the planning process for the 2016 Plan.
(a)(9)	water management plans;	Yes	See above.
(a)(10)	other planning goals including regionalization of water and wastewater services where appropriate;	Yes	Regionalization of water and wastewater services has been considered where appropriate. Chapter 5B includes WMSs that may address regionalization.
(a)(11)	approved groundwater conservation district management plans and other plans submitted	Yes	Groundwater Conservation Districts have been included, where appropriate, in Chapters 1, 3, and 5B.
(a)(12)	approved groundwater regulatory plans; and	Yes	See above.
(a)(13)	any other information available from existing local or regional water planning studies.	Yes	See above.
(b)	The following sections from Title 31 should have a separate chapter in the RWP devoted to their contents: §§357.30, 357.31, 357.32, 357.33, 357.42, 357.43, 357.44, 357.45, 357.50, 357.34, 357.35, 357.40, and 357.41	Yes	The 2016 Plan contains chapters as required by the rules and TWDB Guidance.
1 TAC §357			
	The description of the RWP area must include a description of the following 12 criteria:		
(1)	social and economic aspects of a region such as information on current population, economic activity and economic sectors heavily dependent on water resources;	Yes	Chapter 1 describes the social and economic aspects of the region relative to water resources.
(2)	current water use and major water demand centers;	Yes	Chapters 1 and 2 include current water use and major water demand centers.
(3)	current groundwater, surface water, and reuse supplies including major springs that are important for water supply or protection of natural resources;	Yes	Chapter 1 generally describes groundwater, surface water, reuse, and springs. Chapter 3 includes more specific information on groundwater, surface water, and reuse sources that are, or may be, used for water supply.

Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(4)	wholesale water providers;	Yes	Chapter 1 identifies the region's WWPs. Chapters 2 and 3 describe WWP demands and supply. Chapter 5B addresses WMSs for each WWP in the region.
(5)	agricultural and natural resources;	Yes	Chapter 1 provides a description of the agricultural and natural resources of the region; Chapter 6 describes protection of these resources.
(6)	identified water quality problems;	Yes	Chapter 1 provides a discussion of water quality problems that may be relevant to regional water planning. To the extent possible, water quality issues are considered in the evaluation of WMSs in Chapter 5B.
(7)	identified threats to agricultural and natural resources due to water quantity problems or water quality problems related to water supply;	Yes	Chapters 1 and 6 describe threats to agricultural and natural resources due to water quantity or quality issues.
(8)	summary of existing local and regional water plans;	Yes	Chapter 1 contains descriptions of relevant existing local and regional water plans.
(9)	the identified historic drought(s) of record within the planning area;	Yes	Chapters 7 contain a discussion of historic droughts of record within the RWPA.
(10)	current preparations for drought within the RWPA;	Yes	Chapters 1 and 7 describe current preparations for drought within the region.
(11)	information compiled by the Board from water loss audits performed by retail public utilities; and	Yes	Chapters 1 and 5C summarize water loss audits compiled by the TWDB; Appendix 1-B presents the data.
(12)	an identification of each threat to agricultural and natural resources and a discussion of how that threat will be addressed or affected by the water management strategies evaluated in the plan.	Yes	Chapters 1 and 6 describe threats to agricultural and natural resources due to water quantity or quality issues. Chapter 5B provides a discussion of how WMSs address threats.
1 TAC §357	31		
(a); (f)	RWPs shall present projected population and WUG water demands for each planning decade.	Yes	Chapter 2 provides projections of population and WUG water demands for the period 2020-2070.



Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(b)	RWPs shall present projected water demands associated with WWPs by category of water use, including municipal, manufacturing, irrigation, steam electric power generation, mining, and livestock for each county or portion of a county in the RWPA.	Yes	Chapter 2 provides projections of WWP water demands for all categories of water use. Appendix 2-D contains a summary of WWP demands by category, county, and basin.
(c)	RWPs shall report the current contractual obligations of WUG and WWPs to supply water in addition to any demands projected for the WUG or WWP.	Yes	Chapter 2 reports current contractual obligations of WUGs and WWPs.
(d)	Municipal demands shall be adjusted to reflect water savings due to plumbing fixture requirements identified in the Texas Health and Safety Code, Chapter 372.	Yes	Municipal demands, addressed in Chapter 2, include water savings due to plumbing fixture requirements.  Chapter 5C includes further discussion of required water conservation measures.
( e)(1)-(2)	RWPs are to use population and water demands developed by the EA for the next water plan or use population and water demands revisions (only if requested).	Yes	Population projections and municipal water demands developed by the EA were used in development of the RWP; projections are presented in Chapter 2.
31 TAC §357	.32		
(a)(1)-(2)	RWPGs shall evaluate the source water availability and existing water supplies that are legally available to WUGs and wholesale water providers during drought conditions.	Yes	Water availability, addressed in Chapter 3, includes water legally available to WUGs and WWPs during drought conditions.
(b); (c); (d)	RWPG evaluations shall consider surface water (firm yield unless otherwise requested) and groundwater (modeled, Board-issued) data from the state water plan, existing water rights, contracts and option agreements relating to water rights, other planning and water supply studies, and analysis of water supplies existing in and available to the RWPA during drought of record conditions.	Yes	The availability of water addressed in Chapter 3 included consideration for the requirements of this section. WMS evaluations in Chapter 5B used Chapter 3 availability.
(e)-(f)	RWPGs shall evaluate the existing water supplies for each WUG and WWP; existing contractual agreements should be taken into account.	Yes	Contractual agreements were taken into account as appropriate in the development of existing water supplies presented in Chapter 3.

Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
31 TAC §357	.33	\	
(a); (b); (d)	RWPs shall include, for each planning decade, comparisons of existing water supplies and projected water demands to determine whether WUGs will experience water surpluses or needs for additional supplies. Results will be reported for WUGs and for WWPs by use categories, county, and basin as described in §357.31 (b)	Yes	Chapter 4 provides a comparison of water demands to supplies to determine surplus or needs for each WUG and WWP. The WWP and WUG results are reported in Appendix 4-A.
(c)	Social and economic impacts of water shortages will be evaluated.	Yes	A socio-economic impact analysis prepared by the TWDB was provided to the RWPG after submittal of the IPP. The analysis report is presented in Appendix 4-E and summarized in Chapter 4.
(e)	RWPGs shall perform a secondary water needs analysis (calculating water needs remaining after all conservation and direct reuse strategies are implemented) for all WUGs and WWPs for which conservation water management strategies or direct reuse water management strategies are recommended.	Yes	Secondary water needs analyses have been performed for WUGs and WWPS for which conservation WMSs were recommended by the TWDB. The data is presented in Appendix 4-B and summarized in Chapter 4.
31 TAC §357	.34		
(a) & (b)	RWPGs shall identify and evaluate potentially feasible water management strategies for all WUGs and WWPs with identified water needs. The strategies shall meet new water supply obligations necessary to implement recommended water management strategies of WWPs and WUGs. RWPGs shall plan for water supply during Drought of Record conditions. In developing RWPs, RWPGs shall provide WMSs to be used during a drought of record.	Yes	Chapters 5A and 5B identify and evaluate potentially feasible WMSs for WUGs and WWPs.
(c)	Potentially feasible WMSs may include expanded use of existing supplies; new supply development; conservation and drought management measures; reuse; interbasin transfers of surface water; emergency transfers of surface water.	Yes	Chapter 5A describes the types of WMSs used in the 2016 Plan.
(d)(1)	Evaluations of potentially feasible water management strategies shall use the Commission's most current Water Availability Model and shall include the following analyses:	Yes	Chapter 3 describes the use of the WAM in the 2016 Plan. Strategies evaluated in Chapter 5B utilize available water supplies identified in Chapter 3.
(d)(2)	An equitable comparison between and consistent evaluation and application of all water management strategies the RWPGs determine to be potentially feasible for each water supply need	Yes	Chapter 5B contains WMS evaluations.



Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(d)(3)(A)- (C)&(d)(5)	A quantitative reporting of: the net quantity, reliability, and cost of water delivered and treated for the end user's requirements during drought of record conditions; all applicable environmental factors; and impacts to natural and agricultural resources (including threats).	Yes	Chapter 5B contains WMS evaluations.
(d)(4); (d)(7)	A discussion of this RWP's impact on other water resources of the state and on local third-party social and environmental impacts.	Yes	Chapters 5B and 6 contain discussion of impacts on other water resources of the state and on local third-party social and environmental impacts.
(d)(8)	A description of the major impacts of recommended water management strategies on key parameters of water quality, comparing current conditions to recommended strategies.	Yes	Chapter 1 addresses issues of key parameters of water quality. Where appropriate, water quality is considered in the evaluations of WMSs in Chapter 5B.
(d)(9)	Consideration of water pipelines and other facilities that are currently used for water conveyance.	Yes	Chapter 5B includes consideration of conveyance for WMSs.
(f)(1); (f)(2)(A)-(D)	Conservation, Drought Management Measures, and Drought Contingency Plans shall be considered by RWPGs when developing the regional plans. Water conservation practices shall be included for each WUG beyond minimum requirements. Any interbasin water transfers will also include a water conservation strategy. Any water loss audits shall be addressed.	Yes	Chapters 5C and 7 contain most of the required information regarding conservation and drought management measures for each WUG.
(g)	RWPs shall include a subchapter consolidating the RWPG's recommendations regarding water conservation.	Yes	Summaries of the RWPG's recommendations regarding water conservation are included in Chapter 5C.
31 TAC §357.	35		
(a);(b);(c);(f)	RWPGs shall recommend water management strategies to be used during a drought of record. Potentially feasible water management strategies shall be specific, cost effective, environmentally sensitive, and consistent with the long-term protection of the state's water, agricultural, and natural resources. Strategies shall protect existing water rights, water contracts, and option agreements.	Yes	Chapter 5A contains a list of potentially feasible WMSs identified. Chapter 5B evaluations were performed using a drought of record as a basis for the 2016 Plan.
(d)	Water management strategies shall meet all water needs for drought conditions, except when no water management strategy is feasible or when a political subdivision that provides water explicitly does not participate.	Yes	Chapter 5B WMSs were designed to meet water needs for drought conditions.

Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(g)(1)	RWPGs shall report recommended water management strategies and the associated results of all the potentially feasible water management strategy evaluations by WUG and WWP.	Yes	Chapter 5B and associated appendices report results by WUG and WWP.
(g)(2)	Calculated supply factors for each WUG and WWP, by entity and planning decade, shall be calculated based on the sum of the total existing water supplies, plus all water supplies from recommended water management strategies; divided by total projected water demand.	Yes	Supply factors were evaluated by the TWDB and presented in Appendix 5B-E.
(g)(3)	Fully evaluated Alternative Water Management Strategies included in the adopted RWP shall be presented together in one place in the RWP.	Yes	Chapter 5B presents a summary of Alternative WMSs evaluated.
31 TAC §357	.40		
(a)	RWPs shall include a quantitative description of the socioeconomic impacts of not meeting the identified water needs.	Yes	Appendix 4-D contains a socio-economic impact analysis prepared by the TWDB.
(b)(1)-(6)	RWPs shall include a description of the impacts of the RWP regarding agricultural resources, other water resources of the state, threats to agricultural and natural resources, third-party social and economic impacts resulting from voluntary water redistributions, water quality, and effects on navigation.	Yes	Chapter 6 contains discussion of impacts on other water resources of the state and on local third-party social and environmental impacts.
(c)	RWPs shall include a summary of the identified water needs that remain unmet by the RWP.	Yes	Chapter 5B includes a summary of unmet needs.
31 TAC §357	.41		
	RWPGs shall describe how RWPs are consistent with the long-term protection of the state's water resources, agricultural resources, and natural resources.	Yes	Chapter 6 provides a demonstration of how the 2016 Plan is consistent with the long-term protection of the state's water resources, agricultural resources, and natural resources
31 TAC §357			
(a)	RWPs shall consolidate and present information on current and planned preparations for, and responses to, drought conditions in the region including drought of record conditions based on the following subsections:		
(b);(c)	RWPGs shall conduct an overall assessment of current preparations for drought and develop drought response recommendations for groundwater and surface water sources.	Yes	Chapter 7 describes current preparations for drought within the region.




Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
(d);(e)	RWPGs will collect (in a closed meeting) and submit (separately to the EA) information on existing major water infrastructure facilities that may be used for interconnections in event of an emergency shortage of water and will provide descriptions of local drought contingency plans that involve making emergency connections.	Yes	Chapter 7 describes emergency interconnections. Information related to existing interconnections is considered confidential and was not presented in the 2016 Plan.
(g)	The RWPGs shall evaluate, for all applicable municipal WUGs, potential emergency responses to local drought conditions or loss of existing water supplies, including identification of potential alternative water sources that may be considered for temporary emergency use.	Yes	Chapter 7 describes potential emergency responses to drought within the region.
(h)	RWPGs shall consider any relevant recommendations from the Drought Preparedness Council.	Yes	Relevant recommendations from the Drought Preparedness Council have been considered in Chapter 7.
(i); (i)(1)-(4)	RWPGs shall make drought preparation and response recommendations regarding local drought contingency plans; current drought management preparations, including drought response triggers and responses to drought conditions; and The Drought Preparedness Council and the State Drought Preparedness Plan.	Yes	Chapter 7 contains recommendations regarding local drought contingency plans and preparations.
(j)	The RWPGs shall develop region-specific model drought contingency plans.	Yes	Appendix 7-A includes model drought contingency plans.
31 TAC §357.	43		
(a); (d)	The RWPs shall contain any regulatory, administrative, or legislative recommendations developed by the RWPGs, including those that the RWPG believes are needed and desirable to facilitate the orderly development, management, and conservation of water resources and prepare for and respond to drought conditions.	Yes	Chapter 8 includes relevant regulatory, administrative, and legislative recommendations of the RWPG.
(b); (c)	If "Ecologically Unique River and Stream Segments" and "Unique Sites for Reservoir Construction" are designated by the RWPGs, the RWP should include relevant descriptions, value, and other relevant criteria, as described in this section.	Yes	Chapter 8 includes recommendations regarding ecologically unique river and stream segments and unique sites for reservoir construction.

Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
31 TAC §357.	44	the second of the second of the second	
	RWPGs shall assess and quantitatively report on how individual local governments, regional authorities, and other political subdivisions in their RWPA propose to finance recommended water management strategies.	Yes	Appendix 9-A contains the infrastructure financing report and Chapter 9 summarizes the proposed financing.
31 TAC §357.	45		
(a)	RWPGs shall describe the level of implementation of previously recommended water management strategies, recommended in the previous RWP, including conservation and drought management water management strategies; and the implementation of projects that have affected progress in meeting the state's future water needs.	Yes	Appendix 11-A summarizes the survey results reporting implementation of the 2011 Plan WMSs.
(b)(1)-(4)	RWPGs shall provide a brief summary of how the RWP differs from the previously adopted RWP with regards to: water demand projections; drought of record and hydrologic and modeling assumptions used in planning for the region; groundwater and surface water availability, existing water supplies, and identified water needs for WUGs and WWPs; and recommended and alternative water management strategies.	Yes	Chapter 11 provides a summary of how the 2016 Plan and the 2011 Plan differ.
31 TAC §357.	50		
(a)	The RWPGs shall submit their adopted RWPs to the Board every five years on a date to be disseminated by the EA.	Yes	The 2016 Plan has been adopted in accordance with a schedule provided by the EA.
(b)	Prior to the adoption of the RWP, the RWPGs shall submit concurrently to the EA and the public an IPP. The IPP shall be distributed in accordance with Title 31 §357.21(d)(5).	Yes	The 2016 IPP was submitted to the TWDB as required.
(d)(1)-(3)	When adopting a RWP the RWPGs shall solicit, and consider properly submitted written comments from the EA and from any federal or Texas state agency; and properly submitted written or oral comments from the public.	Yes	The RWPG has considered comments from the EA, federal and state agency comments, and public comments in finalization of the 2016 Plan.  Comments are available in Appendix 10-C.
(e)(1)(A)-(C)	When submitted, RWP shall include: a technical report, an executive summary, and summaries of and responses to all comments (written and oral).	Yes	The 2016 Plan includes a required technical report and executive summary. Responses to comments are included as Table 10.2



Regulatory Citation	Summary of Requirement	2016 Plan Compliance (Yes/No)	Location(s) in the Regional Plan and/or Other Commentary
31 TAC §358	.3	Marine Control of the	La Chinasa de la Caracteria de la Caract
(2)	The regional water plans and state water plan shall serve as water supply plans under drought of record conditions.	Yes	The supply availability and existing water supplies evaluated in Chapter 3 assume drought of record conditions. Chapters 3 and 7 describe this evaluation.
(4)	Regional water plans shall provide for the orderly development, management, and conservation of water resources and preparation for and response to drought conditions so that sufficient water will be available at a reasonable cost to satisfy a reasonable projected use of water to ensure public health, safety, and welfare; further economic development; and protect the agricultural and natural resources of the regional water planning area.	Yes	Chapter 5B presents WMS evaluations developed in response to projected demands and potential drought conditions.
(5)	Regional water plans shall include identification of those policies and action that may be needed to meet Texas' water supply needs and prepare for and respond to drought conditions.	Yes	The Chapter 5B WMS evaluations identify policies and action that may be required in drought conditions.
(6)	RWPG decision-making shall be open to and accountable to the public with decisions based on accurate, objective and reliable information with full dissemination of planning results except for those matters made confidential by law.	Yes	Chapter 10 summarizes public notice requirements and provides examples of how these requirements were met during the planning cycle.
(7)	The RWPG shall establish terms of participation in its water planning efforts that shall be equitable and shall not unduly hinder participation.	Yes	Chapter 10 summarizes how participation was encouraged as a part of water planning efforts in the RWPA.
(27)	RWPGs shall conduct their planning to achieve efficient use of existing water supplies, explore opportunities for and the benefits of developing regional water supply facilities or providing regional management of water facilities, coordinate the actions of local and regional water resource management agencies, provide substantial involvement by the public in the decision-making process, and provide full dissemination of planning results.	Yes	Chapter 3 discusses the evaluations of existing water supplies, Chapter 1 summarizes local and regional plans considered in the planning process, and Chapter 10 summarizes public involvement in the region.
(28)	RWPGs must consider existing regional water planning efforts when developing their plans.	Yes	Chapter 1 summarizes existing regional water plans that were considered in development of the 2016 Plan.

# This page intentionally left blank



# Appendix 7-A

# **Model Drought Contingency Plans**

This appendix includes a Model Drought Contingency Plan for Public Water Suppliers and for Irrigation Districts in the ETRWPA.

# This page intentionally left blank

## **Drought Contingency Plan for [Public Water Supplier]**

#### Date

#### TABLE OF CONTENTS

- 1. Objectives
- 2. Texas Commission on Environmental Quality Rules
- 3. Provisions to Inform the Public and Opportunity for Public Input
- 4. Public Education
- 5. Coordination with the East Texas Regional Water Planning Group
- 6. Initiation and Termination of Drought Response Stages
- 7. Goals for Reduction in Water Use
- 8. Drought and Emergency Response Stages
- 9. Procedure for Granting Variances to the Plan
- 10. Penalty for Violation of Water Use Restriction
- 11. Review and Update of Drought Contingency Plan

#### **APPENDICES**

APPENDIX A

List of References

APPENDIX B

Texas Commission on Environmental Quality Rules on Drought

**Contingency Plans** 

## **Drought Contingency Plan for [Public Water Supplier]**

#### 1. Objectives

This drought contingency plan (the Plan) is intended for use by [municipal water supplier]. The plan includes all current TCEQ requirements for a drought contingency plan.

This drought contingency plan serves to:

- Conserve available water supplies during times of drought and emergency.
- Minimize adverse impacts of water supply shortages.
- Minimize the adverse impacts of emergency water supply conditions.
- Preserve public health, welfare, and safety.

#### 2. Texas Commission on Environmental Quality Rules

The TCEQ rules governing development of drought contingency plans for public water suppliers are contained in Title 30, Part 1, Chapter 288, Subchapter B, Rule 288.20 of the Texas Administrative Code.

TCEQ's minimum requirements for drought contingency plans are addressed in the following subsections of this report:

- 288.20(a)(1)(A) Provisions to Inform the Public and Provide Opportunity for Public Input
   Section 3
- 288.20(a)(1)(B) Provisions for Continuing Public Education and Information Section 4
- 288.20(a)(1)(C) Coordination with the Regional Water Planning Group Section 5
- 288.20(a)(1)(D) Criteria for Initiation and Termination of Drought Stages Section 7
- 288.20(a)(1)(E) Drought and Emergency Response Stages Section 8
- 288.20(a)(1)(F) Specific, Quantified Targets for Water Use Reductions Section 7

- 288.20(a)(1)(G) Water Supply and Demand Management Measures for Each Stage –
   Section 8
- 288.20(a)(1)(H) Procedures for Initiation and Termination of Drought Stages Section 6
- 288.20(a)(1)(I) Procedures for Granting Variances Section 9
- 288.20(a)(1)(J) Procedures for Enforcement of Mandatory Restrictions Section 10
- 288.20(a)(3) Consultation with Wholesale Supplier Not applicable
- 288.20(b) Notification of Implementation of Mandatory Measures Section 6
- 288.20(c) Review and Update of Plan Section 11

[If you receive water from a wholesale supplier, you must include in your plan appropriate provisions for responding to reductions in the wholesale water supply.]

#### 3. Provisions to Inform the Public and Opportunity for Public Input

[Public water supplier] will give customers the opportunity to provide public input into the preparation of the plan by one of the following methods:

- Holding a public meeting.
- Providing written notice of the proposed plan and the opportunity to comment on the plan by newspaper or posted notice.

#### 4. Public Education

[Public water supplier] will notify the public about the drought contingency plan, including changes in Stage and drought measures to be implemented, by one or more of the following methods:

- Prepare a description of the Plan and make it available to customers at appropriate locations.
- Include utility bill inserts that detail the Plan
- Provide radio announcements that inform customers of stages to be initiated or terminated and drought measures to be taken

• Include an ad in a newspaper of general circulation to inform customers of stages to be initiated or terminated and drought measures to be taken

#### 5. Coordination with the East Texas Regional Water Planning Group

This drought contingency plan will be sent to the Chair of the East Texas Regional Water Planning Group in order to ensure consistency with the East Texas Regional Water Plan. If any changes are made to the drought contingency plan, a copy of the newly adopted plan will be sent to the Regional Water Planning Group.

#### 6. Initiation and Termination of Drought Response Stages

The designated official will order the implementation of a drought response stage when one or more of the trigger conditions for that stage exist, as described in Section 7. Official designees may also order the termination of a drought response stage when the termination criteria, as described in Section 7, are met or at their own discretion.

If any mandatory provisions have been implemented or terminated, the water supplier is required to notify the Executive Director of the TCEQ within 5 business days.

#### 7. Goals for Reduction in Water Use

TCEQ requires that each public water supplier develop quantifiable goals for water use reduction for each stage of the drought contingency plan. These goals are outlined below.

[To be developed by each supplier. An example is provided.]

- Stage 1, Mild
  - 0 to 2 percent reduction in use that would have occurred in the absence of drought contingency measures.
- Stage 2, Moderate
  - 2 to 6 percent reduction in use that would have occurred in the absence of drought contingency measures

- Stage 3, Severe
  - 6 to 10 percent reduction in use that would have occurred in the absence of drought contingency measures
- Stage 4, Emergency
  - 10 to 14 percent reduction in use that would have occurred in the absence of drought contingency measures

#### 8. Drought and Emergency Response Stages

#### Stage 1, Mild

Trigger Conditions for Stage 1, Mild

- A wholesale water supplier that provides all or part of [public water supplier]'s supply has initiated Stage 1, Mild
- [To be otherwise completed by public water supplier]
  - o Potential triggers are:
    - When [public water supplier]'s available water supply is equal or less than [amount in ac-ft, percent of storage, etc.].
    - When total daily demand equals [number] million gallons for [number] consecutive days or [number] million gallons on a single day.
    - When the water level in [public water supplier]'s well(s) is equal or less than [number] feet above/below mean sea level.
    - When flows in the [name of river or stream segment] are equal to or less than [number] cubic feet per second.

Stage 1 will end when the circumstances that caused the initiation of Stage 1 no longer exist.

Goals for Use Reduction and Actions Available Under Stage 1, Mild

[Public water supplier] will reduce water use by [goal]. [Public water supplier] may order the implementation of any of the strategies listed below in order to decrease water use:

- Request voluntary reductions in water use.
- Review the problems that caused the initiation of Stage 1.
- Intensify leak detection and repair efforts

#### Stage 2, Moderate

Trigger Conditions for Stage 2, Moderate

- A wholesale water supplier that provides all or part of [public water supplier]'s supply has initiated Stage 2, Moderate
- [To be otherwise completed by public water supplier]
  - o Potential triggers are:
    - When [public water supplier]'s available water supply is equal or less than [amount in ac-ft, percent of storage, etc.].
    - When total daily demand equals [number] million gallons for [number] consecutive days or [number] million gallons on a single day.
    - When the water level in [public water supplier]'s well(s) is equal or less than [number] feet above/below mean sea level.
    - When flows in the [name of river or stream segment] are equal to or less than [number] cubic feet per second.

Stage 2 will end when the circumstances that caused the initiation of Stage 2 no longer exist.

Goals for Use Reduction and Actions Available Under Stage 2, Moderate

[Public water supplier] will reduce water use by [goal]. [Public water supplier] may order the implementation of any of the strategies listed below in order to decrease water use:

- Request voluntary reductions in water use.
- Halt non-essential city government use
- Review the problems that caused the initiation of Stage 2.
- Intensify leak detection and repair efforts
- Implement mandatory restrictions on time of day outdoor water use in the summer.

#### Stage 3, Severe

Trigger Conditions for Stage 3, Severe

- A wholesale water supplier that provides all or part of [public water supplier]'s supply has initiated Stage 3, Severe
- [To be otherwise completed by public water supplier]
  - o Potential triggers are:
    - When [public water supplier]'s available water supply is equal or less than [amount in ac-ft, percent of storage, etc.].
    - When total daily demand equals [number] million gallons for [number] consecutive days or [number] million gallons on a single day.
    - When the water level in [public water supplier]'s well(s) is equal or less than [number] feet above/below mean sea level.
    - When flows in the [name of river or stream segment] are equal to or less than [number] cubic feet per second.

Stage 3 will end when the circumstances that caused the initiation of Stage 3 no longer exist.

Goals for Use Reduction and Actions Available Under Stage 3, Severe

[Public water supplier] will reduce water use by [goal]. [Public water supplier] may order the implementation of any of the strategies listed below in order to decrease water use:

- Request voluntary reductions in water use.
- Require mandatory reductions in water use
- Halt non-essential city government use
- Review the problems that caused the initiation of Stage 3.
- Intensify leak detection and repair efforts
- Implement mandatory restrictions on time of day outdoor water use in the summer.
- Limit outdoor watering to specific weekdays.
- Create and implement a landscape ordinance.

#### Stage 4, Emergency

Trigger Conditions for Stage 4, Emergency

- A wholesale water supplier that provides all or part of [public water supplier]'s supply has initiated Stage 4, Emergency
- [To be otherwise completed by public water supplier]
  - Potential triggers are:
    - When [public water supplier]'s demand exceeds the amount that can be delivered to customers.
    - When [public water supplier]'s source becomes contaminated

• [Public water supplier]'s system is unable to deliver water due to the failure or damage of major water system components.

Stage 4 will end when the circumstances that caused the initiation of Stage 4 no longer exist.

Goals for Use Reduction and Actions Available Under Stage 4, Emergency

[Public water supplier] will reduce water use by [goal]. [Public water supplier] may order the implementation of any of the strategies listed below in order to decrease water use:

- · Require mandatory reductions in water use
- Halt non-essential city government use
- Review the problems that caused the initiation of Stage 4.
- Intensify leak detection and repair efforts
- Implement mandatory restrictions on time of day outdoor water use in the summer.
- Limit outdoor watering to specific weekdays.
- Create and implement a landscape ordinance.
- Prohibit washing of vehicles except as necessary for health, sanitation, or safety reasons.
- Prohibit commercial and residential landscape watering
- Prohibit golf course watering except for greens and tee boxes
- Prohibit filling of private pools.
- Initiate a rate surcharge for all water use over [amount in gallons per month].

#### 9. Procedure for Granting Variances to the Plan

The designated official may grant temporary variances for existing water uses otherwise prohibited under this drought contingency plan if one or more of the following conditions is met:

- Failure to grant such a variance would cause an emergency condition adversely
  affecting health, sanitation, or fire safety for the public or the person requesting
  the variance.
- Compliance with this plan cannot be accomplished due to technical or other limitations.
- Alternative methods that achieve the same level of reduction in water use can be implemented.

Variances shall be granted or denied at the discretion of the designated official. All petitions for variances should be in writing and should include the following information:

- Name and address of the petitioner(s)
- Purpose of water use
- Specific provisions from which relief is requested
- Detailed statement of the adverse effect of the provision from which relief is requested
- Description of the relief requested
- Period of time for which the variance is sought
- Alternative measures that will be taken to reduce water use
- Other pertinent information.

#### 10. Penalty for Violation of Water Use Restriction

Mandatory restrictions are required by TCEQ regulation to have a penalty. These restrictions will be strictly enforced with the following penalties:

- Potential penalties
  - o Written warning that they have violated the mandatory water use

restriction.

- o Issue a citation. Minimum and maximum fines are established by ordinance.
- o Discontinue water service to the user.

## 11. Review and Update of Drought Contingency Plan

This drought contingency plan will be updated at least every 5 years as required by TCEQ regulations.

# Appendix A

List of References

#### APPENDIX A

#### **List of References**

Title 30 of the Texas Administrative Code, Part 1, Chapter 288, Subchapter B, Rule 288.20, downloaded from <a href="http://www.sos.state.tx.us/tac">http://www.sos.state.tx.us/tac</a>, May 2014.

# Appendix B

Texas Commission on Environmental Quality Rules on Drought Contingency Plans

#### **APPENDIX B**

### Texas Commission on Environmental Quality Rules on Drought Contingency Plans

#### **Texas Administrative Code**

TITLE 30 ENVIRONMENTAL QUALITY

PART 1 TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CHAPTER 288 WATER CONSERVATION PLANS, DROUGHT CONTINGENCY

PLANS, GUIDELINES AND REQUIREMENTS

SUBCHAPTER B
DROUGHT CONTINGENCY PLANS

RULE §288.20

Drought Contingency Plans for Municipal Uses by

**Public Water Suppliers** 

- (a) A drought contingency plan for a retail public water supplier, where applicable, must include the following minimum elements.
  - (1) Minimum requirements. Drought contingency plans must include the following minimum elements.
    - (A) Preparation of the plan shall include provisions to actively inform the public and affirmatively provide opportunity for public input. Such acts may include, but are not limited to, having a public meeting at a time and location convenient to the public and providing written notice to the public concerning the proposed plan and meeting.
    - (B) Provisions shall be made for a program of continuing public education and information regarding the drought contingency plan.
    - (C) The drought contingency plan must document coordination with the regional water planning groups for the service area of the retail public water supplier to ensure consistency with the appropriate approved regional water plans.
    - (D) The drought contingency plan must include a description of the information to be monitored by the water supplier, and specific criteria for the initiation and termination of drought response stages, accompanied by an explanation of the rationale or basis for such triggering criteria.
    - (E) The drought contingency plan must include drought or emergency response stages providing for the implementation of measures in response to at least the following situations:
      - (i) reduction in available water supply up to a repeat of the drought of record;
      - (ii) water production or distribution system limitations;
      - (iii) supply source contamination; or
      - (iv)system outage due to the failure or damage of major water system components (e.g., pumps).
    - (F) The drought contingency plan must include specific, quantified targets for water use reductions to be achieved during periods of water shortage and drought. The entity preparing the plan shall establish the targets. The goals established by the entity under this subparagraph are not enforceable.
    - (G) The drought contingency plan must include the specific water supply or water demand management measures to be implemented during each stage of the plan including, but not limited to, the following:

- (i) curtailment of non-essential water uses; and
- (ii) utilization of alternative water sources and/or alternative delivery mechanisms with the prior approval of the executive director as appropriate (e.g., interconnection with another water system, temporary use of a non-municipal water supply, use of reclaimed water for non-potable purposes, etc.).
- (H) The drought contingency plan must include the procedures to be followed for the initiation or termination of each drought response stage, including procedures for notification of the public.
- (I) The drought contingency plan must include procedures for granting variances to the plan.
- (J) The drought contingency plan must include procedures for the enforcement of mandatory water use restrictions, including specification of penalties (e.g., fines, water rate surcharges, discontinuation of service) for violations of such restrictions.
- (2) Privately-owned water utilities. Privately-owned water utilities shall prepare a drought contingency plan in accordance with this section and incorporate such plan into their tariff.
- (3) Wholesale water customers. Any water supplier that receives all or a portion of its water supply from another water supplier shall consult with that supplier and shall include in the drought contingency plan appropriate provisions for responding to reductions in that water supply.
- (b) A wholesale or retail water supplier shall notify the executive director within five business days of the implementation of any mandatory provisions of the drought contingency plan.
- (c) The retail public water supplier shall review and update, as appropriate, the drought contingency plan, at least every five years, based on new or updated information, such as the adoption or revision of the regional water plan.

**Source Note:** The provisions of this §288.20 adopted to be effective February 21, 1999, 24 TexReg 949; amended to be effective April 27, 2000, 25 TexReg 3544; amended to be effective October 7, 2004, 29 TexReg 9384

# This page intentionally left blank

## Model Drought Contingency Plan for [Irrigation District]

#### Date

#### TABLE OF CONTENTS

- 1. Objectives
- 2. Texas Commission on Environmental Quality Rules
- 3. Provisions to Inform the Public and Opportunity for Public Input
- 4. Coordination with the East Texas Regional Water Planning Group
- 5. Initiation and Termination of Drought Response Stages
- 6. Procedures for Determining the Allocation of Irrigation Supplies to Individual Users
- 7. Drought and Emergency Response Stages
- 8. Procedures for Use Accounting
- 9. Procedures for the Transfer of Water Allocations Among Individual Users
- 10. Penalty for Violation of Water Use Restriction
- 11. Review and Update of Drought Contingency Plan

## **Drought Contingency Plan for [Irrigation District]**

#### 1. Introduction

[Include basic information about the Irrigation District and its operations, for example location; service area; water rights; water sources; service accounts; types of irrigation and irrigation practices; crop types; and diversion, storage, and conveyance infrastructure.]

#### 2. Objectives

This drought contingency plan is intended for use by [irrigation district]. The plan includes all current TCEQ requirements for a drought contingency plan.

This drought contingency plan serves to:

- Conserve available water supplies during times of drought and emergency.
- Minimize adverse impacts of water supply shortages.
- Minimize the adverse impacts of emergency water supply conditions.

This model plan is a template for irrigation users to use as they develop their own drought contingency plans. This model plan includes all of the elements required by TCEQ. Each irrigation user should customize the details to match its unique situation. The final adopted version should be provided to the TCEQ.

#### 3. Texas Commission on Environmental Quality Rules

The TCEQ rules governing development of drought contingency plans for irrigation districts are contained in Title 30, Part 1, Chapter 288, Subchapter B, Rule 288.21 of the Texas Administrative Code.

TCEQ's minimum requirements for drought contingency plans are addressed in the following subsections of this report:

TAC Defenence	Subject	Plan
TAC Reference	Subject	Location
30 TAC §288.21(a)(1)(A)	Provisions to Inform the Public and Provide Opportunity for Public Input	Section 4
30 TAC §288.21(a)(1)(B)	Document Coordination with Regional Planning Group	Section 5
30 TAC §288.21(a)(1)(C)	Criteria for Initiation and Termination of Water Allocation	Sections 6 & 7
30 TAC §288.21(a)(1)(D)	Specific, Quantified Targets for Water Use Reduction	Section 8
30 TAC §288.21(a)(1)(E)	Procedures for Determining the Allocation of Irrigation Supplies to Individual Users	Section 8
30 TAC §288.21(a)(1)(F)	Procedures for Initiation and Termination of Water Allocation	Sections 6 & 7
30 TAC §288.21(a)(1)(G)	Procedures for Use Accounting During Water Allocation	Section 9
30 TAC §288.21(a)(1)(H)	Procedures for the Transfer of Water Allocations Among Individual Users	Section 10
30 TAC §288.21(a)(1)(I)	Procedures for Enforcement of Water Allocation Policies	Section 11
30 TAC §288.21(a)(2)	Consultation with Wholesale Supplier	Section 12
30 TAC §288.21(a)(3)	Protection of Public Water Supplies	Section 13
30 TAC §288.21(a)(3)(b)	Review and Update of Plan	Section 14

#### 4. Provisions to Inform the Public and Opportunity for Public Input

[Irrigation district] will give customers the opportunity to provide public input into the preparation of the plan by one of the following methods:

- Holding a public meeting.
- Providing written notice of the proposed plan and the opportunity to comment on the plan by newspaper or posted notice.

#### 5. Coordination with the East Texas Regional Water Planning Group

This drought contingency plan will be sent to the Chair of the East Texas Regional Water Planning Group in order to ensure consistency with the East Texas Regional Water Plan. If any changes are made to the drought contingency plan, a copy of the newly adopted plan will be sent to the Regional Water Planning Group.

#### 6. Initiation of Water Allocation

The [designated official] shall monitor water supply conditions on a [e.g. weekly, monthly] basis and shall make recommendations to the Board regarding irrigation of

water allocation. Upon approval of the Board, water allocation will become effective when:

[Below are examples of the types of triggering criteria that might be used; singly or in combination, in an irrigation district's drought contingency plan:

- A wholesale water supplier that provides all or part of an irrigation user's supply has initiated water allocation.
- When the district Board determines that there is insufficient water to complete the traditional crop year.
- When [irrigation district]'s available water supply is equal or less than [amount in ac-ft, amount in inches per acre, percent of storage, etc.].
- When total daily demand equals [number] million gallons for [number] consecutive days or [number] million gallons on a single day.
- When the water level in [irrigation district]'s well(s) is equal or less than [number] feet above/below mean sea level.
- When flows in the [name of river or stream segment] are equal to or less than [number] cubic feet per second.

#### 7. Termination of Water Allocation

The district's water allocation policies will remain in effect until the conditions defined in Section 6 no longer exist and the Board deems that the need to allocate water no longer exists.

#### 8. Water Allocation

- a) One allocation account will be associated with each parcel of land identified by ownership for flat rate assessment purposes as shown in the records of the District.
- b) In identifying specific, quantified targets for water allocation to be achieved

during periods of water shortages and drought, each allocation account shall be allocated [number] irrigations or [number] acre-feet of water for each flat rate acre on which all taxes, fees, and charges have been paid. The water allotment in each allocation account will be expressed in acre-feet of water.

[Include explanation of water allocation procedure. For example, in the Lower Rio Grande Valley, an "irrigation" is typically considered to be equivalent to eight (8) inches of water per irrigation acre; consisting of six (6) inches of water per acre applied plus two (2) inches of water lost in transporting the water from the river to the land. Thus, three irrigations would be equal to 24 inches of water per acre or an allocation of 2.0 acre-feet of water measured at the diversion from the river.]

c) As additional water supplies become available to the District in an amount reasonably sufficient for allocation to the District's irrigation users, the additional water made available to the District will be equally distributed, on a pro rata basis, to those allocation accounts having

[Example 1: An account balance of less than \_\_\_\_\_ irrigations for each flat rate acre (i.e. \_\_\_\_ acre-feet).

Example 2: An account balance of less than \_\_\_\_\_ acre-feet of water for each flat rate acre.

Example 3: An account balance of less than \_\_\_\_\_ acre-feet of water.]

d) The amount of water charged against an allocation account will be [number, e.g., eight inches] per irrigation unless water deliveries to the land are metered. Metered water deliveries will be charges based on actual measured use. In order to maintain parity in charging use against a water allocation between non-metered and metered deliveries, a loss factor of [number] percent of the water delivered in a metered situation will be added to the measured use and will be charged against the user's water allocation. Any metered use, with the loss factor applied, that is less than [number] inches per acre shall be credited back to the allocation unit and

will be available to the user. It shall be a violation of the Rules and Regulations for a water user to use water in excess of the amount of water contained in the users allocation account.

e) Acreage in an allocation account that has not been irrigated for any reason within the last two consecutive years will be considered inactive and will not be allocated water. Any landowner whose land has not been irrigated within the last two consecutive years, may, upon application to the District expressing intent to irrigate the land, receive future allocations. However, irrigation water allocated shall be applied only upon the acreage to which it was allocated and such water allotment cannot be transferred until there have been two consecutive years of use.

#### 9. Procedures for Use Accounting During Water Allocation

For unmetered water use, the District will record the number of irrigations performed by each allocation account. As additional water becomes available for each allocation, additional irrigations are added to each allocation account. For metered water deliveries, actual measured use plus the conveyance loss factor is recorded and deducted from the user's allocation.

#### 10. Procedures for the Transfer of Water Allocations Among Individual Users

A water allocation in an active irrigation account may be transferred within the boundaries of the District from one irrigation account to another. The transfer of water can only be made by the landowner's agent who is authorized in writing to act on behalf of the landowner in the transfer of all or part of the water allocation from the described land of the landowner covered by the irrigation account.

A water allocation may not be transferred to land owned by a landowner outside the District boundaries. [OR: A water allocation may be transferred to land outside the District's boundaries by paying the current water charge as if the water was actually delivered by the District to the land covered by an irrigation account. The amount of water allowed to be transferred shall be stated in terms of acre-feet and deducted from

the landowner's current allocation balance in the irrigation account. Transfers of water outside the District shall not affect the allocation of water under Section VII of these Rules and Regulations.]

Water from outside the District may not be transferred by a landowner for use within the District. [OR: Water from outside the District may be transferred by a landowner for use within the District. The District will divert and deliver the water on the same basis as District water is delivered, except that a \_\_\_\_ percent conveyance loss will be charged against the amount of water transferred for use in the District as the water is delivered.]

#### 11. Enforcement of Water Allocation Policies

Any person who willfully opens, closes, changes or interferes with any headgate or uses water in violation of Section 11.083, Texas Water Code, may be assessed an administrative penalty up to \$5,000 a day under Section 11.0842 of the Texas Water Code. Additionally, if the violator is also taking, diverting, or appropriating state water, the violator may be assessed a civil penalty in court of up to \$5,000 a day. These penalties are provided by the laws of the State and may be enforced by complaints filed in the appropriate court jurisdiction in [Name] County, all in accordance with Section 11.083; and in addition, the District may pursue a civil remedy in the way of damages and/or injunction against the violation of any of the foregoing Policies.

#### 12. Consultation with Wholesale Water Supplier

[Provide a description of consultations with the wholesale water supplier(s), if any.

Any irrigation water supplier that receives all or a portion of its water supply from another water supplier shall consult with that supplier and shall include in the drought contingency plan, appropriate provisions for responding to reductions in that water supply.]

#### 13. Protection of Public Water Supplies

[Provide a description of provisions to protect public water supplies, if applicable.

Any irrigation water supplier that also provides or delivers water to a public water supplier(s) shall consult with that public water supplier(s) and shall include in the plan, mutually agreeable and appropriate provisions to ensure an uninterrupted supply of water necessary for essential uses relating to public health and safety. Nothing in this provision shall be construed as requiring the irrigation water supplier to transfer irrigation water supplies to non-irrigation use on a compulsory basis or without just compensation.]


### 14. Review and Update of Drought Contingency Plan

This drought contingency plan will be updated at least every 5 years as required by TCEQ regulations. The District will provide the updated plan to the TCEQ and the East Texas Region Water Planning Group.

#### 15. References

The following references were used extensively in the development of this model plan, particularly in Sections 6 through 11:

- 1. Texas Commission on Environmental Quality: Handbook for Drought Contingency Planning for Irrigation Districts, April 2005.
- 2. Harlingen Irrigation District Cameron County #1: Documents for Water Diversions and Deliveries, Amended May 19, 2003.
- 3. Texas Commission on Environmental Quality: "Drought Contingency Plans for Irrigation Use," Texas Administrative Code Title 30 Part I Subchapter A §288.21, effective October 7, 2004.





# Appendix 8-A


# **Proposed Reservoir Site Locations**


Chapter 8 of the 2016 Plan provides a description of proposed reservoirs in the ETRWPA. This appendix includes maps showing the locations of these proposed reservoirs.


# This page intentionally left blank














## Appendix 8-B

# 2011 Prioritization Comments & Concerns Memorandum

This appendix includes a technical memorandum prepared by the Consultant Team as part of the 2011 Prioritization submittal from the ETRWPG to the TWDB. This document describes some of the primary concerns and observations of the Technical Committee for the ETRWPA regarding the 2011 Prioritization process.



## East Texas Regional Water Planning Area Prioritization of Projects in the 2011 Regional Water Plan Regional Water Planning Group Comments & Concerns

**Project No:** 

1600-002-01

Date:

August 29, 2014

Prepared For:

East Texas Regional Water Planning Group

Prepared By:

Rex H. Hunt, P.E., Alan Plummer Associates, Inc.

Cynthia A. Syvarth, E.I.T., Alan Plummer Associates, Inc.

Simone Kiel, P.E., Freese and Nichols, Inc.

The 83<sup>rd</sup> Texas Legislature, through House Bill 4 (2013), requires each of the 16 Regional Water Planning Groups (RWPG) to prioritize the recommended water management strategies (WMS) in each region's 2011 Regional Water Plan (2011 Plan). Each group provided recommended WMSs to the Texas Water Development Board (TWDB) through the 2012 state water plan database (DB12). To facilitate this task, the TWDB formed a HB4 Stakeholder Committee (SHC) comprised of the 16 RWPG Chairs; the SHC developed Uniform Standards to be used by each RWPG to prioritize projects. These Uniform Standards were adopted by the SHC November 14, 2013 and approved by the governing Board of TWDB December 5, 2013.

In a transmittal dated January 6, 2014, the TWDB provided an alphabetized region-sponsor-strategy prioritization template of projects that each region is responsible for prioritizing. The template includes scoring methodologies, scales, and weighting factors for each uniform standard as developed by the SHC.

This memorandum transmits comments and concerns of the East Texas Regional Water Planning Group (ETRWPG) regarding the prioritization process and Uniform Standards provided by the TWDB. The following comments and concerns were initially developed at the ETRWPG Technical Committee meeting held March 25, 2014, and have been adjusted as a result of further discussion in the ETRWPG meeting held May 21, 2014.

#### **Prioritized Projects Using Information Available in 2011**

The transmittal provided from the TWDB did not specify the information to be used in applying each uniform standard.

 Each uniform standard was applied according to information available at the time the 2011 Plan was adopted rather than considering the current status of each project.  The information used was a compilation of data available in the 2011 Plan and the consultant's knowledge of each project at that time. Project updates were not solicited from Wholesale Water Providers (WWP) or Water User Groups (WUG) as a part of the prioritization process developed.

#### **Further Descriptions Needed for Projects**

The information in the DB12 has been found to be inaccurate or unclear in some cases, but this information drives much of the scoring in prioritization.

- Care should be taken in development of the DB17 to provide more clarity, resolve problems, and minimize risk of inappropriate scoring.
- There is concern on how the public will react to the prioritization rankings, and the ETRWPG believes adding commentary to the scoring template to provide more details for each project could help.
- All of the projects provided in the template from the TWDB were prioritized regardless of whether
  or not the project will seek state funding, is no longer being considered by the sponsor, or has
  already been completed.

#### **Current Uniform Standards Result in Numerous Ties**

The scoring criteria for the uniform standards do not allow enough variability to minimize ties in final scores at the regional level.

- Approximately 40% of the ETRWPG 2011 projects result in a prioritization final score equal to the final score of at least one other project.
- The ETRWPG is concerned with final score ties at both the regional and state level in regards to how the TWDB will allocate funds.
- One potential way of resolving ties could be to allow regions to add their own unique scoring criteria that would be used specifically for the purpose of breaking such ties. Would regions be allowed to develop and use additional criteria?

#### **Uniform Standard 2A**

This uniform standard reads as follows:

What supporting data is available to show that the quantity of water needed is available? [Models suggest insufficient quantities of water or no modeling performed = 0 points; models suggest sufficient quantity of water = 3; Field tests and measurements confirm sufficient quantities of water = 5]

 The scoring criteria do not allow a surface water source to receive the maximum score for this standard because field tests and measurements are not used to confirm sufficient quantities of surface water.

#### East Texas Regional Water Planning Area Prioritization of Projects in the 2011 Regional Water Plan Regional Water Planning Group Comments & Concerns

The Technical Committee would like the SHC to consider revising Uniform Standard 2A to enable
a new surface water source to receive a 5 for this standard if models suggest a sufficient quantity
of water

#### **Uniform Standard 3C**

This uniform standard reads as follows:

Is this project the only economically feasible source of new supply for the WUG, other than conservation? [No = 0 points; Yes = 5]

An advantage is given to sponsors with only one recommended WMS, and there is a
disadvantage to sponsors with several recommended WMSs, even if one of these projects is the
most economically feasible source of new supply.

#### **Uniform Standard 3D**

This uniform standard reads as follows:

Does this project serve multiple WUGs? [No = 0 points; Yes = 5]

The scoring criteria do not account for how many WUGs a recommended WMS serves. A more
detailed scoring breakdown to distinguish between two WUGs served and numbers of WUGs
greater than two would be helpful.

#### **Projects Shared across Regions**

Several strategies either provide water to or receive water from a strategy in another region. These projects have a cost that is either shared with or borne by one region or the other.

- The current prioritization instructions do not indicate if any of the Uniform Standards need to be evaluated differently for these types of projects.
- The TWDB has not disclosed to the regions how projects serving more than one region will be integrated into one list.

#### Water Type and Water Use Category

The Uniform Standards do not differentiate between raw water and treated water strategies or water use categories (Municipal, Manufacturing, Livestock, etc.).

It is not appropriate to compare strategies with different water types or different water use
categories against one another because certain uniform standards may benefit one water type or
use over another. For example, raw water strategies tend to be less expensive than treated
water strategies.

#### **Agriculture / Conservation Projects**


The prioritization template has the yellow "Rural / Agricultural Conservation?" and "Conservation Reuse?" columns protected and are therefore read-only even though the "read me" sheet indicates the RWPG should input data into yellow cells.

 The ETRWPG decided to leave these columns blank as the TWDB did not advise the group on how to mark the agriculture and conservation columns in the scoring sheet for the 2011 Prioritization.

#### **Project Roll-Ups**

The TWDB has given RWPGs the option to roll up projects that are linked via a funding relationship.

 The ETRWPG believes that the concept of scoring using rolled up projects is valid and helpful to WUGs. However, there is a concern that the definition of what constitutes a roll-up is not clear, making it difficult to identify some projects that may otherwise be eligible for scoring as a roll-up.
 Additional clarification should be considered.




## Appendix 9-A


## **Infrastructure Financing Report – Survey Results**

This appendix includes surveys from Water User Groups with identified needs conducted by the ETRWPG. The survey determined or confirmed infrastructure costs and potential funding sources for infrastructure projects.


Sponsor Entity Name	Sponsor Entity Privacy Region	Project Name	WMS Projec Sponsor Region	IFR Element Name	IFR Element Value	Year Of Need	IFR Project Data ID		WMS Project ID	IFR Project Elements ID
ALTO RURAL WSC	I	CHE-ALT - NEW WELLS IN CARRIZO WILCOX	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$480,000.00	2040		167	2089	1
ALTO RURAL WSC	I	CHE-ALT - NEW WELLS IN CARRIZO WILCOX	Ī	CONSTRUCTION FUNDING	\$2,202,000.00	2040		167		2
ALTO RURAL WSC	I	CHE-ALT - NEW WELLS IN CARRIZO WILCOX	T	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2040		167		3
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-COL - LAKE COLUMBIA CONSTRUCTION	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$172,089,000.00	2020		3	1696	1
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-COL - LAKE COLUMBIA CONSTRUCTION	I	CONSTRUCTION FUNDING	\$172,409,000.00	2020		3	1696	2
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-COL - LAKE COLUMBIA CONSTRUCTION	T	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		3	1696	3
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-GW-NEW GROUNDWATER WELLS INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,752,000.00	2020		3	2051	1
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-GW-NEW GROUNDWATER WELLS INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$22,271,000.00	2020		3	2051	2
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-GW-NEW GROUNDWATER WELLS INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		3	2051	3
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-WTP-WTP CONSTRUCTION	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$19,746,157.00	2020		3	2136	4
ANGELINA & NECHES RIVER AUTHORITY	I	ANRA-WTP-WTP CONSTRUCTION	I	CONSTRUCTION FUNDING	\$97,503,843.00	2020		3	2136	2
ANGELINA & NECHES RIVER AUTHORITY	i	ANRA-WTP-WTP CONSTRUCTION	Ī	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		3	2136	3
ANGELINA & NECHES RIVER AUTHORITY	I	CHER-MIN-INFRASTRUCTURE	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$1,598,000.00	2020		3	2052	1
ANGELINA & NECHES RIVER AUTHORITY	The second secon	CHER-MIN-INFRASTRUCTURE	T	CONSTRUCTION FUNDING	\$2,616,000.00	2020		3	2052	2
ANGELINA & NECHES RIVER AUTHORITY		CHER-MIN-INFRASTRUCTURE	T	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	141	3	2052	3
ANGELINA NACOGDOCHES WCID #1		LAKE-STRIKER-DREDGING	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,557,400.00	2040	100	1	2199	1
ANGELINA NACOGDOCHES WCID #1		LAKE-STRIKER-DREDGING	1	CONSTRUCTION FUNDING	\$3,337,400.00	2040	30.736	4	2199	2
ANGELINA NACOGDOCHES WCID #1	1	LAKE-STRIKER-DREDGING  LAKE-STRIKER-DREDGING	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY		2040		4	2199	3
ANGELINA NACOGDOCHES WCID #1	1	STRIKER-VOLUMETRIC SURVEY	1		\$25,000.00	2040		4	2199	1
ANGELINA NACOGDOCHES WCID #1		STRIKER-VOLUMETRIC SURVEY	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING			ngilan yangi Papatangan	4		
ANGELINA NACOGDOCHES WCID #1		STRIKER-VOLUMETRIC SURVEY	1 T	CONSTRUCTION FUNDING	\$0.00	2020		4	2198	2
ATHENS MUNICIPAL WATER AUTHORITY			- I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		4	2198	3
		ATHENS MWA WTP INFRASTRUCTURE IMPROVEMENTS Q-145	C	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$380,500.00	2020		6	1075	1
ATHENS MUNICIPAL WATER AUTHORITY		ATHENS MWA WTP INFRASTRUCTURE IMPROVEMENTS Q-145	C	CONSTRUCTION FUNDING	\$2,519,500.00	2020		6	1075	2
ATHENS MUNICIPAL WATER AUTHORITY		ATHENS MWA WTP INFRASTRUCTURE IMPROVEMENTS Q-145	C	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		6	1075	3
BEAUMONT	CONTRACTOR CONTRACTOR	BEAU ENHANCED WATER LOSS CONTROL PROGRAM	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$6,072,000.00	2030		9	2042	1
BEAUMONT		BEAU ENHANCED WATER LOSS CONTROL PROGRAM	I	CONSTRUCTION FUNDING	\$46,551,000.00	2030		9	2042	2
BEAUMONT		BEAU ENHANCED WATER LOSS CONTROL PROGRAM	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2030		9	2042	3
BETHEL-ASH WSC		CONSERVATION, WATER LOSS CONTROL - BETHEL-ASH WSC	С	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$0.00	2020	according to the real states	235	1300	1
BETHEL-ASH WSC		CONSERVATION, WATER LOSS CONTROL - BETHEL-ASH WSC	С	CONSTRUCTION FUNDING	\$4,744.00	2020		235	1300	2
BETHEL-ASH WSC		CONSERVATION, WATER LOSS CONTROL - BETHEL-ASH WSC	С	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	continue to the state of	235	1300	3
BULLARD		SMTH-BLD-INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$1,660,500.00	2020		288	2046	1
BULLARD		SMTH-BLD-INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$3,599,500.00	2020		288	2046	2
BULLARD		SMTH-BLD-INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		288	2046	3
CENTER	The second secon	CENT-REU-PIPELINE FROM WWTP TO LAKE CENTER	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$5,754,000.00	2020		25	2133	1
CENTER		CENT-REU-PIPELINE FROM WWTP TO LAKE CENTER	I	CONSTRUCTION FUNDING	\$7,825,000.00	2020		25	2133	2
CENTER	I	CENT-REU-PIPELINE FROM WWTP TO LAKE CENTER	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		25	2133	3
CENTER	I	CENT-TOL-TOLEDO BEND TO CENTER	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$6,190,000.00	2030		25	2134	1
CENTER		CENT-TOL-TOLEDO BEND TO CENTER	I	CONSTRUCTION FUNDING	\$21,585,000.00	2030		25	2134	2
CENTER	I	CENT-TOL-TOLEDO BEND TO CENTER	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2030		25	2134	3
CHANDLER	I	HDSN-CHN - PURCHASE FROM TYLER	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$259,500.00	2020		313	2141	1
CHANDLER	I	HDSN-CHN - PURCHASE FROM TYLER	I	CONSTRUCTION FUNDING	\$1,626,500.00	2020		313	2141	2
CHANDLER	I	HDSN-CHN - PURCHASE FROM TYLER	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		313	2141	3
COUNTY-OTHER, HENDERSON	I	CONSERVATION, WATER LOSS CONTROL - HENDERSON COUNTY	C	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$0.00	2020		473	1556	1
COUNTY-OTHER, HENDERSON	I	CONSERVATION, WATER LOSS CONTROL - HENDERSON COUNTY	C	CONSTRUCTION FUNDING	\$5,449.00	2020		473	1556	2
COUNTY-OTHER, HENDERSON	I	CONSERVATION, WATER LOSS CONTROL - HENDERSON COUNTY	С	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		473	1556	3
COUNTY-OTHER, HENDERSON	I	HENDERSON COUNTY SEP - TRANSMISSION FACILITIES FROM CEDAR CREEK LAKE Q-147	С	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$4,893,000.00	2030		473	1077	1
COUNTY-OTHER, HENDERSON	I	HENDERSON COUNTY SEP - TRANSMISSION FACILITIES FROM CEDAR CREEK LAKE Q-147	С	CONSTRUCTION FUNDING	\$15,058,000.00	2030		473	1077	2
COUNTY-OTHER, HENDERSON		HENDERSON COUNTY SEP - TRANSMISSION FACILITIES FROM CEDAR CREEK LAKE Q-147	С	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2030		473	1077	3
COUNTY-OTHER, JEFFERSON	I	JEFF-CTR INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,531,000.00	2050		489		1
COUNTY-OTHER, JEFFERSON		JEFF-CTR INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$10,705,000.00	2050		489	1931	2
COUNTY-OTHER, JEFFERSON		JEFF-CTR INFRASTRUCTURE	Ţ	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2050		489	1931	3
COUNTY-OTHER, NACOGDOCHES		NACN-LK - LAKE NACONICHE INFRASTRUCTURE	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$8,809,000.00	2030		540		1
COUNTY-OTHER, NACOGDOCHES		NACN-LK - LAKE NACONICHE INFRASTRUCTURE	Ţ	CONSTRUCTION FUNDING	\$25,683,000.00	2030		540	2125	2
COUNTY-OTHER, NACOGDOCHES		NACN-LK - LAKE NACONICHE INFRASTRUCTURE	Ţ	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2030		540	2125	3
COUNTY-OTHER, TRINITY		WATER LOSS REDUCTION, COUNTY-OTHER - TRINITY COUNTY	H		The second secon	tan manana di Silaman di Kalabara da Kal		594	The state of the s	1 1
COUNTY-OTHER, TRINITY		WATER LOSS REDUCTION, COUNTY-OTHER - TRINITY COUNTY WATER LOSS REDUCTION, COUNTY-OTHER - TRINITY COUNTY		PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$106,677.00	2020		ATTACONAL PRINTS	382	and the second second second second
COOLLI OTHER, IMMIT		WATER LOSS REDUCTION, COUNTY-OTHER - TRINITY COUNTY WATER LOSS REDUCTION, COUNTY-OTHER - TRINITY COUNTY		CONSTRUCTION FUNDING PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	\$604,503.00 0.00	2020		594 594	382 382	2




Sponsor Entity Name	Sponsor Entity	Project Name	WMS Project	t IFR Element Name	IFR Element	Year Of	IFR Project	Entity	WMS Project	IFR Project
	Privacy Region	1 tojett vanie	Sponsor Region	IFK EJEHIER NAME	Value	Need	Project Data ID	Rwp ID	ID	Elements ID
CRYSTAL SYSTEMS INC	I	SMTH-CYS INFRASTRUCTURE	T T T	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$303,150.00	2020		2505	2088	1
CRYSTAL SYSTEMS INC	I	SMTH-CYS INFRASTRUCTURE	1	CONSTRUCTION FUNDING	\$1,717,850.00	2020		2505	2088	2
CRYSTAL SYSTEMS INC	I	SMTH-CYS INFRASTRUCTURE		PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2505	2088	3
D&M WSC	I	NACW-DMW - NEW WELLS IN CARRIZO AQUIFER	T	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$866,000.00	2020		2505	2088	1
D&M WSC		NACW-DMW - NEW WELLS IN CARRIZO AQUIFER	I	CONSTRUCTION FUNDING	\$2,618,000.00	2020		2505	2088	2
D&M WSC		NACW-DMW - NEW WELLS IN CARRIZO AQUIFER	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2505	2088	3
G M WSC	I	GM-WSC-ELEVATED TANK	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$87,000.00	2020		2784	2197	1
G M WSC	I	GM-WSC-ELEVATED TANK	I	CONSTRUCTION FUNDING	\$658,500.00	2020		2784	2197	2
G M WSC	I	GM-WSC-ELEVATED TANK	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2784	2197	3
G M WSC	I	GM-WSC-SURFACE WATER PLANT IMPROVEMENTS	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$286,500.00	2020		2784	2196	1
G M WSC	i i i i i i i i i i i i i i i i i i i	GM-WSC-SURFACE WATER PLANT IMPROVEMENTS	I	CONSTRUCTION FUNDING	\$2,196,500.00	2020		2784	2196	2
G M WSC	I	GM-WSC-SURFACE WATER PLANT IMPROVEMENTS	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	THE PERSON NAMED IN COLUMN	74.2	2784	2196	3
G M WSC	I	GM-WSC-WATER SYSTEM EXPANSION	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$230,500.00	2020		2784	2195	1
G M WSC		GM-WSC-WATER SYSTEM EXPANSION	1	CONSTRUCTION FUNDING	\$1,759,990.00	2020		2784	2195	2
G M WSC	I	GM-WSC-WATER SYSTEM EXPANSION	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2784	2195	3
G M WSC		GM-WSC-WATERLINE IMPROVEMENTS	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$332,000.00	2020		2784	2194	1
G M WSC		GM-WSC-WATERLINE IMPROVEMENTS	Ī	CONSTRUCTION FUNDING	\$2,348,400.00	2020		2784	2194	2
G M WSC		GM-WSC-WATERLINE IMPROVEMENTS	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	100000000000000000000000000000000000000	18 23	2784	2194	3
IRRIGATION, HOUSTON	I	HOUS-IRR INFRASTRUCTURE	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$1,941,500.00	2020	34119	987	1916	1
IRRIGATION, HOUSTON	I	HOUS-IRR INFRASTRUCTURE	I I	CONSTRUCTION FUNDING	\$10,984,500.00	2020		987	200 - XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	2
IRRIGATION, HOUSTON		HOUS-IRR INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		987	1916	3
IRRIGATION, ORANGE		ORAN-IRR-INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,588,000.00	2020	3.5	1049	2057	1
IRRIGATION, ORANGE		ORAN-IRR-INFRASTRUCTURE	Ţ	CONSTRUCTION FUNDING	\$9,693,000.00	2020		1049	2057	2
IRRIGATION, ORANGE	I	ORAN-IRR-INFRASTRUCTURE	j	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		1049	2057	3
JACKSONVILLE		JACK-COL	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,120,000.00	2020		77		1
JACKSONVILLE		JACK-COL	The state of the s	CONSTRUCTION FUNDING	\$17,525,000.00	2020		77		2
JACKSONVILLE		JACK-COL	i i	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		77		3
LINDALE		SMTH-LDL INFRASTRUCTURE		PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$870,450.00	2020		1394	2084	1
LINDALE		SMTH-LDL INFRASTRUCTURE	T	CONSTRUCTION FUNDING	\$4,932,550.00	2020		1394	2084	2
LINDALE		SMTH-LDL INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	100000000000000000000000000000000000000	1394		3
LIVESTOCK, NACOGDOCHES		NACW-LTK - NEW WELLS IN CARRIZO WILCOX	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,948,500.00	2020		1394	2084	1
LIVESTOCK, NACOGDOCHES	The state of the s	NACW-LTK - NEW WELLS IN CARRIZO WILCOX	T	CONSTRUCTION FUNDING	\$19,821,500.00	2020		1394	2084	2
LIVESTOCK, NACOGDOCHES		NACW-LTK - NEW WELLS IN CARRIZO WILCOX	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		1394	2084	3
LIVESTOCK, SHELBY	I	SHEL-LTK INFRASTRUCTURE	The state of the s	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$4,909,000.00	2020		1430	2050	1
LIVESTOCK, SHELBY		SHEL-LTK INFRASTRUCTURE		CONSTRUCTION FUNDING	\$20,329,000.00	2020		1430	2050	2
LIVESTOCK, SHELBY	I	SHEL-LTK INFRASTRUCTURE	1 1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	11178-11111	1430	2050	3
LOWER NECHES VALLEY AUTHORITY		LNVA-JEFF CONSTRUCTED LEVY		PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$5,248,350.00			86	1943	1
LOWER NECHES VALLEY AUTHORITY	I	LNVA-JEFF CONSTRUCTED LEVY	Ţ	CONSTRUCTION FUNDING	\$29,740,650.00			86		2
LOWER NECHES VALLEY AUTHORITY		LNVA-JEFF CONSTRUCTED LEVY	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00			86		3
LOWER NECHES VALLEY AUTHORITY		LNVA-SRA INFRASTRUCTURE	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$47,060,500.00	2040		86		1
LOWER NECHES VALLEY AUTHORITY	I	LNVA-SRA INFRASTRUCTURE	İ	CONSTRUCTION FUNDING	\$352,894,500.00	2040		86		2
LOWER NECHES VALLEY AUTHORITY	I	LNVA-SRA INFRASTRUCTURE		PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2040		86	1943	3
LUFKIN		LUFK-RAY PHASE 1	T	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$7,695,500.00	2030		89	2010	1
LUFKIN	I	LUFK-RAY PHASE 1	Ī	CONSTRUCTION FUNDING	\$41,672,500.00	2030	TAKETON.	89	2010	2
LUFKIN	I	LUFK-RAY PHASE 1	Ī	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00			89	2010	3
LUFKIN		LUFK-RAY PHASE 2	Ī	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$4,900,500.00	2040		89		1
LUFKIN		LUFK-RAY PHASE 2	i	CONSTRUCTION FUNDING	\$32,962,500.00	2040		89		2
LUFKIN		LUFK-RAY PHASE 2	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2040		89	2011	3
LUFKIN		LUFK-RAY PHASE 3	i	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$621,500.00	2050		89	2012	1
LUFKIN		LUFK-RAY PHASE 3	I	CONSTRUCTION FUNDING	\$2,138,500.00	2050	100	89	2012	2
LUFKIN		LUFK-RAY PHASE 3	i i i i i i i i i i i i i i i i i i i	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00			89	2012	3
MANUFACTURING, JASPER		JASP-MFG INFRASTRUCTURE	i	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$7,275,500.00	2030		1591	1926	1
MANUFACTURING, JASPER	75 100 100 100 100 100 100 100 100 100 10	JASP-MFG INFRASTRUCTURE	1	CONSTRUCTION FUNDING	\$26,221,500.00	2030		1591	1926	2
MANUFACTURING, JASPER		JASP-MFG INFRASTRUCTURE	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2030		1591	1926	3
MANUFACTURING, JEFFERSON		JEFF-MFG INFRASTRUCTURE	T T	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$37,564,000.00	2020		1592	1932	1
MANUFACTURING, JEFFERSON		JEFF-MFG INFRASTRUCTURE	T	CONSTRUCTION FUNDING	\$37,364,000.00	2020		1592	1932	2
MANUFACTURING, JEFFERSON		JEFF-MFG INFRASTRUCTURE	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00			1592		3




	Sponsor Entity		WMS Projec	et	IED Flor	Vernor	IFR E	ntity	WMC Desired	IED Desired
Sponsor Entity Name	Privacy Region		Sponsor	IFR Element Name	IFR Element Value	Year Of Need	Project	KWP	WMS Project ID	IFR Project Elements ID
- Committee on the committee of the comm	-		Region				Data ID	ID		
MANUFACTURING, ORANGE	1	ORAN-MFG	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$6,960,000.00	2020		1631	2058	1
MANUFACTURING, ORANGE	1	ORAN MEG	1	CONSTRUCTION FUNDING	\$35,661,000.00	2020		1631		2
MANUFACTURING, ORANGE	1	ORAN-MFG	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		1631		3
MANUFACTURING, SMITH	I	SMTH-MFG-INFRASTRUCTURE	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$1,687,500.00	2020		1653		1
MANUFACTURING, SMITH	1	SMTH-MFG-INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$5,516,500.00	2020		1653		2
MANUFACTURING, SMITH	I	SMTH-MFG-INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		1653		3
MINING, ANGELINA	I	ANGL-MIN-INFRASTRUCTURE	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$1,316,000.00	2020		1728	2053	1
MINING, ANGELINA MINING, ANGELINA	1 1	ANGL-MIN-INFRASTRUCTURE	1	CONSTRUCTION FUNDING	\$2,689,000.00	2020	B	1728		2
MINING, NACOGDOCHES	1 1	ANGL-MIN-INFRASTRUCTURE NACW-MIN-INFRASTRUCTURE	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		1728		3
MINING, NACOGDOCHES  MINING, NACOGDOCHES	I		1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$2,930,000.00	2020		1879	2054	1
MINING, NACOGDOCHES  MINING, NACOGDOCHES	1	NACW-MIN-INFRASTRUCTURE NACW-MIN-INFRASTRUCTURE	1	CONSTRUCTION FUNDING	\$9,535,000.00	2020		1879	2054	2
MINING, RUSK	1	RUSK-MIN	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	1992	1879	2054	3
MINING, RUSK	1 1	RUSK-MIN	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$4,150,000.00	2020	No.	1903	2056	1
MINING, RUSK	T	RUSK-MIN	1 1	CONSTRUCTION FUNDING	\$10,008,000.00	2020	Carrier III	1903	2056	2
MINING, SAN AUGUSTINE	1	SAUG-MIN-INFRASTRUCTURE	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	3011	1903	2056	3
MINING, SAN AUGUSTINE MINING, SAN AUGUSTINE	T T	SAUG-MIN-INFRASTRUCTURE	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$5,484,000.00	2020		2773	2055	1
MINING, SAN AUGUSTINE MINING, SAN AUGUSTINE	1 T	SAUG-MIN-INFRASTRUCTURE	1	CONSTRUCTION FUNDING	\$15,580,000.00	2020		2773	2055	2
MINING, SMITH		SMTH-MIN INFRASTRUCTURE	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2773	2055	3
MINING, SMITH	T	SMTH-MIN INFRASTRUCTURE	1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$465,450.00	2020		1926 1926	590	1
MINING, SMITH	1 1	SMTH-MIN INFRASTRUCTURE	1	CONSTRUCTION FUNDING	\$2,637,550.00	2020			590 590	3
MINING, TRINITY	I	WUG INFRASTRUCTURE EXPANSION (GROUNDWATER) - MINING, TRINITY COUNTY (T)	1 1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		1926		1
MINING, TRINITY	i	WUG INFRASTRUCTURE EXPANSION (GROUNDWATER) - MINING, TRINITY COUNTY (T)	H	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$162,145.00	2020	- Charles	1926	590	
MINING, TRINITY	I	WUG INFRASTRUCTURE EXPANSION (GROUNDWATER) - MINING, TRINITY COUNTY (T)	H	CONSTRUCTION FUNDING PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	\$918,821.00	2020 2020	10.00	1926 1926	590 590	3
NACOGDOCHES	Ţ	NACP-COL	T T		0.00 \$4,684,500.00	2020	-	97	2101	1
NACOGDOCHES	I	NACP-COL	1 1	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING		2030	200	97	2101	2
NACOGDOCHES	İ	NACP-COL	1 1	CONSTRUCTION FUNDING PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	\$31,144,500.00 0.00	2030		97	2101	3
OVERTON	I	OVER ENHANCED WATER LOSS CONTROL PROGRAM	T	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$243,000.00	2040		2035	2043	1
OVERTON	Ī	OVER ENHANCED WATER LOSS CONTROL PROGRAM	T	CONSTRUCTION FUNDING	\$1,862,000.00	2040		2035	2043	2
OVERTON	I	OVER ENHANCED WATER LOSS CONTROL PROGRAM	1 1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2040		2035	2043	3
PORT ARTHUR	I	PORT ENHANCED WATER LOSS CONTROL PROGRAM	T	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$5,778,000.00	2020		111	2044	1
PORT ARTHUR	I	PORT ENHANCED WATER LOSS CONTROL PROGRAM	Ī	CONSTRUCTION FUNDING	\$44,297,000.00	2020		111	2044	2
PORT ARTHUR	I	PORT ENHANCED WATER LOSS CONTROL PROGRAM	Ī	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	D3	111	2044	3
SABINE RIVER AUTHORITY	I	SRA-INF - PUMPSTATION FOR SRA	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$10,924,901.00	2020	100	115	2193	1
SABINE RIVER AUTHORITY	I	SRA-INF - PUMPSTATION FOR SRA	I	CONSTRUCTION FUNDING	\$61,907,774.00	2020		115	2193	2
SABINE RIVER AUTHORITY	I	SRA-INF - PUMPSTATION FOR SRA	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		115	2193	3
STEAM ELECTRIC POWER, ANDERSON	I	AND-SEP1 - PIPELINE FROM LAKE PALESTINE - CONTRACT WITH CITY OF PALESTINE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$7,467,500.00	2020		2250	2121	1
STEAM ELECTRIC POWER, ANDERSON	I	AND-SEP1 - PIPELINE FROM LAKE PALESTINE - CONTRACT WITH CITY OF PALESTINE	I	CONSTRUCTION FUNDING	\$37,108,500.00	2020		2250	2121	2
STEAM ELECTRIC POWER, ANDERSON	I	AND-SEP1 - PIPELINE FROM LAKE PALESTINE - CONTRACT WITH CITY OF PALESTINE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2250	2121	3
STEAM ELECTRIC POWER, CHEROKEE	I	CHER-SEP INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$2,510,250.00	2020		2259	2139	1
STEAM ELECTRIC POWER, CHEROKEE	I	CHER-SEP INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$14,224,750.00	2020		2259	2139	2
STEAM ELECTRIC POWER, CHEROKEE	I	CHER-SEP INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2259	2139	3
STEAM ELECTRIC POWER, JEFFERSON	I	JEFF-SEP INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$8,713,000.00	2020		2288	1933	1
STEAM ELECTRIC POWER, JEFFERSON	I	JEFF-SEP INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$45,805,000.00	2020	0.00	2288	1933	2
STEAM ELECTRIC POWER, JEFFERSON	I	JEFF-SEP INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2288	1933	3
STEAM ELECTRIC POWER, NACOGDOCHES	I	NACW-SEP1 - LAKE COLUMBIA INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$4,411,000.00	2020		2306	2085	1
STEAM ELECTRIC POWER, NACOGDOCHES	I	NACW-SEP1 - LAKE COLUMBIA INFRASTRUCTURE	ľ	CONSTRUCTION FUNDING	\$21,394,000.00	2020		2306	2085	2
STEAM ELECTRIC POWER, NACOGDOCHES	I	NACW-SEP1 - LAKE COLUMBIA INFRASTRUCTURE	1	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2306	2085	3
STEAM ELECTRIC POWER, NACOGDOCHES		NACW-SEP2 - NEW WELLS IN CARRIZO WILCOX	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$2,943,000.00	2060		2306	2086	1
STEAM ELECTRIC POWER, NACOGDOCHES		NACW-SEP2 - NEW WELLS IN CARRIZO WILCOX	I	CONSTRUCTION FUNDING	\$13,078,000.00	2060		2306	2086	2
STEAM ELECTRIC POWER, NACOGDOCHES	I	NACW-SEP2 - NEW WELLS IN CARRIZO WILCOX	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2060		2306	2086	3
STEAM ELECTRIC POWER, NEWTON		NEWT-SEP INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$6,744,500.00	2020		2307	1935	1
STEAM ELECTRIC POWER, NEWTON		NEWT-SEP INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$31,425,500.00	2020		2307	1935	2
STEAM ELECTRIC POWER, NEWTON	I	NEWT-SEP INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2307	1935	3
STEAM ELECTRIC POWER, ORANGE	I	ORAN-SEP	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$3,894,000.00	2020		2310	2059	1
STEAM ELECTRIC POWER, ORANGE		ORAN-SEP	I	CONSTRUCTION FUNDING	\$11,953,000.00	2020		2310	2059	2
STEAM ELECTRIC POWER, ORANGE	I	ORAN-SEP	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020		2310	2059	3



Sponsor Entity Name	Sponsor Entity Privacy Region	Project Name	WMS Project Sponsor Region	t IFR Element Name	IFR Element Value	Year Of Need	IFR Entity Project Rwp Data ID ID	WMS Project ID	IFR Project Elements ID
STEAM ELECTRIC POWER, RUSK	I	RUSK-SEP INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$10,474,000.00	2050	2316	1936	1
STEAM ELECTRIC POWER, RUSK	I	RUSK-SEP INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$47,244,000.00	2050	2316	1936	2
STEAM ELECTRIC POWER, RUSK	I	RUSK-SEP INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2050	2316	1936	3
THE CONSOLIDATED WSC	I	WUG INFRASTRUCTURE EXPANSION (GROUNDWATER) - THE CONSOLIDATED WSC	Н	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$162,145.00	2020	2968	589	1
THE CONSOLIDATED WSC	I	WUG INFRASTRUCTURE EXPANSION (GROUNDWATER) - THE CONSOLIDATED WSC	Н	CONSTRUCTION FUNDING	\$918,821.00	2020	2968	589	2
THE CONSOLIDATED WSC	I	WUG INFRASTRUCTURE EXPANSION (GROUNDWATER) - THE CONSOLIDATED WSC	Н	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	2968	589	3
TYLER	I	TYL-PAL - PALESTINE INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$12,721,228.00	2020	135	2123	1
TYLER	I	TYL-PAL - PALESTINE INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$80,328,772.00	2020	135	2123	2
TYLER	I	TYL-PAL - PALESTINE INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	135	2123	3
UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY	I	UNM-ROR-NECHES RUN OF RIVER INFRASTRUCTURE	I	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$99,055,000.00	2020	140	2149	1
UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY	I	UNM-ROR-NECHES RUN OF RIVER INFRASTRUCTURE	I	CONSTRUCTION FUNDING	\$345,030,000.00	2020	140	2149	2
UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY	I	UNM-ROR-NECHES RUN OF RIVER INFRASTRUCTURE	I	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	140	2149	3
WEST HARDIN WSC	I	WATER LOSS REDUCTION, WEST HARDIN WSC	Н	PLANNING, DESIGN, PERMITTING & ACQUISITION FUNDING	\$29,163.00	2020	2434	383	1
WEST HARDIN WSC	I	WATER LOSS REDUCTION, WEST HARDIN WSC	Н	CONSTRUCTION FUNDING	\$165,257.00	2020	2434	383	2
WEST HARDIN WSC	I	WATER LOSS REDUCTION, WEST HARDIN WSC	Н	PERCENT STATE PARTICIPATION IN OWNING EXCESS CAPACITY	0.00	2020	2434	383	3





## Appendix 9-B


## **Infrastructure Financing Report – Contact Information**

A part of the survey presented in Appendix 9-A was obtaining and recording relevant and up-to-date contact information for each Water User Group in the East Texas Regional Water Planning Area. The following appendix contains the contact information obtaining from the survey results.

	Entity	Respondent						Entity
Entity	Planning	Contact	Area					RWP
Name	Region	Name	Code	Phone	Extension	Email	Comment	ID
ALTO RURAL WSC	I	TOMMY DILL	936	858-4648				167
ANGELINA & NECHES RIVER AUTHORITY	I	KELLEY HOLCOMB	936	632-7795		kholcomb@anra.org		3
ANGELINA NACOGDOCHES WCID #1	I	DAVID MASON	903	854-4559		davidmasoon@lakestriker.com		4
ATHENS MUNICIPAL WATER AUTHORITY	I	DAVID M STOVER	903	677-1735		gherriage@athenstexas.us		6
BEAUMONT	I	MOLLY VILLAREAL	409	785-3016				9
BETHEL-ASH WSC	I	DONNIE BARFIELD	903	675-8466				235
BULLARD	I	LARRY MORGAN	903	894-7223		citymanager@bullardtexas.net		288
CENTER	I	MICHAEL BOYD	936	598-5241				25
CHANDLER	I	JON HALL	903	849-6853		jhall@chandlertx.com		313
COUNTY-OTHER, HENDERSON	I	HONORABLE RICHARD SANDERS	903	675-6120				473
COUNTY-OTHER, JEFFERSON	I	HONORABLE JEFF BRANICK	409	727-2191		jbranick@co.jefferson.tx.us		489
COUNTY-OTHER, NACOGDOCHES	I	HONORABLE MIKE PERRY	936	560-7755		cojudge@co.nacogdoches.tx.us		540
COUNTY-OTHER, TRINITY	I	HONORABLE STEVEN PAGE	936	642-1746		tcj@co.trinity.tx.us		594
CRYSTAL SYSTEMS INC	I	ALLEN W FAIR	903	881-8000		awfair@crystalsystemstx.com		637
D&M WSC	I	ROBERT SHUMATE	936	559-9900		dmwater.org@gmail.com		2505
G M WSC	I	JERRY PICKARD	409	787-2755		gmwater@valornet.com		2784
HOUSTON COUNTY WCID #1	I	THOMAS ACKER	936	544-3985		hchd08@windstream.net		75
IRRIGATION, HOUSTON	I	LEAH ADAMS	903	690-0143		ladamspcgcd@att.net		987
IRRIGATION, ORANGE	I	HONORABLE STEPHEN CARLTON	409	882-7070		hwheeler@co.orange.tx.us		1049
IRRIGATION, TRINITY	I	HONORABLE STEVEN PAGE	936	642-1746		tcj@co.trinity.tx.us		1092
JACKSONVILLE	I	DAVID BROCK	903	589-3510		david.brock@jacksonvilletx.org		77
LINDALE	I	CRAIG LINDHOM	903	882-3422		craigl@lindaletx.gov		1213
LIVESTOCK, NACOGDOCHES	I	LEAH ADAMS	903	690-0143		ladamspcgcd@att.net		1394
LIVESTOCK, SHELBY	I	HONORABLE ALLISON HARBISON	936	598-3863				1430
LOWER NECHES VALLEY AUTHORITY	I	SCOTT HALL	409	892-4011		scott.hall@lnva.dst.tx.us		86
LUFKIN	I	KEITH WRIGHT	936	633-0414		kwright@cityoflufkin.com		89
MANUFACTURING, JASPER	I	HONORABLE MARK ALLEN	409	384-2612				1591
MANUFACTURING, JEFFERSON	I	HONORABLE JEFF BRANICK	409	727-2191		jbranick@co.jefferson.tx.us		1592
MANUFACTURING, ORANGE	I	HONORABLE STEPHEN CARLTON	409	882-7070		hwheeler@co.orange.tx.us		1631
MANUFACTURING, SMITH	I	HONORABLE JOEL BAKER	903	590-2600		jbaker@smith-county.com		1653
MINING, ANGELINA	I	HONORABLE WES SUITER	936	634-5413		wsuiter@angelinacounty.net		1728
MINING, NACOGDOCHES	I	HONORABLE MIKE PERRY	936	560-7755		cojudge@co.nacogdoches.tx.us		1879
MINING, RUSK	I	HONORABLE JOEL HALE	903	657-0302		joel.hale@co.rusk.tx.us		1903
MINING, SAN AUGUSTINE	Ī	HONORABLE SAMYE JOHNSON	936	275-2762		countyjudge@co.san-augustine.tx.us		2773
MINING, SMITH	I	HONORABLE JOEL BAKER	903	590-2600		jbaker@smith-county.com		5755
MINING, TRINITY	I	LEAH ADAMS	903	690-0143		ladamspcgcd@att.net		1926
NACOGDOCHES	Ī	RUSSELL GRUBBS	936	564-5046		grubbsr@ci.nacogdoches.tx.us		97
OVERTON	I	CHARLES CUNNINGHAM	903	834-3171		ccunningham@ci.overton.tx.us		2035
PORT ARTHUR	I	JOHN TOMPLAIT	409	983-8552		jtomplait@portarthur.net		111
SABINE RIVER AUTHORITY	İ	JIM BROWN	409	746-2192	100000000000000000000000000000000000000	jbrown@sratx.org		115

## Appendix 9-B Infrastructure Financing Report - Contact Information

Entity Name	Entity Planning Region	Respondent Contact Name	Area Code	Phone	Extension	Email	Comment	Entity RWP ID
STEAM ELECTRIC POWER, ANDERSON	Ι	HONORABLE ROBERT JOHNSTON	903	723-7406		rjohnston@co.anderson.tx.us		2250
STEAM ELECTRIC POWER, CHEROKEE	I	HONORABLE CHRIS DAVIS	903	683-2324		cojudge@cocherokee.org		2259
STEAM ELECTRIC POWER, JEFFERSON	I	HONORABLE JEFF BRANICK	409	727-2191		jbranick@co.jefferson.tx.us		2288
STEAM ELECTRIC POWER, NACOGDOCHES	I	HONORABLE MIKE PERRY	936	560-7755		cojudge@co.nacogdoches.tx.us		2306
STEAM ELECTRIC POWER, NEWTON	I	HONORABLE TRUMAN DOUGHARTY	409	379-5691		truman.dougharty@co.newton.tx.us		2307
STEAM ELECTRIC POWER, ORANGE	I	HONORABLE STEPHEN CARLTON	409	882-7070		hwheeler@co.orange.tx.us		2310
STEAM ELECTRIC POWER, RUSK	I	HONORABLE JOEL HALE	903	657-0302		joel.hale@co.rusk.tx.us	Like Till State	2316
THE CONSOLIDATED WSC	I	JOHNNY BABB	936	544-2986				2968
TYLER	I	GREGORY MORGAN	903	531-1234		gmorgan@tylertexas.com		135
UPPER NECHES RIVER MUNICIPAL WATER	I	MONTY SHANK	903	876-2237	- Service (a)	mdsunra@gmail.com		140
WEST HARDIN WSC	I	THOMAS ANDERSON	936	274-5011		The state of the s		2434



### Appendix 10-A

#### Media and Public Outreach

The ETRWPG utilized various media outlets to keep the public informed of the Regional Water Planning Process in the ETRWPA. Included in this appendix is a public notice for the Grant Application submitted by the ETRWPG to the TWDB for the 4<sup>th</sup> Round of Regional Water Planning. Comments were received on the application during the ETRWPG's regular meeting on June 22, 2011. After submittal of the 2016 Initially Prepared Plan, this appendix will include copies of the following media and public outreach used to collect comments during the review process:

- Newspaper Articles
- Press Releases
- Newsletters

# 564-5%

Office Hours: Monday - Friday 8:00-5:00 • 4920 Colonial Drive • Place an ad or search classifieds at dailysentinel.com anytime!





323 High Meadow St. 1796soft 28R large / 28A, \$139,500 Sedaus buyers anity 936-414-0597

3230 Pead St., 288/2.58A fireplace, carport patio & Cetamic Tile \$66,500 936-569-0868.

48R/38A Newly Re-287,36 Newsy Re-modled Home in Center, Nice Neighborhood, pick carpert & finishing touches, \$215,000 336,400,0246 or 936,598-7792



3227 NORTH www.alamonac.com



Beautiful 3/2, on 2 acres, 1600 sqft, \$153,000, NE Nac. 936-715-9055

CARNEY REAL ESTATE Sheile Carney, Broke 936-569-4097

°10 Acres for \$160,000 20 Acres for \$320,000 NW Loop 224 Visability

\* Woods Edge-4/3/2, All Appliances Individed \$173,500

\* Tudor Dr.-3/2.5/4 2 LivingAreas/Double Sided WRFP, \$198,000 www.cameyrealty.com



"We Open Doore For You" 3505 NORTH ST.

realestates@cpre.com MIS

SINGLE PARENT PROGRAM 564-2622 3 or 5 88 hos county: 936-569-6375



130

Form

Houses

2/1 Newsor back from

\$775 per month. Call Andrew @ \$58-8711

185. Living room, dining room, & kitchen.

\$300 mo + \$300 deposit. 936,564,5031

221 N Sanders 3/2, W/D,

80 HUD, no pets 936-554-8319

2BR/2BA 3020 Liles

CHA, Nice, big yard, no HUD 5725/mo + \$586 dep + 1 yr lesse 936-560-2497

SWEETER WHITE OF SH

3/2 New Nome \$426E.

or SFA, All appliance 225 new month. Call



Wellington Point Subdivision off CR 215 immedulate 4BR/2.5BA immanulate 4BR-ZSBA wignerite count tops acoust firs. Multi-level wood deck, Baactifully landscaped on 1 acr. let 926-679-9915



2) 1.767 ac. tracts of lan on W side of Nac. Street frontage, great location country setting close to town, Priced to selfi Cal today(936-254-9727 or 936-332-4824

Garage, No HUD, Perced Yard, a 3635 Did Syle: Rd 51,100mo+5900dep 936-534-8489 40 Acres of land for sale on 343 in Ulbert. Two feesh water springs and a half mitheral rights. For a month, 936-326-4769

Barham Properties 3 acres Carrizo Creek

prefer non-develope

tracs, & access to water a

plus. Local buyer & all

cash sells, 936-580-3533

or send deeds/maps to

PO Box 630911, Nac.

75963

2001 Palm Harbor 25 x 46

doublewide for sale. To

Motelin Hermes for sale wit corner financing, Ector down payment. Afford-able monthly payments. 3 & 2 BP's avoid. Cell novel

585-4183. Ask abou

e rooved, \$29,900. 936-563-2675.

850

388/28A CHA, appl. \$24,000 935-559-7304 \$850 mo. ref req. 936-554-6715 or 936-954-5269 Wanted: Land from 10 to 100+ acres, in Nac & Angelina counties,

4021 Fast State 2 or 3 St 1/8A Covered Garage, WO, Nice Yard 5750/mo &

#### BARHAM PROPERTIES REAL ESTATE

936-559-7304

• 205 W. California Nea SFA 3/2 Newley remodeled \$1,200/mc Available May 1st

• 717 Townsend 350 2ba \$200,00/mg

 CR 8231 3/2 Mobile Home \$650/ma.

9 226 Madler #8 2/1.5 \$650/00

• 460 CR 2031 3/2/2/on 1 acre \$900.00/mo.

## 

Shi, Log Cabin, All elec-bic Vi/D, Stove, Refing, DW, 15 min from Cacul Jectic Plant, Nat Area, No smoking, No pets, No HLD, \$400 deposit + \$400/mo, 936-569-9731

Small 2BR on FM 1275 No smoking & no pets. CHA 5506/mo. + deposit. 936-652-7886



Warse to rent 10-40 Acre withouse and some pasture, \$80-876-3505



2/1.5 Condo W/D, Exc Cond. 9550, Ref Req. 936-569-7276

3230 Pearl St., 2BR/2,58A fireplace, ceramic Bie, full size W/C, water paid, cerport, patio, \$725 mo. + \$725 dep. 936-569-0868. ort. patio. 3725 mg. 4

Nice 28# in University Park, Appl, WRFP. \$650/dep/lesse \$64-9609

NICE 288/28A Appli, FP 5685-5750 mo. No HUD 903-690-9271





2POOLS FITNESS CTR. PETS WELCOME NO ELEC. DEP. INIVERSITY CLUB 936-569-9413 \*\*\*

1-2-3 Bedroom Great Value Call Now 936-569-9414

1222 Raguet St. Lg. 189 Apartments, Hardwood Floors & walking distance to SFA, CHA & Applia, 642,456,4474

#### Apr

IBB/18A 600sgk two story loft Duplex Aga New Construction, Dome Shaped Arch, Secuaded Street in town Energy Efficient, W/D Hook Ups, No Pass \$575A50, \$576/Deposit 1 Year Leage. 1 Year Lease. 333 Mackethney Stres 936-332-4197

2 6% - Patio Style Ground Level Units (2000000 Village STO9 Northway Dr. Call 936-373-3349

28R/IBA Four-Plex () 120 W California, CHA, Appl, carpet & Ble, 3475mo + utilities + \$375dep 936-369-0269



Counc Score tells ( 2 SR/2B Sor Only \$550/Wes Ask About Our Spring Special

Active Dans Apartmant 12 934-564-5020 &

Banita Creek Properties \*Banita Creek Apartments Walk to campus 1, 2, Bedroom Penderosa Pines Town Homes 28R/2.5 BA Wate/ Covered parking University DR 936-550-4768

CAMBRIDGE COURT Affordable, Squeaky Jean apts, Off North Isop Gose to Wal-Mart, Medical

Capri Apartments 1 Bedroom "Newly remodeled 936-564-8266

COUNTRY GARDEN APTS -No Pets. Hwy. 59 (Appleby) 1 8, 2 86 apts, \$350 \$450 plus elec. Call 613-1688

> 2BR ¢ = 10



Nacogdoches Senior Village Apartments Vacancies, Taking Applic 936-462-8 WHISPER OAKS

Spacious Apartims I & 2BR Apts Full-size V&D

4721 University Dr. 936-560-2080 local l 218 Reurals

2BD/2BA in Southside location, Sterage Bidg, CHA, Water Pd. No Pers, References Rec, \$300mo+dep, 936-564-2212 after 4pm



Lake Nacogdoches RV Park Bectsc Water, Septic, Wireless Wiff \$350,60/month Include Dry Storage Area - Call Phil at 936-645-8695 or Chris at 986-971-1949

Secluded space on large tract in Countains. \$360/mo, Ref. Required 936-556-2862

Spring Special
We will pay your mobile
home moving cost to
move into our park!
Call 936-583-4183

#### **223** Vication

Lake Nacondoches Vacation Bental 400+ ft. of su 300 sq ft home 3300 sq ft home 3 + Acres Week or Veekend Rentals Call (936) 569-4310

PROPERTY

3200 soft warehouse w/ office, water & alarm is pd, near downtown area, \$1000 mg, 956-564-0308 Openia Se 240

1100 sq.ft. approx. Prefessional Office Space great scafion, ample parleng. Available now.

Sect below mo 560-2222 ext. 1110 1800 So Ft Office Space 1407 North Unive Drive 936-564-230

Offices for Leas Utilites included Conference room vallable 3350 per offic (all (936) 569-4310.

#### OFFICE BLDGS FORLEASE

1000 sq. ft. 212 South Street

1500 sq. ft. 111 W. Piler Street

Smart-wired, Next to county courthouse



10:10 Storage units for reat in Douglass area. \$35 mo. 936-564-9076 nt in De

Action Storage, Cardinal St., near SFA Jeorum Realty, 564-81-60



#### ESS. 270

NOTICE OF FUELK. FEGICNAL WATER FLAMBING

Notice is hereby given that the East Countrelepted Autor Manning Group region is a seeking appart from the pebblic of the super of plan virgiant, ites table considered during the Fourth Cycle of Regional Water Planning.

Organ will be secented at a Pythic Meeting, which will be conducted in conjunc-tion with the engiological regular Region (Manning, Group Weeting to be ladd; at the Nacioglot dies Recreation Center, 1712. North Street, Max eight obes, 12, 1596 for hisse 22, 2011 at 16,000 and, winter and seal, consensit, sent for exceed five (Silvanishes per speaker separating the

speaker regarding the control outrop the footh Cycle of Regional Auto-Paraming will be accepted at the meeting will be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be an epited through turned to be a second to be a s 22,231, and may be

thunt or passes our or maked to the address below Res H. Hunt P.E.

Atan Planerus Associates, 815 6300 LaCalina Soite 400 Austin Texas 78752

The East Texas Regional Water Planning Group Region I in Judie all or part of the following our tex Anderson Angelina Checked Hantin, Herola Jun, Househol, Japan Jef fester, Nacogdoche, New York Standards and Control of the the Control of the Control of the Control of the Control of the Contro tor Change Panels Polk Rusk Sabine San

Acquistine Sheety, Smith, Innitio and Februarines For additional information please contact Life fuller. Regions Administrative Central County of Nacegdaches 9.0. 80×635020 hatting forther. IR. 7940, 3030 936-559-2504 are mail to be seen a large contact to the contact of the conta

Thi-County Community Action in Center, Texas is sesting a Pincal Consultant who can provide to 8 comprehensive assess-ment of the agency's Fissance Supartment in preparation for an annual

Soudil
Please contact Lenola
Wyoth Full, CED at
W96-598-6615 ext. 12 or
sensiaturit skip-oplotationet or
wisit our westerite at
www.trocumpconsumentyactions.
Proposals must be
received by Pric.Comp.
Commissioney, Action no laster
than Endew and 12 1910. audit

than Friday, April 15, 2011. by 430 p.m

NOTICE TO PUBLIC REGIONAL WATER PLANNING

Notice is hereby gives that the City of Nacogdo-ches will submit by April 8, 2011 a grant applica-tion for financial assis-tance to the Texas Water Development Poard

iance to the Tesas Water Development Board (TVDB) on behalf of Region L to carry suit planning activities to levelop the 2016 Region (Regional Water Rian as Regional Water Rian as part of the state's Fourth Cycle (2012 - 2016) of egional Water Planning, this annoquated that th application will be considered by the Texas Water Development Board at its June 22, 2011

The East Texas Region



Water Planning Group (Region It includes all or part of the following counties: Anderson Angeline, Cherokee, Har din, Nenderson, Nouston, Jasper, Jefferson, Nacog-doches, Newton, Orange, Panola, Polk, Busk

Sabine, San Augustine, Shelby, Smith, Trinity and Tyler counties. Copies of the grant appli cation may be obtained from City of Nacogelo-ches safean it becomes available or online at www.etcowaterplan.org Written.comments.from the public regarding the smant application must be submitted to the East Texas Regional Water TWOS prior to TWOS

Broard action on this Broard action on this application (date stated above). Comments may be submitted to any of the following:

Rex Hunt, P.E. Consulting Engineer for Region 1

Alan Flummer Associates, lac.

Inc 6300 La Calima, Suite 400 Austin, TX 78752 Email: rhunt@apaienv.com

Executive Administrator **Texas Water** Development Board P.O. Box 13231 Austin: Texas 28711-3291

Side Stables City Secretary
City of Nacagetoches
P.O. Box 635030
Nacagetoches, TX 75965

Fer additional inform tion, please contact Lita Fuller, Region I Admissis-trative Contact, c/a City of Nacogdoches, P.O. Bos

695036, Nacopdoches, TX 79963-5030 936-559-2504 or email to



Found male black lab, en

Lost Male Miniatu

Schnauzer Last seen 3/17 © CR 823, Reward-No questions asked. 936-643-3486



## NOTICE OF PUBLIC HEARING FOR THE EAST TEXAS REGIONAL WATER PLANNING GROUP 2016 INITIALLY PREPARED REGIONAL WATER PLAN

Notice is hereby given that the East Texas Regional Water Planning Group (ETRWPG) is taking comment on and holding a public hearing for the East Texas Regional Water Planning Area (ETRWPA) 2016 Initially Prepared Plan (IPP). The public hearing for the IPP will include a public comment period and will be held at **5:30 p.m.** as follows:

**Thursday, June 25, 2015** – Nacogdoches County Courthouse Annex, 203 W. Main. **Nacogdoches, TX** 

The ETRWPG was established under provisions of Texas Senate Bill 1 (7th Texas Legislature) to develop a regional water plan for the ETRWPA which includes the following counties: Angelina, Anderson, Cherokee, Hardin, Henderson, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Panola, Polk, Rusk, Sabine, San Augustine, Shelby, Smith, Trinity, and Tyler.

#### Copies of the IPP are available for review at the following County Clerk offices:

Angelina County, 215 E. Lufkin Avenue, 1st Floor, Lufkin, TX 75901

Anderson County, 500 N. Church Street # 10, Palestine, TX 75801

Cherokee County Clerk, 135 S. Main Street, Rusk, TX 75785

Hardin County, 300 W. Monroe, Kountze, TX 77625

Henderson County, 125 N. Prairieville Street, # 101, Athens, TX 75751

Houston County, 401 E. Houston, 1st Floor Crockett, TX 75835

Jasper County, 121 N. Austin, # 202, Jasper, TX 75951

Jefferson County, 1001 Pearl Street, # 203, Beaumont, TX 77701

Nacogdoches County, 101 W. Main Street, Ste # 110, Nacogdoches, TX 75961

Newton County, 115 Court Street, Newton, TX 75966

Orange County, 801 W. Division Street, Orange, TX 77630

Panola County, 110 S. Sycamore Street #201, Carthage, TX 75633

Polk County, 101 W. Church Street, #100, Livingston, TX 77351

Rusk County, 115 N. Main Street, #206, Henderson, TX 75652

Sabine County, 280 W. Main Street, Hemphill, TX 75948

San Augustine County, 223 N. Harrison, San Augustine, TX 75972

Shelby County, 124 Austin Street, Center, TX 75935

Smith County, 200 E. Ferguson, Suite 300, Tyler, TX 75702

Trinity County, 223 W. First Street, Groveton, TX 75845

Tyler County, 116 S. Charlton, Woodville, TX 75979

#### Copies of the IPP are also available for review at the following public libraries:

Kurth Memorial Library, 706 S. Raguet, Lufkin, TX 75904

Palestine Public Library, 2000 S. Loop 256, Ste # 42 Palestine TX 75801

Singleton Memorial Library, 207 E. 6th Street, Rusk, TX 75785

Kountze Public Library, 800 Redwood, Kountze, TX 77625

Henderson County Library - Clint W. Murchison Memorial Library, 121 S. Prairieville St, Athens, TX 75751

J.H. Wooters Crockett Public Library, 709 E. Houston, Crockett, TX 75835

Jasper Public Library, 175 E Water Street, Jasper, TX 75951

Beaumont Public Library, 801 Pearl Street, Beaumont, TX 77701

Nacogdoches Public Library, 1112 North Street, Nacogdoches, TX 75961

Newton County Library, 212 High Street, Newton, TX 75966

Orange Public Library, 220 N. 5th St, Orange, TX 77630

Sammy Brown Public Library, 319 S. Market St. Carthage, TX 75633

Livingston Municipal Library, 707 N. Tyler Avenue, Livingston, TX 77351

Rusk County Library, 106 E. Main St. Henderson, TX 75652

J.R. Huffman Public Library, 375 Sabine Street, Hemphill, TX 75948

San Augustine Public Library, 413 E. Columbia, San Augustine, TX 75972

Fannie Brown Booth Memorial Library, 619 Tenaha St, Center, TX 75935

Tyler Public Library, 201 S. College Ave, Tyler, TX 75702

Groveton Public Library, 126 W. First Street, Groveton, TX 75845

Allan Shivers Library, 302 N. Charlton, Woodville, TX 75979

Copies of the IPP are available for review at the Texas Water Development Website at <a href="http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp">http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp</a>; on the East Texas Regional Water Planning Group website at <a href="http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp">www.etexwaterplan.org</a>, and at the City of Nacogdoches, Office of the City Secretary, 202 E. Pilar Street, Room 315, Nacogdoches, TX 75961. Written and oral comments will be accepted at the public hearing. The ETRWPG will also accept written comments from the date of this notice through August 24, 2015 and may be emailed or mailed to the address below:

#### **QUESTIONS AND COMMENTS MAY BE SUBMITTED TO:**

Rex H. Hunt, P.E. • Alan Plummer Associates, Inc. • 6300 La Calma, Suite 400 • Austin, Texas 78752 Phone: 512.452.5905 or rhunt@apaienv.com

Lita Gonzalez
General Counsel
Comptroller of Public Accounts
Filed: February 25, 2015

**.** • •

#### Office of the Consumer Credit Commissioner

Notice of Rate Ceilings

The Consumer Credit Commissioner of Texas has ascertained the following rate ceilings by use of the formulas and methods described in §\$303.003, 303.005, 303.008, 303.009, 304.003, and 346.101, Texas Finance Code.

The weekly ceiling as prescribed by \$303.003 and \$303.009 for the period of 03/02/15 - 03/08/15 is 18% for Consumer<sup>1</sup>/Agricultural/Commercial<sup>2</sup> credit through \$250,000.

The weekly ceiling as prescribed by \$303.003 and \$303.009 for the period of 03/02/15 - 03/08/15 is 18% for Commercial over \$250,000.

The monthly ceiling as prescribed by §303.005 and §303.009³ for the period of 02/01/15 - 02/28/15 is 18% for Consumer/Agricultural/Commercial credit through \$250,000.

The monthly ceiling as prescribed by  $\S 303.005$  and  $\S 303.009$  for the period of 02/01/15 - 02/28/15 is 18% for Commercial over \$ 250,000.

The standard quarterly rate as prescribed by §303.008 and §303.009 for the period of 04/01/15 - 06/30/15 is 18% for Consumer/Agricultural/Commercial credit through \$250,000.

The standard quarterly rate as prescribed by  $\S303.008$  and  $\S303.009$  for the period of 04/01/15 - 06/30/15 is 18% for Commercial over \$250.000.

The retail credit card quarterly rate as prescribed by §303.009¹ for the period of 04/01/15 - 06/30/15 is 18% for Consumer/Agricultural/Commercial credit through \$250,000.

The lender credit card quarterly rate as prescribed by §346.101, Texas Finance Code<sup>1</sup> for the period of 04/01/15 - 06/30/15 is 18% for Consumer/Agricultural/Commercial credit through \$250,000.

The standard annual rate as prescribed by §303.008 and §303.009 for the period of 04/01/15 - 06/30/15 is 18% for Consumer/Agricultural/Commercial credit through \$250,000.

The standard annual rate as prescribed by \$303.008 and \$303.009 for the period of 04/01/15 - 06/30/15 is 18% for Commercial over \$250.000.

The retail credit card annual rate as prescribed by §303.009¹ for the period of 04/01/15 - 06/30/15 is 18% for Consumer/Agricultural/Commercial credit through \$250,000.

The judgment ceiling as prescribed by §304.003 for the period of 03/01/15 - 03/31/15 is 5.00% for Consumer/Agricultural/Commercial credit through \$250,000.

The judgment ceiling as prescribed \$304.003 for the period of 03/01/15 - 03/31/15 is 5.00% for Commercial over \$250,000.

- <sup>1</sup> Credit for personal, family or household use.
- <sup>2</sup> Credit for business, commercial, investment or other similar purpose.
- <sup>3</sup> For variable rate commercial transactions only.
- <sup>4</sup> Only for open-end credit as defined in §301.002(14), Texas Finance Code.

TRD-201500633

Leslie L. Pettijohn Commissioner

Office of Consumer Credit Commissioner

Filed: February 24, 2015

## East Texas Regional Water Planning Group (Region I)

City of Nacogdoches Notice of Application 5th Cycle Regional Water Planning

Notice is hereby given that the City of Nacogdoches will submit by 12:00 p.m. March 3, 2015, a grant application for financial assistance to the Texas Water Development Board (TWDB) on behalf of Region I, to carry out planning activities to develop the 2021 (Region I) East Texas Regional Water Plan as part of the state's Fifth Cycle (2017-2021) of Regional Water Planning.

The East Texas Regional Water Planning Group (Region I) includes the following counties: Anderson, Angelina, Cherokee, Hardin, Henderson, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Panola, Polk, Rusk, Sabine, San Augustine, Shelby, Smith, Trinity and Tyler counties.

Notice is hereby given that written comments from the public regarding the grant application must be submitted to City of Nacogdoches and TWDB by no later than April 6, 2015. Copies of the grant application may be obtained from City of Nacogdoches or online at <a href="https://www.etexwaterplan.org">www.etexwaterplan.org</a>. Comments can be submitted to the City of Nacogdoches and the TWDB as follows:

#### Lila Fuller, Administrative Agent for Region I

City of Nacogdoches

202 E. Pilar, RM 315

Nacogdoches TX 75961

#### Kevin Patteson, Executive Administrator

Texas Water Development Board

P.O. Box 13231

Austin TX 78711-3231

For additional information, please contact Region I c/o Lila Fuller, City of Nacogdoches, 202 E Pilar, RM 315, Nacogdoches TX 75961, (936) 559-2504, lfuller@ci.nacogdoches.tx.us, or David Carter, Texas Water Development Board, P.O. Box 13231, Austin, Texas 78711, (512) 463-7847.

TRD-201500562

Lila Fuller

Administrative Agent

East Texas Regional Water Planning Group (Region I)

Filed: February 20, 2015

#### **Texas Commission on Environmental Quality**

Agreed Orders

The Texas Commission on Environmental Quality (TCEQ, agency or commission) staff is providing an opportunity for written public comment on the listed Agreed Orders (AOs) in accordance with Texas Water Code (TWC), §7.075. TWC, §7.075 requires that before the commission may approve the AOs, the commission shall allow the public an opportunity to submit written comments on the proposed AOs.

#### PLANNING GROUP 2016 INITIALLY PREPARED REGIONAL WATER PLAN

Notice is hereby given that the East Texas Regional Water Planning Group (ETRWPG) is taking comment on and holding a public hearing for the East Texas Regional Water Planning Area (ETRWPA) 2016 Initially Prepared Plan (IPP). The public hearing for the IPP will include a public comment period and will be held at 5:30 p.m. as follows:

#### Thursday, June 25, 2015 - Nacogdoches County Courthouse Annex, 203 W. Main, Nacogdoches, TX

The ETRWPG was established under provisions of Texas Senate Bill 1 (7th Texas Legislature) to develop a regional water plan for the ETRWPA which includes the following counties: Angelina, Anderson, Cherokee, Hardin, Henderson, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Panola, Polk, Rusk, Sabine, San Augustine, Shelby, Smith, Trinity, and Tyler.

Copies of the IPP are available for review at the following County Clerk offices: Angelina County, 215 E. Lufkin Avenue, 1st Floor, Lufkin, TX 75901 Anderson County, 500 N. Church Street # 10, Palestine, TX 75801

Cherokee County Clerk, 135 S. Main Street, Rusk, TX 75785

Hardin County, 300 W. Monroe, Kountze, TX 77625

Henderson County, 125 N. Prairieville Street, # 101, Athens, TX 75751 Houston County, 401 E. Houston, 1st Floor Crockett, TX 75835 Jasper County, 121 N. Austin, # 202, Jasper, TX 75951

Jefferson County, 1001 Pearl Street, # 203, Beaumont, TX 77701

Nacogdoches County, 101 W. Main Street, Ste # 110, Nacogdoches, TX 75961

Newton County, 115 Court Street, Newton, TX 75966

Orange County, 801 W. Division Street, Orange, TX 77630
Panola County, 110 S. Sycamore Street #201, Carthage, TX 75633
Polk County, 101 W. Church Street, #100, Livingston, TX 77351
Rusk County, 115 N. Main Street, #206, Henderson, TX 75652

Sabine County, 280 W. Main Street, Hemphill, TX 75948

San Augustine County, 223 N. Harrison, San Augustine, TX 75972

Shelby County, 124 Austin Street, Center, TX 75935

Smith County, 200 E. Ferguson, Suite 300, Tyler, TX 75702

Trinity County, 223 W. First Street, Groveton, TX 75845

Tyler County, 116 S. Charlton, Woodville, TX 75979

#### Copies of the IPP are also available for review at the following public libraries:

Kurth Memorial Library, 706 S. Raguet, Lufkin, TX 75904

Palestine Public Library, 2000 S. Loop 256, Ste # 42 Palestine TX 75801

Singleton Memorial Library, 207 E. 6th Street, Rusk, TX 75785 Kountze Public Library, 800 Redwood, Kountze, TX 77625

Henderson County Library - Clint W. Murchison Memorial Library, 121 S. Prairieville St, Athens, TX 75751

J.H. Wooters Crockett Public Library, 709 E. Houston, Crockett, TX 75835 Jasper Public Library, 175 E Water Street, Jasper, TX 75951 Beaumont Public Library, 801 Pearl Street, Beaumont, TX 77701 Nacogodoches Public Library, 1112 North Street, Nacogodoches, TX 75961

Newton County Library, 212 High Street, Newton, TX 75966 Orange Public Library, 220 N. 5th St, Orange, TX 77630

Sammy Brown Public Library, 319 S. Market St, Carthage, TX 75633 Livingston Municipal Library, 707 N. Tyler Avenue, Livingston, TX 77351 Rusk County Library, 106 E. Main St, Henderson, TX 75652 J.R. Huffman Public Library, 375 Sabine Street, Hemphill, TX 75948

San Augustine Public Library, 413 E. Columbia, San Augustine, TX 75972 Fannie Brown Booth Memorial Library, 619 Tenaha St, Center, TX 75935

Tyler Public Library, 201 S. College Ave, Tyler, TX 75702

Groveton Public Library, 126 W. First Street, Groveton, TX 75845

Allan Shivers Library, 302 N. Charlton, Woodville, TX 75979

Copies of the IPP are available for review at the Texas Water Development Website at http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp; on the East Texas Regional Water Planning Group website at www.etexwaterplan.org, and at the City of Nacogdoches, Office of the City Secretary, 202 E. Pilar Street, Room 315, Nacogdoches, TX 75961. Written and oral comments will be accepted at the public hearing. The ETRWPG will also accept written comments from the date of this notice through August 24, 2015 and may be emailed or mailed to the address below:

#### QUESTIONS AND COMMENTS MAY BE SUBMITTED TO:

Rex H. Hunt, P.E. Alan Plummer Associates, Inc. 6300 La Calma, Suite 400 Austin, Texas 78752

Phone: 512.452.5905 or rhunt@apaienv.com

## \*The Paily Sentinel Classified

Call to Place Your AD Monday - Friday 8am - 5pm

936-564-SALE

logon to dailysentinel.com Fax 936-560-4267 Email classifieds@dailysentinel.com

Tuesday - Friday .......2:30 p.m. Day Prior Saturday... ...12:00 p.m. Friday

**Deadlines** 

Monday .. ...3:30 p.m. Friday roll 936-558-3217 for details on display and legal adve









Apply at 410 North St.

Experienced
Delivery Driver/
Warehouse Worke
wanted. Must have
current, valid drivers
license with clean
license with clean
record. Employee must
regularly lift and/or
peunds. Good
customer service and
teamwork skills are
must. Benefits and
competitive compenso
tion. Apply at
Dixon Furniture
Dixon Furniture
OI E. Laurel Avenue
Luffin, TX.

Pit Stop Oil & Lube is hiring for PT CASHIEI Apply at 1213 North University Drive

STUATIONS WANTED

ELDERLY CAIR
PROVIDERS

CAREGIVER POSITION
WANTED. Excellent Ref's
Night preferred.
936-634-6424

House Cleaning 936-564-7907 Cell 214-707-9378

I do Raking, Yard clean up Tree trimming & Hauling

FINANCIAL

BUSINESS Opportunit

WARNINGII
INVESTIGATE
BEFORE YOU
INVESTII
The Daily Sentinel de
everything possible
seep these columns fi
of misleading,
unscrupulous or
fraudulent advertisin
We encourage our

PUBLICATION GUIDELINES: Please check your ad on the first day of publication. Notify of that portion occupied by the error on the first insertion only. The advertiser, and not the classifications remain errorayment. right to adjust in full un error by publishing a corrected ins roperly classify an ad, and must approve all copy. All advert





\*5 Unit 2BR 1BA Apt. 1702 E. Main. \$30K. \*418 Hasley Barn w/lot \$16,500 936-564-9808 \*DUPLEX FOR SALE\*
1105 Lock St.
Spacious 2BR 1BA & 1BF
1BA. Residential Setting
on Lg. Lot. HW Floors.
Excellent Cash Flow!

Must See to Appreciate \$68,500. 936-554-5569



FSBO: NE Nac. 4BR 2BA, 2car gar. WBFP,1900sq.ft \$145K. 3520 Pebble Creek 936-564-6951 615-7250 \*\*\*\*
SHEILA CARNEY SHEILA CARNEY REAL ESTATE BROKE Best of Nacogdoches Awards-2004 & 2006 An MLS Top Produce 569-0193 Visit our WEB PAGE www.carneyrealty.com

3901 Old Lufkin Rd 3BR 1BA Frame home W/sun room. On 2ac. Recently Renovated. 1300sq ft. \$77,200 936-560-3871



III II ... 615 E Parker Rd.3BR 2BA 2 car garage on quie 3/4 acre lot. Open floor plan. 936-371-3589



936-564-3800 ogdochesrealty.com

CHISD 4/2 on 2acs. 1mi from school. Above ground pool. Comes w/ Large upgraded portable building. A MUST SEE for families \$150K. 936-645-4181

FSBO 3BR 2BA w/17 acres in Chireno ISD. Workshop carport& storage \$145K 936-288-0295



2BR'S STARTING A \$599 PER MONTH

FREE Cable & HBO FREE Internet Service

1BR, 2BR, 3BR & Townhomes

Completely Remod Units\*

Pets Ok.

NOW LEASING

1 Bedrooms starting

pool on site

936-564-4120



\*\*\*\*

MIKE LIEBRUN

Subdivision in CHISD 936-564-8180 TO BE MOVED: 3BR 2BA home inMartinsville Area \$3,500 Call 936-552-4043 Between 5pm & 8pm





JBR 1BA New 600sqft 2story loft Wood Floors Secluded/Energy Eff. W/D conn. No Pets 333 Mackechney 5525Mo 5525Dep 936-552-1197

1BR 1BA. 217 South Church. Caddo Reserve. \$375MO. 1st monthrent & deposit in advance. 936-559-7304

2BR 1BA, Porches, arport, 259N 6 miles or \$695/mo, \$600 dep. Applia. 936-569-6347 2BR 1BA. Stove & Fridge W&D incl. Walk to SFA. NO Pets. 214 Blount St. 936-564-5508

2BR 1BA. W&O. \$525mo Dep. Yard care paid. 936-645-5434

3 bedroom unfurnished home in Appleby area References, 936-569-7618 Available 3/8/15 3/2 with carport & Shop. Newly Remodeled. CH/A. On Dead end street 307 Pitman, NO HJD 5950mo 936-556-0546 569-7328 3/2/2. 3812 Appleby Sand Very Clean \$1,250mo No HUD. 512-413-2067

Anna Raguet Apts.
901 Raguet
(2 blocks South of SFA)
\*\*\*\*\*\*
Large 1BR's
Pool & Washeteria 3BR 1BA 525 E Hospital, CHA, Appl., W/D hookups, \$900mo+D.936-553-1858 3BR 1BA CHA. By Central Heights School, \$800mo. + Dep. 936-569-0377

Unfurnished Apartments 180

FREE Elect

3BR 2BA Home on Lake Nac. \$1,600mo, No pets 936-564-2411

\*\*\*\*\*\*

Barham Properties: Apartments/ Homes for Rent from \$450-\$1,200 Call for more information View Rentals Barhamproperties.com (936)559-7304

II.\$835mo +\$835dep 936-564-6973

Country Living in town. 1BR Duplex, 3118 Liles \$550mo 936-560-2497 Secluded 3BR 2BA on 7ac w/gated entrance. Hard-wood floors. CHA. Live in the country in town. Ref's No HUD. \$1,295mo Avail. Feb. 1st 936-564-8630



936-554-4234 2BR 1.5BA 2-Story Condo In great family neighbor hood at Woodland Hills Golf Course. \$600mo, \$600dep. No HUD, 936-552-1101

Banita Creek Mgt.
Ponderosa Pines
Town Homes
2BR 2.5BA
Covered parking
In the Tangelwood
Residential area off
University DR
5750mo with Iyr. lease
936-560-4768

Northview Condos

18: 18A

18: 18A

Startispe \$559mo

28: 28A Remodeled
Flats Starting \$659mo

28: 28A Townhouse
Starting \$6569mo
Includes: Water/Traits
W/D Hookups
On North \$1 Between
57A & Wal-Mart
515 application fee
CALL NOWII
936-250-2667

LEGAL NOTICES

WHISPER OAKS Spacious Apartments 1 & 2BR Apts Starting at \$575 & \$675 Full-size W/D



2BR 1BA, Off 343 \$500mo+\$300dep. No pets. 936-569-9339 3BR 2BA at Village RV Park 11945 N Hwy 59. All electric. Water pd. \$800 mo+\$400dep. Great for SFA Students! Hud Ok 936-564-5338 564-6099

3BR 2BA In Douglass Call White Fence Ind. 936-564-9076.

3BR/2BA W/D . \$500mo, \$500dep. 915 Ridgewood 936-552-4264

New MH Park in CHISD 5 very nice MH's on 25 acs. New covered decks acs. New covered decks, Lg. yards. All tenants will be screened 3/2 & 2/2 avail. \$650mo +\$500dep. 936-585-3431

Nice 3BR 2BA
Dolivide Home in
Small Community in
Timpson. \$550mo.
\$550dep No SMOKING
Tile Floors, Stove, Frig,
DW, Microwave, City
Utilities. Contact: Ms.
Joey 281-827-2009

1302 North Street. For-merly Fish Place. Retail or Resturaunt. Avail. Now 936-552-1101 OFFICE SOA

\*805 SE Stalling. Loop frontage \$700mo Busy Location. 936-560-2497

2 office's for lease. 800sq.ft. ea. 4room & 3room. \$0.77 per \$q. ft. 1329 N. University Dr. 936-564-2307

3600 sqft bidg for lease Office or Retail .1336 N Univ. Dr. 936-564-2307

Commercial Office Spaces: Overlook Dtwn Nac, Internet provided, 203 E. Main. Call for appt. 936-462-3679

Dtwn Hist. Office-1400 sq.ft: 104 Pecan Newly remoideled. \$1100mo 936-371-9101

Office Space. 403 E.Hospi-tal St. 1,200+ sq.ft. \$1000MO, \$1000Dep. 936-554-4922 554-6034







DATED the 25th day of February, 2015

W. WADE FLASOWSKI, TBAJZ4055482 FAIRCHILD, PRICE, HALEY & SMITH, LL.P. P. O. Drawer 631668 Nacogdoches, Texas 75963-1668 (393)699-2327 FAX: (936)569-7932

ATTORNEYS FOR APPLI-CANTS

The Nacogdechee County Hospital District das Nacogdoches Memorial Hospital is accepting sealed bids on labor and materials to install Armsales and the sealed bids on labor and materials to install Armsales and the sealed bids of the sealed bids on the sealed bids on the sealed bids of the se







Notice is hereby given that original Letters Testamentary for the Estate of Jenarie J. Alexander, Deceased were issued on February 25, 2015, in Cause No. PB15-12325, pending in the County Court of Nacogdotto, Ocunty, Texas, to: Christina Sur Center, Jonathan Meritt Alexander, J. and Lucy Helen Kuntz. HEALTHCARE DENTAL ASSISTANT Family dental practice seeking full-time chair-side assistant. Applicant should be professional, self-motivated, organized. We focus on warm care and complete treatment for our family of patients. Experience is preferred. Send resume to: familydds@att.net

Representatives, Estate of Jenarie J. Alexander, Deceased

c/o: W. Wade Flasowski Fairchild, Price, Haley & Smith, L.L.P. P.O. Drawer 631668 Nacogdoches, Texas 75963

All persons having claims against this Estate which is currently being administered are required to present them to the undersigned within the time and in the manner prescribed by law.

Maintenance Technician eded for 180+ Un artment Commun in Nacogdoches ust be HVAC Certi enefits include H Benefits include Heal Insurance, 401K & Vacation. Qualified pplicants fax resume 936-569-1883

WOODLAND TRAILS
APARTMENTS
Maintenance man
needed for small property in Nacodogches.
Must be EPA certified.
Please fax resume to
936-560-2112 or call
936-560-3119.
E-mail: mangarwite
migproperty.com

Cheddar's Casual Cafe

now accepting applications. Apply within 3901 South Medford Drive

\*\*\*

Company Drivers Wanted \$3000 Sign-On Bonus Local Fuel Delivery-Home Every Day Great Benefit package. Apply Online WWW.TTEDELIVER.COM



NUTRICO APPLICATION — PUBLIC NOTICE

Notice to hereby given that the City of Nasopticobes will submit by 12,00 p.m. March 9, 2015, a grant approximan for Branchia assistance to the Texas Water Development Board (TWDB) on behalf of Precion 1, to curry out planning admitises to develop the 2005 (Pregion 1) East Texas Regional Water Planning and the state's Fitch Cycle (2017-2021) of Regional Water Planning.

The Start Texas Regional Water Promining Group (Region I) includes the totoming counties: Anderson, Angelina, Charokies, Hardin, Handerson, Haussten, Japper, Jefferson, Nacogeoches, Newton, Orange, Pañala, Polik, Rusik, Sahono, San Augustine, Shiethy, Smith, Thridy and Tyler counties.

Notice is hereby given that written comments from the public regarding the grant application must be submitted to City of Nacoglobones are TWD6 by no later than Application must application may be chilamed from City of Nacoglobohes or entities at some construction on City of Nacoglobohes are entitled at Software Comments can be submitted to the City of Nacoglobohes and the TWD8 as software.

Lis, Pulter, Adecedingtive Agent for Peoples ( City of Nacogriceties 202 E Piter, RM 315 Nacogriceties TX 75861

Rose Pathore, Executive Admin Toxas Water Development Board PO Box 1323t Auster TX 78/11-328t

For middiceal information, please contact Flegion I of Life Fulley, City of Flegoptiches, 202 E Flee. FM 315, Nacogdoches TX, 75957 936-559-2504, fluideligo, nacogdoches Julia, or Lawai Censer, Texas. Water Devolument Boson, FD. Box 15231, Audin, Texas 19711, (522, 483-7847.







SIMPSON



Northeast Hills

at \$430/month Ouiet Location with

Northeasthills.ne



Newconstruction,4Bedroom2.5Bath,2800sqft,.76acro

Tim Brookshire Realtor 675-2719



















FOR SALE BY OWNER
3BR 2BA HOME IN GARRI-SON ISD - Over 2000 s.f. home on over 2.8 acres, spring fed pond, huge metal shop, large bedrooms, open living/dining area, sunroom located off master. Home is located 1 minute from the school and right off of Highway 59. \$182,500 Please call for appoints. 

Beautiful wooded lot in Central Heights. 1.86 acres.936-615-0350 LAKE ACRES ADDITION
3 Contiguous lots with
Lake View! Near boat
ramp. Corner of Cash @
Cartwright San
Augustine Tx \$55K Please call for appoint-ment. 936-569-4751

FSBO: 3BR 2.5BA on 11ac in the Appleby area. Workshop and shed. Call for more information 936-564-8298

MOBILE House 050

SPRICES SPRICES





\*VERY NICE 2BR Fenced yard. No Smokers/HUD \$725mo 936-569-6363 1218 & 1210 Spring Valley Dr. \$950mo to 1050mo. 936-558-350

1918 South Fredonia. 3BR 1BA. W/D, \$650mo, \$650dep 936-554-7766

2BR 1BA brick, Appli. in-cluded, W&D. Lawn care\$520+Dep. 936-569-0777 leave msg.

1BR 1BA Duplex near SFA New Appli. Completely remodeled. W&D hookup Garage. \$450mo +\$350dep 936-569-0269

1BR Duplex. Applia, Good Area. Ref's. Req. \$350mo 936-554-3269

Austin Place Apts 3220 North Street Nacogdoches, Tx 7596 Check out our nev move in specials! 1 8R's starting @ 5600 2 8R's starting @ 5750

3BR 2BA Brick, 2car ga-rage.CHA. Fenced back yard. Good location. Call Burl at 936-560-1448

3BR 2BA Lg. Fenced back yard. \$900mo. NO HUD 936-615-0350 564-8180

4BR 2BA Garrison. \$750mo + \$500dep 936-615-8582 821 Cakview 3BR 2BA Double garage. W&D. \$1200mo. NO HUD 936-569-0742or554-1899

Available Now. Lg 4BR 3BA. CHA & Appli. 936-615-7060

CHISD 3BR1BA. Hwy 25 CH/A. Pasture/Barn

2/1.5 Attractive Condo w W/D, \$565mo. NO HUD Refs. Reg. 936-569-7276 2/2/2 on Post Oak. Call Craig at

3/2/2 on Post Oak Call Craig at 936-554-4234

Nice Townhome in University Park, appli.wbfp. 936-564-9609 569-3576

OakTrace Condo 2BR 2.5BA Houston St. \$750mo + \$750dep 936-371-1883

1 & 2 Bedroom available w/WD, close to SFA 936-564-5180 1/1 Close to SFA. CHA. \$390mo.Heat& Water pd Laundry 936-569-7276

1BR 1BA,NEAR SFA.All bills pd.\$575mo+Dep. No pets, 936-556-2684

2BR 1BA 4plex. Near Sfa 1,050sq.ft. New paint. Appli., W&D Conn. Ga-rage \$500mo+\$375dep 936-\$69-0269

\*\*\*\*\*\*
Banita Creek Mgt.
Banita Creek Mgt.
Banita Creek Startments
IBR IBA 65 525/mo
2 Bt 2BA \$675/Mo
with Tyr lease.
2 blocks from 5FA
327 W. College
936-560-4768

Capri Apartments
4401 North St
Next to Hobby Lobby
Great Location
\*\*\*\*\*\*\*\*
Large 1 Bedroom's
On site Washeteria.
Gas & Water pd.
\*\*\*\*\*\*\*
936-564-8266
936-554-6346

GWOOD VILLAGE APARTMENTS

Efficiency Apt. Close to Town. \$295mo 936-564-1588 Historical Luxury Loft. Dtwn Nac. 2BR 1BA. \$1200mo 936-371-9101

Lease Takeover! Woods of SFA Nacogdoches, Texas. 3BR 3-5BA Duplex. 2 car garage and fenced backyard. Utility room with washer and dryer. 5485 per bedroom each month. Can negotiate. 936-645-0412



Look no further for your place to call Home! Exceptionally Spacious IBR & 2BR Townhomes STONE FORT APT:

936-564-0629 133 Old Line Dr















Page

1 of 4

\*

20

٠.

\*

.

\*

\*

05/19/2015 12:14:39

**Order Number** PO Number

ustomer ntact Address1

Address2 City St Zip Phone

Fax **Credit Card Printed By Entered By** 

Keywords Notes Zones

24264400 S.CORLEY

23752881 CITY OF NACOGDOCHES

Stacy Corley PO BOX 635030

NACOGDOCHES TX 759635030

(936) 559-2567 (936) 559-2915

**Cynthia Torrence** Cynthia Torrence **Ad Number** Ad Key

Salesperson Publication Section **Sub Section** 

Category **Dates Run** Days

Size

Words Ad Rate Ad Price **Amount Pald Amount Due** 

24349000

\*

\*

÷

\*

\*

0630 - Cynthia Torrence Beaumont Enterprise Classifieds Section Classifieds Section 4 Legal Notices 05/22/2015-05/22/2015

1 x 17.95, 162 lines

680 LE 405.21 0.00 \*: 405.21

NOTICE OF PUBLIC HEARING FOR THE EAST **TEXAS REGIONAL WATER PLANNING GROUP 2016** INITIALLY PREPARED REGIONAL WATER PLAN

Notice is hereby given that the East Texas Regional Water Planning Group (ETRWPG) is taking comment on and holdtaking comment on and hold-ing a public hearing for the East Texas Regional Water Planning Area (ETRWPA) 2016 initially Prepared Plan (IPP). The public hearing for the IPP will include a public comment period and will be held at 5:30 p.m. as follows:

Thursday, June 25, 2015 -Nacogdoches County Court-house Annex, 203 W. Main, Nacogdoches, TX

The ETRWPG was established under provisions of Texas Senate Bill 1 (7th Texas Legislature) to develop a regional water plan for the ETRWPA which includes the following counties: Angelina, Anderson, Cherokee, Hardin, Henderson, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Panola, Polk, Rusk, Sabine, San Augustine, Shelby, Smith, Trinity, and Tyler. The ETRWPG was established Tyler.

Copies of the IPP are available for review at the following County Clerk offices: Angelina County, 215 E. Lufkin Avenue, 215 E. Lufkin Avenue,
1st Floor, Lufkin, TX 75901
Anderson County,
500 N. Church Street # 10
Palestine, TX 75801
Cherokee County Clerk, 135 S
Main Street, Rusk, TX 75785
Hardin County, 300 W,
Monroe, Kountze, TX 77625
Henderson County,
125 N. Prairieville Street,
# 101, Athens, TX 75751
Houston County,
401 E. Houston, 1st Floor
Crockett, TX 75836
Jasper County, 121 N. Austin Jasper County, 121 N. Austin

Page :2 of 4 05/19/2015 12:14:39

Order Number 24264400 PO Number S.CORLEY

Customer 23752881 CITY OF NACOGDOCHES

Contact Stacy Corley Address1 PO BOX 635030 Address2

City St Zip NACOGDOCHES TX 759635030

Phone (936) 559-2567 (936) 559-2915 Fax .e **Credit Card** \*

Printed By \* **Entered By** 

Keywords ·\* Notes é. Zones

Cynthia Torrence Cynthia Torrence Ad Number 24349000

Ad Kev

Salesperson 0630 - Cynthia Torrence **Beaumont Enterprise** Publication Section Classifieds Section Sub Section **Classifieds Section** Category 4 Legal Notices 05/22/2015-05/22/2015 Dates Run

Days Size 1 x 17.95, 162 lines

Words 680 Ad Rate LE Ad Price 405.21 Amount Paid 0.00 **Amount Due** 405.21

# 202, Jasper, TX 75951 Jefferson County, 1001 Pearl Street, # 203, Beaumont, TX 77701 Nacogdoches County, 101 W. Main Street, Ste # 110, Nacogdoches, TX 75961 Newton County, 115 Court Street, Newton, TX 75966 Street, Newton, TX 75966
Orange County,
801 W. Division Street,
Orange, TX 77630
Panola County,
110 S. Sycamore Street #201
Carthage, TX 75633
Polk County,
101 W. Church Street, #100
Livingston, TX 77351
Rusk County Livingston, TX 77351
Rusk County,
115 N. Main Street, #206
Henderson, TX 75652
Sabine County, 280 W. Main
Street, Hemphill, TX 75948
San Augustine County
223 N. Harrison,
San Augustine, TX 75972
Shelby County, 124 Austin
Street, Center, TX 75935
Smith County
200 E. Ferguson, Suite 300
Tyler, TX 75702
Trinity County, 223 W. First
Street, Groveton, TX 75845
Tyler County, 116 S. Charlton,
Woodville, TX 75979

Copies of the IPP are also available for review at the following public libraries:
Kurth Memorial Library, 706 S. Raguet, Lufkin, TX 75904
Palestine Public Library
2000 S. Loop 256, Ste # 42
Palestine TX 75801
Singleton Memorial Library
207 E. 6th Street
Rusk, TX 75785
Kountze Public Library, 800
Redwood, Kountze, TX 77625
Henderson County Library
Clint W. Murchison Memorial
Library, 121 S. Prairieville St,
Athens, TX 75751
J.H. Wooters Crockett Public
Library, 709 E. Houston,
Crockett, TX 75835
Jasper Public Library
175 E Water Street
Jasper, TX 75951 Copies of the IPP are also a-Jasper, TX 75951 Beaumont Public Library 801 Pearl Street

Page : 3 of 4 05/19/2015 12:14:39

Order Number : 24264400
PO Number : S.CORLEY
Sustomer : 23752881 CITY OF NACOGDOCHES

Intact : Stacy Corley
Address1 : PO BOX 635030
Address2 :

City St Zip : NACOGDOCHES TX 759635030 Phone : (936) 559-2567 Fax : (936) 559-2915

Credit Card :
Printed By : Cynthia Torrence
Entered By : Cynthia Torrence

Keywords : Notes : Zones :

24349000 Ad Number Ad Key Salesperson 0630 - Cynthia Torrence Publication Beaumont Enterprise Classifieds Section Section Classifieds Section **Sub Section** Category 4 Legal Notices 05/22/2015-05/22/2015 **Dates Run** Days Size 1 x 17.95, 162 lines

Words : 680
Ad Rate : LE
Ad Price : 405.21
Amount Paid : 0.00
Amount Due : 405.21

Beaumont, TX 77701
Nacogdoches Public Library
1112 North Street,
Nacogdoches, TX 75961
Newton County Library, 212
High Street, Newton, TX 75966
Orange Public Library, 220 N.
5th St, Orange, TX 77630
Sammy Brown Public Library,
319 S. Market St, Carthage,
TX 75633
Livingston Municipal Library,
707 N. Tyler Avenue
Livingston, TX 77351
Rusk County Library, 106 E.
Main St, Henderson, TX 75652
J.R. Huffman Public Library
375 Sabine Street,
Hemphill, TX 75948
San Augustine, TX 75972
Fannie Brown Booth Memorial
Library, 619 Tenaha St,
Center, TX 75935
Tyler Public Library, 201 S.
College Ave, Tyler, TX 75702
Groveton Public Library
126 W. First Street
Groveton, TX 75845
Allan Shivers Library, 302 N.
Charlton, Woodville, TX 75979

Copies of the IPP are available for review at the Texas Water Development Website at http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp; on the East Texas Regional Water Planning Group website at www.etexwaterplan.org, and at the City of Nacogdoches, Office of the City Secretary, 202 E. Pilar Street, Room 315, Nacogdoches, TX 75961. Written and oral comments will be accepted at the public hearing. The ETRWPG will also accept written comments from the date of this notice through August 24, 2015 and may be amailed or mailed to the address below:

QUESTIONS AND COM-MENTS MAY BE SUBMITTED TO: Rex H, Hunt, P.E. Alan Plummer Associates, Inc. 6300 La Calma, Suite 400 Austin, Texas 78752 Page 4 of 4 05/19/2015 12:14:39

24264400 **Order Number** PO Number S.CORLEY Customer 23752881 CITY OF NACOGDOCHES

Stacy Corley PO BOX 635030 Contact Address1 Address2

\*\* City St Zip NACOGDOCHES TX 759635030 Phone (936) 559-2567

(936) 559-2915 Fax \* **Credit Card** - (m) - (m)

Printed By Cynthia Torrence \* **Entered By** \*\*\* Cynthia Torrence

Keywords \* Notes \* Zones . \* Ad Number 24349000

Ad Key Salesperson •


0630 - Cynthia Torrence Publication Beaumont Enterprise Classifieds Section Section **Sub Section** Classifieds Section Category 4 Legal Notices **Dates Run** \* 05/22/2015-05/22/2015

Days

Size 1 x 17.95, 162 lines

Words 680 Ad Rate LE Ad Price 405.21 **Amount Paid** 0.00 **Amount Due** 405.21

Phone: 512.452.5905 or rhunt@apaienv.com



### Appendix 10-B

# Transcripts, Presentations, and Minutes from Public Hearings

A fundamental element of the planning process is input from the public. One public hearing was scheduled in June 25, 2015 to provide the public with forums to comment on the 2016 Initially Prepared Plan. The public hearing was held at the public library in Nacogdoches Texas. Provided in this appendix are the transcripts, presentations, and minutes from the public hearing.

### This page intentionally left blank

#### NOTICE OF PUBLIC HEARING FOR THE EAST TEXAS REGIONAL WATER PLANNING GROUP 2016 INITIALLY PREPARED REGIONAL WATER PLAN

Notice is hereby given that the East Texas Regional Water Planning Group (ETRWPG) is taking comment on and holding a public hearing for the East Texas Regional Water Planning Area (ETRWPA) 2016 Initially Prepared Plan (IPP). The public hearing for the IPP will include a public comment period and will be held at **5:30 p.m.** as follows:

Thursday, June 25, 2015 - Nacogdoches County Courthouse Annex, 203 W. Main, Nacogdoches, TX

The ETRWPG was established under provisions of Texas Senate Bill 1 (7th Texas Legislature) to develop a regional water plan for the ETRWPA which includes the following counties: Angelina, Anderson, Cherokee, Hardin, Henderson, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Panola, Polk, Rusk, Sabine, San Augustine, Shelby, Smith, Trinity, and Tyler.

Copies of the IPP are available for review at the following County Clerk offices:

Angelina County, 215 E. Lufkin Avenue, 1st Floor, Lufkin, TX 75901 Anderson County, 500 N. Church Street # 10, Palestine, TX 75801 Cherokee County Clerk, 135 S. Main Street, Rusk, TX 75785 Hardin County, 300 W. Monroe, Kountze, TX 77625 Henderson County, 125 N. Prairieville Street, # 101, Athens, TX 75751 Houston County, 401 E. Houston, 1st Floor Crockett, TX 75835 Jasper County, 121 N. Austin, # 202, Jasper, TX 75951 Jefferson County, 1001 Pearl Street, # 203, Beaumont, TX 77701 Nacogdoches County, 101 W. Main Street, Ste # 110, Nacogdoches, TX 75961 Newton County, 115 Court Street, Newton, TX 75966 Orange County, 801 W. Division Street, Orange, TX 77630 Panola County, 110 S. Sycamore Street #201, Carthage, TX 75633 Polk County, 101 W. Church Street, #100, Livingston, TX 77351 Rusk County, 115 N. Main Street, #206, Henderson, TX 75652 Sabine County, 280 W. Main Street, Hemphill, TX 75948 San Augustine County, 223 N. Harrison, San Augustine, TX 75972 Shelby County, 124 Austin Street, Center, TX 75935 Smith County, 200 E. Ferguson, Suite 300, Tyler, TX 75702 Trinity County, 223 W. First Street, Groveton, TX 75845 Tyler County, 116 S. Charlton, Woodville, TX 75979

#### Copies of the IPP are also available for review at the following public libraries:

Kurth Memorial Library, 706 S. Raguet, Lufkin, TX 75904 Palestine Public Library, 2000 S. Loop 256, Ste # 42 Palestine TX 75801 Singleton Memorial Library, 207 E. 6<sup>th</sup> Street, Rusk, TX 75785 Kountze Public Library, 800 Redwood, Kountze, TX 77625 Henderson County Library - Clint W. Murchison Memorial Library, 121 S. Prairieville St, Athens, TX 75751 J.H. Wooters Crockett Public Library, 709 E. Houston, Crockett, TX 75835 Jasper Public Library, 175 E Water Street, Jasper, TX 75951 Beaumont Public Library, 801 Pearl Street, Beaumont, TX 77701 Nacogdoches Public Library, 1112 North Street, Nacogdoches, TX 75961 Newton County Library, 212 High Street, Newton, TX 75966 Orange Public Library, 220 N. 5<sup>th</sup> St, Orange, TX 77630 Sammy Brown Public Library, 319 S. Market St, Carthage, TX 75633 Livingston Municipal Library, 707 N. Tyler Avenue, Livingston, TX 77351 Rusk County Library, 106 E. Main St, Henderson, TX 75652 J.R. Huffman Public Library, 375 Sabine Street, Hemphill, TX 75948 San Augustine Public Library, 413 E. Columbia, San Augustine, TX 75972 Fannie Brown Booth Memorial Library, 619 Tenaha St, Center, TX 75935 Tyler Public Library, 201 S. College Ave, Tyler, TX 75702 Groveton Public Library, 126 W. First Street, Groveton, TX 75845 Allan Shivers Library, 302 N. Charlton, Woodville, TX 75979

Copies of the IPP are available for review at the Texas Water Development Website at <a href="http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp">http://www.twdb.texas.gov/waterplanning/rwp/plans/2016/IPP.asp</a>; on the East Texas Regional Water Planning Group website at <a href="http://www.texwaterplan.org">www.etexwaterplan.org</a>, and at the City of Nacogdoches, Office of the City Secretary, 202 E. Pilar Street, Room 315, Nacogdoches, TX 75961. Written and oral comments will be accepted at the public hearing. The ETRWPG will also accept written comments from the date of this notice through August 24, 2015 and may be emailed or mailed to the address below:

#### QUESTIONS AND COMMENTS MAY BE SUBMITTED TO:

Rex H. Hunt, P.E. Alan Plummer Associates, Inc. 6300 La Calma, Suite 400 Austin, Texas 78752

Phone: 512.452.5905 or rhunt@apaienv.com

#### MINUTES OF THE PUBLIC MEETING

to receive comments on the Initially Prepared Plan (IPP) of the

#### REGIONAL WATER PLANNING GROUP "I"

Thursday – June 25, 2015–5:30 p.m. Nacogdoches County Courthouse Annex 208 W. Main Street, Nacogdoches, Texas

Kelley Holcomb, Chair, called the meeting to order at 5:31 p.m. Chair Holcomb made introductions for consultants, administrative staff and ETRWPG board members in attendance.

Those that signed the sign-in sheet were: Lila Fuller, Lann Bookout, Stacy Corley, John W. Stine, Alvin V. Newton, Ben A. Stephenson, John Martin, Bill Adams, Terry D. Stelly, Kelley Holcomb, Cynthia Syvarth, David Coburn, Mark Stephenson, Mary Vann, Greg Morgan, Manuel Martinez and Spandana Tummuri.

Cynthia Syvarth with Alan Plummer Associates, Inc. (APAI) gave a brief review of each chapter contained in the IPP and how the information was gathered.

Kelley Holcomb opened the floor for public comments.

John W. Stine appeared and gave the following comment:

"As a resident of San Augustine County and spokesperson for signatories below [John W. Stine and Alvin V. Newton] we do not support any future water impoundment projects for Groundwater Management Area 11 as proposed in the East Texas Regional Water Planning Group 2016 Initially Prepared Regional Water Plan.

Proposed water impoundments as incorporated in the above Regional Water Plan will continue to erode our East Texas land base used for Agriculture and Recreational Hunting—cattle production, forestry production and wildlife habitat. In addition it erodes the private property tax base and therefore will escalate private property taxes.


In November of 2013, the voters of Sabine, San Augustine and Shelby Counties soundly defeated the formation of a proposed Groundwater District by 5,720 Against and 489 For the proposal. This voter response further validated the inviolability of private property rights from government overreach and infringement. The grass roots electorate is resolute in its opposition to further water impoundment by the State of Texas that infringes on private property rights of Texans.

Enclosed is a letter from the Sabine River Authority in October 16, 2013 in which 'the Sabine River Authority of Texas has a Texas water right for over 244 billion gallons per year, of which 96% is available to be sold under contract'. Toledo Bend Reservoir is nearly 50 years old since impoundment in the late 1960's. This untapped source of surface water from Toledo Bend Reservoir is just one of many existing water impoundments in East Texas that precludes future water impoundment projects in East Texas and specifically in Groundwater Management Area 11."

No one else appeared to speak.

Chair Holcomb opened the floor for questions.

Chair Holcomb adjourned the meeting at 6:01 p.m.




### **Consultant Team Report Agenda**


- 1. General overview of the ETRWPA 2016 Initially Prepared Plan
- 2. Questions and Answers


### Your 2016 ETRWPA Water Plan

1 Executive Summary
11 chapters
35 appendices (including 16 DB17
Reports)
146 tables and figures
~1,200 pages

Final Regional Water Plan due December 2015









### Chapter 1: Description of the Region

- · General discussion of the ETRWPA, e.g.:
  - Climate, population, economic drivers
  - Water sources, Water User Groups,
     Wholesale Water Providers
  - Regional resources and threats to resources






## **Chapter 2: Current and Projected Population and Water Demands**

- 2020 to 2070 projections of population and water demands
- · Six categories of water use
  - Municipal
  - Irrigation
  - Manufacturing
  - Steam Electric Power
  - Mining
  - Livestock







## Chapter 3: Evaluation of Current Water Supplies in the Region

- Current surface water supplies: rivers, lakes, brackish (near coast)
- Current groundwater supplies (freshwater and brackish aquifers)


N





 Brings together Chapters 2 and 3 to establish regional needs:

Supply - Demand = Surplus/Shortage




## **Chapter 5A: Identification of Potentially Feasible Water Management Strategies**


- Explains the process for evaluating WMSs and identifies strategies that may be feasible
- Strategy Types
  - Water Conservation
  - Water Reuse
  - Expanded Use of Existing Supplies
  - New Supply Development
  - Interbasin Transfer
  - Drought Management



# Chapter 5B: Evaluation of Potentially Feasible, Recommended, and Alternative Water Management Strategies

- The central objective of the regional water plan
- Approximately 80 WMSs Evaluated
- Identify WMSs to be Prioritized
  - SWIFT Funding





## Chapter 5C: Water Conservation Recommendations

- Addresses current water conservation in the region
- Discusses water conservation as a WMS in the 2016 Plan
- Presents water loss data in the region

	Reported 2010 Water	the ETRV	VPA
	Authorized Consumption	Billed Consumption 39.7 Billion Gallons 80.6%	Revenue Water 39.7 Billion Gallons 80.6%
System Input Volume 49.3	40.8 Billion Gallons 82.7%	Unbilled Consumption 1.0 Billion Gallons	

Water Loss

8.5

**Billion Gallons** 

17.3%

Apparent Loss

1.3

**Billion Gallons** 

2.6%

Real Loss

7.2 Billion Gallons 14.6%

**Billion Gallons** 

100.0%

Non-Revenue

Water

9.6 Billion Gallons

19.4%


# Chapter 6: Impacts of Plan and Consistency with Protection of Resources

- Describes potential impacts of the plan and threats to the region's resources
- Addresses consistency of the plan with protection of resources
- Addresses consistency of the plan with water planning requirements
  - TAC Chapters 357 and 358




# Chapter 7: Drought Response Information, Activities, and Recommendations

- Describes the current status of drought response in the region
- Discusses the drought of record for the region



### Chapter 8: Unique Stream Segments, Unique Reservoir Sites, and Legislative Recommendations

- Addresses the ETRWPG's desires with respect to unique stream segments and unique reservoir sites
- Addresses legislative and regulatory recommendations of the ETRWPG relative to water planning.



## Chapter 9: Infrastructure Financing Report

- Report on how WUGs intend to finance recommended WMSs
- The ETRWPG will send out and collect this information and forward it to the TWDB.
- TWDB will provide the report to be included in the plan

## 27


## Chapter 10: Public Participation and Adoption of Plan

- Chapter describing the 4<sup>th</sup> round planning process culminating in the 2016 Plan
- Supported by three appendices that will include outreach information, public hearing proceedings, and public comments



# Chapter 11: Implementation and Comparison to the Previous Regional Water Plan

- New chapter in this plan
- Review implementation success since the previous plan
- Compares the 2011 and 2016 Plans



### Next Steps in the Regional Water Planning Process

- August 2015
  - Accept public comments
  - Incorporate TWDB comments received
- September 2015
  - Update Chapter 10 Public Participation
  - Prioritize 2016 WMSs
- October 2015
  - Adopt Final 2016 Prioritization
  - Adopt Final Regional Water Plan
- December 2015
  - Submit Final Regional Water Plan to TWDB



## ETRWPA 2016 Initially Prepared Plan Comments

- Comments accepted today
- PDF of 2016 IPP available to download:

www.twdb.texas.gov www.etexwaterplan.org


 Written comments accepted until August 24, 2015

> Rex H. Hunt, P.E. Alan Plummer Associates, Inc. 6300 La Calma, Suite 400 Austin, Texas 78752


512.452-5905

rhunt@apaienv.com





### This page intentionally left blank



### **Appendix 10-C**

### **Initially Prepared Plan Public Comments**

Opportunities for public comment are provided through the regional water planning process. The public are invited to provide comments at regularly scheduled meetings of the ETRWPG. Comments may be received in person, as well as in the form of letters, emails, or by telephone. During an official comment period to occur during the summer of 2015, comments regarding the 2016 Initially Prepared Plan were received from entities and/or individuals. This appendix includes copies of all written comments and a transcript of oral comments. Chapter 10 of the 2016 Plan includes responses to all comments received during the 2016 Initially Prepared Plan comment period.

### This page intentionally left blank



P.O. Box 13231, 1700 N. Congress Ave. Austin, TX 78711-3231, www.twdb.texas.gov Phone (512) 463-7847, Fax (512) 475-2053

August 10, 2015

Mr. Kelley Holcomb, Chair c/o Angelina & Neches River Authority P.O. Box 387 Lufkin, Texas 75902

Ms. Lila Fuller City of Nacogdoches P.O. Box 635030 Nacogdoches, Texas 75963

Re: Texas Water Development Board Comments on the East Texas Regional Water Planning Group (Region I) Initially Prepared Plan, Contract No. 1148301320

Dear Mr. Holcomb and Ms. Fuller:

Texas Water Development Board (TWDB) staff completed a review of the Initially Prepared Plan (IPP) submitted by May 1, 2015 on behalf of the Region I Regional Water Planning Group. The attached comments follow this format:

- Level 1: Comments, questions, and online regional water planning database revisions that must be satisfactorily addressed in order to meet statutory, agency rule, and/or contract requirements; and,
- Level 2: Comments and suggestions for consideration that may improve the readability and overall understanding of the regional water plan.

The TWDB's statutory requirement for review of potential interregional conflicts under Title 31 Texas Administrative Code (TAC) §357.62 will not be completed until submittal and review of adopted regional water plans. However, as previously requested by our Executive Administrator, please inform TWDB in advance of your final plan if your planning group believes that an interregional conflict exists. Additionally, subsequent review will be performed as the planning group completes its data entry into the regional water planning database (DB17). If issues arise during our ongoing data review, they will be communicated promptly to the planning group to resolve.

Our Mission

**Board Members** 

To provide leadership, information, education, and support for planning, financial assistance, and outreach for the conservation and responsible development of water for Texas

Bech Bruun, Chairman | Carlos Rubinstein, Member | Kathleen Jackson, Member

Kevin Patteson, Executive Administrator

Mr. Kelley Holcomb Ms. Lila Fuller August 10, 2015 Page 2

Title 31 TAC§357.50(d) requires the regional water planning group to consider timely agency and public comment. Section 357.50(e) requires the final adopted plan include summaries of all timely written and oral comments received, along with a response explaining any resulting revisions or why changes are not warranted. Copies of TWDB's Level 1 and 2 written comments and the region's responses must be included in the final, adopted regional water plan. While the comments included in this letter represent TWDB's review to date, please anticipate the need to respond to additional comments regarding data integrity, including any water source overallocations, in the regional water planning database (DB17) once data entry is completed by the region.

Standard to all planning groups is the need to include certain content in the final regional water plans that was not yet available at the time that IPPs were prepared and submitted. In your final regional water plan, however please be sure to also incorporate the following:

- a) Completed results from the regional planning group's infrastructure financing survey (IFR) for sponsors of recommended projects with capital costs [31 TAC §357.44];
- b) Completed results from the implementation survey [31 TAC §357.45(a)];
- c) The socioeconomic impact evaluation provided by TWDB at the request of the planning group [31 TAC §357.33(c)];
- d) Documentation that comments received on the IPP were considered in the development of the final plan [31 TAC §357.50(d)];
- e) Evidence, such as a certification, that the final, adopted regional water plan is complete and adopted by the planning group [31 TAC §357.50(j)(1)]; and,
- f) The required DB17 reports, as made available by TWDB, in the executive summary or elsewhere in the plan as specified in the Contract [31 TAC §357.50(e)(2)(B), Contract Scope of Work Task 4D(p), Contract Exhibit 'C', Table 2]. Please ensure that the numerical values presented in the tables throughout the final, adopted regional water plan are consistent with the data provided in DB17. For the purpose of development of the 2017 State Water Plan, water management strategy and other data entered by the regional water group in DB17 (and as presented in the regional plan) shall take precedence over any conflicting data presented in the final regional water plan [Contract Exhibit 'C', Sections 12.1.3. and 12.2.2].

The following items must accompany, separately, the submission of the final, adopted regional water plan:

- The prioritized list of all recommended projects in the regional water plan [Texas Water Code 15.436(a), Contract Scope of Work Task 13]; and,
- Any remaining hydrologic modeling files or GIS files that may not have been provided at the time of the submission of the IPP but that were used in developing the final plan. [31 TAC §357.50(e)(2)(C), Contract Exhibit 'C', Section 12.2.1; Contract Scope of Work Task 3-III-13]

Note that provision of certain content in an electronic-only form is permissible as follows: Internet links are permissible as a method for including model conservation and drought contingency plans within the final regional water plan; hydrologic modeling files may be submitted as electronic appendices, however

Mr. Kelley Holcomb Ms. Lila Fuller August 10, 2015 Page 3

all other regional water plan appendices should be incorporated in hard copy format within each plan [31 TAC §357.50(e)(2)(C), Contract Scope of Work Task 5e, Contract Exhibit 'C', Section 12.2.1].

The following general requirements that apply to recommended water management strategies must be adhered to in all final regional water plans including:

- Regional water plans must not include any strategies or costs that are associated with simply maintaining existing water supplies or replacing existing infrastructure. Plans may include only infrastructure costs that are associated with volumetric increases of treated water supplies delivered to water user groups or that result in more efficient use of existing supplies [31 TAC §357.10(28), §357.34(d)(3)(A), Contract Exhibit 'C", Section 5.1.2.2, Section 5.1.2.3]; and,
- Regional water plans must not include any retail distribution-level infrastructure costs (other than those costs related to conservation strategies such as water loss reduction) [31 TAC §357.10(28), §357.34(d)(3)(A), Contract Exhibit 'C", Section 5.1.2.3].

To facilitate efficient and timely completion, and Board approval, of your final regional water plan, please provide your TWDB project manager with early drafts of your responses to these IPP comments for preliminary review and feedback.

If you have any questions regarding these comments or would like to discuss your approach to addressing any of these comments, please do not hesitate to contact Lann Bookout at (512) 936-9439. TWDB staff will be available to assist you in any way possible to ensure successful completion of your final regional water plan.

Sincerely,

Jeff Walker

Deputy Executive Administrator Water Supply and Infrastructure

Attachments

cc w/att: Mr. Rex Hunt, Alan Plummer Associates, Inc.

## TWDB Comments to the Initially Prepared 2016 East Texas (Region I) Regional Water Plan

Level 1: Comments and questions must be satisfactorily addressed in order to meet statutory, agency rule, and/or contract requirements.

- 1. Please describe how publicly available plans of major agricultural, municipal, manufacturing and commercial water users were considered in the final, adopted regional water plan. [31 Texas Administrative Code (TAC) §357.22(a)(4)]
- 2. The plan does not appear to include a listing of the water rights that are the basis for the surface water availability in the plan. Please include such a listing in the final, adopted regional water plan. [Contract Exhibit 'C', Section 3.1]
- 3. Please clarify how the run-of-river availabilities were calculated for municipal water users to ensure that all monthly demands are fully met for the entire simulation of the unmodified Texas Commission on Environmental Quality WAM Run 3 in the final, adopted regional water plan. [Contract Exhibit 'C', Section 3.4]
- 4. Pages 3-23 and 3-24, Tables 3.5 and 3.6; Vol. II, Appendix 3A: The availability volumes shown in Table 3.5 for the Carrizo-Wicox in Smith County, Neches Basin do not match the availability from DB17 in all decades. For example, 2020 availability is 12,245 AFY, compared to the 2020 value in the source availability report of 21,004 AFY. Additionally, the aquifer totals presented in Table 3.6 should reflect this correction. Please revise in the final, adopted regional water plan.
- 5. The plan does not appear to consider conservation or drought management as a potentially feasible strategy for all identified water supply needs. Please include documentation whether conservation and drought management were considered to meet identified needs and, if not recommended, please document the reason in the final, adopted regional water plan. [Texas Water Code (TWC) §16.053(e)(5), 31 TAC §357.34(c)(3), §357.34(f)(2)]
- 6. Page 5B-121: The plan does not appear to include a recommended water management strategy summary table including strategy names, total yield for all decades, total capital costs, and estimated unit costs. The table starting on page 5B-121 appears to present strategies but the header of the table is unclear as to exactly what information is being presented (e.g., recommended or alternative strategies) and costs are not included. Please include recommended and alternative strategy summary tables in the final, adopted regional water plan. [Contract Exhibit 'C', Section 12.1.2]
- 7. Page 6-2: The description of protection of water resources does not appear to include information on potential impacts to groundwater and surface water interrelationships. Please include this information in the final, adopted regional water plan. [31 TAC §357.40(b)(2)]
- 8. Chapter 7: The plan does not appear to include recommended drought triggers and actions for each water source. Please include this information in the final, adopted regional water plan. [TWC §16.053(e)(3)(A-C); 31 TAC §357.42(c)(1-3)]

- 9. Please indicate how the planning group considered relevant recommendations from the Drought Preparedness Council (a letter was provided to planning groups with relevant recommendations in November 2014) in the final, adopted regional water plan. [31 TAC §357.42(h)]
- 10. The technical evaluations of the water management strategies do not appear to estimate water losses from the associated strategies. Please include an estimate of water losses in the final, adopted regional water plan, for example in a format of an estimated percent loss. [31 TAC §357.34(d)(3)(A); Contract Exhibit 'C', Section 5.1.1]
- 11. Vol. II, Pages Appendix 5B-129, 5B-132, 5B-136, 5B-146, 5B-156, 5B-181: The plan appears to include water management strategies, including retail distribution system infrastructure, that appear to not increase the volume of supply to water user groups. For example, the Athens MWA Water Treatment Plant Improvements, the Volumetric Surveys of Lake Striker, Lake Center, and Lake Pinkston, the Normal Pool Elevation Adjustment of Lake Striker, Sabine River Authority Infrastructure Improvements, and the City of Jacksonville Distribution System Improvements. Regional water plans must not include any strategies or costs that are associated with simply maintaining existing supplies, improving retail distribution systems, improving water treatment processes, or replacing infrastructure. Plans may include only infrastructure costs that are associated with volumetric increases of treated water supplies delivered to water user groups or that result in more efficient use of existing supplies (e.g., conservation). Please revise as appropriate throughout the final, adopted regional water plan. [31 TAC §357.34(d)(3)(A); Contract Exhibit 'C', Sections 5.1.2.2 and 5.1.2.3]
- 12. Vol. II, Appendix 5A-B: The plan does not appear to identify potentially feasible water management strategies for all wholesale water provider (WWPs) with identified needs. Please include documentation that potentially feasible water management strategy types, as required by statute and rule, were considered for identified needs in the final, adopted regional water plan. [TWC §16.053(e)(5), 31 TAC §357.34(a)]
- 13. Vol. II, Pages Appendix 5B-15, 5B-24, 5B-42, 5B-45, 5B-150, and 5B-158: The plan in some instances, does not appear to include a quantitative reporting of environmental factors. For example, strategy evaluations for Alto Rural WSC New Wells, Houston Irrigation New Wells, D&M WSC New Wells, Nacogdoches Livestock New Wells, Houston County WCID #I New Wells, and LNVA Purchase from Sabine River Authority provide qualitative descriptions such as "low" or "moderate" impacts, but the plan does not appear to include quantification of the impacts. Please include quantitative reporting in the final, adopted regional water plan. [31 TAC §357.34 (d)(3)(B)]
- 14. Vol. II, Pages Appendix 5B-108, 5B-114, and 5B-124: The plan in some instances, does not appear to include a quantitative reporting of impacts to agricultural resources. For example, strategy evaluations for Lake Columbia, ANRA Treatment Plant and Distribution System, and Athens MWA Indirect Reuse do not appear to include quantified impacts to agricultural resources, even in instances where there may be no impact. Please include quantitative reporting of impacts to agricultural resources in the final, adopted regional water plan. [31 TAC §357.34 (d)(3)(C)]

## Level 2: Comments and suggestions for consideration that may improve the readability and overall understanding of the regional water plan.

- 1. Please consider numbering, titling, and referencing all tables in the final, adopted regional water plan. For example, all tables in Section 5B of Volume I.
- 2. Page 3-13, Table 3.3: Please consider specifying the stream or river source names for the run-of-river supplies listed in this table in the final, adopted regional water plan.
- 3. Page 3-24, Table 3.6: Please consider revising the citation for the source information to "GAM Run 10-038 MAG" and "GAM Run 10-016 MAG (ver. 2)" in the final, adopted regional water plan.
- 4. Page 5B-2: Reference is made to Appendix 5B-B, but there appears to be no associated Appendix or a listing for the appendix in the plan. Please reconcile in the final, adopted regional water plan.
- 5. Page 5C-12: The plan lists "appropriate conservation activities" for Irrigation, but does not appear to evaluate the BMPs for recommended strategies in chapter 5B. Please consider including additional documentation of potentially feasible irrigation conservation strategies in the final, adopted regional water plan.
- 6. Page 11-12: Although the plan contains a volumetric summary of the differences in recommended and alternative strategies between the 2011 and 2016 plans, please consider specifically identifying the individual recommended and alternative strategies in the plan.



### PUBLIC COMMENT REQUEST FORM

6-25-15 - 5:30 p.m.

Name:	John W. Stire
Title:	Solf
Entity/(	Organization Represented:
Mailing	Address: Route 2 Box 1012
	San Augustine, TX 75972
Phone:	936-596-7308 Email: 1665tire at quail, com
I would	like to comment on Item(s) No. IPP public Comment

Mr. John W. Stine

2673 FM 2785

San Augustine, Texas 75972

#### Gentlemen:

As a resident of San Augustine County and spokesperson for signatories below we do not support any future water impoundment projects for Groundwater Management Area 11 as proposed in The East Texas Regional Water Planning Group 2016 Initially Prepared Regional Water Plan.

Proposed water impoundments as incorporated in the above Regional Water Plan will continue to erode our East Texas land base used for Agriculture and Recreational Hunting--- cattle production, forestry production, and wildlife habitat. In addition it erodes the private property tax base and therefore will escalate private property taxes.

In November of 2013, the voters of Sabine, San Augustine and Shelby Counties soundly defeated the formation of a proposed Groundwater District by 5,720 Against and 489 For the proposal. This voter response further validated the inviolability of private property rights from government overreach and infringement. The grass roots electorate is resolute in its opposition to further water impoundment by the State of Texas that infringes on private property rights of Texans.

Enclosed is a letter from the Sabine River Authority in October 16, 2013 in which "The Sabine River Authority of Texas has a Texas water right for over 244 billion gallons per year, of which 96% is available to be sold under contract." Toledo Bend Reservoir is nearly 50 years old since impoundment in the late 1960's. This untapped source of surface water from Toledo Bend Reservoir is just one of many existing water impoundments in East Texas that precludes future water impoundment projects in East Texas and specifically in Groundwater Management Area 11.

Sincerely,

John W. Stine

San Augustine County

Alvin V. Newton

San Augustine County

alin v Marlon



August 14, 2015

#### Life's better outside."

Commissioners

Dan Allen Hughes, Jr. Chairman Beeville

> Raiph H. Duggins Vice-Chairman Fort Worth

T. Dan Friedkin Chairman-Emeritus Houston

> Bill Jones Austin

James H. Lee Houston

Margaret Martin Boerne

S. Reed Morlan Houston

> Dick Scott Wimberley

Lee M. Bass Chairman-Emeritus Fort Worth

Carter P. Smith Executive Director Mr. Rex Hunt, P.E. Alan Plummer and Associates, Inc. 6300 La Calma Suite 400 Austin. Texas 78752

Re: 2016 Region I Initially Prepared Regional Water Plan

#### Dear Mr. Hunt:

Thank you for seeking review and comment from the Texas Parks and Wildlife Department ("TPWD") on the 2016 Initially Prepared Regional Water Plan for the East Texas Regional Planning Area (ETRWPA) Region I (IPP). As you know, water impacts every aspect of TPWD's mission to manage and conserve the natural and cultural resources of Texas. As the agency charged with primary responsibility for protecting the state's fish and wildlife resources, TPWD is positioned to provide technical assistance during the water planning process. Although TPWD has limited regulatory authority over the use of state waters, TPWD is committed to working with stakeholders and others to provide science-based information during the water planning process intended to avoid or minimize impacts to state fish and wildlife resources.

TPWD understands that regional water planning groups are guided by 31 TAC §357 when preparing regional water plans. These water planning rules spell out requirements related to natural resource and environmental protection. Accordingly, TPWD staff reviewed the IPP with a focus on the following questions:

- Does the IPP include a quantitative reporting of environmental factors including the effects on environmental water needs and habitat?
- Does the IPP include a description of natural resources and threats to natural resources due to water quantity or quality problems?
- Does the IPP discuss how these threats will be addressed?
- Does the IPP describe how it is consistent with long-term protection of natural resources?
- Does the IPP include water conservation as a water management strategy?
- Does the IPP include Drought Contingency Plans?
- Does the IPP recommend any stream segments be nominated as ecologically unique?
- If the IPP includes strategies identified in the 2010 regional water plan, does it address concerns raised by TPWD in connection with the 2010 Water Plan.

4200 SMITH SCHOOL ROAD AUSTIN, TEXAS 78744-3291 512.389.4800 www.tpwd.texas.gov

To manage and conserve the natural and cultural resources of Texas and to provide hunting, fishing and outdoor recreation opportunities for the use and enjoyment of present and future generations.

Mr. Rex Hunt, P.E. Page 2 of 3 August 14, 2015

The ETRWPA consists of all or portions of 20 counties located in the Neches, Sabine, and Trinity River Basins, and the Neches-Trinity Coastal Basin. The population of the ETRWPA was 1.07 million in 2010 and is expected to increase to 1.55 million by 2070. Regional water use, which is projected to be about 1.1 million acre-feet in 2020, is expected to increase to more than 1.6 million acre-feet by 2070. Approximately 55 percent of the current water use in ETRWPA is for manufacturing, primarily in the petrochemical industry in Jefferson County. Municipal water use accounts for about 17 percent of water use in ETRWPA. Most of the available water in the ETRWPA is surface water. Approximately 15 percent of the total freshwater supply is groundwater.

The ETRWPA IPP adequately describes the natural resources of the region. Aquatic resources including major rivers, estuaries, springs, and wetlands are discussed as well as terrestrial habitats and state and federal parks. Appendix 1-A lists Species of Special Concern in the ETRWPA. Threats to natural resources due to water quantity or quality problems are also discussed. Aquifer depletion, saltwater intrusion, insufficient environmental flows and inundation due to reservoir construction are described. According to the IPP, between 1955 and 1992 overpumping of aquifers resulted in approximately 19,900 acres of estuarine intertidal emergent wetlands being lost in Texas as a result of submergence (drowning) and erosion.

Two major aquifers that underlie the region are the Carrizo-Wilcox and the Gulf Coast aquifers. Over 250 springs of various sizes have been documented in the ETRWPA. TPWD concurs with the statement that springs are an important source of water for local supplies and provide crucial water for wildlife. TWDB planning rules now require that groundwater supplies not exceed the Modeled Available Groundwater (MAG) values that were determined to meet the desired future conditions (DFCs) of the groundwater source. However, adopted DFCs for the primary aquifers in ETRWPA do not address protection of springs or groundwater surface water interaction. Ultimately TPWD would like to see DFCs adopted to protect these features.

Currently, over 25 percent of the municipal water users in the ETRWPA use less than 100 gallons per capita per day (gpcd) and 62 percent use less than the Water Conservation Implementation Task Force recommended 140 gpcd. According to the IPP, the projected total water savings are projected to be just over 5,000 acre-feet in 2020 increasing to over 20,000 acre-feet by 2070. TPWD commends Region I for progress made toward implementing municipal water conservation strategies and encourages further progress towards implementing manufacturing and irrigation water conservation strategies. Chapter 7 of the IPP includes existing drought contingency plans (DCPs). Drought management measures are not recommended as a water management strategy to provide additional supplies for the ETRWPA.

Other proposed water management strategies (WMS) include water reuse, expanded use of existing supplies and groundwater, and development of new reservoirs. Lake Columbia and the Fastrill Reservoir replacement project (also called the Neches Off-Channel Reservoir Project) are recommended as strategies for meeting future water needs. TPWD agrees that environmental impacts associated with the development of a new reservoir can be significant. Construction of off-channel reservoirs can also help to minimize wildlife impacts if reservoirs are located to minimize inundation of habitats and diversions are modified to avoid impacts to environmental flows. TPWD has worked closely with the Angelina Neches River Authority to minimize impacts to fish and wildlife resources associated with the construction of the proposed Lake Columbia.

Mr. Rex Hunt, P.E. Page 3 of 3 August 14, 2015

Water management strategies were evaluated for impacts as addressed in Chapter 5B of this Plan. The evaluation was based on a numeric evaluation from most desirable (1) to least desirable (5). According to the IPP, both Lake Columbia and the Neches River Off-Channel Reservoir Project scored "3" medium environmental impacts. Table 1.9 lists potential impacts to fish and wildlife associated with the proposed Lake Columbia as well as Rockland Reservoir, Bon Weir Reservoir, and Tennessee Colony Reservoir. Protection of environmental flows, including recently adopted environmental flow standards, is briefly discussed in Chapter 3 of the IPP. TPWD agrees that the implementation of environmental flow recommendations will result in a need to more carefully consider environmental flow needs during the development of surface water management strategies.

As in the previous planning cycles TPWD staff appreciates the consideration the planning group gave to evaluating whether to recommend stream segments as ecologically unique. Ultimately the ETRWPA voted not to recommend any stream segments in the region for unique status, concluding that sufficient programs are already in place to protect the region's streams from inappropriate reservoir construction. TPWD continues to see the importance of recommending and designating significant stream segments and will support ETRWPA in this regard if requested in the next planning cycle.

We appreciate the opportunity to provide these comments. While TPWD values and appreciates the need to meet future water supply demands, we must do so in a thoughtful and sound manner that ensures the ecological health of our state's aquatic and natural resources. If you have any questions, or if we can be of any assistance, please feel to contact Cindy Loeffler at 512-389-8715. Thank you.

Sincerely

Ross Melinchuk

Deputy Executive Director, Natural Resources

RM:CL:ms

cc: Robin Riechers, Division Director, Coastal Fisheries Division, TPWD

Clayton Wolf, Division Director, Wildlife Division, TPWD

Terry Stelly, Coastal Fisheries Division, TPWD



## UPPER NECHES RIVER MUNICIPAL WATER AUTHORITY

RECEIVED

AUG 2 1 2018 AFAI - AUSTIN

August 18, 2015

Region I ETRWPG
% City of Nacogdoches
P.O. Box 635030
Nacogdoches, TX 75963-5030
Attn: Lila Fuller

Via:

Email: fullm@ci-nacogdoches.tx.us

U.S. Post

Re: Comments on the 2016 Initially Prepared Region I Water Plan

Dear Sir:

The Upper Neches River Municipal Water Authority respectfully submits the attached comments regarding the 2016 Initially Prepared Region I Water Plan.

We appreciate this opportunity.

If there are any questions, or if any additional information is necessary or required, please contact us at your convenience.

Sincerely,

Monty D. Shan

General Manager

**Upper Neches River Municipal Water Authority** 

P.O. Box 1965

Palestine, TX 75802 Phone: 903-876-2237 Fax: 903-876-5200

mdsunra@dctexas.net

#### **Enclosure**

XC: Rex Hunt, Principal Alan Plummer and Associates, Inc. 6300 La Calma, Suite 400
Austin, TX 78752

Sam Vaugh, PE, Vice President/Professional Associate HDR Engineering, Inc. 4401 West Gate Blvd., Suite 400 Austin, Texas 78745


### Upper Neches River Municipal Water Authority

# Comments on the East Texas Regional Water Planning Area 2016 Initially Prepared Plan August 18, 2015

- 1) Page 1-36 Replace "Upper Neches River Authority" with "Upper Neches River Municipal Water Authority."
- 2) Page 5A-16 The last two sentences of the first paragraph are duplicative of the previous two sentences and should be deleted.
- 3) Page 5A-18 Replace the partial sentence at the top of the page with: "construction of an off-channel storage reservoir, which would be located on a tributary of the Neches River in Anderson County downstream of Lake Palestine and upstream of the Weches Dam Site."
- 4) Page 5B-3 Please revise the last sentence. The UNRMWA does <u>not</u> presently intend to meet future steam-electric water needs in Anderson County with supplies from the recommended Neches Run-of-River water management strategy.
- 5) Page 5B-4 Please revise text in the first paragraph. The UNRMWA does <u>not</u> presently intend to meet future steam-electric water needs in Anderson County with supplies from the recommended Neches Run-of-River water management strategy.
- 6) Page 5B-117 In the first sentence, replace "2014" with "2015."
- 7) Page 5B-117 Revise text of second paragraph to reflect UNRMWA intent to develop the recommended Neches Run-of-River water management strategy in the same configuration as included in the 2014 draft *Dallas Long Range Water Supply Plan to 2070 and Beyond* (i.e. with a firm yield of 47,250 acft/yr (42 MGD) and projected to meet Dallas needs starting in 2060). See Comments #4 and #5.
- 8) Page 5B-118 After the first sentence in the paragraph regarding Neches Run-of-River Diversions with Tributary Storage (Alternate), insert the following sentence: "This alternate strategy includes system operations with Lake Palestine." System operations of this alternate strategy with Lake Palestine could result in a firm yield of 75,000 acft/yr (67 MGD) at a unit cost of \$434/acft/yr during the debt service period. Revise the last sentence in this paragraph accordingly.
- 9) Page 5B-118 After the second sentence in the paragraph regarding Neches Run-of-River Diversions with Groundwater (Alternate), insert the following sentence: "This alternate strategy includes system operations with Lake Palestine." System operations of this alternate strategy with Lake Palestine could result in a firm yield of 84,875 acft/yr (76 MGD) at a unit cost of \$414/acft/yr during the debt service period. Revise the last sentence in this paragraph accordingly.
- 10) Page 5B-119 Revise table pursuant to Comments #4, #5, and #7.
- 11) Page 5B-120 Revise table and figure pursuant to Comments #4, #5, #7, #8, and #9.
- 12) Page 5B-121 Revise table pursuant to Comment #4, #5, and #7.

- 13) Page 5B-128 Revise table pursuant to Comments #4, #5, #7, #8, and #9.
- 14) Page 8-8 Revise the footnote for Table 8.3 to reflect that the size of the Neches River National Wildlife Refuge was 3,729 acres as of September 2013.
- 15) Page 8-17 In the second to last sentence, replace "275 ft msl" with "274 ft-msl."
- 16) Pages Appendix 5B-3 through 5B-5 In this Technical Memorandum regarding purchase of water from the City of Palestine for Anderson County steam-electric power needs, delete the fourth and fifth sentences under the heading Supply Development pursuant to Comments #4, #5, and #7. Additional revisions may be needed throughout the Technical Memorandum.
- 17) Pages Appendix 5B-6 through 5B-8 Delete or substantially revise this Technical Memorandum regarding purchase of water from UNRMWA for Anderson County steamelectric power needs pursuant to Comments #4, #5, and #7.
- 18) Pages Appendix 5B-21 through 5B-23 Revise this Technical Memorandum regarding purchase of water from UNRMWA for City of Chandler needs to reflect that the UNRMWA does <u>not</u> presently intend to meet future municipal water needs in Henderson County with supplies from the recommended Neches Run-of-River water management strategy.
- 19) Pages Appendix 5B-187 through 5B-189 Revise this Technical Memorandum regarding the recommended Neches Run-of-River water management strategy as follows:
  - a. Page Appendix 5B-187 In the title, replace "Region C" with "ETRWPA."
  - Page Appendix 5B-187 Revise Potential Supply Quantity to "47,250 acft/yr (42 MGD)."
  - c. Page Appendix 5B-187 Revise Implementation Decade to "2020 (2020)."
  - d. Page Appendix 5B-187 Revise Strategy Capital Cost to "\$226,790,000 (Sept. 2013)."
  - e. Page Appendix 5B-187 Revise Unit Water Cost to "\$1.44 per1,000 gallons (during loan period)."
  - f. Page Appendix 5B-187 Revise the last sentence in the second paragraph under Strategy Description to read: "Hence, the run-of-the-river project would be operated as a system with Lake Palestine using available storage capacity therein during drought."
  - g. Page Appendix 5B-187 In the last sentence, replace "62 MGD (68,625 acrefeet/year)" with "42 MGD (47,250 acre-feet/year)."
  - h. Page Appendix 5B-188 Delete the second paragraph and replace with: "It should be noted that the project configuration for the recommended Neches Runof-River WMS for UNRMWA in the ETRWPA Regional Plan is <u>identical to</u> the configuration discussed in the 2014 Dallas Long Range Water Supply Plan to 2070 and Beyond (Draft LRWSP). The project configuration discussed in the City of Dallas Draft LRWSP resulted in a firm yield of 47,250 acft/yr (42 MGD) that is projected to meet Dallas needs starting in 2060."
  - i. Page Appendix 5B-188 After the first sentence in the paragraph regarding Neches Run-of-River Diversions with Tributary Storage (Alternate), insert the


- following sentence: "This alternate strategy includes system operations with Lake Palestine." System operations of this alternate strategy with Lake Palestine could result in a firm yield of 75,000 acft/yr at a unit cost of \$434/acft/yr during the debt service period.
- j. Page Appendix 5B-188 After the second sentence in the paragraph regarding Neches Run-of-River Diversions with Groundwater (Alternate), insert the following sentence: "This alternate strategy includes system operations with Lake Palestine." System operations of this alternate strategy with Lake Palestine could result in a firm yield of 84,875 acft/yr at a unit cost of \$414/acft/yr during the debt service period.
- k. Page Appendix 5B-189 Under the heading of Environmental Considerations, delete the table which is for the <u>Nueces</u> Off-Channel Reservoir. The recommended Neches Run-of-River water management strategy does <u>not</u> include an off-channel reservoir.
- Page Appendix 5B-189 Under the heading of Water Management Strategy
  Evaluation, revise the Rating and Explanation information to appropriately reflect
  the recommended Neches Run-of-River water management strategy focusing on
  the following Criteria: Quantity, Environmental Factors, Threat to Agricultural
  Resources/Rural Areas, Other Natural Resources, and Major Impacts on Key
  Water Quality Parameters. The recommended Neches Run-of-River water
  management strategy does not include an off-channel reservoir.



## Appendix 10-D

# **Initially Prepared Plan Submittal Letter**

Attached as Appendix 10-D is the letter the East Texas Regional Water Planning Group chair, Kelley Holcomb, informing the Texas Water Development Board (TWDB) of the approval and adoption of the 2016 Initially Prepared Plan. This submittal letter accompanied the submittal documents when delivered to the TWDB.





May 1, 2015

Mr. Kevin Patteson
Executive Administrator
Texas Water Development Board
1700 North Congress Avenue
Austin, TX 78711-3231

Re: Submission of the Region I, East Texas Regional Water Planning Group 2016 Initially Prepared Plan

Dear Mr. Patteson:

The Region I, East Texas Regional Water Planning Group (ETRWPG) met on April 8, 2015 and formally adopted the 2016 Initially Prepared Plan (IPP) and approved its submission to the Texas Water Development Board (TWDB) commensurate with the May 1, 2015 deadline. The submittal was mailed to your office via overnight delivery.

The submission of the IPP includes twelve (12) double-sided copies and two (2) electronic copies of the 2016 East Texas IPP. The electronic submittal includes the following documents:


- The 2016 East Texas IPP in searchable Portable Document Format
- The 2016 East Texas IPP in Microsoft Word Format

If you have any questions regarding this matter, please contact me at 936-633-7543. I appreciate the opportunity to work with the TWDB and your staff on this matter.

Respectfully,

Kelley Holcomb, Chair

East Texas Regional Water Planning Group



## **Appendix 11-A**

## **TWDB Implementation Survey**

The results of the Implementation Survey can be seen in the attachment included on page Appendix 11-A-3 through Appendix 11-A-6. The survey was used to analyze the 2011 projects and the 2016 projects in order to determine the progression and current status of proposed projects from the previous planning cycle.


Sponsor and Recommended Water Mangement Strategy	Sponsor	Recommended Water Management Strategy	Sponsor Region	WMS Sponsor Entity Id	DBProjectId	CapitalCost	SS2010	SS2020	SS2030	SS2040	SS2050	SS2060	Y denotes strategies with supply volumes included in other strategies	h I Project Description	Infrastructure Typ
ANGELINA & NECHES RIVER AUTHORITY : Angelina-Neches River Authority Treatment and Distribution System	ANGELINA & NECHES RIVER AUTHORITY	Angelina-Neches River Authority Treatment and Distribution System			830	\$35,127,25		0	0				V	Water Treatment Plant and Distribution System	Water Treatment Pla
ANGELINA & NECHES RIVER AUTHORITY : New source - Lake Columbia	ANGELINA & NECHES RIVER AUTHORITY	New source - Lake Columbia			458	\$231,865,000		75,700	75,700	75,700	75,700	75,700			
									75,700	75,700	75,700	/5,/00		New Reservoir  Assumes Nacogdoches County will seek water right amendment for municipal	Impoundment
APPLEBY WSC: Lake Noconiche Regional Supply System	APPLEBY WSC	Lake Noconiche Regional Supply System		193		\$4,392,350	0	300	300	300	300	300	N	water use designation and develop regional distribution system	Water Treatment Plan
APPLEBY WSC: Municipal conservation	APPLEBY WSC	Municipal conservation		193	439	S	0	0	0	22	39	62	N	Municipal conservation  Contract to require Fish Hatury to return unused water to Lake Athens (current	No Infrastructure
ATHENS: Indirect reuse	ATHENS	Indirect reuse	I	205	449	\$(	0	19	29	42	65	94	Y	operations)	No Infrastructure
ATHENS: Municipal conservation	ATHENS	Municipal conservation	I	205	439	S	1	6	12	17	22	30	N	Municipal conservation	No Infrastructure
ATHENS MUNICIPAL WATER AUTHORITY : Forest Grove Reservoir project	ATHENS MUNICIPAL WATER AUTHORITY	Forest Grove Reservoir project	I	6	451	\$26,619,000	0	0	0	2,240	2,240	2,240	N	Amend water right for municipal water use.	Other
ATHENS MUNICIPAL WATER AUTHORITY : Indirect reuse	ATHENS MUNICIPAL WATER AUTHORITY	Indirect reuse	I	6	449	. \$0	0	2,872	2,872	2,872	2,872	2,872	N	Contract to require Fish Hatury to return unused water to Lake Athens (current operations)	No Infrastructure
ATHENS MUNICIPAL WATER AUTHORITY : New water treatment plant	ATHENS MUNICIPAL WATER AUTHORITY	New water treatment plant	I I	6	463	\$12,387,000	0	0	0	(	0	2,240	Y	Expand treatment capacity	Water Treatment Plan
ATHENS MUNICIPAL WATER AUTHORITY : Overdraft Carrizo Wilcox Aquifer	ATHENS MUNICIPAL WATER AUTHORITY	Overdraft Carrizo Wilcox Aquifer	I	6	444	\$3,799,000	0	1,400	1,400	1,400	1,400	1,400	N	New groundwater wells. These wells have been permitted.	Other
BROWNSBORO : Overdraft Carrizo Wilcox Aquifer	BROWNSBORO	Overdraft Carrizo Wilcox Aquifer	I	299	444	\$148,600	0	0	0	C	0	40	N	Assumed met by existing wellfield	Other
BULLARD : Municipal conservation	BULLARD	Municipal conservation	I	310	439	\$0	0	3	4	5	6	8	N	Municipal conservation	No Infrastructure
BULLARD : New wells - Carrizo Wilcox Aquifer	BULLARD	New wells - Carrizo Wilcox Aquifer	I	310	443	\$305.674	0	100	100	100	200	200	N	Expand existing well field	Wells
CENTER : Municipal conservation	CENTER	Municipal conservation	1	26	439	91	15	34	47	60	67	75	N	Municipal conservation	No Infrastructure
COMMUNITY WATER COMPANY : New wells - Carrizo Wilcox Aquifer	COMMUNITY WATER COMPANY	New wells - Carrizo Wilcox Aquifer	ī	393	443	\$1,640,776	100	121	121	227	227	227	,		
				393		\$1,640,776	100	121			ZLI		N	Plan states the recommended strategy is to purchase water from provider	Wells
CONSOLIDATED WSC: Purchase water from provider (1)	CONSOLIDATED WSC	Purchase water from provider (1)	I	398	440	\$0	1,050	1,050	1,050	1,050	1,050	1,050	Y	Purchase from Houston County	No Infrastructure
COUNTY-OTHER, ANDERSON : New wells - Queen City Aquifer	COUNTY-OTHER, ANDERSON	New wells - Queen City Aquifer	I	412	445	\$212,732	0	0	0	0	0	100	N	New wells - Queen City Aquifer	Wells
COUNTY-OTHER, ANDERSON : Overdraft Carrizo Wilcox Aquifer	COUNTY-OTHER, ANDERSON	Overdraft Carrizo Wilcox Aquifer	Ι	412	444	\$262,189	0	0	0	100	100	100	N	Overdraft Carrizo Wilcox Aquifer	Other
COUNTY-OTHER, ANGELINA: New wells - Yegua Jackson Aquifer	COUNTY-OTHER, ANGELINA	New wells - Yegua Jackson Aquifer	Ī	414	448	\$419,717	0	0	150	150	300	300	N	New wells - Yegua Jackson Aquifer	Wells
COUNTY-OTHER, ANGELINA : Purchase water from provider (2)	COUNTY-OTHER, ANGELINA	Purchase water from provider (2)	I	414	441	\$0	0	0	0	0	500	500	N	This is a distribution system for Lufkin to supply smaller entities in Angelina County, Strategies #120 and 121 are the same strategy.	No Infrastructure
COUNTY-OTHER, ANGELINA : Purchase water from provider (2)	COUNTY-OTHER, ANGELINA	Purchase water from provider (2)	I	414	441	\$10,604,000	0	0	1,100	1,100	600	600	Y	This is a distribution system for Lufkin to supply smaller entities in Angelina County. Strategies #120 and 121 are the same strategy.	Pipeline
COUNTY-OTHER, HARDIN: New wells - Gulf Coast Aquifer	COUNTY-OTHER, HARDIN	New wells - Gulf Coast Aquifer	I	511	446	\$0	0	0	0	1	1	2	N	New wells - Gulf Coast Aquifer	Wells
COUNTY-OTHER, HARDIN: Overdraft Gulf Coast Aquifer	COUNTY-OTHER, HARDIN	Overdraft Gulf Coast Aquifer	I	511	643	\$556,888	154	306	306	306	459	459	N	Overdraft Gulf Coast Aquifer	Other
COUNTY-OTHER, HENDERSON : Municipal conservation	COUNTY-OTHER, HENDERSON	Municipal conservation	I	518	439	\$0	31	57	74	92	108	129	N	Municipal conservation	No Infrastructure
COUNTY-OTHER, HENDERSON: New wells - Carrizo Wilcox Aquifer	COUNTY-OTHER, HENDERSON	New wells - Carrizo Wilcox Aquifer	1	518	443	\$609,900	50	50	50	50	50	50	N	New wells - Carrizo Wilcox Aquifer	Wells
COUNTY-OTHER, HENDERSON : New wells - Queen City Aquifer	COUNTY-OTHER, HENDERSON	New wells - Queen City Aquifer	I	518	445	\$4,420,100	50	50	50	100	200	500	N	New wells - Queen City Aquifer	Wells
COUNTY-OTHER, HENDERSON : Overdraft Carrizo Wilcox Aquifer	COUNTY-OTHER, HENDERSON	Overdraft Carrizo Wilcox Aquifer	I	510	444	50	100	0	0		0	0	N	Overdraft Carrizo Wilcox Aquifer	No Infrastructure
				310	444	50	100	0	0	25.	100	0			
COUNTY-OTHER, HENDERSON : Purchase water from provider (2)	COUNTY-OTHER, HENDERSON	Purchase water from provider (2)		518	441	\$8,937,350	0	150	200	300	400	500	N	UNRMWA, Palestine	No Infrastructure
COUNTY-OTHER, JASPER: New wells - Gulf Coast Aquifer	COUNTY-OTHER, JASPER	New wells - Gulf Coast Aquifer		532	446	\$393,088	82	82	82	82	82	82	N	New wells - Gulf Coast Aguifer	Wells
COUNTY-OTHER, JASPER: Overdraft Gulf Coast Aquifer	COUNTY-OTHER, JASPER	Overdraft Gulf Coast Aquifer	I	532	643	\$1,369,957	550	550	550	550	550	550	N	Overdraft Gulf Coast Aquifer  Assumes snorsor (Nacogdoches County) will seek water right amendment for	Other
COUNTY-OTHER, NACOGDOCHES : Lake Noconiche Regional Supply System	COUNTY-OTHER, NACOGDOCHES	Lake Noconiche Regional Supply System	I	585	835	\$7,320,600	0	500	500	500	500	500	N	Assumes sponsor (Nacogdoches County) will seek water right amendment for municipal purposes and develop regional distribution system.	Other




Sponsor	Recommended Water Management Strategy	At what level of Implementation is the project?*	If not implemented, why?*	Initial Volume of Water Provided (acft/yr)	Funds Expended to Date (\$)	Project Cost (\$) (should include development and construction costs)	Year the Project is Online?*	Is this a phased project?*	(Phased) Ultimate Volume (acft/yr)	(Phased) Ultimate Project Cost (\$)	Year project reaches maximum capacity?*	What is the project funding source(s)?*	Included in the 2016 Plan?*	Comments
Spousor	Angelina-Neches River Authority Treatment	project.		Trovides (acroyr)	Date (3)	development and color action cools	Olam.	project.	(actoyr)	Troject Cost (3)	сараску:	source(s).		Commens
ELINA & NECHES RIVER AUTHORITY	and Distribution System	Not Implemented	Too soon			PARTICIPATION OF THE PROPERTY							Yes	
GELINA & NECHES RIVER AUTHORITY	New source - Lake Columbia	Permit Application Submitted/Pending	Permit contraints										Yes	
PLEBY WSC	Lake Noconiche Regional Supply System	All Phases Fully Implemented		3239									Na	
PLEBI WSC	Lake Noconicie Regional Supply System	All Flases Pully Implemented		323									NO.	
PLEBY WSC	Municipal conservation	Not Implemented	Too soon	Unknown	Unknown	Unknown	Control Park		Unknown	Unknown	7 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Unknown	No	Project sponsor did not request for project to be included in RWP.
HENS	Indirect reuse	Not Implemented	Too soon	<b>第二人</b>		0				0		Other	Yes	<b>医维尔特氏病 医电影 医水溶液</b>
		Sponsor Has Taken Official Action to Initiate												
HENS	Municipal conservation	Project	Other			0				0			No	
HENS MUNICIPAL WATER AUTHORITY	Forest Grove Reservoir project	Not Implemented	Too soon						in the oral			14	No	
HENS MUNICIPAL WATER AUTHORITY	Indirect reuse	Not Implemented	Too soon										Yes	
THENS MUNICIPAL WATER AUTHORITY	New water treatment plant	Not Implemented	Too soon										Yes	
THENS MUNICIPAL WATER AUTHORITY	Overdraft Carrizo Wilcox Aquifer	Permit Application Submitted/Pending	Permit contraints										Yes	
ROWNSBORO	Overdraft Carrizo Wilcox Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
KOWNSBORO	Overdian Carrizo whoox Aquinci	Sponsor Has Taken Official Action to Initiate	100 3001	CHRIOWI	Cikiowii	Cikilowii			CHKHOWII	Olikilowii		Chkhowh	No	Project spoisor and not request for project to be included in RWP.
JLLARD	Municipal conservation	Project	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
JLLARD	New wells - Carrizo Wilcox Aquifer	Not Implemented	Environmental obstacles	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
		Sponsor Has Taken Official Action to Initiate												
NTER	Municipal conservation	Project	Other	Unknown	Unknown	Unknown	130 300		Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
DMMUNITY WATER COMPANY	New wells - Carrizo Wilcox Aquifer	Not Implemented	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
ONSOLIDATED WSC	Purchase water from provider (1)	Permit Application Submitted/Pending	Permit contraints							0			No	
NOOLIDATED WISC	a distance makes aroun provides (2)	The state of the s												
OUNTY-OTHER, ANDERSON	New wells - Queen City Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown	100	1000	Unknown	Unknown	delvar	Unknown	No	Project sponsor for aggregated entity unknown,
OUNTY-OTHER, ANDERSON	Overdraft Carrizo Wilcox Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OVERTIL OFFICE ANGELDIA	No. 10 No	New Year Land and All Control of the	T	Unknown	Unknown	Unknown	TV.		Uhlana	11-1				
DUNTY-OTHER, ANGELINA	New wells - Yegua Jackson Aquifer	Not Implemented	Too soon	Unknown	Unknown	Offichiown			Unknown	Unknown		Unknown	NO	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, ANGELINA	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown	1.04.10		Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
DUNTY-OTHER, ANGELINA	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, HARDIN	New wells - Gulf Coast Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, HARDIN	Overdraft Gulf Coast Aquifer	Not Implemented	Environmental obstacles	Unknown	Unknown	Unknown	Jake Lead		Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
DUNTY-OTHER, HENDERSON	Municipal conservation	Sponsor Has Taken Official Action to Initiate Project	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
JOHN TO THEIR, HENDERGON	The state of the s											C.MIIO.W		A STATE OF THE PROPERTY OF THE
OUNTY-OTHER, HENDERSON	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
DUNTY-OTHER, HENDERSON	New wells - Queen City Aquifer	Not Implemented	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
MAITY OTHER PENDERSON	Overdeath Carrier Wilson A 15-	Not Implemented	Environmental shatest	Unknowe	Unknown	Unknown			Unknove	I Inknove		Unkness	No	Designs enough for acceptable side in the
OUNTY-OTHER, HENDERSON	Overdraft Carrizo Wilcox Aquifer	Not Implemented	Environmental obstacles	OIRHOWH	Unknown	CHAROWI			Unknown	Unknown		Unknown	NO	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, HENDERSON	Purchase water from provider (2)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, JASPER	New wells - Gulf Coast Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
UNTY-OTHER, JASPER	Overdraft Gulf Coast Aquifer	Not Implemented	Environmental obstacles	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
UNTY-OTHER, NACOGDOCHES	Lake Noconiche Regional Supply System	Not Implemented	Other	Unknown	Unknown	Unknown	1206		Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, NACOGDOCHES	Purchase water from provider (1)	Sponsor Has Taken Official Action to Initiate Project	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor for aggregated entity unknown.



			Sponsor Spons Region Entity	or								Y denotes strategies with supply volumes included		
Sponsor and Recommended Water Mangement Strategy	Sponsor	Recommended Water Management Strategy	Region Entity	Id DBProjec	tld CapitalCost	SS201	0 SS2020	SS2030	SS2040	SS2050	SS2060	in other strategies	Project Description	Infrastructure
COUNTY-OTHER, ORANGE : Overdraft Gulf Coast Aquifer	COUNTY-OTHER, ORANGE	Overdraft Gulf Coast Aquifer	I	592	643 \$432,2	22 1	40 14	0 140	0 140	140	140	D N	Overdraft Gulf Coast Aquifer	Other
COUNTY-OTHER, POLK: New wells - Gulf Coast Aquifer	COUNTY-OTHER, POLK	New wells - Gulf Coast Aquifer	ı	598	446 \$2,991,1	38 2	08 41	7 624	4 832	832	832	2 N	New wells - Gulf Coast Aquifer	Wells
OUNTY-OTHER, SABINE : New wells - Carrizo Wilcox Aquifer	COUNTY-OTHER, SABINE	New wells - Carrizo Wilcox Aquifer	ı	613	443 \$328,8	40	32 3	2 32	2 64	64	64	N N	New wells - Carrizo Wilcox Aquifer	Wells
COUNTY-OTHER, SHELBY : New wells - Carrizo Wilcox Aquifer	COUNTY-OTHER, SHELBY	New wells - Carrizo Wilcox Aquifer	I	621	443 \$2,278,4	00 1	00 20	0 300	0 300	350	350	N	New wells - Carrizo Wilcox Aquifer	Wells
COUNTY-OTHER, SHELBY: Purchase water from provider (1)	COUNTY-OTHER, SHELBY	Purchase water from provider (1)		621	440	so :	50 5	0 50	0 50	50	50	) N	SRA, Toledo Bend	No Infrastructure
COUNTY-OTHER, SHELBY: Purchase water from provider (2)	COUNTY-OTHER, SHELBY	Purchase water from provider (2)		621	441 \$3,024,1	50 1:	50 15	0 150	0 150	150	150	) N	Center, Center Lake	Other
COUNTY-OTHER, TRINITY : New wells - Yegua Jackson Aquifer	COUNTY-OTHER, TRINITY	New wells - Yegua Jackson Aquifer		639	448 \$249,8	51	0	0 (	0 60	60	60	) N	New wells - Yegua Jackson Aquifer	Wells
COUNTY-OTHER, TYLER: New wells - Gulf Coast Aquifer	COUNTY-OTHER, TYLER	New wells - Gulf Coast Aquifer	1 2 2	640	446 \$366,2	41	0 25	1 251	1 251	251	251	N	New wells - Gulf Coast Aquifer	Wells
D&M WSC : New wells - Carrizo Wilcox Aquifer	D&M WSC	New wells - Carrizo Wilcox Aquifer		2688	443 \$492,3	48	0	0 310	0 310	310	310	N	New wells - Carrizo Wilcox Aquifer	Wells
DIBOLL : Municipal conservation	DIBOLL	Municipal conservation		713	439	\$0	11 2	0 26	6 34	53	72	N	Municipal conservation	No Infrastructure
DIBOLL : New wells - Yegua Jackson Aquifer	DIBOLL	New wells - Yegua Jackson Aquifer		713	448 \$576,5	76 60	00 60	0 600	600	600	600	N	Expand City's current wellfield	Wells
DIBOLL : Purchase water from provider (2)	DIBOLL	Purchase water from provider (2)		713	441 \$6,195,0		00 80	0 800		1,600	1,600	Y	Purchase water from Lufkin, Abitibi wellfield in Carizzo-Wilcox	Other
FOUR WAY WSC : Purchase water from provider (2)	FOUR WAY WSC	Purchase water from provider (2)			441 \$669,1		0		0	1,000	225	N		
				813	439	72				0	223		Particpant in the Lufkin Agenlina Regional Project	Other
RANKSTON : Municipal conservation	FRANKSTON	Municipal conservation				50		0 6		8	9	N	Municipal conservation	No Infrastructure
RANKSTON: New wells - Carrizo Wilcox Aquifer	FRANKSTON	New wells - Carrizo Wilcox Aquifer		813	443 \$255,9		0	121	121		121	N	New wells - Carrizo Wilcox Aquifer	Wells
HOUSTON COUNTY WCID #1 : Permit amendment - Houston County Lake	HOUSTON COUNTY WCID #1	Permit amendment - Houston County Lake		77	831	3,50	3,50	3,500	3,500	3,500	3,500	N	Houston County	No Infrastructure
HUDSON: Purchase water from provider (1)	HUDSON	Purchase water from provider (1)		962	440	50	0	125	400	800	1,200	Y	Hudson WSC, Carizzo-Wilcox	No Infrastructure
HUDSON WSC : New wells - Carrizo Wilcox Aquifer	HUDSON WSC	New wells - Carrizo Wilcox Aquifer		964	443 \$3,274,1	92	0	600	600	2,000	2,000	N	New well field	Wells
RRIGATION, HARDIN: Purchase water from provider (2)	IRRIGATION, HARDIN	Purchase water from provider (2)		074	\$2,405,0	1,00	1,00	1,002	1,002	1,002	1,002	N	LNVA, Rayburn	Other
RRIGATION, HENDERSON : Indirect reuse	IRRIGATION, HENDERSON	Indirect reuse I		081	449	60	0 7	83	95	108	121	Υ	AMWA, recycled water from Hatchery	No Infrastructure
RRIGATION, HOUSTON: New wells - Carrizo Wilcox Aquifer	IRRIGATION, HOUSTON	New wells - Carrizo Wilcox Aquifer		087	443 \$3,205,5	50 76	56 1,14	1,149	1,639	1,915	2,298	N	New wells - Carrizo Wilcox Aquifer	Wells
RRIGATION, SAN AUGUSTINE : New wells - Carrizo Wilcox Aquifer	IRRIGATION, SAN AUGUSTINE	New wells - Carrizo Wilcox Aquifer		168	443 \$224,6	00 10	00 10	100	100	100	100	N	New wells - Carrizo Wilcox Aquifer	Wells
RRIGATION, SMITH: New wells - Queen City Aquifer	IRRIGATION, SMITH	New wells - Queen City Aquifer I		177	445 \$357,7	4 4	10 41	80	120	168	168	N	New wells - Queen City Aquifer	Wells
ACKSON WSC: Purchase water from provider (2)	JACKSON WSC	Purchase water from provider (2)		224	441	60	0 600	600	600	600	600	Y	ANRA, Lake Columbia; Particpant in ANRA Regional Project (II)	No Infrastructure
ACKSONVILLE: Infrastructure improvements	JACKSONVILLE	Infrastructure improvements I		79	833 \$1,000,0	0 1,00	1,000	1,000	1,000	1,000	1,000	N	Improvements at City's WTP to allow greater amount of water to be treated.	Water Treatment Pla
ACKSONVILLE: Purchase water from provider (3)	JACKSONVILLE	Purchase water from provider (3)		79	442 \$19,133,70	00	0 1,700	1,700	1,700	1,700	1,700	Y	Contract with ANRA; construct own intake and pipeline	Pipeline
CIRBYVILLE: Municipal conservation	KIRBYVILLE	Municipal conservation I		270	439	00	3	5	6	7	7	N	Municipal conservation	No Infrastructure
ILLY GROVE SUD: Lake Noconiche Regional Supply System	LILLY GROVE SUD	Lake Noconiche Regional Supply System I		322	835 \$7,320,6	0		0		500	500		Assumes sponsor (Nacogdoches County) will seek water right amendment for municipal purposes and develop regional distribution system.	
	LILLY GROVE SUD	New wells - Carrizo Wilcox Aquifer I		322	443 \$580.56			0	0	300	300	N		Pipeline
JLLY GROVE SUD : New wells - Carrizo Wilcox Aquifer					443 \$380,5			0	0	500	500	N	New wells - Carrizo Wilcox Aquifer	Wells
INDALE RURAL WSC: Municipal conservation	LINDALE RURAL WSC	Municipal conservation I		325	439	0	0 (	5	7	9	12	N	Municipal conservation	No Infrastructure
INDALE RURAL WSC: New wells - Carrizo Wilcox Aquifer	LINDALE RURAL WSC	New wells - Carrizo Wilcox Aquifer I		325	443 \$347,2	9	0 (	0	0	0	80	N	New wells - Carrizo Wilcox Aquifer	Wells
IVESTOCK, ANGELINA: Expand local surface water supplies	LIVESTOCK, ANGELINA	Expand local surface water supplies I		334	453 \$168,80	0	0 (	0	90	90	90	N	Build new stock tanks  Contract to require Fish Hatchery to return unused water to Lake Athens (which is	Other



Sponsor	Recommended Water Management Strateg	At what level of Implementation is the project?*	If not implemented, why?*	Initial Volume of Water Provided (acft/yr)	Funds Expended to Date (\$)	Project Cost (\$) (should include development and construction costs)	Year the Project is Online?*	Is this a phased project?*	(Phased) Ultimate Volum (acft/yr)	(Phased) e Ultimate Project Cost (\$	Year project reaches maximum capacity?*	What is the project funding source(s)?*	Included in the 2016 Plan?*	Comments
COUNTY-OTHER, ORANGE	Overdraft Gulf Coast Aquifer	Not Implemented	Environmental obstacle	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, POLK	New wells - Gulf Coast Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, SABINE	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
COUNTY-OTHER, SHELBY	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, SHELBY	Purchase water from provider (1)	Currently Operating		Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, SHELBY	Purchase water from provider (2)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, TRINITY	New wells - Yegua Jackson Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
OUNTY-OTHER, TYLER	New wells - Gulf Coast Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
&M WSC	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon										No	
DIBOLL	Municipal conservation	Sponsor Has Taken Official Action to Initiate Project	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
DIBOLL	New wells - Yegua Jackson Aquifer												No	
DIBOLL	Purchase water from provider (2)												No	
OUR WAY WSC	Purchase water from provider (2)	Not Implemented	Too soon					4					No	
RANKSTON	Municipal conservation	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
RANKSTON	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor did not request for project to be included in RWP.
HOUSTON COUNTY WCID #1	Permit amendment - Houston County Lake	Permit Application Submitted/Pending	Permit contraints	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor did not request for project to be included in RWP.
HUDSON	Purchase water from provider (1)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor did not request for project to be included in RWP.
HUDSON WSC	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown	30	Unknown		Project sponsor did not request for project to be included in RWP.
RRIGATION, HARDIN	Purchase water from provider (2)	Not Implemented		Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor for aggregated entity unknown.
RRIGATION, HENDERSON	Indirect reuse	Not Implemented	Environmental obstacles		Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor for aggregated entity unknown.
RRIGATION, HOUSTON	New wells - Carrizo Wilcox Aquifer	Not Implemented	Environmental obstacles		Unknown	Unknown			Unknown	Unknown	36	Unknown		Project sponsor for aggregated entity unknown.
RRIGATION, SAN AUGUSTINE	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor for aggregated entity unknown.
RRIGATION, SMITH	New wells - Queen City Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown		Project sponsor for aggregated entity unknown.
ACKSON WSC	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate Project	Too soon		0	O				0		Chiang wa	No	roject spoisor for aggregated climy anknown.
ACKSONVILLE	Infrastructure improvements	Not Implemented	Other										No	
ACKSONVILLE	Purchase water from provider (3)	Not Implemented	Other						T Targ				No	
CIRBYVILLE	Municipal conservation	Sponsor Has Taken Official Action to Initiate Project	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project spancar did not request for available to be in the Line DVID
				Olikhowii	Chknown	Unknown			Unknown	Unknown		Unknown	NO	Project sponsor did not request for project to be included in RWP.
ILLY GROVE SUD	Lake Noconiche Regional Supply System	Not Implemented	Too soon								1900		NO	
JILLY GROVE SUD	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon										NO.	
INDALE RURAL WSC	Municipal conservation	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	N0	Project sponsor did not request for project to be included in RWP.
INDALE RURAL WSC	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon				7.302						No	
IVESTOCK, ANGELINA	Expand local surface water supplies	Not Implemented	Too soon	Unknown	Unknown	Unknown		Carde Cardinal (Modern	Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.



Sponsor and Recommended Water Mangement Strategy	Sponsor	Recommended Water Management Strategy	Sponsor Region	WMS Sponsor Entity Id	DBProjectId	CapitalCost	SS2010	SS2020	SS2030	SS2040	SS2050	SS2060	Y denotes strategies with supply volumes included in other strategies		Infrastructure Ty
JVESTOCK, HOUSTON: New wells - Carrizo Wilcox Aquifer	LIVESTOCK, HOUSTON	New wells - Carrizo Wilcox Aquifer	1	1444	443	\$1,335,649	111	111	221	363	542	665	N	New wells - Carrizo Wilcox Aquifer	Wells
.IVESTOCK, HOUSTON: New wells - Yegua Jackson Aquifer	LIVESTOCK, HOUSTON	New wells - Yegua Jackson Aquifer	I	1444	448	\$1,335,649	110	130	221	300	342	416	N	New wells - Yegua Jackson Aquifer	Wells
JVESTOCK, NACOGDOCHES : New wells - Carrizo Wilcox Aquifer	LIVESTOCK, NACOGDOCHES	New wells - Carrizo Wilcox Aquifer	I	1505	443	\$1,969,392	0	0	322	644	966	1,350	N	New wells - Carrizo Wilcox Aquifer	Wells
LIVESTOCK, SABINE: Expand local surface water supplies	LIVESTOCK, SABINE	Expand local surface water supplies	1	1533	453	\$562,700	50	100	107	200	210	300	N	Build new stock tanks	Other
.IVESTOCK, SABINE: New wells - Carrizo Wilcox Aquifer	LIVESTOCK, SABINE	New wells - Carrizo Wilcox Aquifer	1	1533	443	\$226,430	50	50	50	100	100	100	N	New wells - Carrizo Wilcox Aquifer	Wells
JVESTOCK, SAN AUGUSTINE: Expand local surface water supplies	LIVESTOCK, SAN AUGUSTINE	Expand local surface water supplies	I	1534	453	\$562,700	0	50	100	200	200	300	N	Build new stock tanks	Other
JVESTOCK, SAN AUGUSTINE : New wells - Carrizo Wilcox Aquifer	LIVESTOCK, SAN AUGUSTINE	New wells - Carrizo Wilcox Aquifer	1	1534	443	\$568,710	150	150	250	300	400	400	N	New wells - Carrizo Wilcox Aquifer	Wells
.IVESTOCK, SHELBY: Expand local surface water supplies	LIVESTOCK, SHELBY	Expand local surface water supplies	I	1541	453	\$689,600	0	0	500	500	500	500	N	Build new stock tanks	Other
JVESTOCK, SHELBY: New wells - Carrizo Wilcox Aquifer	LIVESTOCK, SHELBY	New wells - Carrizo Wilcox Aquifer	1	1541	443	\$2,428,400	1,500	2,500	3,000	3,000	3,500	3,500	N	New wells - Carrizo Wilcox Aquifer	Wells
LIVESTOCK, SHELBY: Purchase water from provider (2)	LIVESTOCK, SHELBY	Purchase water from provider (2)	L	1541	441	\$4,763,200	0	0	0	4,000	4,000	4,000	N	SRA, Toledo Bend	Other
OWER NECHES VALLEY AUTHORITY: Permit amendment for Sam Rayburn Reservoi	LOWER NECHES VALLEY AUTHORITY	Permit amendment for Sam Rayburn Reservoir	I	88	827	\$0	0	28,000	28,000	28,000	28,000	28,000	N	Permit amendment for Sam Rayburn Reservoir	No Infrastructure
OWER NECHES VALLEY AUTHORITY : Purchase water from provider (2)	LOWER NECHES VALLEY AUTHORITY	Purchase water from provider (2)	I	88	441	\$39,168,200	0	0	0	0	36,000	36,000		Purchase water from SRA, Toledo Bend.	Other
OWER NECHES VALLEY AUTHORITY : Reallocation of flood storage (Rayburn)	LOWER NECHES VALLEY AUTHORITY	Reallocation of flood storage (Rayburn)	1	88	828	\$0	0	0	0	0	122,000	122,000		Reallocation of flood storage (Rayburn)	No Infrastructure
OWER NECHES VALLEY AUTHORITY : Saltwater barrier conjunctive operation with tayburn/Steinhagen	LOWER NECHES VALLEY AUTHORITY	Saltwater barrier conjunctive operation with Rayburn/Steinhagen		88	826	\$2,000,000	0	111 000	111,000	111,000		111,000	N	Saltwater barrier conjunctive operation with Rayburn/Steinhagen	Other
OWER NECHES VALLEY AUTHORITY : Wholesale customer conservation	LOWER NECHES VALLEY AUTHORITY	Wholesale customer conservation		88	889	\$1,400,000	20,000		33,000			40,000	N	Water conservation associated with irrigation deliveries	Other
	LUFKIN			01	460	\$53,164,000	20,000	30,000	33,000	11,210	11,210	11,210		water conservation associated with irrigation deriveries  Regional distribution system to serve Angelina County-Other, Diboll, Four-Way WSC	Other District
LUFKIN : Angelina County Regional Project	LUFKIN	Angelina County Regional Project		91	400	\$56,488,600	( 900	10.400	10.400						Pipeline
LUFKIN: Lake Kurth Regional System		Lake Kurth Regional System		91	832	\$56,488,600	6,800	18,400	18,400	18,400	18,400	18,400	N	Connect Lake Kurth to Lufkin	Pipeline
JUFKIN: Municipal conservation	LUFKIN	Municipal conservation		91	439	30	50	117	189	249	319	408	N	Municipal conservation	No Infrastructure
LUFKIN : New wells - Carrizo Wilcox Aquifer	LUFKIN	New wells - Carrizo Wilcox Aquifer	I	91	443	\$14,097,000	4,650		4,650		4,650	4,650	N	Develop well field purchased from Abitibi	Wells
MANUFACTURING, ANGELINA: Purchase water from provider (2)	MANUFACTURING, ANGELINA	Purchase water from provider (2)	I	1622	441	\$26,176,750	6,800	21,351	21,351	22,651	25,351	27,351	Y	Purchase water from different providers: ANRA, Lufkin	Other
MANUFACTURING, HARDIN: New wells - Gulf Coast Aquifer	MANUFACTURING, HARDIN	New wells - Gulf Coast Aquifer	I	1686	446	\$429,542	114	114	114	114	114	114	N	New wells - Gulf Coast Aquifer	Wells
MANUFACTURING, HOUSTON: Purchase water from provider (1)	MANUFACTURING, HOUSTON	Purchase water from provider (1)	I	1698	440	\$0	30	30	30	30	30	30	Y	Purchase water from Houston County	No Infrastructure
MANUFACTURING, NEWTON: New wells - Gulf Coast Aquifer	MANUFACTURING, NEWTON	New wells - Gulf Coast Aquifer	I	1742	446	\$891,529	400	400	400	800	800	800	N	New wells - Gulf Coast Aquifer	Wells
MANUFACTURING, ORANGE: Purchase water from provider (1)	MANUFACTURING, ORANGE	Purchase water from provider (1)	I	1745	440	\$0	5,000	15,000	20,000	25,000	25,000	28,000	N	Purchase water from SRA Canal System.	No Infrastructure
MANUFACTURING, ORANGE: Purchase water from provider (2)	MANUFACTURING, ORANGE	Purchase water from provider (2)	I	1745	441	\$0	0	0	0	0	5,000	8,000	N	Purchase water from SRA Toledo Bend Reservoir. Same strategy as #189	No Infrastructure
MANUFACTURING, PANOLA: Purchase water from provider (1)	MANUFACTURING, PANOLA	Purchase water from provider (1)	I	1747	440	\$0	96	116	132	147	161	187	N	Carthage, Murvaul	No Infrastructure
MANUFACTURING, POLK: New wells - Gulf Coast Aquifer	MANUFACTURING, POLK	New wells - Gulf Coast Aquifer	1	1751	446	\$581,344	0	225	225	450	450	450	N	New wells - Gulf Coast Aquifer	Wells
MANUFACTURING, SAN AUGUSTINE : New wells - Carrizo Wilcox Aquifer	MANUFACTURING, SAN AUGUSTINE	New wells - Carrizo Wilcox Aquifer	I	1762	443	\$33,300	10	10	10	10	10	10	N	New wells - Carrizo Wilcox Aquifer	Wells
MANUFACTURING, SHELBY: Purchase water from provider (1)	MANUFACTURING, SHELBY	Purchase water from provider (1)	I	1766	440	\$0	0	0	0	0	5	12	N	Center, Carizzo-Wilcox	No Infrastructure
MANUFACTURING, SMITH: Purchase water from provider (2)	MANUFACTURING, SMITH	Purchase water from provider (2)	1	1767	441	\$1,476,152	0	0	294	294	294	295	N	Tyler, Palestine	Other
MAURICEVILLE SUD: New wells - Gulf Coast Aquifer	MAURICEVILLE SUD	New wells - Gulf Coast Aquifer	I	1811	446	\$550,848	0	203	203	203	203	203	N	New wells in Jasper County	Wells
MINING, SAN AUGUSTINE: Purchase water from provider (2)	MINING, SAN AUGUSTINE	Purchase water from provider (2)	1	2692	441	\$8,212,450	1,000	6,500	0	0	0	0	N	LNVA, Rayburn	Other
MINING , SAN AUGUSTINE : Purchase water from provider (2)	MINING , SAN AUGUSTINE	Purchase water from provider (2)		2692	441	\$2,627,850	500							ANRA, Lake Columbia (river diversion)	01



Sponsor	Recommended Water Management Strateg	At what level of Implementation is the project?*	If not implemented, why?*	Initial Volume of Water Provided (act/yr)	Funds Expended to	Project Cost (\$) (should include development and construction costs)	Year the Project is Online?*	Is this a phased project?*	(Phased) Ultimate Volume (acft/yr)	(Phased) Ultimate Project Cost (\$)	Year project reaches maximum capacity?*	What is the project funding source(s)?*	Included in the 2016 Plan?*	Comments
Openous .								project.	(acreys)	Troject Cost (3)	Capacity:	source(s).		Commens
/ESTOCK, HOUSTON	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown	1 11 11 11		Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
VESTOCK, HOUSTON	New wells - Yegua Jackson Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
VESTOCK, NACOGDOCHES	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
IVESTOCK, SABINE	Expand local surface water supplies			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IVESTOCK, SABINE	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown			N-	
VESTOCK, SABINE									Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
VESTOCK, SAN AUGUSTINE	Expand local surface water supplies			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
VESTOCK, SAN AUGUSTINE	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IVESTOCK, SHELBY	Expand local surface water supplies	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IVESTOCK, SHELBY	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IVESTOCK, SHELBY	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
														- copes sponsor for aggregated citing triantown.
OWER NECHES VALLEY AUTHORITY	Permit amendment for Sam Rayburn Reservoir	Permit Application Submitted/Pending	Permit contraints			0				0			Yes	
OWER NECHES VALLEY AUTHORITY	Purchase water from provider (2)	Not Implemented	Too soon		2 2 8 9 2								Yes	
OWER NECHES VALLEY AUTHORITY	Reallocation of flood storage (Rayburn)	Not Implemented	Too soon	Walter Committee	0	0				0			No	
OWER NECHES VALLEY AUTHORITY	Saltwater barrier conjunctive operation with Rayburn/Steinhagen	Not Implemented	Financing							124		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No	
OWER NECHES VALLEY AUTHORITY	Wholesale customer conservation					Lange Land							No	
UFKIN	Angelina County Regional Project	Not Implemented	Too soon										Yes	
UFKIN	Lake Kurth Regional System	All Phases Fully Implemented Sponsor Has Taken Official Action to Initiate											Yes	
UFKIN	Municipal conservation	Project	Other		0	0				0		AND THE PARTY OF T	No	
UFKIN	New wells - Carrizo Wilcox Aquifer	All Phases Fully Implemented		Secretary and their									No	
IANUFACTURING, ANGELINA	Purchase water from provider (2)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
ANUFACTURING, HARDIN	New wells - Gulf Coast Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IANUFACTURING, HOUSTON	Purchase water from provider (1)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
ANUFACTURING, NEWTON	New wells - Gulf Coast Aquifer	Not Implemented	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
ANUFACTURING, ORANGE	Purchase water from provider (1)	Currently Operating		Unknown	Unknown	Unknown	Strate Strate		Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
ANUFACTURING, ORANGE	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IANUFACTURING, PANOLA	Purchase water from provider (1)	Currently Operating		Unknown	Unknown	Unknown		9	Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
IANUFACTURING, POLK													N-	
	New wells - Gulf Coast Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	INO	Project sponsor for aggregated entity unknown.
ANUFACTURING, SAN AUGUSTINE	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
ANUFACTURING, SHELBY	Purchase water from provider (1)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
ANUFACTURING, SMITH	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown		West who	Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
AURICEVILLE SUD	New wells - Gulf Coast Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown	225	Unknown	No	Project sponsor did not request for project to be included in RWF
IINING, SAN AUGUSTINE	Purchase water from provider (2)	Not Implemented  Sponsor Has Taken Official Action to Initiate		Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.



Sponsor and Recommended Water Mangement Strategy	Sponsor	Recommended Water Management Strategy	Sponsor Region	WMS Sponsor Entity Id	DBProjectId	Capital Cost	SS2010	SS2020	SS2030	SS2040	SS2050	SS2060	Y denotes strategies with supply volumes included in other strategies	Project Description	Infrastructure Type
MINING , SHELBY : Purchase water from provider (1)	MINING, SHELBY	Purchase water from provider (1)	I	2691	440	\$3,847,950			0	0	0	0	N	SRA, Toledo Bend	Other
MNING , SHELBY : Purchase water from provider (2)	MINING , SHELBY	Purchase water from provider (2)	I	2691	441	\$1,543,400	250	250	0	0	0	0	Y	ANRA, Lake Columbia (river diversion)	Other
INING, ANDERSON : New wells - Carrizo Wilcox Aquifer	MINING, ANDERSON	New wells - Carrizo Wilcox Aquifer	l <sub>I</sub>	1844	443	\$228,730	18	120	120	120	120	120	N	New wells - Carrizo Wilcox Aquifer	Wells
MINING, ANGELINA: Purchase water from provider (2)	MINING, ANGELINA	Purchase water from provider (2)	I	1846	441	\$5,793,150	2,000	4,000	0	0	0	0	Y	ANRA (Lake Columbia or Angelina River); Lufkin (Lake Kurth)	Other
MINING, CHEROKEE: Purchase water from provider (2)	MINING, CHEROKEE	Purchase water from provider (2)	I	1876	441	\$3,619,300	500	1,500	0	0	0	0	Y	ANRA, Lake Columbia	Other
MINING, JEFFERSON: New wells - Gulf Coast Aquifer	MINING, JEFFERSON	New wells - Gulf Coast Aquifer	I	1951	446	\$103,083	0	0	0	0	5	9	N	New wells - Gulf Coast Aquifer	Wells
/INING, NACOGDOCHES: Purchase water from provider (2)	MINING, NACOGDOCHES	Purchase water from provider (2)	I	1997	441	\$9,593,450	2,500	7,000	0	0	0	0	Y	ANRA (Lake Columbia or Angelina River); LNVA	Other
IINING, RUSK: New wells - Carrizo Wilcox Aquifer	MINING, RUSK	New wells - Carrizo Wilcox Aquifer	I	2021	443	\$241,600	0	0	0	158	158	158	N	New wells - Carrizo Wilcox Aquifer	Wells
4INING, SMITH: New wells - Queen City Aquifer	MINING, SMITH	New wells - Queen City Aquifer	I	2029	445	\$655,416	47	141	188	235	282	329	N	New wells - Queen City Aquifer	Wells
NACOGDOCHES: Municipal conservation	NACOGDOCHES	Municipal conservation	I	102	439	\$0	0	229	425	514	654	787	N	Municipal conservation	No Infrastructure
NACOGDOCHES : New wells - Carrizo Wilcox Aquifer	NACOGDOCHES	New wells - Carrizo Wilcox Aquifer	ī	102	443	\$2,727,000	2,800	2,800	2,800	2,800		2,800	N	Expand existing well field	Wells
NACOGDOCHES: Purchase water from provider (3)	NACOGDOCHES	Purchase water from provider (3)	T .	102	442	\$0	0	0	0	2,000	5,175	5,175	N		
NACOGDOCHES : Purchase water from provider (3)	NACOGDOCHES	Purchase water from provider (3)	r	102	442	\$37,282,050	0	8,551	8,551	8,551		8,551	Y	Purchase water from SRA, Toledo Bend. Alternate strategy. Suggest delete.	No Infrastructure
NEW SUMMERFIELD : Municipal conservation	NEW SUMMERFIELD	Municipal conservation	T	2116	439	\$31,202,030	0	10	19	31	331	8,331	N		Other
	NEW SUMMERFIELD			2116	432	\$0	0	1,000	1,000	1,000	1,000	1 000	Y	Municipal conservation	No Infrastructure
NEW SUMMERFIELD : Purchase water from provider (1)	RUSK	Purchase water from provider (1)	T	2308	440	\$0	0	1,000	1,000	1,000	1,000	1,000		ANRA, Lake Columbia; Particpant in ANRA Regional Project (11)	No Infrastructure
USK: Municipal conservation		Municipal conservation			439	\$0	0	7,000	2.000	2.000	0.000	76	N	Municipal conservation	No Infrastructure
USK : Purchase water from provider (2)	RUSK	Purchase water from provider (2)		2308	441	\$28,435,800	0	3,000	3,000			3,000	Y	ANRA, Lake Columbia. New river intake with downstream diversions	Other
TEAM ELECTRIC POWER, ANDERSON : Purchase water from provider (2)	STEAM ELECTRIC POWER, ANDERSON	Purchase water from provider (2)		2401	441	\$24,917,413	0	21,853	21,853			21,853	N	UNRMWA, Palestine	Other
STEAM ELECTRIC POWER, ANGELINA : New wells - Carrizo Wilcox Aquifer	STEAM ELECTRIC POWER, ANGELINA	New wells - Carrizo Wilcox Aquifer	L CONTRACTOR	2673	443	\$1,724,909	1,000		1,000			1,000	N	New wells - Carrizo Wilcox Aquifer	Wells
STEAM ELECTRIC POWER, JEFFERSON : Purchase water from provider (1)	STEAM ELECTRIC POWER, JEFFERSON	Purchase water from provider (1)	I	2440	440	\$13,647,296	0	25,951	25,951	25,951	25,951	25,951	N	LNVA, Raybum	Other
TEAM ELECTRIC POWER, NACOGDOCHES : Purchase water from provider (2)	STEAM ELECTRIC POWER, NACOGDOCHES	Purchase water from provider (2)	I	2458	441	\$2,012,400	0	340	340	340	340	340	N	Houston County	Other
STEAM ELECTRIC POWER, NACOGDOCHES : Purchase water from provider (2)	STEAM ELECTRIC POWER, NACOGDOCHES	Purchase water from provider (2)	1	2458	441	\$10,718,000	0	5,000	5,000	5,000	13,400	13,400	Y	ANRA, Lake Columbia	Other
STEAM ELECTRIC POWER, NEWTON: Purchase water from provider (2)	STEAM ELECTRIC POWER, NEWTON	Purchase water from provider (2)	1	2459	441	\$12,515,350	0	0	15,000	15,000	15,000	15,000	N	SRA, Toledo Bend	Other
STEAM ELECTRIC POWER, RUSK: Purchase water from provider (2)	STEAM ELECTRIC POWER, RUSK	Purchase water from provider (2)	I	2468	441	\$1,318,500	0	0	0	0	1,501	1,500	N	SRA, Toledo Bend	Other
STEAM ELECTRIC POWER, RUSK: Purchase water from provider (2)	STEAM ELECTRIC POWER, RUSK	Purchase water from provider (2)	I	2468	441	\$8,640,450	0	0	0	0	0	8,500	Y	ANRA, Lake Columbia	Other
SWIFT WSC : Lake Noconiche Regional Supply System	SWIFT WSC	Lake Noconiche Regional Supply System	I.	2503	835	\$5,856,500	0	0	400	400	400	400	N	Assumes sponsor (Nacogdoches County) will seek water right amendment for municipal purposes and develop regional distribution system.	Other
SWIFT WSC : New wells - Carrizo Wilcox Aquifer	SWIFT WSC	New wells - Carrizo Wilcox Aquifer	I	2503	443	\$498,171	350	350	350	350	350	350	N	New wells - Carrizo Wilcox Aquifer	Wells
YLER: Lake Palestine infrastructure	TYLER	Lake Palestine infrastructure		144	834	\$79,389,250	0	0	16,815	16,815	16,815	16,815	N	Expand treatment and pumping capacity from Lake Palestine.	Water Treatment Plant
JPPER NECHES MWD : Fastrill replacement (Region I component)	UPPER NECHES MWD	Fastrill replacement (Region I component)	I	149	936	\$0	0	0	0	0	0	22,400	N	New reservoir. Project is water in place.	No Infrastructure
VHITEHOUSE: Purchase water from provider (2)	WHITEHOUSE	Purchase water from provider (2)	I	2616	441	\$0	0	1,200	1,200	1,200	1,200	1,200	Y	ANRA, Lake Columbia; Particpant in ANRA Regional Project (II)	No Infrastructure
VHITEHOUSE: Purchase water from provider (3)	WHITEHOUSE	Purchase water from provider (3)	I	2616	442	\$0	27	0	0	0	0	0	N	Purchases water from Tyler	No Infrastructure
VOODVILLE : New wells - Gulf Coast Aquifer	WOODVILLE	New wells - Gulf Coast Aquifer		2647		\$511,400						300		New well near existing well field	Wells



Soonsor	Recommended Water Management Strateg	At what level of Implementation is the project?*	If not implemented, why?*	Initial Volume of Water Provided (acft/yr)	Funds Expended t	o Project Cost (\$) (should include development and construction costs)	Year the Project is Online?*	Is this a	(Phased) Ultimate Volume	(Phased) Ultimate	Year project reaches maximum	What is the project funding	Included in the 2016	
Spotsov	Reconsider water wante control of the	and the second s		Trovided (acrey)	Date (3)	development and coust action costs)	Onne:	project?*	(acft/yr)	Project Cost (\$)	capacity?*	source(s)?*	Plan?*	Comments
IINING , SHELBY	Purchase water from provider (1)			Unknown	Unknown	Unknown	PLACE AND A		Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IINING, SHELBY	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate Project	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
IINING, ANDERSON	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
		Sponsor Has Taken Official Action to Initiate										Circiowa	1	1 Toject spoisor for aggregated entity unknown.
IINING, ANGELINA	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
IINING, CHEROKEE	Purchase water from provider (2)	Project	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
INING, JEFFERSON	New wells - Gulf Coast Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
INING, NACOGDOCHES	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate Project	Too soon	Unknown	Unknown	Unknown			Helmone	11-1				
intino, NACOGDOCIES		Troject	100 3001	Cikiowii	Chkilowii	Ulikilowii			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
IINING, RUSK	New wells - Carrizo Wilcox Aquifer	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
MINING, SMITH	New wells - Queen City Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
ACOGDOCHES	Municipal conservation	Sponsor Has Taken Official Action to Initiate Project	Other			0				0			No	
													140	
ACOGDOCHES	New wells - Carrizo Wilcox Aquifer												No	
ACOGDOCHES	Purchase water from provider (3)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
ACOGDOCHES	Purchase water from provider (3)	Sponsor Has Taken Official Action to Initiate Project	Too soon		lies IIII i na								No	<b>建设设计算工程,是是</b>
EW CINA SERVICED	Musicipal consumption	Sponsor Has Taken Official Action to Initiate Project	Oshor	The state of the s	11-1									
EW SUMMERFIELD	Municipal conservation	Sponsor Has Taken Official Action to Initiate	Other	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
EW SUMMERFIELD	Purchase water from provider (1)	Project	Too soon		20 Pet 2 Te 2	0				0			No	
USK	Municipal conservation	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
USK	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate Project	Too soon											
			100 5001										No	
TEAM ELECTRIC POWER, ANDERSON	Purchase water from provider (2)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
TEAM ELECTRIC POWER, ANGELINA	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown	1	Unknown	No	Project sponsor for aggregated entity unknown.
TEAM ELECTRIC POWER, JEFFERSON	Purchase water from provider (1)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
TEAM ELECTRIC POWER, NACOGDOCHES	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate		Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
TEAM ELECTRIC POWER, NACOGDOCHES	Purchase water from provider (2)	Project	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
FEAM ELECTRIC POWER, NEWTON	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
TEAM ELECTRIC POWER, RUSK	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown								
TEAM ELECTRIC FOWER, RUSK	Furciase water from provider (2)	Not implemented	100 S001	Chkhown	Unknown	Unknown			Unknown	Unknown		Unknown	Yes	Project sponsor for aggregated entity unknown.
TEAM ELECTRIC POWER, RUSK	Purchase water from provider (2)	Not Implemented	Too soon	Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor for aggregated entity unknown.
WIFT WSC	Lake Noconiche Regional Supply System	Not Implemented	Too soon										No	
WIFT WSC	New wells - Carrizo Wilcox Aquifer			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No	Project sponsor did not request for project to be included in RWP.
									CHARLOWN	C.IR.IOWII		CHRIOWII	110	a roped sponsor and not request for project to be included in RWP.
/LER	Lake Palestine infrastructure	Not Implemented	Too soon										Yes	
PPER NECHES MWD	Fastrill replacement (Region I component)	Not Implemented	Too soon		(	0	James of			0			Yes	
HITEHOUSE	Purchase water from provider (2)	Sponsor Has Taken Official Action to Initiate Project	Too soon										No	
HITEHOUSE	Purchase water from provider (3)			Unknown	Unknown	Unknown			Unknown	Unknown		Unknown	No 1	Project sponsor did not request for project to be included in RWP.
WOODVILLE	New wells - Gulf Coast Aquifer				an tarafali			35. apr - 19					No	

